

BID REJECTION FORM

Bid number: 50-00123889

Vendor Name: Louisiana Lift & Equipment

Reasons for

Rejections: Did not meet specification, which call for "Dual Hydraulic, Oil Cooled, Disc Brakes". The bidder specifications for TMX 20 Truck only states "Disc Brakes".

REVIEWED BY:

Buyer Name:

Michael Camarillo

Date: 9/12/2018

Chief Buyer:

[Signature]

Date:

9/12/18



Bid Number 50-00123889

**PURCHASE OF ELECTRIC POWERED FORK LIFT TRUCK FOR THE
JEFFERSON PARISH DEPARTMENT OF ENGINEERING**

BID DUE: AUGUST 30, 2018 AT 2:00 PM

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received in the Purchasing Department by the bid due date and time.

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Buyer Name: Misty A. Camardelle
Buyer Email: mcamardelle@jeffparish.net
Buyer Phone: 504-364-2683**



JEFFERSON PARISH

Department of Purchasing

Michael S. Yenni
Parish President

Renny Simno
Director

July 2018

CHANGES TO JEFFERSON PARISH BIDDING PROCEDURES

The East bank Office of Purchasing is now open! We are located in the Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Suite 404, Jefferson, LA 70123. Bidders may submit bid responses at this location, pending authorization in each bid package. **Bidders should carefully read and must respond accordingly per the requirements of the bid packages. NOTE: Bidders submitting bids on the day of bid opening, bidders must submit at the West Bank location only.**

Other Changes Continued:

- For all advertised sealed bids, written evidence of signature authority must be included with bid submission.
- Current W9 Forms and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, a current W-9 form must be supplied upon contract execution, should you be awarded a contract and/or issued a purchase order.
- **Proof of insurance in the form of a current certificate evidencing coverages is required with bid submission.** Bidders must read the insurance requirements attachment included in each bid package for specific instructions. Upon contract execution, successful bidder must produce final insurance certificates in accordance with Jefferson Parish insurance requirements.

Bidders should reference the "Additional Requirements" section of the bid instructions and/or the "Important Notice to Bidders" included in the bid package for specific requirements to respond accordingly.

For more information, please call Jefferson Parish Purchasing at 504-364-2678.

Joseph S. Yenni Building – 1221 Elmwood Park Blvd., Ste. 404, Jefferson, LA 70123
Office 504.364.2678
General Government Bldg. – 200 Derbigny St – Suite 4400 - Gretna, LA 70053
Office 504.364.2678
Email: Purchasing@jeffparish.net Website: www.jeffparish.net

Horn, Electro-Mechanical

Key Switch

Lift and Drive Motors Temperature Warning Lights

Lift-out Battery Compartment

Lift System Relief Valve

Braking, Regenerative

Mast, Cushioned Stops

Mast Tilt, 5° Forward/6.5° Back (TT)

Carriage, Hook-Type, 37 in. Wide, ITA TT Mast

Battery State-of-Charge with Lift Cut-out

Brakes, Dual Hydraulic, Oil Cooled, Disc Brakes

Hydraulic Functions, Fully Variable, Lever Control

36 Volt System

3,480 Lbs. Capacity @ 24" Load Center to 188"

Overall Collapsed Height of Mast: 83"

Elevated Height of Forks: 188" ✓

Extended Height of Truck with Load Backrest: 236.2"

Overhead Guard Height: 80.9" - 79.4

Top of Seat to Underside of Overhead Guard: 43.5"

ITA Class II Forks: 42" Long X 5" Wide X 1.6" Thick ✓

Lowered Height of Forks: Floor ✓

Chassis Width/Overall Width: 41.5" ✓

Forks Manually Adjust from 14" Minimum to 34.3" Maximum Overall Width

Grad ability: Empty - 19% Loaded - 19%

Forklift Specifications

Three Wheel Electric Sit Down Counterbalanced Truck

TT Mast, Open View with Full Free Lift

Operator Display, with the following features:

OPSS Activation Light

Parking Brake Light

Low-Speed Setting & Down Button

Power Select & Left Button

Power Select Indicator

Time/Date & Right Button

Multifunction Hour Meter & Enter Button

Time/Date Indicator

Overheat Warning Light

Diagnostic Mode Light

Travel Speed Indicator

Mast Tilt Indicator

Travel Direction Indicator

Battery Capacity Indicator

Seat Vinyl, Ergonomic with Tilt, Lumbar, and Full Suspension Adjustments

Drawbar Pin

Diagnostics, Drive and Lift

Drive, Dual

Floor Mat, Rubber

Turning Radius: 62.8"

Truck Wheelbase: 55.1

Travel Speed: Empty – 8.8 MPH Loaded – 8.8 MPH

Elevating Speed: Empty - 110 FPM Loaded - 59 FPM

Lowering Speed: Empty - 94 FPM Loaded - 96 FPM

25" Battery Compartment Width

Truck Weight, Less Battery: 5,965 Lbs.

Additional Truck Options

48" Forks

Orange – Safety Belt *512*

Keyless On / Off

Front Lights

Standard Warranty Coverage

Class II Fork Positioner

Battery: Model: Enersys HUP 18-125-15

875 AMP Hour, 36 Volts

Charger: Model: IMPAQ

EI3-HL-4YE

3 Phase/ 480

36 Volt

512

DATE: 8/15/2018
BID NO.: 50-00123889

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

BUYER: MCamardelle@jeffparish.net

BIDS WILL BE RECEIVED IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETN, LA 70053 UNTIL 2:00 PM, 8/30/2018 AND PUBLICLY OPENED THEREAFTER.

For convenience, bidders may also submit bids in the East Bank Purchasing Department, Suite 404, Jefferson Parish Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Jefferson LA 70123. However, if submitting bids on the day of bid opening, bidders must submit at the West Bank location only. All bids will be publicly opened at the West Bank location.

At no charge, bidders may also submit via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

Unless submitting via online (see Page 3), each bid must be submitted in a sealed envelope bearing on the outside; the name of the Bidder, his address, and the name of the project for which the bid is submitted and the bid number.

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Further, a current W-9 form and respective Tax Identification number must be supplied upon contract execution, should you be awarded a contract and/or issued purchase order. Failure to do so may result in delay of payment.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing via email to the buyer's email address as indicated above, no later than Five (5) working days prior to the bid opening. Bid numbers should be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submitted a bid in response to this solicitation may submit a protest in writing to the Director of the Purchasing within 48 hours of bid opening. The Purchasing Director will review it in connection with the Parish Attorney's Office which will then respond in writing as soon as possible.

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA – R.S. 38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and Parish taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online.

This is a secure site and authorized personnel have limited read access only. Bidders are encouraged to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 dated 12/09/09. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE
CORRESPONDING INSTRUCTIONS BELOW.

13, 15

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. **PUBLIC WORKS BIDS:** All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS:** A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS:** A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Prior to contract executions/purchase order issuance, the successful bidder will be required to provide final insurance certificates which shall name Jefferson Parish as an additional insured in accordance with the instructions in the aforementioned "Standard Insurance Requirements" sheet.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies) If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required;** This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. **NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required** in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.
17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owned on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session – Louisiana Revised Statute 47:301(8)(c). Owner will furnish contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

DATE: 8/15/2018

Page: 5

BID NO.: 50-00123889

BID FORM
Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO ✓

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____ %

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF _____.

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

13 to 15 weeks from order

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: Louisiana Lift + Equipment

ADDRESS: 10299 Airline Hwy

CITY, STATE: St. Rose Louisiana ZIP: 70087

TELEPHONE: (504) 463-3400 FAX: (504) 464-8847

EMAIL ADDRESS: Brandon M@LALift.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ 32,975⁰⁰

AUTHORIZED SIGNATURE: [Signature]

LARRY TAPP

Printed Name

TITLE: PRESIDENT

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123889

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	1.00	ONLY	<p>PURCHASE OF ELECTRIC POWERED FORK LIFT TRUCK FOR THE JEFFERSON PARISH DEPARTMENT OF ENGINEERING</p> <p>0010 - NEW-THREE WHEEL ELECTRIC POWERED FORK LIFT TRUCK WITH BATTERY CHARGER.</p> <p>DELIVER TO : JEFFERSON PARISH PW WAREHOUSE 1500 RIVER PARK RD BRIDGE CITY, LA 70094</p>	32,975 ⁰⁰	32,975 ⁰⁰

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF

LOUISIANA LIFT AND EQUIPMENT,
INCORPORATED.

AT THE MEETING OF DIRECTORS OF LOUISIANA LIFT AND EQUIPMENT,
INCORPORATED, DULY NOTICED AND HELD ON AUGUST 28, 2018.
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT LARRY TAPE, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.

Sharmen Stochitt
SECRETARY-TREASURER

8/28/18
DATE

Non-Public Works Bid Affidavit Instructions

- Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and parish laws.
- Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.
- Affidavit must be notarized or the affidavit will not be accepted.
- Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.
- Affiant **MUST** select either A or B when required or the affidavit will not be accepted.
- Affiants who select choice A must include an attachment or the affidavit will not be accepted.
- If both choice A and B are selected, the affidavit will not be accepted.
- Affidavit marked N/A will not be accepted.
- It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.

Instruction sheet may be omitted when submitting the affidavit

Non-Public Works Bid

AFFIDAVIT

STATE OF LouisianaPARISH/COUNTY OF Jefferson

BEFORE ME, the undersigned authority, personally came and appeared: LARRY
TAPF, (Affiant) who after being by me duly sworn, deposed and said that
 he/she is the fully authorized PRESIDENT of LOUISIANA LIFT
AND EQUIPMENT, INC (Entity),
 the party who submitted a bid in response to Bid Number 50-DD123889, to the Parish of
 Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B ✓ there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.


Choice B ✓ There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.




Signature of Affiant

LARRY TAPE

Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE 28th DAY OF August, 2016.



Notary Public

Beth Deanne Normile

Printed Name of Notary

126227

Notary/Bar Roll Number



My commission expires upon my death.

[Print](#)

Notary Search - Detail

Name: MS. BETH DEANNE NORMILE
Address: 4835 BIENVILLE ST
NEW ORLEANS, LA 70119
Phone: (504) 919-3646
Notary ID Number: 126227
Parish: ORLEANS with STATEWIDE JURISDICTION
Agency: N/A
Notary Type: Non Attorney
Status: Active
Commission Date: 02/20/2015
Oath Date: 02/20/2015
Surety Expiration Date: 02/20/2020
Annual Report Current: Yes

Notary Events

Pre-Assessment Registration Date: 10/20/2014 -

Deceased, Inactivated, Leave of Absence, Pre-Assessment Registration, Pre-Assessment Taken, Resigned, Retirement, and Revoked events are not available prior to February 11, 2012.

[Back to Search Results](#)[New Search](#)



LOULIF-01

JTASSIN

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

09/28/2017

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER License # 231432

Hub International Gulf South
11100 Mead Road, Suite 300
Baton Rouge, LA 70816

CONTACT

NAME:

PHONE

(A/C, No, Ext): (800) 789-7365

FAX

(A/C, No): (225) 218-2401

E-MAIL

ADDRESS:

INSURER(S) AFFORDING COVERAGE

NAIC #

INSURER A: Charter Oak Fire Insurance Company

25615

INSURER B: Travelers Property Casualty Insurance Company

36161

INSURER C:

INSURER D:

INSURER E:

INSURER F:

INSURED

Louisiana Lift & Equipment Inc
P O Box 3869
Shreveport, LA 71133

COVERAGES

CERTIFICATE NUMBER:

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
	COMMERCIAL GENERAL LIABILITY						
	<input type="checkbox"/> CLAIMS-MADE <input type="checkbox"/> OCCUR						EACH OCCURRENCE \$
							DAMAGE TO RENTED PREMISES (Ea occurrence) \$
							MED EXP (Any one person) \$
							PERSONAL & ADV INJURY \$
							GENERAL AGGREGATE \$
							PRODUCTS - COMP/OP AGG \$
							\$
A	AUTOMOBILE LIABILITY			BA8294B751	10/01/2017	10/01/2018	
	<input checked="" type="checkbox"/> ANY AUTO						COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000
	<input checked="" type="checkbox"/> OWNED AUTOS ONLY						BODILY INJURY (Per person) \$
	<input checked="" type="checkbox"/> HIRED AUTOS ONLY	<input checked="" type="checkbox"/>					BODILY INJURY (Per accident) \$
							PROPERTY DAMAGE (Per accident) \$
							\$
	UMBRELLA LIAB						EACH OCCURRENCE \$
	EXCESS LIAB						AGGREGATE \$
	DED						\$
	RETENTION \$						
B	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY			UB67891186	10/01/2017	10/01/2018	
	ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH)	Y/N	N/A				<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER
	If yes, describe under DESCRIPTION OF OPERATIONS below						E.L. EACH ACCIDENT \$ 1,000,000
							E.L. DISEASE - EA EMPLOYEE \$ 1,000,000
							E.L. DISEASE - POLICY LIMIT \$ 1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

CERTIFICATE HOLDER

CANCELLATION

Jefferson Parish
Attn: Purchasing Department
PO Box 9
Gretna, LA 70054

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
09/27/2017

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER MCGRIFF, SEIBELS & WILLIAMS, INC. P.O. Box 10265 Birmingham, AL 35202	CONTACT NAME: PHONE (A/C, No, Ext): 800-476-2211 E-MAIL: ADDRESS:		FAX (A/C, No):
	INSURER(S) AFFORDING COVERAGE		NAIC #
INSURED Louisiana Lift & Equipment, Inc. P.O. Box 3869 Shreveport, LA 71133	INSURER A :The Charter Oak Fire Insurance Company		25615
	INSURER B :Travelers Property Casualty Company of America		25674
	INSURER C :		
	INSURER D :		
	INSURER E :		
INSURER F :			

COVERAGES

CERTIFICATE NUMBER:UFDHLCNZ

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS	
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY			660-0J229104	10/01/2017	10/01/2018	EACH OCCURRENCE	\$ 1,000,000
	<input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR						DAMAGE TO RENTED PREMISES (Ea occurrence)	\$ 300,000
	<input checked="" type="checkbox"/> Contractual Liability						MED EXP (Any one person)	\$ 5,000
	<input checked="" type="checkbox"/> XCU						PERSONAL & ADV INJURY	\$ 1,000,000
GEN'L AGGREGATE LIMIT APPLIES PER:							GENERAL AGGREGATE	\$ 2,000,000
<input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input checked="" type="checkbox"/> LOC							PRODUCTS - COMP/OP AGG	\$ 2,000,000
OTHER:								\$
AUTOMOBILE LIABILITY							COMBINED SINGLE LIMIT (Ea accident)	\$
<input type="checkbox"/> ANY AUTO							BODILY INJURY (Per person)	\$
<input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS							BODILY INJURY (Per accident)	\$
<input type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> NON-OWNED AUTOS ONLY							PROPERTY DAMAGE (Per accident)	\$
<input type="checkbox"/> AUTOS ONLY								\$
B	<input type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR			ZUP-15R10064-17-NF	10/01/2017	10/01/2018	EACH OCCURRENCE	\$ 9,000,000
	<input checked="" type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE						AGGREGATE	\$ 9,000,000
<input type="checkbox"/> DED <input checked="" type="checkbox"/> RETENTION \$							Products/Comp Ops Agg:	\$
WORKERS COMPENSATION AND EMPLOYERS' LIABILITY							<input type="checkbox"/> PER STATUTE <input type="checkbox"/> OTHER	
ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH)							E.L. EACH ACCIDENT	\$
If yes, describe under DESCRIPTION OF OPERATIONS below							E.L. DISEASE - EA EMPLOYEE	\$
							E.L. DISEASE - POLICY LIMIT	\$
								\$
								\$
								\$
								\$

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

CERTIFICATE HOLDER

Jefferson Parish
Attn: Purchasing Department
P.O. Box 9
Gretna, LA 70054

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE


TMX 20-TRIPLE

8/22/2018

Quote #: 70467-B

Jefferson Parish Purchasing Department
200 Derbigny Street
Gretna, LA 70053

Ms. Misty Camardelle



Thank you for considering Louisiana Lift & Equipment for your material handling equipment needs. We are pleased to offer the following for your review.

Model	TMX 20-TRIPLE 36-VOLT ELECTRIC, AC DRIVE, LIFT AND STEER MOTOR Clark® Model TMX 20 - Triple Upright
Class	Class - I
Quantity	1
Base Capacity	4,000 (lbs)

70467-B

SPECIFICATIONS:

Triple Stage Mast

188" Maximum Fork Height

83" Overall Height Lowered

59" Free Lift

Standard tilt range 5°B/3°F

1.5" thick x 4" wide x 42" long Pallet Forks

48" high Load Backrest

18 x 9 x 12.1 Smooth Cushion Rubber Drive Tires

15 x 5 x 11.25 Smooth Cushion Dual Steer Tires

Auxiliary Valve - Double - for Four Hoses (4 spool, 2 lever)

37" wide, Hook Type, ITA Class II Carriage

Side shifting Fork positioner

2 Adjustable Headlights - OHG Mounted 12 volt

Amber Strobe Light

Orange Seat Belt

Safety Seat - Static Vinyl

Clark Green Paint

Sideshifter - 35" fork spread, 37" overall width, 8" Total Sideshift

Audible Backup Alarm - Smart Type

OHG – 79.4 OAH

70467-B

Standard Features

AC Drive System

AC Lift/Steer System with Fully Proportional Lifting

Fully Enclosed Drive and Lift/Steer Motors

UL "E" Construction

Parking Brake with Control Interrupt

Hydrostatic Power Steering

**Multi-Function Diagnostic Dash Display with Hour Meter and
Battery Discharge Indicator with lift interrupt**

Vinyl covered safety seats,

Operator presence system,

Seat switch to disable traction

Warranty:

1 year/2,000 hours on basic truck

2 years/4,000 hours on major components

Specifications

Load Capacity\4,000 lbs

**Price: \$32,975.00 plus tax
 Delivered**

Lead Time: 13 to 15 weeks

TERMS FOR ACCEPTANCE OF PROPOSAL AND ATTACHMENTS

The proposal in this quote is property of Louisiana Lift & Equipment and is confidential and proprietary. Unauthorized disclosure could be harmful to Louisiana Lift & Equipment and by acceptance, prospective buyer agrees not to publish, copy or reproduce the contents without the express written consent of Louisiana Lift & Equipment. Jefferson Parish will not use such information for any other purpose than for the consideration of a Louisiana Lift & Equipment supplied system and will return any or all information contained herein to Louisiana Lift & Equipment upon request.

ACCEPTANCE AS CONTRACT OF SALE**Acceptance:**

Company: Jefferson Parish Purchasing

Name: Ms. Misty Camardelle

Authorized Dealer:

Louisiana Lift & Equipment

Brandon McClendon

Authorized Signature_____
Brandon McClendon Field Sales Manager

Date: _____

PO No.: _____

Terms: Net 10

Delivery: 13 to 15 weeks

FOB:

Expires: 11/30/2018

Request for Taxpayer
Identification Number and Certification

Give form to the
requester. Do not
send to the IRS.

#29500

Name (as shown on your income tax return)
Louisiana L&L Equipment Inc

Business name, if different from above

Check appropriate box: ☐ Individual/sole proprietor ☒ Corporation ☐ Partnership
☐ Limited liability company. Enter the tax classification (D=disregarded entity, C=corporation, P=partnership) ▶ ☐ Exempt
☐ Other (see instructions) ▶

Address (number, street, and apt. or suite no.)
P.O. Box 3869

City, state, and ZIP code
Shreveport LA 71133-3869

Requester's name and address (optional)

List account number(s) here (optional)

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on Line 1 to avoid backup withholding. For individuals, this is your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN* on page 3.

Note. If the account is in more than one name, see the chart on page 4 for guidelines on whose number to enter.

Social security number
:
:
:
or
Employer identification number
72-0893905

Part II Certification

Under penalties of perjury, I certify that:

1. The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me), and
2. I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding, and
3. I am a U.S. citizen or other U.S. person (defined below).

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the Certification, but you must provide your correct TIN. See the instructions on page 4.

Sign Here Signature of U.S. person ▶ George Awano Date ▶ 1-4-10

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Purpose of Form

A person who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) to report, for example, income paid to you, real estate transactions, mortgage interest you paid, acquisition or abandonment of secured property, cancellation of debt, or contributions you made to an IRA.

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN to the person requesting it (the requester) and, when applicable, to:

1. Certify that the TIN you are giving is correct (or you are waiting for a number to be issued).
2. Certify that you are not subject to backup withholding, or
3. Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income.

Note. If a requester gives you a form other than Form W-9 to request your TIN, you must use the requester's form if it is substantially similar to this Form W-9.

Definition of a U.S. person. For federal tax purposes, you are considered a U.S. person if you are:

- An individual who is a U.S. citizen or U.S. resident alien,
- A partnership, corporation, company, or association created or organized in the United States or under the laws of the United States,
- An estate (other than a foreign estate), or
- A domestic trust (as defined in Regulations section 301.7701-7).

Special rules for partnerships. Partnerships that conduct a trade or business in the United States are generally required to pay a withholding tax on any foreign partners' share of income from such business. Further, in certain cases where a Form W-9 has not been received, a partnership is required to presume that a partner is a foreign person, and pay the withholding tax. Therefore, if you are a U.S. person that is a partner in a partnership conducting a trade or business in the United States, provide Form W-9 to the partnership to establish your U.S. status and avoid withholding on your share of partnership income.

The person who gives Form W-9 to the partnership for purposes of establishing its U.S. status and avoiding withholding on its allocable share of net income from the partnership conducting a trade or business in the United States is in the following cases:

- The U.S. owner of a disregarded entity and not the entity,

TMX


12/15S/15/17/20/25

ELECTRIC 36 or 48 VOLT

2500 / 3000 / 3000 / 3500 / 4000 / 5000 lbs.
(1250 / 1500 / 1500 / 1750 / 1815 / 2270 kg)



CLARK
THE FORKLIFT

- 
- The low overhead guard height facilitates **easier trailer access** while providing the operator ample headroom.

- Rear posts add support to the overhead guard and help prevent objects from entering the operator compartment, keeping your employees as **safe** as possible.

- The **low step height** means frequent entry and exit is easy and less tiring for the operator.



Highly Maneuverable, Easily Serviceable, Broadly Flexible, Extremely Dependable

The TMX continues the evolution of CLARK's exclusive three-wheel design with the **efficiency, low maintenance**

20 Million


The CLARK-designed drive axle incorporates spiral bevel and helical gear sets which provide quiet, dependable operation. This proven design has over 20 million field hours in heavy-duty applications.

- Nested Upright Rails & Overhead Guard Safety Bars (running parallel to operator's line of sight) expand the vision window, **reduce product damage** and decrease pick times.

Maximum Visibility + Minimum Fatigue =
Ultimate Safety & Product Integrity



TMX STANDARD FEATURES & BENEFITS



PROVEN DRIVE AXLE

■ Quiet, Dependable Operation

- Drive axle incorporates spiral bevel and helical gear sets.
- Design has over 20 million field hours in heavy duty applications.



PROVEN STEER AXLE

■ Added Strength

- The standard single-tire steer axle and an optional dual-tire steer axle are made from high strength cast steel and heat treated for additional strength.



100% AC SYSTEM

■ Fewer Parts & Minimum Wear = Less Downtime and Cost = Higher ROI

- Enclosed • Brushless • Thermal protection
- Stall protection • Smart lift lock out
- One motor for both steering & hydraulics.

■ No Brushes To Change or Commutator to Turn...Ever

■ Heavy-Duty, High Torque Drive Motors

- Produce twice the draw bar pull of some competitors.
- Climb grades previously limited to IC trucks.

■ Increased Runtime

- The standard compartment of the TMX15/17/20/25 accommodates a 1240 AH battery with an optional compartment available for a full 1550 AH battery.
- TMX AC runs 13% longer than its DC equivalent.

Standard Equipment

- Electric horn
- Overhead guard with 2 rear posts
- High visibility, durable capacity plate instructions/warning labels
- Rip-resistant operator manual is attached to back of seat
- Single auxiliary hydraulic valve
- 48 in. (1220 mm) high load backrest
- High visibility CLARK green finish w non-glare black trim

Available Equipment

- Mirrors
- 48 volt option
- Dual steer tires
- Operating lights
- Strobes and audible alarms
- Unitrol, foot operated directional control
- Cold storage protection
- UL type EE construction
- Overhead guard for drive-in type rack



FULLY ADJUSTABLE/PROGRAMMABLE

- A properly trained mechanic can completely customize parameters to operator's preference such as acceleration rate, deceleration rate, maximum speed (separate forward and reverse).




STANDARD HYDRAULIC PUMP CONTROL

■ Fully Proportional

- Lift speed is fully proportional to lift lever position.

■ Programmable Speeds

- Tilt and aux functions run at programmable fixed speeds.



RUGGED UPRIGHT AND CARRIAGE

■ Maximum Visibility

- Nested I-Channel allows space for cylinders, hoses and chains.

■ Hydraulic Cushioning Valves

- Silent staging reduces shock & vibration.

■ Shimmable, Sealed & Canted Load Rollers

- Carriage has 6 load rollers.
- Maximize load distribution & reduce free play.



TRACTION CONTROL

■ Fully Programmable

- Up to 20 performance parameter settings such as acceleration, creep speed, and regen braking rate can be adjusted to meet your requirements.

■ Speed Limiting

- Maximum travel speed can be programmed to your requirements and if necessary, forward and reverse can be set independently.

■ Controlled Descent

- When the controller senses movement but no accelerator pedal input, it signals the drive motors to apply counter torque allowing the truck to slowly descend an incline in a controlled manner.

■ Ramp Start

- Added torque limits roll back when starting on an incline.



OPERATOR COMPARTMENT

■ Easy Entry/Exit

- Steel grab handle and a low step height allow for easy entry/exit from either side.

■ Fully Adjustable Seat

- 2.4" Vertical travel • 20° Backrest adjustment range
- 6" fore / aft adjustment • Contoured for support
- Non-cinching, retractable seat belt

■ Cowl Mounted Hydraulic Controls

- Located and sized for ease of use.

■ High Pivot Steer Column

- Prevents interfering with operator's knees.

GENERAL DATA & STANDARD DIMENSIONS

Upright Table

Maximum Fork Height in mm	Overall Height Lowered in mm	Free Lift** in mm
TMX 12/15S/15/17/20 Standard		
100 2540	72.5 1842	4.3 109
110 2794	77.5 1969	4.3 109
• 121 3073	83 2108	4.3 109
129 3277	87 2210	4.3 109
143 3632	94 2388	4.3 109
Hi-Lo		
115 2921	77.5 1969	53 1346
• 126 3200	83 2108	59 1500
150 3810	95.5 2425	71 1803
Triple Stage		
156 3971	72.5 1840	48 1219
171 4346	77.5 1965	53 1355
• 188 4781	83 2110	59 1500
204 5184	89 2260	65 1650
219 5565	95.5 2420	71 1803
237 6017	103 2609	78 2004
Quad†		
222.5 5652	78.5 1994	53 1346
• 240.5 6109	83 2108	57 1448
258.5 6566	89 2261	63 1600
270.5 6871	93.5 2375	70 1778

TMX 25 Standard

Same as TMX 12-20 listed above

Hi-Lo

Same as TMX 12-20 listed above

Triple Stage

Same as TMX 12-20 listed above

Quad†

Same as TMX 12-20 listed above

- Indicates preferred standard sizes. For overall height raised with load backrest, add 48 in. (1220 mm) to maximum fork height. Other uprights available, contact a Clark representative.
- ** All free lift dimensions shown without standard 48 in. (1220 mm) high load backrest.
- † Length to face of fork, RAS and turning radius increase 4 in. with quad installation. Wide drive (45.2" OAW) required with quad uprights taller than 222.5".

Dimensions with Optional Battery Compartment

Compartment Size

38.8 in W x 25.0 in. L x 31.0 in H
986 mm W x 635 mm x 787 mm H

	TMX 15	TMX 17	TMX 20	TMX25
Length to fork face (in/mm)	80.9 2055	80.9 2055	80.9 2055	80.9 2055
Turning radius (in/mm)	64.1 1628	64.1 1628	64.1 1628	65.9 1674
Right angle aisle (in/mm)	78.5 1994	78.5 1994	78.5 1994	80.4 2042
Service wt., TSU upright (lb/kg)	8006 3631	8332 3779	8906 4040	9919 4499
Axle loading w/ load, front (lb/kg)	9601 4355	10444 4737	11263 5109	129035853
Axle loading w/ load, rear (lb/kg)	1405 637	1388 630	1643 745	2016 914
Axle loading w/o load, front (lb/kg)	4580 2077	4587 2081	4570 2073	4513 2047
Axle loading w/o load, rear (lb/kg)	3426 1554	3745 1699	4336 1967	5406 2452
Max. capacity (6 hr. rate) (kWh)	53.8	53.8	53.8	53.8
Weight, minimum (lb/kg)	2500 1134	2500 1134	2500 1134	2500 1134
Grade clearance (A%)	14.30%	14.30%	14.30%	14.30%

Battery Compartment Dimensions

Width (W) in mm	Length (L) in mm	Height (H) in mm
TMX 12/15S		
38.8 986	13.75 349	31.0 787
TMX 15/17/20/25		
38.8 986	20.5 521	31.0 787
38.8 986	25.0* 635	31.0 787

Battery Termination: A-18

RAS and turning radius: see chart

Grade Clearance*

TMX 12/15S (13.75 BC)	A% 35.6
TMX 15/17/20/25 (20.5 BC)	31.2
TMX 15/17/20/25 (25.22 BC)	28.6

*The TMX is designed for operation on and over grades but must be limited to 20%.

Tilt Specifications

Upright MFH (in / mm)	Tilt -B° / F°
thru 151 (3835 mm)	8° / 6°
152 (3860 mm) thru 240.5 (6109 mm)	5° / 3°
241 (6121 mm) and over	3° / 0°

*Standard tilt with MFH's noted. Contact Clark representative for information on optional tilt.

Notes

Performance may vary +5% and -10% due to motor and systems efficiency tolerance. The performance shown represents nominal values which may be obtained under typical operating conditions of a standard machine.

ANSI/ITSDF and Insurance Classification


Standard truck meets all applicable mandatory requirements of Part III-ANSI/ITSDF B56.1 Safety Standard for Powered Industrial Trucks (latest edition at time of manufacture) and Underwriters Laboratories requirements as to fire and electrical shock hazard only for "E" classification. For further information contact a Clark representative.



Users should be aware of, and adhere to, applicable codes and regulations regarding operator training, use, operation and maintenance of powered industrial trucks, including:

- ANSI/ITSDF B56.1
- NFPA 505, fire safety standard for powered industrial trucks - type designations, areas of use, maintenance and operation.
- Occupational Safety and Health Administration (OSHA) regulations that may apply.

Contact your authorized CLARK forklift truck dealer for further information including operator training programs and auxiliary visual and audible warning systems, fire extinguishers, etc., as available for specific user applications and requirements.

Specifications, equipment, technical data, photos and illustrations are based on information at time of printing and are subject to change without notice. Some products may be shown with optional equipment.





& Don't Forget...

Safety Starts With You!

Before operating a lift truck, an operator must:

- Be trained and authorized
- Read and understand operator's manual
- Not operate a faulty lift truck
- Not repair a lift truck unless trained and authorized
- Have the overhead guard and load backrest extension in place
- Perform daily inspections

During operation, a lift truck operator must:

- Keep feet, legs and all parts of body inside operator compartment
- Never carry passengers or lift people
- Keep truck away from people and obstructions
- Travel with lift mechanism as low as possible and tilted back
- Allow safe stopping distance and come to a complete stop before leaving operator compartment

To park a lift truck, an operator must:

- Completely lower forks or attachments
- Move directional lever to neutral
- Apply parking brake
- Turn key off

STANDARD SPECIFICATIONS

General Information	1	Manufacturer		Clark	Clark
	2	Model	Manufacturer's Designation	TMX12	TMX15S
	3	Load Capacity	lbs(kg)	2500 (1250)	3000 (1500)
	4	Load Center	Fork Face to Load CG in(mm)	24 (500)	24 (500)
	5	Power Unit	Electric	36 volt / 48 volt	36 volt / 48 volt
	6	Operator Type		Rider Counterbalanced	Rider Counterbalanced
	7	Tire Type	Multi-tire	Cushion / Pneumatic	Cushion / Pneumatic
	8	Wheels (x=driven)	Front/Rear	2x / 1	2X / 1
Basic Dimensions	9	Upright ¹	Maximum Lift Height, Full Capacity in(mm)	156 (3971)	156 (3971)
	10		Lift Height (Preferred Upright) in(mm)	188 (4781)	188 (4781)
	11		Freelift in(mm)	59 (1499)	59 (1499)
	12	Upright Tilt	Back/Forward (Triple Stage Upright) degrees	5 / 3	5 / 3
	13	Fork	Std. Fork Size (T x W x L) in(mm)	1.4 x 4 x 42 (35 x 100 x 1067)	1.4 x 4 x 42 (35 x 100 x 1067)
	14	Carriage	Width of Carriage ⁵ in(mm)	37 (940)	37 (940)
	15	Overall Dimensions	Length to Fork Face (TSU) ² in(mm)	69.5 (1765)	69.5 (1765)
	16		Width Over Tires ⁴ in(mm)	40.3 (1024) / 42.2 (1072)	40.3 (1024) / 42.2 (1072)
	17		Width Over Frame in(mm)	40.3 (1024)	40.3 (1024)
	18		Height, Upright Lowered in(mm)	83 (2108)	83 (2108)
	19		Height, Upright Extended in(mm)	236 (5994)	236 (5994)
	20		Height, Overhead Guard in(mm)	83 (2108)	83 (2108)
	21	Step Height	Ground to Top of Step in(mm)	15.8 (401) / 19 (483)	15.8 (401) / 19 (483)
	22				
	23	Turning Radius	in(mm)	53.4 (1356)	53.4 (1356)
	24	Load Center Distance	Center of Drive Axle to Fork Face ² in(mm)	14.4 (366)	14.4 (366)
	25	Right Angle Stack Aisle	Add Load Length and Clearance ² in(mm)	67.8 (1722)	67.8 (1722)
	26	Battery Roller Height	Ground to Top of Rollers in(mm)	7.1 (180.8)	7.1 (180.8)
Performance	27	Stability	According to ANSI	Yes	Yes
	28	Speeds	Travel Speed, Max, With Load mph(kph)	9.3 (15)	9.3 (15)
	29		Travel Speed, Max, Without Load mph(kph)	9.3 (15)	9.3 (15)
	30	Lift Speeds, Loaded	Triple Stage Upright fpm(mps)	73 (.37) / 83 (.42)	69 (.35) / 81 (.41)
	31	Lift Speeds, Unloaded	Triple Stage Upright fpm(mps)	104 (.53) / 118 (.60)	104 (.53) / 118 (.60)
	32	Lower Speeds, Loaded	Triple Stage Upright fpm(mps)	86 (.44) / 86 (.44)	86 (.44) / 86 (.44)
	33	Lower Speeds, Unloaded	Triple Stage Upright fpm(mps)	77 (.39) / 77 (.39)	77 (.39) / 77 (.39)
Weights ³	34	Service Weight, TSU	W/Min Battery Weight lbs(kg)	7249 (3288)	7908 (3588)
	35	Axle loading	With Load, Front lbs(kg)	8701 (4043)	9594 (4467)
	36		With Load, Rear lbs(kg)	1048 (496)	1314 (620)
	37		W/O Load, Front lbs(kg)	4114 (1866)	4090 (1855)
	38		W/O Load, Rear lbs(kg)	3135 (1422)	3818 (1732)
Chassis	39	Tires	Number, Front/Rear	2 / 1	2 / 1
	40		Size, Front in	18X7X12.12 / 18X7-8 16PR6	18X7X12.12 / 18X7-8 16PR6
			Size, Rear in(mm)	18X7X12.12 / 18X7-8 16PR6	18X7X12.12 / 5.00x8-4.505.6
	41	Wheelbase	in(mm)	46.0 (1168)	46.0 (1168)
	42	Track	Front, Cushion in(mm)	33.3 (846)	33.3 (846)
	43		Front, Pneumatic in(mm)	33.9 (861)	33.9 (861)
	44	Ground Clearance	Min w/Load ⁶ in(mm)	3.25 (83)	3.25 (83)
	45		At Center of Wheelbase, Loaded in(mm)	4.1 (104)	4.1 (104)
	46	Service Brake	Type	Disc	Disc
	47	Parking Brake	Type	Hand lever actuated	Hand lever actuated
		Steering	Type	Hydrostatic	Hydrostatic
Drive Line	48	Battery	Type	Lead-Acid	Lead-Acid
			Max Capacity (6 hr. Rate) kWh	27.0	27.0
			Weight, Min lbs(kg)	1650 (749)	1650 (749)
	49	Motors, Controls	Drive Motor, Diameter (Dual) in(mm)	7.9 (201)	7.9 (201)
			Hydraulic Motor, Diameter in(mm)	6.7 (170)	6.7 (170)
			Drive Motor Control	Inverter	Inverter
			Speed Control	Solid State	Solid State
			Hydraulic Motor Control	Inverter	Inverter
	57	Hydraulic Pressure		Adjustable	Adjustable
	58	Sound Level	Avg. at Operator's Ear Per ANSI B56.11.5 dB(A)	70	70

TMX 12/15S/15/17/20/25

Clark TMX15	Clark TMX17	Clark TMX20	Clark TMX25
3000 (1500)	3500 (1750)	4000 (1815)	5000 (2270)
24 (500)	24 (500)	24 (500)	24 (500)
36 volt / 48 volt	36 volt / 48 volt	36 volt / 48 volt	36 volt / 48 volt
Rider Counterbalanced	Rider Counterbalanced	Rider Counterbalanced	Rider Counterbalanced
Cushion / Pneumatic	Cushion / Pneumatic	Cushion / Pneumatic	Cushion
2X / 1	2x / 1	2x / 1	2x / 1
156 (3971)	156 (3971)	171 (4346)	171 (4346)
188 (4781)	188 (4781)	188 (4781)	188 (4781)
59 (1499)	59 (1499)	59 (1499)	59 (1499)
5 / 3	5 / 3	5 / 3	5 / 3
1.4 x 4 x 42 (35 x 100 x 1067)	1.4 x 4 x 42 (35 x 100 x 1067)	1.5 x 4 x 42 (40 x 100 x 1067)	1.5 x 4 x 42 (40 x 100 x 1067)
37 (940)	37 (940)	37 (940)	41 (1041)
76.1 (1933)	76.1 (1933)	76.1 (1933)	76.1 (1933)
40.3 (1024) / 42.2 (1072)	40.3 (1024) / 47.2 (1199)	40.3 (1024) / 47.2 (1199)	42.2 (1072)
40.3 (1024)	40.3 (1024)	40.3 (1024)	40.3 (1024)
83 (2108)	83 (2108)	83 (2108)	83 (2108)
236 (5994)	236 (5994)	236 (5994)	236 (5994)
83 (2108)	83 (2108)	83 (2108)	83 (2108)
15.8 (401) / 19 (483)	15.8 (401) / 19 (483)	15.8 (401) / 19 (483)	15.8 (401) / 19 (483)
59.8 (1519)	59.8 (1519)	59.8 (1519)	61.9 (1565)
14.4 (366)	14.4 (366)	14.4 (366)	14.4 (366)
74.2 (1885)	74.2 (1885)	74.2 (1885)	76.1 (1933)
7.1 (180.8)	7.1 (180.8)	7.1 (180.8)	7.1 (180.8)
Yes	Yes	Yes	Yes
9.3 (15)	9.3 (15)	9.3 (15)	7.5 (12)
9.3 (15)	9.3 (15)	9.3 (15)	7.5 (12)
69 (.35) / 81 (.41)	65 (.33) / 75 (.38)	61 (.31) / 74 (.38)	45 (.23) / 53 (.27)
104 (.53) / 118 (.60)	104 (.53) / 118 (.60)	104 (.53) / 118 (.60)	89 (.45) / 95 (.48)
86 (.44) / 86 (.44)	86 (.44) / 86 (.44)	86 (.44) / 86 (.44)	86 (.44) / 86 (.44)
77 (.39) / 77 (.39)	77 (.39) / 77 (.39)	77 (.39) / 77 (.39)	77 (.39) / 77 (.39)
7921 (3593)	8305 (3767)	8964 (4066)	10093 (4578)
9796 (4561)	10819 (4997)	11692 (5405)	13401 (6206)
1125 (532)	986 (521)	1272 (661)	1692 (872)
4610 (2091)	4769 (2163)	4777 (2167)	4758 (2158)
3311 (1502)	3536 (1604)	4187 (1899)	5335 (2420)
2 / 1	2 / 1	2 / 1	2 / 1
18X7X12.12 / 18X7-8 16PR6	18X8X12.12 / 18X9-8 16PR6	18X8X12.12 / 18X9-8 16PR6	18X9X12.12
18X7X12.12 / 18X7-8 16PR6	18X7X12.12 / 15X4.5-8 dual5	18X7X12.12 / 15X4.5-8 dual5	18X6X12.12 10
52.7 (1339)	52.7 (1339)	52.7 (1339)	52.7 (1339)
33.3 (846)	32.3 (820)	32.3 (820)	33.3 (846)
33.9 (861)	33.6 (853)	33.6 (853)	NA
3.25 (83)	3.25 (83)	3.25 (83)	3.25 (83)
4.1 (104)	4.1 (104)	4.1 (104)	4.1 (104)
Disc	Disc	Disc	Disc
Hand lever actuated	Hand lever actuated	Hand lever actuated	Hand lever actuated
Hydrostatic	Hydrostatic	Hydrostatic	Hydrostatic
Lead-Acid	Lead-Acid	Lead-Acid	Lead-Acid
43.0	43.0	43.0	43.0
2590 (1176)	2590 (1176)	2590 (1176)	2590 (1176)
7.9 (201)	7.9 (201)	7.9 (201)	7.9 (201)
6.7 (170)	6.7 (170)	6.7 (170)	6.7 (170)
Inverter	Inverter	Inverter	Inverter
Solid State	Solid State	Solid State	Solid State
Inverter	Inverter	Inverter	Inverter
Adjustable	Adjustable	Adjustable	Adjustable
70	70	70	70

4 OAW with wide drive tires is 45in. for all models with all quad uprights and with triple stage uprights above 240in.

- We don't just build forklifts. As a company, we are also focused on providing our customers with the best possible technical service support and aftermarket parts available.
- Even though our business starts with a quality, cost-effective product, our organization understands that it is the support and services we provide after the sale that help keep your business running at peak efficiency.
- **THE CLARK PartsPRO® SYSTEM** is our industry-leading electronic parts and service documentation tool that provides dealers with a quick and accurate method of identifying parts for every CLARK forklift built since 1961. PartsPRO® ensures the availability of the most current technical information and has the unique capability to create parts manuals specific to your mixed CLARK fleet, making it simple to positively identify and order the correct part(s) from your local CLARK dealer. The right CLARK part — The First Time, Every Time.
- **UNRIVALED PARTS SUPPORT** Our Aftermarket Distribution Center provides parts to over 250 North American CLARK dealers and many international dealers. This CLARK operated 184,000 square foot facility is dedicated to supporting the CLARK models built over the last 90 years. This facility is focused on providing excellent off-the-shelf availability, quality parts, quick response time and competitive pricing.

DEPENDABLE PARTS = DEPENDABLE TRUCKS

To Find Your Nearest Authorized CLARK Dealer, Visit Our Website www.clarkmhc.com



BUILT TO LAST.



CLARK MATERIAL HANDLING COMPANY
North American Headquarters

TMX 12/15S/15/17/20/25
59-894-0846 Printed in USA MP04125M