

1

125.00

EA

0001 - 1/4 INCH SQUARE DRIVE RATCHET  
TOOL, CHROME WITH REVERSE

\*\*\*LAWSON #18528\*\*\*

(APPROXIMATELY 5 LONG)

### Williams® Ratchet, Teardrop, 5-1/4" L, 1/4" Drive, 36 Tooth

Williams® - 1/4" Drive Teardrop Ratchet, 5-1/4" Length, 36 Tooth (Pack of 1)



Item# 18528  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .22  
Brand : Williams®  
Mfr Model# : M-52EHA  
Catalog Page# : [14-15](#)  
Usually Ships: Today



TAA Compliant



Quantity: 1 [Check Stock](#)

[Add to Cart](#)

Create a Re-order list.. [Add to List](#)

#### DESCRIPTION

#### TECH SPECS

- High-polished nickel chrome-plated finish protects from rust and corrosion
- Enclosed sealed head to prevent dust, dirt and liquids from entering head, preserving internal lubrication
- Made in USA
- 36 tooth ratchet provides 10° ratcheting angle
- Federal Specification ANSI B107.10M

#### DESCRIPTION

#### TECH SPECS

Item# : 18528  
Product Name : Williams® - Ratchet, Teardrop, 5-1/4" L, 1/4" Drive, 36 Tooth  
Style : Teardrop  
Drive Size : 1/4 "  
Length : 5-1/4 "  
Number of Teeth : 36  
Finish : High-Polished Nickel Chrome-Plated  
Specification : ANSI B107.10M  
UNSPSC # : 27111711  
TAA Compliant: Yes

2

1.00

EA

0002 - 1/4 INCH X 2 INCH EXTENSIONS -  
CHROME

\*\*\*LAWSON #18532\*\*\*



## Williams® Extension, 1/4" Drive, Spring Plunger, 2" Length

Williams® - 1/4" Drive Extension, 2" Length, Spring Plunger, High-Polish Chrome (Pack of 1)

Item# 18532  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .06  
Brand : Williams®  
Mfr Model# : M-102  
Catalog Page# : [14-16](#)  
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)

### DESCRIPTION

### TECH SPECS

- High-polished chrome finish
- Chrome plating provides increased protection from rust and corrosion
- Ball and spring socket retention
- Made in USA
- Federal Specification ANSI B107.10M

### DESCRIPTION

### TECH SPECS

Item# : 18532  
Product Name : Williams® - Extension, 1/4" Drive, Spring Plunger, 2" Length  
Drive Size : 1/4 "  
Length : 2 "  
Finish : High-Polish Chrome  
Specification : ANSI B 107.10M  
Drive Type : Square  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27112832  
TAA Compliant: Yes

3  
+

1.00

EA

0003 - 1/4 INCH X 6 INCH EXTENSIONS -  
CHROME

\*\*\*LAWSON #18534\*\*\*



Representative Image Only



## Williams® Extension, 1/4" Drive, Spring Plunger, 6" Length

Williams® - 1/4" Drive Extension, 6" Length, Spring Plunger, High-Polish  
Chrome (Pack of 1)

Item# 18534  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .16  
Brand : Williams®  
Mfr Model# : M-115  
Catalog Page# : [14-16](#)  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#)

**Add to Cart**

Create a Re-order list.. **Add to List**

### DESCRIPTION TECH SPECS

- High-polished chrome finish
- Chrome plating provides increased protection from rust and corrosion
- Ball and spring socket retention
- Made in USA
- Federal Specification ANSI B107.10M

### DESCRIPTION TECH SPECS

Item# : 18534  
Product Name : Williams® - Extension, 1/4" Drive, Spring Plunger, 6" Length  
Drive Size : 1/4 "  
Length : 6 "  
Specification : ANSI B 107.10M  
Finish : High-Polish Chrome  
Drive Type : Square  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27112832  
TAA Compliant: Yes

5

1.00

EA

**0005 - 1/4 INCH SOCKETS, METRIC, SHALLOW  
CHROME, 6 POINT, ONE SET OF 4MM - 13MM****WITH CLIP BAR****\*\*\*LAWSON #18526\*\*\*****Williams® Socket Set, Metric, 6pt Shallow,  
1/4" Drive, 12pc**

Williams® - 12pc Metric Socket Set, 6pt Shallow, 1/4" Drive (Pack of 1)



Item# 18526  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .71  
Brand : Williams®  
Mfr Model# : MSM-12HRC  
Catalog Page# : [14-6](#)  
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)**Add to Cart** [▶](#)Create a Re-order list.. [▼](#) **Add to List****DESCRIPTION****TECH SPECS**

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107.1(SAE) B107.5 (Metric)

**DESCRIPTION****TECH SPECS**

Item# : 18526  
Product Name : Williams® - Socket Set, Metric, 6pt Shallow, 1/4" Drive, 12pc  
Type : Metric  
Style : 6pt Shallow  
Drive Size : 1/4 "  
Number of Points : 6  
Number of Pieces : 12  
Material : High-Grade Chrome-Vanadium Steel  
Contents : 4mm through 14mm  
Description : 12-Piece Shallow 6 Point Metric Socket Set  
UNSPSC #: 27111703  
TAA Compliant: Yes

6	1.00	EA	0006 - 1/4 INCH DEEP SOCKETS - CHROME, 12 POINT, ONE SET OF 3/16 INCH - 9/16 INCH ***LAWSON #18525***
---	------	----	--

## Williams® Socket Set, SAE, 6pt Deep, 1/4" Drive, 10pc

Williams® - 10pc SAE Socket Set, 6pt Deep, 1/4" Drive (Pack of 1)



Item# 18525  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : 1.0  
Brand : Williams®  
Mfr Model# : WSMD-10HRC  
Catalog Page# : 14-6  
Usually Ships: Today



TAA Compliant



Quantity: 1 [Check Stock](#)

[Add to Cart](#)

Create a Re-order list.. [Add to List](#)

### DESCRIPTION

### TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107.1(SAE) B107.5 (Metric)

### DESCRIPTION

### TECH SPECS

Item# : 18525  
Product Name : Williams® - Socket Set, SAE, 6pt Deep, 1/4" Drive, 10pc  
Type : SAE  
Style : 6pt Deep  
Drive Size : 1/4 "  
Number of Points : 6  
Number of Pieces : 10  
Material : High-Grade Chrome-Vanadium Steel  
Contents : 3/16" through 9/16"  
Description : 10-Piece Deep 6 Point SAE Socket Set  
UNSPSC #: 27111703  
TAA Compliant: Yes

8

155.00

EA

**0008 - 3/8 INCH SQUARE RATCHET, CHROME  
WITH REVERSE (APPROXIMATELY 7 INCH LONG)****\*\*\*LAWSON #18680\*\*\*****Williams® Ratchet, Teardrop, 3/8" Drive, 8"  
Length, 36 Tooth**Williams® - 8" Teardrop Ratchet, 3/8" Drive, 10-3/4" Length, 36 Tooth  
(Pack of 1)

Item# 18680  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .74  
Brand : Williams®  
Mfr Model# : B-52EHA  
Catalog Page# : 14-15  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#)[Add to Cart](#)Create a Re-order list.. [Add to List](#)

## DESCRIPTION

## TECH SPECS

- High-polished nickel chrome-plated finish protects from rust and corrosion
- Enclosed sealed head to prevent dust, dirt and liquids from entering head, preserving internal lubrication
- Made in USA
- 36 tooth ratchet provides 10° ratcheting angle
- Federal Specification ANSI B107.10M

## DESCRIPTION

## TECH SPECS

Item# : 18680  
Product Name : Williams® - Ratchet, Teardrop, 3/8" Drive, 8" Length, 36 Tooth  
Style : Teardrop  
Drive Size : 3/8 "  
Length : 8 "  
Number of Teeth : 36  
Finish : High-Polished Nickel Chrome-Plated  
Specification : ANSI B107.10M  
UNSPSC #: 27111711  
TAA Compliant: Yes

9

30.00

EA

0009 - 3/8 INCH X 3 INCH EXTENSIONS -  
CHROME

\*\*\*LAWSON #18687\*\*\*



### Williams® Extension, 3/8" Drive, Spring Plunger, 3" Length

Williams® - 3/8" Drive Extension, 3" Length, Spring Plunger, High-Polish Chrome (Pack of 1)

Item# 18687  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .2  
Brand : Williams®  
Mfr Model# : B-108  
Catalog Page# : [14-16](#)  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)

#### DESCRIPTION TECH SPECS

- High-polished chrome finish
- Chrome plating provides increased protection from rust and corrosion
- Ball and spring socket retention
- Made in USA
- Federal Specification ANSI B107.10M

#### DESCRIPTION TECH SPECS

Item# : 18687  
Product Name : Williams® - Extension, 3/8" Drive, Spring Plunger, 3" Length  
Drive Size : 3/8 "  
Length : 3 "  
Specification : ANSI B 107.10M  
Finish : High-Polish Chrome  
Drive Type : Square  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27112832  
TAA Compliant: Yes

11

10.00

EA

0011 - 3/8 INCH SHALLOW SOCKET-CHROME,  
6 POINT WITH CLIP BAR, \*\*\*LAWSON #18674\*\*\*  
ONE SET OF 1/4 INCH - 1 INCH

## Williams® Socket Set, SAE, 3/8" Drive, 6pt Shallow, 13pc

Williams® - 13pc SAE Socket Set on Clip Rail, 3/8" Drive, 6pt Shallow (Pack of 1)



Item# 18674  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : 1.97  
Brand : Williams®  
Mfr Model# : WSB-13HRC  
Catalog Page# : [14-8](#)  
Usually Ships: [Today](#)



TAA Compliant



Quantity: 1 [Check Stock](#)

[Add to Cart](#)

Create a Re-order list.. [Add to List](#)

### DESCRIPTION TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107.1 (SAE) B107.5 (Metric)

### DESCRIPTION TECH SPECS

Item# : 18674  
Product Name : Williams® - Socket Set, SAE, 3/8" Drive, 6pt Shallow, 13pc  
Type : SAE  
Style : 6pt Shallow  
Drive Size : 3/8 "  
Number of Points : 6  
Number of Pieces : 13  
Material : High-Grade Chrome-Vanadium Steel  
Contents : 1/4" through 1" (except 11/32")  
Description : 13pc SAE Socket Set on Clip Rail, 3/8" Drive, 6pt Shallow  
UNSPSC #: 27111703  
TAA Compliant: Yes



12

1.00

EA

0012 - 3/8 INCH FLEX SOCKET-SET-6 POINT  
CHROME, ONE SET OF 3/8 INCH - 3/4 INCH,  
\*\*\*LAWSON #18670\*\*\*  
WITH METAL TRAY

## Williams® Socket Set, SAE, 3/8" Drive, 12pt Universal, 7pc

Williams® - 7pc SAE Socket Set on Clip Rail, 3/8" Drive, 12pt Universal  
(Pack of 1)



Item# 18670  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : 1.22  
Brand : Williams®  
Mfr Model# : WSB-7U  
Catalog Page# : [14-10](#)  
Usually Ships: Today



TAA Compliant



Quantity: 1 [Check Stock](#)

[Add to Cart](#)

Create Re-order list.. [Add to List](#)

### TECH SPECS

Item# : 18670  
Product Name : Williams® - Socket Set, SAE, 3/8" Drive, 12pt Universal, 7pc  
Type : SAE  
Style : 12pt Universal  
Drive Size : 3/8 "  
Number of Points : 12  
Number of Pieces : 7  
Material : High-Grade Chrome-Vanadium Steel  
Contents : 3/8" through 3/4"  
Description : 7-Piece 12 Point Universal SAE Socket Set  
UNSPSC #: 27111703  
TAA Compliant: Yes

13	5.00	EA	0013 - 3/8 INCH X 1/4 INCH SOCKETS - INDIVIDUAL STANDARD LENGTH, 12 POINT, ***LAWSON #18738*** CHROME, 1/4 INCH
----	------	----	--



Representative Image Only.

## Williams® 3/8" Drive, Standard Socket, 1/4"

Williams® - 3/8" Drive, 12 Point, Standard Length Socket, 1/4" (Pack of 1)

Item# 18738  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .05  
Brand : Williams®  
Mfr Model# : B-1208  
Catalog Page# : [14-8](#)  
Usually Ships: [Today](#)



TAA Compliant



Quantity: 1 [Check Stock](#)

[Add to Cart](#)

Create a Re-order list.. [Add to List](#)

### DESCRIPTION TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA

### DESCRIPTION TECH SPECS

Item# : 18738  
Product Name : Williams® - 3/8" Drive, Standard Socket, 1/4"  
Drive Type : Square  
Drive Size : 3/8 "  
Style : Standard  
Number of Points : 12  
Measuring System : SAE  
Size : 1/4 "  
SAE Size : 1/4 "  
Overall Length : 1.03125 "  
Drive End Diameter : 0.6875 "  
Working End Diameter : 0.40625 "  
Broach Depth : 0.21875 "  
Bolt Clearance Depth : 0.5625 "  
Bolt Clearance Diameter : 0.21875 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.21875 "  
Nose Length /Length to  
Shoulder : 0.53125 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

14

8.00

EA

0014 - 3/8 INCH X 5/16 INCH SOCKETS -  
INDIVIDUAL STANDARD LENGTH, 12 POINT,  
\*\*\*LAWSON #18739\*\*\*  
CHROME



Representative Image Only

**Williams® 3/8" Drive, Standard Socket,  
5/16"**

Williams® - 3/8" Drive, 12 Point, Standard Length Socket, 5/16" (Pack of 1)

Item# 18739  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .04  
Brand : Williams®  
Mfr Model# : B-1210  
Catalog Page# : 14-8  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)**DESCRIPTION** **TECH SPECS**

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA

**DESCRIPTION** **TECH SPECS**

Item# : 18739  
Product Name : Williams® - 3/8" Drive, Standard Socket, 5/16"  
Drive Type : Square  
Drive Size : 3/8 "  
Style : Standard  
Number of Points : 12  
Measuring System : SAE  
Size : 5/16 "  
SAE Size : 5/16 "  
Overall Length : 1.03125 "  
Drive End Diameter : 0.6875 "  
Working End Diameter : 0.4375 "  
Broach Depth : 0.25 "  
Bolt Clearance Depth : 0.5625 "  
Bolt Clearance Diameter : 0.265625 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.25 "  
Nose Length /Length to  
Shoulder : 0.53125 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

15

40.00

EA

0015 - 3/8 INCH X 3/8 INCH, SOCKETS -  
INDIVIDUAL STANDARD LENGTH,  
\*\*\*LAWSON #18741\*\*\*  
12 POINT, CHROME



Representative Image Only

**Williams® 3/8" Drive, Standard Socket,  
3/8"**

Williams® - 3/8" Drive, 12 Point, Standard Length Socket, 3/8" (Pack of 1)

Item# 18741  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .05  
Brand : Williams®  
Mfr Model# : B-1212  
Catalog Page# : [14-8](#)  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)

## DESCRIPTION TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA

## DESCRIPTION TECH SPECS

Item# : 18741  
Product Name : Williams® - 3/8" Drive, Standard Socket, 3/8"  
Drive Type : Square  
Drive Size : 3/8 "  
Style : Standard  
Number of Points : 12  
Measuring System : SAE  
Size : 3/8 "  
SAE Size : 3/8 "  
Overall Length : 1.03125 "  
Drive End Diameter : 0.6875 "  
Working End Diameter : 0.5625 "  
Broach Depth : 0.28125 "  
Bolt Clearance Depth : 0.5625 "  
Bolt Clearance Diameter : 0.34375 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.28125 "  
Nose Length /Length to  
Shoulder : 0.53125 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

16

20.00

EA

0016 - 3/8 INCH X 7/16 INCH SOCKETS-  
INDIVIDUAL STANDARD LENGTH, 12 POINT,  
\*\*\*LAWSON #18742\*\*\*  
CHROME



Representative Image Only.

**Williams® 3/8" Drive, Standard Socket,  
7/16"**

Williams® - 3/8" Drive, 12 Point, Standard Length Socket, 7/16" (Pack of 1)

Item# 18742  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .06  
Brand : Williams®  
Mfr Model# : B-1214  
Catalog Page# : 14-8  
Usually Ships: ⚙ Today



TAA Compliant

Quantity: 1 [Check Stock](#) ⚙[Add to Cart](#) ▶Create a Re-order list.. ☐ [Add to List](#)**DESCRIPTION** **TECH SPECS**

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA

**DESCRIPTION** **TECH SPECS**

Item# : 18742  
Product Name : Williams® - 3/8" Drive, Standard Socket, 7/16"  
Drive Type : Square  
Drive Size : 3/8 "  
Style : Standard  
Number of Points : 12  
Measuring System : SAE  
Size : 7/16 "  
SAE Size : 7/16 "  
Overall Length : 1.0313 "  
Drive End Diameter : 0.6875 "  
Working End Diameter : 0.625 "  
Broach Depth : 0.3125 "  
Bolt Clearance Depth : 0.5625 "  
Bolt Clearance Diameter : 0.34375 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.3125 "  
Nose Length /Length to  
Shoulder : 0.53125 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

17

13.00

EA

0017 - 3/8 INCH X 1/2 INCH SOCKETS -  
INDIVIDUAL STANDARD LENGTH, 12 POINT,  
CHROME

\*\*\*LAWSON #18743\*\*\*



Representative Image Only

### Williams® 3/8" Drive, Standard Socket, 1/2"

Williams® - 3/8" Drive, 12 Point, Standard Length Socket, 1/2" (Pack of 1)

Item# 18743  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .06  
Brand : Williams®  
Mfr Model# : B-1216  
Catalog Page# : 14-8  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)

#### DESCRIPTION TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA

#### DESCRIPTION TECH SPECS

Item# : 18743  
Product Name : Williams® - 3/8" Drive, Standard Socket, 1/2"  
Drive Type : Square  
Drive Size : 3/8 "  
Style : Standard  
Number of Points : 12  
Measuring System : SAE  
Sign: 1/2 "  
Overall Length : 1.03125 "  
Drive End Diameter : 0.71875 "  
Working End Diameter : 0.71875 "  
Broach Depth : 0.34375 "  
Bolt Clearance Depth : 0.375 "  
Bolt Clearance Diameter : 0.375 "  
SAE Size : 1/2 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.34375 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

18

20.00

EA

0018 - 3/8 INCH X 9/16 INCH SOCKETS -  
INDIVIDUAL STANDARD LENGTH, 12 POINT,

CHROME

\*\*\*LAWSON #18744\*\*\*



Representative Image Only.

**Williams® 3/8" Drive, Standard Socket,  
9/16"**

Williams® - 3/8" Drive, 12 Point, Standard Length Socket, 9/16" (Pack of 1)

Item# 18744  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .07  
Brand : Williams®  
Mfr Model# : B-1218  
Catalog Page# : [14-8](#)  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)

## DESCRIPTION

## TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA

## DESCRIPTION

## TECH SPECS

Item# : 18744  
Product Name : Williams® - 3/8" Drive, Standard Socket, 9/16"  
Drive Type : Square  
Drive Size : 3/8 "  
Style : Standard  
Number of Points : 12  
Measuring System : SAE  
Size : 9/16 "  
SAE Size : 9/16 "  
Overall Length : 1.093175 "  
Drive End Diameter : 0.78125 "  
Working End Diameter : 0.78125 "  
Broach Depth : 0.5625 "  
Bolt Clearance Depth : 0.59375 "  
Bolt Clearance Diameter : 0.53125 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.5625 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

19

4.00

EA

0019 - 3/8 INCH X 5/8 INCH SOCKETS -  
INDIVIDUAL STANDARD LENGTH, 12 POINT,  
\*\*\*LAWSON #18745\*\*\*  
CHROME



Representative Image Only

### Williams® 3/8" Drive, Standard Socket, 5/8"

Williams® - 3/8" Drive, 12 Point, Standard Length Socket, 5/8" (Pack of 1)

Item# 18745  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .09  
Brand : Williams®  
Mfr Model# : B-1220  
Catalog Page# : 14-8  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)

#### DESCRIPTION TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA

#### DESCRIPTION TECH SPECS

Item# : 18745  
Product Name : Williams® - 3/8" Drive, Standard Socket, 5/8"  
Drive Type : Square  
Drive Size : 3/8 "  
Style : Standard  
Number of Points : 12  
Measuring System : SAE  
Size : 5/8 "  
Overall Length : 1.125 "  
Drive End Diameter : 0.84375 "  
Working End Diameter : 0.84375 "  
Broach Depth : 0.59375 "  
Bolt Clearance Depth : 0.625 "  
Bolt Clearance Diameter : 0.59375 "  
SAE Size : 5/8 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.59375 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes



20

5.00

EA

0020 - 3/8 INCH X 11/16 INCH SOCKETS -  
INDIVIDUAL STANDARD LENGTH, 12 POINT,  
CHROME

\*\*\*LAWSON #18746\*\*\*



Representative Image Only.

### Williams® 3/8" Drive, Standard Socket, 11/16"

Williams® - 3/8" Drive, 12 Point, Standard Length Socket, 11/16" (Pack of 1)

Item# 18746  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .12  
Brand : Williams®  
Mfr Model# : B-1222  
Catalog Page# : [14-8](#)  
Usually Ships: Today



TAA Compliant



Quantity: 1 [Check Stock](#)

[Add to Cart](#)

Create a Re-order list.. [Add to List](#)

#### DESCRIPTION TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA

#### DESCRIPTION TECH SPECS

Item# :	18746
Product Name :	Williams® - 3/8" Drive, Standard Socket, 11/16"
Drive Type :	Square
Drive Size :	3/8 "
Style :	Standard
Number of Points :	12
Measuring System :	SAE
Size :	11/16 "
Overall Length :	1.156125 "
Drive End Diameter :	0.9375 "
Working End Diameter :	0.9375 "
Broach Depth :	0.625 "
Bolt Clearance Depth :	0.625 "
Bolt Clearance Diameter :	0.6875 "
SAE Size :	11/16 "
Finish :	Chrome
Wrench Style :	SUPERTORQUE®
Wrench/Broach Depth :	0.625 "
Locking Type :	Ball
Material :	Alloy Steel
UNSPSC #:	27111704
TAA Compliant:	Yes

21

10.00

EA

0021 - 3/8 INCH X 3/4 INCH, SOCKETS -  
INDIVIDUAL STANDARD LENGTH, 12 POINT,  
CHROME, 3/4 INCH

\*\*\*LAWSON #18747\*\*\*



Representative Image Only

### Williams® 3/8" Drive, Standard Socket, 3/4"

Williams® - 3/8" Drive, 12 Point, Standard Length Socket, 3/4" (Pack of 1)

Item# 18747  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .13  
Brand : Williams®  
Mfr Model# : B-1224  
Catalog Page# : [14-8](#)  
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)

#### DESCRIPTION TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA

#### DESCRIPTION TECH SPECS

Item# : 18747  
Product Name : Williams® - 3/8" Drive, Standard Socket, 3/4"  
Drive Type : Square  
Drive Size : 3/8 "  
Style : Standard  
Number of Points : 12  
Measuring System : SAE  
Size : 3/4 "  
Overall Length : 1.1875 "  
Drive End Diameter : 1 "  
Working End Diameter : [?](#) 1 "  
Broach Depth : 0.6875 "  
Bolt Clearance Depth : 0.6875 "  
Bolt Clearance Diameter : 0.71875 "  
SAE Size : 3/4 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.6875 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

22

2.00

EA

0022 - 3/8 INCH X 13/16 INCH SOCKETS -  
INDIVIDUAL STANDARD LENGTH, 12 POINT,  
CHROME

\*\*\*LAWSON #18748\*\*\*



Representative Image Only

**Williams® 3/8" Drive, Standard Socket,  
13/16"**

Williams® - 3/8" Drive, 12 Point, Standard Length Socket, 13/16" (Pack of 1)

Item# 18748  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .16  
Brand : Williams®  
Mfr Model# : B-1226  
Catalog Page# : [14-8](#)  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock ?](#)[Add to Cart](#) Create a Re-order list.. [Add to List](#)

## DESCRIPTION

## TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA

## DESCRIPTION

## TECH SPECS

Item# : 18748  
Product Name : Williams® - 3/8" Drive, Standard Socket, 13/16"  
Drive Type : Square  
Drive Size : 3/8 "  
Style : Standard  
Number of Points : 12  
Measuring System : SAE  
Size : 13/16 "  
Overall Length : 1.25 "  
Drive End Diameter : 1.0625 "  
Working End Diameter : 1.0625 "  
Broach Depth : 0.6875 "  
Bolt Clearance Depth : 0.6875 "  
Bolt Clearance Diameter : 0.78125 "  
SAE Size : 13/16 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.6875 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

23

3.00

EA

0023 - 3/8 INCH X 7/8 INCH SOCKETS -  
INDIVIDUAL STANDARD LENGTH, 12 POINT,  
\*\*\*LAWSON #18749\*\*\*



Representative Image Only

### Williams® 3/8" Drive, Standard Socket, 7/8"

Williams® - 3/8" Drive, 12 Point, Standard Length Socket, 7/8" (Pack of 1)

Item# 18749  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .2  
Brand : Williams®  
Mfr Model# : B-1228  
Catalog Page# : [14-8](#)  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock ?](#)[Add to Cart](#) Create a Re-order list.. [Add to List](#)

#### DESCRIPTION TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA

#### DESCRIPTION TECH SPECS

Item# : 18749  
Product Name : Williams® - 3/8" Drive, Standard Socket, 7/8"  
Drive Type : Square  
Drive Size : 3/8 "  
Style : Standard  
Number of Points : 12  
Measuring System : SAE  
Size : 7/8 "  
Overall Length : 1.28125 "  
Drive End Diameter : 1.15625 "  
Working End Diameter : 1.15625 "  
Broach Depth : 0.78125 "  
Bolt Clearance Depth : 0.78125 "  
Bolt Clearance Diameter : 0.875 "  
SAE Size : 7/8 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.78125 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

24

  
1.00

EA

0024 - 3/8 INCH X 15/16 INCH SOCKETS -  
INDIVIDUAL STANDARD LENGTH, 12 POINT,  
CHROME

\*\*\*LAWSON #18750\*\*\*



Representative Image Only.

**Williams® 3/8" Drive, Standard Socket,  
15/16"**

Williams® - 3/8" Drive, 12 Point, Standard Length Socket, 15/16" (Pack of 1)

Item# 18750  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .2  
Brand : Williams®  
Mfr Model# : B-1230  
Catalog Page# : 14-8  
Usually Ships: 2 Today



TAA Compliant

Quantity: 1 [Check Stock](#)[Add to Cart](#)Create a Re-order list.. [Add to List](#)

## DESCRIPTION

## TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA

## DESCRIPTION

## TECH SPECS

Item# : 18750  
Product Name : Williams® - 3/8" Drive, Standard Socket, 15/16"  
Drive Type : Square  
Drive Size : 3/8 "  
Style : Standard  
Number of Points : 12  
Measuring System : SAE  
Size : 15/16 "  
Overall Length : 1.375 "  
Drive End Diameter : 1.25 "  
Working End Diameter : 1.25 "  
Broach Depth : 0.8125 "  
Bolt Clearance Depth : 0.84375 "  
Bolt Clearance Diameter : 0.90625 "  
SAE Size : 15/16 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.8125 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

26

6.00

EA

0026 - 3/8 INCH X 1/4 INCH SOCKETS -  
INDIVIDUAL, BOLT CLEARANCE LENGTH,  
12 POINT. CHROME

\*\*\*LAWSON #18805\*\*\*



Representative Image Only

**Williams® 3/8" Drive, Deep Socket, 1/4"**

Williams® - 3/8" Drive, 12 Point, Deep Length Socket, 1/4" (Pack of 1)

Item# 18805  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .07  
Brand : Williams®  
Mfr Model# : BD-1208  
Catalog Page# : [14-9](#)  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)

## DESCRIPTION

## TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made In USA

## DESCRIPTION

## TECH SPECS

Item# :	18805
Product Name :	Williams® - 3/8" Drive, Deep Socket, 1/4"
Drive Type :	Square
Drive Size :	3/8 "
Style :	Deep
Number of Points :	12
Measuring System :	SAE
Size :	1/4 "
SAE Size :	1/4 "
Overall Length :	2.125 "
Drive End Diameter :	0.6875 "
Working End Diameter :	0.40625 "
Broach Depth :	0.21875 "
Bolt Clearance Depth :	1.6875 "
Bolt Clearance Diameter :	0.21875 "
Finish :	Chrome
Wrench Style :	SUPERTORQUE®
Wrench/Broach Depth :	0.21875 "
Nose Length /Length to	
Shoulder :	1.625 "
Locking Type :	Ball
Material :	Alloy Steel
UNSPSC #:	27111704
TAA Compliant:	Yes

27

7.00

EA

0027 - 3/8 INCH X 5/16 INCH SOCKETS -  
INDIVIDUAL, BOLT CLEARANCE LENGTH,  
12 POINT, CHROME

\*\*\*LAWSON #18806\*\*\*



Representative Image Only

**Williams® 3/8" Drive, Deep Socket, 5/16"**

Williams® - 3/8" Drive, 12 Point, Deep Length Socket, 5/16" (Pack of 1)

Item# 18806  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .07  
Brand : Williams®  
Mfr Model# : BD-1210  
Catalog Page# : 14-9  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)

## DESCRIPTION

## TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made In USA

## DESCRIPTION

## TECH SPECS

Item# : 18806  
Product Name : Williams® - 3/8" Drive, Deep Socket, 5/16"  
Drive Type : Square  
Drive Size : 3/8 "  
Style : Deep  
Number of Points : 12  
Measuring System : SAE  
Size : 5/16 "  
SAE Size : 5/16 "  
Overall Length : 2.125 "  
Drive End Diameter : 0.6875 "  
Working End Diameter : 0.46875 "  
Broach Depth : 0.25 "  
Bolt Clearance Depth : 1.6875 "  
Bolt Clearance Diameter : 0.3125 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.25 "  
Nose Length /Length to  
Shoulder : 1.625 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC # : 27111704  
TAA Compliant: Yes

28

60.00

EA

0028 - 3/8 INCH X 3/8 INCH SOCKETS -  
INDIVIDUAL, BOLT CLEARANCE LENGTH,  
12 POINT, CHROME

\*\*\*LAWSON #18807\*\*\*



Representative Image Only

**Williams® 3/8" Drive, Deep Socket, 3/8"**

Williams® - 3/8" Drive, 12 Point, Deep Length Socket, 3/8" (Pack of 1)

Item# 18807  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .1  
Brand : Williams®  
Mfr Model# : BD-1212  
Catalog Page# : 14-9  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)**DESCRIPTION** **TECH SPECS**

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA

**DESCRIPTION** **TECH SPECS**

Item# : 18807  
Product Name : Williams® - 3/8" Drive, Deep Socket, 3/8"  
Drive Type : Square  
Drive Size : 3/8 "  
Style : Deep  
Number of Points : 12  
Measuring System : SAE  
Size : 3/8 "  
SAE Size : 3/8 "  
Overall Length : 2.125 "  
Drive End Diameter : 0.6875 "  
Working End Diameter : 0.5625 "  
Broach Depth : 0.28125 "  
Bolt Clearance Depth : 1.6875 "  
Bolt Clearance Diameter : 0.375 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.28125 "  
Nose Length /Length to  
Shoulder : 1.625 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes



29

3.00

EA

0029 - 3/8 INCH X 7/16 INCH SOCKETS -  
INDIVIDUAL, BOLT CLEARANCE LENGTH,  
12 POINT, CHROME

\*\*\*LAWSON #18808\*\*\*



Representative Image Only

**Williams® 3/8" Drive, Deep Socket, 7/16"**

Williams® - 3/8" Drive, 12 Point, Deep Length Socket, 7/16" (Pack of 1)

Item# 18808  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .11  
Brand : Williams®  
Mfr Model# : BD-1214  
Catalog Page# : 14-9  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)

## DESCRIPTION

## TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA

## DESCRIPTION

## TECH SPECS

Item# : 18808  
Product Name : Williams® - 3/8" Drive, Deep Socket, 7/16"  
Drive Type : Square  
Drive Size : 3/8 "  
Style : Deep  
Number of Points : 12  
Measuring System : SAE  
Size : 7/16 "  
Overall Length : 2.125 "  
Drive End Diameter : 0.6875 "  
Working End Diameter : 0.625 "  
Broach Depth : 0.28125 "  
Bolt Clearance Depth : 1.6875 "  
Bolt Clearance Diameter : 0.4375 "  
SAE Size : 7/16 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.28125 "  
Nose Length /Length to  
Shoulder : 1.625 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

30

23.00

EA

0030 - 3/8 INCH X 1/2 INCH SOCKET -  
INDIVIDUAL, BOLT CLEARANCE LENGTH,  
\*\*\*LAWSON #18809\*\*\*  
12 POINT CHROME



Representative Image Only

**Williams® 3/8" Drive, Deep Socket, 1/2"**

Williams® - 3/8" Drive, 12 Point, Deep Length Socket, 1/2" (Pack of 1)

Item# 18809  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .13  
Brand : Williams®  
Mfr Model# : BD-1216  
Catalog Page# : 14-9  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock ?](#)**Add to Cart** ►Create a Re-order list.. ☐ **Add to List**

## DESCRIPTION

## TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA

## DESCRIPTION

## TECH SPECS

Item# : 18809  
Product Name : Williams® - 3/8" Drive, Deep Socket, 1/2"  
Drive Type : Square  
Drive Size : 3/8 "  
Style : Deep  
Number of Points : 12  
Measuring System : SAE  
Size : 1/2 "  
Overall Length : 2.125 "  
Drive End Diameter : 0.71875 "  
Working End Diameter : 0.71875 "  
Broach Depth : 0.34375 "  
Bolt Clearance Depth : 1.3437 "  
Bolt Clearance Diameter : 0.46875 "  
SAE Size : 1/2 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.34375 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

31

33.00

EA

0031 - 3/8 INCH X 9/16 INCH SOCKETS -  
INDIVIDUAL, BOLT CLEARANCE LENGTH,  
\*\*\*LAWSON #18810\*\*\*



Representative Image Only

**Williams® 3/8" Drive, Deep Socket, 9/16"**

Williams® - 3/8" Drive, 12 Point, Deep Length Socket, 9/16" (Pack of 1)

Item# 18810  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .05  
Brand : Williams®  
Mfr Model# : BD-1218  
Catalog Page# : 14-9  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#)[Add to Cart](#)Create a Re-order list.. [Add to List](#)**DESCRIPTION** **TECH SPECS**

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA

**DESCRIPTION** **TECH SPECS**

Item# : 18810  
Product Name : Williams® - 3/8" Drive, Deep Socket, 9/16"  
Drive Type : Square  
Drive Size : 3/8 "  
Style : Deep  
Number of Points : 12  
Measuring System : SAE  
Size : 9/16 "  
SAE Size : 9/16 "  
Overall Length : 2.375 "  
Drive End Diameter : 0.78125 "  
Working End Diameter : 0.78125 "  
Broach Depth : 0.5625 "  
Bolt Clearance Depth : 1.5625 "  
Bolt Clearance Diameter : 0.53125 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.5625 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

32

7.00

EA

**0032 - 3/8 INCH X 5/8 INCH SOCKETS -  
INDIVIDUAL, BOLT CLEARANCE LENGTH,****12 POINT, CHROME****\*\*\*LAWSON #18811\*\*\***

Representative Image Only

**Williams® 3/8" Drive, Deep Socket, 5/8"**

Williams® - 3/8" Drive, 12 Point, Deep Length Socket, 5/8" (Pack of 1)

Item# 18811  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .19  
Brand : Williams®  
Mfr Model# : BD-1220  
Catalog Page# : 14-9  
Usually Ships: Today

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)

TAA Compliant

## DESCRIPTION

## TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA

## DESCRIPTION

## TECH SPECS

Item# : 18811  
Product Name : Williams® - 3/8" Drive, Deep Socket, 5/8"  
Drive Type : Square  
Drive Size : 3/8 "  
Style : Deep  
Number of Points : 12  
Measuring System : SAE  
Size : 5/8 "  
Overall Length : 2.375 "  
Drive End Diameter : 0.84375 "  
Working End Diameter : 0.84375 "  
Broach Depth : 0.59375 "  
Bolt Clearance Depth : 1.5625 "  
Bolt Clearance Diameter : 0.59375 "  
SAE Size : 5/8 "   
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.59375 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

33

3.00

EA

0033 - 3/8 INCH X 11/16 INCH SOCKETS -  
INDIVIDUAL, BOLT CLEARANCE LENGTH,

12 POINT, CHROME

\*\*\*LAWSON #18812\*\*\*



Representative Image Only

**Williams® 3/8" Drive, Deep Socket, 11/16"**

Williams® - 3/8" Drive, 12 Point, Deep Length Socket, 11/16" (Pack of 1)

Item# 18812  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .27  
Brand : Williams®  
Mfr Model# : BD-1222  
Catalog Page# : [14-9](#)  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)

## DESCRIPTION

## TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made In USA

## DESCRIPTION

## TECH SPECS

Item# : 18812  
Product Name : Williams® - 3/8" Drive, Deep Socket, 11/16"  
Drive Type : Square  
Drive Size : 3/8 "  
Style : Deep  
Number of Points : 12  
Measuring System : SAE  
Size : 11/16 "  
Overall Length : 2.625 "  
Drive End Diameter : 0.9375 "  
Working End Diameter : 0.9375 "  
Broach Depth : 0.625 "  
Bolt Clearance Depth : 1.6875 "  
Bolt Clearance Diameter : 0.65625 "  
SAE Size : 11/16 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.625 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

34

10.00

EA

0034 - 3/8 INCH X 3/4 INCH SOCKETS -  
INDIVIDUAL BOLT CLEARANCE LENGTH,  
12 POINT, CHROME

\*\*\*LAWSON #18813\*\*\*



Representative Image Only

**Williams® 3/8" Drive, Deep Socket, 3/4"**

Williams® - 3/8" Drive, 12 Point, Deep Length Socket, 3/4" (Pack of 1)

Item# 18813  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .29  
Brand : Williams®  
Mfr Model# : BD-1224  
Catalog Page# : [14-9](#)  
Usually Ships: [Today](#)



TAA Compliant

Quantity: 1 [Check Stock](#)[Add to Cart](#)Create a Re-order list.. [Add to List](#)**DESCRIPTION** **TECH SPECS**

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA

**DESCRIPTION** **TECH SPECS**

Item# : 18813  
Product Name : Williams® - 3/8" Drive, Deep Socket, 3/4"  
Drive Type : Square  
Drive Size : 3/8 "  
Style : Deep  
Number of Points : 12  
Measuring System : SAE  
Size : 3/4 "  
Overall Length : 2.625 "  
Drive End Diameter : 1 "  
Working End Diameter : 1 "  
Broach Depth : 0.65625 "  
Bolt Clearance Depth : 1.6875 "  
Bolt Clearance Diameter : 0.71875 "  
SAE Size : 3/4 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.65625 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

35

6.00

EA

0035 - 3/8 INCH X 3/16 INCH SOCKETS -  
INDIVIDUAL, BOLT CLEARANCE LENGTH,  
12 POINT, CHROME

\*\*\*LAWSON #18814\*\*\*



Representative Image Only

**Williams® 3/8" Drive, Deep Socket, 13/16"**

Williams® - 3/8" Drive, 12 Point, Deep Length Socket, 13/16" (Pack of 1)

Item# 18814  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .32  
Brand : Williams®  
Mfr Model# : BD-1226  
Catalog Page# : [14-9](#)  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#)[Add to Cart](#)Create a Re-order list.. [Add to List](#)

## DESCRIPTION TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA

## DESCRIPTION TECH SPECS

Item# :	18814
Product Name :	Williams® - 3/8" Drive, Deep Socket, 13/16"
Drive Type :	Square
Drive Size :	3/8 "
Style :	Deep
Number of Points :	12
Measuring System :	SAE
Size :	13/16 "
Overall Length :	2.75 "
Drive End Diameter :	1.0625 "
Working End Diameter :	1.0625 "
Broach Depth :	0.6875 "
Bolt Clearance Depth :	2.03125 "
Bolt Clearance Diameter :	0.78125 "
SAE Size :	13/16 "
Finish :	Chrome
Wrench Style :	SUPERTORQUE®
Wrench/Broach Depth :	0.6875 "
Locking Type :	Ball
Material :	Alloy Steel
UNSPSC #:	27111704
TAA Compliant:	Yes

36

3.00

EA

0036 - 3/8 INCH X 7/8 INCH SOCKET -  
INDIVIDUAL, BOLT CLEARANCE LENGTH,  
\*\*\*LAWSON #18815\*\*\*  
12 POINT, CHROME



Representative Image Only

**Williams® 3/8" Drive, Deep Socket, 7/8"**

Williams® - 3/8" Drive, 12 Point, Deep Length Socket, 7/8" (Pack of 1)

Item# 18815  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .41  
Brand : Williams®  
Mfr Model# : BD-1228  
Catalog Page# : [14-9](#)  
Usually Ships: [Today](#)



TAA Compliant

Quantity: 1 [Check Stock](#)[Add to Cart](#)Create a Re-order list.. [Add to List](#)

## DESCRIPTION

## TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made In USA

## DESCRIPTION

## TECH SPECS

Item# : 18815  
Product Name : Williams® - 3/8" Drive, Deep Socket, 7/8"  
Drive Type : Square  
Drive Size : 3/8 "  
Style : Deep  
Number of Points : 12  
Measuring System : SAE  
Size : 7/8 "  
Overall Length : 2.75 "  
Drive End Diameter : 1.15625 "  
Working End Diameter : 1.15625 "  
Broach Depth : 0.75 "  
Bolt Clearance Depth : 2.03125 "  
Bolt Clearance Diameter : 0.84375 "  
SAE Size : 7/8 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.75 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes



37

4.00

EA

0037 - 3/8 INCH X 15/16 INCH SOCKETS -  
INDIVIDUAL BOLT CLEARANCE LENGTH,

12 POINT, CHROME

\*\*\*LAWSON #18816\*\*\*



Representative Image Only

**Williams® 3/8" Drive, Deep Socket, 15/16"**

Williams® - 3/8" Drive, 12 Point, Deep Length Socket, 15/16" (Pack of 1)

Item# 18816  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .49  
Brand : Williams®  
Mfr Model# : BD-1230  
Catalog Page# : 14-9  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock ?](#)[Add to Cart](#) Create a Re-order list.. [Add to List](#)

## DESCRIPTION

## TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA

## DESCRIPTION

## TECH SPECS

Item# : 18816  
Product Name : Williams® - 3/8" Drive, Deep Socket, 15/16"  
Drive Type : Square  
Drive Size : 3/8 "  
Style : Deep  
Number of Points : 12  
Measuring System : SAE  
Size : 15/16 "  
Overall Length : 2.75 "  
Drive End Diameter : 1.25 "  
Working End Diameter : 1.25 "  
Broach Depth : 0.8125 "  
Bolt Clearance Depth : 2.03125 "  
Bolt Clearance Diameter : 0.84375 "  
SAE Size : 15/16 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.8125 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

38

3.00

EA

0038 - 3/8 INCH X 1 INCH SOCKETS -  
INDIVIDUAL BOLT CLEARANCE LENGTH,  
12 POINT, CHROME

\*\*\*LAWSON #18817\*\*\*



Representative Image Only

**Williams® 3/8" Drive, Deep Socket, 1"**

Williams® - 3/8" Drive, 12 Point, Deep Length Socket, 1" (Pack of 1)

Item# 18817  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .52  
Brand : Williams®  
Mfr Model# : BD-1232  
Catalog Page# : [14-9](#)  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)**DESCRIPTION** **TECH SPECS**

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made In USA

**DESCRIPTION** **TECH SPECS**

Item# : 18817  
Product Name : Williams® - 3/8" Drive, Deep Socket, 1"  
Drive Type : Square  
Drive Size : 3/8 "  
Style : Deep  
Number of Points : 12  
Measuring System : SAE  
Size : 1 "  
Overall Length : 2.75 "  
Drive End Diameter : 1.3125 "  
Working End Diameter : 1.3125 "  
Broach Depth : 0.84375 "  
Bolt Clearance Depth : 2.0312 "  
Bolt Clearance Diameter : 0.96875 "  
SAE Size : 1 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.84375 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

39

47.00

EA

**0039 - 1/2 INCH SQUARE RATCHET, CHROME  
WITH REVERSE (APPROX. 10 INCH LONG)****\*\*\*LAWSON #18887\*\*\*****Williams® Ratchet, Teardrop, 1/2" Drive, 36  
Tooth, 10-1/4" L**Williams® - 1/2" Drive, Teardrop Ratchet, 36 Tooth, 10-1/4" Length (Pack  
of 1)

Item# 18887  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : 1.61  
Brand : Williams®  
Mfr Model# : S-52EHA  
Catalog Page# : [14-15](#)  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)**DESCRIPTION** **TECH SPECS**

- High-polished nickel chrome-plated finish protects from rust and corrosion
- Enclosed sealed head to prevent dust, dirt and liquids from entering head, preserving internal lubrication
- Made in USA
- 36 tooth ratchet provides 10° ratcheting angle
- Federal Specification ANSI B107.10M

**DESCRIPTION** **TECH SPECS**

**Item# :** 18887  
**Product Name :** Williams® - Ratchet, Teardrop, 1/2" Drive, 36 Tooth, 10-1/4" L  
**Style :** Teardrop  
**Drive Size :** 1/2 "  
**Length :** 10-1/4 "  
**Number of Teeth :** 36  
**Finish :** High-Polished Nickel Chrome-Plated  
**Specification :** ANSI B107.10M  
**UNSPSC #:** 27111711  
**TAA Compliant:** Yes

40

38.00

EA

0040 - 1/2 INCH RATCHET


\*\*\*LAWSON #18888\*\*\*

v

**Williams® Ratchet, Teardrop, 1/2 Long"  
Drive, 36 Tooth, 15" L**

Williams® - 1/2" Drive. Long Teardrop Ratchet, 36 Tooth, 15" Length (Pack of 1)



Item# 18888  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : 1.97  
Brand : Williams®  
Mfr Model# : S-52EHLA  
Catalog Page# : [14-15](#)  
Usually Ships:  Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list..  [Add to List](#)

## DESCRIPTION

## TECH SPECS

- High-polished nickel chrome-plated finish protects from rust and corrosion
- Enclosed sealed head to prevent dust, dirt and liquids from entering head, preserving internal lubrication
- Made in USA
- 36 tooth ratchet provides 10° ratcheting angle
- Federal Specification ANSI B107.10M

## DESCRIPTION

## TECH SPECS

Item# : 18888  
Product Name : Williams® - Ratchet, Teardrop, 1/2 Long" Drive, 36 Tooth, 15" L  
Style : Teardrop  
Drive Size : 1/2 Long "  
Length : 15 "  
Number of Teeth : 36  
Finish : High-Polished Nickel Chrome-Plated  
Specification : ANSI B107.10M  
UNSPSC #: 27111711  
TAA Compliant: Yes

41

11.00

EA

0041 - 1/2 INCH X 2-1/2 INCH LONG SQUARE  
DRIVER TOOLS, CHROME EXTENSION

\*\*\*LAWSON #18894\*\*\*

PROTO J5460

**Williams® Extension 1/2" Drive, Spring  
Plunger, 2" Length**

Williams® - 1/2" Drive Extension, Spring Plunger, 2" Length (Pack of 1)

Item# 18894  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .24  
Brand : Williams®  
Mfr Model# : S-102P  
Catalog Page# : [14-16](#)  
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)**Add to Cart** [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)

## DESCRIPTION

## TECH SPECS

- High-polished chrome finish
- Chrome plating provides increased protection from rust and corrosion
- Ball and spring socket retention
- Made in USA
- Federal Specification ANSI B107.10M

## DESCRIPTION

## TECH SPECS

Item# : 18894  
Product Name : Williams® - Extension 1/2" Drive, Spring Plunger, 2" Length  
Drive Size : 1/2 "  
Length : 2 "  
Specification : ANSI B 107.10M  
Finish : High-Polish Chrome  
Drive Type : Square  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27112832  
TAA Compliant: Yes

42

15.00

EA

0042 - 1/2 INCH X 10 INCH LONG SQUARE  
DRIVE TOOLS, CHROME EXTENSION

\*\*\*LAWSON #18896\*\*\*

**Williams® Extension 1/2" Drive, Spring  
Plunger, 10" Length**

Representative Image Only

Williams® - 1/2" Drive Extension, Spring Plunger, 10" Length (Pack of 1)

Item# 18896  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .96  
Brand : Williams®  
Mfr Model# : S-115P  
Catalog Page# : [14-16](#)  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) **Add to Cart** Create a Re-order list.. **Add to List****DESCRIPTION** **TECH SPECS**

- High-polished chrome finish
- Chrome plating provides increased protection from rust and corrosion
- Ball and spring socket retention
- Made in USA
- Federal Specification ANSI B107.10M

**DESCRIPTION** **TECH SPECS**

Item# : 18896  
Product Name : Williams® - Extension 1/2" Drive, Spring Plunger, 10" Length  
Drive Size : 1/2 "  
Length : 10 "  
Specification : ANSI B 107.10M  
Finish : High-Polish Chrome  
Drive Type : Square  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27112832  
TAA Compliant: Yes

43

3.00

EA

**0043 - 1/2 INCH X 1-1/8 INCH SOCKET SET,  
CHROME DEEP SOCKETS, 12 POINT****(11 SOCKETS TO THE SET) WITH METAL TRAY,  
PROTO BLACK FINISH \*\*\*LAWSON #18882\*\*\*****Williams® Socket Set, SAE, 12pt Deep, 1/2"  
Drive, 11pc**Williams® - 11pc Socket Set, SAE, 12pt Deep, 1/2" Drive, High-Polished  
Nickel Chrome-Plated (Pack of 1)

Item# 18882  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : 5.91  
Brand : Williams®  
Mfr Model# : WSSD-11RC  
Catalog Page# : [14-11](#)  
Usually Ships: [Today](#)



 **WARNING**  
TAA Compliant

Quantity: 1 [Check Stock](#)[Add to Cart](#)Create a Re-order list.. [Add to List](#)

## DESCRIPTION

## TECH SPECS

## RESTRICTIONS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Designed for quick engagement on both 6 and 12 point fasteners
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made In USA
- Federal Specification ANSI B107.1 (SAE), B107.5 (Metric)

## DESCRIPTION

## TECH SPECS

## RESTRICTIONS

**Item# :** 18882  
**Product Name :** Williams® - Socket Set, SAE, 12pt Deep, 1/2" Drive, 11pc  
**Type :** SAE  
**Style :** 12pt Deep  
**Drive Size :** 1/2 "  
**Number of Points :** 12  
**Number of Pieces :** 11  
**Material :** High-Grade Chrome-Vanadium Steel  
**Contents :** 1/2" through 1-1/8"  
**Description :** 11-Piece Socket Set, SAE, 12pt Deep, 1/2" Drive  
**UNSPSC #:** 27111703  
**TAA Compliant:** Yes

14

6.00

EA

**0044 - 10MM - 24MM, SQUARE DRIVE TOOLS,  
CHROME METRIC SOCKETS, 12 POINT, ONE SET****OF (15 SOCKETS) WITH METAL TRAY,  
11 PIECE FRACTIONAL \*\*\*LAWSON #18884\*\*\*****Williams® Socket Set, Metric, 12pt Shallow,  
1/2" Drive, 15pc**Williams® - 15pc Socket Set, Metric, 12pt Shallow, 1/2" Drive, High-Polished  
Nickel Chrome-Plated (Pack of 1)

Item# 18884  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : 3.14  
Brand : Williams®  
Mfr Model# : MSS-15RC  
Catalog Page# : [14-11](#)  
Usually Ships: [Today](#)



**WARNING**  
TAA Compliant

Quantity: 1 [Check Stock ?](#)[Add to Cart](#) Create a Re-order list.. [Add to List](#)**DESCRIPTION** **TECH SPECS** **RESTRICTIONS**

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Designed for quick engagement on both 6 and 12 point fasteners
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107.1 (SAE), B107.5 (Metric)

**DESCRIPTION** **TECH SPECS** **RESTRICTIONS**

**Item# :** 18884  
**Product Name :** Williams® - Socket Set, Metric, 12pt Shallow, 1/2" Drive, 15pc  
**Type :** Metric  
**Style :** 12pt Shallow  
**Drive Size :** 1/2 "  
**Number of Points :** 12  
**Number of Pieces :** 15  
**Material :** High-Grade Chrome-Vanadium Steel  
**Contents :** 10mm through 24mm  
**Description :** 15-Piece Socket Set, Metric, 12pt Shallow, 1/2" Drive  
**UNSPSC #:** 27111703  
**TAA Compliant:** Yes



45

3.00

EA

0045 - 1/2 INCH X 3/8 INCH INDIVIDUAL  
SOCKETS, STANDARD LENGTH, 12 POINT

\*\*\*LAWSON #18930\*\*\*

CHROME



Representative Image Only

**Williams® 1/2" Drive, Standard Socket,  
3/8"**

Williams® - 1/2" Drive, 12 Point, Standard Length Socket, 3/8" (Pack of 1)

Item# 18930  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .13  
Brand : Williams®  
Mfr Model# : ST-1212  
Catalog Page# : 14-11  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#)[Add to Cart](#)Create a Re-order list.. [Add to List](#)

## DESCRIPTION TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Designed for quick engagement on both 6 and 12 point fasteners
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107.1

## DESCRIPTION TECH SPECS

Item# : 18930  
Product Name : Williams® - 1/2" Drive, Standard Socket, 3/8"  
Drive Type : Square  
Drive Size : 1/2 "  
Style : Standard  
Number of Points : 12  
Measuring System : SAE  
Size : 3/8 "  
Overall Length : 1.5 "  
Drive End Diameter : 0.90625 "  
Working End Diameter : 0.59375 "  
Broach Depth : 0.3125 "  
Bolt Clearance Depth : 0.875 "  
Bolt Clearance Diameter : 0.34375 "  
SAE Size : 3/8 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.3125 "  
Nose Length /Length to  
Shoulder : 0.71875 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

46

13.00

EA

0046 - 1/2 INCH X 7/16 INCH INDIVIDUAL  
SOCKETS, STANDARD LENGTH, 12 POINT,  
CHROME

\*\*\*LAWSON #18931\*\*\*



Representative Image Only

**Williams® 1/2" Drive, Standard Socket,  
7/16"**

Williams® - 1/2" Drive, 12 Point, Standard Length Socket, 7/16" (Pack of 1)

Item# 18931  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .14  
Brand : Williams®  
Mfr Model# : ST-1214  
Catalog Page# : [14-11](#)  
Usually Ships: [Today](#)



TAA Compliant

Quantity: 1 [Check Stock](#) ?[Add to Cart](#) ▶Create a Re-order list.. [Add to List](#)

## DESCRIPTION

## TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Designed for quick engagement on both 6 and 12 point fasteners
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107.1

## DESCRIPTION

## TECH SPECS

Item# : 18931  
Product Name : Williams® - 1/2" Drive, Standard Socket, 7/16"  
Drive Type : Square  
Drive Size : 1/2 "  
Style : Standard  
Number of Points : 12  
Measuring System : SAE  
Size : 7/16 "  
Overall Length : 1.5 "  
Drive End Diameter : 0.90625 "  
Working End Diameter : 0.65625 "  
Broach Depth : 0.375 "  
Bolt Clearance Depth : 0.875 "  
Bolt Clearance Diameter : 0.40625 "  
SAE Size : 7/16 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.375 "  
Nose Length /Length to  
Shoulder : 0.71875 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

47

18.00

EA

0047 - 1/2 INCH X 1/2 INCH INDIVIDUAL  
SOCKETS, STANDARD LENGTH, 12 POINT,  
\*\*\*LAWSON #18932\*\*\*



Representative Image Only

**Williams® 1/2" Drive, Standard Socket,  
1/2"**

Williams® - 1/2" Drive, 12 Point, Standard Length Socket, 1/2" (Pack of 1)

Item# 18932  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .14  
Brand : Williams®  
Mfr Model# : ST-1216  
Catalog Page# : 14-11  
Usually Ships: ⚙️ Today



TAA Compliant

Quantity: 1 [Check Stock](#) ⓘ[Add to Cart](#) ▶Create a Re-order list.. [▼](#) [Add to List](#)**DESCRIPTION** **TECH SPECS**

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Designed for quick engagement on both 6 and 12 point fasteners
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107.1

**DESCRIPTION** **TECH SPECS**

Item# : 18932  
Product Name : Williams® - 1/2" Drive, Standard Socket, 1/2"  
Drive Type : Square  
Drive Size : 1/2 "  
Style : Standard  
Number of Points : 12  
Measuring System : SAE  
Size : 1/2 "  
Overall Length : 1.5 "  
Drive End Diameter : 0.90625 "  
Working End Diameter : 0.75 "  
Broach Depth : 0.375 "  
Bolt Clearance Depth : 0.875 "  
Bolt Clearance Diameter : 0.46875 "  
SAE Size : 1/2 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.375 "  
Nose Length /Length to  
Shoulder : 0.71875 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

48

6.00

EA

0048 - 1/2 INCH X 9/16 INCH, INDIVIDUAL  
SOCKETS, STANDARD LENGTH, 12 POINT,  
\*\*\*LAWSON #18933\*\*\*  
CHROME



Representative Image Only

**Williams® 1/2" Drive, Standard Socket,  
9/16"**

Williams® - 1/2" Drive, 12 Point, Standard Length Socket, 9/16" (Pack of 1)

Item# 18933  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .15  
Brand : Williams®  
Mfr Model# : ST-1218  
Catalog Page# : 14-11  
Usually Ships: ⚙ Today



TAA Compliant

Quantity: 1 [Check Stock ?](#)[Add to Cart](#) ▶Create a Re-order list.. ☐ [Add to List](#)

## DESCRIPTION

## TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Designed for quick engagement on both 6 and 12 point fasteners
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107.1

## DESCRIPTION

## TECH SPECS

Item# : 18933  
Product Name : Williams® - 1/2" Drive, Standard Socket, 9/16"  
Drive Type : Square  
Drive Size : 1/2 "  
Style : Standard  
Number of Points : 12  
Measuring System : SAE  
Size : 9/16 "  
Overall Length : 1.5 "  
Drive End Diameter : 0.90625 "  
Working End Diameter : 0.8125 "  
Broach Depth : 0.375 "  
Bolt Clearance Depth : 0.875 "  
Bolt Clearance Diameter : 0.46875 "  
SAE Size : 9/16 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.375 "  
Nose Length /Length to  
Shoulder : 0.71875 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

51

8.00

EA

0051 - 1/2 INCH INDIVIDUAL SOCKETS,  
STANDARD LENGTH, 12 POINT, CHROME,  
\*\*\*LAWSON #18935\*\*\*  
11/16 INCH



Representative Image Only

**Williams® 1/2" Drive, Standard Socket,  
11/16"**

Williams® - 1/2" Drive, 12 Point, Standard Length Socket, 11/16" (Pack of 1)

Item# 18935  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .14  
Brand : Williams®  
Mfr Model# : ST-1222  
Catalog Page# : 14-11  
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)Create a Re-order list... [▼](#) [Add to List](#)**DESCRIPTION** **TECH SPECS**

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Designed for quick engagement on both 6 and 12 point fasteners
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107.1

**DESCRIPTION** **TECH SPECS**

Item# : 18935  
Product Name : Williams® - 1/2" Drive, Standard Socket, 11/16"  
Drive Type : Square  
Drive Size : 1/2 "  
Style : Standard  
Number of Points : 12  
Measuring System : SAE  
Size : 11/16 "  
Overall Length : 1.5 "  
Drive End Diameter : 0.96875 "  
Working End Diameter : 0.96875 "  
Broach Depth : 0.8125 "  
Bolt Clearance Depth : 0.84375 "  
Bolt Clearance Diameter : 0.625 "  
SAE Size : 11/16 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.8125 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC # : 27111704  
TAA Compliant: Yes

52

6.00

EA

0052 - 1/2 INCH INDIVIDUAL SOCKETS,  
STANDARD LENGTH, 12 POINT, CHROME,

\*\*\*LAWSON #18936\*\*\*

3/4 INCH



Representative Image Only

**Williams® 1/2" Drive, Standard Socket,  
3/4"**

Williams® - 1/2" Drive, 12 Point, Standard Length Socket, 3/4" (Pack of 1)

Item# 18936  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .18  
Brand : Williams®  
Mfr Model# : ST-1224  
Catalog Page# : [14-11](#)  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)

## DESCRIPTION TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Designed for quick engagement on both 6 and 12 point fasteners
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107.1

## DESCRIPTION TECH SPECS

Item# : 18936  
Product Name : Williams® - 1/2" Drive, Standard Socket, 3/4"  
Drive Type : Square  
Drive Size : 1/2 "  
Style : Standard  
Number of Points : 12  
Measuring System : SAE  
Size : 3/4 "  
Overall Length : 1.5 "  
Drive End Diameter : 1.03125 "  
Working End Diameter : 1.03125 "  
Broach Depth : 0.8125 "  
Bolt Clearance Depth : 0.84375 "  
Bolt Clearance Diameter : 0.71875 "  
SAE Size : 3/4 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.8125 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

53

8.00

EA

0053 - 1/2 INCH INDIVIDUAL SOCKETS,  
STANDARD LENGTH, 12 POINT, CHROME,

\*\*\*LAWSON #18937\*\*\*

13/16 INCH



Representative Image Only

**Williams® 1/2" Drive, Standard Socket,  
13/16"**

Williams® - 1/2" Drive, 12 Point, Standard Length Socket, 13/16" (Pack of 1)

Item# 18937  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .21  
Brand : Williams®  
Mfr Model# : ST-1226  
Usually Ships: While Supplies Last



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)

## DESCRIPTION TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Designed for quick engagement on both 6 and 12 point fasteners
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107.1

## DESCRIPTION TECH SPECS

Item# : 18937  
Product Name : Williams® - 1/2" Drive, Standard Socket, 13/16"  
Drive Type : Square  
Drive Size : 1/2 "  
Style : Standard  
Number of Points : 12  
Measuring System : SAE  
Size : 13/16 "  
Overall Length : 1.5 "  
Drive End Diameter : 1.125 "  
Working End Diameter : 1.125 "  
Broach Depth : 0.8125 "  
Bolt Clearance Depth : 0.84375 "  
Bolt Clearance Diameter : 0.78125 "  
SAE Size : 13/16 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.8125 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

54

12.00

EA

0054 - 1/2 INCH INDIVIDUAL SOCKETS,  
STANDARD LENGTH, 12 POINT, CHROME,

7/8 INCH

\*\*\*LAWSON #18938\*\*\*



Representative Image Only

**Williams® 1/2" Drive, Standard Socket,  
7/8"**

Williams® - 1/2" Drive, 12 Point, Standard Length Socket, 7/8" (Pack of 1)

Item# 18938  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .25  
Brand : Williams®  
Mfr Model# : ST-1228  
Catalog Page# : 14-11  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#)[Add to Cart](#)Create a Re-order list.. [Add to List](#)

## DESCRIPTION TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Designed for quick engagement on both 6 and 12 point fasteners
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made In USA
- Federal Specification ANSI B107.1

## DESCRIPTION TECH SPECS

**Item# :** 18938  
**Product Name :** Williams® - 1/2" Drive, Standard Socket, 7/8"  
**Drive Type :** Square  
**Drive Size :** 1/2 "  
**Style :** Standard  
**Number of Points :** 12  
**Measuring System :** SAE  
**Size :** 7/8 "  
**Overall Length :** 1.5 "  
**Drive End Diameter :** 1.1875 "  
**Working End Diameter :** 1.1875 "  
**Broach Depth :** 0.8125 "  
**Bolt Clearance Depth :** 0.8125 "  
**Bolt Clearance Diameter :** 0.875 "  
**SAE Size :** 7/8 "  
**Finish :** Chrome  
**Wrench Style :** SUPERTORQUE®  
**Wrench/Broach Depth :** 0.8125 "  
**Locking Type :** Ball  
**Material :** Alloy Steel  
**UNSPSC #:** 27111704  
**TAA Compliant:** Yes



55

25.00

EA

0055 - 1/2 INCH INDIVIDUAL SOCKETS,  
STANDARD LENGTH, 12 POINT, CHROME,

\*\*\*LAWSON #18939\*\*\*



Representative Image Only

**Williams® 1/2" Drive, Standard Socket,  
15/16"**

Williams® - 1/2" Drive, 12 Point, Standard Length Socket, 15/16" (Pack of 1)

Item# 18939  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .28  
Brand : Williams®  
Mfr Model# : ST-1230  
Catalog Page# : [14-11](#)  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)**DESCRIPTION** **TECH SPECS**

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Designed for quick engagement on both 6 and 12 point fasteners
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made In USA
- Federal Specification ANSI B107.1

**DESCRIPTION** **TECH SPECS**

Item# : 18939  
Product Name : Williams® - 1/2" Drive, Standard Socket, 15/16"  
Drive Type : Square  
Drive Size : 1/2 "  
Style : Standard  
Number of Points : 12  
Measuring System : SAE  
Size : 15/16 "  
Overall Length : 1.53125 "  
Drive End Diameter : 1.28125 "  
Working End Diameter : 1.28125 "  
Broach Depth : 0.8125 "  
Bolt Clearance Depth : 0.84375 "  
Bolt Clearance Diameter : 0.90625 "  
SAE Size : 15/16 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.8125 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

56

11.00

EA

0056 - 1/2 INCH INDIVIDUAL SOCKETS,  
STANDARD LENGTH, 12 POINT, CHROME,

\*\*\*LAWSON #18940\*\*\*

1 INCH



Representative Image Only

**Williams® 1/2" Drive, Standard Socket, 1"**

Williams® - 1/2" Drive, 12 Point, Standard Length Socket, 1" (Pack of 1)

Item# 18940  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .33  
Brand : Williams®  
Mfr Model# : ST-1232  
Catalog Page# : 14-11  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)**DESCRIPTION** **TECH SPECS**

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Designed for quick engagement on both 6 and 12 point fasteners
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107.1

**DESCRIPTION** **TECH SPECS**

Item# : 18940  
Product Name : Williams® - 1/2" Drive, Standard Socket, 1"  
Drive Type : Square  
Drive Size : 1/2 "  
Style : Standard  
Number of Points : 12  
Measuring System : SAE  
Size : 1 "  
Overall Length : 1.5625 "  
Drive End Diameter : 1.34375 "  
Working End Diameter : 1.34375 "  
Broach Depth : 0.84375 "  
Bolt Clearance Depth : 0.875 "  
Bolt Clearance Diameter : 0.96875 "  
SAE Size : 1 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.84375 "  
Locking Type : Ball  
Material : Alloy Steel  
JNSPSC #: 27111704  
TAA Compliant: Yes

57

18.00

EA

0057 - 1/2 INCH INDIVIDUAL SOCKETS,  
STANDARD LENGTH, 12 POINT, CHROME,

1-1/16 INCH

\*\*\*LAWSON #18941\*\*\*



Representative Image Only

**Williams® 1/2" Drive, Standard Socket,  
1-1/16"**

Williams® - 1/2" Drive, 12 Point, Standard Length Socket, 1-1/16" (Pack of 1)

Item# 18941  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .41  
Brand : Williams®  
Mfr Model# : ST-1234  
Catalog Page# : 14-11  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#)[Add to Cart](#)Create a Re-order list.. [Add to List](#)**DESCRIPTION** **TECH SPECS**

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Designed for quick engagement on both 6 and 12 point fasteners
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107.1

**DESCRIPTION** **TECH SPECS**

Item# : 18941  
Product Name : Williams® - 1/2" Drive, Standard Socket, 1-1/16"  
Drive Type : Square  
Drive Size : 1/2 "  
Style : Standard  
Number of Points : 12  
Measuring System : SAE  
Size : 1-1/16 "  
Overall Length : 1.6875 "  
Drive End Diameter : 1.4375 "  
Working End Diameter : 1.4375 "  
Broach Depth : 0.96875 "  
Bolt Clearance Depth : 1 "  
Bolt Clearance Diameter : 1.0625 "  
SAE Size : 1-1/16 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.96875 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

58

22.00

EA

0058 - 1/2 INCH INDIVIDUAL SOCKETS,  
STANDARD LENGTH, 12 POINT, CHROME,

\*\*\*LAWSON #18942\*\*\*

1-1/8 INCH



Representative Image Only

**Williams® 1/2" Drive, Standard Socket,  
1-1/8"**

Williams® - 1/2" Drive, 12 Point, Standard Length Socket, 1-1/8" (Pack of 1)

Item# 18942  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .45  
Brand : Williams®  
Mfr Model# : ST-1236  
Catalog Page# : [14-11](#)  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)

## DESCRIPTION TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Designed for quick engagement on both 6 and 12 point fasteners
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107.1

## DESCRIPTION TECH SPECS

Item# : 18942  
Product Name : Williams® - 1/2" Drive, Standard Socket, 1-1/8"  
Drive Type : Square  
Drive Size : 1/2 "  
Style : Standard  
Number of Points : 12  
Measuring System : SAE  
Size : 1-1/8 "  
Overall Length : 1.75 "  
Drive End Diameter : 1.5 "  
Working End Diameter : 1.5 "  
Broach Depth : 1.03125 "  
Bolt Clearance Depth : 1.0625 "  
Bolt Clearance Diameter : 1.125 "  
SAE Size : 1-1/8 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 1.03125 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

60

10.00

EA

0060 - 1/2 INCH INDIVIDUAL SOCKETS,  
STANDARD LENGTH, 12 POINT, CHROME,  
\*\*\*LAWSON #18943\*\*\*  
1-1/4 INCH



Representative Image Only

**Williams® 1/2" Drive, Standard Socket,  
1-1/4"**

Williams® - 1/2" Drive, 12 Point, Standard Length Socket, 1-1/4" (Pack of 1)

Item# 18943  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .63  
Brand : Williams®  
Mfr Model# : ST-1240  
Catalog Page# : 14-11  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)

## DESCRIPTION

## TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Designed for quick engagement on both 6 and 12 point fasteners
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107.1

## DESCRIPTION

## TECH SPECS

Item# : 18943  
Product Name : Williams® - 1/2" Drive, Standard Socket, 1-1/4"  
Drive Type : Square  
Drive Size : 1/2 "  
Style : Standard  
Number of Points : 12  
Measuring System : SAE  
Size : 1-1/4 "  
Overall Length : 1.875 "  
Drive End Diameter : 1.6875 "  
Working End Diameter : 1.6875 "  
Broach Depth : 1.125 "  
Bolt Clearance Depth : 1.15625 "  
Bolt Clearance Diameter : 1.25 "  
SAE Size : 1-1/4 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 1.125 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

62

5.00

EA

0062 - 1/2 INCH INDIVIDUAL SOCKETS,  
STANDARD LENGTH, 12 POINT, CHROME,

\*\*\*LAWSON #18944\*\*\*

1-3/8 INCH



Representative Image Only

**Williams® 1/2" Drive, Standard Socket,  
1-3/8"**

Williams® - 1/2" Drive, 12 Point, Standard Length Socket, 1-3/8" (Pack of 1)

Item# 18944  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .74  
Brand : Williams®  
Mfr Model# : ST-1244  
Catalog Page# : 14-11  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)

## DESCRIPTION

## TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Designed for quick engagement on both 6 and 12 point fasteners
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made In USA
- Federal Specification ANSI B107.1

## DESCRIPTION

## TECH SPECS

Item# : 18944  
Product Name : Williams® - 1/2" Drive, Standard Socket, 1-3/8"  
Drive Type : Square  
Drive Size : 1/2 "  
Style : Standard  
Number of Points : 12  
Measuring System : SAE  
Size : 1-3/8 "  
Overall Length : 2.0625 "  
Drive End Diameter : 1.8125 "  
Working End Diameter : 1.8125 "  
Broach Depth : 1 "  
Bolt Clearance Depth : 1.3125 "  
Bolt Clearance Diameter : 1.34375 "  
SAE Size : 1-3/8 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 1 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

64

3.00

EA

0064 - 1/2 INCH INDIVIDUAL SOCKETS,  
STANDARD LENGTH, 12 POINT, CHROME,  
\*\*\*LAWSON #18945\*\*\*  
1-1/2 INCH



Representative Image Only

**Williams® 1/2" Drive, Standard Socket,  
1-1/2"**

Williams® - 1/2" Drive, 12 Point, Standard Length Socket, 1-1/2" (Pack of 1)

Item# 18945  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : 1.04  
Brand : Williams®  
Mfr Model# : ST-1248  
Catalog Page# : 14-11  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#)[Add to Cart](#)Create a Re-order list.. [Add to List](#)**DESCRIPTION** **TECH SPECS**

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Designed for quick engagement on both 6 and 12 point fasteners
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107.1

**DESCRIPTION** **TECH SPECS**

Item# : 18945  
Product Name : Williams® - 1/2" Drive, Standard Socket, 1-1/2"  
Drive Type : Square  
Drive Size : 1/2 "  
Style : Standard  
Number of Points : 12  
Measuring System : SAE  
Size : 1-1/2 "  
Overall Length : 2.25 "  
Drive End Diameter : 2 "  
Working End Diameter : 2 "  
Broach Depth : 1.0625 "  
Bolt Clearance Depth : 1.5 "  
Bolt Clearance Diameter : 1.125 "  
SAE Size : 1-1/2 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 1.0625 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

65

11.00

EA

0065 - 1/2 INCH INDIVIDUAL SOCKETS, BOLT  
CLEARANCE LENGTH, 12 POINT, CHROME,

1/2 INCH

\*\*\*LAWSON #18946\*\*\*



Representative Image Only

**Williams® 1/2" Drive, Deep Socket, 1/2"**

Williams® - 1/2" Drive, 12 Point, Deep Length Socket, 1/2" (Pack of 1)

Item# 18946  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .26  
Brand : Williams®  
Mfr Model# : SD-1216  
Catalog Page# : [14-12](#)  
Usually Ships: ⚙ Today



TAA Compliant

Quantity: 1 [Check Stock ?](#)[Add to Cart](#) ▶Create a Re-order list.. ☐ [Add to List](#)

## DESCRIPTION TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107.1 (SAE), B107.5 (Metric)

## DESCRIPTION TECH SPECS

Item# : 18946  
Product Name : Williams® - 1/2" Drive, Deep Socket, 1/2"  
Drive Type : Square  
Drive Size : 1/2 "  
Style : Deep  
Number of Points : 12  
Measuring System : SAE  
Size : 1/2 "  
Overall Length : 3.25 "  
Drive End Diameter : 0.90625 "  
Working End Diameter : 0.75 "  
Broach Depth : 0.40625 "  
Bolt Clearance Depth : 2.59375 "  
Bolt Clearance Diameter : 0.46875 "  
SAE Size : 1/2 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.40625 "  
Nose Length /Length to  
Shoulder : 2.46875 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes



66

23.00

EA

0066 - 1/2 INCH INDIVIDUAL SOCKETS, BOLT  
CLEARANCE LENGTH, 12 POINT, CHROME,  
9/16 INCH

\*\*\*LAWSON #18947\*\*\*



Representative Image Only

**Williams® 1/2" Drive, Deep Socket, 9/16"**

Williams® - 1/2" Drive, 12 Point, Deep Length Socket, 9/16" (Pack of 1)

Item# : 18947  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .05  
Brand : Williams®  
Mfr Model# : SD-1218  
Catalog Page# : [14-12](#)  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)**DESCRIPTION** **TECH SPECS**

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107.1 (SAE) B107.5 (Metric)

**DESCRIPTION** **TECH SPECS**

Item# : 18947  
Product Name : Williams® - 1/2" Drive Deep Socket 9/16"  
Drive Type : Square  
Drive Size : 1/2 "  
Style : Deep  
Number of Points : 12  
Measuring System : SAE  
Size : 9/16 "  
Overall Length : 3.25 "  
Drive End Diameter : 0.90625 "  
Working End Diameter : 0.8125 "  
Broach Depth : 0.4375 "  
Bolt Clearance Depth : 2.59375 "  
Bolt Clearance Diameter : 0.46875 "  
SAE Size : 9/16 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.4375 "  
Nose Length /Length to  
Shoulder : 2.46875 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

67

10.00

EA

**0067 - 1/2 INCH INDIVIDUAL SOCKETS, BOLT  
CLEARANCE LENGTH, 12 POINT, CHROME,****5/8 INCH****\*\*\*LAWSON #18948\*\*\*****Representative Image Only****Williams® 1/2" Drive, Deep Socket, 5/8"**

Williams® - 1/2" Drive, 12 Point, Deep Length Socket, 5/8" (Pack of 1)

Item# 18948  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .3  
Brand : Williams®  
Mfr Model# : SD-1220  
Catalog Page# : [14-12](#)  
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)**DESCRIPTION** **TECH SPECS**

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107.1 (SAE) B107.5 (Metric)

**DESCRIPTION** **TECH SPECS**

Item# : 18948  
Product Name : Williams® - 1/2" Drive, Deep Socket, 5/8"  
Drive Type : Square  
Drive Size : 1/2"  
Style : Deep  
Number of Points : 12  
Measuring System : SAE  
Size : 5/8"  
Overall Length : 3.25"  
Drive End Diameter : 0.90625"  
Working End Diameter : 0.90625"  
Broach Depth : 0.46875"  
Bolt Clearance Depth : 2.4375"  
Bolt Clearance Diameter : 0.59375"  
SAE Size : 5/8"  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.46875"  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

68

8.00

EA

0068 - 1/2 INCH INDIVIDUAL SOCKETS, BOLT  
CLEARANCE LENGTH, 12 POINT, CHROME,  
\*\*\*LAWSON #18949\*\*\*  
11/16 INCH



Representative Image Only

**Williams® 1/2" Drive, Deep Socket, 11/16"**

Williams® - 1/2" Drive, 12 Point, Deep Length Socket, 11/16" (Pack of 1)

Item# 18949  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .33  
Brand : Williams®  
Mfr Model# : SD-1222  
Catalog Page# : [14-12](#)  
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock ?](#)[Add to Cart](#) [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)

## DESCRIPTION

## TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107 1 (SAE) B107 5 (Metric)

## DESCRIPTION

## TECH SPECS

Item# : 18949  
Product Name : Williams® - 1/2" Drive Deep Socket, 11/16"  
Drive Type : Square  
Drive Size : 1/2 "  
Style : Deep  
Number of Points : 12  
Measuring System : SAE  
Size : 11/16 "  
Overall Length : 3.25 "  
Drive End Diameter : 0.96875 "  
Working End Diameter : 0.96875 "  
Broach Depth : 0.53125 "  
Bolt Clearance Depth : 2.34375 "  
Bolt Clearance Diameter : 0.65625 "  
SAE Size : 11/16 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.53125 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

69

17.00

EA

0069 - 1/2 INCH INDIVIDUAL SOCKETS, BOLT  
CLEARANCE LENGTH, 12 POINT, CHROME,

\*\*\*LAWSON #18950\*\*  
3/4 INCH, ALLEN NO. 12264



Representative Image Only

**Williams® 1/2" Drive, Deep Socket, 3/4"**

Williams® - 1/2" Drive, 12 Point, Deep Length Socket, 3/4" (Pack of 1)

Item# : 18950  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .41  
Brand : Williams®  
Mfr Model# : SD-1224  
Catalog Page# : [14-12](#)  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock ?](#)[Add to Cart](#) Create a Re-order list.. [Add to List](#)**DESCRIPTION** **TECH SPECS**

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107.1 (SAE) B107.5 (Metric)

**DESCRIPTION** **TECH SPECS**

Item# : 18950  
Product Name : Williams® - 1/2" Drive Deep Socket 3/4"  
Drive Type : Square  
Drive Size : 1/2 "  
Style : Deep  
Number of Points : 12  
Measuring System : SAE  
Size : 3/4 "  
Overall Length : 3.25 "  
Drive End Diameter : 1.0625 "  
Working End Diameter : 1.0625 "  
Broach Depth : 0.59375 "  
Bolt Clearance Depth : 2.3125 "  
Bolt Clearance Diameter : 0.71875 "  
SAE Size : 3/4 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.59375 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

70

18.00

EA

0070 - 1/2 INCH INDIVIDUAL SOCKETS, BOLT  
CLEARANCE LENGTH, 12 POINT, CHROME,

13/16 INCH

\*\*\*LAWSON #18951\*\*



Representative Image Only

**Williams® 1/2" Drive, Deep Socket, 13/16"**

Williams® - 1/2" Drive, 12 Point, Deep Length Socket, 13/16" (Pack of 1)

Item# 18951  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .35  
Brand : Williams®  
Mfr Model# : SD-1226  
Catalog Page# : [14-12](#)  
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)**Add to Cart** [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)

## DESCRIPTION

## TECH SPECS

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107.1 (SAE) B107.5 (Metric)

## DESCRIPTION

## TECH SPECS

Item# : 18951  
Product Name : Williams® - 1/2" Drive. Deep Socket. 13/16"  
Drive Type : Square  
Drive Size : 1/2 "  
Style : Deep  
Number of Points : 12  
Measuring System : SAE  
Size : 13/16 "  
Overall Length : 3.25 "  
Drive End Diameter : 1.125 "  
Working End Diameter : 1.125 "  
Broach Depth : 0.65625 "  
Bolt Clearance Depth : 2.28125 "  
Bolt Clearance Diameter : 0.78125 "  
SAE Size : 13/16 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.65625 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

71

24.00

EA

**0071 - 1/2 INCH INDIVIDUAL SOCKETS, BOLT  
CLEARANCE LENGTH, 12 POINT, CHROME,****\*\*\*LAWSON #18952\*\*****Representative Image Only****Williams® 1/2" Drive, Deep Socket, 7/8"**

Williams® - 1/2" Drive, 12 Point, Deep Length Socket, 7/8" (Pack of 1)

Item# 18952  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .52  
Brand : Williams®  
Mfr Model# : SD-1228  
Catalog Page# : [14-12](#)  
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)**Add to Cart** [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)**DESCRIPTION** **TECH SPECS**

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107 1 (SAE) B107 5 (Metric)

**DESCRIPTION** **TECH SPECS**

Item# : 18952  
Product Name : Williams® - 1/2" Drive Deep Socket. 7/8"  
Drive Type : Square  
Drive Size : 1/2 "  
Style : Deep  
Number of Points : 12  
Measuring System : SAE  
Size : 7/8 "  
Overall Length : 3 25 "  
Drive End Diameter : 1 1875 "  
Working End Diameter : 1 1875 "  
Broach Depth : 0 71875 "  
Bolt Clearance Depth : 2 28125 "  
Bolt Clearance Diameter : 0 84375 "  
SAE Size : 7/8 "  
Finish : [Chrome](#)  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0 71875 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

72

20.00

EA

0072 - 1/2 INCH INDIVIDUAL SOCKETS, BOLT  
CLEARANCE LENGTH, 12 POINT, CHROME,  
\*\*\*LAWSON #18953\*\*\*  
15/16 INCH



Representative Image Only

**Williams® 1/2" Drive, Deep Socket, 15/16"**

Williams® - 1/2" Drive, 12 Point, Deep Length Socket, 15/16" (Pack of 1)

Item# 18953  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .61  
Brand : Williams®  
Mfr Model# : SD-1230  
Catalog Page# : 14-12  
Usually Ships: ? Today



TAA Compliant

Quantity: 1 [Check Stock ?](#)[Add to Cart](#) ▶Create a Re-order list.. ▼ [Add to List](#)**DESCRIPTION** **TECH SPECS**

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107.1 (SAE) B107.5 (Metric)

**DESCRIPTION** **TECH SPECS**

Item# : 18953  
Product Name : Williams® - 1/2" Drive Deep Socket, 15/16"  
Drive Type : Square  
Drive Size : 1/2 "  
Style : Deep  
Number of Points : 12  
Measuring System : SAE  
Size : 15/16 "  
Overall Length : 3.25 "  
Drive End Diameter : 1.28125 "  
Working End Diameter : 1.28125 "  
Broach Depth : 0.75 "  
Bolt Clearance Depth : 2.28125 "  
Bolt Clearance Diameter : 0.90625 "  
SAE Size : 15/16 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.75 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

73

6.00

EA

0073 - 1/2 INCH INDIVIDUAL SOCKETS, BOLT  
CLEARANCE LENGTH, 12 POINT, CHROME,  
1 INCH

\*\*\*LAWSON #18954\*\*\*



Representative Image Only

**Williams® 1/2" Drive, Deep Socket, 1"**

Williams® - 1/2" Drive, 12 Point, Deep Length Socket, 1" (Pack of 1)

Item# 18954  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .67  
Brand : Williams®  
Mfr Model# : SD-1232  
Catalog Page# : [14-12](#)  
Usually Ships: [Today](#)



TAA Compliant

Quantity: 1 [Check Stock ?](#)[Add to Cart](#)[Create a Re-order list..](#) [Add to List](#)**DESCRIPTION** **TECH SPECS**

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107.1 (SAE) B107.5 (Metric)

**DESCRIPTION** **TECH SPECS**

Item# : 18954  
Product Name : Williams® - 1/2" Drive Deep Socket, 1"  
Drive Type : Square  
Drive Size : 1/2 "  
Style : Deep  
Number of Points : 12  
Measuring System : SAE  
Size : 1 "  
Overall Length : 3.25 "  
Drive End Diameter : 1.34375 "  
Working End Diameter : 1.34375 "  
Broach Depth : 0.75 "  
Bolt Clearance Depth : 2.25 "  
Bolt Clearance Diameter : 1 "  
SAE Size : 1 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.75 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes



74

17.00

EA

**0074 - 1/2 INCH INDIVIDUAL SOCKETS, BOLT  
CLEARANCE LENGTH, 12 POINT, CHROME,****1-1/16 INCH****\*\*\*LAWSON #18955\*\*\*****Representative Image Only****Williams® 1/2" Drive, Deep Socket, 1-1/16"**

Williams® - 1/2" Drive, 12 Point, Deep Length Socket, 1-1/16" (Pack of 1)

Item# 18955  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .77  
Brand : Williams®  
Mfr Model# : SD-1234  
Catalog Page# : [14-12](#)  
Usually Ships: [Today](#)



TAA Compliant

Quantity: 1 [Check Stock](#)[Add to Cart](#)Create a Re-order list.. [Add to List](#)**DESCRIPTION** **TECH SPECS**

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107 1 (SAE) B107 5 (Metric)

**DESCRIPTION** **TECH SPECS**

Item# : 18955  
Product Name : Williams® - 1/2" Drive Deep Socket, 1-1/16"  
Drive Type : Square  
Drive Size : 1/2 "  
Style : Deep  
Number of Points : 12  
Measuring System : SAE  
Size : 1-1/16 "  
Overall Length : 3.25 "  
Drive End Diameter : 1.4375 "  
Working End Diameter : 1.4375 "  
Broach Depth : 0.75 "  
Bolt Clearance Depth : 2.25 "  
Bolt Clearance Diameter : 1.0625 "  
SAE Size : 1-1/16 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.75 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

75

16.00

EA

0075 - 1/2 INCH INDIVIDUAL SOCKETS, BOLT  
CLEARANCE LENGTH, 12 POINT, CHROME,

1-1/8 INCH

\*\*\*LAWSON #18956\*\*\*



Representative Image Only

**Williams® 1/2" Drive, Deep Socket, 1-1/8"**

Williams® - 1/2" Drive, 12 Point, Deep Length Socket, 1-1/8" (Pack of 1)

Item# 18956  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .86  
Brand : Williams®  
Mfr Model# : SD-1236  
Catalog Page# : [14-12](#)  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock ?](#)[Add to Cart](#) [Create a Re-order list..](#) [Add to List](#)**DESCRIPTION** **TECH SPECS**

- High-polished chrome finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Thin wall design offers more accessibility without compromising strength
- Torque load is as much as 14% greater than the competition
- Made in USA
- Federal Specification ANSI B107.1 (SAE). B107.5 (Metric)

**DESCRIPTION** **TECH SPECS**

Item# : 18956  
Product Name : Williams® - 1/2" Drive Deep Socket, 1-1/8"  
Drive Type : Square  
Drive Size : 1/2 "  
Style : Deep  
Number of Points : 12  
Measuring System : SAE  
Size : 1-1/8 "  
Overall Length : 3.25 "  
Drive End Diameter : 1.5 "  
Working End Diameter : 1.5 "  
Broach Depth : 0.78125 "  
Bolt Clearance Depth : 2.25 "  
Bolt Clearance Diameter : 1.09375 "  
SAE Size : 1-1/8 "  
Finish : Chrome  
Wrench Style : SUPERTORQUE®  
Wrench/Broach Depth : 0.78125 "  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27111704  
TAA Compliant: Yes

76

1.00

EA

0076 - 1/2 INCH DRIVE - 1-3/16 INCH,  
STANDARD LENGTH, 6 POINT, BLACK FINISH

\*\*\*LAWSON #19177\*\*\*



Representative Image Only



## Williams® 1/2" Drive Standard Impact Socket, 1-3/16"

Williams® - 1/2" Drive, 6 Point, Standard Length Impact Socket, 1-3/16"  
(Pack of 1)

Item# 19177  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .75  
Brand : Williams®  
Mfr Model# : 4-638  
Catalog Page# : [14-18](#)  
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)

[Add to Cart](#) [▶](#)

Create a Re-order list.. [▼](#) [Add to List](#)

### DESCRIPTION

### TECH SPECS

#### Individual Impact Sockets

- Black industrial finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Designed for maximum engagement on 6 point fasteners
- Suitable for use with pneumatic and electric impact wrenches
- Specially heat-treated for impact use to provide long life, safety and durability
- Made in USA

### DESCRIPTION

### TECH SPECS

Item# : 19177  
Product Name : Williams® - 1/2" Drive Standard Impact Socket, 1-3/16"  
Drive Type : Square  
Drive Size : 1/2 "  
Style : Standard  
Number of Points : 6  
Size : 1-3/16 "  
Measuring System : SAE  
Type : Socket  
Wrench Style : SUPERTORQUE®  
Overall Length : 2 "  
Drive End Diameter : 1.6875 "  
Working End Diameter : 1.6875 "  
Bolt Clearance Depth : 1.28125 "  
Bolt Clearance Diameter : 1.15625 "  
Finish : Black Oxide  
Locking Type : [Pin](#)  
UNSPSC #: 27112626  
TAA Compliant: Yes

77	1.00	EA	0077 - 1/2 INCH INDIVIDUAL SOCKETS, BOLT CLEARANCE, 12 POINT, BLACK FINISH,  1-1/4 INCH  PROTO J7340	NO BID	NO BID
78	1.00	EA	0078 - 1/2 INCH DRIVE - 1-5/16 INCH, STANDARD LENGTH, 12 POINT, BLACK FINISH  PROTO J7442	NO BID	NO BID
79	1.00	EA	0079 - 1/2 INCH DRIVE - 1-3/8 INCH, STANDARD LENGTH, 12 POINT, BLACK FINISH	NO BID	NO BID
80	1.00	EA	0080 - 1/2 INCH DRIVE - 1-7/16 INCH, STANDARD LENGTH, 12 POINT, BLACK FINISH  PROTO J7446	NO BID	NO BID
81	1.00	EA	0081 - 1/2 INCH DRIVE - 1-1/2 INCH, STANDARD LENGTH, 12 POINT, BLACK FINISH	NO BID	NO BID

82

1.00

EA

0082 - 3/4 INCH SQUARE RATCHET CHROME  
WITH REVERSE (APPROX. 20 INCH LONG)

\*\*\*LAWSON #19025\*\*\*

### Williams® Ratchet, Teardrop, 3/4" Drive, 20-1/8" Length

Williams® - 3/4" Drive Teardrop Ratchet, 20-1/8" Length, 24 Tooth, High-Polished Nickel Chrome-Plated (Pack of 1)



Item# : 19025  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : 5.97  
Brand : Williams®  
Mfr Model# : H-51B  
Catalog Page# : [14-15](#)  
Usually Ships: Today



**WARNING**  
TAA Compliant



Quantity: 1 [Check Stock](#)

**Add to Cart**

Create a Re-order list.. **Add to List**

#### DESCRIPTION TECH SPECS RESTRICTIONS

- High-polished nickel chrome-plated finish protects from rust and corrosion
- Enclosed sealed head to prevent dust, dirt and liquids from entering head, preserving internal lubrication
- Made in USA
- 24 tooth ratchet provides 15° ratcheting angle
- Federal Specification ANSI B107.10M

#### DESCRIPTION TECH SPECS RESTRICTIONS

Item# : 19025  
Product Name : Williams® - Ratchet, Teardrop, 3/4" Drive, 20-1/8" Length  
Style : Teardrop  
Drive Size : 3/4 "  
Length : 20-1/8 "  
Number of Teeth : 24  
Finish : High-Polished Nickel Chrome-Plated  
Specification : ANSI B107.10M  
UNSPSC #: 27111711  
TAA Compliant: Yes

#### DESCRIPTION TECH SPECS RESTRICTIONS

**California Proposition 65:**  
WARNING: Cancer - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

83

1.00

EA

**0083 - 3/4 INCH SQUARE DRIVE TOOLS,  
CHROME EXTENSION - 4 INCH LONG****\*\*\*LAWSON #19027\*\*\*****Williams® Extension, Spring Plunger, 3/4"  
Drive, 3" Length**Williams® - 3/4" Drive Extension, Spring Plunger, 3" Length, High-Polish  
Chrome (Pack of 1)

Item# 19027  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .71  
Brand : Williams®  
Mfr Model# : H-104  
Catalog Page# : [14-16](#)  
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)**DESCRIPTION** **TECH SPECS**

- High-polished chrome finish
- Chrome plating provides increased protection from rust and corrosion
- Ball and spring socket retention
- Made in USA
- Federal Specification ANSI B107 10M

**DESCRIPTION** **TECH SPECS**

Item# : 19027  
Product Name : Williams® - Extension. Spring Plunger. 3/4" Drive, 3" Length  
Drive Size : 3/4 "  
Length : 3 "  
Specification : ANSI B 107.10M  
Finish : High-Polish Chrome  
Drive Type : Square  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27112832  
TAA Compliant: Yes

84

1.00

EA

**0084 - 3/4 INCH SQUARE DRIVE TOOLS,  
CHROME EXTENSION - 8 INCH LONG****\*\*\*LAWSON #19028\*\*\*****Williams® Extension, Spring Plunger, 3/4"  
Drive, 8" Length**Williams® - 3/4" Drive Extension, Spring Plunger, 8" Length, High-Polish  
Chrome (Pack of 1)

Item# 19028  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : 1.76  
Brand : Williams®  
Mfr Model# : H-110  
Catalog Page# : [14-16](#)  
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock ?](#)**Add to Cart** [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)**DESCRIPTION** **TECH SPECS**

- High-polished chrome finish
- Chrome plating provides increased protection from rust and corrosion
- Ball and spring socket retention
- Made in USA
- Federal Specification ANSI B107.10M

**DESCRIPTION** **TECH SPECS**

Item# : 19028  
Product Name : Williams® - Extension. Spring Plunger. 3/4" Drive. 8" Length  
Drive Size : 3/4 "  
Length : 8 "  
Specification : ANSI B 107.10M  
Finish : High-Polish Chrome  
Drive Type : Square  
Locking Type : Ball  
Material : Alloy Steel  
UNSPSC #: 27112832  
TAA Compliant: Yes

85

1.00

EA

0085 - SOCKETS, 3/4 INCH DRIVE - CHROME,  
2-1/16 INCH

\*\*\*LAWSON #19309\*\*\*



Representative Image Only

**Williams® 3/4" Drive Standard Impact Socket, 2-1/16"**Williams® - 3/4" Drive, 6 Point, Standard Length Impact Socket, 2-1/16"  
(Pack of 1)

Item# 19309  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : 2.43  
Brand : Williams®  
Mfr Model# : 6-666  
Catalog Page# : [14-19](#)  
Usually Ships: [Today](#)



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) [Create a Re-order list..](#) [Add to List](#)**DESCRIPTION** **TECH SPECS**

## Individual Impact Sockets

- Black industrial finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Designed for maximum engagement on 6 point fasteners
- Suitable for use with pneumatic and electric impact wrenches
- Specially heat-treated for impact use to provide long life safety and durability
- Made in USA

**DESCRIPTION** **TECH SPECS**

Item# : 19309  
Product Name : Williams® - 3/4" Drive Standard Impact Socket, 2-1/16"  
Drive Type : Square  
Drive Size : 3/4 "  
Style : Standard  
Number of Points : 6  
Size : 2-1/16 "  
Measuring System : SAE  
Type : Socket  
Wrench Style : SUPERTORQUE®  
Overall Length : 2.875 "  
Drive End Diameter : 1.75 "  
Working End Diameter : 2.875 "  
Bolt Clearance Depth : 1.8125 "  
Bolt Clearance Diameter : 1.4375 "  
Nose Length /Length to  
Shoulder : 2.1875 "  
Finish : Black Oxide  
Locking Type : Pin  
UNSPSC #: 27112628  
TAA Compliant: Yes



86	1.00	EA	0086 - SOCKETS, 3/4 INCH DRIVE - CHROME, 2-1/8 INCH	NO BID	NO BID
----	------	----	--	--------	--------

87

1.00

EA

0087 - SOCKETS, 3/4 INCH, CHROME,  
2-3/16 INCH  
\*\*\*LAWSON #19310\*\*\*



Representative Image Only


**Williams® 3/4" Drive Standard Impact Socket, 2-3/16"**

Williams® - 3/4" Drive, 6 Point, Standard Length Impact Socket, 2-3/16"  
(Pack of 1)

Item# 19310  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : 3.1  
Brand : Williams®  
Mfr Model# : 6-670  
Catalog Page# : [14-19](#)  
Usually Ships: Today



TAA Compliant



Quantity: 1 [Check Stock](#)

[Add to Cart](#)

Create a Re-order list.. [Add to List](#)

DESCRIPTION    TECH SPECS

- Individual Impact Sockets
- Black industrial finish
  - SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
  - Designed for maximum engagement on 6 point fasteners
  - Suitable for use with pneumatic and electric impact wrenches
  - Specially heat-treated for impact use to provide long life, safety and durability
  - Made in USA

DESCRIPTION    TECH SPECS

Item# :	19310
Product Name :	Williams® - 3/4" Drive Standard Impact Socket, 2-3/16"
Drive Type :	Square
Drive Size :	3/4 "
Style :	Standard
Number of Points :	6
Size :	2-3/16 "
Measuring System :	SAE
Type :	Socket
Wrench Style :	SUPERTORQUE®
Overall Length :	3 1875 "
Drive End Diameter :	1 75 "
Working End Diameter :	3 0625 "
Bolt Clearance Depth :	2 0625 "
Bolt Clearance Diameter :	2 1875 "
Nose Length /Length to	
Shoulder :	2 5 "
Finish :	Black Oxide
Locking Type :	Pin
UNSPSC #:	27112626
TAA Compliant:	Yes

88

1.00

EA

0088 - SOCKETS, 3/4 INCH, DRIVE,  
2-1/4 INCH

\*\*\*LAWSON #19311\*\*\*



Representative Image Only

**Williams® 3/4" Drive Standard Impact  
Socket, 2-1/4"**Williams® - 3/4" Drive, 6 Point, Standard Length Impact Socket, 2-1/4"  
(Pack of 1)

Item# 19311  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : 3.17  
Brand : Williams®  
Mfr Model# : 6-672  
Catalog Page# : 14-19  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#)[Add to Cart](#)[Create a Re-order list..](#) [Add to List](#)**DESCRIPTION** **TECH SPECS**

## Individual Impact Sockets

- Black industrial finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Designed for maximum engagement on 6 point fasteners
- Suitable for use with pneumatic and electric impact wrenches
- Specially heat-treated for impact use to provide long life safety and durability
- Made in USA

**DESCRIPTION** **TECH SPECS**

Item# : 19311  
Product Name : Williams® - 3/4" Drive Standard Impact Socket, 2-1/4"  
Drive Type : Square  
Drive Size : 3/4 "  
Style : Standard  
Number of Points : 6  
Size : 2-1/4 "  
Measuring System : SAE  
Type : Socket  
Wrench Style : SUPERTORQUE®  
Overall Length : 3.1875 "  
Drive End Diameter : 1.75 "  
Working End Diameter : 3.125 "  
Bolt Clearance Depth : 2.15625 "  
Bolt Clearance Diameter : 1.84375 "  
Nose Length /Length to  
Shoulder : 2.5 "  
Finish : Black Oxide  
Locking Type : Pin  
UNSPSC #: 27112828  
TAA Compliant: Yes

89

1.00

EA

0089 - SOCKETS, 3/4 INCH DRIVE, CHROME,  
2-3/8 INCH \*\*\*LAWSON #19312\*\*\*



Representative Image Only



### Williams® 3/4" Drive Standard Impact Socket, 2-3/8"

Williams® - 3/4" Drive, 6 Point, Standard Length Impact Socket, 2-3/8"  
(Pack of 1)

Item# 19312  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : 3.7  
Brand : Williams®  
Mfr Model# : 6-676  
Catalog Page# : [14-19](#)  
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)

#### DESCRIPTION TECH SPECS

Individual Impact Sockets

- Black industrial finish
- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Designed for maximum engagement on 6 point fasteners
- Suitable for use with pneumatic and electric impact wrenches
- Specially heat-treated for impact use to provide long life, safety and durability
- Made in USA

#### DESCRIPTION TECH SPECS

Item# : 19312  
Product Name : Williams® - 3/4" Drive Standard Impact Socket, 2-3/8"  
Drive Type : Square  
Drive Size : 3/4 "  
Style : Standard  
Number of Points : 6  
Size : 2-3/8 "  
Measuring System : SAE  
Type : Socket  
Wrench Style : SUPERTORQUE®  
Overall Length : 3.5 "  
Drive End Diameter : 1.75 "  
Working End Diameter : 3.25 "  
Bolt Clearance Depth : 2.4375 "  
Bolt Clearance Diameter : 1.84375 "  
Nose Length /Length to Shoulder : 2.8125 "  
Finish : Black Oxide  
Locking Type : Pin  
UNSPSC #: 27112628  
TAA Compliant: Yes

90

2.00

EA

**0090 - WRENCHES, COMBINATION, CHROME,  
LONG HANDLE, 12 POINT, 5/16 INCH****\*\*\*LAWSON #19369\*\*\*****Williams® Wrench, Combination, Narrow  
Head, 12pt, 5/16"****Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 5/16"  
(Pack of 1)**

Item# 19369  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .08  
Brand : Williams®  
Mfr Model# : 1210SC  
Catalog Page# : [14-22](#)  
Usually Ships: [?](#) Today

**Representative Image Only**

TAA Compliant

Quantity: 1 [Check Stock ?](#)**Add to Cart** [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)**DESCRIPTION****TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

**DESCRIPTION****TECH SPECS**

Item# : 19369  
Product Name : Williams® - Wrench. Combination, Narrow Head. 12pt. 5/16"  
Style : Supercombo® Narrow Head  
Size : 5/16 "  
Overall Length : 5.75 "  
Open End Width : 0.6875 "  
Open End Thickness : 0.15625 "  
Number of Points : 12  
Finish : High-Polish Chrome  
Specification : B107.6 & SAE AS 954  
UNSPSC #: 27111713  
TAA Compliant: Yes

91

28.00

EA

0091 - WRENCHES, COMBINATION, CHROME,  
LONG HANDLE, 12 POINT, 3/8 INCH

\*\*\*LAWSON #19371\*\*\*



Representative Image Only

**Williams® Wrench, Combination, Narrow  
Head, 12pt, 3/8"**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 3/8"  
(Pack of 1)

Item# 19371  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .12  
Brand : Williams®  
Mfr Model# : 1212SC  
Catalog Page# : [14-22](#)  
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)[Create a Re-order list..](#) [▼](#) [Add to List](#)

## DESCRIPTION

## TECH SPECS

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 670) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome, satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

## DESCRIPTION

## TECH SPECS

Item# : 19371  
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt. 3/8"  
Style : Supercombo® Narrow Head  
Size : 3/8 "  
Overall Length : 6 5 "  
Open End Width : 0 8125 "  
Open End Thickness : 0 1875 "  
Number of Points : 12  
Finish : High-Polish Chrome  
Specification : B107 6 & SAE AS 954  
UNSPSC #: 27111713  
TAA Compliant: Yes

92

48.00

EA

0092 - WRENCHES, COMBINATION, CHROME,  
LONG HANDLE, 12 POINT, 7/16 INCH

\*\*\*LAWSON #19372\*\*\*



Representative Image Only

**Williams® Wrench, Combination, Narrow  
Head, 12pt, 7/16"**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 7/16"  
(Pack of 1)

Item# 19372  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .17  
Brand : Williams®  
Mfr Model# : 1214SC  
Catalog Page# : [14-22](#)  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)

## DESCRIPTION

## TECH SPECS

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome, satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

## DESCRIPTION

## TECH SPECS

Item# : 19372  
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt, 7/16"  
Style : Supercombo® Narrow Head  
Size : 7/16 "  
Overall Length : 7.25 "  
Open End Width : 0.9375 "  
Open End Thickness : 0.21875 "  
Number of Points : 12  
Finish : High-Polish Chrome  
Specification : B107.6 & SAE AS 954  
UNSPSC #: 27111713  
TAA Compliant: Yes

93

68.00

EA

0093 - WRENCHES, COMBINATION, CHROME,  
LONG HANDLE, 12 POINT, 1/2 INCH

\*\*\*LAWSON #19373\*\*\*

**Williams® Wrench, Combination, Narrow  
Head, 12pt, 1/2"**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 1/2"  
(Pack of 1)

Representative Image Only

Item# 19373  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .25  
Brand : Williams®  
Mfr Model# : 1216SC  
Catalog Page# : [14-22](#)  
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)[Create a Re-order list..](#) [▼](#) [Add to List](#)**DESCRIPTION** **TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome, satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

**DESCRIPTION** **TECH SPECS**

Item# : 19373  
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt, 1/2"  
Style : Supercombo® Narrow Head  
Size : 1/2 "  
Overall Length : 8 "  
Open End Width : 1.0625 "  
Open End Thickness : 0.25 "  
Number of Points : 12  
Finish : High-Polish Chrome  
Specification : B107.6 & SAE AS 954  
UNSPSC #: 27111713  
TAA Compliant: Yes



94

55.00

EA

0094 - WRENCHES, COMBINATION, CHROME,  
LONG HANDLE, 12 POINT, 9/16 INCH

\*\*\*LAWSON #19374\*\*\*



Representative Image Only

**Williams® Wrench, Combination, Narrow  
Head, 12pt, 9/16"**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 9/16"  
(Pack of 1)

Item# 19374  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .34  
Brand : Williams®  
Mfr Model# : 1218SC  
Catalog Page# : [14-22](#)  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)

## DESCRIPTION

## TECH SPECS

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome, satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

## DESCRIPTION

## TECH SPECS

Item# : 19374  
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt, 9/16"  
Style : Supercombo® Narrow Head  
Size : 9/16 "  
Overall Length : 8.75 "  
Open End Width : 1.25 "  
Open End Thickness : 0.25 "  
Number of Points : 12  
Finish : High-Polish Chrome  
Specification : B107.6 & SAE AS 954  
UNSPSC #: 27111713  
TAA Compliant: Yes

95

32.00

EA

0095 - WRENCHES, COMBINATION, CHROME,  
LONG HANDLE, 12 POINT, 5/8 INCH

\*\*\*LAWSON #19375\*\*\*

**Williams® Wrench, Combination, Narrow  
Head, 12pt, 5/8"**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 5/8"  
(Pack of 1)

Representative Image Only

Item# 19375  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .44  
Brand : Williams®  
Mfr Model# : 1220SC  
Catalog Page# : [14-22](#)  
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)[Create a Re-order list..](#) [▼](#) [Add to List](#)

## DESCRIPTION

## TECH SPECS

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome, satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

## DESCRIPTION

## TECH SPECS

Item# : 19375  
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt 5/8"  
Style : Supercombo® Narrow Head  
Size : 5/8 "  
Overall Length : 9 5 "  
Open End Width : 1.375 "  
Open End Thickness : 0.28125 "  
Number of Points : 12  
Finish : High-Polish Chrome  
Specification : B107.6 & SAE AS 954  
UNSPSC #: 27111713  
TAA Compliant: Yes

96

15.00

EA

**0096 - WRENCHES, COMBINATION, CHROME,  
LONG HANDLE, 12 POINT, 11/16 INCH****\*\*\*LAWSON #19376\*\*\*****Representative Image Only****Williams® Wrench, Combination, Narrow  
Head, 12pt, 11/16"**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt,  
11/16" (Pack of 1)

Item# 19376  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .51  
Brand : Williams®  
Mfr Model# : 1222SC  
Catalog Page# : [14-22](#)  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)**DESCRIPTION****TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 670) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome, satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

**DESCRIPTION****TECH SPECS**

Item# : 19376  
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt, 11/16"  
Style : Supercombo® Narrow Head  
Size : 11/16 "  
Overall Length : 10.25 "  
Open End Width : 1.5 "  
Open End Thickness : 0.3125 "  
Number of Points : 12  
Finish : High-Polish Chrome  
Specification : B107.6 & SAE AS 954  
UNSPSC #: 27111713  
TAA Compliant: Yes

97

45.00

EA

**0097 - WRENCHES, COMBINATION, CHROME,  
LONG HANDLE, 12 POINT, 3/4 INCH****\*\*\*LAWSON #19377\*\*\*****Williams® Wrench, Combination, Narrow  
Head, 12pt, 3/4"**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 3/4"  
(Pack of 1)**Representative Image Only**

Item# 19377  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .65  
Brand : Williams®  
Mfr Model# : 1224SC  
Catalog Page# : [14-22](#)  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock ?](#)**Add to Cart** Create a Re-order list.. **Add to List****DESCRIPTION****TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

**DESCRIPTION****TECH SPECS**

Item# : 19377  
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt 3/4"  
Style : Supercombo® Narrow Head  
Size : 3/4 "  
Overall Length : 11 "  
Open End Width : 1.625 "  
Open End Thickness : 0.3125 "  
Number of Points : 12  
Finish : High-Polish Chrome  
Specification : B107.6 & SAE AS 954  
UNSPSC #: 27111713  
TAA Compliant: Yes

98

20.00

EA

0098 - WRENCHES, COMBINATION, CHROME,  
LONG HANDLE, 12 POINT, 13/16 INCH  
\*\*\*LAWSON #19378\*\*\*



Representative Image Only



### Williams® Wrench, Combination, Narrow Head, 12pt, 13/16"

Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 13/16" (Pack of 1)

Item# 19378  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .85  
Brand : Williams®  
Mfr Model# : 1226SC  
Catalog Page# : 14-22  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)**DESCRIPTION****TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

**DESCRIPTION****TECH SPECS**

Item# : 19378  
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt, 13/16"  
Style : Supercombo® Narrow Head  
Size : 13/16 "  
Overall Length : 11 75 "  
Open End Width : 1 75 "  
Open End Thickness : 0 375 "  
Number of Points : 12  
Finish : High-Polish Chrome  
Specification : B107 6 & SAE AS 954  
UNSPSC #: 27111713  
TAA Compliant: Yes

99

4.00

EA

**0099 - WRENCHES, COMBINATION, CHROME,  
LONG HANDLE, 12 POINT, 7/8 INCH****\*\*\*LAWSON #19379\*\*\*****Representative Image Only****Williams® Wrench, Combination, Narrow  
Head, 12pt, 7/8"**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 7/8"  
(Pack of 1)

Item# 19379  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : .99  
Brand : Williams®  
Mfr Model# : 1228SC  
Catalog Page# : [14-22](#)  
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)**Add to Cart** [▶](#)Create a Re-order list.. [▼](#) **Add to List****DESCRIPTION****TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome, satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

**DESCRIPTION****TECH SPECS**

Item# : 19379  
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt, 7/8"  
Style : Supercombo® Narrow Head  
Size : 7/8 "  
Overall Length : 12.5 "  
Open End Width : 1.875 "  
Open End Thickness : 0.40625 "  
Number of Points : 12  
Finish : High-Polish Chrome  
Specification : B107.6 & SAE AS 954  
UNSPSC #: 27111713  
TAA Compliant: Yes

100

35.00

EA

0100 - WRENCHES, COMBINATION, CHROME,  
LONG HANDLE, 12 POINT, 15/16 INCH

\*\*\*LAWSON #19380\*\*\*



Representative Image Only

### Williams® Wrench, Combination, Narrow Head, 12pt, 15/16"

Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 15/16" (Pack of 1)

Item# 19380  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : 1.25  
Brand : Williams®  
Mfr Model# : 1230SC  
Catalog Page# : [14-22](#)  
Usually Ships: Today



TAA Compliant



Quantity: 1 [Check Stock ?](#)

[Add to Cart](#)

Create a Re-order list.. [Add to List](#)

#### DESCRIPTION

#### TECH SPECS

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome, satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107 6 and SAE AS 954

#### DESCRIPTION

#### TECH SPECS

Item# : 19380  
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt 15/16"  
Style : Supercombo® Narrow Head  
Size : 15/16 "  
Overall Length : 13.25 "  
Open End Width : 2 "  
Open End Thickness : 0.4375 "  
Number of Points : 12  
Finish : High-Polish Chrome  
Specification : B107.6 & SAE AS 954  
UNSPSC #: 27111713  
TAA Compliant: Yes

101

3.00

EA

0101 - WRENCHES, COMBINATION, CHROME,  
LONG HANDLE, 12 POINT, 1 INCH

\*\*\*LAWSON #19381\*\*\*




Representative Image Only

**Williams® Wrench, Combination, Narrow  
Head, 12pt, 1"**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 1"  
(Pack of 1)

Item# 19381  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : 1.52  
Brand : Williams®  
Mfr Model# : 1232SC  
Catalog Page# : [14-22](#)  
Usually Ships: Today



TAA Compliant

Quantity: 1 [Check Stock](#) [Add to Cart](#) Create a Re-order list.. [Add to List](#)

## DESCRIPTION

## TECH SPECS

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome, satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

## DESCRIPTION

## TECH SPECS

Item# : 19381  
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt, 1"  
Style : Supercombo® Narrow Head  
Size : 1"  
Overall Length : 14"  
Open End Width : 2 1/25"  
Open End Thickness : 0.46875"  
Number of Points : 12  
Finish : High-Polish Chrome  
Specification : B107.6 & SAE AS 954  
UNSPSC #: 27111713  
TAA Compliant: Yes



102	10.00	EA	0102 - WRENCHES, COMBINATION, CHROME LONG HANDLE, 12 POINT, 1-1/16 INCH ***LAWSON #19382***
-----	-------	----	---

**Williams® Wrench, Combination, Narrow Head, 12pt, 1-1/16"**

Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 1-1/16" (Pack of 1)



Item#	19382
Price :	<a href="#">Log In</a>
Standard Pack :	1 ea.
Ship Weight :	1.73
Brand :	Williams®
Mfr Model# :	1234SC
Catalog Page# :	<a href="#">14-22</a>
Usually Ships: ⓘ	Today



Representative Image Only

TAA Compliant



Quantity: 1 [Check Stock](#) ⓘ

[Add to Cart](#) ▶

Create a Re-order list.. ▼ [Add to List](#)

**DESCRIPTION** **TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome, satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

**DESCRIPTION** **TECH SPECS**

Item# :	19382
Product Name :	Williams® - Wrench, Combination, Narrow Head 12pt 1-1/16"
Style :	Supercombo® Narrow Head
Size :	1-1/16 "
Overall Length :	14.75 "
Open End Width :	2.25 "
Open End Thickness :	0.5 "
Number of Points :	12
Finish :	High-Polish Chrome
Specification :	B107.6 & SAE AS 954
UNSPSC #:	27111713
TAA Compliant:	Yes

103

28.00

EA

**0103 - WRENCHES, COMBINATION, CHROME,  
LONG HANDLE, 12 POINT, 1-1/8 INCH****\*\*\*LAWSON #19383\*\*\*****Representative Image Only****Williams® Wrench, Combination, Narrow  
Head, 12pt, 1-1/8"**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 1-1/8"  
(Pack of 1)

Item# 19383  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : 2.02  
Brand : Williams®  
Mfr Model# : 1236SC  
Catalog Page# : [14-22](#)  
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)**Add to Cart** [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)**DESCRIPTION****TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome, satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

**DESCRIPTION****TECH SPECS**

Item# : 19383  
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt. 1-1/8"  
Style : Supercombo® Narrow Head  
Size : 1-1/8 "  
Overall Length : 15.5 "  
Open End Width : 2 40625 "  
Open End Thickness : 0 53125 "  
Number of Points : 12  
Finish : High-Polish Chrome  
Specification : B107 6 & SAE AS 954  
UNSPSC #: 27111713  
TAA Compliant: Yes

104

8.00

EA

**0104 - WRENCHES, COMBINATION, CHROME,  
LONG HANDLE, 12 POINT, 1-1/4 INCH****\*\*\*LAWSON #19385\*\*\*****Representative Image Only****Williams® Wrench, Combination, Narrow  
Head, 12pt, 1-1/4"**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 1-1/4"  
(Pack of 1)

Item# 19385  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : 2.54  
Brand : Williams®  
Mfr Model# : 1240SC  
Catalog Page# : [14-22](#)  
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)**DESCRIPTION****TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome, satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

**DESCRIPTION****TECH SPECS**

Item# : 19385  
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt, 1-1/4"  
Style : Supercombo® Narrow Head  
Size : 1-1/4 "  
Overall Length : 17 "  
Open End Width : 2.65625 "  
Open End Thickness : 0.5625 "  
Number of Points : 12  
Finish : High-Polish Chrome  
Specification : B107.6 & SAE AS 954  
UNSPSC #: 27111713  
TAA Compliant: Yes

105

1.00

EA

0105 - WRENCHES, COMBINATION, CHROME,  
LONG HANDLE, 12 POINT, 1-5/16 INCH

\*\*\*LAWSON #19386\*\*\*

**Williams® Wrench, Combination, Narrow  
Head, 12pt, 1-5/16"**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 1-  
5/16" (Pack of 1)

Item# 19386  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : 2.9  
Brand : Williams®  
Mfr Model# : 1242  
Catalog Page# : [14-22](#)  
Usually Ships: [?](#) Today



Representative Image Only

TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)[Add to Cart](#) [▶](#)Create a Re-order list.. [▼](#) [Add to List](#)**DESCRIPTION** **TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome, satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

**DESCRIPTION** **TECH SPECS**

Item# : 19386  
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt, 1-5/16"  
Style : Supercombo® Narrow Head  
Size : 1-5/16 "  
Overall Length : 17.75 "  
Open End Width : 2.8125 "  
Open End Thickness : 0.59375 "  
Number of Points : 12  
Finish : Satin Chrome  
Specification : B107.6 & SAE AS 954  
UNSPSC #: 27111713  
TAA Compliant: Yes

106

1.00

EA

**0106 - WRENCHES, COMBINATION, CHROME,  
LONG HANDLE, 12 POINT, 1-3/8 INCH****\*\*\*LAWSON #19387\*\*\*****Williams® Wrench, Combination, Narrow  
Head, 12pt, 1-3/8"**Williams® - Wrench, Combination, Supercombo® Narrow Head, 12pt, 1-3/8"  
(Pack of 1)**Representative Image Only**

Item# 19387  
Price : [Log In](#)  
Standard Pack : 1 ea.  
Ship Weight : 3.28  
Brand : Williams®  
Mfr Model# : 1244  
Catalog Page# : [14-22](#)  
Usually Ships: [?](#) Today



TAA Compliant

Quantity: 1 [Check Stock](#) [?](#)**Add to Cart** [▶](#)Create a Re-order list.. [▼](#) **Add to List****DESCRIPTION****TECH SPECS**

- Meets or exceeds Aerospace Specification AS 954 for 12 Point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application
- Some sizes available in high-polish chrome, satin chrome or red powder-coat finish
- Outperforms competition by as much as 15%
- Narrow head allows access in tight applications
- Made in USA
- Federal Specification B107.6 and SAE AS 954

**DESCRIPTION****TECH SPECS**

Item# : 19387  
Product Name : Williams® - Wrench, Combination, Narrow Head, 12pt, 1-3/8"  
Style : Supercombo® Narrow Head  
Size : 1-3/8 "  
Overall Length : 18.5 "  
Open End Width : 2 9375 "  
Open End Thickness : 0 625 "  
Number of Points : 12  
Finish : Satin Chrome  
Specification : B107 6 & SAE AS 954  
UNSPSC #: 27111713  
TAA Compliant: Yes