

DATE: 8/11/2016

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 4

BID NO.: 60-001179/19

**JEFFERSON PARISH**  
PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-384-2878

VENDOR: \_\_\_\_\_

BUYER: SFOLSE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

<b>DELIVERY: FOB JEFFERSON PARISH</b>	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	<u>N/A</u>
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	<u>N/A</u>
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	<u>N/A</u>

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidders must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: \_\_\_\_\_  
NUMBER: \_\_\_\_\_  
NUMBER: \_\_\_\_\_  
NUMBER: \_\_\_\_\_

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) \_\_\_\_\_

<b>*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***</b>	
FIRM NAME: <u>Sherrill Williams</u>	TITLE: <u>Sales Rep</u>
SIGNATURE: <u>Darin M. Comber</u> (Must be signed here)	TITLE: _____
PRINT OR TYPE NAME: <u>Darin M. Comber</u>	_____
ADDRESS: <u>4925 E Jefferson Hwy</u>	_____
CITY, STATE: <u>Jefferson, LA</u>	ZIP: <u>70121</u>
TELEPHONE: <u>504 733-9051</u>	FAX: <u>504 736-9258</u>
EMAIL ADDRESS: _____	_____

TOTAL PRICE OF ALL BID ITEMS: \$ 1662.72

DATE: 8/19/2016

BID NO.: 00-00117028

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page: 5

SEALED BID

ITEM NUMBER	QUANTITY	UNIT	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	64.00	36	TRAFFIC PAINT FOR THE JEFFERSON PARISH PARKS & RECREATION DEPARTMENT  0010 Pro Park Waterborne Traffic marking blue paint  Item number B97LD2922	12.99	831. <sup>36</sup>
2	64.00	36	0020 Pro Park Waterborne Traffic marking Yellow Paint  Item number B97VD2467	12.99	831. <sup>36</sup>

DATE: 8/18/2016

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00117529

**JEFFERSON PARISH**  
PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-364-2678

VENDOR: Ozark Materials, LLC

BUYER: SFOLSE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

<b>DELIVERY: FOB JEFFERSON PARISH</b>	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	<u>10 days ARO</u>
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	_____
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	_____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: \_\_\_\_\_  
 NUMBER: \_\_\_\_\_  
 NUMBER: \_\_\_\_\_  
 NUMBER: \_\_\_\_\_

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) \_\_\_\_\_

<b>*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***</b>	
FIRM NAME: <u>Ozark Materials, LLC</u>	
SIGNATURE: (Must be signed here)	TITLE: <u>VP of Operations</u>
PRINT OR TYPE NAME: <u>Michael Dean</u>	
ADDRESS: <u>541 Glendale Avenue</u>	
CITY, STATE: <u>Greenville, AL</u>	ZIP: <u>36037</u>
TELEPHONE: <u>(334) 371-2300</u>	FAX: <u>(334) 313-2496</u>
EMAIL ADDRESS: <u>harrys.julia@ozarkmaterials.net</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 2134.96

DATE: 8/18/2016

Page: 5

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00117529

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	64.00	GL	TRAFFIC PAINT FOR THE JEFFERSON PARISH PARKS & RECREATION DEPARTMENT  0010 Pro Park Waterborne Traffic marking blue paint	1. \$17.49	\$1119.36
2	64.00	GL	Item number B97LD2022 1. Ozark Materials part number: 54255-PB16  0020 Pro Park Waterborne Traffic marking Yellow Paint	2. \$16.65	\$1065.60
			Item number B97YD2467 2. Ozark Materials part number: 24255-PY16		

DATE: 8/18/2016

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-0011: 529

**JEFFERSON PARISH**

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-364-2678

VENDOR: Helm Paint & Decorating, Inc.

BUYER: SFOLSE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

<b>DELIVERY: FOB JEFFERSON PARISH</b>	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	<u>8/26/2016</u>
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	_____
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	_____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: \_\_\_\_\_  
NUMBER: \_\_\_\_\_  
NUMBER: \_\_\_\_\_  
NUMBER: \_\_\_\_\_

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) \_\_\_\_\_

<b>*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***</b>	
FIRM NAME:	<u>Helm Paint &amp; Decorating</u>
SIGNATURE: (Must be signed here)	<u>[Signature]</u> TITLE: <u>GM.</u>
PRINT OR TYPE NAME:	<u>Joseph J. Helm</u>
ADDRESS:	<u>6820 Veterans Blvd.</u>
CITY, STATE:	<u>Metairie</u> ZIP: <u>70006</u>
TELEPHONE:	<u>504 888-4684</u> FAX: <u>504 888-4686</u>
EMAIL ADDRESS:	<u>jhelm@helmpaint.com</u>

TOTAL PRICE OF ALL BID ITEMS: \$ 2368<sup>00</sup>

DATE: 8/18/2016

Page: 5

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00117529

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	64.00	GL	TRAFFIC PAINT FOR THE JEFFERSON PARISH PARKS & RECREATION DEPARTMENT  0010 Pro Park Waterborne Traffic marking blue paint  item number B97LD2022	\$19	\$1216 <sup>00</sup>
2	64.00	GL	0020 Pro Park Waterborne Traffic marking Yellow Paint  item number B97YD2467	\$18	\$1152 <sup>00</sup>

DATE: 8/18/2016

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00117529

**JEFFERSON PARISH**

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-364-2678

VENDOR: \_\_\_\_\_

BUYER: SFOLSE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

<b>DELIVERY: FOB JEFFERSON PARISH</b>	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	_____
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	_____
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	_____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.


Acknowledge Receipt of Addenda: NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) \_\_\_\_\_

<b>*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***</b>	
FIRM NAME:	PPG PAINTS
SIGNATURE: (Must be signed here)	 TITLE: STORE MANAGER
PRINT OR TYPE NAME:	MATT RICHARD
ADDRESS:	1520 EDWARDS AVE
CITY, STATE:	HARRAHAN, LA ZIP: 70123
TELEPHONE:	(504) 733-6554 FAX: (504) 734-8277
EMAIL ADDRESS:	pat8085@ppg.com

TOTAL PRICE OF ALL BID ITEMS: \$ 1,920.00  
NO CHARGE FOR FREIGHT

DATE: 8/18/2016

Page: 5

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00117529

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	64.00	GL	TRAFFIC PAINT FOR THE JEFFERSON PARISH PARKS & RECREATION DEPARTMENT  0010 Pro Park Waterborne Traffic marking blue paint  item number B97LD2022	16.50	1,056.00
2	64.00	GL	0020 Pro Park Waterborne Traffic marking Yellow Paint item number B97YD2467	13.50	864.00

DATE: 8/18/2016

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00117529

**JEFFERSON PARISH**

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-364-2678

VENDOR: **Trantex Transportation Products of Texas, Inc.**

BUYER: **SFOLBE**

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

<b>DELIVERY: FOB JEFFERSON PARISH</b>	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	<u>3 Sep 160</u>
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	_____
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	_____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) \_\_\_\_\_

<b>*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***</b>	
FIRM NAME: <b>Trantex Transportation Products of Texas, Inc.</b>	
SIGNATURE: <i>[Signature]</i> (Must be signed here)	TITLE: <b>President</b>
PRINT OR TYPE NAME: <b>H. Steven Nelson</b>	
ADDRESS: <b>3310-D Frick Rd.</b>	
CITY, STATE: <b>Houston, TX</b>	ZIP: <b>77086</b>
TELEPHONE: <b>(281) 448-7711</b>	FAX: <b>(281) 591-6827</b>
EMAIL ADDRESS: <b>renee@trantexinc.com</b>	

TOTAL PRICE OF ALL BID ITEMS: \$ 1568.00

DATE: 8/18/2016

Page: 5

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 58-00117529

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	64.00	GL	TRAFFIC PAINT FOR THE JEFFERSON PARISH PARKS & RECREATION DEPARTMENT  0010 Pro Park Waterborne Traffic marking * blue paint  item number 897LD2022	* 12.55 GAL.	* 803.20
2	64.00	GL	0020 Pro Park Waterborne Traffic marking ** Yellow Paint item number 897YD2467	* 11.95 GAL.	* 764.80
<p>* BIDDING AEXCEL QUICK DRY WATERBORNE TRAFFIC MARKING BLUE PAINT ITEM NUMBER 72L-A03Y</p>					
<p>** BIDDING AEXCEL QUICK DRY WATERBORNE TRAFFIC PAINT YELLOW PAINT ITEM NUMBER 72Y-A113</p>					
<p>PAINT SUPPLIED IN 5 GAL PAILS. PRICES ARE DELIVERED TO JEFFERSON PARISH. DELIVERY TIME: 72 HOURS ARO</p>					
<p><i>H. Steven Nelson</i> H. STEVEN NELSON PRESIDENT TRANTEX, INC.</p>					

**AEXCEL****Product Data Sheet**

Page 1 of 2

**DESCRIPTION:** 72L-A032 BLUE QUICK DRY LATEX TRAFFIC SAFETY PAINT  
**COLOR:** BLUE FED. SPEC. 595B 15180  
**TYPICAL USES:** ROADWAYS, AIRPORTS AND PARKING LOTS  
**DRY TIME:** 30 MINUTES @ 77°F  
**COVERAGE:** APPROX. 325 LINEAR FEET OF 4" LINE APPLIED @ 15 MILS  
 TECHNICAL DATA AND PRODUCT SPECIFICATIONS MAY BE FOUND ON PAGE 2 OF THIS DOCUMENT.

**NOTE:** Traffic marking paint is not intended for use on large surfaces such as ramps, pedestrian walkways, stairs or floors, without anti-slip additives. Painted surfaces may be slippery when wet.

**GENERAL INFORMATION**

The following information has been provided as a general guideline for the use and disposal of Aexcel traffic marking paints. It is also very beneficial to run a small test in a non-critical area in order to ensure the surface preparation, weather conditions, equipment and product are suitable and working properly.

**SURFACE PREPARATION**

Care should be taken to ensure that the surface is clean, dry and free of loose material. A simple leaf-blower is typically sufficient to remove gravel and dust in most instances. When applying over previously coated areas, however, take special care to remove any loose or peeling paint. Other surface conditions, such as areas with large amounts of engine oil build-up or existing epoxy coatings, may require a power washing procedure or abrading the surface before application of the paint. New concrete and asphalt should be aged for a minimum of 30 days prior to painting. Use caution when striping over a freshly sealed surface. Sealers can affect the adhesion and cure of traffic marking paints. For more information on the surface, please consult with the supplier or applicator of the surface.

**WEATHER CONDITIONS AND APPLICATION**

Air temperature, surface temperature, humidity and the weather conditions following application are extremely important factors in the success of the products. Aexcel formulates these coatings to be applied without further reduction. They can also be used in conjunction with the application of glass beads to improve reflectivity without sacrificing other properties. Protect fresh lines from traffic until thoroughly dry. There, as well as all water-based coatings, should not be applied to surfaces less than 60°F, when the relative humidity is greater than 80% and/or less than 24 hr before any expected precipitation. Evening and night applications should be avoided whenever possible due to the colder temperatures. At lower temperatures or higher humidity a significant amount of extra time will be needed for the paints to dry.

**EQUIPMENT**

Tip size, fluid pressure, atomizing air pressure, paint viscosity and paint temperature are all critical to the appearance, consistency, and performance of the paint. The equipment must be matched to the paint being applied in order to achieve the proper film thickness and coverage. When using a water-based product, the equipment must be made with stainless steel or some other material that will not react with the paint and cause application or storage problems. Typical tip sizes for "airless" machines are .019" - .021", while "air-atomized" machines use .085"-.11" at 60 lbs. pressure. For more information please consult with the equipment manufacturer.

**PAINT SELECTION AND SAFETY**

Protect these and all water-based coatings from freezing. Use only paint recommended or specified for each application. Shelter the containers when possible and avoid prolonged outside storage. Agitation of the paints by stirring or shaking should be performed in order to ensure uniform consistency, application and performance. When storing partially filled containers, a small amount of water may be added and allowed to stand on top in order to avoid "skinning". Always be sure the containers are sealed tightly during transporting or storing in order to avoid spillage, risk of fire and solvent evaporation. Keep paints away from heat and flame. Consult the MSDS sheets and/or labels for further safety, first-aid and spill or leak procedures.

**WASTE DISPOSAL**

Comply with all regulations regarding handling, storage, and disposal of all hazardous materials and waste. Consult local agencies or disposal companies for individual instructions and requirements. Improper disposal of paint and their related materials is illegal and may result in large fines. Please comply with all regulations and minimize waste whenever possible.

Page 2 of 2

DESCRIPTION:	72L-A032 BLUE QUICK DRY LATEX TRAFFIC SAFETY PAINT
VISCOSITY @ 77°F, Krebs Units (KU):	80-90
WEIGHT PER GALLON @ 77°F, Lb.:	12.65 +/- .2
TOTAL SOLIDS, % By Weight:	65 minimum
DRY OPACITY, 5-MH Bird:	0.92 minimum
DIRECTIONAL REFLECTANCE, %:	50 minimum
DRY TIME TO NO PICKUP @ 77°F, Minutes:	30 maximum
V.O.C.: (Minus Water):	97 g/liter
CLEANUP SOLVENTS:	Mixture of water and mild household detergent

Note: These products are not recommended for crosswalks or other "high-traffic" auxiliary markings on public roadways

Aexcel Corporation • 7373 Production Drive • Mentor, Ohio 44060 • Phone: 440-974-3800 • Fax: 440-974-3808

The Product data offered herein are, to the best of our knowledge, true and accurate, but all recommendations are made without warranty, express or implied. Since the conditions of use are beyond our control, neither Aexcel Corporation, nor its agents shall be liable for any injury, loss or damage, direct or consequential, arising from the use or the inability to use the product described herein. No person is authorized to make any statement or recommendation not contained in the Product Data, and any such statement or recommendation, if made, shall not bind the Corporation. Further, nothing contained herein shall be construed as a recommendation to use any product in conflict with existing patents, and no license under the claims of any patent is either implied or granted.

**AEXCEL****Product Data Sheet**

Page 1 of 2

DESCRIPTION: 72Y-A113 YELLOW QUICK DRY LATEX TSP  
 COLOR: YELLOW FED. SPEC. 595B 33538  
 TYPICAL USES: ROADWAYS, AIRPORTS AND PARKING LOTS  
 DRY TIME: 30 MINUTES @ 77°F  
 COVERAGE: APPROX. 320 LINEAR FEET OF 4" LINE APPLIED @ 15 MILS  
 TECHNICAL DATA AND PRODUCT SPECIFICATIONS MAY BE FOUND ON PAGE 2 OF THIS DOCUMENT.

NOTE: Traffic marking paint is not intended for use on large surfaces such as ramps, pedestrian walkways, stairs or floors, without anti-slip additives. Painted surfaces may be slippery when wet.

**GENERAL INFORMATION**

The following information has been provided as a general guideline for the use and disposal of Aexcel traffic marking paints. It is also very beneficial to run a small test in a non-critical area in order to ensure the surface preparation, weather conditions, equipment and product are suitable and working properly.

**SURFACE PREPARATION**

Care should be taken to ensure that the surface is clean, dry and free of loose material. A simple leaf-blower is typically sufficient to remove gravel and dust in most instances. When applying over previously coated areas, however, take special care to remove any loose or peeling paint. Other surface conditions, such as areas with large amounts of engine oil build-up or existing epoxy coatings, may require a power washing procedure or abrading the surface before application of the paint. New concrete and asphalt should be aged for a minimum of 30 days prior to painting. Use caution when striping over a freshly sealed surface. Sealers can affect the adhesion and cure of traffic marking paints. For more information on the surface, please consult with the supplier or applicator of the surface.

**WEATHER CONDITIONS AND APPLICATION**

Air temperature, surface temperature, humidity and the weather conditions following application are extremely important factors in the success of the products. Aexcel formulates these coatings to be applied without further reduction. They can also be used in conjunction with the application of glass beads to improve reflectivity without sacrificing other properties. Protect fresh lines from traffic until thoroughly dry. These, as well as all water-based coatings, should not be applied to surfaces less than 60°F, when the relative humidity is greater than 80% and/or less than 24 hr. before any expected precipitation. Evening and night applications should be avoided whenever possible due to the cooler temperatures. At lower temperatures or higher humidity a significant amount of extra time will be needed for the paints to dry.

**EQUIPMENT**

Tip size, fluid pressure, atomizing air pressure, paint viscosity and paint temperature are all critical to the appearance, consistency, and performance of the paint. The equipment must be matched to the paint being applied in order to achieve the proper film thickness and coverage. When using a water-based product, the equipment must be made with stainless steel or some other material that will not react with the paint and cause application or storage problems. Typical tip sizes for "airless" machines are .019" - .021", while "air-atomized" machines use .086" - .11" at 60 lbs. pressure. For more information please consult with the equipment manufacturer.

**PAINT SELECTION AND SAFETY**

Protect these and all water-based coatings from freezing. Use only paint recommended or specified for each application. Shelter the containers when possible and avoid prolonged outside storage. Agitation of the paints by stirring or shaking should be performed in order to ensure uniform consistency, application and performance. When storing partially filled containers, a small amount of water may be added and allowed to stand on top in order to avoid "skinning." Always be sure the containers are sealed tightly during transporting or storing in order to avoid spillage, risk of fire and solvent evaporation. Keep paints away from heat and flame. Consult the MSDS sheets and/or labels for further safety, first-aid and spill or leak procedures.

**WASTE DISPOSAL**

Comply with all regulations regarding handling, storage, and disposal of all hazardous materials and waste. Consult local agencies or disposal companies for individual instructions and requirements. Improper disposal of paint and their related materials is illegal and may result in large fines. Please comply with all regulations and minimize waste whenever possible.

DESCRIPTION: 72Y-A113 YELLOW QUICK DRY LATEX TSP

VISCOSITY @ 77°F, Krebs Units (KU): 80-90

WEIGHT PER GALLON @ 77°F, lb.: 12.71 +/- .2

TOTAL SOLIDS, % By Weight: 65 minimum

DRY OPACITY, 5-MB Hied: 0.92 minimum

DIRECTIONAL REFLECTANCE, %: 50 minimum

DRY TIME TO NO PICKUP @ 77°F, Minutes: 30 maximum

V.O.C.: (Minus Water): 98.0 g/Liter

CLEANUP SOLVENTS: Mixture of water and mild household detergent

Note: These products are not recommended for crosswalks or other "high-traffic" auxiliary markings on public roadways

*Aexcel Corporation • 7373 Production Drive • Mentor, Ohio 44060 • Phone: 440-974-3900 • Fax: 440-974-3808*

The Product data offered herein are, to the best of our knowledge, true and accurate, but all recommendations are made without warranty, express or implied. Since the conditions of use are beyond our control, neither Aexcel Corporation, nor its agents shall be liable for any injury, loss or damage, direct or consequential, arising from the use or the inability to use the product described herein. No person is authorized to make any statement or recommendation not contained in the Product Data, and any such statement or recommendation, if made, shall not bind the Corporation. Further, nothing contained herein shall be construed as a recommendation to use any product in conflict with existing patents, and no license under the claims of any patent is either implied or granted.