

DATE: 4/15/2019

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00126320

**JEFFERSON PARISH**

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETN, LA. 70054-0009  
504-364-2678

VENDOR:

BUYER: MBUTTERY

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

**DELIVERY: FOB JEFFERSON PARISH**

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

5-7 DAYS

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: #1  
NUMBER: \_\_\_\_\_  
NUMBER: \_\_\_\_\_  
NUMBER: \_\_\_\_\_

**Gas And Supply**  
**Jimmy Gibbs**  
Phone 504-392-2400  
Fax 504-392-1500  
jimmy.gibbs@gasandsupply.com

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) \_\_\_\_\_

**\*\*\* ALL BIDDERS MUST COMPLETE SECTION BELOW \*\*\***

FIRM NAME: <u>I.W.S. GAS AND SUPPLY</u>	
SIGNATURE: (Must be signed here) <u>Jimmy Gibbs</u>	TITLE: <u>SALES</u>
PRINT OR TYPE NAME: <u>JIMMY GIBBS</u>	
ADDRESS: <u>111 BURAS DR</u>	
CITY STATE: <u>BELLE CHASSE, LA.</u>	ZIP: <u>70037</u>
TELEPHONE: <u>504 392-2400</u>	FAX: <u>504 392-1500</u>
EMAIL ADDRESS: <u>JIMMY.GIBBS@GASANDSUPPLY.COM</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 346.80

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00126320

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PURCHASE OF EASTBANK WAREHOUSE STOCK ITEMS		
1	4.00	EA	0010 TAP, TAPER, 3/8 IN-16, NC/UNC THREAD, GENERAL PURPOSE, HIGH SPEED STEEL <i>NORSEMAN 55310</i> STK. # 0190240  FOR: CURTIS MCFARLAND EASTBANK WAREHOUSE	<i>2.72</i>	<i>10.88</i>
2	5.00	EA	0020 TAP, TAPER, 5/8 IN, 11, HAND NC/UNC THREAD, HIGH SPEED STEEL, DOMESTIC <i>NORSEMAN 55390</i> STK. # 0190480	<i>5.82</i>	<i>29.10</i>
3	6.00	EA	0030 BIT, DRILL, 3/4 IN X 1/2 IN REDUCED SHANK, HIGH SPEED STEEL, SNAP ON <i>NORSEMAN 29280</i> #CSE485A STK. # 0200040	<i>14.87</i>	<i>89.22</i>
4	8.00	EA	0040 SHACKLE, ANCHOR, 1 INCH, WITH FORGED SCREW PIN, HOT DIP GALVANIZED,  8 1/2 TON LOAD LIMIT, CROSBY #G-209 MSC #07845647 STK. # 0271160	<i>N/B</i>	<i>—</i>
5	6.00	EA	0050 HOLDER, ELECTRODE, INSULATED, 250 AMPERES MAX., 1/16 IN TO 7/32 IN  ELECTRODES, DURO #250-1 STK. # 0306850	<i>21.15</i>	<i>126.90</i>
6	6.00	EA	0060 CABLE LUGS FOR 1/0 CABLE, ANGLED, 17/32" OPENING, INSULATED,  LENCO #CT-40-FA STK. # 0307310	<i>8.07</i>	<i>48.42</i>
7	4.00	EA	0070 LEVEL, CARPENTERS, 48 IN, ALUMINUM 3 VIALS, I-BEAM CONSTRUCTION,  YELLOW IN COLOR, STANLEY # 42-480 STK. # 0488180	<i>10.57</i>	<i>42.28</i>
8	36.00	EA	0080 TWINE, NYLON, #18, 1/16 IN DIA., 550 FT PER ROLL, 165 LB TEST,  DURALINE BRAND #00090 STK. # 0490080	<i>N/B</i>	<i>—</i>
9	48.00	EA	0090 SHOVEL, SQUARE POINT, 47 IN HANDLE JACKSON J-450 SERIES, AMES #12-011  <b>Gas And Supply</b> <b>Jimmy Gibbs</b> <b>Phone 504-392-2400</b> <b>Fax 504-392-1500</b> <b>jimmy.gibbs@gasandsupply.com</b>	<i>CANCELLED AS PER ADDENDUM #1</i>	



## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00126320

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p>STK. # 0589800</p> <p>Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com</p>		

# Hi-Carbon Steel Taps

## HI-CARBON STEEL TAPS - U.S. SIZES ( PLUG & TAPER )

Type 720 -Plug -Fractional, Type 721 -Plug -Machine Screw

Type 740 -Taper -Fractional, Type 741 -Taper -Machine Screw

- Made of super tough carbon steel, these taps are ideal for hand tapping and re-threading applications.

Gas And Supply  
Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

[jimmy.gibbs@gasandsupply.com](mailto:jimmy.gibbs@gasandsupply.com)



Plug - Type 721



Taper-Type 741

### TYPE 720 -PLUG FRACTIONAL

Part No.	Size	Tap Drill Size	No. of Flutes	Qty. per/pack
55010	3/16x24	26	3	3
55020	3/16x32	22	3	3
55030	1/4x20	7	3	3
55040	1/4x28	3	3	3
55050	5/16x18	17/64	4	3
55060	5/16x24	17/64	4	3
55070	3/8x16	5/16	4	3
55080	3/8x24	21/64	4	3
55090	7/16x14	3/8	4	3
55100	7/16x20	25/64	4	3
55110	1/2x13	27/64	4	3
55120	1/2x20	29/64	4	3
55130	9/16x12	31/64	4	1
55140	9/16x18	33/64	4	1
55150	5/8x11	17/32	4	1
55720	5/8x18	37/64	4	1
55730	11/16x11	19/32	4	1
55740	11/16x16	5/8	4	1
55160	3/4x10	21/32	4	1
55890	3/4x16	11/16	4	1
55170	7/8x9	49/64	4	1
55180	7/8x14	13/16	4	1
55190	1x8	7/8	4	1
55200	1x12	29/32	4	1
55210	1x14	15/16	4	1

### TYPE 740 -TAPER FRACTIONAL

Part No.	Size	Tap Drill Size	No. of Flutes	Qty. per/pack
55250	3/16x24	26	3	3
55260	3/16x32	22	3	3
55270	1/4x20	7	3	3
55280	1/4x28	3	3	3
55290	5/16x18	17/64	4	3
55300	5/16x24	17/64	4	3
55310	3/8x16	5/16	4	3
55320	3/8x24	21/64	4	3
55330	7/16x14	3/8	4	3
55340	7/16x20	25/64	4	3
55350	1/2x13	27/64	4	3
55360	1/2x20	29/64	4	3
55370	9/16x12	31/64	4	1
55380	9/16x18	33/64	4	1
55390	5/8x11	17/32	4	1
55460	5/8x18	37/64	4	1
55470	11/16x11	19/32	4	1
55480	11/16x16	5/8	4	1
55400	3/4x10	21/32	4	1
55710	3/4x16	2/3	4	1
55410	7/8x9	11/16	4	1
55420	7/8x14	13/16	4	1
55430	1x8	7/8	4	1
55440	1x12	29/32	4	1
55450	1x14	15/16	4	1

### TYPE 721 -PLUG MACHINE SCREW


Part No.	Size	Tap Drill Size	No. of Flutes	Qty. per/pack
54860	0x80	3/64	3	3
54870	1x64	53	3	3
54880	1x72	53	3	3
54890	2x56	50	3	3
54900	2x64	50	3	3
54910	3x48	47	3	3
54920	3x56	46	3	3
55750	4x36	43	3	3
55760	4x40	44	3	3
55770	5x40	38	3	3
55780	6x32	36	3	3
55790	6x40	34	3	3
55800	6x48	32	3	3
55810	8x32	29	3	3
55820	8x36	29	3	3
55830	8x40	28	3	3
55840	10x24	25	3	3
55850	10x32	21	3	3
55860	12x24	16	3	3
55870	12x28	16	3	3
55880	14x20	10	3	3

### TYPE 741 -TAPER MACHINE SCREW

Part No.	Size	Tap Drill Size	No. of Flutes	Qty. per/pack
54790	0x80	3/64	3	3
54800	1x64	53	3	3
54810	1x72	53	3	3
54820	2x56	50	3	3
54830	2x64	50	3	3
54840	3x48	47	3	3
54850	3x56	46	3	3
55900	4x36	43	3	3
55910	4x40	44	3	3
55920	5x40	38	3	3
55930	6x32	36	3	3
55940	6x40	34	3	3
55950	6x48	32	3	3
55960	8x32	29	3	3
55970	8x36	29	3	3
55980	8x40	28	3	3
55990	10x24	25	3	3
56000	10x32	21	3	3
56010	12x24	16	3	3
56020	12x28	16	3	3
56030	14x20	10	3	3


#### PLUG - Type 720 & 721

Three to five threads chamfered. For general use when tapping into the bottom of the hole is not critical. (This is the most widely used style.)



#### TAPER - Type 740 & 741

Eight to ten threads chamfered for easy use thread starting in tough materials.





# Reduced Shank

## SILVER & DEMING - 1/2" REDUCED SHANK

### Type 130-AGM -Metric

1/2" Reduced Shank Silver & Deming  
135° Split Point Magnum Super Premium,  
3-Flats on Shank

- Special Hi-Molybdenum tool steel.
- One piece solid construction
- Body and clearance are gold surface treated for maximum lubricity.
- Recommended for use in work hardening grades of stainless steel and other hard metal drilling applications.



### METRIC

Part No.	Dia. MM	Overall Length Inches	Part No.	Dia. MM	Overall Length Inches
25500	14.0	6	25520	20.0	6
25502	15.0	6	25522	21.0	6
25504	16.0	6	25524	22.0	6
25510	17.0	6	25530	23.0	6
25512	18.0	6	25532	24.0	6
25514	19.0	6	25534	25.0	6

Qty. per package 1

Qty. per package 1

### Type 131-AG

3/4" Reduced Shank Silver & Deming  
Magnum Super Premium - 135° Split Point

- These are high performance, close tolerance, tight runout spec. tools designed for drilling with Bridgeport style or other production machines with 3/4" chucks.
- Precision ground point, body and drill diameter for accuracy and high performance.
- Recommended for use in work hardening grades of stainless steel and other hard metal drilling applications.



### FRACTIONAL

Part No.	Diameter Inches	Flute Length Inches	Overall Length Inches	Qty. per/pack
29741	13/16	3-1/4	5-1/2	1
29781	7/8	3-1/4	5-1/2	1
29821	15/16	3-1/4	5-1/2	1
29861	1	3-1/4	5-1/2	1
29901	1-1/8	3-1/2	5-27/32	1
29941	1-1/4	3-1/2	5-7/8	1
29961	1-3/8	3-1/2	5-29/32	1
29981	1-1/2	3-1/2	5-15/16	1

### Type 130

1/2" Reduced Shank Silver & Deming  
118° point - General Purpose

- This general purpose 118° point high-speed steel drill is recommended for use in drilling equipment with 1/2" chucks.
- Type 130 drills may be used in power applications such as drill presses where a short rigid drill is required.



### FRACTIONAL

Part No.	Diameter Inches	Overall Length Inches	Qty. per/pack
29130	33/64	6	1
29140	17/32	6	1
29150	35/64	6	1
29160	9/16	6	1
29170	37/64	6	1
29180	19/32	6	1
29190	39/64	6	1
29200	5/8	6	1
29210	41/64	6	1
29220	21/32	6	1
29230	43/64	6	1
29240	11/16	6	1
29250	45/64	6	1
29260	23/32	6	1
29270	47/64	6	1
29280	3/4	6	1
29290	49/64	6	1
29300	25/32	6	1
29310	51/64	6	1
29320	13/16	6	1
29330	53/64	6	1
29340	27/32	6	1
29350	55/64	6	1
29360	7/8	6	1
29370	57/64	6	1
29380	29/32	6	1
29390	59/64	6	1
29400	15/16	6	1
29410	61/64	6	1
29420	31/32	6	1
29430	63/64	6	1
29440	1"	6	1
29450	1-1/16	6	1
29460	1-1/8	6	1
29470	1-5/32	6	1
29480	1-3/16	6	1
29490	1-1/4	6	1

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com