



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

**5000125472 PURCHASE OF ELECTRICAL STOCK FOR EAST BANK
SEWERAGE WAREHOUSE**
Jefferson Parish Government

Project documents obtained from www.CentralBidding.com

05-Feb-2019 07:55:20 AM

DATE: 2/04/2019

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

BID NO.: 50-00125472

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR:

BUYER: MBUTTERY@jeffparish.net

Bids will be received until 11:00 AM, 2/12/2019 via online at www.jeffparishbids.net or by hand delivery, USPS mail or other courier service to Purchasing Department, Paul D. Connick Sr. Emergency Operations & Communications Center at 910 3rd Street, Gretna, LA 70053. For convenience, bidders may also submit bids in the East Bank Purchasing Department, Suite 404, Jefferson Parish Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Jefferson LA 70123. However, if submitting bids on the day of bid opening, bidders must submit at the West Bank location only.

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law, as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647. A copy of these resolutions may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at purchasing.jeffparish.net and clicking on On-line forms.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Further, a current W-9 form and respective Tax Identification number must be supplied upon contract execution, should you be awarded a contract and/or issued purchase order. Failure to do so may result in delay of payment.

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Delivered, anywhere within the Parish as designated by the Purchasing Department. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications. JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit prices shall prevail.

JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE.

PROTESTS: Only those vendors that submitted a bid in response to this solicitation may submit a protest in writing to the Director of the Purchasing within 48 hours of bid opening. The Purchasing Director will review it in connection with the Parish Attorney's Office as appropriate and a written response will be provided as soon as possible.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in the quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum.

All formal Addenda require written acknowledgment on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected; JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing for handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A117.1-1961).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online.

This is a secure site and authorized personnel have limited read access only. Bidders are encouraged to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE
CORRESPONDING INSTRUCTIONS BELOW.

13

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(l), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. **PUBLIC WORKS BIDS:** All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS:** A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS:** A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Prior to contract executions/purchase order issuance, the successful bidder will be required to provide final insurance certificates which shall name Jefferson Parish as an additional insured in accordance with the instructions in the aforementioned "Standard Insurance Requirements" sheet.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies). If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required:** This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E. Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. **NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required** in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

DATE: 2/04/2019

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00125472

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR:

BUYER: MBUTTERY

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES _____

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK _____

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK _____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

| | |
|---|--------------------------|
| *** ALL BIDDERS MUST COMPLETE SECTION BELOW *** | |
| FIRM NAME: <i>The Reynolds Co</i> | |
| SIGNATURE: (Must be signed here) | TITLE: <i>Sales</i> |
| PRINT OR TYPE NAME: <i>D LANDRENEAU</i> | |
| ADDRESS: <i>700 Elmwood Park Blvd Ste A</i> | |
| CITY, STATE: <i>Harahan La</i> | ZIP: <i>70123</i> |
| TELEPHONE: <i>504 734-6228</i> | FAX: <i>504 734 6212</i> |
| EMAIL ADDRESS: <i>DPLANDRENEAU@Reynco.com</i> | |

TOTAL PRICE OF ALL BID ITEMS: \$ 28,622.86

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00125472

SEALED BID

| ITEM NUMBER | QUANTITY | U/M | DESCRIPTION OF ARTICLES | UNIT PRICE QUOTED | TOTALS |
|----------------|----------|-----|--|----------------------|------------------------|
| | | | PURCHASE OF ELECTRICAL STOCK FOR EAST BANK SEWERAGE WAREHOUSE | | |
| 1 | 4.00 | EA | 0001 - Element, heater, Westinghouse no. FH23 (0835240) | \$ 13 ⁹⁹ | \$ 55 ⁹⁶ |
| 2 | 4.00 | EA | 0002 - Breaker circuit, 60 amperes, 3 pole, new in factory box, unit mount, Square D no. QOU-to0, Grainger no. 5U999, MSC no. 56788300 (0840880) | \$ 89 ⁻ | \$ 356 ⁻ |
| 3 | 1.00 | EA | 0003 - Contactor, reversing AC, Allen Bradley no. 104-C30D22 (0850870) | \$ 432 ¹¹ | \$ 432 ¹¹ |
| 4 | 3.00 | EA | 0004 - Kit, contact, auxiliary, Furnas no. 49AAFO, size 00 thru 3-1/2 (0851990) | \$ 39 ⁷⁹ | \$ 119 ³⁷ |
| 5 | 24.00 | EA | 0005 - Relay, overload, panel mount, adjustable 25 to 100 amps, solid state, Furnas no. 48BTG3S00 (0858290) | \$ 204 ⁻ | \$ 4,896 ⁻ |
| 6 | 3.00 | EA | New # 3UB 8133 4GW2 0006 - Contactor, size 4, 120 volt, new in factory box, must be this brand to fit panels in field, ABB Brand no. ABB Brand no. A145N4S-84E2 (0860940) | \$ 918 ²³ | \$ 2754 ⁻ |
| 7 | 4.00 | EA | 0007 - Starter, size 2, 120 volt, with base and type B overload relay, new in factory box, Cutler-Hammer/Westinghouse no. A200M2CAC (0861610) | \$ 436 ⁻ | 1744 ⁻ |
| 8 | 24.00 | EA | 0008 - Charger, battery, Power Sonic Part no. PSC12800A (0863250) | \$ 55 ⁷⁷ | \$ 1,338 ⁴⁸ |
| 9 | 40.00 | EA | 0009 - Switch, maintained 3-Position, hand/off/auto, 120volt, ldec no. ASD320N | \$ 27 ⁵⁰ | \$ 1,028 ⁻ |

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00125472

SEALED BID

| ITEM NUMBER | QUANTITY | U/M | DESCRIPTION OF ARTICLES | UNIT PRICE QUOTED | TOTALS |
|----------------|----------|-----|---|----------------------|------------------------|
| 10 | 10.00 | EA | (0871340) 0010 - Switch, micro, style 1, 15 amperes, SPDT, steel rod actuator, Part no. 1AC2 (0872510) | \$ 68 ⁴³ | \$ 686 ³⁰ |
| 11 | 6.00 | EA | 0011 - Switch, pressure, operating range 0 to 200 PSI, 0 to 13.8 bar, United Electric Brand no. J403-164 (0872580) | \$ 599 ⁹⁷ | \$ 3,599 ⁸² |
| 12 | 12.00 | EA | 0012 - Connector, sealtite, straight, 1-1/2 inch, Appleton no. ST-150 (087719F) | \$ 9 ⁶⁷ | \$ 116 ⁰⁴ |
| 13 | 12.00 | EA | 0013 - Connector, cable, nonmetallic sheathed (Romex), die cast zinc, two screw, 3/4 in KO, 10-3 to 8-2 cable, Appleton no. C-750 (087796B) | 64 | \$ 7 ³² |
| 14 | 50.00 | EA | 0014 - Locknut, conduit, 3/4 in, bonding type, Appleton no. GL-75 (0879470) | \$ 1 ¹⁸ | \$ 59 ⁻ |
| 15 | 100.00 | EA | 0015 - Locknut, conduit, 3/4 in, grounding type, Steel City no. LG-402 (087947A) | 44 | \$ 44 ⁰⁰ |
| 16 | 72.00 | EA | 0016 - Fixture, led, equivalent of, 2-F48T12HO, fluorescent 64 watt lamps, 120/277 volt, for wet location, Lithonia no. DMW248HOAR*CW20, VW-254MV or equal (0881200) <i>Arlington 842</i> | \$ 68 ¹⁸ | \$ 4,908 ⁹⁶ |
| 17 | 30.00 | EA | 0017 - Nipple, conduit, aluminum, 3/4 inch x 3 inch (0881620) <i>Morris 71901</i> | \$ 2 ⁷⁹ | \$ 83 ⁷⁰ |
| 18 | 500.00 | LF | 0018 - Wire, electrical, no. 16 solid TFN, blue insulation, 500 ft spool, copper | 050 | \$ 25 ⁻ |

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00125472

SEALED BID


| ITEM NUMBER | QUANTITY | U/M | DESCRIPTION OF ARTICLES | UNIT PRICE QUOTED | TOTALS |
|----------------|----------|-----|--|----------------------------------|------------------------|
| 19 | 1,000.00 | LF | (0882710) 0019 - Wire, electrical, no. 4 stranded 4-conductor sow-a/so, UL Listed, black neoprene jacket, copper (0883090) | \$ 3 ⁸⁸ 64 | \$ 3,880 ⁻ |
| 20 | 120.00 | EA | 0020 - Resin, electrical insulating, size B, two part, 3M brand Scotchcast 4N-B (0885510) | 20 ⁷⁴ | \$ 2,488 ⁸⁰ |

Overload Relays

Solid State Class 48, ESP200 and 3RB20

Item 5

Selection



3-Phase, 48ATC3S00

Ordering Information

- ▶ For CT's see Accessories page 9/67.
- ▶ Dimensions see page 9/146.
- ▶ To retrofit or direct mount to a contactor, order 49ASMP1, 2, or 3 separately. See Retrofit Plates below.
- ▶ For remote mounting of frame size A order 49ASMS1 terminals separately, see page 9/108.

Solid State—Class 48

| Current Adjustment Range | Phase | Frame Size | Catalog Number | MRPD/MLFB | List Price \$ |
|--------------------------|-------|------------|----------------|-------------|---------------|
| 0.25-1 | 3 | "A" | 48ATA3S00 | 3UB81134AB2 | |
| 0.75-3.4 | 3 | "A" | 48ATB3S00 | 3UB81134BB2 | |
| 3-12 | 3 | "A1" | 48ATC3S00 | 3UB81234CW2 | |
| 5.5-22 | 3 | "A1" | 48ATD3S00 | 3UB81234DW2 | |
| 10-40 | 3 | "A1" | 48ATE3S00 | 3UB81234EW2 | |
| 13-52 | 3 | "B" | 48BTF3S00 | 3UB81334FW2 | |
| 25-100 | 3 | "B" | 48BTG3S00 | 3UB81334GW2 | |
| 50-200 | 3 | "B" | 48BTH3S00 | 3UB81334HW2 | |
| 100-300 | 3 | "A1" ② | 48ATJ3S00 | 3UB81234JW2 | |
| 133-400 | 3 | "A1" ③ | 48ATK3S00 | 3UB81234KW2 | |
| 200-600 | 3 | "A1" ④ | 48ATL3S00 | 3UB81234LW2 | |
| 250-750 | 3 | "A1" ⑤ | 48ATM3S00 | 3UB81234MW2 | |
| 400-1220 | 3 | "A1" ⑤ | 48ATN3S00 | 3UB81234NW2 | |
| 0.25-1 | 1 | "A" | 48ATA1S00 | 3UB88134AB2 | |
| 0.75-3.4 | 1 | "A" | 48ATB1S00 | 3UB88134BB2 | |
| 3-12 | 1 | "A1" | 48ATC1S00 | 3UB88234CW2 | |
| 5.5-22 | 1 | "A1" | 48ATD1S00 | 3UB88234DW2 | |
| 25-100 | 1 | "B" | 48BTG1S00 | 3UB88334GW2 | |

Solid State—3RB206^{③④}, 3-Phase, Manual/Auto Reset

| For Contactor Size | Setting Range Amps | Class 10 Catalog Number | List Price \$ | Class 20 Catalog Number | List Price \$ |
|--------------------|--------------------|-------------------------|---------------|-------------------------|---------------|
| 5 | 55 - 250 | 3RB2066-1GC2 | | 3RB2066-2GC2 | |
| 6 | 160 - 630 | 3RB2066-1MC2 | | 3RB2066-2MC2 | |

Retrofit Plates for Contactors, Class 48

| Replacement for Starter Sizes | ESP200 Overload Frame Size ^① | Retrofit Plate Suffix | Plate Kit Separate | Price Adder \$ |
|-------------------------------|---|-----------------------|--------------------|----------------|
| Size 00-1¼ | A or A1 | 1P | 49ASMP1 | |
| Size 2, 2½ | B | 2P | 49ASMP2 | |
| Size 3, 3½ | B | 3P | 49ASMP3 | |
| Size 4 | B | 4P | 49ASMP3 | |

Ambient Compensated Bimetal—Open Type Class 48 Single Phase, 3-Phase (Panel Mount Only)

| Poles | Amp Rating | Auxiliary Contacts | Contact Rating | Catalog Number | List Price \$ |
|-------|------------------------------------|--|---|--|---------------|
| 1 | 25 60 100 180 | 1 NC 1 NC 1 NC 1 NC | 5A (B600) & 5A (P300) | 48DA18AA4 48GA18AA4 48HA18AA4 48JA18AA4 | |
| 3 | 30 30 60 60 100 180 | 1 NC 1 NO/NC 1 NC 1 NO/NC 3 NC 3 NC | 10A (A600) & 5A (P300) 5A (B600) & 5A (P300) | 48DC38AA4 48DC39AA4 48GC38AA4 48GC39AA4 48HA38AA4 48JA38AA4 | |

① To determine frame size of replacement solid state overload, refer to retrofit plates table above.

② Requires use of 300:5 Current Transformers—3 of 97CT005.

③ Product Category: IEC.

④ Requires use of 600:5 Current Transformers—3 of 97CT008.

⑤ Requires use of 1200:5 Current Transformers—3 of 97CT012.

⑥ Overload has busbar connections.

⑦ Requires use of 750:5 Current Transformers—3 of 97CT009.

⑧ Requires use of 400:5 Current Transformers—3 of 97CT006.

Cable Connectors


For NM • SEU cable. Zinc die-cast.



Item 15

| CATALOG NUMBER | UPC/DCI/NAED MFG #018997 | TRADE SIZE | KO SIZE | UNIT PKG | STD PKG | DIM A | DIM B | DIM C | MAX OPENING |
|----------------|--------------------------|------------|---------|----------|---------|-------|-------|-------|-------------|
| 842 | 00842 | 3/4 | 3/4 | 50 | 500 | .481 | 1.000 | 1.375 | .730 |
| 843 | 00843 | 1 | 1 | 25 | 250 | .780 | 1.284 | 1.670 | .850 |
| 844 | 00844 | 1-1/4 | 1-1/4 | 10 | 100 | .710 | 1.312 | 2.030 | .900 |
| 848* | 00848 | 1-1/2 | 1-1/2 | 10 | 50 | .817 | 1.453 | 2.300 | .960 |
| 849* | 00849 | 2 | 2 | 10 | 50 | .823 | 1.590 | 2.900 | .960 |

*UL# E66990 - Service entrance ONLY.




Cable Connectors

For NM • SE cable. Zinc die-cast.



| CATALOG NUMBER | UPC/DCI/NAED MFG #018997 | TRADE SIZE | KO SIZE | UNIT PKG | STD PKG | DIM A | DIM B | DIM C | MAX OPENING |
|----------------|--------------------------|------------|---------|----------|---------|-------|-------|-------|-------------|
| 842 | 00842 | 3/4 | 3/4 | 50 | 500 | .481 | 1.000 | 1.375 | .730 |
| 843S | 84310 | 1 | 1 | 25 | 250 | .780 | 1.284 | 1.670 | .970 |
| 844S | 84410 | 1-1/4 | 1-1/4 | 10 | 100 | .710 | 1.312 | 2.030 | 1.160 |
| 848S | 84810 | 1-1/2 | 1-1/2 | 10 | 50 | .817 | 1.453 | 2.300 | 1.420 |
| 849S | 84910 | 2 | 2 | 10 | 50 | .823 | 1.590 | 2.900 | 1.750 |



NM Cable Connectors


Plated steel.



| CATALOG NUMBER | UPC/DCI/NAED MFG #018997 | TRADE SIZE | UNIT PKG | STD PKG | DIM A | DIM B | MAX OPENING |
|----------------|--------------------------|------------|----------|---------|-------|-------|-------------|
| BT50* | 24050 | 14/2 - 8-3 | 100 | 1000 | 1.500 | .720 | .250 - .600 |
| BT75* | 24075 | 8/2 - 6/2 | 50 | 500 | 1.764 | .811 | .124 - .934 |
| BT125 | 24125 | 2/0 - 3/0 | 25 | 250 | 2.245 | .842 | .275 - .900 |
| BT150 | 24150 | 4/0 | 20 | 200 | 2.705 | .835 | .275 - .900 |

*UL only.

Refer to pages C-13 and C-14 for complete cable ranges.






Item 16

Linear Vapor Tight

40 WATT 5000K 120-277V



Features:

0-10V Dimming

Polycarbonate Lens with high flame retardant paint


Polycarbonate Housing & Clips

High Quality LED chips provide high efficiency

Surface Mount Brackets Included


50,000+ Hour LED Life Expectancy

IP65 Wet Location Rated



| Part# | Housing Color | Wattage | Lumens | CCT | Voltage | Light Pattern | Input Current @ 120V | Lumens/ Watt | DLC# |
|-------|---------------|---------|--------|------|---------|---------------|----------------------|--------------|----------|
| 71901 | White | 40 | 5000 | 5000 | 120-277 | 109° x 136° | 0.35A | 125 | PXKSBVVP |

PHOTOMETRY





Linear Vapor Tight

40 WATT 5000K 120-277V

Technical Specifications:

Electrical:

Input Voltage: 120 thru 277

Current: .0.34A @ 120V

Frequency: 60Hz

Power Factor: ≥ 0.99

THD: 18% @ 120V

Product Parameters:

40 Watts

Efficacy: 125 lumens per watt

50,000+ LED Life Span

CCT: 5000k (Cool White)

Dimming: 0-10V

Chromaticity Measurements:

Beam Angle: 109° x 136°

BUG Rating: B2-U5-G1

CRI: >82

R9: 8

DUV: .0014

Chromaticity (x,y): x=.4419; y= .4093

Chromaticity (u,v): u=.2515; v= .5242

Component Specifications:

LED: SMD 2835

Driver: 100-277V 50-60HZ

Driver Output Volts: 40-45V

Driver Output Amps: 800mA

Surge Protection Volts: 4000

Dimming: 0-10V

Operating Temperature:

Minimum Starting -22°F - 104°F

Construction:

Housing: Polycarbonate Housing and Clasps

White Finish

IP Rating: IP65 Wet Location

Lens Material: Polycarbonate Lens

Mounting: Surface Mount Brackets Included

Listings: UL Listed: E474299

DLC#: PXKSBVVP

Carton Qty: 6

Weight: 3.5 lb

Warranty:

Morris Products carries a 5 year warranty from date of purchase against defects in materials and workmanship (assuming normal and proper usage).