

DATE: 9/15/2017

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00121031

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: DMEVANS

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	<u>5-7 DAYS</u>
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	_____
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	_____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
 NUMBER: _____
 NUMBER: _____
 NUMBER: _____

Gas And Supply
Jimmy Gibbs
 Phone 504-392-2400
 Fax 504-392-1500
 jimmy.gibbs@gasandsupply.com

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: <u>I.W.S. GAS AND SUPPLY</u>	
SIGNATURE: (Must be signed here) <u>Jimmy Gibbs</u>	TITLE: <u>SALES</u>
PRINT OR TYPE NAME: <u>JIMMY GIBBS</u>	
ADDRESS: <u>111 BURAS DR</u>	
CITY, STATE: <u>BELLE CHASSE, LA.</u>	ZIP: <u>70037</u>
TELEPHONE: <u>504-392-2400</u>	FAX: <u>504-392-1500</u>
EMAIL ADDRESS: <u>Jimmy.Gibbs@GasAndSupply.com</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 1140.74

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00121031

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	100.00	EA	ONE TIME PURCHASE OF VARIOUS INDUSTRIAL SUPPLIES 0010 - LIDS WITH SPOUT FOR 5 GALLON WHITE POLYETHYLENE BUCKETS WITH HANDLE SK# 00-048098A	1.42	142.00
2	24.00	EA	0020 - LUBRICANT, OPEN GEAR AND WIRE ROPE 14 OUNCE AEROSOL CAN, EXTRA HEAVY, <i>CRC 03050</i> LUBRIPLATE # L0152-063 SK#00-0483710	12.15	291.60
3	6.00	EA	0030 - SCREWDRIVER, TORX, HANDLE STORES T-8, T-9, T-10, T-15, T-20, T-25 BITS, WIHA #38004 SK# 00-0584520	18.89	113.34
4	2.00	EA	0040 - HAMMER, BALL PEIN, 24 OUNCE, PROTO #1324D, PLUMB #T11-520 OR EQUAL SK# 00-0585820	9.28	18.56
5	10.00	EA	0050 - SHOVEL, GARDEN, HAND, 5-1/2 IN LONG BY 3-1/4 IN WIDE BLADE, 4-5/8 IN LONG HANDLE SK# 00-0589670	N/B	—
6	6.00	EA	0060 - GRIP, WIRE, FOR PULLING PLASTIC PIPE, SIZE RANGE 2 IN MIN. TO 2-7/16 IN MAX., 36 IN LONG, 3700 # WORKING STRENGTH, USA STOCK #65203 SK# 00-0590830	N/B	—
7	100.00	EA	0070 - BLADE, SAWSALL, 6 IN LONG X 24 TEETH PER INCH, 5 PER PACK, DEWALT #DW4813 SK#00-0592440	1.61	161.00
8	100.00	EA	0080 - BLADE, RECIPROCATING SAW, 12 IN L X 5/8 IN W. 10/14 TPI, 1/2 IN UNIVERSAL TANG, FOR WOOD-NAIL EMBEDDED-PLASTIC-ALUMINUM, MILWAUKEE #48-00-5194 SK# 00-059245B	3.32	332.00
9	12.00	EA	0090 - WHEEL, ABRASIVE, 7 IN DIAMETER X 1/4 IN THICK X 5/8 IN-11 ARBOR, GRIT:	3.42	41.04

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

Screwloose®

Super Penetrant

New and improved formula SCREWLOOSE quickly penetrates through rust and corrosion to rapidly free corroded bolts, screws, fasteners, pins and bound mechanisms. Its clear, no mess formula eases disassembly of mechanical equipment, fittings and fixtures. SCREWLOOSE has been proven to outperform the competition as verified by independent tests.

- Facilitates fast and easy disassembly of mechanical components, fittings, assemblies and other fasteners
- Clear formula contains no dyes and leaves no mess
- NSF H2 registered for use in meat and poultry plants

Part Number	Container Size	Units Per Case
03059	6 oz aerosol	12
03060	16 oz aerosol	12
03062	1 gallon bottle	4
03063	5 gallon pail	1
03064	55 gallon drum	1

Power Lube®

High-Performance Lubricant With Teflon®

High performance, multi-purpose lubricant with the benefits of TEFLON to provide long lasting lubrication and protection against friction, wear and corrosion. POWER LUBE will increase the life and operating efficiency of parts and equipment, as well as withstand extreme load carrying situations.

- Contains TEFLON for long-lasting protection
- Withstands extreme load carrying situations
- Displaces moisture and seals out corrosion
- Surpasses 3,150 lbs. on Falex Load Test (ASTM D-3233)

Part Number	Container Size	Units Per Case
03045*	16 oz aerosol	12

Cutting Oil

Superior thread cutting lubricant for use on all types of ferrous and non-ferrous metals, including brass, copper, and aluminum.

- Reduces heat and friction to ease cutting and increase cutting tool life
- Sulfur-free, low odor formula
- Excellent anti-weld properties
- Foaming aerosol formulation clings to vertical surfaces
- Compatible with all manual and motor-driven threading equipment

Part Number	Container Size	Units Per Case
14050*	16 oz aerosol	12
14051	1 gallon bottle	4
14052	5 gallon pail	1

Extreme Duty Silicone

Premium grade silicone fluid that exhibits superior lubrication and temperature viscosity characteristics. Use Extreme Duty Silicone on all metallic and non-metallic surfaces.

- Reduces friction and galling even on metal-to-metal contact areas
- High temperature (-100°F to 450°F), high pressure (withstands 1200 psi Falex test)
- High grade release and parting agent
- Clear, non-staining, odorless film resists moisture

Part Number	Container Size	Units Per Case
03030*	16 oz aerosol	12

Food Grade Silicone

Multi-purpose silicone spray for food processing and handling applications. It forms a colorless, odorless, non-staining film that lubricates and protects in most metal to non-metal applications. Silicone film eliminates binding and sticking, while protecting most surfaces. In addition, it may be used as a release agent.

- Harmless to most rubbers and plastics
- Wide effective temperature range (-40°F to 400°F)
- Excellent release agent and lubricant for all surfaces
- Meets FDA Regulation CFR 21-178.3570 for incidental food contact

Part Number	Container Size	Units Per Case
03039	16 oz trigger bottle	12
03040*	16 oz aerosol	12
03041	5 gallon pail	1
03042	55 gallon drum	1

Dry Moly Lube

Specially formulated dry film lubricant incorporating a concentrated dispersion of molybdenum disulfide (MoS₂). Moly Lube lowers friction, prevents galling and helps to reduce torque and energy consumption.

- High anti-friction and anti-seizure properties
- Lubricant resists high temperatures, high pressure, water and chemical attack
- Fast drying film resists dirt and dust build-up

Part Number	Container Size	Units Per Case
03084*	16 oz aerosol	12

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Chain & Wire Rope Lubricant

Specifically formulated blend of synthetic lubricants and an organic molybdenum anti-wear additive that penetrates deep, and leaves a tough film that lubricates and protects. Chain and Wire Rope Lube extends the working life of chains and wire rope and reduces wear caused by friction and corrosion.

- Resists water wash-off and high-temperature sling-off
- Absorbs pin/bushing shock and cushions rollers, pins and bushings
- Can be applied with guards in place to eliminate costly downtime


Part Number	Container Size	Units Per Case
03050*	16 oz aerosol	12
03053	55 gallon drum	1

White Lithium Grease

High-purity, high-quality NLGI Grade 2 white lithium-based aerosol grease that provides superior lubrication and durability in any weather or temperature. Excellent as a break-in lubricant for bearings, and for general purpose lubrication and corrosion protection of machinery, tools, and equipment.

- Excellent heat and water resistance
- Rust and oxidation inhibitors for superior metal protection
- Smooth, buttery consistency provides optimum surface coverage
- Produces a tough, high viscosity film
- White color allows for easy visual inspection of film coverage

Part Number	Container Size	Units Per Case
03080*	16 oz aerosol	12



Teflon® is a registered trademark of Dupont Corporation

Customer Service: (800) 272-4620
 Online MSDS Faxback: (215) 442-6260
 Technical Assistance: (800) 521-3168

www.crcindustries.com
 ISO-9001 Certified

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00121031

SEALED BID.

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
10	4.00	EA	A24R, MAX RPM: 8,700, DEWALT #DW4999 SK# 00-0597400 0110 - SOCKET, STANDARD, 12 POINT, CHROME 1/4 IN X 3/8 DR, PROTO #5208 SK#00-060011A	3.59	14.36
11	4.00	EA	0120 - ADAPTER, SOCKET, CHROME, INCREASING FROM 1/2 IN FEMALE DRIVE TO 3/4 IN MALE DRIVE, MEETS FED. SPEC. #GGG-W-641E, DOMESTIC, PROTO # J5653 SK# 00-0602850	6.71	26.84

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com