



# **T880 Data Book**

**1/1/2024**



---

## TABLE OF CONTENTS

Section	Pages
STANDARD SPECIFICATIONS	F
REQUIRED INFORMATION	H
ENGINES	I
ENGINE EQUIPMENT	J
TRANSMISSIONS	K
FRONT AXLE	L
REAR AXLE	M
REAR SUSPENSION	N
TIRES & WHEELS	O
FRAME & EQUIPMENT	P
FUEL TANKS & EQUIPMENT	Q
CAB EXTERIOR	R
CAB INTERIOR	S
LIGHTS & SIGNALS	T
AIR EQUIPMENT	U
SPECIAL EQUIPMENT	V
EXTENDED WARRANTY	W
PAINT	X

---



## T880: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
--------	-------------	-------	--------

### BASE MODEL PRICE

0000810	T880 Series Conventional	\$234,126	15,549#
---------	--------------------------	-----------	---------

### ENGINES

#### PACCAR

0701209	PACCAR MX-13 455 455@1600 1650@900, 2024 With Engine Brake	\$0	0#
---------	------------------------------------------------------------	-----	----

### ENGINE EQUIPMENT

#### Air Compressor

1006003	Air Compressor: WABCO 25.9 CFM PACCAR MX 2017+ 440cc Air Compressor	\$0	0#
---------	---------------------------------------------------------------------	-----	----

#### Air Intake System

1051200	Air Cleaner: Composite Firewall Mounted PACCAR or Cummins Engines	\$0	0#
---------	-------------------------------------------------------------------	-----	----

#### Cooling System

1123555	Cooling module: 1330 square inches. Includes aluminum radiator core, aluminum charge air cooler, translucent surge tank and washer bottle, silicone hoses, and extended life coolant.	\$0	0#
---------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----	----

1105210	Fan hub: Horton 2-Speed for PACCAR MX	\$0	0#
---------	---------------------------------------	-----	----

#### Exhaust Systems

1247263	EXH: Single Can 2024 RH Under with RH Side-of-Cab Vertical Tailpipe	\$0	0#
---------	---------------------------------------------------------------------	-----	----

#### Exhaust Accessories

1290136	Tailpipe: 5 in. single 36 in. 45 degree curved.	\$0	0#
---------	-------------------------------------------------	-----	----

#### Filters

1321101	Fuel Filter: PACCAR Extended Service Interval On-Engine Fuel/Water Separator. 2021 Emissions MX Engines only.	\$0	0#
---------	---------------------------------------------------------------------------------------------------------------	-----	----

1321205	Run Aid:Fuel Heat *For Fuel Filter	\$0	0#
---------	------------------------------------	-----	----

1321305	Start Aid:12V Heat *For Fuel Filter	\$0	0#
---------	-------------------------------------	-----	----

#### Engine Equipment Miscellaneous

1901017	Remote PTO/Throttle, 12-Pin, Engine Bay Remote Control Provision	\$0	0#
---------	------------------------------------------------------------------	-----	----

#### Starting & Recharging

1812163	Alternator: PACCAR HDS 160 AMP Brushed	\$0	0#
---------	----------------------------------------	-----	----

1821210	Batteries: 3 PACCAR GP31 Threaded Post (700-730) 2100-2190 CCA dual purpose.	\$0	0#
---------	------------------------------------------------------------------------------	-----	----

1836102	PACCAR Premium 12V Starter with PACCAR MX Engines PACCAR 12 volt electrical system. With centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded.	\$0	0#
---------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----	----

### TRANSMISSIONS

#### PACCAR

2058603	PACCAR TX-12: PO-16F112C, 12-speed, 1650 LB FT With Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.	\$0	0#
---------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----	----

#### Clutch

2240208	Clutch: 430mm Self-Adjust Organic, Max Torque 1850 ft-lbs	\$0	0#
---------	-----------------------------------------------------------	-----	----

#### Driveline



## T880: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
2408302	Driveline: 1 Meritor RPL25 SD; No Centerbearing	\$0	0#
3500058	Interaxle Driveline: 1 Meritor RPL20 Replacing I/A *Use W/ RPL(SD) 25 Main D/L	\$0	0#

### FRONT AXLE

#### Front Axles

2536002	PACCAR FX-20 Front Axle rated at 20K 4" drop standard track	\$0	0#
---------	-------------------------------------------------------------	-----	----

#### Outer End Equipment

2607002	Front Brakes: 14,601-22K Bendix Air Disc Brakes.	\$0	0#
2690024	Splined Rotor for Front Air Disc Brakes for Use with Aluminum Hubs.	\$0	0#
2701319	Front Hubs Aluminum Hub Pilot 20,000 lbs. 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle.	\$0	0#
2741970	ConMet PreSet Plus Hub Package; Front Axle.	\$0	0#
2750001	Hubcap: Front Vented.	\$0	0#
2690039	Integral Knuckle for Air Disc Brake, for use on PACCAR FX Steer Axle	\$0	0#
2769000	Slack Adjusters Included W/ Front Axle or Brake. Also use w/ disc brakes.	\$0	0#

#### Front Springs

2866020	Front Springs: Taperleaf 20K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins except for C500 which has threaded pins. Not available on W900L. W900B use 2866021.	\$0	0#
---------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----	----

#### Power Steering

2895302	Dual Power Steering Gear: 16-22K Sheppard HD94. Heavy duty. Not for use on T3.	\$0	0#
2899336	Power Steering Cooler: Radiator Mounted Air-to-Oil	\$0	0#

### REAR AXLE

#### Tandem Drive Rear Axle

3142160	Dual Meritor RT46-160 Rear Axle rated at 46K. Tandem rear axles.	\$0	0#
---------	------------------------------------------------------------------	-----	----

#### Tandem Axle Outer End Equipment

3306001	Dual Rear Bendix Air Disc Brakes for Dual rear axles to 46K capacity.	\$0	0#
3392604	Splined Rotor for Dual Rear Air Disc Brake for use with aluminum hubs.	\$0	0#
3407050	Dual Rear Hubs: Aluminum Hub Pilot 46K; 11.25" bolt circle. Requires "R" series outer ends.	\$0	0#
3441972	ConMet PreSet Plus Hub Package; Dual Rear Axle.	\$0	0#
3485002	Spring Brakes Included W/ Dual Rear Air Disc brakes.	\$0	0#

#### Anti-Lock Brake System

3495232	Bendix 6S/6M Anti-Lock Brake System W/ Air traction control (ATC) and electronic stability program (ESP) for full truck. Must code for additional body information.	\$0	0#
---------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----	----

#### Miscellaneous

3465900	Rear Slack Adjusters Included W/ Axle or Air disc brakes.	\$0	0#
---------	-----------------------------------------------------------	-----	----

### REAR SUSPENSION

#### Tandem

3740130	Rear suspension: Tandem Kenworth Airglide 460 46K 54 in. axle spacing. 10.5 in. ride height. Includes air suspension dump valve.	\$0	0#
---------	----------------------------------------------------------------------------------------------------------------------------------	-----	----



## T880: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
--------	-------------	-------	--------

### Suspension Miscellaneous

3830152	Air Springs: Heavy-Duty for Airglide 460. Replaces standard duty air springs.	\$0	0#
---------	-------------------------------------------------------------------------------	-----	----

## TIRES & WHEELS

### Front & Rear Axle Tires

4238743	Rear tires: Goodyear Fuel Max LHD2 11R22.5 14PR	\$0	0#
4038676	Front tires: Goodyear Armormax MSA 425/65R22.5 20PR.44.4 in. diameter 20.6 in. SLR. all position. On/Off highway. Wide-base tire.	\$0	0#

### Front & Rear Axle Wheels & Rims

5042312	Front Wheel: Accuride 29806 22.5x12.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 11500lb. maximum rating. 5-hand holes.	\$0	0#
5242285	Rear Wheel: Accuride 50344 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. Heavy-duty 5 hand-hole hub pilot mount. Code is priced per pair of wheels.	\$0	0#

## FRAME & EQUIPMENT

### Rails & Inserts

6056200	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel to 284 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in.-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$0	0#
---------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----	----

### Bumpers

6301360	Bumper: Straight Aluminum Channel. Requires a bumper setting code.	\$0	0#
---------	--------------------------------------------------------------------	-----	----

### Front Frame Miscellaneous

6390103	Front Mudflaps.	\$0	0#
---------	-----------------	-----	----

### Battery Boxes

6405048	Battery Box Module: Short Length Aluminum parallel under cab, aluminum diamond plate cover w/ step. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.	\$0	0#
---------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----	----

### DPF/SCR Covers

6451090	T470,C5, T6, T8 Non-Polished DPF/SCR or CNG Cover diamond plate w/ step. For use w/ 2010 or later exhaust systems. For T8, use extended length non-polished battery box on opposite rail to match the length of under cab components. End plates will be painted standard black frame color.	\$0	0#
---------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----	----

### Rear Frame Equipment

6742009	Square End-of-Frame W/O Crossmember; Non-Towing.	\$0	0#
6721102	Rear Mudflap Arms: Betts B-25 Standard-Duty, straight. Includes B1732 mounting brackets as standard.	\$0	0#
6722000	Rear Mudflap Shields: White Plastic Antisail W/ Kenworth logo.	\$0	0#

## FUEL TANKS & EQUIPMENT

### Round

7214100	Fuel Tank: 100 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$0	0#
---------	------------------------------------------------------------------------------------------------------------------------------------------------	-----	----

### Fuel Tank Equipment

7889245	Anti-Siphon Device in Fuel Tank Filler Neck. For any number of fuel tanks.	\$0	0#
---------	----------------------------------------------------------------------------	-----	----

### DEF Tanks & Equipment



## T880: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
7722153	Small Round DEF Tank, 14 Gallons. The DEF tank will be located on the side you specified. If you have specific configuration or body builder concerns, please utilize the Custom Frame Layout option. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	\$0	0#

### CAB EXTERIOR

#### Cabs

8025301	Cab: Stamped Aluminum Cab with Panoramic Curved glass windshield. Standard with stamped aluminum doors, heavy duty in-swinging hinges, and triple sealed doors. Manufactured using self-piercing rivets and structural adhesive. Includes LED exterior marker lights and turn signals.	\$0	0#
---------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----	----

#### Windows

8871446	Rear Cab Stationary Window 19in x 36in	\$0	0#
---------	----------------------------------------	-----	----

#### Hoods, Fenders & Grilles

8090605	Hood: T880 Short Length MX-Optimized W/Mechan. Fastened Fenders. 116.7 inch BBC.	\$0	0#
8890349	Wheelwell Fender Extension: 2.5 Inches	\$0	0#

#### Cab Structure Miscellaneous

8890876	Kenworth Cab/Sleeper Air Suspension.	\$0	0#
---------	--------------------------------------	-----	----

#### Cab Access

8800402	Dual Cab Interior Grabhandles: A Pillar Mounted Dash Wrap and B Pillar Mounted Grabhandles	\$0	0#
---------	--------------------------------------------------------------------------------------------	-----	----

#### Horns

8841411	Single Air Horn Under Cab.	\$0	0#
---------	----------------------------	-----	----

#### Mirrors & Equipment

8865002	Aero Mirror: Dual Kenworth Aerodynamic Motorized heated mirrors, 7in X 13in with cab color mirror shell and black mirror arms. Also includes LH/RH heated 6in X 7in convex mirrors. Mirror brackets set for 8-1/2 ft load width. Mirror controls located on driver side door pad.	\$0	0#
8850139	Look-Down, Pass. Door, Black 11x6	\$0	0#

#### Window Equipment

8890101	One-Piece Bonded-In Windshield With Curved Glass. Standard.	\$0	0#
---------	-------------------------------------------------------------	-----	----

#### Doors & Equipment

8832113	Kenworth Daylite Door With Standard LH/RH electric door locks and LH/RH electric window controls.	\$0	0#
8700283	LH and RH Trip Ledge Rain Deflectors	\$0	0#

### CAB INTERIOR

#### Cabs & Sleepers

8330102	Interior Package: Vantage Daycab Includes durable headliner and vinyl sidewalls with geometric patterned trim and anodized aluminum accents throughout. Convenient overhead storage cubbies, full size glove box, two center console cupholders, and large door pad map pocket. Standard LH/RH power windows, electric door locks, interior LED lighting, nighttime-friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Includes two standard 12V power outlets. Driver sunvisor includes strap.	\$0	0#
8300008	Interior Color: Slate Gray	\$0	0#

#### Heaters & Air Conditioning



## T880: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
8108011	Cab HVAC - Day Cab and 40 in. Sleeper System With Defrost, A/C, and 48,000 BTU/hr Heater. Includes automatic temperature control with one touch defrost operation and dash mounted cab temperature and solar intensity sensors. Pleated fresh air filter and cabin recirculation air filter standard. The Kenworth HVAC system is designed to provide optimal heating and cooling in all operating environments without need for additional insulation. Cab HVAC without sleeper heater AC is available with 40in sleeper.	\$0	0#

### Steering Wheels & Equipment

8201047	Kenworth Smartwheel: 18 in. Non-Leather With Integrated Radio and Cruise Controls.	\$0	0#
8201052	Column Mtd TMSN Control W/Retarder Cntrl, RH Side Use with Automated and Automated Manual Transmissions Only	\$0	0#
8201200	Adjustable Telescoping Tilt Steering Column.	\$0	0#

### Instruments & Controls

8282027	Main Instrument Package: 15" Digital Display. Includes Speedometer, Tachometer, Primary Air Pressure, Secondary Air Pressure, Fuel Level #1, DEF Level, DPF Filter Status, Fuel Economy, Oil Pressure, Coolant Temp, OAT and Voltmeter, and Air Application.	\$0	0#
8222404	Gauge: DD Virtual Gauge - Oil Temp Engine	\$0	0#
8222409	Gauge: DD Virtual Gauge - Air Filter Restriction	\$0	0#
8222413	Gauge: DD Virtual Gauge - Manifold Pressure Boost	\$0	0#
8222414	Gauge: DD Virtual Gauge - Engine Percent Torque	\$0	0#
8700197	Turn Signal: Non-Self Cancelling	\$0	0#

### Seats

8410206	Driver Seat: GT701 HB with DuraCloth w/ Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$0	0#
8480120	Rider Seat: GT100 Toolbox HB with DuraCloth w/ Vinyl material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$0	0#
8490181	Seat Color: Black	\$0	0#

### Cab Accessories

8390634	Rubber Floormat	\$0	0#
---------	-----------------	-----	----

### Sound Systems

8601435	Kenworth Radio DEA707 AM/FM/WB/USB	\$0	0#
---------	------------------------------------	-----	----

### Sound System Speakers

8698974	Base Level Audio System - Daycab:High Performance Door Speakers.	\$0	0#
---------	------------------------------------------------------------------	-----	----

### Information & Communication Systems

8700663	Kenworth TruckTech+ The Kenworth TruckTech+ system provides the World's Best reporting of engine and aftertreatment fault codes, as well as enhanced support for the truck owner through rapid communication of fault severity and recommended actions. This is standard on all Kenworths with a PACCAR MX engine, Cummins X15 engine, PX engine or Natural Gas engine.	\$0	0#
---------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----	----

## LIGHTS & SIGNALS

### Headlamps

9010553	Headlamps: SAE Dual Halogen Complex Reflector	\$0	0#
---------	-----------------------------------------------	-----	----

### Marker Lights

9022137	Marker Lights: Five, Rectangular, LED	\$0	0#
---------	---------------------------------------	-----	----



## T880: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
9090039	Marker Lights: Interrupter Switch. Included in Turn Signal For All Models Except T3. The T3 Switch Is In The Dash.	\$0	0#

### Turn Signal Lights

9030016	Turn Signal Lights: Flush Mounted LED. Mounted at top of fender wheel arc.	\$0	0#
---------	----------------------------------------------------------------------------	-----	----

### Taillights

9030052	LED Stop,Turn,Tail: With Two LED Backup Lights and With An LED License Plate.	\$0	0#
---------	-------------------------------------------------------------------------------	-----	----

## AIR EQUIPMENT

### Air Drying Equipment

9108001	Moisture Ejection Valve W/ Pull Cable Drain.	\$0	0#
---------	----------------------------------------------	-----	----

9101218	Air Dryer: Bendix AD-HF Puraguard Heated	\$0	0#
---------	------------------------------------------	-----	----

### Air System Miscellaneous

9140020	Nylon Air Tubing in Frame & Cab, Excluding Hoses subject to excessive heat or flexing.	\$0	0#
---------	----------------------------------------------------------------------------------------	-----	----

## EXTENDED WARRANTY

### Warranty

9200021	Base Warranty - Standard Service Heavy Duty 12 months / 100,000 miles / 160,000 km.	\$0	0#
---------	-------------------------------------------------------------------------------------	-----	----

## PAINT

### Paint Style

9944820	1 - Color Paint - Day Cab Color will be White if no other color is specified.	\$0	0#
---------	-------------------------------------------------------------------------------	-----	----

### Paint Type

9943050	Day Cab Standard Paint	\$0	0#
---------	------------------------	-----	----

9965510	Base Coat/ Clear Coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	\$0	0#
---------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----	----





## T880: REQUIRED INFORMATION

Option	Description	Price	Weight
Intended Service			
0093000	Linehaul: Vehicles (trucks or tractors) used in over-the-road freight hauling. Pickup to delivery distance is typically over 300 miles, & annual mileage is typically over 60,000 miles per year. Operation is typically on-highway. Road usage: minimum 1% Class B, do not code for Class D.	\$0	0#
0093005	Local Pickup & Delivery: Vehicles which haul freight, typically operating within a 100-mile radius, on public streets & highways, & other paved surfaces, including limited Class C roads. Includes package & freight delivery, as well as fuel oil or petroleum distribution, etc. Road usage: minimum 3% Class B, do not code for Class D.	\$0	0#
0093007	Regional Haul: Vehicles used to haul freight on public roads consisting of a mixture of over the road, urban and/or suburban hauling. Pickup to delivery distance typically in the 100 to 300 miles range but some LTL applications may exceed 300 mile limit. Road usage: minimum 19% Class B, do not code for Class D.	\$0	0#
0093010	Logger: Vehicles which haul logs from the forest to the mill, or from mill to mill. Typically includes some operation off of paved roads. Road usage: any combination, which includes some Class C.	\$0	0#
0093015	Concrete Ready Mix: Vehicles which deliver Ready-Mix concrete from batch plant to job site. Typically includes some operation off of paved roads. Road usage: any combination, which includes minimum 5% Class B.	\$0	0#
0093025	Snowplow: Vehicles which are configured for mounting a snowplow to the front. May also have dump or other body. Typically includes some operation off of paved roads. Road usage: majority of Class A & B, do not code for Class D.	\$0	0#
0093030	Mining haulers: Vehicles used for hauling ore or overburden, either from the pit or face or from a stockpile. Generally used on private haul roads, rather than public highways. Typically includes some operation off of paved roads. Road usage: do not code for Class A, some Class C required.	\$0	0#
0093035	Mining service: Vehicles used to service earthmoving & mining equipment. Includes bodies such as mechanic's service bodies, tire hoists, fuel/lube, etc. Typically includes some operation off of paved roads. Road usage: any combination, which includes some Class C.	\$0	0#
0093071	Heavy equipment transport: Vehicles used to transport heavy, non-divisible loads, such as earthmoving equipment, electrical transformers, pressure vessels, etc. GCW can be from 80,000 lbs. to extremely heavy. Road usage: any combination, which includes some Class B.	\$0	0#
0093090	Utility vehicle: Used to service utility or communication equipment. Typically operates within 100 mile radius on public roads & may or may not have a man lift. Duty cycle includes long engine idle times. Road usage: any combination of A & B, may include some class C roads.	\$0	0#
0093091	Refuse Hauler: Vehicles which haul refuse, recycled material, etc. Includes Roll-on/roll-off container movement, as well as hauling refuse from transfer stations to landfills. Typically includes operation in landfills, over rough, uneven surfaces. Road usage: any combination, which includes some Class B.	\$0	0#
0093095	Refuse Packer: Vehicles which pick up refuse or recycled material from curbside containers in residential areas. Operation typically includes very frequent stops & starts. Unloading can be at transfer station or at landfill. Road usage: some Class B required, with maximum of 5% Class D.	\$0	0#
0093101	Oil field rig move: Vehicles used in the transport & erection of oil well equipment. Includes bed trucks, winch trucks, rig-up trucks, etc. Trucks typically move heavy loads over poorly-prepared surfaces, & do considerable maneuvering on the jobsite to place or pick up loads. Road usage: minimum 5% Class C, w/no Class A or B required.	\$0	0#



## T880: REQUIRED INFORMATION

Option	Description	Price	Weight
<b>Intended Service</b>			
0093105	Oil Field Well Servicing: Vehicles which carry well servicing equipment, e.g., pumpers, blenders, cementers, data loggers, etc. Typically involve considerable hours of stationary operation, but low mileage. Typically operate on prepared (although often unpaved) roadways. Road usage: any combination, w/minimum 5% Class C.	\$0	0#
0093111	Wrecker Service: Vehicles w/ recovery bodies used for recovering & towing stranded vehicles & equipment. Road usage: minimum 5% Class B & maximum 10% Class D.	\$0	0#
0093121	Fire Truck Service: Vehicles used in fighting fires. Typically have pumps, etc., mounted in the body. Road usage: minimum 5% Class B & maximum 5% Class D.	\$0	0#
0093122	EMT/Rescue Service: Vehicles used responding to emergencies & rescue operations. Typically configured for rapid response, & carry medical & other rescue equipment. Road usage: minimum 5% Class B & maximum 5% Class D.	\$0	0#
0093125	Crane/Cherry Picker: Vehicles equipped w/ cranes, man-lifts, hoists, cherry-pickers, bridge inspection units, etc. Road usage: any combination, w/minimum 5% Class B.	\$0	0#
0093130	Construction: Vehicles used in the construction industry, other than those listed above. Use typically involves operating on the jobsite, to pick up or deliver construction materials, or to position the vehicle for its intended use at the construction site. Includes such activities as delivery of precast concrete, concrete pumpers, flatbeds or roll-offs for delivery of construction materials or equipment, etc. Typically includes some operation off of paved roads. Road usage: any combination, which includes some Class C.	\$0	0#
0093135	Agriculture: Vehicles used in the agriculture industry, other than those listed above. Use typically involves transportation of agricultural & dairy products to/from/on/around farm sites, & includes operation off of improved surfaces while on the farm. Includes applications such as milk tankers for farm pickup, feed trucks, grain haulers which load in the field, etc. Can be trucks or tractors. Road usage: any combination, which includes both Class C & D.	\$0	0#
<b>Commodity Hauled</b>			
<b>Building Materials</b>			
0091010	Pre-Cast Concrete (Blocks, Pavers, etc)	\$0	0#
0091020	Ready-Mix Concrete	\$0	0#
0091030	Lumber	\$0	0#
0091040	Other Building Materials	\$0	0#
0091041	Asphalt	\$0	0#
0091042	Gravel/Crushed Rock/Sand	\$0	0#
0091043	Topsoil/Bark	\$0	0#
<b>Food-Farm Products</b>			
0091130	Grain	\$0	0#
0091135	Livestock Feed	\$0	0#



## T880: REQUIRED INFORMATION

Option	Description	Price	Weight
Commodity Hauled			
<b>Food-Farm Products</b>			
0091140	Hay	\$0	0#
0091150	Livestock	\$0	0#
0091160	Hanging Meat	\$0	0#
0091170	Other Food/Farm Products	\$0	0#
<b>Bulk Goods</b>			
0091050	Dry Bulk Goods	\$0	0#
0091060	Dairy Products - Milk	\$0	0#
0091070	Liquid Petroleum Products	\$0	0#
0091080	Other Bulk Goods	\$0	0#
0091115	Compressed Gas	\$0	0#
0091121	Water	\$0	0#
0091122	Crude oil.	\$0	0#
0091123	Liquefied Gas	\$0	0#
0091125	Steel Structural/Coil	\$0	0#
<b>Forest Products</b>			
0091180	Logs	\$0	0#
0091190	Wood Chips	\$0	0#
0091200	Other Forest Products	\$0	0#
<b>Minerals</b>			
0091210	Coal	\$0	0#
0091220	Excavated Earth	\$0	0#
0091230	Rock	\$0	0#
0091240	Other Minerals	\$0	0#
<b>Dry Goods</b>			
0091090	General Freight	\$0	0#
0091100	Heavy Machinery	\$0	0#



## T880: REQUIRED INFORMATION

Option	Description	Price	Weight
Commodity Hauled			
<b>Dry Goods</b>			
0091110	Oil Field Equipment	\$0	0#
0091120	Other Dry Goods	\$0	0#
0091124	Auto Transporter	\$0	0#
<b>Miscellaneous</b>			
0091250	Empty Cans	\$0	0#
0091260	Refuse/Recycled Material	\$0	0#
0091270	Fire apparatus.	\$0	0#
0091271	EMT/rescue.	\$0	0#
Body Type			
0095010	End Dump	\$0	0#
0095015	Super dump with flying tag axle.	\$0	0#
0095030	Transfer dump.	\$0	0#
0095035	Stone slinger.	\$0	0#
0095040	Concrete Mixer, Non-Booster-Axle	\$0	0#
0095050	Booster axle mixer w/ approved frame reinforcement.	\$0	0#
0095055	Concrete Pump	\$0	0#
0095056	Volumetric Mixer	\$0	0#
0095060	Roll On/Roll Off	\$0	0#
0095065	Roll Back Flatbed	\$0	0#
0095070	Refuse loader/packer.	\$0	0#
0095080	Refuse, Other	\$0	0#
0095084	Logger, single bunk.	\$0	0#
0095085	Logger, multiple bunks.	\$0	0#
0095090	Oil field rig-up.	\$0	0#
0095095	Beverage.	\$0	0#



## T880: REQUIRED INFORMATION

Option	Description	Price	Weight
Body Type			
0095099	Oil Field Winch/Equipment BOC for use w/Tractors	\$0	0#
0095100	Oil Well Servicing Equipment	\$0	0#
0095102	Coil Tubing Unit.	\$0	0#
0095105	Drilling derrick.	\$0	0#
0095110	Tank	\$0	0#
0095115	Dry Bulk Hopper	\$0	0#
0095120	Van	\$0	0#
0095125	Service Body	\$0	0#
0095130	Dromedary Box or Automobile Rack	\$0	0#
0095135	Cotton module.	\$0	0#
0095140	Flatbed	\$0	0#
0095145	Flatbed with Utility Crane	\$0	0#
0095146	Wrecker	\$0	0#
0095151	Crane/Boom	\$0	0#
0095152	Block body.	\$0	0#
0095153	Logger, self-loading crane/boom. Dealer supplied drawing required.	\$0	0#
0095155	Fire Truck-Pumper	\$0	0#
0095160	Other - Narrative Required	\$0	0#
0095165	Vacuum Tank	\$0	0#
0095175	Reefer van.	\$0	0#
Trailer Type			
0096010	Doubles.	\$0	0#
0096015	Triples.	\$0	0#
0096020	End dump.	\$0	0#
0096025	Side Dump	\$0	0#
0096030	Bottom dump.	\$0	0#



## T880: REQUIRED INFORMATION

Option	Description	Price	Weight
Trailer Type			
0096040	Flatbed.	\$0	0#
0096045	Beverage.	\$0	0#
0096050	Lowboy.	\$0	0#
0096055	Automobile/marine carrier.	\$0	0#
0096060	Reefer van.	\$0	0#
0096070	Tank.	\$0	0#
0096075	Oil Field Well Service	\$0	0#
0096080	Dry van beverage trailer, curtain trailer, chip trailer.	\$0	0#
0096085	Logger, single bunk or semi-trailer.	\$0	0#
0096090	Other - Narrative Required	\$0	0#

### Special Requirements

#### Operating Area

0098010	California Registry	\$0	0#
0098015	Mexico registry.	\$0	0#
0098025	U.S. Domestic Registry, 50-state.	\$0	0#
0098030	Export: Off-highway - exempt from US regulations.	\$0	0#
0098032	Export: On-highway chassis.	\$0	0#
0098033	On-Highway Chassis for Use in Off-Shore.	\$0	0#
0098050	Canadian registry.	\$0	0#
0098060	Quebec Registry.	\$0	0#

#### State of Registry

0098401	State of Registry: Alabama	\$0	0#
0098402	State of Registry: Alaska	\$0	0#
0098403	State of Registry: Arizona	\$0	0#
0098404	State of Registry: Arkansas	\$0	0#
0098405	State of Registry: California	\$0	0#



## T880: REQUIRED INFORMATION

Option	Description	Price	Weight
<b>Special Requirements</b>			
<b>State of Registry</b>			
0098406	State of Registry: Colorado	\$0	0#
0098407	State of Registry: Connecticut	\$0	0#
0098408	State of Registry: Delaware	\$0	0#
0098409	State of Registry: Florida	\$0	0#
0098410	State of Registry: Georgia	\$0	0#
0098411	State of Registry: Hawaii	\$0	0#
0098412	State of Registry: Idaho	\$0	0#
0098413	State of Registry: Illinois	\$0	0#
0098414	State of Registry: Indiana	\$0	0#
0098415	State of Registry: Iowa	\$0	0#
0098416	State of Registry: Kansas	\$0	0#
0098417	State of Registry: Kentucky	\$0	0#
0098418	State of Registry: Louisiana	\$0	0#
0098419	State of Registry: Maine	\$0	0#
0098420	State of Registry: Maryland	\$0	0#
0098421	State of Registry: Massachusetts	\$0	0#
0098422	State of Registry: Michigan	\$0	0#
0098423	State of Registry: Minnesota	\$0	0#
0098424	State of Registry: Mississippi	\$0	0#
0098425	State of Registry: Missouri	\$0	0#
0098426	State of Registry: Montana	\$0	0#
0098427	State of Registry: Nebraska	\$0	0#
0098428	State of Registry: Nevada	\$0	0#
0098429	State of Registry: New Hampshire	\$0	0#
0098430	State of Registry: New Jersey	\$0	0#



## T880: REQUIRED INFORMATION

Option	Description	Price	Weight
<b>Special Requirements</b>			
<b>State of Registry</b>			
0098431	State of Registry: New Mexico	\$0	0#
0098432	State of Registry: New York	\$0	0#
0098433	State of Registry: North Carolina	\$0	0#
0098434	State of Registry: North Dakota	\$0	0#
0098435	State of Registry: Ohio	\$0	0#
0098436	State of Registry: Oklahoma	\$0	0#
0098437	State of Registry: Oregon	\$0	0#
0098438	State of Registry: Pennsylvania	\$0	0#
0098439	State of Registry: Rhode Island	\$0	0#
0098440	State of Registry: South Carolina	\$0	0#
0098441	State of Registry: South Dakota	\$0	0#
0098442	State of Registry: Tennessee	\$0	0#
0098443	State of Registry: Texas	\$0	0#
0098444	State of Registry: Utah	\$0	0#
0098445	State of Registry: Vermont	\$0	0#
0098446	State of Registry: Virginia	\$0	0#
0098447	State of Registry: Washington	\$0	0#
0098448	State of Registry: West Virginia	\$0	0#
0098449	State of Registry: Wisconsin	\$0	0#
0098450	State of Registry: Wyoming	\$0	0#
0098451	State of Registry: District of Columbia	\$0	0#
0098452	State of Registry: Puerto Rico	\$0	0#
0098453	State of Registry: Guam	\$0	0#
0098454	State of Registry: American Samoa	\$0	0#
0098455	State of Registry: Mariana Islands	\$0	0#





## T880: REQUIRED INFORMATION

Option	Description	Price	Weight
<b>Special Requirements</b>			
<b>State of Registry</b>			
0098456	State of Registry: US Virgin Islands	\$0	0#
0098460	State of Registry: Israel	\$0	0#
0098465	State of Registry: Mexico	\$0	0#
0098470	State of Registry: Canada	\$0	0#
0098490	State of Registry: International	\$0	0#
<b>Export Destination</b>			
0098035	Russian compliant chassis.	\$0	0#
9481000	Export Destination: Chile.	\$0	0#
9481001	Export Destination: Colombia.	\$0	0#
9481002	Export Destination: Ecuador.	\$0	0#
9481004	Export Destination: Peru.	\$0	0#
9481006	Export Destination: Thailand.	\$0	0#
9481007	Export Destination: U.S. Pacific Islands, Guam, Saipan, North Mariana Island, & American Samoa.	\$0	0#
9481009	Export Destination: Costa Rica.	\$0	0#
9481010	Export Destination: Venezuela.	\$0	0#
9481011	Export Destination: Algeria.	\$0	0#
9481012	Export Destination: China.	\$0	0#
9481013	Export Destination: Dominican Republic.	\$0	0#
9481014	Export Destination: Guatemala.	\$0	0#
9481015	Export Destination: India.	\$0	0#
9481016	Export Destination: Libya.	\$0	0#
9481017	Export Destination: Oman.	\$0	0#
9481018	Export Destination: Panama.	\$0	0#
9481019	Export Destination: Saudi Arabia.	\$0	0#
9481020	Export Destination: El Salvador.	\$0	0#



## T880: REQUIRED INFORMATION

Option	Description	Price	Weight
Special Requirements			
Export Destination			
9481021	Export Destination: Nicaragua.	\$0	0#
9481022	Export Destination: United Arab Emirates.	\$0	0#
9481023	Export Destination: Iraq.	\$0	0#
9481024	Export Destination: Ghana.	\$0	0#
9481025	Export Destination: Kazakhstan.	\$0	0#
9481026	Export Destination: Nigeria.	\$0	0#
9481027	Export Destination: Egypt.	\$0	0#
9481028	Export Destination: Qatar.	\$0	0#
9481029	Export Destination: Pakistan.	\$0	0#
9481030	Export Destination: Kuwait.	\$0	0#
9481031	Export Destination: Argentina.	\$0	0#
9481032	Export Destination: Bahamas.	\$0	0#
9481033	Export Destination: Australia	\$0	0#
9481034	Export Destination: Brazil	\$0	0#
9481035	Export Destination: Guyana	\$0	0#
9481036	Export Destination: Philippines	\$0	0#
9481037	Export Destination: Trinidad	\$0	0#
9481038	Export Destination: Angola.	\$0	0#
9481095	Export Destination: Jordan.	\$0	0#
9481196	Export Destination: Israel.	\$0	0#
9481197	Export Destination: Russia.	\$0	0#
9481198	Export Destination: Western Europe.	\$0	0#
9481199	Export Destination: Country not Specified. Export country not otherwise specified	\$0	0#



## T880: REQUIRED INFORMATION

Option	Description	Price	Weight
<b>Stationary Application</b>			
0072000	Chassis Operation Will Not Incl. Stationary application. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
0072001	Chassis Operation Will Include Stationary application used in lower 48 states [US only]. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
0072002	Chassis Operation Will Include Stationary application used in Canada or Alaska. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
0072003	Chassis Operation Will Include Export stationary application. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
<b>Model Series</b>			
0070060	T880	\$0	0#
0070085	T880 Natural Gas Engine	\$0	0#
<b>Model Configurations</b>			
0090000	Non-Sleeper w/ Rear Axle Capacity less than 59K.	\$0	0#
0090020	Non-Sleeper & 59K+ Rear Axle Cap or W/ Sisu Rear axles.	\$0	0#
0090030	Non-Sleeper & Tridem Rear Axle.	\$0	0#
0090032	76 in High-Roof or Mid-Roof Sleeper with Tridem Rear Axle	\$0	0#
0090047	52 in. Tridem Rear Axle.	\$0	0#
0090051	40 in. Tridem Rear Axle.	\$0	0#
0090052	52 in. Mid or Low-Roof Sleeper With Rear Axle Capacity Less Than 59K	\$0	0#
0090076	76 in. High-Roof or Mid-Roof Sleeper With Rear Axle Capacity Less Than 59K	\$0	0#
0090096	T880 with PX-9	\$0	0#
0090100	Non-Sleeper & Front Drive Axle W/ Rear Axle Capacity less than 59K.	\$0	0#
0090108	L9N Non-Sleeper	\$0	0#
0090109	L9N Sleeper	\$0	0#
0090112	ISX12N Non-Sleeper	\$0	0#



## T880: REQUIRED INFORMATION

Option	Description	Price	Weight
<b>Model Configurations</b>			
0090113	ISX12N Sleeper	\$0	0#
0090130	Non-Sleeper & Front Drive Axle & Tridem Rear Axle	\$0	0#
0090140	40 in. Low-Roof Sleeper With Rear Axle Capacity Less Than 59K	\$0	0#
0090200	Non-Sleeper: Front Drive Axle w/59K+ Rear Axle Capacity.	\$0	0#
0090220	Non-Sleeper: Dual Front Axle w/59K+ Rear Axle or w/Sisu Rear Axles.	\$0	0#
0090221	Non-Sleeper w/Dual Front Axle 59K or less Rear Axle Capacity.	\$0	0#
0090230	Non-Sleeper & Dual Front Axle & Tridem Rear Axle.	\$0	0#



## T880: ENGINES

Option	Description	Price	Weight
<b>Emission Idle Reduction Feature</b>			
0080050	CARB Clean Idle Label - PACCAR PX Engines	\$46	0#
0080055	CARB Clean Idle Label - Cummins Engines	\$106	0#
0080066	CARB Clean Idle Label - PACCAR MX Engines	\$100	0#
0080070	CARB Exempt Application Emergency Vehicle Only.	\$0	0#
0080085	CARB Idle - Alternative Fuel Exempt from CARB Anti-Idle.	\$0	0#
0080310	EPA Clean Idle Label - Cummins Engines	\$107	0#
0080312	EPA Clean Idle Label - PACCAR MX Engines	\$100	0#
0080314	EPA Clean Idle Label - PACCAR PX Engines	\$36	0#

## PACCAR

### MX-11

0701111	PACCAR MX-11 355 355@1600 1250@900, 2024 With Engine Brake	(\$1,099)	-396#
0701112	PACCAR MX-11 355R 355@1600 1250@900, 2024 Available for Refuse, with Engine Brake	(\$1,099)	-396#
0701113	PACCAR MX-11 355EV 355@1600 1250@900, 2024 Emergency Vehicle, with Engine Brake	(\$1,099)	-396#
0701114	PACCAR MX-11 400 400@1600 1450@900, 2024 With Engine Brake	(\$933)	-396#
0701115	PACCAR MX-11 400R 400@1600 1450@900, 2024 Available for Refuse, with Engine Brake	(\$933)	-396#
0701116	PACCAR MX-11 430MT 430@1600 1450/1650@900, 2024 With Engine Brake	\$317	-396#
0701117	PACCAR MX-11 430EV 430@1600 1650@900, 2024 Emergency Vehicle, with Engine Brake	(\$783)	-396#
0701118	PACCAR MX-11 445 445@1600 1700@900, 2024 With Engine Brake	(\$668)	-396#

### PX-9

0130221	PACCAR PX-9 330 330@1750 1000@1200, 2024	(\$12,229)	-895#
0130223	PACCAR PX-9 350 350@1750 1050@1200, 2024	(\$10,476)	-895#
0130224	PACCAR PX-9 360 360@1650 1150@1200, 2024	(\$10,266)	-895#
0130226	PACCAR PX-9 370 370@1600 1250@1200, 2024	(\$8,530)	-895#
0130227	PACCAR PX-9 370EV 370@1900 1250@1200, 2024 Emergency Vehicle	(\$7,172)	-895#
0130228	PACCAR PX-9 380 380@1600 1250@1200, 2024	(\$8,427)	-895#
0130229	PACCAR PX-9 380EV 380@1750 1150@1200, 2024 Emergency Vehicle	(\$7,065)	-895#



## T880: ENGINES

Option	Description	Price	Weight
<b>PACCAR</b>			
<b>PX-9</b>			
0130230	PACCAR PX-9 400EV 400@1700 1250@1200, 2024 Emergency Vehicle	(\$7,303)	-895#
0130231	PACCAR PX-9 450EV 450@2100 1250@1200, 2024 Emergency Vehicle	(\$7,664)	-895#
<b>MX-13</b>			
0701208	PACCAR MX-13 405MT 405@1600 1650/1750@900, 2024 With Engine Brake	\$0	0#
0701209	PACCAR MX-13 455 455@1600 1650@900, 2024 With Engine Brake	STD	0#
0701210	PACCAR MX-13 455MT 455@1600 1650/1850@900, 2024 With Engine Brake	\$1,879	0#
0701211	PACCAR MX-13 485 485@1600 1650@1000, 2024 With Engine Brake	\$969	0#
0701212	PACCAR MX-13 510 510@1600 1850@1000, 2024 With Engine Brake	\$1,767	0#
0701213	PACCAR MX-13 510EV 510@1600 1850@1000, 2024 Emergency Vehicle, with Engine Brake	\$1,767	0#
0701216	PACCAR MX-13 455MT 455@1600 1550/1750@900, 2024 With Engine Brake	\$1,387	0#
<b>Cummins</b>			
<b>X15</b>			
0130341	Cummins X15 450 450@1700 1650@900, 2024 Efficiency Series	\$9,046	336#
0130342	Cummins X15 450 450@1700 1750@900, 2024 Efficiency Series	\$9,147	336#
0130343	Cummins X15 450 450@1700 1850@900, 2024 Efficiency Series	\$9,157	336#
0130344	Cummins X15 450ST 450@1700 1450/1650@900, 2024 Efficiency	\$10,522	336#
0130345	Cummins X15 450ST 450@1700 1550/1750@900, 2024 Efficiency	\$10,628	336#
0130346	Cummins X15 450ST 450@1700 1650/1850@900, 2024 Efficiency	\$10,728	336#
0130347	Cummins X15 450EX 450@1700 1750@900, 2024 Efficiency Series	\$10,511	336#
0130348	Cummins X15 450EX 450@1700 1850@900, 2024 Efficiency Series	\$10,522	336#
0130349	Cummins X15 450V 450@1900 1650@900, 2024 Productivity Series	\$9,046	336#
0130350	Cummins X15 450V 450@1900 1750@900, 2024 Productivity Series	\$9,147	336#
0130351	Cummins X15 470V 470@1900 1750@900, 2024 Productivity Series	\$10,429	336#
0130352	Cummins X15 500 500@1700 1650@900, 2024 Efficiency Series	\$11,221	336#
0130353	Cummins X15 500 500@1700 1850@900, 2024 Efficiency Series	\$11,510	336#

Option	Description	Price	Weight
<b>Cummins</b>			
<b>X15</b>			
0130354	Cummins X15 500ST 500@1700 1650/1850@900, 2024 Efficiency	\$13,018	336#
0130355	Cummins X15 500EX 500@1700 1850@900, 2024 Efficiency Series	\$12,893	336#
0130356	Cummins X15 500V 500@1900 1650@900, 2024 Productivity Series	\$11,221	336#
0130357	Cummins X15 500V 500@1900 1850@900, 2024 Productivity Series	\$11,510	336#
0130358	Cummins X15 505EV 505@1800 1850@1000, 2024 Emergency Vehicle	\$10,885	336#
0130359	Cummins X15 525 525@1900 1850@1000, 2024 Performance Series	\$11,711	336#
0130360	Cummins X15 525EX 525@1900 1850@1000, 2024 Performance Series	\$13,094	336#
0130361	Cummins X15 525V 525@1900 1850@1000, 2024 Productivity Series	\$11,711	336#
0130362	Cummins X15 565 565@1900 1850@1000, 2024 Performance Series	\$13,066	336#
0130363	Cummins X15 565 565@1900 2050@1000, 2024 Performance Series	\$15,001	336#
0130364	Cummins X15 565EX 565@1900 1850@1000, 2024 Performance Series	\$14,449	336#
0130365	Cummins X15 565EX 565@1900 2050@1000, 2024 Performance Series	\$16,384	336#
0130366	Cummins X15 565V 565@2000 1850@1150, 2024 Productivity Series	\$13,066	336#
0130367	Cummins X15 565EV 565@1800 1850@1000, 2024 Emergency Vehicle	\$13,066	336#
0130368	Cummins X15 605V 605@1950 1850@1150, 2024 Productivity Series	\$17,735	336#
0130369	Cummins X15 605V 605@1950 2050@1150, 2024 Productivity Series	\$21,971	336#
0130370	Cummins X15 605EV 605@1800 1850@1000, 2024 Emergency Vehicle	\$17,735	336#
0130371	Cummins X15 605EV 605@1950 2050@1000 2024 Emergency Vehicle	\$21,971	336#
<b>Natural Gas</b>			
0125723	ISX12N 320 2018 320@1700 1150@1200 Gov@ 2100 w/Retarder Replaces 0125722	\$37,636	-5#
0125736	ISX12N 330 2018 330@2100 1250@1200 GOV@ 2100 w/Retarder Replaces 0125734	\$38,466	-5#
0125758	ISX12N 350 2018 350@1700 1450@1200 GOV@ 2100 w/Retarder Replaces 0125756	\$39,564	-5#
0125792	ISX12N 385 2018 385@1700 1350@1200 GOV@ 2100 w/Retarder Replaces 0125789	\$40,593	-5#
0125810	ISX12N 400 2018 400@1800 1450@1200 GOV@ 2100 w/Retarder Replaces 0125806	\$43,052	-5#
0128922	L9N 320 2018 320@2000 1000@1300 GOV @2200	\$31,605	-862#

**Export**

\*See PremierSpec for Applicable Restrictions



## T880: ENGINES

Option	Description	Price	Weight
<b>Cummins</b>			
<b>Export</b>			
0122089	Cummins X15E3 400@1800 1450@1100 Euro 3	(\$11,056)	336#
0122090	Cummins X15E3 400@1800 1650@1100 Euro 3	(\$10,277)	336#
0122091	Cummins X15E3 450@1800 1650@1100 Euro 3	(\$8,684)	336#
0122092	Cummins X15E3 ST 450@1800 1650/1850@1100 Euro 3	(\$7,896)	336#
0122093	Cummins X15E3 475@2000 1650@1100 Euro 3	(\$7,997)	336#
0122094	Cummins X15E3 500@2000 1650@1100 Euro 3	(\$7,394)	336#
0122095	Cummins X15E3 500@2000 1850@1100 Euro 3	(\$6,786)	336#
0122096	Cummins X15E3 525@2000 1650@1100 Euro 3	(\$5,665)	336#
0122097	Cummins X15E3 550@2000 1850@1100 Euro 3	(\$4,637)	336#
0122098	Cummins X15E3 600@2000 1850@1100 Euro 3	(\$3,409)	336#
0122417	Cummins ISX15E4 485L 485@2000 1650@1200 Euro 4 With Intebrake	(\$4,342)	206#
0122419	Cummins ISX15 Euro 4 550@2000 1850@1200 With Intebrake	(\$1,571)	206#
0122429	Cummins ISX15 Euro 5 550@2000 1850@1200 W/Intebrake	\$8,525	336#
0122440	Cummins ISX15E4 425U 425@1800 1750@1000 Euro 4, With Intebrake	(\$5,014)	206#
0122453	Cummins ISX15 Euro 5 450@2000 1650@1200 Euro 5, With Intebrake	\$6,250	336#
0122527	Cummins ISX15 Euro 5 525@2000 1650@1200 With Intebrake	\$6,812	336#
0122528	Cummins ISX15 Euro 5 525U 525@2000 1850@1200 With Intebrake	\$7,626	336#





## T880: ENGINE EQUIPMENT

Option	Description	Price	Weight
<b>Engine Information</b>			
1000109	Load-Based Torque Management For X15 Smart Torque (ST). This code enables the Load Based Torque Management parameter for ST rated engines. EX rated engines already have this feature enabled by default. The ST rated Engines are disabled by default. The Smart Advantage Engines had the feature enabled by default and the feature was carried over into the MY20 ST rated X15 engines.	\$0	0#
1000233	Powertrain Protect with SmartAccel - X15 Torque Rate Limiting	\$0	0#
1000329	Cummins ISX Engine Parameters for Split Shaft PTO For use with vacuum tank bodies and Cummins ISX engines. Enables PTO parameters to prevent engine instability issues with vacuum tank applications. Locates vehicle speed sensor on output of transmission instead of transfer case.	\$0	0#
<b>Emissions</b>			
1000046	EPA Emissions Warranty Engine	\$0	0#
1000047	CARB Emissions Warranty Engine	\$0	0#
<b>Engine Idle Shutdown Timers</b>			
1000856	Enable Most Fuel Efficient EIST	\$0	0#
1000857	Engine Idle Shutdown Timer Enabled	\$0	0#
1000858	Engine Idle Shutdown Timer Disabled	\$0	0#
1000859	Enable EIST Ambient Temp Override	\$0	0#
1000860	Enable EIST in PTO Mode Use only with MX and Cummins engines	\$0	0#
1000861	Enable Adjustable EIST Settings	\$0	0#
1000865	Eff EIST 3000 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000870	Eff EIST 0 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000890	Eff EIST 1259000 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000891	Eff EIST NA Expiration Miles Use only with MX and Cummins engines	\$0	0#
1000892	Eff EIST 0 Expiration Miles (CAN) Use only with MX and Cummins engines	\$0	0#
1000912	Eff EIST 1259000 Expiration Miles (CAN) Use only with MX and Cummins engines	\$0	0#
<b>Vehicle Speed Limiters</b>			
1000611	Highest Efficiency VSL Settings	\$0	0#
1000624	Effective VSL Setting 51-51.9 MPH (USA)	\$0	0#
1000625	Effective VSL Setting 52-52.9 MPH (USA)	\$0	0#
1000626	Effective VSL Setting 53-53.9 MPH (USA)	\$0	0#



## T880: ENGINE EQUIPMENT

Option	Description	Price	Weight
<b>Engine Information</b>			
<b>Vehicle Speed Limiters</b>			
1000627	Effective VSL Setting 54-54.9 MPH (USA)	\$0	0#
1000628	Effective VSL Setting 55-55.9 MPH (USA)	\$0	0#
1000629	Effective VSL Setting 56-56.9 MPH (USA)	\$0	0#
1000630	Effective VSL Setting 57-57.9 MPH (USA)	\$0	0#
1000631	Effective VSL Setting 58-58.9 MPH (USA)	\$0	0#
1000632	Effective VSL Setting 59-59.9 MPH (USA)	\$0	0#
1000633	Effective VSL Setting 60.0 MPH (USA)	\$0	0#
1000634	Effective VSL Setting 60.1 MPH (USA)	\$0	0#
1000635	Effective VSL Setting 60.2 MPH (USA)	\$0	0#
1000636	Effective VSL Setting 60.3 MPH (USA)	\$0	0#
1000637	Effective VSL Setting 60.4 MPH (USA)	\$0	0#
1000638	Effective VSL Setting 60.5 MPH (USA)	\$0	0#
1000639	Effective VSL Setting 60.6 MPH (USA)	\$0	0#
1000640	Effective VSL Setting 60.7 MPH (USA)	\$0	0#
1000641	Effective VSL Setting 60.8 MPH (USA)	\$0	0#
1000642	Effective VSL Setting 60.9 MPH (USA)	\$0	0#
1000643	Effective VSL Setting 61.0 MPH (USA)	\$0	0#
1000644	Effective VSL Setting 61.1 MPH (USA)	\$0	0#
1000645	Effective VSL Setting 61.2 MPH (USA)	\$0	0#
1000646	Effective VSL Setting 61.3 MPH (USA)	\$0	0#
1000647	Effective VSL Setting 61.4 MPH (USA)	\$0	0#
1000648	Effective VSL Setting 61.5 MPH (USA)	\$0	0#
1000649	Effective VSL Setting 61.6 MPH (USA)	\$0	0#
1000650	Effective VSL Setting 61.7 MPH (USA)	\$0	0#
1000651	Effective VSL Setting 61.8 MPH (USA)	\$0	0#



## T880: ENGINE EQUIPMENT

Option	Description	Price	Weight
<b>Engine Information</b>			
<b>Vehicle Speed Limiters</b>			
1000652	Effective VSL Setting 61.9 MPH (USA)	\$0	0#
1000653	Effective VSL Setting 62.0 MPH (USA)	\$0	0#
1000654	Effective VSL Setting 62.1 MPH (USA)	\$0	0#
1000655	Effective VSL Setting 62.2 MPH (USA)	\$0	0#
1000656	Effective VSL Setting 62.3 MPH (USA)	\$0	0#
1000657	Effective VSL Setting 62.4 MPH (USA)	\$0	0#
1000658	Effective VSL Setting 62.5 MPH (USA)	\$0	0#
1000659	Effective VSL Setting 62.6 MPH (USA)	\$0	0#
1000660	Effective VSL Setting 62.7 MPH (USA)	\$0	0#
1000661	Effective VSL Setting 62.8 MPH (USA)	\$0	0#
1000662	Effective VSL Setting 62.9 MPH (USA)	\$0	0#
1000663	Effective VSL Setting 63.0 MPH (USA)	\$0	0#
1000664	Effective VSL Setting 63.1 MPH (USA)	\$0	0#
1000665	Effective VSL Setting 63.2 MPH (USA)	\$0	0#
1000666	Effective VSL Setting 63.3 MPH (USA)	\$0	0#
1000667	Effective VSL Setting 63.4 MPH (USA)	\$0	0#
1000668	Effective VSL Setting 63.5 MPH (USA)	\$0	0#
1000669	Effective VSL Setting 63.6 MPH (USA)	\$0	0#
1000670	Effective VSL Setting 63.7 MPH (USA)	\$0	0#
1000671	Effective VSL Setting 63.8 MPH (USA)	\$0	0#
1000672	Effective VSL Setting 63.9 MPH (USA)	\$0	0#
1000673	Effective VSL Setting 64.0 MPH (USA)	\$0	0#
1000674	Effective VSL Setting 64.1 MPH (USA)	\$0	0#
1000675	Effective VSL Setting 64.2 MPH (USA)	\$0	0#
1000676	Effective VSL Setting 64.3 MPH (USA)	\$0	0#



## T880: ENGINE EQUIPMENT

Option	Description	Price	Weight
<b>Engine Information</b>			
<b>Vehicle Speed Limiters</b>			
1000677	Effective VSL Setting 64.4 MPH (USA)	\$0	0#
1000678	Effective VSL Setting 64.5 MPH (USA)	\$0	0#
1000679	Effective VSL Setting 64.6 MPH (USA)	\$0	0#
1000680	Effective VSL Setting 64.7 MPH (USA)	\$0	0#
1000681	Effective VSL Setting 64.8 MPH (USA)	\$0	0#
1000682	Effective VSL Setting 64.9 MPH (USA)	\$0	0#
1000683	Effective VSL Setting 65.0 MPH (USA)	\$0	0#
1000684	Effective VSL Setting NA	\$0	0#
1000685	Effective VSL Setting 51-51.9 MPH (CAN)	\$0	0#
1000686	Effective VSL Setting 52-52.9 MPH (CAN)	\$0	0#
1000687	Effective VSL Setting 53-53.9 MPH (CAN)	\$0	0#
1000688	Effective VSL Setting 54-54.9 MPH (CAN)	\$0	0#
1000689	Effective VSL Setting 55-55.9 MPH (CAN)	\$0	0#
1000690	Effective VSL Setting 56-56.9 MPH (CAN)	\$0	0#
1000691	Effective VSL Setting 57-57.9 MPH (CAN)	\$0	0#
1000692	Effective VSL Setting 58-58.9 MPH (CAN)	\$0	0#
1000693	Effective VSL Setting 59-59.9 MPH (CAN)	\$0	0#
1000694	Effective VSL Setting 60.0 MPH (CAN)	\$0	0#
1000695	Effective VSL Setting 60.1 MPH (CAN)	\$0	0#
1000696	Effective VSL Setting 60.2 MPH (CAN)	\$0	0#
1000697	Effective VSL Setting 60.3 MPH (CAN)	\$0	0#
1000698	Effective VSL Setting 60.4 MPH (CAN)	\$0	0#
1000699	Effective VSL Setting 60.5 MPH (CAN)	\$0	0#
1000700	Effective VSL Setting 60.6 MPH (CAN)	\$0	0#
1000701	Effective VSL Setting 60.7 MPH (CAN)	\$0	0#



## T880: ENGINE EQUIPMENT

Option	Description	Price	Weight
<b>Engine Information</b>			
<b>Vehicle Speed Limiters</b>			
1000702	Effective VSL Setting 60.8 MPH (CAN)	\$0	0#
1000703	Effective VSL Setting 60.9 MPH (CAN)	\$0	0#
1000704	Effective VSL Setting 61.0 MPH (CAN)	\$0	0#
1000705	Effective VSL Setting 61.1 MPH (CAN)	\$0	0#
1000706	Effective VSL Setting 61.2 MPH (CAN)	\$0	0#
1000707	Effective VSL Setting 61.3 MPH (CAN)	\$0	0#
1000708	Effective VSL Setting 61.4 MPH (CAN)	\$0	0#
1000709	Effective VSL Setting 61.5 MPH (CAN)	\$0	0#
1000710	Effective VSL Setting 61.6 MPH (CAN)	\$0	0#
1000711	Effective VSL Setting 61.7 MPH (CAN)	\$0	0#
1000712	Effective VSL Setting 61.8 MPH (CAN)	\$0	0#
1000713	Effective VSL Setting 61.9 MPH (CAN)	\$0	0#
1000714	Effective VSL Setting 62.0 MPH (CAN)	\$0	0#
1000715	Effective VSL Setting 62.1 MPH (CAN)	\$0	0#
1000716	Effective VSL Setting 62.2 MPH (CAN)	\$0	0#
1000717	Effective VSL Setting 62.3 MPH (CAN)	\$0	0#
1000718	Effective VSL Setting 62.4 MPH (CAN)	\$0	0#
1000719	Effective VSL Setting 62.5 MPH (CAN)	\$0	0#
1000720	Effective VSL Setting 62.6 MPH (CAN)	\$0	0#
1000721	Effective VSL Setting 62.7 MPH (CAN)	\$0	0#
1000722	Effective VSL Setting 62.8 MPH (CAN)	\$0	0#
1000723	Effective VSL Setting 62.9 MPH (CAN)	\$0	0#
1000724	Effective VSL Setting 63.0 MPH (CAN)	\$0	0#
1000725	Effective VSL Setting 63.1 MPH (CAN)	\$0	0#
1000726	Effective VSL Setting 63.2 MPH (CAN)	\$0	0#



## T880: ENGINE EQUIPMENT

Option	Description	Price	Weight
<b>Engine Information</b>			
<b>Vehicle Speed Limiters</b>			
1000727	Effective VSL Setting 63.3 MPH (CAN)	\$0	0#
1000728	Effective VSL Setting 63.4 MPH (CAN)	\$0	0#
1000729	Effective VSL Setting 63.5 MPH (CAN)	\$0	0#
1000730	Effective VSL Setting 63.6 MPH (CAN)	\$0	0#
1000731	Effective VSL Setting 63.7 MPH (CAN)	\$0	0#
1000732	Effective VSL Setting 63.8 MPH (CAN)	\$0	0#
1000733	Effective VSL Setting 63.9 MPH (CAN)	\$0	0#
1000734	Effective VSL Setting 64.0 MPH (CAN)	\$0	0#
1000735	Effective VSL Setting 64.1 MPH (CAN)	\$0	0#
1000736	Effective VSL Setting 64.2 MPH (CAN)	\$0	0#
1000737	Effective VSL Setting 64.3 MPH (CAN)	\$0	0#
1000738	Effective VSL Setting 64.4 MPH (CAN)	\$0	0#
1000739	Effective VSL Setting 64.5 MPH (CAN)	\$0	0#
1000740	Effective VSL Setting 64.6 MPH (CAN)	\$0	0#
1000741	Effective VSL Setting 64.7 MPH (CAN)	\$0	0#
1000742	Effective VSL Setting 64.8 MPH (CAN)	\$0	0#
1000743	Effective VSL Setting 64.9 MPH (CAN)	\$0	0#
1000744	Effective VSL Setting 65.0 MPH (CAN)	\$0	0#
<b>Air Compressor</b>			
1002060	Air Compressor: Cummins 18.7 CFM For Cummins And PACCAR PX engines.	(\$67)	0#
1002070	Air Compressor: Cummins 37.4 CFM *For C500 Twin Steer use 1002075	\$2,868	15#
1002080	Air Compressor: Cummins 18.7 CFM, Naturally Aspirated for Cummins X15 engines	\$211	0#
1006003	Air Compressor: WABCO 25.9 CFM PACCAR MX 2017+ 440cc Air Compressor	STD	0#
1006037	Air Compressor: WABCO 37.4 CFM PACCAR MX.	\$2,121	0#



## T880: ENGINE EQUIPMENT

Option	Description	Price	Weight
<b>Air Intake System</b>			
<b>Air Cleaner</b>			
<b>Firewall-Mounted</b>			
1051200	Air Cleaner: Composite Firewall Mounted PACCAR or Cummins Engines	STD	0#
<b>Air Intake Equipment</b>			
1093110	In/Outside Air Intake for Firewall Mounted Air Cleaner. Special air intake door allows driver to select outside air or warm air from under the hood for engine combustion. Aids in cold weather operation. Helps prevent air cleaner from becoming clogged with snow.	\$1,939	0#
1099080	Pre-Cleaner Mounted in the Hood Plenum	\$317	0#
1099380	Ember Separator Mounted in the Hood Plenum	\$1,135	0#
1600116	Cummins Air Intake Throttle Overspeed Shutdown for Cummins X15 Engines.	\$5,620	0#
1600220	PACCAR MX Overspeed Shutdown. Includes manual switch and test switch	\$7,428	25#
1600221	Parking Brake Interlock for Over Speed Shutdown for 2010+ engine requires code 1600110, 120, 130 or 220	\$18	0#
<b>Cooling System</b>			
<b>Cooling Module</b>			
1123555	Cooling module: 1330 square inches. Includes aluminum radiator core, aluminum charge air cooler, translucent surge tank and washer bottle, silicone hoses, and extended life coolant.	STD	0#
1123556	Cooling Module: 1330 square inches. Clog Resistant. *Low clog radiators have reduced cooling capacity compared to standard radiators. Chassis configuration may be subject to engineering review for cooling capacity.	\$1,152	0#
1125640	Cooling module: T8SH/T8B 1440 square inches. Includes aluminum radiator core, aluminum charge air cooler, translucent surge tank and washer bottle, silicone hoses, and extended life coolant. Drain valve is not available w/Allison transmissions.	\$240	0#
<b>2 Speed Fan Clutch</b>			
1105210	Fan hub: Horton 2-Speed for PACCAR MX	STD	0#
1105220	Fan Hub: Horton 2-Speed for X15	\$24	0#
1105230	Fan Hub: Horton 2-Speed for PX-9 or L9N or ISL	\$16	0#
<b>On/Off Fan Clutch</b>			
1105211	Fan Hub: Horton On/Off for PACCAR MX	(\$316)	0#
1105221	Fan Hub: Horton On/Off for X15	(\$419)	0#
1105231	Fan Hub: Horton On/Off for PX-9 or L9N	(\$263)	0#
1105241	Fan Hub: Horton On/Off for ISX12N	(\$269)	0#



## T880: ENGINE EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

### Cooling System

#### On/Off Fan Clutch

1107050	Fan Hub: Borg Warner On/Off ISX12N	(\$65)	0#
1107060	Fan Hub: Borg Warner On/Off for PX-9 or L9N	(\$394)	0#
1107130	Fan Hub: Borg Warner On/Off PACCAR MX	(\$251)	0#
1107140	Fan Hub: Borg Warner On/Off for X15	(\$326)	0#

#### Variable Speed Fan Clutch

1105207	Fan Hub: Horton Variable Speed for Cummins X15 This belt driven fan drive is available on all X15 powered units over 500 HP	\$230	0#
1105208	Fan Hub: Horton Variable Speed for ISX12N *This belt driven fan hub is available on ISX12N engines with all Intended Services except with Stationary Application or Split-shaft PTO's.	\$263	0#
1105209	Fan Hub: Variable Speed for MX-11 Belt Driven	\$88	0#
1105212	Fan Hub: Variable Speed for MX-13 This belt driven fan drive is available on all MX-13 engines with greater than 455 HP. All Intended Services except with Stationary Application or Split-shaft PTO's	\$0	0#

### Cooling System Equipment

1160105	Radiator Winterfront.	\$180	2#
1160205	Bugscreen Front of grille on 2.1M MD, C500 ,T800, T880, and W900. Behind grille on T680 and 1.9M MD.	\$275	2#
1160208	Bug Screen: Between Hood & Grille	\$128	2#
1160728	Lower Radiator Drain Valve For use with 2010+ engine cooling modules, other than 1780 square inches.	\$15	0#

### Exhaust Systems

#### RH under DPF/SCR

1247226	EXH: Single Can 2024 RH Under With Single Vertical Back-of-Sleeper Tailpipe RH Independent Mounted	\$115	-422#
1247245	EXH: Single Can 2024 RH Under with Dual Vertical Back-of-Sleeper Tailpipes Independent Mounted	\$1,640	0#
1247247	EXH: Single Can 2024 RH Under with RH Horizontal Tailpipe Below Rail	(\$523)	0#
1247251	EXH: Single Can 2024 RH Under with Dual Side-of-Cab Tailpipes	\$1,525	-422#
1247263	EXH: Single Can 2024 RH Under with RH Side-of-Cab Vertical Tailpipe	STD	0#
1247264	EXH: Single Can 2024 RH Under with Single Vertical RH Back-of-Cab Tailpipe	\$1,216	-422#





## T880: ENGINE EQUIPMENT

Option	Description	Price	Weight
<b>Exhaust Systems</b>			
<b>Horizontal Under Rail</b>			
1247275	EXH: Single Can 2024 Horizontal Under Rail With Single Vertical Back-of-Sleeper Tailpipe Mounted RH Independent	\$821	0#
1247276	EXH: Single Can 2024 Horizontal Under Rail With Single Horizontal Tailpipe Mounted Below RH Rail	(\$1,378)	-422#
1247277	EXH: Single Can 2024 Horizontal Under Rail With Dual Vertical Back-of-Sleeper Tailpipes Mounted Independent	\$3,992	-422#
<b>Independent</b>			
1247273	EXH: Single Can 2024 Single Vertical Independent With RH Back-of-Sleeper Tailpipe	\$4,921	-422#
1247274	EXH: Single Can 2024 Single Vertical Independent With RH Back-of-Cab Tailpipe	\$3,487	-422#
<b>Transverse</b>			
1247270	EXH: Single Can 2024 Transverse Back-of-Cab with Single LH Back-of-Cab Tailpipe	\$3,910	0#
1247271	EXH: Single Can 2024 Transverse Back-of-Cab with Dual Back-of-Cab Tailpipes	\$5,998	-372#
<b>Twin Steer</b>			
1247220	EXH: Single Can 2024 Twin Steer Vertical Independent with RH Back-of-Cab Tailpipe	\$4,396	0#
<b>Natural Gas</b>			
1227053	EXH: Single Independent CNG Catalyst, Right Hand With Back of Cab Vertical Mounted Muffler, 2018	\$22,552	0#
1247019	EXH: Single Horizontal CNG Catalyst With Single Horizontal Tailpipe, 2018	\$24,630	0#
1247033	EXH: Single Right Hand Under Cab Catalyst With Single Vertical Tailpipe Right Hand Side of Cab	\$20,299	0#
<b>Export</b>			
1201010	Export Exhaust: Single Cab-Mounted Muffler RH Side.	(\$1,117)	0#
1241001	EXH: RH Under Rail EGP W/ Single Horizontal Pipe, Euro 4/5	(\$6,046)	0#
1241041	Export Exhaust: Single HOR MFLR RH Vertical Pipe Side of Cab	(\$559)	0#
1241042	Export Exhaust: Single HOR MFLR Dual Vertical Pipe Side Of Cab	\$972	0#
1241043	Export Exhaust: Single HOR MFLR RH Vertical Pipe Back of Cab	(\$703)	0#
1241044	Export Exhaust: Single Export Horizontal Muffler With Single Horizontal Tailpipe	(\$2,701)	0#
1241045	Export Exhaust: Independent, BOC, With 2 Tie Rods With Bushing	(\$1,096)	0#
1245029	EXH: RH Under EGP W/ Single INDEP Inboard Pipe MTD Behind Sleeper, EURO 4/5	(\$1,032)	0#
1245064	Export Exh: RH Under EGP with Dual Ind Inboard Pipes mounted Back of Sleeper. Euro 4/5	(\$539)	0#



## T880: ENGINE EQUIPMENT

Option	Description	Price	Weight
<b>Exhaust Systems</b>			
<b>Export</b>			
1247149	EXH: Euro 4/5 RH Under EGP with SOC Vertical Pipe	(\$47)	0#
1247158	Exhaust: RH Under EGP with Single BOC Vertical Pipe. For use with Daycab. Euro 4/5	(\$1,800)	0#
1247161	EXH: Horiz. Crossover SCR W/ Horiz. LH Side Side Tailpipe, Euro 4/5	(\$5,441)	0#
1247162	Export Exh: Horiz. Crossover SCR W/ Single Vert. Indp. BOS Tailpipe, Euro 4/5	(\$3,806)	0#
1247163	Export Exh: Horiz. Crossover SCR W/ Dual Vert Indp. BOS Tailpipes, Euro 4/5	(\$3,080)	0#
<b>Exhaust Accessories</b>			
<b>Single Tailpipes</b>			
1290118	Tailpipe: 5 in. Single 18 in. 45 degree curved.	(\$95)	0#
1290124	Tailpipe: 5 in. single 24 in. 45 degree curved.	(\$61)	-3#
1290130	Tailpipe: 5 in. single 30 in. 45 degree curved.	(\$27)	-1#
1290136	Tailpipe: 5 in. single 36 in. 45 degree curved.	STD	0#
1290142	Tailpipe: 5 in. single 42 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$29	2#
1290148	Tailpipe: 5 in. single 48 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$57	3#
1290154	Tailpipe: 5 in. single 54 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$86	5#
1290160	Tailpipe: 5 in. single 60 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$130	7#
1290336	Tailpipe: 7 in. single 36 in. 45 degree curved.	\$224	4#
1290342	Tailpipe: 7 in. single 42 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$231	6#
1290348	Tailpipe: 7 in. single 48 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$279	9#
1290354	Tailpipe: 7 in. single 54 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$307	11#
1290360	Tailpipe: 7 in. single 60 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$307	13#
1291400	Tailpipe: Export Standard for Horizontal Exhaust.	\$0	0#
<b>Dual Tailpipes</b>			
1290224	Tailpipe: 5 in. dual 24 in. 45 degree curved.	\$128	-7#
1290230	Tailpipe: 5 in. dual 30 in. 45 degree curved.	\$216	3#
1290236	Tailpipe: 5 in. dual 36 in. 45 degree curved.	\$121	0#



## T880: ENGINE EQUIPMENT

Option	Description	Price	Weight
<b>Exhaust Accessories</b>			
<b>Dual Tailpipes</b>			
1290242	Tailpipe: 5 in. dual 42 in. 45 degree curved.	\$329	3#
1290248	Tailpipe: 5 in. dual 48 in. 45 degree curved.	\$385	7#
1290254	Tailpipe: 5 in. dual 54 in. 45 degree curved.	\$443	10#
1290260	Tailpipe: 5 in. dual 60 in. 45 degree curved.	\$802	14#
1290436	Tailpipe: 7 in. dual 36 in. 45 degree curved.	\$649	8#
1290442	Tailpipe: 7 in. dual 42 in. 45 degree curved.	\$712	13#
1290448	Tailpipe: 7 in. dual 48 in. 45 degree curved.	\$729	17#
1290454	Tailpipe: 7 in. dual 54 in. 45 degree curved.	\$826	22#
1290460	Tailpipe: 7 in. Dual 60 in. 45 degree curved.	\$882	27#
<b>Miscellaneous</b>			
1291944	Single Lower Chrome Exhaust Elbow	\$254	0#
1291946	Polished Transverse DPF/SCR Covers Requires Transverse Exhaust Code.	\$877	0#
1292329	Exhaust Shield: Dual W/ Kenworth Name Cutout Full length perforated stainless steel. For side mounted exhaust AeroCab only.	\$373	0#
1292944	Dual Lower Chrome Exhaust Elbow	\$692	0#
<b>Filters</b>			
<b>Fuel-Water Separator</b>			
1321100	Fuel Filter: Customer Supplied or None Fuel/Water Separator. ISX12N Only.	(\$95)	0#
1321101	Fuel Filter: PACCAR Extended Service Interval On-Engine Fuel/Water Separator. 2021 and Later Emissions MX Engines only.	STD	0#
1321109	Fuel Filter:PACCAR Standard Service Interval Fuel/Water Separator. 2017 and Later Emissions	\$74	0#
1321110	Fuel Filter:PACCAR Extended Service Interval Fuel/Water Separator, 2017 and Later Emissions	\$101	0#
1321125	Fuel Filter:Davco 382 Fuel/Water Separator	\$450	8#
1321130	Fuel Filter: Davco 483 Fuel/Water Separator	\$753	11#
1321155	Fuel Filter: Rail Mounted for Natural Gas Engines Fuel/Water Separator	\$58	0#
1321200	Run Aid:None *For Fuel Filter	\$0	0#
1321204	Run Aid: Cummins TRV + Coolant Heat for Davco *For Fuel Filter, X15 and 2.1M only	\$471	0#

\*See PremierSpec for Applicable Restrictions



## T880: ENGINE EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

### Filters

#### Fuel-Water Separator

1321205	Run Aid:Fuel Heat *For Fuel Filter	STD	0#
1321210	Run Aid:PACCAR Fuel Blend and Coolant Heat *For Fuel Filter, MX with 2.1 m models, 2017+ Emissions	\$122	1#
1321220	Run Aid:Cummins TRV for Davco only *For Fuel Filter, X15 AND 2.1 m models	\$167	2#
1321225	Run Aid:Coolant Heat *For Fuel Filter	\$228	1#
1321300	Start Aid:None *For Fuel Filter	\$0	0#
1321305	Start Aid:12V Heat *For Fuel Filter	STD	0#
1321320	Start Aid:120V Heat *For Fuel Filter	\$205	1#
1321325	Start Aid:12V AND 120V Heat *For Fuel Filter	\$149	2#
1324376	Davco 382 Fuel filter/Water separator. Unheated for export Cummins ISX or EPA13 MX	\$335	15#
1324377	Davco Fuel Pro 382 Fuel Filter. Unheated. Includes water separator with Water-In-Fuel (WIF) sensor.	\$420	15#
1324383	Davco Fuel Pro 382 Fuel Filter Return fuel heated w/ integral thermostat. Includes water separator with Water-In-Fuel (WIF) sensor.	\$436	15#
1324387	Davco Fuel Pro 382 Fuel Filter. 120V Pre-heated and return fuel heated w/ integral thermostat. Includes water separator with Water-In-Fuel (WIF) sensor.	\$571	15#
1324391	Davco Fuel Pro 382 Fuel Filter. 12V heated and return fuel heated w/ integral thermostat. Includes water separator with Water-In-Fuel (WIF) sensor.	\$953	15#
1329018	Fleetguard Filter/Water Separator FS1000. Heated. Export Only. 12V.	\$164	0#

### Heating & Starting Aids

#### Block Heater

1504002	Immersion Block Heater120V 1000W W/ Plug Under Door on C500 and T800	\$161	0#
1504005	Immersion Block Heater 120V 1500W W/ Plug Under Door on C500, T660, T800 & W900.	\$150	2#
1504010	Immersion Block Heater 240V 1500W W/ Plug Under Door on C500, T660, T800 & W900.	\$117	0#

#### Oil Pan Heater

1506035	Engine Oil Pan Heater 240V 150W W/ Plug Under Door on C500, T660, T800 & W900.	\$108	2#
1506055	Engine Oil Pan Heater, 120V / 300W Includes plug. For use with EPA 2007+ engines.	\$188	2#

#### In-tank Fuel Heater

1509058	Fuel Tank Heater: Single Arctic Fox W/ Thermostat	\$563	6#
---------	---------------------------------------------------	-------	----



## T880: ENGINE EQUIPMENT

Option	Description	Price	Weight
<b>Heating &amp; Starting Aids</b>			
<b>In-tank Fuel Heater</b>			
1509065	Fuel Tank Heater: Dual Arctic Fox W/ Thermostat	\$1,237	15#
<b>Heater Accessories</b>			
1504040	Harness Plug for Block Heater Coiled Under Cab. DEL Plug Under Door C5, T6, T8 & W9	\$0	0#
1507008	Block Heater & Oil Pan Heater Wired to Separate Plugs.	\$0	0#
1509029	Shutoff Valves for Trailer Heat with Hoses Routed at minimum 3 feet BOC/BOS. Installation includes shutoff valves on a loop of hose routed to 3' BOC/BOS. Trailer heat application not to exceed 12 kW (680 BTU/min) of heat draw from the engine. For applications requiring a significant amount of heat (6-12 kW, Ex: heating a tanker), the engine must be warmed up before opening shutoff valves allowing coolant to flow. A separate coolant heater is recommended for applications requiring more heat.	\$290	0#
1509035	Coolant Hoses and 2 Shut-Off Valves for C/I APU	\$173	0#
<b>Fuel Cooler</b>			
1500029	Kenworth Fuel Cooler Required for Cummins engines with a single fuel tank. Required for PACCAR MX-13 engine with a single fuel tank and stationary use: High RPM, low vehicle speed, sustained for longer than 1 hour. Optional for all other applications.	\$219	6#
<b>Rear Engine PTO - REPTO</b>			
6340009	Rear Engine PTO: MX-11, 1.3:1 Drive Ratio Torque Capacity 590 LB-FT Continuous.	\$3,478	48#
6340040	Rear Engine PTO: PX-9, ISL9 Torque Capacity 435 lb-ft continuous, Drive ratio 1.15:1. Includes access provision in toe board.	\$5,350	150#
6340041	Rear Engine PTO ISX12 Only Torque Capacity 465 lb-ft continuous, Drive ratio 1.32:1. Includes access provision in toe board. ISX12N OK.	\$4,758	44#
6340070	Rear Engine PTO: MX-13, 1.2:1 Drive Ratio Torque Capacity 613 LB-FT Continuous. Includes Access Provision In Toe Board.	\$3,449	161#
<b>Governors &amp; Controls</b>			
1405074	Ambient Temperature Sensor for Idle Shutdown for use with Cummins ISM, ISX12, X15, and PACCAR PX Engines.	\$0	0#
<b>Engine Equipment Miscellaneous</b>			
0080020	Chassis to use LNG Fuel System.	\$0	0#
0080021	Chassis to use CNG Fuel System.	\$0	0#
1000051	One MX Remote PTO Speed Control Preset Engine Speed	\$0	0#
1000052	Two MX Remote PTO Speed Control Preset Engine Speeds	\$0	0#



## T880: ENGINE EQUIPMENT

Option	Description	Price	Weight
<b>Engine Equipment Miscellaneous</b>			
1000133	Powertrain Protect Programming-Cummins ISM / ISX12N Engines, Torque Limiting.	\$0	0#
1000170	Enable Engine Regeneration in PTO Mode Cummins	\$0	0#
1000174	Enable Engine Regeneration in PTO Mode PACCAR MX Fan Assist - Off	\$0	0#
1000176	Enable Fan Assist with Engine Regeneration in PTO Mode PACCAR MX *Use with code 1000174 if Fan Assist is Desired.	\$0	0#
1000202	Engine Monitoring Protection -Warning- PACCAR MX Engine Parameter.	\$0	0#
1000204	Engine Monitoring Protection -Derate- PACCAR MX Engine Parameter.	\$0	0#
1000206	Engine Monitoring Protection -Shutdown- PACCAR MX Engine Parameter.	\$0	0#
1000238	Enable Auto-Retard w/ Latch Mode Retarder Control PACCAR MX engine parameter. Selecting this code will program the engine controller to auto retard when cruise control is set. When cruise control is not set w/ button on you have latch mode. Latch mode means the engine retarder is activated when the brake pedal is depressed and does not deactivate until the operator depresses the accelerator.	\$0	0#
1000239	Engine Parameter: Driveline Protect - Torque Limiting PACCAR MX.	\$0	0#
1000241	PT Optimization Analysis: Downspped Economy	\$0	0#
1000242	Gearing Analysis: Fuel Economy fuel efficiency results.	\$0	0#
1000243	Gearing Analysis: Performance power before economy results.	\$0	0#
1000244	Gearing Analysis: Balance power/economy blend results.	\$0	0#
1000245	Customer's Typical Operating Spd: 50 MPH	\$0	0#
1000247	Customer's Typical Operating Spd: 40 MPH	\$0	0#
1000248	Customer's Typical Operating Spd: 55 MPH	\$0	0#
1000249	Customer's Typical Operating Spd: 52 MPH	\$0	0#
1000250	Customer's Typical Operating Spd: 58 MPH	\$0	0#
1000251	Customer's Typical Operating Spd: 60 MPH	\$0	0#
1000252	Customer's Typical Operating Spd: 62 MPH	\$0	0#
1000253	Customer's Typical Operating Spd: 63 MPH	\$0	0#
1000254	Customer's Typical Operating Spd: 65 MPH	\$0	0#
1000255	Customer's Typical Operating Spd: 68 MPH	\$0	0#
1000256	Customer's Typical Operating Spd: 64 MPH	\$0	0#



## T880: ENGINE EQUIPMENT

Option	Description	Price	Weight
<b>Engine Equipment Miscellaneous</b>			
1000257	Customer's Typical Operating Spd: 70 MPH	\$0	0#
1000260	Dealer Declines PT Optimization Results Rear Axle Ratio Selected does not Meet Opt Goal.	\$0	0#
1000275	Customer's Typical Operating Spd: 75 MPH	\$0	0#
1000276	Speed Control Management:Enable Progressive Shift for PACCAR MX engines. Progressive Shift is a feature which encourages a driver to shift at reduced engine speed (RPM) while in lower gears. This is a PACCAR MX Engine Parameter w/ Default Setting. Default settings are optimized for 10-speed transmissions & line haul applications.	\$0	0#
1000277	Speed Control Management: Enable Gear Down Protection for PACCAR MX engines. Gear Down Protection is a feature which encourages a driver to shift into higher gears in order to use the engine at lower engine speed (RPM) when the vehicle is at higher road speed (MPH). This is a PACCAR MX Engine Parameter w/ Default Setting. Default settings are optimized for 10-speed transmissions & line haul applications.	\$0	0#
1000281	MX Engine: Fast Stop Recorder Disable Disables MX Fast Stop recorder functionality, which logs key vehicle parameters whenever vehicle deceleration rates exceed a specified value. See engine ordering and programming guides for further details. 2013+	\$0	0#
1000282	MX Retarder State Cruise Control On Manual Mode Selecting this code will program the engine controller to make manual mode available when cruise control is on, but not set, and the engine brake switch is on. Manual mode means the engine retarder activates whenever the throttle pedal is not depressed. 2013+	\$0	0#
1000283	MX Retarder State Cruise Control On Coast Mode Selecting this code will program the engine controller to make coast mode available when cruise control is on, but not set, and the engine brake switch is on. Coast mode means the engine retarder is only activated when the brake pedal is depressed. 2013+	\$0	0#
1000284	MX Retarder State Cruise Control On Latch Mode Selecting this code will program the engine controller to make latch mode available when cruise control is on, but not set, and the engine brake switch is on. Latch mode means the engine retarder is activated when the brake pedal is depressed and does not deactivate until the operator depresses the accelerator pedal. This sales code cannot be selected if either Code 5 or Code 6 are selected. 2013+	\$0	0#
1000285	Enable MX Retarder Auto-Retard Selecting this code will program the engine to utilize the auto retard mode whenever cruise control speed has been set and the engine brake switch is on. The auto-retard mode will control the vehicle speed to an offset from the cruise control set speed via the engine retarder. The offset speed shall be dependent upon customer inputs via the electronic programming work screen. 2013+	\$0	0#
1000287	Enable MX Retarder Downhill Speed Limiter Selecting this code will program the engine to utilize the Downhill Speed Limiter functionality. The Downhill Speed Limiter functionality will control the vehicle to a customer-programmed maximum speed when the engine brake switch is in the ON position, whether or not cruise control is active. 2013+	\$0	0#
1000288	Disable MX Retarder Selecting this code will program the engine to never actuate the engine brake, regardless of switch input. This code will be reflected as a programmable parameter on the engine, so customers can re-enable the MX engine retarder via aftermarket programming at their local Kenworth or Peterbilt dealership. A restriction must be put in place to not allow the selection of this code on trucks with any type of adaptive cruise braking or collision mitigation system as they use the engine brake in their base functionality. 2013+	\$0	0#
1000289	Delete MX-11 Retarder (Engine Brake)	(\$1,893)	0#



## T880: ENGINE EQUIPMENT

Option	Description	Price	Weight
<b>Engine Equipment Miscellaneous</b>			
1000341	PTO Mode Control - Cab Station.	\$0	0#
1000342	PTO Mode Control - Remote Station.	\$0	0#
1000343	PTO Mode Control - Cab and Remote Station.	\$0	0#
1900300	Steel Front Engine Supports.	\$471	15#
1901017	Remote PTO/Throttle, 12-Pin, Engine Bay Remote Control Provision	STD	0#
1901018	Remote PTO/Throttle, 12-Pin, 250K, Back of Cab OR Back of Sleeper, J1939, Remote Control Provision	\$65	0#
1901019	Remote PTO/Throttle, 12-Pin, 250K End of Frame, J1939, Remote Control Provision	\$17	0#
1901020	Remote PTO/Throttle, 12-Pin, 500K, Back of Cab OR Back of Sleeper, J1939, Remote Control Provision	\$19	0#
1901021	Remote PTO/Throttle, 12-Pin, 500K End of Frame J1939, Remote Control Provision	\$19	0#
1901022	Remote Presets and Interlock, 8-Pin, Engine Bay; Requires Code 1901017	\$53	0#
1901023	Remote Presets and Interlock, 8-Pin, Back of Cab OR Back of Sleeper; Requires Code 1901018 OR 1901020	\$160	2#
1901024	Remote Presets and Interlock, 8-Pin, End of Frame Requires Code 1901019 or 1901021	\$204	0#
1901078	J1939 Harness Extension Under Hood at Firewall Driver Side	\$136	0#
1901083	J1939 Harness (read only) to EOF for Body Builder This option allows the customer to read EPA 2010+ engine parameters from their remote station. "Read Only" means you cannot write information to any components on this harness but can only "Read" information from it.	\$111	0#
1903008	Steel Oil Pan for PACCAR MX Engines	\$1,001	10#
1903010	Enable Driver Performance Assistant (DPA) Enables the overall Driver Performance Assistant functionality, which provides visual feedback to the driver that helps improve their fuel economy, minimize wear on the service brakes, and provides long-term scores indicative of how well the driver is performing against both goals.	\$0	0#
1903011	DPA - Enable Driver Coaching Enables popups that will actively coach the driver to improve their performance if they are performing poorly, or congratulate them if they are doing well. Frequency of the popups are conditioned upon the driver's overall, long-term score. A better score leads to less frequent popups, while a poorer score leads to more frequent popups.	\$0	0#
1903012	DPA - Enable Anticipation Score Enables the Driver Performance Assistant's Anticipation Score functionality that encourages the driver to anticipate braking events earlier and coast longer in order to increase fuel economy.	\$0	0#
1903013	DPA - Enable Brake Saving Score Enables the Driver Performance Assistant's Brake Saving Score functionality that encourages the driver to use engine brakes to avoid service brake wear.	\$0	0#





## T880: ENGINE EQUIPMENT

Option	Description	Price	Weight
<b>Engine Equipment Miscellaneous</b>			
1903014	DPA - Enable Reset by Driver Indicates whether or not the customer wants the driver to have the ability to reset the long-term scoring within the DPA functionality. Customers always have the ability to reset the scoring via a service tool.	\$0	0#
1903015	DPA - Enable Tire Pressure Reminder Enables reminders related to low tire pressures that can negatively impact fuel economy. These warnings would occur prior to typical TPMS system warnings that are focused on critically low tire pressures that can lead to tire damage.	\$0	0#
1903016	DPA - Enable Automated Transmission Reminder Enables reminders to the driver to put an automated transmission back into automated mode after it has been left in manual mode for an extended period of time.	\$0	0#
1903018	DPA - Recommended Settings	\$0	0#
1903019	DPA - Custom Settings	\$0	0#
1903020	Decline Driver Performance Assistant (DPA)	\$0	0#
1903030	Enable Driver Reward	\$0	0#
1903031	Enable Ton MPG	\$0	0#
1903032	Enable Fuel Economy	\$0	0#
1903033	Enable Idle Time Percentage	\$0	0#
1903034	Enable Driver Shift Aid	\$0	0#
8240004	Throttle Input Ignored When Park Brake Engaged.	\$110	0#
<b>Retarders</b>			
1700122	Delete Retarder: Cummins ISX12N Engines	(\$2,031)	-40#
1700123	Retarder: Cummins ISX12N	\$0	40#
1700149	Retarder: Jacobs for PX-9 and ISL With 3-way switch. Replaces the standard turbo brake for PX-9 engines.	\$2,964	57#
1700152	Retarder Jacobs for ISM W/ 3-Way Switch Allows 2-, 4-, or all 6-cylinder operation for 2007. All pre-2007 ISM engines have a 2-way switch allows 3-cylinders or all 6-cylinder operation.	\$2,898	0#
<b>Starting &amp; Recharging</b>			
<b>Alternator</b>			
1811276	Alternator: Leece Neville 270 amp Long Brush. 270amp alternator with 150A fuse for body builder (Class 8 only, not for use with ICBB, temporary battery box, or vocational cantilever battery box)	\$1,268	0#
1812162	Alternator: 160 amp Brushless with battery voltage sense. *This code replaced 1812160.	\$397	9#
1812163	Alternator: PACCAR HDS 160 AMP Brushed	STD	0#



## T880: ENGINE EQUIPMENT

Option	Description	Price	Weight
<b>Starting &amp; Recharging</b>			
<b>Alternator</b>			
1812164	Alternator: SEG HDS 200 AMP Brushed	\$151	0#
1812430	Alternator: Delco 40SI 240 amp Brushless with battery voltage sense	\$1,091	0#
1812440	Alternator: Delco 40SI 275 amp Brushless with battery voltage sense.	\$1,267	0#
1812450	Alternator: Delco 40SI 300 amp Brushless with battery voltage sense.	\$1,360	18#
1812451	Alternator: Delco 40SI 320 amp Brushless with battery voltage sense	\$1,472	14#
1816200	Alternator: SEG 200 amp, Brush Type Formerly Bosch.	\$80	0#
1816260	Alternator: PACCAR 160 amp, Brush Type	(\$6)	0#
<b>Battery</b>			
1821210	Batteries: 3 PACCAR GP31 Threaded Post (700-730) 2100-2190 CCA dual purpose.	STD	0#
1821215	Batteries: 4 PACCAR GP31 Threaded Post (700-730) 2800-2920 CCA dual purpose.	\$244	57#
1821219	Batteries: 1 PACCAR GP31 THR (700-730) 700-730 CCA Dual Purpose Batteries. *Use w/ 1821218	(\$460)	-114#
1821220	Batteries: 2 PACCAR GP31 Threaded Post (700-730) 1400-1460 CCA dual purpose.	(\$223)	-57#
1821225	Batteries: 2 PACCAR GP31 Threaded Post (1000) 2000 CCA starting.	(\$235)	-59#
1821230	Batteries: 4 PACCAR GP31 Tapered Post (700-730) 2800-2920 CCA dual purpose.	\$265	57#
1821271	Batteries: 2 AGM GP31 threaded post 1850 CCA For 2.1m with In Cab Battery Box (ICBB) only	\$55	-50#
1821275	Batteries: 3 AGM GP31 THR (925) 2775 CCA. For T680, T880, or W990 in cab battery box only.	\$424	0#
1825006	Batteries: 4 Odyssey GP 31 AGM Threaded Post (1150) 4600 CCA	\$1,528	126#
1825007	Batteries: 3 Odyssey GP 31 AGM Threaded Post (1150) 3450 CCA	\$1,003	48#
<b>Battery Equipment</b>			
1840005	Battery Disconnect Switches 2, Mounted On Battery Box.	\$191	2#
1840006	Battery Disconnect Switches 2, Mounted in Cab Requires battery box LH under.	\$390	2#
1840010	Steel Battery Holddowns Standard W/ 3 Batteries.	\$183	4#
1840024	Battery Disconnect Switch: 1 Cab Floor Locking	\$304	0#
1840065	12V Low Voltage Disconnect for Battery Protection	\$0	0#
1900996	Jump Start Terminals Under Hood.	\$276	12#



## T880: ENGINE EQUIPMENT

Option	Description	Price	Weight
<b>Starting &amp; Recharging</b>			
<b>Battery Equipment</b>			
1901003	Jump Start Terminals Frame Mounted BOC or Sleeper.	\$364	12#
1901014	External Battery Terminals Mounted Under Hood *Use W/ 1821218	\$346	12#
1901015	External Battery Terminals: Frame Mounted BOC/SLPR Above Rail *Use W/ 1821218	\$245	12#
<b>Starter</b>			
1832021	Export starter: Delco 12 volt 42MT.	\$258	0#
1836102	PACCAR Premium 12V Starter with PACCAR MX Engines PACCAR 12 volt electrical system. With centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded.	STD	0#
1836103	PACCAR Premium 12V Starter W/ Cummins X15 Engines PACCAR 12 volt electrical system. With centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system with circuit protection circuits number & color coded.	\$123	0#
1836106	Mitsubishi 105P55 12V Starter with Cummins and PX PACCAR 12 volt electrical system. W/ centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded. Only for Cummins or PX engines.	\$0	0#



## T880: TRANSMISSIONS

Option	Description	Price	Weight
<b>Eaton</b>			
<b>10-Speed</b>			
2057360	Transmission: Fuller FRO14210C 10-speed Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1450 pound-feet.	(\$6,235)	75#
2057371	Transmission: Fuller RTO14908LL 10-speed. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1450 pound-feet.	(\$4,499)	176#
2057384	Transmission:Eaton FO14E308LL-VCS UltraShift Plus 10-speed w/Hill Start Aid feature. Standard with synthetic lubricant. This product has extended forward and reverse gear ratio coverage specifically designed for dump truck or other construction applications. *Torque Limit: 1450 pound-feet.	\$4,598	284#
2058359	Transmission: Fuller FRM15210B 10-speed w/pump & external oil cooler. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1550 pound-feet.	(\$5,742)	93#
2058362	Transmission: Fuller FRO16210C 10-speed w/pump & external oil cooler. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1650 pound-feet.	(\$5,581)	87#
2058372	Transmission: Fuller RTO16908LL 10-speed w/pump & oil cooler. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1650 pound-feet.	(\$4,821)	180#
2058384	Transmission: Fuller FRO18210C 10-speed w/external oil cooler; w pump. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1850 pound-feet.	(\$3,711)	97#
2058408	Transmission:Eaton FO17E308LL-VCS UltraShift Plus 10-speed w/Hill Start Aid feature. Standard with synthetic lubricant. *Torque Limit: 1750 pound-feet. Ultrashift plus transmissions require ABS that includes air traction control	\$6,529	284#
2058409	Transmission:Eaton FO16E308LL-VCS UltraShift Plus 10-speed w/Hill Start Aid feature. Standard with synthetic lubricant. This product has extended forward and reverse gear ratio coverage specifically designed for dump truck or other construction applications. *Torque Limit: 1650 pound-feet.	\$6,505	284#
2058422	Fuller Advantage Automated FAO-14810C-EA3 10SPD No Cooler w/ HSA *Use w/ 2250385 Only.	(\$1,528)	198#
2058431	Fuller Advantage Automated FAOM-15810C-EA3 10SPD No Cooler w/ HSA *Use w/ 2250385 Only.	(\$455)	198#
2058437	Fuller Advantage Automated FAO-16810C-EA3 10Speed No Cooler w/ HSA *Use w/ 2250385 Only.	(\$1,133)	198#
2058438	Fuller Advantage Automated FAOM-16810C-EA3 10 Speed, No Cooler w/ HSA *Use w/ 2250385 Only.	(\$175)	198#
<b>11-Speed</b>			
2057420	Transmission: Eaton FO-14E309ALL-VMS UltraShift Plus 11-speed w/Hill Start Aid feature. Standard with synthetic lubricant. This product has a deep drive ratio intended for use in mixer applications, or where deep reduction is needed. *Torque Limit: 1450 pound-feet.	\$8,196	284#
2057422	Transmission: Fuller RTO14909ALL 11-speed. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1450 pound-feet.	(\$3,665)	157#
2058402	Transmission: Fuller RTO16909ALL 11-speed w/oil cooler & pump. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1650 pound-feet.	(\$2,312)	188#



## T880: TRANSMISSIONS

Option	Description	Price	Weight
<b>Eaton</b>			
<b>11-Speed</b>			
2058420	Transmission: Eaton FO-16E309ALL-VMS UltraShift Plus 11-speed w/Hill Start Aid feature. Standard with synthetic lubricant. This product has a deep drive ratio intended for use in mixer applications, or where deep reduction is needed. *Torque Limit: 1650 pound-feet.	\$8,579	284#
<b>12-Speed</b>			
2058775	Eaton EEO-16F112C Endurant 12-speed, 1650 LB FT with Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode.	\$385	0#
2058776	Eaton EEO-17F112C Endurant 12-speed, 1750 LB FT with Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode.	\$824	0#
2058784	Eaton EEO-18F112C Endurant 12-speed, 1850 LB FT with Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode.	\$1,212	0#
2058790	Eaton EHD-14F112C-N Endurant HD 12-speed 1450 LB FT with Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. No rear PTO. Natural Gas Engines only.	\$3,352	0#
2058791	Eaton EEO-14F112C Endurant 12-speed, 1450 LB FT with Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.	(\$627)	0#
2058792	Eaton EEO-15F112C Endurant 12-speed, 1550 LB FT with Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.	(\$284)	0#
2058793	Eaton EEO-16F112C Endurant 12-speed, 1650 LB FT with Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.	\$0	0#
2058794	Eaton EEO-17F112C Endurant 12-speed, 1750 LB FT with Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.	\$438	0#
2058795	Eaton EEO-18F112C Endurant 12-speed, 1850 LB FT with Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.	\$826	0#
<b>13-Speed</b>			
2058446	Transmission: Fuller RTLO18913A 13-speed w/oil cooler & pump. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1850 pound-feet.	(\$1,766)	206#
2058447	Transmission: Fuller RTLO20913A 13-speed with oil cooler and pump. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 2050 pound-feet.	\$879	208#
2058460	Transmission: Eaton FO16E313A-MHP UltraShift Plus 13-speed w/Hill Start Aid feature. Standard with synthetic lubricant. This product should be used for long haul over the road applications. *Torque Limit: 1650 pound-feet.	\$4,306	272#
2058461	Transmission: Eaton FO18E313A-MHP UltraShift Plus 13-speed w/Hill Start Aid feature. Standard with synthetic lubricant. This product should be used for long haul over the road applications. *Torque Limit: 1850 pound-feet.	\$5,684	272#
2058463	Transmission: Eaton FO20E313A-MHP UltraShift Plus 13-speed w/Hill Start Aid feature. Standard with synthetic lubricant. This product should be used for long haul over the road applications. *Torque Limit: 2050 pound-feet.	\$6,400	272#



## T880: TRANSMISSIONS

Option	Description	Price	Weight
<b>Eaton</b>			
<b>18-Speed</b>			
2058741	Transmission: Fuller RTLO22918B 18-speed w/oil cooler & pump. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 2250 pound-feet.	\$3,303	214#
2058744	Transmission: Fuller RTLO18918B 18-speed w/oil cooler & pump. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1850 pound-feet.	(\$1,671)	214#
2058753	Transmission: Eaton FO18E318B-VXP UltraShift Plus 18-speed w/Hill Start Aid feature. Standard with synthetic lubricant. This product should be used in heavy haul, oilfield & mining applications, or other off-road services. *Torque Limit: 1850 pound-feet.	\$15,501	272#
2058754	Transmission: Eaton FO20E318B-VXP UltraShift Plus 18-speed w/Hill Start Aid feature. Standard with synthetic lubricant. This product should be used in heavy haul, oilfield & mining applications, or other off-road services. *Torque Limit: 2050 pound-feet.	\$16,169	272#
2058755	Transmission: Eaton FO16E318B-MXP UltraShift Plus 18-speed w/Hill Start Aid feature. Standard with synthetic lubricant. This product should be used for heavy loads operating primarily on highway. *Torque Limit: 1650 pound-feet.	\$7,760	272#
2058756	Transmission:Eaton FO18E318B-MXP UltraShift Plus 18-speed w/Hill Start Aid feature. Standard with synthetic lubricant. This product should be used for heavy loads operating primarily on highway. *Torque Limit: 1850 pound-feet.	\$7,909	272#
2058757	Transmission: Eaton FO20E318B-MXP UltraShift Plus 18-speed w/Hill Start Aid feature. Standard with synthetic lubricant. This product should be used for heavy loads operating primarily on highway. *Torque Limit: 2050 pound-feet.	\$9,523	272#
2058771	Transmission: Fuller RTLO20918B 18-speed w/oil cooler & pump. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 2050 pound-feet.	\$1,013	214#
2058785	Eaton EXDP-16F118D Endurant XD Pro 18 Speed 1650 LB FT, With Hill Start Aid and provisions for rear and bottom mounted PTO.	\$11,738	48#
2058786	Eaton EXDP-18F118D Endurant XD Pro 18 Speed 1850 LB FT, with Hill Start Aid and provisions for rear and bottom mounted PTO.	\$13,101	48#
2058787	Eaton EXDP-20F118D Endurant XD Pro 18 Speed 2050 LB FT, with Hill Start Aid and provisions for rear and bottom mounted PTO.	\$14,310	48#
2058788	Eaton EXD16F118D Endurant XD 18 Speed 1650 LB FT, with Hill Start Aid and provisions for rear and bottom mounted PTO.	\$9,064	48#
2058789	Eaton EXD18F118D Endurant XD 18 Speed 1850 LB FT, with Hill Start Aid and provisions for rear and bottom mounted PTO.	\$10,175	48#
<b>Allison</b>			
<b>5-Speed</b>			
2011610	Transmission: Allison 3000HS 5-speed, No PTO drive gear. 6th Generation Controls. Includes heat exchanger & oil level sensor. Highway Service only as defined by Allison. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$4,917	75#

Option	Description	Price	Weight
<b>Allison</b>			
<b>5-Speed</b>			
2011612	Transmission: Allison 3000RDS 5-speed, With PTO drive gear. 6th Generation Controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Requires a push button shift control code. Oil temperature gauge is standard on class 8 models. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$6,777	122#
2011630	Transmission: Allison 3500RDS 5-speed, With PTO drive gear. Limited to 1050LBFT. 6th Generation controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$7,636	122#
2016611	Transmission: Allison 4000RDS 5-speed, With PTO drive gear. No Retarder. 6th Generation controls. For vocational applications. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$24,599	478#
2016613	Transmission: Allison 4000EVS 5-speed, With PTO drive gear. No Retarder. 6th Generation controls. Emergency Vehicle only. Includes shift control, transmission oil temp gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$25,839	478#
2016625	Transmission: Allison 4500RDS 5-speed, With PTO drive gear. No retarder. 6th Generation controls. For vocational applications. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$25,374	478#
2016626	Transmission: Allison 4500RDS 5-speed, No PTO drive gear. No Retarder. 6th Generation controls. For vocational applications. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$25,374	403#
2016629	Transmission: Allison 4500EVS 5-speed, With PTO drive gear. No Retarder. 6th Generation controls. Emergency Vehicle only. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$24,039	478#
<b>6-Speed</b>			
2011611	Transmission: Allison 3000HS 6-speed, No PTO drive gear. 6th Generation controls. Includes heat exchanger & oil level sensor. Highway Service only as defined by Allison. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$4,917	75#
2011613	Transmission: Allison 3000RDS 6-speed, With PTO drive gear. 6th Generation controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Requires a push button shift control code. Oil temperature gauge is standard on class 8 models. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$6,777	-76#
2011615	Transmission: Allison 3000EVS 6-speed, With PTO Provisions at 4 and 8 o'clock. 6th Generation controls. Includes heat exchanger & oil level sensor. Emergency Vehicle Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$9,765	122#
2011631	Transmission: Allison 3500RDS 6-speed, With PTO drive gear. Limited to 1050LBFT. 6th Generation Controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$7,636	-76#





## T880: TRANSMISSIONS

Option	Description	Price	Weight
<b>Allison</b>			
<b>6-Speed</b>			
2011632	Transmission: Allison 3500EVS 6-speed, With PTO drive gear. 6th Generation controls. Includes heat exchanger & oil level sensor. Emergency Vehicle Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$11,073	41#
2016610	Transmission: Allison 4000HS 6-speed, No PTO drive gear. No retarder. 6th Generation controls. Highway service only. Includes shift control, transmission oil temp gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$24,401	403#
2016612	Transmission: Allison 4000RDS 6-speed, With PTO drive gear. No retarder. 6th Generation controls. For vocational applications. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$24,599	478#
2016614	Transmission: Allison 4000EVS 6-speed, With PTO drive gear. No retarder. 6th Generation controls. Emergency Vehicle only. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$25,839	478#
2016627	Transmission: Allison 4500RDS 6-speed, With PTO drive gear. No Retarder. 6th Generation controls. For vocational applications. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$26,055	478#
2016628	Transmission: Allison 4500RDS 6-speed, No PTO drive gear. No Retarder. 6th Generation controls. For vocational applications. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$25,374	403#
2016630	Transmission: Allison 4500EVS 6-speed, With PTO drive gear. No Retarder. 6th Generation controls. Emergency Vehicle only. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$24,039	478#
<b>7-Speed</b>			
2016652	Transmission: Allison 4700RDS 7-speed, With PTO drive gear. With 2-speed reverse. No Retarder. 6th Generation controls. Includes shift control, transmission oil temp gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$33,131	728#
2016653	Transmission: Allison 4700RDS 7-speed, No PTO drive gear. With 2-speed reverse. No Retarder. 6th Generation controls. Includes shift control, transmission oil temp gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$32,057	435#
<b>PACCAR</b>			
<b>12-Speed</b>			
2058601	PACCAR TX-12: PO-14F112C, 12-speed, 1450 LB FT With Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.	(\$627)	0#
2058602	PACCAR TX-12: PO-15F112C, 12-speed, 1550 LB FT With Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.	(\$284)	0#





## T880: TRANSMISSIONS

Option	Description	Price	Weight
<b>PACCAR</b>			
<b>12-Speed</b>			
2058603	PACCAR TX-12: PO-16F112C, 12-speed, 1650 LB FT With Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.	STD	0#
2058604	PACCAR TX-12: PO-17F112C, 12-speed, 1750 LB FT With Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.	\$438	0#
2058605	PACCAR TX-12: PO-18F112C, 12-speed, 1850 LB FT With Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.	\$826	0#
<b>18-Speed</b>			
2058610	PACCAR TX-18 Pro: PXDP-16F118D, 18 Speed 1650 LB FT, With Hill Start Aid and provisions for rear and bottom mounted PTO.	\$11,738	48#
2058611	PACCAR TX-18 Pro: PXDP-18F118D, 18 Speed 1850 LB FT, With Hill Start Aid and provisions for rear and bottom mounted PTO.	\$13,101	48#
2058613	PACCAR TX-18: PXD-16F118D, 18 Speed, 1650 LB FT With Hill Start Aid and provisions for rear and bottom mounted PTO.	\$9,064	48#
2058614	PACCAR TX-18: PXD-18F118D, 18 Speed, 1850 LB FT With Hill Start Aid and provisions for rear and bottom mounted PTO.	\$10,175	48#
<b>Transmission Equipment</b>			
2410005	Optional Neutral Start Switch.	\$63	0#
2410047	High Capacity Input Shaft Bearing for High PTO Duty Cycle	\$30	0#
2410072	Auto Neutral not Required this Application.	\$0	0#
2410114	Left Hand PTO Access, Right Hand Dip Stick Tube Allison 3000 series only.	\$26	0#
2410151	Pushbutton Control Center Console Mounted. Class 8 with Allison Transmission.	\$0	0#
2410154	Allison Lever Control, Center Console Mounted. The lever shifter is for use with Allison Transmissions and is located in the dash cup holder assembly.	\$379	0#
2410244	J1939 Park Brake Auto Neutral	\$0	0#
2444000	Chrome Shift Lever for Main Transmission.	\$111	0#
2450114	Add Transmission Filter: Eaton UltraShift Plus *Optional. Filter is installed on the transmission by Eaton.	\$263	0#
2480315	Severe Service Rear Transmission Support Spring(s).	\$92	15#
9490930	Vent Transmission, Drive Axle & Transfer Case to filter.	\$169	8#
<b>Allison Software</b>			
2410204	Allison Fuel Sense: Delete	\$0	0#



## T880: TRANSMISSIONS

Option	Description	Price	Weight
<b>Transmission Equipment</b>			
<b>Allison Software</b>			
2410212	Allison Transmission Mobile PTO Operation - Change max output speed to 4500 RPM	\$0	0#
2410310	Allison Neutral at Stop	\$0	0#
2410312	Allison Neutral at Stop Not Applicable	\$0	0#
2410319	Allison Fuel Sense: Dynactive Includes Dynamic Shift Sensing	\$315	0#
2410325	Allison Fuel Sense: ARM Base Economy	\$321	0#
2410326	Allison Fuel Sense: ARM High Economy	\$321	0#
2410327	Allison Fuel Sense: ARM Super Economy	\$321	0#
<b>Eaton Software</b>			
2038252	Eaton AMT LSM Package - Linehaul Config Low Speed Maneuverability, Rev=Blended Pedal, Drive=Urge to Move, Manual=Standard, Low=Blended Pedal Eaton AMT Low Speed Maneuverability parameters to utilize various Eaton low speed functions depending on transmission shift selection (Reverse, Drive, Manual, Low). Eaton service tool can be utilized to reconfigure parameters individually if customer desires something other than typical Linehaul or Vocational package options.	\$0	0#
2038253	Eaton AMT LSM Package - Vocational Config Low Speed Maneuverability, Rev=Blended Pedal, Drive=Urge to Move, Manual=Standard, Low=Blended Pedal Eaton AMT Low Speed Maneuverability parameters to utilize various Eaton low speed functions depending on transmission shift selection (Reverse, Drive, Manual, Low). Eaton service tool can be utilized to reconfigure parameters individually if customer desires something other than typical Linehaul or Vocational package options.	\$0	0#
2050007	Neutral Coast Mode Disabled Eaton Automated Transmission Programming.	\$0	0#
2050008	Neutral Coast Mode Cruise Only Eaton Automated Transmission Programming.	\$0	0#
2050009	Neutral Coast Mode Pedal Only Eaton Automated Transmission Programming. For use with X15 only.	\$0	0#
2050010	Neutral Coast Mode Pedal and Cruise Eaton Automated Transmission Programming. For use with X15 only.	\$0	0#
2410241	1st Gear Start for Eaton UltraShift.	\$0	0#
2410704	Standard Shift Calibration	\$0	0#
2410706	Tanker Shift Calibration	\$0	0#
2410708	Performance Shift Calibration	\$0	0#
2410753	Second Shift Calibration: Off Road PACCAR TX-18 PRO And Endurant XD PRO	\$0	0#
2410754	Enable Second Shift Calibration PACCAR TX-18 PRO And Endurant XD PRO	\$0	0#
2410755	Second Shift Calibration: Standard PACCAR TX-18 PRO And Endurant XD PRO	\$0	0#



## T880: TRANSMISSIONS

Option	Description	Price	Weight
<b>Transmission Equipment</b>			
<b>Eaton Software</b>			
2410756	Second Shift Calibration: Performance PACCAR TX-18 PRO And Endurant XD PRO	\$0	0#
2410757	Second Shift Calibration: Tanker PACCAR TX-18 PRO And Endurant XD PRO	\$0	0#
<b>Auxiliary Transmissions</b>			
2154321	Aux: AT1202 2-speed Electric Over Air Shift 3-position Rocker Switch Dash Mounted and Includes Synthetic Lubricant	\$21,595	522#
<b>Transfer Case</b>			
2328245	Transfer Case: Fabco TC-142 873-0079-121 2-Speed w/PTO.	\$56,814	1,115#
2329126	Transfer Case: Fabco TC-143 1-Speed W/PTO With neutral with lube pump 873-0031-004	\$53,192	1,033#
2329128	Transfer Case: Fabco TC-143 873-0089-006 1-Speed w/o PTO, w/o neutral w/lube pump.	\$35,511	1,033#
2329339	Transfer Case: Fabco TC-142 2-Speed 873-0079-116 w/o PTO. 1.00:1 high, 2.23:1 low. W/dual acting high-low air shift. W/single acting air shift front drive engagement. W/pressurized lubrication pump & spin-on filter. W/ metal plug in speedo opening. W/special oil level for high speed applications. W/o neutral. W/o PTO.	\$44,644	1,444#
2349006	Jackshaft Installation: Includes 2 Centerbearings and 2 Crossmembers to Support the Jackshaft.	\$3,388	100#
<b>Split-Shaft PTO</b>			
2349018	Split Shaft PTO: C/I Namco 174C Series Info code for compatibility only.	\$0	0#
2410073	Customer-Installed Split Shaft PTO Informational only, nothing additional is provided.	\$0	0#
<b>Clutch</b>			
2240208	Clutch: 430mm Self-Adjust Organic, Max Torque 1850 ft-lbs	STD	0#
2240211	Clutch: 430mm Self-Adjust, High Capacity Organic, Max Torque 2050 ft-lbs	\$918	0#
2250496	Clutch: Eaton 15-1/2 in. Advantage Self-Adjust to 1750 ft-lb, Ceramic, 4-Paddle, Predamper	\$918	0#
2250497	Clutch: Eaton 15-1/2 in. Advantage Self-Adjust to 1850 ft-lb, Ceramic, 6-Paddle, Predamper	\$1,478	6#
2250498	Clutch: Eaton 15-1/2 in. Advantage Self-Adjust to 2050 ft-lb, Ceramic, 6-Paddle, Predamper	\$1,536	6#
2250499	Clutch: Eaton 15-1/2 in. Advantage Self-Adjust to 2250 ft-lb, Ceramic, 6-Paddle, Predamper	\$1,861	6#
<b>Manually Adjusting</b>			
2250385	Clutch:UltraShift Plus Or Fuller Advantage Series Automated transmissions.	\$921	0#



## T880: TRANSMISSIONS

Option	Description	Price	Weight
<b>Clutch</b>			
<b>Miscellaneous</b>			
2294080	Air-Assisted Hydraulic Clutch	\$0	0#
2493009	Aluminum Clutch Housing	\$0	0#
2494050	Grease Bank for Clutch Throwout Bearing	\$111	4#
<b>Torque Converter</b>			
2410018	Torque Converter Included W/ Allison Transmission.	\$0	0#
<b>PTO</b>			
<b>Chelsea</b>			
2421388	PTO: Chelsea 280GGFJP-B5RK, 10 Bolt LH side mounted, electric over hydrolic shift, use with Allison transmission, SAE output	\$6,352	52#
2421397	PTO: Chelsea 890HDFJW-B5XS, 10 Bolt LH Side Mount, Electric over Hydrolic, SAE, Allison	\$10,191	97#
2421414	PTO: Chelsea 489QFLZX-D3RK, 8 Bolt Bottom mounted, Electric over air shift, SAE output	\$3,830	32#
2421415	PTO: Chelsea 489QHLZX-D3RK, 8 Bolt Bottom Mounted, Electric over Air Shift, SAE output	\$3,830	32#
2421416	PTO: Chelsea 489QCLZX-D3RK, 8 Bolt Bottom mounted, Electric over Air Shift, SAE output	\$3,830	32#
2421417	PTO: Chelsea 489GFAHX-V5RK, 8 Bolt Bottom mounted, Air shift, SAE output	\$3,269	32#
2421418	PTO: Chelsea 489XFAHX-V5RK, 8 Bolt Bottom mounted, Air shift, SAE output	\$3,191	32#
2421426	PTO: Chelsea 489GFAHX-V3RK, 8 Bolt Bottom Mounted, Air Shift, SAE	\$3,269	32#
2421427	PTO: Chelsea 489GLAHX-V3RK, 8 Bolt Bottom mounted, Air Shift, SAE output	\$3,269	32#
2421428	PTO: Chelsea 489GQAHX-V3RK, 8 Bolt Bottom Mounted, Air Shift, SAE output	\$3,269	32#
2421429	PTO: Chelsea 489XFAHX-V3RK, 8 Bolt Bottom Mounted, Air Shift, SAE	\$3,191	32#
2421430	PTO: Chelsea 489XLAHX-V3RK, 8 Bolt Bottom Mounted, Air Shift, SAE output	\$3,191	32#
2421431	PTO: Chelsea 489XQAHX-V3RK, 8 Bolt Bottom mounted, Air Shift, SAE output	\$3,191	32#
2421432	PTO: Chelsea 489XRAHX-V3RK, 8 Bolt Bottom mounted, Air Shift, SAE output	\$3,191	32#
2421443	PTO: Chelsea 489QFLZX-D3XD Bottom Mounted 12V Electric over Air, 8 Bolt, Single Acting. For Endurant/PACCAR Transmissions only.	\$3,609	32#
2421448	PTO: Chelsea 489QHLZX-D3XD Bottom Mounted 12V Electric Over Air, 8 Bolt, Single Acting. For Endurant/PACCAR Transmissions only.	\$3,609	32#
2421452	PTO: Chelsea 880QGLZX-D3XK Bottom Mounted 12V Electric Over Air, 8 Bolt, Double Acting. For Endurant/PACCAR Transmissions only.	\$8,268	67#



## T880: TRANSMISSIONS

Option	Description	Price	Weight
<b>PTO</b>			
<b>Chelsea</b>			
2421453	PTO: Chelsea 880QGLZX-D3XV Bottom Mounted 12V Electric Over Air, 8 Bolt, Double Acting. For Endurant/PACCAR Transmissions only.	\$8,090	67#
2421454	PTO: Chelsea 880QJLZX-D3XK Bottom Mounted 12V Electric Over Air, 8 Bolt, Double Acting. For Endurant/PACCAR Transmissions only.	\$8,268	67#
2421455	PTO: Chelsea 880QJLZX-D3XV Bottom Mounted 12V Electric Over Air, 8 Bolt, Double Acting. For Endurant/PACCAR Transmissions only.	\$8,090	67#
2421456	PTO: Chelsea 880QQLZX-D3XK Bottom Mounted 12V Electric Over Air, 8 Bolt, Double Acting. For Endurant/PACCAR Transmissions only.	\$8,268	67#
2421457	PTO: Chelsea 880QQLZX-D3XV Bottom Mounted 12V Electric Over Air, 8 Bolt, Double Acting. For Endurant/PACCAR Transmissions only.	\$8,090	67#
2421458	PTO: Chelsea 489QCLZX-D3XD Bottom MTD 12V Electric over air, 8 Bolt, Single Acting. For Endurant/PACCAR transmission only.	\$3,609	32#
2421476	PTO: Chelsea 489QAMEX-V6RK, 8 Bolt Bottom Mounted, Air Shift, SAE Output	\$3,937	30#
2421477	PTO: Chelsea 489QLMEX-V6RK, 8 Bolt Bottom Mounted, Air Shift, SAE Output	\$3,937	30#
2421478	PTO: Chelsea 489QQMEX-V6RK, 8 Bolt Bottom mounted, Air shift, SAE output	\$3,937	30#
2421479	PTO: Chelsea 880QMMEX-V4XS, 8 Bolt Bottom mounted, Air shift, SAE output	\$8,581	63#
2421480	PTO: Chelsea 489QFMEX-V6RK, 8 Bolt Bottom mounted, Air shift, SAE output	\$5,843	32#
2421482	PTO: Chelsea 489QRMEX-V6RK, 8 Bolt Bottom Mounted, Air Shift, SAE output	\$3,937	30#
2421483	PTO: Chelsea 680QFMEX-V6RK, 8 Bolt Bottom Mounted, Air Shift, SAE Output	\$4,868	28#
2421484	PTO: Chelsea 680QHMEV-V6RK, 8 Bolt Bottom Mounted, Air Shift, SAE Output	\$4,868	28#
2421485	PTO: Chelsea 680QQMEX-V6RK, 8 Bolt Bottom Mounted, Air Shift, SAE Output	\$4,868	28#
2421486	PTO: Chelsea 880QGMEX-V4XS, 8 Bolt Bottom Mounted, Air Shift, SAE Output	\$8,174	63#
2421487	PTO: Chelsea 880QQMEX-V4XS, 8 Bolt Bottom Mounted, Air Shift, SAE Output	\$8,174	63#
2422154	PTO: Chelsea 340XFAHX-V5XD, Side Mounted, 6-Bolt Reversible, Double Acting, No Controls, SAE Studs	\$5,491	38#
2422165	PTO: Chelsea 680XQAHX-V3XD, Bottom Mounted, 8-Bolt, Single Acting, No Controls, SAE Studs	\$4,010	28#
2422166	PTO: Chelsea 880GJAHX-V3XK, Bottom Mounted 8-Bolt, Double Acting, No Controls, Metric Studs	\$7,310	63#
2422167	PTO: Chelsea 880XMAHX-V3XS, Bottom Mounted 8-Bolt, Double Acting, No Controls, SAE Studs	\$7,231	63#
2422213	PTO:Chelsea 280GDFJP-B5RK 10-BLT, Power Shift, LH MTD W/Allison Replaces PTO codes 2422204 AND 2422147.	\$6,352	52#



## T880: TRANSMISSIONS

Option	Description	Price	Weight
PTO			
Chelsea			
2422216	PTO:Chelsea 280GCFJP-B5RK 10-BLT Power Shift, LH MTD W/Allison *Replcs 2422133	\$6,352	52#
Muncie			
2424004	PTO: Muncie TG8F-E7004-P2BX, 8 Bolt Bottom Mounted, Air Shift	\$3,228	22#
2424005	PTO: Muncie TG8F-E7005-P2BX, 8 Bolt Bottom Mounted, Air Shift	\$3,228	22#
2424006	PTO: Muncie TG8F-E7006-P2BX, 8 Bolt Bottom Mounted, Air Shift	\$3,228	22#
2424007	PTO: Muncie TG8F-E7007-P2BX, 8 Bolt Bottom Mounted, Air Shift	\$3,018	22#
2424008	PTO: Muncie TG8F-E7008-P2BX, 8 Bolt Bottom Mounted, Air Shift	\$3,018	22#
2424009	PTO: Muncie TG8F-E7009-P2BX, 8 Bolt Bottom Mounted, Air Shift	\$3,018	22#
2424014	PTO: Muncie TG8F-E7012-P2BX, 8 Bolt Bottom Mounted, Air Shift	\$3,018	22#
2424048	PTO: Muncie A20-A1005-HX31XPX, 10 Bolt LH Mounted, Electric over Hydraulic shift, for Allison Transmission	\$3,727	47#
2424049	PTO: Muncie A20-A1007-HX3BBPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, SAE output for Allison Transmissions	\$4,947	47#
2424050	PTO: Muncie A20-A1008-HX3BPBX, 10 Bolt LH Side mounted, Electric over Hydraulic shift, SAE output, for Allison transmissions	\$5,041	47#
2424055	PTO: Muncie A20-A1005-HX11XPX, 10 Bolt RH Side Mounted, Electric over Hydraulic shift, for use with Allison transmission	\$4,672	47#
2424056	PTO: Muncie A20-A1005-HX3BBPX, 10 Bolt LH Side mounted, Electric over hydraulic shift, SAE output for Allison transmissions	\$4,947	47#
2424057	PTO: Muncie A20-A1005-HX3IIPX, 10 Bolt LH Side Mounted, Electric over hydraulic shift, for Allison transmissions	\$4,947	47#
2424058	PTO: Muncie A20-A1005-HX51XBX, 10 Bolt Top Mounted, Electric over Hydraulic shift, for use with Allison transmissions	\$4,672	47#
2424059	PTO: Muncie A20-A1006-HX3IIPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, for use with Allison transmissions	\$5,270	47#
2424060	PTO: Muncie A20-A1006-HX3BBPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, SAE output for Allison Transmissions	\$4,947	47#
2424061	PTO: Muncie A20-A1006-HX3BPBX, 10 Bolt LH Side Mounted, Electric over Hydraulic, SAE output for Allison transmissions	\$5,041	47#
2424062	PTO: Muncie A20-A1006-HX3X2PX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, for Allison transmissions	\$4,947	47#
2424063	PTO: Muncie A20-A1006-HX5BSPX, 10 Bolt Top Mounted, Electric over Hydraulic shift for Allison transmissions	\$4,947	47#



## T880: TRANSMISSIONS

Option	Description	Price	Weight
<b>PTO</b>			
<b>Muncie</b>			
2424064	PTO: Muncie A20-A1007-HX31XPX, 10 Bolt LH Side Mounted, Electric over Hydraulic for Allison transmissions	\$4,672	47#
2424065	PTO: Muncie A20-A1007-HX5X4BX, 10 Bolt Top Mounted, Electric over Hydraulic shift, for Allison transmissions	\$4,947	47#
2424066	PTO: Muncie A20-A1008-HX3IIPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, for Allison transmissions	\$5,270	47#
2424067	PTO: Muncie A20-A1008-HX3BBPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift with SAE output for Allison Transmissions	\$4,947	47#
2424074	PTO: Muncie 828F-E7005-T2CX, 8 Bolt Bottom Mounted, Double Acting Air Shift	\$6,237	85#
2424075	PTO: Muncie 828F-E7008-T2CX, 8 Bolt Bottom Mounted, Double Acting Air Shift	\$6,237	85#
2424076	PTO: Muncie 828F-E7009-T2CX, 8 Bolt Bottom Mounted, Double Acting Air Shift	\$6,237	85#
2424077	PTO: Muncie 828F-E7010-T2CX, 8 Bolt Bottom Mounted, Double Acting Air Shift	\$6,237	85#
2424078	PTO: Muncie 828F-E7012-T2CX, 8 Bolt Bottom Mounted, Double Acting Air Shift	\$6,237	85#
2424079	PTO: Muncie 828F-E8013-T2CX, 8 Bolt Bottom Mounted, Double Acting Air Shift	\$6,237	85#
2424422	PTO:Muncie CS8S-U6806-P1KX BTM MTD 8BLT Single Acting, No Controls, SAE	\$4,948	49#
2424424	PTO: Muncie TG8F-E8005-P1BX Bottom Mounted, Air Shift, 8 Bolt, Single Acting	\$3,228	22#
2424428	PTO: Muncie TG8F-E8006-P1KX Bottom Mounted Air shift, 8 bolt, single acting. For Endurant/PACCAR transmission only.	\$3,413	22#
2424430	PTO: Muncie TG8F-E8008-P1KX Bottom Mounted Air shift, 8 bolt, single acting. For Endurant/PACCAR transmission only.	\$3,413	22#
2424431	PTO: Muncie TG8F-E8012-P1PH Bottom Mounted Air shift, 8 bolt, single acting. For Endurant/PACCAR transmission only.	\$3,493	22#
2425172	PTO: Muncie CS8B-U6807-P1KX Bottom Mounted 8-bolt Single Acting, No controls, Metric Studs	\$5,024	49#
2425177	PTO:Muncie CS8B-U6807-P1ZX BTM Mounted 8 Bolt Single Acting, No Controls, Metric Studs.	\$5,297	49#
2425219	PTO: Muncie TG8B-U6806-P1KX, Bottom Mounted, 8-Bolt, Single Acting, No Controls, Metric Studs	\$3,090	22#
2425220	PTO: Muncie TG8B-U6808-P1KX, Bottom Mounted, 8-Bolt, Single Acting, No Controls, Metric Studs	\$3,090	22#
2425221	PTO: Muncie TG8S-U6806-P1KX, Bottom Mounted, 8-Bolt, Single Acting, No Controls, SAE Studs	\$3,015	22#
2425223	PTO: Muncie TG8S-U6808-P1KX, Bottom Mounted, 8-Bolt, Single Acting, No Controls, SAE Studs	\$3,015	22#
2425224	PTO: Muncie TG8S-U6812-P1PH, Bottom Mounted, 8-Bolt, Single Acting, No Controls, SAE Studs	\$3,095	22#





## T880: TRANSMISSIONS

Option	Description	Price	Weight
<b>PTO</b>			
<b>PTO Misc</b>			
2410044	Thru-Shaft PTO Provision (PTO not Included) 10-speed RTO14908LL.	\$349	6#
2429061	Angled PTO Adapter for Chelsea Right Hand 6-Bolt Eaton FR(O) transmissions	\$1,016	15#
2429062	Angled PTO Adapter for Muncie Right Hand 6-Bolt PTO with Eaton FR(O) transmissions	\$1,158	0#
2429063	Angled PTO Adapter for Chelsea RH 6-Bolt RT and Ultrashift Plus transmissions	\$1,300	0#
2429064	Angled PTO Adapter for Muncie RH 6-Bolt RT and Ultrashift Plus transmissions	\$820	0#
2429351	First Transmission PTO Compatibility - Chelsea 230/236/238/442/489/660/680-V3 or Muncie CS8/SH8/TG8S-P1 bottom mounted 6 or 8-Bolt PTO's for all Eaton & PACCAR transmissions. This application includes use of the standard hydraulic clutch actuator on Eaton FR & RT transmissions and supports bottom mounted 6 and 8-Bolt PTO's with single acting air actuation.	\$0	0#
2429352	First Transmission PTO Compatibility - Chelsea 823-V3 or Muncie 828S-U1 bottom mounted 8-Bolt PTO's for all Eaton & PACCAR transmissions. This application includes use of the standard hydraulic clutch actuator on Eaton RT & FR transmissions and supports bottom mounted 8-Bolt PTO's with double acting air actuation.	\$0	0#
2429353	First Transmission PTO Compatibility - Chelsea 885-V3 bottom mounted 8-Bolt PTO's for all Eaton transmissions. This application includes use of the optional hydraulic clutch actuator on Eaton RT & FR transmissions and supports bottom mounted 6 and 8-Bolt PTO's with single acting air actuation.	\$0	0#
2429354	First Transmission PTO Compatibility - Chelsea 880-V3 bottom mounted 8-Bolt PTO's for Eaton all transmissions. This application includes use of the optional hydraulic clutch actuator on Eaton & PACCAR RT & FR transmissions and supports bottom mounted 8-Bolt PTO's with double acting air actuation.	\$0	0#
2429355	First Transmission PTO Compatibility - Chelsea 230/236/ 442/660-V3 or Muncie CS/SH/TG6-P1 RH mounted 6-Bolt PTO's for Eaton transmissions. This application includes use of the standard hydraulic clutch actuator on Eaton RT & FR transmissions and supports RH mounted 6-Bolt PTO's with single acting air actuation.	\$0	0#
2429356	Second Transmission PTO Compatibility - Dual transmission PTO applications using Chelsea 442/660 RH mounted 6-Bolt PTO's for Eaton RT transmissions as second transmission PTO in conjunction with Chelsea 880/885 bottom mounted 8-Bolt PTO's. This application includes use of the optional hydraulic clutch actuator and supports RH mounted 6-Bolt PTO's with single acting air actuation.	\$0	0#
2429357	First Transmission PTO Compatibility Chelsea 541 Thru-Shaft PTO's for Eaton transmissions. This PTO requires double acting air actuation.	\$0	0#
2429358	Rear Transmission Support Springs for transmission PTO applications are required to ensure that engine flywheel housings are not overloaded when transmission PTO's are installed.	\$92	0#
2429359	First Factory Installed Eaton/PACCAR Trans PTO	\$0	0#
2429360	Second Factory Installed Eaton Transmission PTOs.	\$0	0#
2429361	First Customer Installed Eaton/PACCAR Trans PTO.	\$0	0#
2429362	Second Customer Installed Eaton Transmission PTO.	\$0	0#



Option	Description	Price	Weight
<b>PTO</b>			
<b>PTO Misc</b>			
2429363	Second Transmission PTO Compatibility - Dual transmission PTO applications using Chelsea 230/236/238/442/489/660/680 or Muncie CS8/SH8/TG8S bottom mounted 6 or 8-Bolt PTO's for all Eaton transmissions as second transmission PTO. This application includes use of the standard hydraulic clutch actuator on Eaton FR & RT transmissions and supports bottom mounted 6 and 8-Bolt PTO's with single acting air actuation. Includes LH under cab clear space to ensure PTO access. • Not available for Eaton Ultrashift Plus transmissions using CS8/SH8 bottom mounted 8-Bolt PTO's.	\$0	0#
2429364	Second Transmission PTO Compatibility - Dual transmission PTO applications using Chelsea 823 or Muncie 828 bottom mounted 8-Bolt PTO's for all Eaton transmissions as second transmission PTO. This application includes use of the standard hydraulic clutch actuator on RT & FR Eaton transmissions and supports bottom mounted 8-Bolt PTO's with double acting air actuation. Includes LH under cab clear space to ensure PTO access. • Not available for Eaton Ultrashift Plus transmissions using 828S bottom mounted 8-Bolt PTO's.	\$0	0#
2429365	Second Transmission PTO Compatibility - Dual transmission PTO applications using Chelsea 885 bottom mounted 8-Bolt PTO's for all Eaton transmissions as second transmission PTO. This application includes use of the optional hydraulic clutch actuator on Eaton RT & FR transmissions and supports bottom mounted 6 and 8-Bolt PTO's with single acting air actuation. Includes LH under cab clear space to ensure PTO access. Not available for RT transmissions with dual transmission PTO's using Chelsea 230/236 or 340 RH mounted 6-Bolt PTO's. Not available for FR transmissions with dual transmission PTO's using Chelsea 230/236/442/660 RH mounted 6-Bolt PTO's.	\$0	0#
2429366	Second Transmission PTO Compatibility - Dual transmission PTO applications using Muncie 880 bottom mounted 8-Bolt PTO's for Eaton all transmissions as second transmission PTO. This application includes use of the optional hydraulic clutch actuator on Eaton RT & FR transmissions and supports bottom mounted 8-Bolt PTO's with double acting air actuation. Includes LH under cab clear space to ensure PTO access. Not available for RT transmissions with dual transmission PTO's using Chelsea 230/236 or 340 RH mounted 6-Bolt PTO's. Not available for FR transmissions with dual transmission PTO's using Chelsea 230/236/442/660 RH mounted 6-Bolt PTO's.	\$0	0#
2429367	Second Transmission PTO Compatibility - Dual transmission PTO applications using Chelsea 230/236/442/660 or Muncie CS/SH/TG6 RH mounted 6-Bolt PTO's for Eaton transmissions as second transmission PTO. This application includes use of the standard hydraulic clutch actuator on Eaton RT & FR transmissions and supports RH mounted 6-Bolt PTO's with single acting air actuation. Not available with RH Behind Fairing DPF-SCR exhaust systems (S/C's 1247156, 1247175, 1247180 & 1247185). Not available with Horizontal Crossover SCR exhaust systems (S/C's 1247110, 1247115 or 1247120). Restricted access with RH Cab Step Assembly DPF-SCR exhaust systems with Vertical BOS tailpipes or RH Horizontal Tailpipe Below Rail (S/C's 1247176, 1247181 & 1247186). Not available with Vertical Independent SCR exhaust systems (S/C 1227110). Not available for Eaton RT or FR transmissions with dual transmissions PTO's using Chelsea 880/885 bottom mounted 8-Bolt PTO's. Not available with AG130 Front Air Suspension (S/C 2884000).	\$0	0#
2429368	Second Transmission PTO Compatibility - Dual transmission PTO applications using Chelsea 541 Thru-Shaft PTO's for Eaton transmissions as second transmission PTO. This PTO requires double acting air actuation.	\$0	0#
2429369	First Transmission PTO Compatibility Chelsea 340 bottom mounted reversible 6-Bolt PTO's for all Eaton transmissions. This application includes use of the standard hydraulic clutch actuator on Eaton RT & FR transmissions and supports PTO's with double acting air actuation. Includes LH under cab clear space to ensure PTO access. Requires 2429358 for transmission support springs.	\$0	0#
2429370	First Transmission PTO Compatibility - Chelsea 340 RH mounted reversible 6-Bolt PTO's for Eaton transmissions. This application includes use of the standard hydraulic clutch actuator on Eaton RT & FR transmissions and supports PTO's with double acting air actuation.	\$0	0#



## T880: TRANSMISSIONS

Option	Description	Price	Weight
<b>PTO</b>			
<b>PTO Misc</b>			
2429371	Second Transmission PTO Compatibility - Dual Dual transmission PTO applications using Chelsea 340 bottom mounted reversible 6-Bolt PTO's for all Eaton transmissions as second transmission PTO. This application includes use of the standard hydraulic clutch actuator on RT & FR Eaton transmissions and supports PTO's with double acting air actuation. Includes LH under cab clear space to ensure PTO access.	\$0	0#
2429372	Second Transmission PTO Compatibility - Dual Dual transmission PTO applications using Chelsea 340 RH mounted reversible 6-Bolt PTO's for Eaton transmissions as second transmission PTO. This application includes use of the standard hydraulic clutch actuator on Eaton RT & FR transmissions and supports PTO's with double acting air actuation.	\$0	0#
2429373	Second Transmission PTO Compatibility - Dual transmission PTO applications using Chelsea 340 RH mounted reversible 6-Bolt PTO's for Eaton FR transmissions as second transmission PTO in conjunction with Chelsea 880/885 bottom mounted 8-Bolt PTO's. This application includes use of the optional hydraulic clutch actuator and supports PTO's with double acting air actuation.	\$0	0#
2429374	Factory Installed Transmission PTO in the Top Mounted position (1 o'clock) for Allison 3000 & 4000 transmissions. Create NPO for specific PTO to be installed by the factory. Create NPO for specific PTO to be installed by the factory. Not available with Rear Engine PTO (REPTO)	\$0	0#
2429375	Factory Installed Transmission PTO in the LH Mounted position (8 o'clock) for Allison 3000 & 4000 transmissions. Create NPO for specific PTOs to be installed by the factory.	\$0	0#
2429376	Factory Installed Transmission PTO in the RH Mounted position (4 o'clock) for Allison 3000 transmissions. Create NPO for specific PTOs to be installed by the factory.	\$0	0#
2429377	Customer Installed Transmission PTO in the Top Mounted position (1 o'clock) for Allison 3000 & 4000 transmissions.	\$0	0#
2429378	Customer Installed Transmission PTO in the LH Mounted position (8 o'clock) for Allison 3000 & 4000 transmissions.	\$0	0#
2429379	Customer Installed Transmission PTO in the RH Mounted position (4 o'clock) for Allison 3000 transmissions.	\$0	0#
2429380	Factory Installed Chelsea 230/236/238/442/489/ 660/680/885 or Muncie CS/SH/TG6/8 6 or 8-bolt transmission PTO's on Eaton AT1202 auxiliary transmissions. This application supports PTO's with single acting air actuation.	\$0	0#
2429381	Customer Installed Chelsea 230/236/238/442/489/ 660/680/885 or Muncie CS/SH/TG6/8 6 or 8-bolt transmission PTO's on Eaton AT1202 auxiliary transmissions. This application supports PTO's with single acting air actuation.	\$0	0#
2429382	Factory Installed Chelsea 823/880 or Muncie 828 8-bolt transmission PTO's on Eaton AT1202 auxiliary transmissions. This application supports PTO's with double acting air actuation.	\$0	0#
2429383	Customer Installed Chelsea 823/880 or Muncie 828 8-bolt transmission PTO's on Eaton AT1202 auxiliary transmissions. This application supports PTO's with double acting air actuation.	\$0	0#
2429393	C/I Rear Transmission PTO Compatibility Dual - Transmission PTO applications using customer installed rear mounted 4-bolt PTOs for Eaton Endurant/PACCAR 12 speed transmissions as a second transmission PTO in conjunction with approved Chelsea or Muncie bottom mounted 8-bolt PTOs. This option should only be used with SPL250 driveline.	\$0	0#



## T880: TRANSMISSIONS

Option	Description	Price	Weight
<b>Driveline</b>			
<b>Driveline Equipment</b>			
2406005	45 degree Yokes on Interaxle Drivelines.	\$599	11#
2410100	Two Guards for Dual Drivelines.	\$408	8#
2410105	One Guard for Single Driveline.	\$120	4#
<b>Centerbearing Crossmembers</b>			
2495022	Steel Centerbearing Crossmember Installed with Heavy-Duty Aluminum Gussets Replacing Standard.	\$245	26#
2495023	Two Steel Centerbearing Crossmembers Installed with Heavy-Duty Aluminum Gussets Replacing Standard.	\$490	70#
<b>Dana</b>			
2405205	Driveline:1 Dana 1810 Heavy-Duty No Centerbearing *Heavy duty is 1810HD series.	\$0	-25#
2405405	Driveline: 2 Dana 1810 Heavy-Duty 1 Centerbearing *Heavy duty is 1810HD series.	\$1,246	68#
2405414	Driveline: 3 Dana 1810 Heavy-Duty W/ 1 Centerbearing & 1 Standard-Duty (1710 series) for Use W/ Transfer Case. *Heavy duty is 1810 series, and Std duty is 1710 series.	\$2,599	264#
2405415	Driveline: 4 Dana 1810 Heavy-Duty W/ 1 Centerbearing for Use W/ Transfer Case. *Heavy duty is 1810 series.	\$3,141	289#
2405425	Driveline: 3 Dana 1810 Heavy-Duty W/2 Centerbearings *Heavy duty is 1810HD series.	\$2,497	160#
2405427	Driveline:4 Dana 1810 Heavy-Duty 3 Centerbearings *Heavy duty is 1810HD series.	\$3,767	253#
2405430	Driveline:4 Dana 1810 Heavy-Duty 2 Centerbearings for Use W/ Auxiliary Transmission or Jackshaft.	\$3,447	271#
2405442	Driveline: 4 Dana SPL250XL 1 Centerbearing for Use W/ Transfer Case	\$3,149	311#
2405605	Driveline:2 Dana 1810 Heavy-Duty No Centerbearing for Use W/ Auxiliary Transmission, Jackshaft, or Transfer Case. *Heavy duty is 1810 series.	\$950	86#
2405805	Driveline:3 Dana 1810 Heavy-Duty No Centerbearing for Use W/ Transfer Case. *Hvy duty is 1810HD series.	\$1,900	196#
2405815	Driveline:3 Dana 1810 Heavy-Duty; 1 Centerbearing for Use W/ Auxiliary Transmission or Jackshaft. *Heavy duty is 1810HD series.	\$2,196	178#
2405914	Driveline:2 Dana 1810 Heavy-Duty No Centerbearing and 1 1710 Standard-Duty for Use W/ Transfer Case. *Heavy duty is 1810 series and Std duty is 1710 series.	\$1,622	172#
2406204	Driveline: 1 Dana SPL170XL No Centerbearing	(\$89)	-39#
2406205	Driveline: 1 Dana SPL250XL W/ No Centerbearing Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$33	-21#



## T880: TRANSMISSIONS

Option	Description	Price	Weight
<b>Driveline</b>			
<b>Dana</b>			
2406207	Driveline: 1 Dana SPL250SF with No Centerbearing.	\$33	-21#
2406254	Driveline: 2 SPL250XL No Centerbearing for use w/auxiliary transmission, jackshaft, or transfer case. Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$1,015	93#
2406303	Driveline: 2 Dana SPL250 LITE; W/ 1 C/B	\$1,153	88#
2406304	Driveline: 3 Dana SPL250 LITE; W/ 2 C/B	\$2,350	186#
2406305	Driveline: 4 Dana SPL250 LITE; W/ 3 C/B	\$3,580	284#
2406311	Driveline: 2 Dana SPL250SF Lite, 1 Centerbearing	\$1,153	88#
2406312	Driveline: 3 Dana SPL250SF Lite, 2 Centerbearings	\$2,310	186#
2406313	Driveline: 4 Dana SPL250SF Lite, 3 Centerbearings	\$3,461	284#
2406314	Driveline: 2 SPL250SF No Centerbearing For use with auxiliary transmission, jackshaft, or transfer case.	\$1,015	93#
2406315	Driveline: 3 SPL250SF with 1 Centerbearing For use with auxiliary transmission, jackshaft, or transfer case.	\$2,166	311#
2406316	Driveline: 4 SPL250SF with 2 Centerbearings For use with auxiliary transmission, jackshaft, or transfer case.	\$3,316	529#
2406317	Driveline: 5 SPL250SF with 3 Centerbearings For use with auxiliary transmission, jackshaft, or transfer case.	\$4,479	747#
2406452	Driveline: 2 Dana SPL170XL 1 Centerbearing	\$1,022	45#
2406453	Driveline: 2 Dana SPL250XL 1 Centerbearing Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$1,184	83#
2406454	Driveline: 4 Dana SPL250XL 3 Centerbearing Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$3,514	290#
2406461	Driveline: 4 Dana SPL250XL 2 Centerbearing for use w/auxiliary transmission or jackshaft, requires 3500057 interaxle driveline. Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$3,322	301#
2406465	Driveline: 2 Dana SPL250SF 1 Centerbearing	\$1,184	83#
2406466	Driveline: 2 Dana SPL170SF With 1 Centerbearing	\$1,026	45#
2406467	Driveline: 3 Dana SPL250SF 2 Centerbearing	\$2,339	187#
2406468	Driveline: 1 SPL170SF With 0 Centerbearings	(\$100)	-39#



## T880: TRANSMISSIONS

Option	Description	Price	Weight
<b>Driveline</b>			
<b>Dana</b>			
2406469	Driveline: 3 SPL170SF With 2 Centerbearings	\$2,164	130#
2406470	Driveline: 4 SPL170SF With 3 Centerbearings	\$3,324	214#
2406472	Driveline:1 Dana SPL350 LITE HT; W/ No C/B Heavy Duty	\$240	-48#
2406475	Driveline:2 Dana SPL350 LITE HT; W/ 1 C/B Heavy Duty	\$1,748	45#
2406477	Driveline: 3 Dana SPL350 LITE HT; W/ 2 C/B Heavy Duty	\$3,206	139#
2406478	Driveline: 4 Dana SPL350 LITE HT; W/ 3 C/B Heavy Duty	\$4,612	232#
2406479	Driveline:1 Dana SPL350SF LITE HT; W/ No C/B *Heavy Duty	\$240	-48#
2406480	Driveline: 2 Dana SPL350SF LITE HT; W/ 1 C/B Heavy Duty	\$1,771	45#
2406481	Driveline: 3 Dana SPL350SF LITE HT; W/ 2 C/B Heavy Duty	\$3,306	139#
2406482	Driveline: 4 Dana SPL350SF LITE HT; W/ 3 C/B Heavy Duty	\$4,838	232#
2406802	Driveline: 3 Dana SPL170XL 2 Centerbearing	\$2,144	130#
2406803	Driveline: 3 Dana SPL250XL W/ 2 Centerbearings Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$2,339	187#
2406806	Driveline: 3 Dana SPL250XL 1 Centerbearing for use w/auxiliary transmission or jackshaft, requires 3500057 interaxle driveline. Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$2,166	197#
2406807	Driveline: 3 Dana SPL250XL No Centerbearing for use w/transfer case. Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$1,998	207#
2406809	Driveline: 5 Dana SPL250XL,3 C/B For use with Aux Trans or Jackshaft	\$4,506	405#
2406812	Driveline: 5 Dana SPL250XL with 2 Centerbearings For use with transfer case FDA.	\$4,304	415#
2406820	Driveline: 4 Dana SPL170XL 3 Centerbearing	\$3,282	214#
<b>Meritor</b>			
2408201	Driveline: 1 Meritor RPL25; No Center Bearing	(\$70)	-12#
2408302	Driveline: 1 Meritor RPL25 SD; No Centerbearing	STD	0#
2408401	Driveline: 2 Meritor RPL25; 1 Centerbearing	\$808	90#
2408502	Driveline: 2 Meritor RPL25 SD; 1 Centerbearing	\$964	114#



## T880: TRANSMISSIONS

Option	Description	Price	Weight
<b>Driveline</b>			
<b>Meritor</b>			
2408602	Driveline: 3 Meritor RPL25; 2 Centerbearing	\$1,915	193#
2408703	Driveline: 3 Meritor RPL25 SD; 2 Centerbearing	\$1,827	228#
2408802	Driveline:1 Meritor RPL35; No Centerbearing	\$340	43#
2408803	Driveline:1 Meritor RPL35SD; No Centerbearing	\$676	53#
2408902	Driveline: 2 Meritor RPL35; 1 Centerbearing	\$1,512	180#
2408903	Driveline: 2 Meritor RPL35SD; 1 Centerbearing	\$2,119	184#
2409003	Driveline: 3 Meritor RPL35; 2 Centerbearings	\$2,794	316#
2409004	Driveline: 3 Meritor RPL35SD; 2 Centerbearing	\$3,567	314#
2409050	Driveline: 4 Meritor RPL35SD; 3 Centerbearings	\$5,033	445#
<b>Interaxle Driveline</b>			
3500037	Interaxle Driveline:1 Dana 1710 Series Tandem Rear Axels Only.	(\$164)	-12#
3500040	Interaxle Driveline: 2 Dana 1710 Series. Only available w/tridem axles.	\$439	74#
3500048	Interaxle Driveline: 1 Dana SPL250SF Tandem Only	\$397	16#
3500057	Interaxle Driveline: 1 Dana SPL170XL Tandem Rear Axels Only	(\$159)	-2#
3500058	Interaxle Driveline: 1 Meritor RPL20 Replacing I/A *Use W/ RPL(SD) 25 Main D/L	STD	0#
3500060	Interaxle Driveline: 2 Dana SPL170XL only available w/tridem axles.	\$1,079	94#
3500062	Interaxle Driveline: 1 Dana SPL170SF Not For Tridem Axles.	(\$159)	-2#
3500063	Interaxle Driveline: 2 Dana SPL170SF Only For Tridem Axles.	\$1,079	94#
3500065	Interaxle Driveline: 1 Meritor RPL25 Replacing I/A *USE W/ RPL 35 Main D/L	\$331	25#
3500066	Interaxle Driveline: 1 Dana SPL250XL & 1 SPL170XL Replacing I/A, Only Available with Tridem Axles	\$882	112#
3500067	Interaxle Driveline: 1 Dana SPL250SF & 1 SPL170SF Replacing I/A, Only Available with Tridem Axles	\$856	112#
3500068	Interaxle Driveline: 1 Dana SPL250XL *Use with Tandem Axles Only	\$179	16#
<b>Transmission Oil Cooler</b>			
2460004	Eaton Fuller Transmission Oil Filter. *Filter is frame mounted at Kenworth plant.	\$434	11#



## T880: TRANSMISSIONS

Option	Description	Price	Weight
<b>Transmission Oil Cooler</b>			
2460015	Oil to Air Cooler for Transfer Case to 8500 LB-FT	\$300	24#
2460021	Oil to Water Cooler for Transfer Case to 8500 LB-FT	\$822	17#
2460042	14" Eaton High Capacity Standard Cooler Oil to Water. For Transmission 1550-2250 LBFT, 18-speed AutoShift.	\$0	0#
2460043	TDI Oil to Air Auxiliary Cooler 400HP or Greater	\$1,789	22#
2460048	14" Eaton High Capacity Optional Cooler Oil to Water. For transmission under 1550 LBFT, pump included.	\$876	22#
2460051	Kenworth Oil to Water Cooler for Auxiliary Transmission.	\$346	0#
2460054	Additional KW Oil to Water Transmission Cooler For use with Endurant XD/PACCAR TX-18 Transmissions	\$473	10#



## T880: FRONT AXLE

Option	Description	Price	Weight
<b>Front Axles</b>			
<b>12K to 13.2K</b>			
2502014	Dana Spicer D-1251IL Front Axle rated 12.5K 3-1/2in. drop. Not W9L/C5. Use With Air Disc Brakes Only	(\$2,218)	-168#
2502015	Dana Spicer D-1251LW Front Axle rated 12.5K 3-1/2in. drop, wide track. Not W9L/C5. Use w/ Air Disc Brakes Only.	(\$2,173)	-168#
2502017	Dana Spicer D-1321IL Front Axle rated 13.2K 3.5" drop. Use With Air Disc Brakes Only	(\$2,331)	-194#
2502240	Dana Spicer E-1252IL Front Axle rated 12.5K 3-1/2in. drop. Not W9L/C5.	(\$2,222)	-132#
2502243	Dana Spicer E-1252LW Front Axle rated 12.5K 3-1/2in. drop, wide track. Not W9L/C5.	(\$2,060)	-132#
2502335	Dana Spicer E-1322IL Front Axle rated 13.2K 3-1/2in. drop.	(\$2,314)	-158#
2502336	Dana Spicer E-1322LW Front Axle rated 13.2K 3-1/2in. drop, wide track for better turning radius.	(\$2,162)	-152#
2505018	Dana Spicer D-1321LW Front Axle rated 13.2K 3.5" drop Wide Track Use W/ Air Disc Brakes Only	(\$2,198)	-188#
2512042	Meritor MFS12E PLUS 12.5K 3.5in. Drop Standard Track	(\$2,416)	-147#
2512043	Meritor MFS12E PLUS 12.5K 3.5in. Drop Wide Track	(\$2,395)	-128#
2512044	Meritor MFS12E PLUS 12.5K rated at 12K 3.5in. drop standard track.	(\$2,428)	-147#
2512048	Meritor MFS13 PLUS 13.2K 3.5in. Drop Standard Track.	(\$2,192)	-147#
2512049	Meritor MFS13 PLUS 13.2K 3.5in. Drop Wide Track.	(\$2,232)	-128#
<b>14.6K to 18K</b>			
2503463	Dana Spicer E-1462I Front Axle rated 14.6K 3-1/2in. drop.	(\$1,754)	-80#
2503466	Dana Spicer E-1462I Front Axle rated 14.6K 5 in. drop.	(\$1,186)	-80#
2503467	Dana Spicer E-1462W Front Axle rated 14.6K 3-1/2in. drop, wide track for better turning radius.	(\$1,515)	-80#
2503469	Dana Spicer E-1462W Front Axle rated 14.6K 5in. drop, wide track for better turning radius.	(\$1,072)	0#
2503471	Dana Spicer D-1461I Front Axle rated 14.6K 3-1/2in. drop, use with air disc brake only.	(\$2,110)	0#
2503473	Dana Spicer D-1461W Front Axle rated 14.6K 3-1/2in. drop, wide track for use with air disc brake only.	(\$2,038)	0#
2513024	Meritor MFS14 14.6K 5in. Drop Standard Track.	(\$1,460)	-104#
2513025	Meritor MFS14 14.6K 5in. Drop Wide Track.	(\$1,335)	-75#
2513030	Meritor MFS14 Plus 14.6K 3.74in. Drop Wide Track.	(\$1,681)	-141#
2513031	Meritor MFS14 Plus 14.6K 3.5in. Drop Standard Track.	(\$1,855)	-79#





## T880: FRONT AXLE

Option	Description	Price	Weight
<b>Front Axles</b>			
<b>14.6K to 18K</b>			
2513032	Meritor MFS14Plus 14.6K Rated @ 14K 3 1/2 in. Drop Standard Track.	(\$1,853)	-79#
<b>20K &amp; Over</b>			
2506181	Dana Spicer D2000 Front Axle rated 20K standard track.	\$373	-27#
2507182	Dana Spicer D2200 Front Axle rated 22K standard track.	\$415	0#
2507184	Dana Spicer D2200 Front Axle rated 22.8K standard track.	\$372	-27#
2516006	Meritor MFS20 20K 3.74in. Drop Wide Track.	\$223	-7#
2517020	Meritor MFS20 Front Axle rated 20K 3.5 in. drop, standard track.	(\$145)	-7#
2536002	PACCAR FX-20 Front Axle rated at 20K 4" drop standard track	STD	0#
2536004	PACCAR FX-20 Front Axle rated at 20K 4" drop wide track	\$923	31#
2537002	PACCAR FX-22 Front Axle rated at 22.8K 4" drop	\$672	0#
2537003	PACCAR FX-22 Front Axle rated at 22.8K 4" drop wide track	\$753	31#
<b>Front Drive Axles</b>			
2588000	Marmon MT-22 Front Drive Axle rated 22K 95in. mounting surface face to face.	\$36,387	1,705#
2588005	Marmon MT-22 Front Drive Axle rated 22K 95in. mounting surface face to face.	\$37,016	1,705#
2588020	FDA Marmon MT-22, Bendix ADB,24" chambers 11.25" BC, auto slax, ABS ready	\$38,734	1,705#
<b>Axle Ratios</b>			
2590425	Front Drive Axle Ratio: 4.25.	\$0	0#
2590456	Front Drive Axle Ratio: 4.56.	\$0	0#
2590492	Front Drive Axle Ratio: 4.92.	\$0	0#
2590529	Front Drive Axle Ratio: 5.29.	\$0	0#
2590538	Front Drive Axle Ratio: 5.38.	\$0	0#
2590565	Front Drive Axle Ratio: 5.65.	\$0	0#
2590583	Front Drive Axle Ratio: 5.83.	\$0	0#
2590611	Front Drive Axle Ratio: 6.11.	\$0	0#
2590627	Front Drive Axle Ratio: 6.27	\$0	0#



## T880: FRONT AXLE

Option	Description	Price	Weight
<b>Front Drive Axles</b>			
<b>Axle Ratios</b>			
2590668	Front Drive Axle Ratio: 6.68.	\$0	0#
2590714	Front Drive Axle Ratio: 7.14.	\$0	0#
2590772	Front Drive Axle Ratio: 7.72.	\$0	0#
2590836	Front Drive Axle Ratio: 8.36.	\$0	0#
2590852	Front Drive Axle Ratio: 8.52.	\$0	0#
<b>Outer End Equipment</b>			
<b>Brakes</b>			
<b>12K to 13.2K</b>			
2601605	Front Brakes: 13.2K Bendix RSD HP-ES S-Cam 16.5x5 in. drum brake.	(\$521)	-62#
2621190	Front Brakes: 13.2K Bendix ES S- Cam 15x4 in.	(\$1,137)	-86#
<b>14K to 18K</b>			
2601608	Front Brakes: 18K Bendix RSD HP-ES S-Cam 16.5x6 in. drum brake , Max GAWR 18K, with Cast Spider.	\$56	-44#
2607001	Front Brakes: 14.6K Bendix Air Disc Brakes Lube Free.	(\$340)	0#
2607011	Front Brakes: 14.6K Bendix RSD ADB22X Disc Brake.	(\$340)	0#
2621310	Front Brakes: 14.6K Bendix ES S-Cam 16.5x5 in.	(\$168)	-62#
2641113	Front Brakes: 14.6K Meritor Q+ RSD S-Cam 16.5x5 in. drum brake.	(\$486)	-44#
2641141	Front Brakes: 14.6K Meritor Q-Plus 16.5x5 in. Not for fire truck/EMT/rescue service.	(\$425)	-44#
2647003	Front Brakes: 14.6K Meritor EX+L Optimized air disc brakes.	(\$424)	0#
2647009	Front Air Disc Brakes: 14.6K Meritor EX+L Optimized RSD reduced stopping distance tractor only.	(\$419)	0#
2647011	Front Air Disc Brakes: 14,601-22K Meritor RSD EX+L Optimized. Reduced stopping distance tractor only.	\$120	0#
<b>20K &amp; Over</b>			
2601609	Front Brakes: 22K Bendix RSD HP-ES S-Cam 16.5x7 in. drum brake.	\$163	-24#
2601610	Front Brakes: 23K Bendix HP-ES S-Cam 16.5x7 in. drum brake.	\$142	-24#
2603025	Front Brakes: 24K w/ FDA Air Disc Brake	\$0	0#
2607002	Front Brakes: 14,601-22K Bendix Air Disc Brakes.	STD	0#



## T880: FRONT AXLE

Option	Description	Price	Weight
<b>Outer End Equipment</b>			
<b>Brakes</b>			
<b>20K &amp; Over</b>			
2607003	Front Brakes: 14,601-22.8K Bendix Air Disc Brake	\$95	10#
2607004	Front Brakes: 40K Bendix Air Disc Brakes for Twin Steer	\$4,396	0#
2607015	Front Brakes: 14,601-22K Bendix RSD ADB22X Disc Brake.	\$100	10#
2621078	Front Brakes: 22K Bendix ES S-Cam 16.5x6 in.	(\$513)	-46#
2641137	Front Brakes: 20K Meritor Q-Plus 16.5x6 in.	(\$257)	-38#
2647004	Front Brakes: 14,601-22K Meritor EX+L Optimized air disc brakes.	\$20	0#
2658020	Front Brakes: 24K w/ Marmon 16.5x7 in. included w/ Marmon front drive axles.	\$0	0#
<b>Brake Drums</b>			
<b>12K to 13.2K</b>			
2690030	Front Brake Drums: 13.2K 15x4 in. cast.	(\$730)	0#
<b>14.6K</b>			
2690002	Front Brake Drums: 14.6K 16.5x5 in. cast.	(\$253)	78#
2690016	Front Brake Drums: 14.6K Meritor X30 light weight 16.5x5 in.	\$121	42#
2690031	Front Brake Drum: Tru Turn Lite 16.5X5, max rating 14.6K	(\$182)	56#
<b>20K &amp; Over</b>			
2690013	Front Brake Drum: 20K Meritor X30 light weight 16.5x6 in.	\$120	42#
2690017	Front Brake Drum: Cast 16.5x7 in., Max rating 22k.	(\$159)	94#
2690019	Front Brake Drum Included W/ Spoke Wheels or Ultramount hubs.	\$0	0#
2690032	Front Brake Drum: Tru Turn Lite 16.5X6, max rating 20K	(\$154)	80#
2690033	Front Brake Drum: Cast 16.5x7 in., Max rating 23k.	(\$159)	94#
2690035	Front Brake Drum: 22K 16.5x6 in. cast.	(\$177)	104#
2690045	Splined Rotor Included W/ Front Axles.	\$0	0#
2690050	Front Brake Drum Included W/ Front Axles.	\$0	0#
<b>Rotors</b>			
2690024	Splined Rotor for Front Air Disc Brakes for Use with Aluminum Hubs.	STD	0#
2690025	Splined Rotor for Front Air Disc Brakes for Use with Iron Hubs.	(\$199)	0#



## T880: FRONT AXLE

Option	Description	Price	Weight
<b>Outer End Equipment</b>			
<b>Rotors</b>			
2690040	Splined Rotor for Front Air Disc Brakes for use with twin steer with aluminum hubs. Requires 2607004	\$572	0#
2690041	Splined Rotor for Front Air Disc Brakes for use with twin steer with iron hubs. Requires 2607004	\$595	0#
2690042	U-Shaped Rotor for Meritor Air Disc Brakes.	(\$281)	0#
2690060	Rotor for Front Air Disc Brakes for use with aluminum hubs. For Meritor front air disc brakes.	\$58	0#
<b>Hubs</b>			
<b>12K to 13.2K</b>			
2701300	Front Hub: Aluminum Hub Pilot 13,200 lbs. 10-Bolt, 11-1/4 in. bolt circle .	(\$530)	0#
<b>14.6K to 16K</b>			
2702500	Front Hub: Iron Hub Pilot 14,600 lbs. 11-1/4 in. bolt circle. For use w/ air disc brakes. Consider wheelguards (5850002) w/ aluminum wheels.	(\$513)	48#
2707050	Front Hub: 14,600 lbs. Aluminum Hub Pilot 10-bolt, 11.25 in. bolt circle.	(\$464)	-40#
<b>18K &amp; Over</b>			
2701319	Front Hubs Aluminum Hub Pilot 20,000 lbs. 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle.	STD	0#
2702018	Front Hubs Iron Hub Pilot 18,000 lbs. 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle. Consider Wheelguards (5850002) with aluminum wheels.	(\$185)	80#
2702020	Front Hubs Iron Hub Pilot 20,000 lbs. 10 Bolt 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle. Consider Wheelguards (5850002) with aluminum wheels.	(\$185)	80#
2702022	Front Hubs Iron Hub Pilot 22,000 lbs. 10 Bolt 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle. Consider Wheelguards (5850002) with aluminum wheels.	(\$185)	80#
2702023	Front Hubs Iron Hub Pilot 23,000 lbs. 10 Bolt 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle. Consider Wheelguards (5850002) with aluminum wheels.	(\$185)	80#
2702040	Twin Steer Front Axle Hubs Iron Hub Pilot 40,000 lbs. 10 Bolt 11-1/4 in. bolt circle. Consider Wheelguards (5850002) with aluminum wheels	(\$376)	0#
2705340	Front Hub: 22K Meritor Ultramount 335mm bolt circle iron hub pilot hub/drum.	\$584	80#
2707002	Front Hub: Hub Pilot 335mm. Included w/ Marmon or Sisu front drive axles. Maximum axle capacity 30-40K twin steer.	\$0	0#
2707032	Front Hub Included w/ Front Axle, 11.25" BC	\$0	0#
<b>Oil Seals</b>			
2741961	Front Axle Oil Seal: for 335 mm. Bolt Circles, ball seat hubs or spoke wheels.	\$0	0#
2741970	ConMet PreSet Plus Hub Package; Front Axle.	STD	0#



## T880: FRONT AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

### Outer End Equipment

#### Oil Seals

2748550	Front Axle Oil Seal: Included W/ Axle or Brakes.	\$0	0#
---------	--------------------------------------------------	-----	----

#### Hubcaps

2750001	Hubcap: Front Vented.	STD	0#
---------	-----------------------	-----	----

2750900	Hubcaps Included W/ Front Axle.	\$0	0#
---------	---------------------------------	-----	----

#### Miscellaneous

2659047	Front Dustshield: for Drum Brakes: All Front Axles.	\$85	6#
---------	-----------------------------------------------------	------	----

2659144	Front Meritor Platinum Shield Brakes Addon Platinum shield is only a shoe change	\$49	0#
---------	----------------------------------------------------------------------------------	------	----

2690028	Integral Knuckle for Air Disc Brake, for use on Meritor MFS PLUS Steer Axle	\$0	0#
---------	-----------------------------------------------------------------------------	-----	----

2690029	Drum Brake Knuckle for Use on Meritor MFS Plus Steer Axle	\$0	20#
---------	-----------------------------------------------------------	-----	-----

2690039	Integral Knuckle for Air Disc Brake, for use on PACCAR FX Steer Axle	STD	0#
---------	----------------------------------------------------------------------	-----	----

2900903	Front Bendix Air Disc Brake Dustshield includes pad air disc brakes only.	\$72	1#
---------	---------------------------------------------------------------------------	------	----

2900916	Front Disc Brake Pad/Rotor Dust Shields Air Disc Brakes Only.	\$392	0#
---------	---------------------------------------------------------------	-------	----

2900919	Front Air Disc Brake Dustshield Includes Pads.	\$62	1#
---------	------------------------------------------------	------	----

2900920	Front Disc Brake: Meritor Pad/Rotor Dust Shields.	\$124	1#
---------	---------------------------------------------------	-------	----

#### Slack Adjusters

2765001	Front Auto Slack Adjuster for Drum Brakes.	\$0	0#
---------	--------------------------------------------	-----	----

2765810	Manual Slack Adjusters for Drum Brakes. Export and Off-Highway only.	\$186	-4#
---------	----------------------------------------------------------------------	-------	-----

2769000	Slack Adjusters Included W/ Front Axle or Brakes. Also use with disc brakes.	STD	0#
---------	------------------------------------------------------------------------------	-----	----

### Front Springs

#### 12K to 14.6K Capacity

2863012	Front Springs: Taperleaf 12K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins except for C500 which has threaded pins. Not available on W900L.	(\$878)	-126#
---------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------	-------

2863017	Front Springs: Taperleaf 12.35K W/ Shock absorbers w/ maintenance-free elastomer spring pin bushings.	(\$878)	-126#
---------	-------------------------------------------------------------------------------------------------------	---------	-------

2863020	Front Springs: Taperleaf Lightweight 12.5K w/ shock absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins.	(\$617)	-155#
---------	---------------------------------------------------------------------------------------------------------------------------------------------	---------	-------

2864008	Front Springs: Taperleaf Lightweight 13.2K w/ shock absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins.	(\$592)	-148#
---------	---------------------------------------------------------------------------------------------------------------------------------------------	---------	-------



## T880: FRONT AXLE

Option	Description	Price	Weight
<b>Front Springs</b>			
<b>12K to 14.6K Capacity</b>			
2864012	Front Springs: Taperleaf 13.2K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins. Not available on W900L.	(\$863)	-117#
2864019	Front Springs: Taperleaf 14.6K W/ Shock Absorbers 2-leaf. With maintenance-free elastomer spring pin bushings. Standard with rubber pins. Not available on W900L or W900S.	(\$444)	-101#
2864105	Front Springs: Taperleaf 14.6K W/ Shock Absorbers With maintenance-free elastomer spring pin bushings. Standard with rubber pins. T880 set forward axle only.	(\$335)	-115#
2884000	Kenworth AG 130 Front Air Suspension 13.2K w/ shock absorbers. Standard with rubber pins.	\$731	-139#
<b>15K &amp; Over Capacity</b>			
2864110	Front Springs: Taperleaf 16K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins. T880S set forward axle only.	(\$145)	-53#
2864116	Front Springs: Taperleaf 16K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings. Two leaf. Standard with rubber pins. Not available on W900L.	(\$306)	-85#
2865018	Front Springs: Taperleaf 18K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins. Not available on W900L.	\$0	0#
2866020	Front Springs: Taperleaf 20K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins except for C500 which has threaded pins. Not available on W900L. W900B use 2866021.	STD	0#
2866025	Front Springs: Taperleaf 20K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins. T880S set forward axle only.	\$297	0#
2867022	Front Springs: Taperleaf 22K W/ Shock Absorbers C500 standard with a single stage spring and threaded pins. T800/T880/T440/T470/W900B standard with a multi-stage spring and rubber pins. For T800/T880/T440/T470/W9B, this is a three stage spring. The spring rate increases when loaded closer to the full capacity of the spring. Not available on W900L or W900S.	\$1,678	185#
2867023	Front Springs: Taperleaf 23K W/ Shock Absorbers T880 is standard with a 3-stage spring and rubber pins. The spring rate increases when loaded closer to the full capacity of the spring.	\$1,678	185#
2867025	Front Springs: Taperleaf 23K W/ Shock Absorbers Use with front drive axle only. For T880, this is a three-stage spring. The spring rate increases when loaded closer to the full capacity of the spring. Standard with threaded spring pins.	\$1,317	-60#
2867027	Front Springs: Taperleaf 23K W/ Shock Absorbers T880 is standard with a 3-stage spring and rubber pins. The spring rate increases when loaded closer to the full capacity of the spring. T880S set forward axle only.	\$912	25#
<b>Front Spring Equipment</b>			
2790015	Front End Lowered: 1 in. Not Available W9B/L.	\$0	0#
2790017	Front End Lowered: 1.5in.	\$0	0#
2790038	Front Frame Lowered: 0.8 inches for front drive axle only.	\$45	17#
2790039	Front Frame Lowered: 1.6 inches for front drive axle only.	\$45	15#



## T880: FRONT AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

### Front Springs

#### Front Spring Equipment

2900020	Front Frame Raised: 1/2 in.	\$23	0#
2900024	Front Frame Raised: 1 in.	\$49	0#
2900038	Front Frame Raised: 0.8 inches for front drive axle only.	\$92	23#
2900039	Front frame raised 1.6 inches for front drive axle only.	\$92	26#
2900615	Threaded Bushings for Taperleaf Springs 12K - 14.6K replacing rubber: T6/T8, W900B, W990. W9L gets as standard: code not required. Not available with W9S. 13K - 14.6K for T370.	\$88	0#
2900616	Threaded Bushings for Taperleaf Spring 16K, 18/20K, 22K, 40K replacing rubber.	\$103	0#

### Power Steering

#### Single Gear

2893671	Single Power Steering Gear: 13.2K TRW THP60	(\$1,191)	-75#
2893881	Single Power Steering Gear: 16K TRW TAS85 W900B/W990 available, but not available W900S, W900L or T3.	(\$780)	-67#
2895101	Single Power Steering Gear: 16K Sheppard SD110.	(\$740)	-64#
2895221	Single Power Steering Gear: 13.2K Sheppard HD94.	(\$1,242)	-73#

#### Dual Gear

2893642	Dual Power Steering Gear: 16-22K TRW THP60 Not for use on T3.	\$73	54#
2893882	Dual Power Steering Gears: 32K TRW TAS85.	\$479	157#
2895103	Dual Power Steering Gear: 16-23K Sheppard SD110. Severe duty.	\$497	8#
2895302	Dual Power Steering Gear: 16-22K Sheppard HD94. Heavy duty. Not for use on T3.	STD	0#

#### Miscellaneous

2899336	Power Steering Cooler: Radiator Mounted Air-to-Oil	STD	0#
2899341	Delete Standard Power Steering Cooler.	(\$189)	-11#

### Twin Steer

#### Non-Driving

2509140	Twin Steer Front Axle: 40,000 lbs. Dana Spicer D2000.	\$8,130	595#
2509144	Twin Steer Front Axle: 40,000 lbs. Dana Spicer D2200.	\$8,845	595#
2517140	Meritor MFS20 40K Dual 3.5in. Drop Standard Track Twin Steer.	\$9,180	473#



## T880: FRONT AXLE

Option	Description	Price	Weight
<b>Twin Steer</b>			
<b>Non-Driving</b>			
2539002	PACCAR FX-20 Dual Front Axles rated at 40K, 4" drop, standard track, twin steer	\$9,270	0#
<b>Outer End Equipment</b>			
<b>Brakes &amp; Drums</b>			
2621405	Twin Steer Front Axle Brakes: 40K Bendix ES S-Cam 16-1/2x6 in.	\$0	0#
2690003	Twin Steer Front Axle Brake Drums: 16.5x6 in. 40K cast.	\$0	0#
<b>Hubs &amp; Seals</b>			
2701340	Twin Steer Front Axle Hubs Aluminum Hub Pilot 40,000 lbs. 10 Bolt 11-1/4 in. bolt circle	\$0	0#
2741971	ConMet PreSet Plus Hub Package; Front Axle twin steer.	\$0	0#
<b>Front Springs</b>			
2869043	Twin Steer Front Axle Springs: Taperleaf 40K W/ beam equalizing suspension. 61 in. axle spacing.	\$12,018	1,214#
2869045	Twin Steer Front Axle Springs: Taperleaf 40K W/ beam equalizing suspension. 86 in. axle spacing.	\$13,972	1,214#
<b>Power Steering</b>			
2895113	Triple Power Steering Gears: 40K Sheppard SD110/ HD94. Twin Steer axles only.	\$5,505	329#
<b>Miscellaneous</b>			
2750002	Twin Steer Front Axle Vented Hubcaps.	\$0	0#
2765002	Twin Steer Front Axle Automatic Slack Adjusters for Drum Brakes.	\$0	0#
<b>Miscellaneous</b>			
2790035	Maximum Length Wheel Studs for Hub Pilot Wheels only. Option is standard length w/ dual aluminum wheels, code not required.	\$13	2#





## T880: REAR AXLE

Option	Description	Price	Weight
<b>Single Drive Rear Axles</b>			
<b>21K to 23K</b>			
3031181	Single Dana Spicer S21-172 Single Reduction Rear axle. Single rear axle rated at 21K.	(\$12,213)	-1,176#
3041180	Single Dana Spicer S23-172 Single Reduction Axle, single rear axle rated at 23K.	(\$12,356)	-1,176#
3041181	Single Dana Spicer S23-172H Single Reduction Axle single rear axle rated at 23K. Heavy wall.	(\$10,241)	-1,141#
3041190	Single Dana Spicer S23-190 Single Reduction Rear axle. Single rear axle rated at 23K.	(\$12,049)	-1,038#
3042160	Single Meritor RS23-160 Rear Axle rated at 23K.	(\$12,817)	-1,109#
3042161	Single Rear Axle 23,000 lbs. Meritor RS23-161	(\$11,389)	-1,085#
<b>24K &amp; Above</b>			
3061190	Single Dana Spicer S26-190 Rear Axle; 26K capacity rated at 26K. Single rear axle.	(\$10,118)	-968#
3081093	Single Dana Spicer S30-190 Rear Axle; 30K capacity rated at 30K. Single rear axle with 74in. track, outer ends included w/ axle 16.5x7 brakes, iron hubs and dustshields	(\$3,946)	-454#
3082320	Single Meritor RS30-185 Rear Axle rated at 30K.	(\$3,940)	254#
<b>Tandem Drive Rear Axle</b>			
<b>40K &amp; Under</b>			
3103173	Meritor FUELite MA40-165 34K DualTrac; dead axle tandem; rear axle rated at 34K. with 12.7 mm heavy-wall housing. Use with 3511401 Driver Controlled Differential Lock (cross lock).	(\$1,458)	-877#
3121180	Dual Dana Spicer D40-172 Rear Axle rated at 40K. (Super 40) w/ 11mm housing and 2.06in. shaft diameter. Tandem rear axles.	\$1,268	-217#
3121181	Dual Dana Spicer D40-172P Rear Axle rated at 40K. (Super 40) w/ 11mm housing and 2.06in. shaft diameter. Includes pump. Tandem rear axles.	\$2,022	-217#
3121444	Dual Dana Spicer DSH40 Rear Axle rated at 40K w/ 11mm housing. Tandem rear axles.	(\$324)	-377#
3121446	Dual Dana Spicer DSH40P Rear Axle rated at 40K w/ 11mm housing and 1.81in. shaft diameter. Includes pump. Tandem rear axles.	\$442	-359#
3122162	Dual Rear Axle 40,000 lbs. Meritor RT40-160	\$2,771	-43#
3122164	Dual Rear Axle 40,000 lbs. Meritor RT40-160P with pump	\$4,537	-43#
3122245	Dual Meritor MT40-14X3 Hypoid Rear Axle rated at 40K. Tandem rear axle.	(\$1,958)	-451#
3122246	Dual Meritor MT40-14X3 Hypoid DualTrac Rear Axle rated at 40K. Tandem rear axles.	(\$1,398)	-419#
3122247	Dual Meritor MT40-14x4 Hypoid Rear Axle rated at 40K, with heavy-wall housing. Tandem rear axles.	(\$2,058)	-411#
3122248	Dual Meritor MT40-14x4 Hypoid DualTrac Rear Axle rated at 40K. w/heavy-wall housing. Tandem rear axles.	(\$1,171)	-379#



## T880: REAR AXLE

Option	Description	Price	Weight
<b>Tandem Drive Rear Axle</b>			
<b>40K &amp; Under</b>			
3122250	Dual Meritor MP40-14x3 Rear Axle rated at 40K. Tandem rear axles with pump.	(\$1,954)	-441#
3122251	Dual Meritor MP40-14x3 DualTrac Rear Axle rated at 40K. Tandem rear axles with pump.	(\$1,278)	-409#
3122252	Dual Meritor MP40-14x4 Rear Axle rated at 40K. w/ heavy-wall housing with pump. Tandem rear axles.	(\$1,680)	-401#
3122254	Dual Meritor MT40-14X3 Amboid Rear Axle rated at 40K. Tandem rear axle.	(\$2,278)	-457#
3122255	Dual Meritor MT40-14X3 Amboid DualTrac Rear Axle rated at 40K. Tandem rear axles.	(\$1,320)	-425#
3122257	Dual Meritor MT40-14x4 Amboid Rear Axle rated at 40K, with heavy-wall housing. Tandem rear axles.	(\$2,058)	-417#
3122258	Dual Meritor MT40-14x4 Amboid DualTrac Rear Axle rated at 40K. w/heavy-wall housing. Tandem rear axles.	(\$1,398)	-385#
3122265	Dual Meritor MT40-14X3HE Rear Axle rated at 40k 9.5 MM HSG	(\$416)	-475#
3122266	Dual Meritor MT40-14X3HE 40K DualTrac Rear Axle rated at 40K. 9.5 MM HSG	\$374	-455#
3122267	Dual Meritor MT40-14X4HE Rear Axle rated at 40k 11 MM HSG	(\$9)	-435#
3122268	Dual Meritor MT40-14X4HE DualTrac Rear Axle rated at 40K. 11 MM HSG	(\$781)	-415#
3122269	Meritor MT40-14X4 Plus Hypoid Dual Rear Axle rated at 40K. 11 MM HSG	\$761	-401#
3122270	Dual Meritor MT40-14x4 Plus Hypoid DualTrac Rear Axle Rated At 40k. W/ 11MM Housing. Tandem Rear Axles.	\$1,069	-369#
3122271	Dual Meritor MP40-14x4 Plus Rear Axle Rated 40K W/ 11MM Housing, With Pump. Tandem Rear Axles.	\$928	143#
3122272	Dual Meritor MP40-14x4 Plus DualTrac Rear Axle Rated at 40K. 11 MM HSG WITH PUMP. w/ heavy-wall housing with pump. Tandem rear axles.	\$1,216	-358#
3122273	Dual Meritor MT40-14x4 Plus Amboid Rear Axle rated at 40K, with heavy-wall housing. Tandem rear axles.	\$423	-417#
3122274	Dual Meritor MT40-14x4 Plus Amboid DualTrac Rear Axle Rated At 40K. W/ 11MM housing. Tandem rear axles.	\$1,069	-385#
3123001	Dual PACCAR DX-40 Axle rated at 40K 9.5 mm housing standard track	(\$2,233)	-534#
3123003	Dual PACCAR DX-40 Rear Axle rated at 40K 9.5 mm housing mid track	(\$1,341)	-514#
3124400	Dual Dana Spicer DSP40 Rear Axle rated at 40K. w/ 9.5mm housing and 1.88in. shaft diameter. Tandem rear axles.	(\$1,148)	-452#
3124401	Dual Dana Spicer DSP40P Rear Axle rated at 40K. w/ 9.5mm housing and 1.88in. shaft diameter. Includes pump. Tandem rear axles.	(\$1,948)	-434#



## T880: REAR AXLE

Option	Description	Price	Weight
<b>Tandem Drive Rear Axle</b>			
<b>40K &amp; Under</b>			
3124403	Dual Dana Spicer DSP41 Rear Axle rated at 40K. (DSP40 w/ heavy-wall housing) w/ 11mm housing and 1.88in. shaft diameter. Tandem rear axles.	(\$1,941)	-421#
3124404	Dual Dana Spicer DSP41P Rear Axle rated at 40K. (DSP40P w/ heavy-wall housing) w/ 11mm housing and 1.88in. shaft diameter. Includes pump. Tandem rear axles.	(\$1,687)	-403#
3124416	Dual Dana Spicer D40-155 ADVANTEK40 Rear Axle rated at 40K. w/ 9.5mm housing. Tandem rear axles.	(\$1,975)	-467#
3124417	Dual Dana Spicer D40-155P ADVANTEK40 Rear Axle rated at 40K w/ 9.5mm housing. Tandem rear axles.	(\$1,219)	-449#
3124418	Dual Dana Spicer D40-155H ADVANTEK40 Rear Axle rated at 40K w/ 11mm housing. Tandem rear axles.	(\$1,697)	-436#
3124420	Dual Dana Spicer D40-155HP ADVANTEK 40 Rear Axle rated at 40K w/ 11mm housing with pump. Tandem rear axles.	(\$941)	-418#
3124421	Dual Dana Spicer D40-155HS ADVANTEK40 Rear Axle rated at 40K w/ 11mm housing with SELECTRAC. Tandem rear axles.	(\$985)	-419#
3124423	Dual Dana Spicer D40-155HPS ADVANTEK40 Rear Axle rated at 40K w/ 11mm housing with pump/SELECTRAC. Tandem rear axles.	(\$479)	-401#
<b>44K</b>			
3131446	Dual Dana Spicer DSH44P Rear Axle rated at 44K w/ 12.5mm housing and 1.88in. shaft diameter. Includes pump. Tandem rear axles.	\$1,009	-327#
3131447	Dual Rear Axle 44,000 lbs. Dana Spicer DSH44P Wide Track	\$2,577	-290#
3132246	Dual Meritor MT44-14x5 Plus Rear Axle Rated At 44K. W/ 12.7MM Housin. Tandem Rear Axles.	\$1,887	-342#
3132251	Dual Meritor MP44-14x5 Plus Rear Axle Rated At 44k. 12.7MM Housing W/ Pump. Tandem Rear Axles.	\$2,262	-333#
<b>46K</b>			
3142160	Dual Meritor RT46-160 Rear Axle rated at 46K. Tandem rear axles.	STD	0#
3142161	Dual Meritor RT46-160P Rear Axle rated at 46K. Tandem rear axles. With pump	\$1,834	30#
3142170	Dual Meritor RT46-164EH Rear Axle rated at 46K. Tandem rear axles. Heavy wall housing	\$801	77#
3142171	Dual Meritor RT46-164PEH Rear Axle rated at 46K w/ heavy wall housing. Tandem rear axles.	\$2,685	107#
3142172	Dual Meritor RT46-164EH Rear Axle rated at 46K; wide track tandem rear axles w/ heavy wall housing.	\$2,224	223#
3142173	Dual Meritor RT46-164PEH Rear Axle rated at 46K. wide track tandem rear axles w/ heavy wall housing.	\$4,761	253#



## T880: REAR AXLE

Option	Description	Price	Weight
<b>Tandem Drive Rear Axle</b>			
<b>46K</b>			
3144180	Dual Dana Spicer D46-172 Rear Axle rated at 46K. Tandem rear axles. w/ 12.5mm housing and 2.06in. shaft diameter. Tandem rear axles.	\$238	-197#
3144181	Dual Dana Spicer D46-172P Rear Axle rated at 46K. w/ 12.5mm housing and 2.06in. shaft diameter. Includes pump. Tandem rear axles.	\$1,057	-158#
3144182	Dual Dana Spicer D46-172H Rear Axle rated at 46K. w/ 16mm housing and 2.06in. shaft diameter. Tandem rear axles.	\$812	-158#
3144183	Dual Dana Spicer D46-172HP Rear Axle rated at 46K. w/ 16mm housing and 2.06in. shaft diameter. Includes pump. Tandem rear axles.	\$2,453	-156#
3144185	Dual Dana Spicer D46-172HPW Rear Axle rated at 46K. Wide track tandem rear axles w/ pump. w/ 16mm housing and 2.06in. shaft diameter. Wide track tandem rear axle, includes pump.	\$3,750	-108#
3144590	Dual Dana Spicer D46-590HP Double Reduction rear axle rated at 46k w/ 16mm housing and 2.25in. shaft diameter. Includes pump. Tandem rear axles.	\$13,066	368#
3147480	Dual Dana Spicer DT463P Rear Axle rated at 46K. dual range tandem axle w/ 14mm housing and 2.06in. shaft diameter. Includes pump.	\$6,924	174#
<b>50K to 52K</b>			
3152090	Dual Meritor RT52-185P Single Reduction Rear axle rated at 52K. Tandem rear axles w/pump.	\$15,864	353#
3154190	Dual Dana Spicer D52-190P Rear Axle rated at 52K. w/ 16mm housing and 2.25in. shaft diameter. Includes pump. Tandem rear axles.	\$17,669	207#
3154590	Dual Dana Spicer D52-590P Double Reduction axle rated at 52k w/ 16mm housing and 2.25in. shaft diameter. Includes pump. Tandem rear axle.	\$17,106	402#
3155080	Dual Meritor RT52-380 Double Reduction Rear Axle rated at 52K. Tandem rear axles.	\$19,883	514#
<b>58K &amp; Above</b>			
3151600	Dual Dana Spicer D60-190 Single Reduction Rear axle rated at 60K. Tandem rear axles w/ 74 in. track.	\$23,749	213#
3152100	Dual Meritor RT58-185 Single Reduction Rear Axle rated at 58K. Tandem rear axles w/ 74 in. track.	\$22,761	592#
3152105	Dual Meritor RT58-185WT Single Reduction Rear axle rated at 58K. Wide track tandem rear axles w/80 in. track.	\$23,114	721#
3154600	Dual Dana Spicer D60-590 Double Reduction Rear axle rated at 60k w/ 16mm housing and 2.25in. shaft diameter. Tandem rear axle w/ 74in. track.	\$26,217	402#
3155390	Dual Meritor RT58-380 Double Reduction Rear Axle rated at 58K. Tandem rear axles w/ 74in. track.	\$25,833	789#
3155391	Dual Meritor RT58-380 Double Reduction Rear Axle rated at 58K. Wide track tandem rear axles w/ 80 in. track.	\$27,828	918#
3166202	Dual Sisu FR2P-26-S Rear Axle rated at 58K; Tandem rear axles w/ 74 in. track.	\$95,482	1,998#



## T880: REAR AXLE

Option	Description	Price	Weight
<b>Tandem Drive Rear Axle</b>			
<b>58K &amp; Above</b>			
3166305	Dual Sisu FR2P-32-S Rear Axle rated at 70K; Tandem rear axles w/ 80 in. track.	\$121,206	2,218#
3166310	Dual Sisu FR2P-32-S Rear Axle rated at 70K; Tandem rear axles w/ 74 in. track.	\$120,565	2,108#
<b>Tridem Drive Rear Axle</b>			
3151568	Tridem Dana Spicer T78-190P Rear Axle. Capacity varies. Wide track.	\$35,978	1,212#
3151571	Tridem Dana Spicer T69-172HP Rear Axle. Capacity varies. Standard track.	\$19,666	810#
3151572	Tridem Dana Spicer T69-172HP Rear Axle. Capacity varies. Wide track.	\$21,071	810#
3156901	Tridem Meritor RZ-XX-166P Single Reduction Rear axle. Capacity varies. Wide track.	\$19,817	1,359#
3156902	Tridem Meritor RZ-XX-166P Single Reduction Rear axle, rating depends on ratio, 16MM HSG	\$19,890	1,133#
3156906	Tridem Meritor RZ-XX-166 Single Reduction Rear axle. Capacity varies. Wide track.	\$22,529	3,181#
3176901	Tridem Meritor RZ-XX-188P Single Reduction Rear axle. Capacity varies, rating depends on ratio.	\$32,916	1,737#
<b>Single Axle Outer End Equipment</b>			
<b>Brakes</b>			
3302001	Single Rear Brakes Bendix Air Disc Brakes for single rear axles to 23K capacity.	\$0	0#
3302002	Single Rear Brakes Bendix Air Disc Brakes for single rear axles 23,001 to 26K capacity.	\$214	0#
3304010	Single Rear Brakes Bendix RSD-Compliant HP-ES S-Cam 16.5x7 in. single axle drum brake, Max GAWR 23k.	(\$932)	-10#
3306012	Single Rear Brakes Bendix RSD-Compliant ADB22X Disc brake for single axle, Max GAWR 23K.	\$0	0#
3330004	Single Rear Brakes 16-1/2x7 in. Bendix ES- extended service S-cam.	(\$843)	-20#
3350007	Single Rear Brakes 16-1/2x7 in., 23K. Meritor Q-Plus extended service S-cam.	(\$719)	-12#
3352003	Single Rear Brakes Meritor EX+L Optimized air disc brakes for single rear axles to 23K capacity.	\$0	0#
3354022	Single Rear Brakes Meritor RSD-Compliant S-Cam 16.5x8.625 in., single axle drum brake, Max GAWR 21k.	(\$588)	4#
3354023	Single Rear Brakes Meritor RSD-Compliant S-Cam 16.5x 7 in. single axle drum brake, Max GAWR 23k.	(\$861)	-12#
3356022	Single Rear Air Disc Brakes: Meritor EX+L Optimized RSD Sing Max 23K. Reduced stopping distance tractor only.	\$0	0#
3485015	Vocational Bendix Disc Brake Package Single Piston Chambers with High Duty Cycle Linings	\$1,143	200#



## T880: REAR AXLE

Option	Description	Price	Weight
<b>Single Axle Outer End Equipment</b>			
<b>Brake Drums</b>			
3392001	Single Rear Brake Heavy Duty Brake Drums: Cast. Use HD Gunitite Drum when single axle with GAWR over 23,000 lbs is selected. With 16.5X7" or 16.5X8.625" brake.	(\$507)	0#
3392007	Single Rear Brake Drums: Cast S-Cam Single For use with 15x8.625", 16.5X7" or 16.5X8.625" brake.	(\$694)	104#
3392116	Single Rear Brake Drums Meritor X30 Light weight. For use with 16.5X7" brake. Contact Applications Engineering for maximum GAWR.	(\$505)	72#
<b>Rotors</b>			
3392042	U-Shaped Rotor for Single Rear Meritor Air Disc brakes.	(\$84)	0#
3392204	Splined Rotor for Single Rear Air Disc Brakes for use with aluminum hubs.	\$0	0#
3392205	Splined Rotor for Single Rear Air Disc Brakes for use with iron hubs.	\$152	0#
3392210	Rotor for Single Rear Meritor Air Disc Brakes for use with aluminum hubs. For Meritor rear air disc brakes.	(\$94)	0#
<b>Hubs</b>			
3401010	Single Rear Hubs: Aluminum Hub Pilot 23K; 11.25" bolt circle. Requires "R" series outer ends.	\$0	0#
3403220	Single Rear Hubs: Iron Hub Pilot 26k; 11.25" Bolt circle. Requires "R" series outer ends.	\$12	52#
<b>Oil Seals</b>			
3441971	ConMet PreSet Plus Hub Package; Single Rear Axle.	\$0	0#
<b>Spring Brakes &amp; Parking Brakes</b>			
3485004	Spring Brakes Included W/ Single Rear Air Disc brakes.	\$0	0#
3485007	Spring Brake: 3030 Long Stroke Single 3 in. travel. For drum brakes. Helps keep brakes in adjustment longer.	\$178	44#
3485008	Spring Brake: 3036 Single.	\$267	50#
3485114	Spring Brakes Piston Type for Bendix Air Disc Brakes, Single. Piston type brake chambers are recommended for any full truck vehicle with Bendix rear disc brakes parking on grades exceeding 10%	\$477	70#
3485214	Spring Brake: 3036 Long Stroke Single 30 Square inches; 36 square inches spring chamber. For drum brakes	\$267	50#
<b>Slack Adjusters</b>			
3465001	Single Rear Axle Automatic Slack Adjusters. For use with drum brakes.	\$118	0#
<b>Wheel Differential Locks &amp; Limited Slip</b>			
3511080	Meritor Driver Controlled Differential Lock for single rear axle.	\$1,079	0#



## T880: REAR AXLE

Option	Description	Price	Weight
<b>Single Axle Outer End Equipment</b>			
<b>Wheel Differential Locks &amp; Limited Slip</b>			
3531001	Wheel Differential Lock for Dana Spicer Axles S21-170/172, S21-190, S23-170/172, S23-190, S26-190 & S30-190; adds D to the end of the axle part number.	\$1,418	0#
<b>Miscellaneous</b>			
3490901	Rear Air Disc Brake Dustshields for Single Axle; includes pads and rotor shields.	\$414	6#
3490911	Rear Air Disc Brake Meritor Dustshields for single axle; includes pads and rotor shields.	\$143	3#
3490913	Rear Air Disc Brake Meritor Dustshields for single axle; includes pads only.	\$24	1#
3490914	Rear Air Disc Brake Meritor Dustshields for dual axle; includes pads only.	\$48	2#
<b>Tandem Axle Outer End Equipment</b>			
<b>Brakes</b>			
3485215	Vocational Bendix Disc Brake Package Dual Piston Chambers with High Duty Cycle Linings	\$1,979	240#
<b>46K &amp; Under</b>			
3304012	Dual Rear Brake: Bendix RSD 16.5X7 46K Capacity Reduced Stopping Distance Tractor Only. RSD-Compliant HP-ES S-Cam, tandem axle drum brake.	(\$1,288)	24#
3304016	Dual Rear Brake: Bendix RSD 16.5X8.625 46K Capacity, Reduced Stopping Distance Tractor Only. RSD-Compliant HP-ES S-Cam, tandem axle drum brake.	(\$1,258)	-8#
3306001	Dual Rear Bendix Air Disc Brakes for Dual rear axles to 46K capacity.	STD	0#
3306014	Dual Rear Brakes Bendix RSD-Compliant ADB22X Disc brake for tandem axle, Max GAWR 46k.	\$0	0#
3334004	Dual Rear Brakes 16-1/2x7 in. to 46K; Bendix ES-extended service S-cam.	(\$1,567)	0#
3334050	Dual Rear Brakes 16-1/2x8-5/8 in. to 44K; Bendix ES-extended service S-cam.	(\$998)	32#
3354004	Dual Rear Brakes 16-1/2x7 in. to 46K; Meritor Q-Plus S-cam stamped spider.	(\$1,452)	-24#
3354007	Dual Rear Brakes 16-1/2x7 in. to 46K; Meritor Q- plus-extended service S-cam.	(\$1,332)	-24#
3354046	Dual Rear Brakes Meritor Q+ RSD-Compliant S-Cam 16.5x8.625 in. tandem axle drum brake, Max GAWR 46k.	(\$1,051)	8#
3356007	Dual rear Meritor EX+L Optimized Air Disc Brakes for dual rear axles to 46K capacity.	\$0	0#
3356024	Rear Air Disc Brakes: Meritor EX+L Optimized RSD Dual Max 46K. Reduced stopping distance tractor only.	\$0	0#
<b>52K</b>			
3304013	Rear Brake: Bendix RSD 16.5X7S Dual 46,001-52K Reduced Stopping Distance Tractor Only, RSD-Compliant HP-ES S-Cam, (Heavy Duty) tandem axle drum brake.	\$363	-8#
3306002	Dual Rear Bendix Air Disc Brakes for Dual rear axles 46,001 to 52K capacity.	\$429	0#



## T880: REAR AXLE

Option	Description	Price	Weight
<b>Tandem Axle Outer End Equipment</b>			
<b>Brakes</b>			
<b>52K</b>			
3306015	Rear Brakes, Bendix RSD-Compliant ADB22X Disc brake for tandem axle, GAWR 46,001 - 52K.	\$347	0#
3334009	Dual Rear Brakes 16-1/2x7 in. to 46,001 -52K Bendix ES-extended service S-cam.	(\$280)	16#
3354030	Dual Rear Brakes 16-1/2x7 in. 46,001-52K; Meritor P series S-cam requires cast drums.	\$144	-24#
3354050	Rear Brakes, Meritor Q+ RSD-Compliant S-Cam 16.5x7 in.tandem axle drum brake, Max GAWR 50K.	(\$1,443)	-24#
<b>58K &amp; Above</b>			
3334090	Dual Rear Bendix S-Cam Brakes 16.5x7in. for Dana 60K & 70K axles.	\$0	0#
3354010	Dual Rear Brakes 18x7 in. 58-70K; Meritor.	\$1,544	544#
3354035	Dual Rear Brakes 16-1/2x7 in. 58-70K; Meritor P S-cam.	\$0	16#
3360000	Dual Rear Brakes 16x8 in. 48-70K; Sisu S-cam.	\$0	0#
<b>Brake Drums</b>			
3392002	Dual Rear Heavy Duty Brake Drums: Cast. Use HD Gunitite Drum when tandem axle with GAWR over 46,000 lbs is selected. For 16.5X7" or 16.5X8.625" brake.	(\$915)	0#
3392005	Dual Rear Brake Drums: Cast. For use with 16.5X7" or 16.5X8.625" brake.	(\$638)	208#
3392010	Rear Brake Drums: Cast Included W/ Axle or brake.	\$0	0#
3392130	Dual Rear Brake Drums Meritor X30 Light Weight. Use with 16.5X7" brakes. Limits GAWR to 46K maximum. Requires dual spring brakes. Not for spoke wheels	(\$261)	-64#
3392131	Dual Rear Brake Drums Meritor X30 Light Weight. Use w/ 16.5X8.625" brakes. Limits GAWR to 46K maximum. Requires dual spring brakes. Not for spoke wheels.	(\$11)	176#
<b>Rotors</b>			
3392043	U-Shaped Rotor for Dual Rear Meritor Air Disc brakes.	(\$69)	0#
3392604	Splined Rotor for Dual Rear Air Disc Brake for use with aluminum hubs.	STD	0#
3392605	Splined Rotor for Dual Rear Air Disc Brakes for use with iron hubs.	\$354	0#
3392606	Rotor for Tandem Rear Meritor Air Disc Brakes for use with aluminum hubs. For Meritor rear air disc brakes.	(\$38)	0#
<b>Hubs</b>			
3403023	Dual Rear Hubs: Iron Hub Pilot 11-1/4 in. Bolt circle for axles 58K and greater.	\$0	0#
3403460	Dual Rear Hubs: Iron Hub Pilot 52K; 11.25" Bolt circle. Requires "R" series outer ends.	\$18	104#





## T880: REAR AXLE

Option	Description	Price	Weight
<b>Tandem Axle Outer End Equipment</b>			
<b>Hubs</b>			
3405010	Dual Rear Hubs: Iron 335mm Hub Pilot for Dana 60K and 70K axles only.	\$1,155	104#
3405334	Dual Rear Hubs: Meritor Ultramount Hub Pilot; maximum 46K. 335 mm. bolt circle.	\$1,058	104#
3407050	Dual Rear Hubs: Aluminum Hub Pilot 46K; 11.25" bolt circle. Requires "R" series outer ends.	STD	0#
<b>Oil Seals</b>			
3441965	Dual Rear Oil Seals W/ Iron Hubs W/ 335 mm. Hubs, ball seat hubs or spoke wheels.	\$0	0#
3441972	ConMet PreSet Plus Hub Package; Dual Rear Axle.	STD	0#
<b>Spring Brake &amp; Service Chambers</b>			
<b>Single on Dual</b>			
3485101	Spring Brake: 3030 Long Stroke Single Spring brake on dual axle. For drum brakes, also known as spring brake delete. This option reduces rear tandem GAWR to 36,000 lbs.	\$289	88#
3485103	Spring Brakes Included W/ Rear Air Disc Brakes single spring brake on dual axle installation. Derates tandem to 36,000 lbs. AKA spring brake delete.	\$260	0#
<b>Dual</b>			
3483260	Spring Brake: 3630 Dual for Sisu Axle.	\$2,044	28#
3485002	Spring Brakes Included W/ Dual Rear Air Disc brakes.	STD	0#
3485013	Spring Brakes Piston Type for Bendix Air Disc Brakes, Dual. Piston type brake chambers are recommended for any full truck vehicle with Bendix rear disc brakes parking on grades exceeding 10%	\$1,543	140#
3485207	Spring Brake: 3030 Long Stroke Dual 30 Square inches travel. For drum brakes. Helps keep brakes in adjustment longer.	\$356	88#
3485208	Spring Brake: 3036 Dual 30 Square Inches; 36 square inches spring chamber.	\$533	100#
3485209	Spring Brake: 3030 High Output Dual. For drum brakes.	\$331	0#
3485210	Spring Brake: 3636 Dual.	\$592	24#
3485213	Spring Brake: 3036 Long Stroke Dual 30 Square inches; 36 square inches spring chamber. For drum brakes.	\$534	100#
<b>Brake Equipment</b>			
3500006	Inverted Chambers for 16-1/2 x 7 in. Brakes; Replaces standard mount w/ higher mount.	\$6	0#
3500012	Replace Standard Mount W/ High Mount for Rear rear axle brake chambers.	\$0	0#
3500021	Brake Cam Tube Bracket Required W/ Wide Base tires w/ Airslide 380, 400, 400L, 460, 690 & Primaax suspension.	\$0	4#



## T880: REAR AXLE

Option	Description	Price	Weight
<b>Tandem Axle Outer End Equipment</b>			
<b>Differential Lock &amp; Crosslock</b>			
3511400	Driver Controlled Differential Lock (Crosslock) for Meritor Axles 40K to 52K forward rear axle. Under Speed Interlock is standard on T680.	\$1,449	19#
3511401	Driver Controlled Differential Lock (Crosslock) for FUELite MA40-165.	\$1,444	0#
3511410	Driver Controlled Differential Lock (Crosslock) for Meritor Axles 40K to 58K rear rear axle. Under Speed Interlock is standard on T680.	\$1,496	19#
3511420	Driver Controlled Differential Lock (Crosslock) for Meritor Axles 40K to 52K forward rear & rear rear axle. Under Speed Interlock is standard on T680.	\$2,676	39#
3511500	Driver Controlled Differential Lock (Crosslock) for Paccar Axles 40K rated, forward rear axle, with cab control.	\$1,405	19#
3513045	No Spin for Meritor Axles: 52-70K Capacity forward rear axle.	\$1,643	15#
3532120	Wheel Differential Lock for Dana Spicer Axles DSH40(P)/DSH44(P)/DSP40(P)/DSP41(P)/D40-145(P)(H)(S)/D40-155 forward rear axle. Under Speed Interlock is standard on T680.	\$1,426	22#
3532125	Wheel Differential Lock for Dana Spicer Axles DSP40/DSP41(P)/DSH40(P)/DSH44(P)/D40-155 rear rear axle. Under Speed Interlock is standard on T680.	\$1,499	15#
3532130	Wheel Differential Lock for Dana Spicer Axles DSP40/DSP41(P)/DSH40(P)/DSH44(P)/D40-155 forward rear axle & rear rear. Under Speed Interlock is standard on T680.	\$2,740	37#
3532171	Wheel Differential Lock for Dana Spicer Axles D60-190, D60-590 and D70-590, forward rear and rear rear axles. Under Speed Interlock is standard on T680.	\$2,501	39#
3532190	Wheel Differential Lock for Dana Spicer Axles D40-170/172(P)/D46-170/172(H)(P)(WT) forward rear axle. Under Speed Interlock is standard on T680.	\$1,467	55#
3532191	Wheel Differential Lock for Dana Spicer Axles D52-190P or D46-590HP forward rear axle.	\$1,256	19#
3532192	Wheel Differential Lock for Dana Spicer Axles D40-170/172(P)/D46-170/172(H)(P)(WT) rear rear axle. Under Speed Interlock is standard on T680.	\$1,505	55#
3532193	Wheel Differential Lock for Dana Spicer Axles D52-190P or D46-590HP rear rear axle. Under Speed Interlock is standard on T680.	\$1,540	20#
3532194	Wheel Differential Lock for Dana Spicer Axles D40-170(P)/D46-170(H)(P)(WT) forward rear axle & rear rear axle.	\$2,822	112#
3532195	Wheel Differential Lock for Dana Spicer Axles D52-190P, D46-590HP or D52-590P forward rear axle & rear rear axle.	\$2,501	39#
<b>Slack Adjusters</b>			
3460020	Manual Slack Adjusters for Dual Rear Axles Under 58K. Tandem drum brakes. For export and off-highway only.	\$301	-6#
3460090	Manual Slack Adjusters for Dual Rear Axles 58K and over. For export and off-highway only. Not available with Dana axles.	\$16	-6#



## T880: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

### Tandem Axle Outer End Equipment

#### Slack Adjusters

3465002	Tandem Rear Axle Automatic Slack Adjusters. For use with drum brakes.	\$286	0#
---------	-----------------------------------------------------------------------	-------	----

#### Miscellaneous

3490902	Rear Air Disc Brake Dustshields for Tandem axles; includes pads and rotor shields.	\$828	12#
3490912	Rear Air Disc Brake Meritor Dustshields for tandem axles; includes pads and rotor shields.	\$233	5#
3500022	Brake Cam Tube Bracket W/ Dual Tires	\$118	4#

### Tridem Axle Outer End Equipment

#### Brakes

3304014	Tridem Rear Brakes Bendix RSD-Compliant HP-ES S-Cam 16.5x7 in. tridem axle drum brake, Max GAWR 69k.	(\$1,617)	-30#
3304015	Tridem Rear Brakes, Bendix RSD-Compliant HP-ES S-Cam 16.5x7 in. S (Heavy Duty) tridem axle drum brake, for GAWR 69,001 - 78k.	\$539	-30#
3306003	Tridem Rear Brakes Bendix Air Disc Brakes rated to 69K capacity.	\$0	0#
3306016	Tridem Rear Brakes Bendix RSD-Compliant ADB22X Disc brake for tridem axle, Max GAWR 69k.	\$0	0#
3334305	Tridem Rear Brakes 16-1/2x7 in. to 78K; Bendix ES-extended service S-cam.	(\$2,789)	-60#
3354069	Tridem Rear Brakes Meritor Q+ RSD-Compliant S-Cam 16.5x7 in. tridem axle drum brake, Max GAWR 69k.	(\$1,943)	-36#
3354300	Tridem Rear Brakes 16-1/2x7 in. to 69K; Meritor Q-Plus S-cam.	(\$2,043)	-36#
3485315	Vocational Bendix Disc Brake Package Tridem Piston Chambers with High Duty Cycle Linings	\$2,814	280#

#### Brake Drums

3392003	Tridem Rear Heavy Duty Brake Drums: Cast. Use HD Gunitite Drum when tridem axle with GAWR over 69,000 lbs is selected. For 16.5X7" or 16.5X8.625" brake.	(\$1,397)	312#
3393000	Tridem Rear Brake Drums: Cast. For use with 16.5X7" or 16.5X8.625" brake.	(\$1,982)	312#
3393006	Tridem Rear Brake Drums: Meritor X30 Light weight. Use with 16.5X7" brake. Contact Applications Engineering for maximum GAWR.	(\$1,521)	216#

#### Rotors

3392704	Splined Rotor for Tridem Rear Air Disc Brakes for use with aluminum hubs.	\$0	0#
3392705	Splined Rotor for Tridem Rear Air Disc Brakes for use with iron hubs.	\$406	0#

#### Hubs

3403490	Tridem Rear Hubs: Iron Hub Pilot 78K; 11.25" Bolt circle. Requires "R" series outer ends.	(\$56)	156#
---------	-------------------------------------------------------------------------------------------	--------	------



## T880: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

### Tridem Axle Outer End Equipment

#### Hubs

3407090	Tridem Rear Hubs: Aluminum Hub Pilot 69K; 11.25" bolt circle. Requires "R" series outer ends.	\$0	0#
---------	-----------------------------------------------------------------------------------------------	-----	----

#### Oil Seals

3441973	ConMet PreSet Plus Hub Package; Tridem Rear Axle	\$0	0#
---------	--------------------------------------------------	-----	----

#### Spring Brakes & Service Chambers

3485003	Spring Brake Included With Air Disc Brake Tridem	\$0	0#
---------	--------------------------------------------------	-----	----

3485301	Spring Brake: 3030 Long Stroke Tridem 3 in. travel. For drum brakes. Helps keep brakes in adjustment longer.	\$534	132#
---------	--------------------------------------------------------------------------------------------------------------	-------	------

3485302	Spring Brake: 3036 Tridem.	\$778	150#
---------	----------------------------	-------	------

3485313	Spring Brake: 3036 Long Stroke Tridem 30 Square inches; 36 square inches spring chamber	\$801	150#
---------	-----------------------------------------------------------------------------------------	-------	------

3485314	Spring Brakes Piston Type for Bendix Air Disc Brakes, Tridem. Piston type brake chambers are recommended for any full truck vehicle with Bendix rear disc brakes parking on grades exceeding 10%	\$1,731	210#
---------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------	------

#### Differential Lock, Crosslock & No Spin

3511425	Driver Controlled Differential Lock (Crosslock) for Meritor Axles to 69K forward rear, center rear & rear axle.	\$3,794	52#
---------	-----------------------------------------------------------------------------------------------------------------	---------	-----

3511428	Driver Controlled Differential Lock (Crosslock) for Meritor Axles to 69K center rear & rear axle.	\$2,571	35#
---------	---------------------------------------------------------------------------------------------------	---------	-----

3532189	Wheel Differential Lock for Dana Spicer Axles T69-170/172HP forward rear axle & rear rear.	\$2,715	112#
---------	--------------------------------------------------------------------------------------------	---------	------

3532196	Wheel Differential Lock for Dana Spicer Axles T69-170/172HP forward rear, center rear axle & rear rear axle.	\$4,096	167#
---------	--------------------------------------------------------------------------------------------------------------	---------	------

3532197	Wheel Differential Lock for Dana Spicer Axles T69-170/172HP center rear axle & rear rear axle.	\$2,698	112#
---------	------------------------------------------------------------------------------------------------	---------	------

3532202	Wheel Differential Lock for Dana Spicer Axles T78-190P/590P forward rear, center rear axle & rear rear axle.	\$4,016	59#
---------	--------------------------------------------------------------------------------------------------------------	---------	-----

#### Slack Adjusters

3465003	Tridem Rear Axle Automatic Slack Adjusters. For use with drum brakes.	\$354	0#
---------	-----------------------------------------------------------------------	-------	----

#### Miscellaneous

3490903	Rear Disc Brake Dustshields for Tridem Axle includes pad and rotor shield.	\$1,242	19#
---------	----------------------------------------------------------------------------	---------	-----

### Anti-Lock Brake System

#### 4-Channel

3495226	Bendix 4S/4M Anti-Lock Brake System.	(\$3,688)	0#
---------	--------------------------------------	-----------	----

3495228	Bendix 4S/4M Anti-Lock Brake System W/ Air traction control (ATC).	(\$2,507)	2#
---------	--------------------------------------------------------------------	-----------	----



## T880: REAR AXLE

Option	Description	Price	Weight
<b>Anti-Lock Brake System</b>			
<b>4-Channel</b>			
3495229	Bendix 4S/4M Anti-Lock Brake System W/ Air traction control (ATC) & electronic stability program (ESP) for tractor.	(\$829)	11#
3495233	Bendix 4S/4M Anti-Lock Brake System W/ Air traction control (ATC) and electronic stability program (ESP) for full truck. Must code for additional body information.	(\$845)	0#
3495529	Wabco 4S/4M Anti-Lock Brake System W/ Air traction control (ATC) & electronic stability control (ESC).	(\$960)	0#
<b>6-Channel</b>			
3495227	Bendix 6S/6M Anti-Lock Brake System.	(\$2,542)	5#
3495230	Bendix 6S/6M Anti-Lock Brake System W/ Air traction control (ATC).	(\$1,999)	6#
3495231	Bendix 6S/6M Anti-Lock Brake System W/ Air traction control (ATC) and electronic stability program (ESP) for tractor.	(\$48)	15#
3495232	Bendix 6S/6M Anti-Lock Brake System W/ Air traction control (ATC) and electronic stability program (ESP) for full truck. Must code for additional body information.	STD	0#
3495538	Wabco 6S/6M Anti-Lock Brake System W/ Air traction control (ATC) & electronic stability control (ESC).	\$317	0#
<b>Other</b>			
3495242	Bendix eTrac Traction Enhancement	\$970	9#
3495243	Bendix Side Object Detection Version 2 sensor on RH side, with increased field of view and enhanced detection.	\$2,046	0#
3495332	Bendix Wingman Advanced Adaptive CC w/ Collision Mitigation (ACB)	\$1,684	22#
<b>Body Builder ESP Information</b>			
3500070	20-33 Cubic Yard Dump	\$0	0#
3500072	Tanker Height less than 75 in. from Top of Frame rail	\$0	0#
3500073	Tanker Height between 75 in. and 85 in. from Top of frame rail.	\$0	0#
3500074	10.5-11 Yard Rear Discharge Non-Bridge Formula mixer.	\$0	0#
3500075	10.5-11 Yard Rear Discharge Bridge Formula mixer.	\$0	0#
3500096	Flatbed Top of Deck not more than 20 in. Above top of deck or frame rail. Guidelines associated with anti-lock brakes systems that include ESP for full truck chassis can be found in Kenworth TE1647 on DealerNet.	\$0	0#
3500097	Van Body Top of Deck not more than 20 in. Above top of rail-Guidelines associated with anti-lock brakes systems that include ESP for full truck chassis can be found in Kenworth TE1647 on DealerNet.	\$0	0#



## T880: REAR AXLE

Option	Description	Price	Weight
<b>Miscellaneous</b>			
3404000	Rear Hub: Hub Pilot 335mm. Included W/ Sisu Axle.	\$0	0#
3407046	Longer Studs for Aluminum Wheels W/ Steel Hub pilot wheels.	\$18	6#
3440100	Oil Seals Included W/ Axle.	\$0	0#
3465900	Rear Slack Adjusters Included W/ Axle or Air disc brakes.	STD	0#
3486000	Spring Brake Location: Forward Rear, Code Separately For Spring Break	\$0	0#
3490047	Dustshields for Drum Brakes: All Rear Axles.	\$135	11#
3491495	Hubodometer.	\$444	3#
3495144	Rear Meritor Platinum Shield Brakes Addon Platinum shield is only a shoe change.	\$97	0#
3495145	Wear Sensor for Bendix Disc Brakes-Tandem Rear & Steer Axle	\$610	0#
3495146	Wear Sensor for Bendix Disc Brakes-Front Axle Only	\$382	0#
3495147	Wear Sensor for Bendix Disc Brakes-Front & Single Rear Axle	\$496	0#
3495225	FMVSS-136 Stability Control Schedule Review Chassis meets FMVSS-136 requirements and must be equipped with Electronic Stability Control. Reference Option code placed on order.	\$0	0#
3495333	Adjustable Headway Distance For ACC	\$0	0#
3495335	Non-Adjustable Headway Distance For ACC at 2.8 Sec	\$0	0#
3495337	Non-Adjustable Extended Headway Distance For Acc (AT 3.5 Sec for BENDIX or AT 3.6 SEC for WABCO)	\$0	0#
3495338	Standard Headway Distance Warnings For Use with ACC (1.5, 1.0, 0.5 S)	\$0	0#
3495339	Extended Headway Distance Warnings For Use with ACC (2.0/1.5/1.0 S)	\$0	0#
3495340	Max Headway Distance Warnings For Use with ACC (3.0/2.0/1.5 S)	\$0	0#
3495380	Bendix Fusion Adaptive CC W/ACB rel 2.2 W/Adjacent Lane and Highway Departure AEB W/O Video Recording	\$4,496	0#
3495381	Bendix Fusion Adaptive CC W/ACB rel 2.2 W/Adjacent Lane and Highway Departure AEB with Video Recording	\$4,500	0#
3495410	Torque Assisted Steering w/o Lane Keeping Assist	\$2,344	0#
3495412	Lane Keeping Assist w/ Torque Assisted Steering	\$2,952	0#
3495541	WABCO OnGuard Active Adaptive CC with Collision Mitigation (ACB)	\$2,874	0#
3510000	Tapered Axle Shaft Holes.	\$65	0#



## T880: REAR AXLE

Option	Description	Price	Weight
<b>Miscellaneous</b>			
3512125	Additional Lube Pump for Rear Rear Axle for Meritor RT58-380 & RT70-380.	\$877	11#
3532600	Crosslock Included W/ Axle for Sisu Rear Axles. Warning - engagement of traction control devices on both axles may seriously impair the steering of this vehicle. Please note, Must code for Controls Separately.	\$0	0#
3533000	Raised Oil Levels for Rear Rear Axle for use on 12% or greater continuous grades.	\$74	20#
3573001	Park Brake Interlock for Two-Speed Rear Axle	\$110	0#
3573111	Separate Switch for Dual Axles: differential lock or crosslock.	\$13	0#
3573112	Flip Valve, Wiring and Light Separate for Wheel differential lock or driver controlled differential lock for forward rear, center rear & rear rear axles.	\$224	0#
3580002	Fabricated Torque Rod Brackets Replace Cast brackets. Required w/ Sisu 58K plus axles and Neway AD252.	\$9,489	0#
<b>Pusher Axles</b>			
<b>Non-Steerable Pushers</b>			
<b>Suspensions</b>			
3808025	Non-Steerable Pusher Axle: Watson Chalin AL2200 23K Standard track.	\$15,974	2,296#
3808026	Non-Steerable Pusher Axle: Watson Chalin AL2200 21K Wide track.	\$17,784	2,309#
<b>Brakes</b>			
3820348	16.5x7 in. Bendix Non-RSD Brakes for Use With 21K or 23K non-steerable pusher assembly (included w/ axle).	\$0	0#
3820353	16.5x7 in. Bendix RSD brakes for use with 21K or 23K axle non-steerable pusher assembly.	\$138	0#
3820364	16.5x7 in. Meritor Non-RSD Brakes for Use With 21K or 23K non-steerable pusher assembly (included w/ axle).	\$0	0#
<b>Brake Drums</b>			
3820698	Cast Brake Drums 16.5x7 for Non-Steerable 21K or 23K pusher axle.	\$0	0#
<b>Hubs</b>			
3821703	Non-Steerable Pusher Hubs Iron Hub Pilot 10-Hole 11.25 in. bolt circle for use with 21K or 23K axle.	\$0	30#
3821704	Non-Steerable Pusher Hubs Aluminum Hub Pilot 10-hole 11.25 in. bolt circle for use with 21K or 23K axle.	\$630	0#
3821710	Non-Steerable Pusher Hubs Iron Hub Pilot 10-Hole ASSY*335MM bolt circle for use with 21K or 23K axle.	\$653	0#
<b>Miscellaneous</b>			
3825011	Non-Steerable Pusher: Optional Dustshields.	\$56	3#



## T880: REAR AXLE

Option	Description	Price	Weight
<b>Pusher Axles</b>			
<b>Steerable Pushers</b>			
<b>Suspensions</b>			
3808027	1 Steerable Pusher: Watson Chalin Tru Track 23K SL2200 includes axle.	\$31,795	2,086#
3808111	1 Steerable Pusher: Watson Chalin 8K SL08	\$14,131	941#
3808124	1 Steerable Pusher: Watson Chalin 10K SL10	\$13,834	962#
3808131	1 Steerable Pusher: Watson-Chalin 13.5K SL13	\$14,882	1,245#
3808511	2 Steerable Pusher: Watson Chalin 8K SL08	\$27,257	1,881#
3808524	2 Steerable Pusher: Watson Chalin 10K SL10	\$27,203	1,923#
3808531	2 Steerable Pusher: Watson-Chalin13.5K SL13	\$28,793	2,489#
3808611	3 Steerable Pusher: Watson Chalin 8K SL08	\$40,717	2,823#
3808624	3 Steerable Pusher: Watson Chalin 10K SL10	\$40,857	2,886#
3808631	3 Steerable Pusher: Watson-Chalin 13.5K SL13	\$43,192	3,735#
3808802	1 Steerable Pusher: Watson Chalin Tru Track 20K; SL2065	\$19,346	1,594#
<b>Brakes</b>			
3820027	1 Steerable Pusher Brakes: Non-RSD 325x100 Use with 8K OR 10K axle.	\$0	0#
3820028	2 Steerable Pusher Brakes: Non-RSD 325x100 Use with 8K OR 10K axle.	\$0	0#
3820029	3 Steerable Pusher Brakes: Non-RSD 325x100 Use with 8K OR 10K axle.	\$0	0#
3820036	1 Steerable Pusher Brakes: Bendix Non-RSD 15x4 Use with 13.5K axle.	\$0	0#
3820037	2 Steerable Pusher Brakes: Bendix Non-RSD15X4 Use with 13.5K axle.	\$0	0#
3820038	3 Steerable Pusher Brakes: Bendix Non-RSD15X4 Use with 13.5K axle.	\$0	0#
3820041	16.5x5 in. Bendix RSD brakes for use with 13.5K 1 steerable pusher assembly (included w/ axle).	\$57	0#
3820042	16.5x7 in. Bendix Non-RSD Brakes for Use With 23K 1 steerable pusher assembly (included w/ axle).	\$0	0#
3820044	16.5x7 in. Bendix RSD Brakes for Use with 23K 1 steerable pusher assembly (included w/ axle)	\$138	0#
3820045	1 Steerable Pusher Brakes: 16.5x7 in. Meritor Non-RSD brakes for use with 23K 1 steerable pusher assembly (included w/ axle).	\$0	0#
3820048	1 Steerable Pusher Disc Brakes And Splined Rotor: Bendix RSD Use With 13.5K Axle	\$5,536	42#
3820050	1 Steerable Pusher Disc Brakes And Splined Rotor: Bendix Non-RSD Use With 13.5K Axle	\$5,536	42#





## T880: REAR AXLE

Option	Description	Price	Weight
<b>Pusher Axles</b>			
<b>Steerable Pushers</b>			
<b>Brakes</b>			
3820051	2 Steerable Pusher Disc Brakes And Splined Rotor: Bendix Non-RSD Use With 13.5K Axle	\$11,071	84#
3820052	3 Steerable Pusher Disc Brakes And Splined Rotor: Bendix Non-RSD Use With 13.5K Axle	\$16,607	126#
3820083	1 Steerable Pusher Brakes: Bendix Non-RSD 16.5x6 in.; Use with 20K axle.	\$0	0#
3820087	1 Steerable Pusher Brakes: Bendix RSD 16.5x6 in. Use with 20K axle.	\$82	0#
3820101	1 Steerable Pusher Brake: Meritor Q+ 16.5x6 in.; Use with 20K axle.	\$686	48#
3820211	1 Steerable Pusher Brakes: Meritor Non-RSD15X4 Use with 13.5K axle.	\$338	0#
3820212	2 Steerable Pusher Brakes: Meritor Non-RSD15X4 Use with 13.5K axle.	\$558	0#
3820213	3 Steerable Pusher Brakes: Meritor Non-RSD15X4 Use with 13.5K axle.	\$784	0#
<b>Brake Drums</b>			
3820500	1 Steerable Pusher Cast Brake Drums. 16.5X7 in. for use with 23K axle.	\$0	0#
3820501	1 Steerable Pusher Brake Drums 325x100 included with 8K axle 205mm BC.	\$0	0#
3820502	2 Steerable Pusher Brake Drums 325x100 included with 8K axle 205mm BC.	\$0	0#
3820503	3 Steerable Pusher Brake Drums 325x100 included with 8K axle 205mm BC.	\$0	0#
3820511	1 Steerable Pusher Brake Drums 325x100 included with 10K axle 275mm BC.	\$0	0#
3820512	2 Steerable Pusher Brake Drums 325X100 included with 10K axle 275mm BC.	\$0	0#
3820513	3 Steerable Pusher Brake Drums 325X100 included with 10K 275mm BC.	\$0	0#
3820523	1 Steerable Pusher Brake Drum 15x4 for Use With 13.5K axle.	\$0	0#
3820524	2 Steerable Pusher Brake Drum 15x4 for Use With 13.5K axle.	\$16	0#
3820525	3 Steerable Pusher Brake Drum 15x4 for use with 13.5K axle.	\$24	0#
3820533	1 Steerable Pusher Cast Brake Drums. 16.5X5 in. for use with 13.5K axle.	\$51	0#
3820562	1 Steerable Pusher Cast Brake Drums. 16.5X6 in. for use with 20K axle.	\$0	0#
<b>Hubs</b>			
3821003	1 Steerable Pusher Iron Hubs Included for 10K axle.	\$0	0#
3821004	2 Steerable Pusher Iron Hubs Included for 10K axle.	\$0	0#
3821005	3 Steerable Pusher Iron Hubs Included for 10K axle.	\$0	0#



## T880: REAR AXLE

Option	Description	Price	Weight
<b>Pusher Axles</b>			
<b>Steerable Pushers</b>			
<b>Hubs</b>			
3821112	1 Steerable Pusher Iron Hubs Included for 8K axle.	\$0	0#
3821113	2 Steerable Pusher Iron Hubs Included for 8K axle.	\$0	0#
3821114	3 Steerable Pusher Iron Hubs Included for 8K axle.	\$0	0#
3821121	1 Steerable Pusher Hubs Aluminum Hub Pilot for use with 13.5K axle.	\$0	0#
3821122	2 Steerable Pusher Hubs Aluminum Hub Pilot for use with 13.5K axle.	\$0	0#
3821123	3 Steerable Pusher Hubs Aluminum Hub Pilot for use with 13.5K axle.	\$0	0#
3821152	1 Steerable Pusher Hubs Alum Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 20K axle.	\$33	0#
3821153	1 Steerable Pusher Hubs Iron Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 20K axle.	(\$297)	16#
3821156	1 Steerable Pusher Hubs Iron Hub Pilot 10-Hole 11-.25 in. bolt circle. For use with 23K axle.	\$0	0#
3821157	1 Steerable Pusher Hubs Alum Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 23K axle.	\$359	0#
<b>Miscellaneous</b>			
3825047	Steerable Pusher: Optional Dustshields.	\$85	6#
<b>Pusher Axle Locations</b>			
3841043	1st Pusher Location: 43 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841044	1st Pusher Location: 44 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841045	1st Pusher Location: 45 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841046	1st Pusher Location: 46 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841047	1st Pusher Location: 47 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841048	1st Pusher Location: 48 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841049	1st Pusher Location: 49 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841050	1st Pusher Location: 50 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841051	1st Pusher Location: 51 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841052	1st Pusher Location: 52 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841053	1st Pusher Location: 53 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841054	1st Pusher Location: 54 in. From C/I Forward tandem axle or single rear axle.	\$0	0#



## T880: REAR AXLE

Option	Description	Price	Weight
<b>Pusher Axles</b>			
<b>Pusher Axle Locations</b>			
3841055	1st Pusher Location: 55 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841056	1st Pusher Location: 56 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841057	1st Pusher Location: 57 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841058	1st Pusher Location: 58 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841059	1st Pusher Location: 59 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841060	1st Pusher Location: 60 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841061	1st Pusher Location: 61 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841062	1st Pusher Location: 62 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841063	1st Pusher Location: 63 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841064	1st Pusher Location: 64 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841065	1st Pusher Location: 65 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841066	1st Pusher Location: 66 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841067	1st Pusher Location: 67 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841068	1st Pusher Location: 68 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841069	1st Pusher Location: 69 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841070	1st Pusher Location: 70 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841071	1st Pusher Location: 71 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841072	1st Pusher Location: 72 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841073	1st Pusher Location: 73 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841074	1st Pusher Location: 74 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841075	1st Pusher Location: 75 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841076	1st Pusher Location: 76 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841077	1st Pusher Location: 77 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841078	1st Pusher Location: 78 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841079	1st Pusher Location: 79 in. From C/I Forward tandem axle or single rear axle.	\$0	0#



## T880: REAR AXLE

Option	Description	Price	Weight
<b>Pusher Axles</b>			
<b>Pusher Axle Locations</b>			
3841080	1st Pusher Location: 80 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841081	1st Pusher Location: 81 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841082	1st Pusher Location: 82 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841083	1st Pusher Location: 83 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841084	1st Pusher Location: 84 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841085	1st Pusher Location: 85 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841086	1st Pusher Location: 86 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841089	1st Pusher Location: 89 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841090	1st Pusher Location: 90 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841091	1st Pusher Location: 91 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841092	1st Pusher Location: 92 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841093	1st Pusher Location: 93 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841094	1st Pusher Location: 94 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841095	1st Pusher Location: 95 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841096	1st Pusher Location: 96 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841097	1st Pusher Location: 97 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841098	1st Pusher Location: 98 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841099	1st Pusher Location: 99 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841100	1st Pusher Location: 100 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841101	1st Pusher Location: 101 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841102	1st Pusher Location: 102 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841103	1st Pusher Location: 103 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841104	1st Pusher Location: 104 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841105	1st Pusher Location: 105 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841106	1st Pusher Location: 106 in. From C/I Forward tandem axle or single rear axle.	\$0	0#



## T880: REAR AXLE

Option	Description	Price	Weight
<b>Pusher Axles</b>			
<b>Pusher Axle Locations</b>			
3841107	1st Pusher Location: 107 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841108	1st Pusher Location: 108 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841109	1st Pusher Location: 109 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841110	1st Pusher Location: 110 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841112	1st Pusher Location: 112 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841113	1st Pusher Location: 113 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841114	1st Pusher Location: 114 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841115	1st Pusher Location: 115 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841116	1st Pusher Location: 116 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841118	1st Pusher Location: 118 in. From C/I Forward forward rear/single rear axle.	\$0	0#
3841119	1st Pusher Location: 119 in. From C/I Forward forward rear/single rear axle.	\$0	0#
3841121	1st Pusher Location: 121 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841122	1st Pusher Location: 122 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841123	1st Pusher Location: 123 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841124	1st Pusher Location: 124 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841129	1st Pusher Location: 129 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841130	1st Pusher Location: 130 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841136	1st Pusher Location: 136 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841137	1st Pusher Location: 137 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841147	1st Pusher Location: 147 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841148	1st Pusher Location: 149 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841150	2nd Pusher Location: 85.5 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841154	1st Pusher Location: 154 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841156	1st Pusher Location: 156 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841165	1st Pusher Location: 165 in. From C/I Forward tandem axle or single rear axle.	\$0	0#



## T880: REAR AXLE

Option	Description	Price	Weight
<b>Pusher Axles</b>			
<b>Pusher Axle Locations</b>			
3841202	1st Pusher Location: 202 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841209	1st Pusher Location: 209 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841235	1st Pusher Location: 235 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841240	1st Pusher Location: 240 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842083	2nd Pusher Location: 83 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842084	2nd Pusher Location: 84 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842085	2nd Pusher Location: 85 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842086	2nd Pusher Location: 86 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842087	2nd Pusher Location: 87 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842088	2nd Pusher Location: 88 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842089	2nd Pusher Location: 89 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842090	2nd Pusher Location: 90 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842091	2nd Pusher Location: 91 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842092	2nd Pusher Location: 92 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842093	2nd Pusher Location: 93 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842094	2nd Pusher Location: 94 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842095	2nd Pusher Location: 95 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842096	2nd Pusher Location: 96 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842097	2nd Pusher Location: 97 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842098	2nd Pusher Location: 98 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842099	2nd Pusher Location: 99 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842100	2nd Pusher Location: 100 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842101	2nd Pusher Location: 101 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842102	2nd Pusher Location: 102 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842103	2nd Pusher Location: 103 in. From C/I Forward tandem axle or single rear axle.	\$0	0#



## T880: REAR AXLE

Option	Description	Price	Weight
<b>Pusher Axles</b>			
<b>Pusher Axle Locations</b>			
3842104	2nd Pusher Location: 104 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842105	2nd Pusher Location: 105 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842106	2nd Pusher Location: 106 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842107	2nd Pusher Location: 107 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842108	2nd Pusher Location: 108 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842109	2nd Pusher Location: 109 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842110	2nd Pusher Location: 110 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842111	2nd Pusher Location: 111 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842115	2nd Pusher Location: 115 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842127	2nd Pusher Location: 127 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842128	2nd Pusher Location: 128 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842132	2nd Pusher Location: 132 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842135	2nd Pusher Location: 135 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842136	2nd Pusher Location: 136 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842154	2nd Pusher Location: 154 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842156	2nd Pusher Location: 156 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842211	2nd Pusher Location: 211 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842233	2nd Pusher Location: 233 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843121	3rd Pusher Location: 121 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843122	3rd Pusher Location: 122 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843123	3rd Pusher Location: 123 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843124	3rd Pusher Location: 124 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843125	3rd Pusher Location: 125 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843126	3rd Pusher Location: 126 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843127	3rd Pusher Location: 127 in. From C/I Forward tandem axle or single rear axle.	\$0	0#



## T880: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

### Pusher Axles

#### Pusher Axle Locations

3843128	3rd Pusher Location: 128 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843129	3rd Pusher Location: 129 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843130	3rd Pusher Location: 130 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843131	3rd Pusher Location: 131 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843133	3rd Pusher Location: 133 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843135	3rd Pusher location: 135in. from c/l forward tandem axle or single rear axle.	\$0	0#
3843138	3rd Pusher location: 138in. from c/l forward tandem axle or single rear axle.	\$0	0#
3843140	3rd Pusher Location: 140 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843144	3rd Pusher Location: 144 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843146	3rd Pusher Location: 146 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843148	3rd Pusher Location: 148 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843150	3rd Pusher Location: 150 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843152	3rd Pusher Location: 152 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843154	3rd Pusher Location: 154 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843156	3rd Pusher Location: 156 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843158	3rd Pusher Location: 158 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843160	3rd Pusher Location: 160 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843169	3rd Pusher Location: 169 in. From C/I Forward tandem axle or single rear axle.	\$0	0#

### Tag Axles

#### Non-Steerable Tags

##### Suspensions

3818025	Non-Steerable Tag Axle: Watson Chalin AL2200 23K Standard track.	\$15,504	2,296#
---------	------------------------------------------------------------------	----------	--------

##### Brakes

3820349	16.5x7 in. Bendix Non-RSD Brakes for Use With 21K or 23K non-steerable tag assembly (included w/ axle).	\$0	0#
3820365	16.5x7 in. Meritor Non-RSD Brakes for Use With 21K or 23K non-steerable tag assembly (included w/ axle).	\$0	0#





## T880: REAR AXLE

Option	Description	Price	Weight
<b>Tag Axles</b>			
<b>Non-Steerable Tags</b>			
<b>Brake Drums</b>			
3820699	Cast brake Drums 16.5x7 for Non-Steerable 21K or 23K tag axle.	\$0	0#
<b>Hubs</b>			
3821708	Non-Steerable Tag Hubs Iron Hub Pilot 10-Hole 11.25 in. bolt circle for use with 21K or 23K axle.	\$0	0#
3821709	Non-Steerable Tag Hubs Aluminum Hub Pilot 10-hole 11.25 in. bolt circle for use with 21K or 23K axle.	\$625	0#
<b>Miscellaneous</b>			
3825009	Non-Steerable Tag: Optional Dustshields.	\$56	2#
<b>Steerable Tags</b>			
<b>Suspensions</b>			
3818027	1 Steerable Tag: Watson Chalin Tru Track 23K SL2200 includes axle.	\$30,293	1,594#
3818124	1 Steerable Tag: Watson Chalin 10K SL10	\$14,336	962#
3818131	1 Steerable Tag: Watson-Chalin 13.5K SL13	\$14,326	1,245#
3818211	1 Steerable Tag: Watson Chalin 8K SL08	\$14,253	941#
3818802	1 Steerable Tag: Watson Chalin Tru Track 20K; SL2065	\$17,561	2,083#
<b>Brakes</b>			
3820030	1 Steerable Tag Brakes: Non-RSD 325x100 Use with 8K OR 10K axle.	\$0	0#
3820039	1 Steerable Tag Brakes: Bendix Non-RSD15X4 Use with 13.5K axle.	\$0	0#
3820043	1 Steerable Tag Brakes: 16.5x7 in. Bendix Non-RSD brakes for use with 23K 1 steerable tag assembly (included w/ axle)	\$0	0#
3820046	1 Steerable Tag Brakes: 16.5x7 in. Meritor Non-RSD brakes for use with 23K 1 steerable tag assembly (included w/ axle).	\$0	0#
3820053	1 Steerable Tag Disc Brakes And Splined Rotor: Bendix Non-RSD Use With 13.5K Axle	\$5,536	42#
3820084	1 Steerable Tag Brakes: Bendix Non-RSD 16.5x6 in.; Use with 20K axle.	\$0	0#
3820102	1 Steerable Tag Brake: Meritor Q+ 16.5x6 in.; Use with 20K axle.	\$686	48#
3820214	1 Steerable Tag Brakes: Meritor Non-RSD15X4 Use with 13.5K axle.	\$338	0#
<b>Brake Drums</b>			
3820504	1 Steerable Tag Brake Drums 325X100 included with 8K axle 205mm BC.	\$0	0#
3820508	1 Steerable Tag Cast Brake Drums. 16.5X7 in. for use with 23K axle.	\$0	0#



## T880: REAR AXLE

Option	Description	Price	Weight
<b>Tag Axles</b>			
<b>Steerable Tags</b>			
<b>Brake Drums</b>			
3820514	1 Steerable Tag Brake Drums 325X100 included with 10K axle 275mm BC.	\$0	0#
3820526	1 Steerable Tag Cast Drum 15x4 for Use With 13.5K axle.	\$0	0#
3820563	1 Steerable Tag Brake Drums. 16.5X6 in. for use with 20K axle.	\$0	0#
<b>Hubs</b>			
3821009	1 Steerable Tag Iron Hubs Included for 10K axle 8-bolt	\$0	0#
3821116	1 Steerable Tag Iron Hubs Included for 8K axle 6-bolt	\$0	0#
3821124	1 Steerable Tag Hubs Aluminum Hub Pilot 10-Bolt for use with 13.5K axle.	\$0	0#
3821154	1 Steerable Tag Hubs Alum Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 20K axle.	\$96	0#
3821155	1 Steerable Tag Hubs Iron Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 20K axle.	(\$491)	16#
3821158	1 Steerable Tag Hubs Iron Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 23K axle.	\$0	0#
3821159	1 Steerable Tag Hubs Alum Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 23K axle.	\$359	0#
<b>Miscellaneous</b>			
3825070	Steerable Tag: Optional Dustshields.	\$85	6#
3827220	Locking Tag Kit: Required W/ Multiple Axles.	\$639	30#
<b>Tag Axle Locations</b>			
3844052	Tag Location: 52 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844053	Tag Location: 53 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844054	Tag Location: 54 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844055	Tag Location: 55 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844056	Tag Location: 56 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844057	Tag Location: 57 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844058	Tag Location: 58 in. From C/I of Rearmost Axle or single rear XL	\$0	0#
3844059	Tag Location: 59 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844060	Tag Location: 60 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844061	Tag Location: 61 in. From C/I of Rearmost Axle single rear axle.	\$0	0#



## T880: REAR AXLE

Option	Description	Price	Weight
<b>Tag Axles</b>			
<b>Tag Axle Locations</b>			
3844062	Tag Location: 62 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844063	Tag Location: 63 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844064	Tag Location: 64 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844065	Tag Location: 65 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844066	Tag Location: 66 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844067	Tag Location: 67 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844068	Tag Location: 68 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844069	Tag Location: 69 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844070	Tag Location: 70 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844071	Tag Location: 71 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844072	Tag Location: 72 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844073	Tag Location: 73 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844074	Tag Location: 74 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844075	Tag Location: 75 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844076	Tag Location: 76 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844077	Tag Location: 77 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844080	Tag Location: 80 in. From C/I Rear Rear or single rear axle.	\$0	0#
3844081	Tag Location: 81 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844082	Tag Location: 82 in. From C/I Rear Rear or single rear axle.	\$0	0#
3844083	Tag Location: 83 in. From C/I Rear Rear or single rear axle.	\$0	0#
3844085	Tag Location: 85 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844089	Tag Location: 89 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844096	Tag Location: 96 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844101	Tag Location: 101 in. From C/I Rear Rear or single rear axle.	\$0	0#
3844109	Tag Location: 109 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#



## T880: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

### Tag Axles

#### Tag Axle Locations

3844132	Tag Location:132 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
---------	---------------------------------------------------------------------	-----	----

### Customer-Installed Lift Axles

#### Kenworth-Offered Lift Axles

##### Customer-Installed Information Codes

3840111	Customer-Installed: Steerable Pusher Information. Watson Chalin 8K SL08	\$0	0#
3840124	Customer-Installed: Steerable Pusher Information. Watson Chalin 10K SL10	\$0	0#
3840127	Customer-Installed: Steerable Pusher Information. Watson Chalin 23K SL2200. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
3840128	Customer-Installed: Steerable Tag Information. Watson Chalin 23K SL2200. The rail will be drilled for the installation.	\$0	0#
3840218	Customer-Installed: Steerable Pusher Information. Watson Chalin 20K SL2065. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
3840219	Customer-Installed: Non-Steerable Pusher information. Watson Chalin AL2200. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
3840220	Customer-Installed: Non-Steerable Tag information. Watson Chalin AL2200. The rail will be drilled for the installation.	\$0	0#
3840231	Customer-Installed: Steerable Pusher Information. Watson Chalin 13.5K SL13	\$0	0#

##### Clear Frame Request

3840005	Clear Frame: For 1 Customer-Installed Steerable Kenworth offered pusher axle. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will not be drilled for the installation. Clearances and design are based upon the Kenworth standard tire, the selected lift axle type, and a location code. Type and axle spacing required.	\$1,348	0#
3840010	Clear Frame for 2 Customer-Installed Steerable Kenworth offered pusher axles. Type and axle spacing required.	\$1,348	0#
3840015	Clear Frame: For 3 Customer-Installed Steerable Kenworth offered pusher axles. Type and axle spacing required.	\$1,548	0#
3840020	Clear Frame: For 1 Customer-Installed non-steerable Kenworth offered pusher axle. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will not be drilled for the installation. Clearances and design are based upon the Kenworth standard tire, the selected lift axle type, and a location code. Type and axle spacing required.	\$1,348	0#



## T880: REAR AXLE

Option	Description	Price	Weight
<b>Customer-Installed Lift Axles</b>			
<b>Non-Kenworth-Offered Lift Axles</b>			
<b>Clear Frame Request</b>			
3840300	Clear Frame: For 1 Customer-Installed non-Kenworth offered steerable pusher. Kenworth will provide clear frame 34 inches ahead and 24 inches behind the coded location. Intermediate, centerbearing and forward suspension crossmembers may be located within the clear frame area. The driveline will be installed as if there were no lift axle on the truck. The lift axle installer must address any driveline clearance issues.	\$1,348	0#
3840305	Clear Frame: For 2 Customer-Installed Steerable non-Kenworth offered pusher. Kenworth will provide clear frame 34 inches ahead and 24 inches behind the coded location. Intermediate, centerbearing and forward suspension crossmembers may be located within the clear frame area. The driveline will be installed as if there were no lift axle on the truck. The lift axle installer must address any driveline clearance issues.	\$1,348	0#
3840310	Clear Frame: For 3 Customer-Installed Steerable non-Kenworth offered pushers. Kenworth will provide clear frame 34 inches ahead and 24 inches behind the coded location. Intermediate, centerbearing and forward suspension crossmembers may be located within the clear frame area. The driveline will be installed as if there were no lift axle on the truck. The lift axle installer must address any driveline clearance issues.	\$1,548	0#
3840350	Clear Frame: For 1 Customer-Installed Non steerable, non-Kenworth offered pusher. Kenworth will provide clear frame 29 inches ahead and 24 inches behind the coded location. Intermediate, centerbearing and forward suspension crossmembers may be located within the clear frame area. The driveline will be installed as if there were no lift axle on the truck. The lift axle installer must address any driveline clearance issues.	\$1,348	0#
3840400	Clear Frame: For 1 Customer-Installed Steerable non-Kenworth offered tag axle. Kenworth will provide clear frame 34 inches ahead and 24 inches behind the coded location. Intermediate and suspension crossmembers may be located within the clear frame area.	\$1,348	0#
3840411	Clear Frame: For 1 Customer-Installed non-steerable, non-Kenworth offered tag axle. Kenworth will provide clear frame 29 inches ahead and 24 inches behind the coded location. Intermediate and suspension crossmembers may be located within the clear frame area.	\$1,348	0#
<b>Air System For Customer-Installed Lift Axles</b>			
3828801	Kenworth-Installed: Air System & Controls for 1 customer-installed lift axle. Must Code 38283XX Location.	\$1,381	68#
3828802	Kenworth-Installed: Air System & Controls for 2 customer-installed lift axles. Must Code 38283XX Location.	\$2,760	0#
3828803	Kenworth-Installed: Air System & Controls for 3 customer-installed lift axles. Must Code 38283XX Location.	\$4,141	0#
<b>Lift Axle Capacity</b>			
3840628	Customer-Installed Steerable Tag Information: maximum capacity 23K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840708	Customer-Installed Steerable Tag Information: maximum capacity 8K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#

Option	Description	Price	Weight
<b>Customer-Installed Lift Axles</b>			
<b>Lift Axle Capacity</b>			
3840709	Customer-Installed Steerable Tag Information: Maximum capacity 9K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840710	Customer-Installed Steerable Tag Information: maximum capacity 10K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840712	Customer-Installed Steerable Tag Information: maximum capacity 12K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840713	Customer-Installed Steerable Tag Information: Maximum capacity 13.2K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840718	Customer-Installed Steerable Tag Information: Maximum capacity 18K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840720	Customer-Installed Steerable Tag Information: maximum capacity 20K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840721	Customer-Installed Non-Steerable Tag Information: maximum capacity 18K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840722	Customer-Installed Non-Steerable Tag Information: maximum capacity 20K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840723	Customer-Installed Non-Steerable Tag Information: maximum capacity 22K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3860608	Customer-Installed Steerable Pusher Information: maximum capacity 8K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860609	Customer-Installed Steerable Pusher Information: maximum capacity 9K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860610	Customer-Installed Steerable Pusher Information: maximum capacity 10K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860612	Customer-Installed Steerable Pusher Information: maximum capacity 12K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860613	Customer-Installed Steerable Pusher Information: maximum capacity 13.2K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#

Option	Description	Price	Weight
<b>Customer-Installed Lift Axles</b>			
<b>Lift Axle Capacity</b>			
3860618	Customer-Installed Steerable Pusher Information: maximum capacity 18K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860620	Customer-Installed Steerable Pusher Information: maximum capacity 20K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860621	Customer-Installed Non-Steerable Pusher information: maximum capacity 18K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles, enter a capacity which represents a single pusher installation.	\$0	0#
3860622	Customer-Installed Non-Steerable Pusher information: maximum capacity 20K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860623	Customer-Installed Non-Steerable Pusher information: maximum capacity 22K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860627	Customer-Installed Steerable Pusher Information: maximum capacity 23K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
<b>Lift Axle Control Locations</b>			
3828331	Pusher or Tag: Gauge/ Switch and Pressure regulator dash-mounted. Reduces gauge count by 7 (1-gauge, 6-regulator mounting panel)	\$0	0#
3828332	Pusher or Tag: Gauge Dash-Mounted; Switch, pressure regulator and gauge mounted BOC lower LH side.	\$0	0#
3828333	Pusher or Tag: Gauge/ Switch Dash-Mounted; Gauge and pressure regulator mounted BOC lower LH side.	\$0	0#
3828334	Pusher or Tag: Gauge/ Switch Dash-Mounted, Gauge LH driver's seat, regulator under driver door.	\$0	0#
3828335	Pusher or Tag: Gauge, Switch & Pressure Regulator mounted BOC lower LH side.	\$0	0#
3828336	Pusher or Tag: Gauge/ Switch Dash-Mounted; Gauge and pressure regulator tie-strapped to rail.	\$0	0#
3828337	Pusher or Tag: Gauge Dash-Mounted; Gauge LH of driver's seat, switch/pressure regulator under driver's door.	\$0	0#
3828339	Pusher or Tag: Gauge/ Switch Dash-Mounted; Gauge and pressure regulator mounted left of driver.	\$0	0#
3828370	Info for Cust.Inst. Controls for C/I Pusher/ Tag: (Regulator installed inside of cab)	\$0	0#
3828371	Info for Cust.Inst. Controls for C/I Pusher/ Tag (Regulator installed outside of cab)	\$0	0#
3828401	Pusher: Gauge Digital Display Single Pusher 1	\$0	0#
3828402	Pusher: Gauge Digital Display Single Pusher 2	\$0	0#



## T880: REAR AXLE

Option	Description	Price	Weight
<b>Lift Axle Control Locations</b>			
3828403	Pusher: Guage Digital Display Single Pusher 3	\$0	0#
3828410	Single Set of Controls for All Lift Axles; must code for pusher control location.	\$0	0#
3828411	Pusher: Guage Digital Display Tag	\$0	0#





## T880: REAR SUSPENSION

Option	Description	Price	Weight
<b>Single</b>			
<b>31K &amp; Under</b>			
3630023	Rear suspension: Single Kenworth Airglide 230 23K 4-bag air suspension w/10.5 in. ride height. Includes shocks and torque rods. Includes air suspension dump valve.	(\$3,578)	-479#
3632270	Rear suspension: single Hendrickson HAS230 23K. W/aluminum crossmembers & gussets. Air suspension w/10 in. height. Maximum torque is 1350 lb-ft. Includes air suspension dump valve.	(\$5,423)	-449#
3636480	Rear suspension: single Reyco 79KB taperleaf 23K. Steel crossmembers & gussets, Kenworth longlife spring w/helper. Unladen Height: 11.0 in. Laden Height: 9.3 in. Not available with shocks or swaybars.	(\$5,538)	-298#
3654030	Rear suspension: single Neway ADZ126 26K. air suspension w/ 10 in. ride height. Includes air suspension dump valve, single leveling valve & cast brake spiders.	(\$1,920)	-324#
3666434	Rear suspension: single Reyco 79KB multileaf 31K with 16 leaf springs. Not rear air disc brake compatible.	(\$3,956)	-146#
<b>Tandem</b>			
<b>40K &amp; Under</b>			
<b>Kenworth</b>			
3730022	Rear suspension: Tandem KW Airglide 400L 6.5 in. height 40K. 52 in. axle spacing. Low ride height air suspension. Includes single leveling valve. Includes air suspension dump valve.	(\$2,046)	-108#
3730026	Rear suspension: Tandem Kenworth Airglide 400L 40K. 54 in. axle spacing. Air suspension w/ 8.5 in. ride height. Includes single leveling valve. Includes air suspension dump valve.	(\$2,184)	-108#
3730028	Rear suspension: Tandem Kenworth Airglide 400L 40K. 52 in. axle spacing. Air suspension w/ 8.5 in. ride height. Includes single leveling valve. Includes air suspension dump valve.	(\$2,184)	-108#
3730030	Rear suspension: Tandem Kenworth Airglide 400 40K 52 in. axle spacing. Air suspension w/ 9 in. ride height. Includes air suspension dump valve.	(\$176)	-136#
3730032	Rear suspension: Tandem Kenworth Airglide 400 40K 54 in. axle spacing. Air suspension w/ 9 in. ride height. Includes air suspension dump valve.	(\$117)	-134#
3730053	Rear suspension: Tandem Kenworth Airglide 380 38K 52 in. axle spacing. Air suspension with 8.5 in. ride height. Includes single leveling valve and air suspension dump valve. Compatible with drum or air disc brakes.	(\$937)	-212#
<b>Reyco</b>			
3726405	Rear suspension: Tandem Reyco 102 38K. 4-spring multileaf & 52 in. axle spacing. Steel crossmembers & gussets. Unladen Height: 10.8 in. Laden Height: 9.2 in.	(\$3,589)	116#
3736418	Rear suspension: Tandem Reyco 102 40K. 4-spring multileaf & 52 in. axle spacing. Steel crossmembers & gussets. Unladen Height: 10.8 in. Laden Height: 9.2 in.	(\$3,589)	116#
<b>Chalmers</b>			
3739204	Rear suspension: Tandem Chalmers 854-40-H 40K. 54 in. axle spacing. Standard restrictor can.	\$1,333	96#
3739205	Rear suspension: Tandem Chalmers 854-40-L 40K. 54 in. axle spacing. Laden height 8.9 inches, unladen height 11.1 inches. Standard restrictor can.	\$1,328	96#



## T880: REAR SUSPENSION

Option	Description	Price	Weight
<b>Tandem</b>			
<b>40K &amp; Under</b>			
<b>Chalmers</b>			
3739207	Rear suspension: Tandem Chalmers 854-40-H-HS 40K. 54 in. axle spacing. High center of gravity application. Unladen Height: 12.4 in. Laden Height: 10.9 in.	\$1,333	96#
3739208	Rear suspension: Tandem Chalmers 854-40-L-HS 40K. 54 in. axle spacing. High center of gravity application. Unladen Height: 11.1 in. Laden Height: 9.6 in.	\$1,328	96#
3739214	Rear suspension: Tandem Chalmers 854-40-H-SR 40K. 54 in. axle spacing. Soft ride restrictor can.	\$1,598	96#
3739217	Rear suspension: Tandem Chalmers 854-40-L-SR 40K. 54 in. axle spacing. Soft ride restrictor can.	\$1,593	96#
<b>Hendrickson</b>			
3732105	Rear suspension: Tandem Hendrickson HAS402 40K. 52 in. axle spacing. Aluminum crossmember & gussets w/shocks at 10 in. height. Includes air suspension dump valve.	(\$471)	84#
3732975	Tandem Hendrickson HAULMAAX EX (HMX) 400 40K. 54 in. axle spacing, 15.5 in. saddle height. With shocks. Unladen Height: 10.5 in. Laden Height: 8.5 in.	(\$96)	166#
3732976	Tandem Hendrickson HAULMAAX EX (HMX) 400 40K. 54 in. axle spacing, 16.5 in. saddle height. With shocks. Unladen Height: 11.5 in. Laden Height: 9.5 in.	(\$96)	166#
3732977	Tandem Hendrickson HAULMAAX EX (HMX) 400 40K. 54 in. axle spacing, 17.5 in. saddle height. With shocks. Unladen Height: 12.5 in. Laden Height: 10.5 in.	\$88	172#
<b>44K to 52K</b>			
<b>Kenworth</b>			
3740130	Rear suspension: Tandem Kenworth Airglide 460 46K 54 in. axle spacing. 10.5 in. ride height. Includes air suspension dump valve.	STD	0#
3740132	Rear suspension: Tandem Kenworth Airglide 460 46K 60 in. axle spacing. 10.5 in. ride height. Includes air suspension dump valve.	\$1,723	128#
<b>Chalmers</b>			
3749201	Rear suspension: Tandem Chalmers 854-46-L 46K. 54 in. axle spacing. Unladen Height: 11.3 in. Laden Height: 8.9 in. Standard restrictor can.	\$3,249	226#
3749203	Rear suspension: Tandem Chalmers 854-46-L-HS 46K. 54 in. axle spacing. High center of gravity application. Unladen Height: 11.3 in. Laden Height: 9.6 in.	\$3,249	226#
3749204	Rear suspension: Tandem Chalmers 854-46-H-HS 46K. 54 in. axle spacing. High center of gravity application. Unladen Height: 12.5 in. Laden Height: 10.9 in.	\$3,286	226#
3749206	Rear suspension: Tandem Chalmers 854-46-XXH-HS 46K. 54 in. axle spacing. High center of gravity application. Extra extra high. Unladen Height: 17.3 in. Laden Height: 15.6 in.	\$6,912	396#
3749209	Rear suspension: Tandem Chalmers 854-46-H 46K. 54 in. axle spacing. Unladen Height: 12.5 in. Laden Height: 10.1 in. Standard restrictor can.	\$3,286	226#
3749210	Rear suspension: Tandem Chalmers 854-50-H 50K. 54 in. axle spacing. Unladen Height: 12.5 in. Laden Height: 10.1 in. Standard restrictor can.	\$5,016	291#



## T880: REAR SUSPENSION

Option	Description	Price	Weight
<b>Tandem</b>			
<b>44K to 52K</b>			
<b>Chalmers</b>			
3749214	Rear suspension: Tandem Chalmers 854-46-L-SR 46K. 54 in axle spacing. Soft ride restrictor can.	\$3,461	226#
3749216	Rear suspension: Tandem Chalmers 854-46-XXXH-HS 46K. 54 in. axle spacing, extra-XX high. For use w/front drive axle only. High center of gravity application.	\$8,294	396#
3749217	Rear suspension: Tandem Chalmers 854-46-H-SR 46K. 54 in axle spacing. Soft ride restrictor can.	\$3,467	226#
3749267	Rear suspension: Tandem Chalmers 872-46-H-HS 46K. 72 in. axle spacing. High center of gravity application. Unladen Height: 12.5 in. Laden Height: 11 in.	\$5,611	346#
3749268	Rear suspension: Tandem Chalmers 860-46-H-HS 46K. 60 in. axle spacing. High center of gravity application. Unladen Height: 12.5 in. Laden Height: 10.9 in.	\$3,813	276#
3749271	Rear suspension: Tandem Chalmers 860-46-H 46K. 60 in. axle spacing. Unladen Height: 12.5 in. Laden Height: 10.1 in. Standard restrictor can.	\$3,813	276#
3749273	Rear suspension: Tandem Chalmers 854-50-L 50K. 54 in. axle spacing. Unladen Height: 11.3 in. Laden Height: 8.9 in. Standard restrictor can.	\$5,077	291#
3749278	Rear suspension: Tandem Chalmers 854-50-L-HS 50K. 54 in. axle spacing. High center of gravity application. Unladen Height: 11.3 in. Laden Height: 9.6 in.	\$5,077	291#
3749280	Rear suspension: Tandem Chalmers 854-50-H-HS 50K. 54 in. axle spacing. High center of gravity application. Unladen Height: 12.5 in. Laden Height: 10.9 in.	\$5,016	291#
3749286	Rear suspension: Tandem Chalmers 854-52-H-HS 52K. 54 in. axle spacing. High center of gravity application. Unladen Height: 12.5 in. Laden Height: 10.9 in.	\$5,051	291#
3749287	Rear suspension: Tandem Chalmers 854-52-L-HS 52K. 54 in. axle spacing. High center of gravity application. Unladen Height: 11.3 in. Laden Height: 9.6 in.	\$5,046	291#
3749296	Rear suspension: Tandem Chalmers 860-52-XXXH 52K. 60 in. axle spacing. Extra-XX high. For use w/front drive axles only. Unladen height: 19.1 in. Laden height: 17.1 in. Standard restrictor can.	\$10,068	549#
3749305	Rear suspension: Tandem Chalmers 860-52-H 52K. 60 in. axle spacing. Unladen Height: 12.5 in. Laden Height: 10.9 in. Standard restrictor can.	\$8,061	324#
<b>Hendrickson</b>			
3742020	Rear suspension: Tandem Hendrickson Primaax EX462 46K. Steel crossmember & gussets. 54 in. axle spacing. 10 in. ride height.	\$2,902	202#
3742025	Rear suspension: Tandem Hendrickson Primaax EX462 46K. Steel crossmember & gussets. 60 in. axle spacing. 10 in. ride height.	\$2,965	202#
3742030	Rear suspension: Tandem Hendrickson Primaax EX462 46K. Steel crossmember & gussets. 72 in. axle spacing. 10 in. ride height.	\$3,332	202#
3742939	Tandem Hendrickson HAULMAAX EX (HMX) 460 46K. 54 in. axle spacing, 15.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 10.5 in. Laden Height: 8.5 in.	\$1,122	174#



## T880: REAR SUSPENSION

Option	Description	Price	Weight
<b>Tandem</b>			
<b>44K to 52K</b>			
<b>Hendrickson</b>			
3742940	Tandem Hendrickson HAULMAAX EX (HMX) 460 46K. 54 in. axle spacing, 16.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 11.5 in. Laden Height: 9.5 in.	\$996	174#
3742941	Tandem Hendrickson HAULMAAX EX (HMX) 460 46K. 54 in. axle spacing, 17.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 12.5 in. Laden Height: 10.5 in.	\$1,182	180#
3742942	Tandem Hendrickson HAULMAAX EX (HMX) 460 46K. 54 in. axle spacing, 18.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 13.5 in. Laden Height: 11.5 in.	\$1,340	180#
3742947	Tandem Hendrickson HAULMAAX EX (HMX) 460 46K. 60 in. axle spacing. 17.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 12.5 in. Laden Height: 10.5 in.	\$1,891	180#
3742948	Tandem Hendrickson HAULMAAX EX (HMX) 460 46K. 60 in. axle spacing, 18.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 13.5 in. Laden Height: 11.5 in.	\$2,049	180#
3742992	Rear suspension: Tandem Hendrickson ULTIMAAX 460 46K, 54 in. axle spacing, 17.50 in. saddle height. Includes shock absorbers.	\$5,495	514#
3742994	Rear suspension: Tandem Hendrickson ULTIMAAX 460 46K, 54 in. axle spacing, 18.25 in. saddle height. Includes shock absorbers.	\$5,495	514#
3742996	Rear suspension: Tandem Hendrickson ULTIMAAX 460 46K, 60 in. axle spacing, 17.50 in. saddle height. Includes shock absorbers.	\$5,847	524#
3742998	Rear suspension: Tandem Hendrickson ULTIMAAX 460 46K, 60 in. axle spacing, 18.25 in. saddle height. Includes shock absorbers.	\$5,847	524#
3747455	Rear suspension: Tandem Hendrickson RT463 46K. 52 in. axle spacing. Steel beams & barpin bushing. 6 in. saddle height. Unladen Height: 11.1 in. Laden Height: 10 in.	\$495	691#
3747460	Rear suspension: Tandem Hendrickson RT463 46K. 54 in. axle spacing. Steel beams & barpin bushing. 6 in. saddle height. Unladen Height: 11.1 in. Laden Height: 10 in.	\$656	689#
3747461	Rear suspension: Tandem Hendrickson RT463 46K. 54 in. axle spacing. Steel beams & barpin bushing. 7.19 in. saddle height. Unladen Height: 12.5 in. Laden Height: 11.2 in.	\$748	689#
3747462	Rear suspension: Tandem Hendrickson RT463 46K. 54 in. axle spacing. 7.94 in. saddle height. Steel beams & barpin bushing. Unladen Height: 13.3 in. Laden Height: 11.9 in.	\$2,461	689#
3747465	Rear suspension: Tandem Hendrickson RT463 46K. 60 in. axle spacing. 6.0 in. saddle height. Steel beams & barpin bushing. Standard w/ track rods. Unladen Height: 11.1 in. Laden Height: 10 in.	\$1,395	837#
3752020	Rear suspension: Tandem Hendrickson Primaax EX522 52K. Steel crossmember & gussets. 54 in. axle spacing. 10 in. ride height.	\$3,727	431#
3752940	Tandem Hendrickson HAULMAAX EX (HMX) 520 52K. 54 in. axle spacing, 16.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 10.0 in. Laden Height: 9.5 in.	\$3,227	204#
3752941	Tandem Hendrickson HAULMAAX EX (HMX) 520 52K. 54 in. axle spacing, 17.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 11.0 in. Laden Height: 10.5 in.	\$3,407	211#



## T880: REAR SUSPENSION

Option	Description	Price	Weight
<b>Tandem</b>			
<b>44K to 52K</b>			
<b>Hendrickson</b>			
3752942	Tandem Hendrickson HAULMAAX EX (HMX) 520 52K. 54 in. axle spacing, 18.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 12.0 in. Laden Height: 11.5 in.	\$3,485	211#
3752992	Rear suspension: Tandem Hendrickson ULTIMAAX 520 52K, 54 in. axle spacing, 17.50 in. saddle height. Includes shock absorbers.	\$6,457	514#
3752994	Rear suspension: Tandem Hendrickson ULTIMAAX 520 52K, 54 in. axle spacing, 18.25 in. saddle height. Includes shock absorbers.	\$6,391	514#
3752996	Rear suspension: Tandem Hendrickson ULTIMAAX 520 52K, 60 in. axle spacing, 17.50 in. saddle height. Includes shock absorbers.	\$6,728	524#
3752998	Rear suspension: Tandem Hendrickson ULTIMAAX 520 52K, 60 in. axle spacing, 18.25 in. saddle height. Includes shock absorbers.	\$6,162	524#
<b>Neway</b>			
3744150	Rear suspension: Tandem Neway ADZ246 46K. 54 in. axle spacing. Air suspension w/ 10 in. ride height. Includes air suspension dump valve, single leveling valve & cast brake spiders.	\$4,166	226#
3744152	Rear suspension: Tandem Neway ADZ246 46K. 60 in. axle spacing. Air suspension w/ 10 in. ride height. Includes air suspension dump valve, single leveling valve & cast brake spiders.	\$4,166	226#
3744154	Rear suspension: Tandem Neway ADZ246 46K. 72 in. axle spacing. Air suspension w/ 10 in. ride height. Includes air suspension dump valve, single leveling valve and cast brake spiders.	\$4,348	281#
3744156	Rear suspension: Tandem Neway ADZ246 46K. 54 in. axle spacing. Air suspension w/ 12 in. ride height. Includes air suspension dump valve, single leveling valve & cast brake spiders.	\$6,066	359#
3754107	Rear suspension: Tandem Neway AD252 52K. 54 in. axle spacing. Air suspension w/ 10 in. ride height, barpin bushing & dual leveling valves. Includes air suspension dump valve.	\$6,823	546#
3754113	Rear suspension: Tandem Neway AD252 52K. 60 in. axle spacing. Air suspension w/ 10 in. ride height, barpin bushing & dual leveling valves. Includes air suspension dump valve.	\$6,823	546#
3754150	Rear suspension: Tandem Neway ADZ252 52K. 54 in. axle spacing. Air suspension w/ 10 in. ride height. Includes air suspension dump valve, single leveling valve & cast brake spiders.	\$6,934	301#
3754152	Rear suspension: Tandem Neway ADZ252 52K. 60 in. axle spacing. Air suspension w/ 10 in. ride height. Includes air suspension dump valve, single leveling valve & cast brake spiders.	\$6,945	437#
3754153	Rear suspension: Tandem Neway ADZ252 52K. 54 in. axle spacing. Air suspension w/ 12 in. ride height & single leveling valve. Includes air suspension dump valve.	\$8,026	392#
3754154	Rear suspension: Tandem Neway ADZ252 52K. 60 in. axle spacing. Air suspension w/ 12 in. ride height & single leveling valve. Includes air suspension dump valve.	\$8,026	392#
<b>56K &amp; Over</b>			
<b>Chalmers</b>			
3749298	Rear suspension: Tandem Chalmers 860-56-XXXH-HS 56K. 60 in. axle spacing. Extra-extra-extra high. High center of gravity application. For use with front drive axle only.	\$9,954	549#



## T880: REAR SUSPENSION

Option	Description	Price	Weight
<b>Tandem</b>			
<b>56K &amp; Over</b>			
<b>Chalmers</b>			
3769259	Rear suspension: Tandem Chalmers 860-65-XL 65K. 60 in. axle spacing. Unladen Height: 15.2 in. Laden Height: 13 in. Standard restrictor can.	\$24,507	1,131#
3769260	Rear suspension: Tandem Chalmers 860-65-XL 65K. 60 in. axle spacing. Unladen Height: 13.2 in. Laden Height: 11 in. Standard restrictor can.	\$38,255	1,031#
<b>Tridem</b>			
<b>69K &amp; Under</b>			
3740170	Rear suspension: Tridem Kenworth Airglide 690 69K 54 in. axle spacing. Air suspension w/10.5 in. ride height. Includes air suspension dump valve.	\$7,773	128#
3750030	Rear suspension: Tridem Neway ADZ369 53K. 54 in. axle spacing. Air suspension w/10 in. ride height w/ dual leveling valves. Includes air suspension dump valve & cast brake spiders.	\$11,482	813#
3750034	Rear suspension: Tridem Neway ADZ369 53K. 60 in. axle spacing. Air suspension w/12 in. ride height w/ dual leveling valves. Includes air suspension dump valve & cast brake spiders.	\$13,707	1,013#
3752027	Rear suspension: Tridem Hendrickson Primaax EX692 53K. 54 in. axle spacing. Air suspension w/10 in. ride height. Steel crossmembers and gussets. Includes air suspension dump valve.	\$10,928	774#
3760030	Rear suspension: Tridem Neway ADZ369 69K. 54 in. axle spacing. Air suspension w/10 in. ride height w/ dual leveling valves. Includes air suspension dump valve & cast brake spiders.	\$11,648	813#
3760032	Rear suspension: Tridem Neway ADZ369 69K. 54 in. axle spacing. Air suspension w/12 in. ride height w/ dual leveling valves. Includes air suspension dump valve & cast brake spiders.	\$13,815	1,013#
3760034	Rear suspension: Tridem Neway ADZ369 69K. 60 in. axle spacing. Air suspension w/12 in. ride height w/ dual leveling valves. Includes air suspension dump valve & cast brake spiders.	\$13,815	1,013#
3762020	Rear suspension: Tridem Hendrickson Primaax EX692 69K. 54 in. axle spacing. Air suspension with 10 in. ride height. Steel crossmembers and gussets. Includes air suspension dump valve.	\$10,653	774#
<b>70K &amp; Over</b>			
3760036	Rear suspension: Tridem Neway ADZ378 78K. 54 in. axle spacing. Air suspension w/10 in. ride height w/ dual leveling valves. Includes air suspension dump valve & cast brake spiders.	\$15,689	926#
3760038	Rear suspension: Tridem Neway ADZ378 78K. 60 in. axle spacing. Air suspension w/10 in. ride height w/ dual leveling valves. Includes air suspension dump valve & cast brake spiders.	\$15,689	926#
3760091	Rear suspension: Tridem Neway AD390 90K. 60 in. axle spacing. Thru-pin design. Air suspension w/12 in. ride height.	\$68,363	1,677#
<b>Suspension Equipment</b>			
3830510	Dual Leveling Valves for Tandem Air Suspension.	\$217	2#
3832001	Torque Rods for 46K PRIMAAX EX Using Disc Brakes. Replacing standard.	\$552	23#



## T880: REAR SUSPENSION

Option	Description	Price	Weight
<b>Suspension Equipment</b>			
3832002	Torque Rods for 69K PRIMAAX EX Using Disc Brakes. Replacing standard.	\$792	33#
3832004	Heavy-Duty Track Rods for Hendrickson Beam suspensions rated up to 46K or Neway AD tandem suspensions.	\$199	0#
3832008	Heavy-Duty Torque Rods for Hendrickson Beam. 46K and under suspensions.	\$422	15#
3832018	Delete Shock Absorbers: Hendrickson HAULMAAX EX rear suspension.	(\$253)	-30#
3832020	Edge Kit for HAS Single or Tandem Rear Suspension	\$149	10#
3832021	Delete Shock Absorber for Hendrickson ULTIMAAX suspension.	(\$449)	-31#
3832026	Chalmers Shock Absorbers. 52K and Under suspension.	\$635	35#
3832072	Transverse Track Rods for Hendrickson RT/RTE suspensions w/52 or 54 in. axle spacing.	\$690	108#
3832098	Track Rods: Heavy Duty for Hendrickson Primaax EX tandem. Replaces standard duty track rods.	\$83	37#
3832099	Track Rods: Heavy Duty for Hendrickson Primaax EX tridem. Replaces standard duty track rods.	\$112	36#
3832105	Hendrickson TRAAX Track Rods. Replaces Standard track rods for Hendrickson HAULMAAX EX suspensions rated below 46K.	\$132	0#
3832161	Double Rebound Strap Kit: Hendrickson HAULMAAX EX rear suspension.	\$522	6#
3832164	Hendrickson Heavy-Duty High Articulation Kit for RS650 suspension.	\$514	2#
3834100	Air Retention Kit for Rear Suspension for Use w/ outriggers.	\$332	4#
3836500	Heavy-Duty Gussets for Forward Suspension crossmember on Airglide 400/460, Chalmers, or Hendrickson beam suspensions. This replaces the standard gussets.	\$103	12#
3839002	Air Suspension Over-Inflation Valve W/ Warning light to temporarily raise the frame.	\$301	0#
3839140	Chalmers 40K Severe Service Upgrade. Use with Chalmers 8xx-40 series suspensions. Separate suspension code required.	\$878	16#
3839146	Chalmers 46K Severe Service Upgrade. Use with Chalmers 8xx-46 series suspensions. Separate suspension code required.	\$1,299	30#
3839152	Chalmers 52K Severe Service Upgrade. Use with Chalmers 8xx-52 series suspensions. Separate suspension code required.	\$3,581	87#
<b>Suspension Miscellaneous</b>			
3830145	Delete Standard Heavy-Duty Air Springs for Rear suspension.	(\$24)	-28#
3830152	Air Springs: Heavy-Duty for Airglide 460. Replaces standard duty air springs.	STD	0#
3830153	Air Springs: Heavy-Duty for Airglide 690. Replaces standard duty air springs.	\$98	42#



## T880: REAR SUSPENSION

Option	Description	Price	Weight
<b>Suspension Miscellaneous</b>			
3839046	Heavy Duty Barpin Brackets for Tandem Hendrickson beam rear suspensions.	\$628	0#
3839503	Suspension Subframe: For Single Suspension with or without front drive axle.	\$5,087	410#
3839505	Suspension Subframe	\$6,236	641#





## T880: TIRES & WHEELS

Option	Description	Price	Weight
<b>Front &amp; Rear Axle Tires</b>			
<b>Tubeless Type Standard Profile 22.5</b>			
<b>Apollo Front</b>			
4080184	Front Tires: Apollo Enducombi RA 11R22.5 16PR	(\$1,797)	-122#
<b>Apollo Rear</b>			
4280184	Rear Tires: Apollo Enducombi RA 11R22.5 16PR	(\$885)	28#
4280193	Rear Tires: Apollo Enducombi RD CS 11R22.5 16PR	(\$689)	48#
4280194	Rear Tires: Apollo Enducombi RD CS 11R22.5 14PR	(\$839)	48#
<b>Continental Front</b>			
4080023	Front tires: Continental HSL3 11R22.5 16PR. Includes pressure sensor.	(\$1,362)	-140#
4080034	Front tires: Continental Ecoplus HS3+11R22.5 16PR	(\$1,622)	-138#
4080047	Front tires: Continental HSR3 11R22.5 16PR. Includes pressure sensor.	(\$1,375)	-114#
4080056	Front tires: Continental HSL3 295/75R22.5 14PR.	(\$1,992)	-152#
4080063	Front tires: Continental HSL3 11R22.5 14PR	(\$1,850)	-144#
4080064	Front tires: Continental HSL3 11R22.5 16PR	(\$1,732)	-142#
4080065	Front Tires: Continental Ecoplus HS3+11R22.5 14PR	(\$1,681)	-142#
4080212	Front tires: Continental HSR3 295/75R22.5 14PR.	(\$1,489)	-130#
4080213	Front tires: Continental HSR3 295/75R22.5 16PR	(\$1,400)	-126#
4080214	Front tires: Continental HSR3 295/75R22.5 14PR. Includes pressure sensor.	(\$1,478)	-130#
4080216	Front tires: Continental HSR3 295/75R22.5 16PR. Includes pressure sensor.	(\$1,278)	-126#
4080217	Front tires: Continental HSR3 11R22.5 14PR	(\$1,428)	-118#
4080218	Front tires: Continental HSR3 11R22.5 16PR	(\$1,384)	-114#
4080219	Front tires: Continental HSR3 11R22.5 14PR. Includes pressure sensor.	(\$1,255)	-118#
4080220	Front tires: Continental HSR3 12R22.5 16PR	(\$1,256)	-86#
4080221	Front tires: Continental HSR3 12R22.5 16PR. Includes pressure sensor.	(\$1,083)	-86#
<b>Continental Rear</b>			
4280009	Rear Tires: Continental HSL3 11R22.5 16PR. Includes pressure sensor.	(\$449)	10#
4280010	Rear tires: Continental HSR3 11R22.5 16PR. Includes pressure sensor.	(\$463)	36#



## T880: TIRES & WHEELS

Option	Description	Price	Weight
<b>Front &amp; Rear Axle Tires</b>			
<b>Tubeless Type Standard Profile 22.5</b>			
<b>Continental Rear</b>			
4280051	Rear tires: Continental HSL3 295/75 R22.5 16PR	(\$650)	2#
4280056	Rear tires: Continental HSL3 295/75R22.5 14PR. Code is priced per pair of tires.	(\$1,079)	0#
4280057	Rear tires: Continental HDR2+ 11R22.5 14PR	(\$921)	44#
4280058	Rear tires: Continental HDR2+ 11R22.5 16PR	(\$596)	46#
4280059	Rear tires: Continental HDR2+ 295/75R22.5 14PR	(\$938)	28#
4280060	Rear tires: Continental HDR2+ 295/75R22.5 16PR	(\$614)	28#
4280063	Rear tires: Continental HSL3 11R22.5 14PR	(\$937)	8#
4280064	Rear tires: Continental HSL3 11R22.5 16PR	(\$819)	10#
4280065	Rear Tires: Continental Ecoplus HS3+11R22.5 14PR	(\$769)	8#
4280067	Rear tires: Continental HDL2 11R22.5 14PR	(\$920)	32#
4280068	Rear tires: Continental HDL2 11R22.5 16PR	(\$888)	32#
4280078	Rear Tires: Continental HDL2+ 295/75R22.5 14PR	(\$958)	10#
4280079	Rear tires: Continental HDL2+ 295/75R22.5 16PR	(\$713)	14#
4280081	Rear Tires: Continental HDL3 LTL 295/75R22.5 14 PR	(\$771)	14#
4280083	Rear tires: Continental Ecoplus HS3+11R22.5 16PR	(\$710)	14#
4280103	Rear tires: Continental HDL3 LTL 11R22.5 14PR	(\$679)	26#
4280212	Rear tires: Continental HSR3 295/75R22.5 14PR.	(\$576)	20#
4280214	Rear tires: Continental HSR3 295/75R22.5 14PR. Includes pressure sensor.	(\$565)	20#
4280216	Rear tires: Continental HSR3 295/75R22.5 16PR. Includes pressure sensor.	(\$365)	24#
4280217	Rear tires: Continental HSR3 11R22.5 14PR	(\$515)	32#
4280218	Rear tires: Continental HSR3 11R22.5 16PR	(\$472)	36#
4280219	Rear tires: Continental HSR3 11R22.5 14PR. Includes pressure sensor.	(\$342)	32#
4280220	Rear tires: Continental HSR3 12R22.5 16PR	(\$344)	64#
4280221	Rear tires: Continental HSR3 12R22.5 16PR. Includes pressure sensor.	(\$171)	64#



## T880: TIRES & WHEELS

Option	Description	Price	Weight
<b>Front &amp; Rear Axle Tires</b>			
<b>Tubeless Type Standard Profile 22.5</b>			
<b>Goodyear Front</b>			
4030020	Front Tires: Goodyear Fuel Max RSA 295/75R22.5 16PR	(\$1,334)	-150#
4030023	Front Tires: Goodyear Endurance RSA 11R22.5 14PR	(\$1,418)	-138#
4030024	Front Tires: Goodyear Endurance RSA 11R22.5 16PR	(\$1,354)	-138#
4038642	Front Tires: Goodyear Workhorse 12R22.5 16PR	(\$1,054)	-93#
4038736	Front tires: Goodyear Fuel Max RSA 11R22.5 14PR	(\$1,401)	-148#
4038737	Front Tires: Goodyear Fuel Max RSA 11R22.5 16PR	(\$1,337)	-148#
4038806	Front tires: Goodyear G751 MSA 11R22.5 16PR 42.0in. diameter, all position. 19.6 SLR.	(\$948)	42#
4038810	Front tires: 2 Goodyear G751 MSA 12R22.5 16PR 43.2in. diameter. Steer/all position on/off highway tire. 20.3 SLR.	(\$495)	72#
4038816	Front tires: Goodyear Endurance LHS 11R22.5 14PR	(\$1,401)	0#
4038817	Front tires: Goodyear G751 MSA 315/80R22.5 20PR	(\$43)	80#
4038820	Front tires: Goodyear G751 MSA DuraSeal 11R22.5 16PR. 42.0in. diameter. Steer/all position on/off highway tire. 19.6 SLR.	(\$717)	59#
4038823	Front tires: Goodyear Endurance LHS 11R22.5 16PR	(\$1,337)	0#
4038849	Front tires: Goodyear G731 MSA 12R22.5 16PR 43.2in. diameter. 20.3in SLR.	(\$495)	70#
4038860	Front tires: Goodyear Endurance RSA 12R22.5 16PR	(\$855)	56#
<b>Goodyear Rear</b>			
4230023	Rear Tires: Goodyear Endurance RSA 11R22.5 14PR	(\$505)	14#
4230024	Rear Tires: Goodyear Endurance RSA 11R22.5 16PR	(\$441)	15#
4238001	Rear Tires: Goodyear Armor Max Pro Grade MSD 11R22.5 16PR	\$30	64#
4238003	Rear Tires: Goodyear Armor Max Pro Grade MSD 12R22.5 16PR	\$467	84#
4238004	Rear Tires: Goodyear Armor Max Pro Grade MSD DuraSeal 11R22.5 16PR	\$287	70#
4238642	Rear Tires: Goodyear Workhorse MSA 12R22.5 16PR	(\$142)	59#
4238643	Rear Tires: Goodyear Workhorse MSA 11R22.5 16PR	(\$519)	13#
4238684	Rear tires: Goodyear G182 RSD 12R22.5 16PR. 43.4 in. diameter, all position. 20.4 in. SLR. Code is priced per pair of tires.	\$737	72#
4238704	Rear tires: Goodyear G282 MSD 12R22.5 16PR. 43.4 in. diameter, drive. 20.4 in. SLR.	\$1,061	84#



## T880: TIRES & WHEELS

Option	Description	Price	Weight
<b>Front &amp; Rear Axle Tires</b>			
<b>Tubeless Type Standard Profile 22.5</b>			
<b>Goodyear Rear</b>			
4238725	Rear tires: Goodyear G282 MSD 11R24.5 16PR. 43.9 in. diameter, drive. 20.6 in. SLR.	\$626	62#
4238736	Rear tires: Goodyear Fuel Max RSA 11R22.5 14PR	(\$488)	4#
4238737	Rear tires: Goodyear Fuel Max RSA 11R22.5 16PR	(\$425)	4#
4238739	Rear tires: Goodyear Fuel Max RTD 11R22.5 14PR 42.1 in. diameter, all position. 19.6 in. SLR. Code is priced per pair of tires.	\$158	30#
4238740	Rear Tires: Goodyear Fuel Max RTD 11R22.5 16PR 42.1 in. diameter, all position. 19.6 in. SLR. Code is priced per pair of tires.	(\$212)	30#
4238743	Rear tires: Goodyear Fuel Max LHD2 11R22.5 14PR	STD	0#
4238806	Rear tires: Goodyear G751 MSA 11R22.5 16PR 42.0in. diameter, all position. 19.6 SLR.	(\$36)	42#
4238810	Rear tires: Goodyear G751 MSA 12R22.5 16PR 43.2in. diameter. Steer/all position on/off highway tire. 20.3 SLR.	\$418	72#
4238816	Rear tires: Goodyear Endurance LHS 11R22.5 14PR	(\$488)	0#
4238817	Rear tires: Goodyear G751 MSA 315/80R22.5 20PR	\$869	80#
4238820	Rear Tires: Goodyear G751 MSA DuraSeal 11R22.5 16PR. 42.0in. Diameter. Steer/All Position On/Off Highway Tire. 19.6 SLR.	\$196	59#
4238823	Rear Tires: Goodyear Endurance LHS 11R22.5 16PR	(\$425)	0#
4238849	Rear tires: Goodyear G731 MSA 12R22.5 16PR 43.2in. diameter. 20.3in SLR.	\$418	70#
4238860	Rear tires: Goodyear Endurance RSA 12R22.5 16PR	\$58	56#
4238866	Rear tires: Goodyear Endurance LHD 11R22.5 16PR	(\$234)	40#
4238867	Rear tires: Goodyear MSA G731 Duraseal 11R22.5 16PR	\$196	48#
<b>Michelin Front</b>			
4010002	Front Tires: Michelin X Works Z 11R22.5 16PR	(\$1,132)	-111#
4010004	Front Tires: Michelin X Works Z 12R22.5 16PR	(\$724)	-77#
4010136	Front Tires: Michelin X Line Energy Z 11R22.5 14P	(\$1,422)	9#
4010137	Front Tires: Michelin X Line Energy Z 11R22.5 16P	(\$1,399)	7#
4010140	Front Tires: Michelin X Line Energy Z 275/80R22.5 14PR	(\$1,531)	-3#
4010141	Front Tires: Michelin X Line Energy Z 275/80R22.5 16PR	(\$1,460)	-150#



## T880: TIRES & WHEELS

Option	Description	Price	Weight
<b>Front &amp; Rear Axle Tires</b>			
<b>Tubeless Type Standard Profile 22.5</b>			
<b>Michelin Front</b>			
4010148	Front Tires: Michelin X Multi Energy Z 2 295/75R22.5 16PR	(\$1,234)	-145#
4010149	Front Tires: Michelin X Multi Energy Z 2 11R22.5 16PR	(\$1,139)	-135#
4010340	Front Tires: Michelin XZE 12R22.5 16PR 42.6 in. diameter, all position. 19.8 in. SLR.	(\$692)	52#
4017099	Front Tires: Michelin XZE2 11R22.5 14PR. 41.3 in. Diameter, All Position. 19.2 in. SLR.	(\$1,532)	10#
4017154	Front Tires: Michelin XZE2 11R22.5 16PR. 41.4 in. Diameter, All Position. 19.2 in. SLR.	(\$1,413)	24#
<b>Michelin Rear</b>			
4210002	Rear Tires: Michelin X Works Z 11R22.5 16PR	(\$220)	42#
4210004	Rear Tires: Michelin X Works Z 12R22.5 16PR	\$189	64#
4210149	Rear Tires: Michelin X Multi Energy Z 2 11R22.5 16PR	(\$227)	17#
4210150	Rear Tires: Michelin X Works D 11R22.5 16PR	(\$24)	60#
4210340	Rear Tires: Michelin XZE 12R22.5 16PR 42.6 in. diameter, all position. 19.8 in. SLR. Code is priced per pair of tires.	\$221	52#
4211341	Rear tires: Michelin X Multi D 11R22.5 14PR	(\$230)	26#
4211342	Rear tires: Michelin X MULTI D 11R22.5 16PR	(\$230)	28#
4217094	Rear tires: Michelin XDN2 11R22.5 16PR. 41.7 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	(\$162)	38#
4217099	Rear tires: Michelin XZE2 11R22.5 14PR. 41.3 in. diameter, all position. 19.2 in. SLR. Code is priced per pair of tires.	(\$619)	10#
4217124	Rear tires: Michelin XDN2 11R22.5 14PR. 41.7 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	(\$116)	36#
4217125	Rear tires: Michelin XDN2 12R22.5 16PR. 42.9in. Diameter. drive tire. 20 in. SLR. Code is priced per pair of tires.	\$54	68#
4217154	Rear tires: Michelin XZE2 11R22.5 16PR. 41.4 in. diameter, all position. 19.2 in SLR. Code is priced per pair of tires.	(\$500)	34#
4217225	Rear tires: Michelin XMultiEnergyD 11R22.5 14PR 41.3 in. diameter, drive. 19.3 in. SLR. Smartway certified. Code is priced per pair of tires.	(\$455)	34#
4217228	Rear tires: Michelin XLineEnergyD 11R22.5 14PR 41.2 in. diameter. 19.3 in. SLR. Smartway certified. Code is priced per pair of tires.	(\$520)	32#
4217402	Rear tires: Michelin XDS2 11R22.5 16PR 41.8 in. diameter, drive. 19.5 in. SLR.DR. Code is priced per pair of tires.	\$211	46#



## T880: TIRES & WHEELS

Option	Description	Price	Weight
<b>Front &amp; Rear Axle Tires</b>			
<b>Tubeless Type Standard Profile 22.5</b>			
<b>Michelin Rear</b>			
4217406	Rear tires: Michelin XDA5+ 11R22.5 14PR. Drive tire. 41.7 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	\$14	42#
<b>Yokohama Front</b>			
4083231	Front Tires: Yokohama MY507 11R22.5 16PR	(\$1,843)	30#
4083242	Front Tires: Yokohama RY023 11R22.5 16PR	(\$2,217)	6#
4083246	Front Tires: Yokohama RY023 11R22.5 14PR	(\$2,249)	6#
4083282	Front Tires: Yokohama RY617 11R22.5 14PR	(\$2,286)	2#
<b>Yokohama Rear</b>			
4283220	Rear Tires: Yokohama 703ZL 11R22.5 14PR	(\$1,260)	46#
4283231	Rear Tires: Yokohama MY507 11R22.5 16PR	(\$930)	30#
4283242	Rear Tires: Yokohama RY023 11R22.5 16PR	(\$1,304)	6#
4283246	Rear Tires: Yokohama RY023 11R22.5 14PR	(\$1,337)	6#
4283250	Rear Tires: Yokohama TY517 MC2 11R22.5 14PR	(\$1,206)	18#
4283261	Rear Tires: Yokohama 709ZL 11R22.5 14PR	(\$1,238)	32#
4283282	Rear Tires: Yokohama RY617 11R22.5 14PR	(\$1,373)	2#
<b>Tubeless Type Standard Profile 24.5</b>			
<b>Continental Front</b>			
4080084	Front tires: Continental HSC3 12R24.5 16PR	(\$893)	-54#
4080222	Front tires: Continental HSR3 11R24.5 16PR	(\$1,310)	-94#
4080223	Front tires: Continental HSR3 11R24.5 16PR. Includes pressure sensor.	(\$1,137)	-94#
<b>Continental Rear</b>			
4280084	Rear tires: Continental HSC3 12R24.5 16PR	\$20	98#
4280104	Rear tires: Continental HDL3 LTL 11R24.5 16PR	(\$599)	50#
4280222	Rear tires: Continental HSR3 11R24.5 16PR	(\$398)	56#
4280223	Rear tires: Continental HSR3 11R24.5 16PR. Includes pressure sensor.	(\$225)	56#
<b>Goodyear Front</b>			
4030022	Front Tires: Goodyear Fuel Max RSA 11R24.5 16PR	(\$1,201)	-130#



## T880: TIRES & WHEELS

Option	Description	Price	Weight
<b>Front &amp; Rear Axle Tires</b>			
<b>Tubeless Type Standard Profile 24.5</b>			
<b>Goodyear Front</b>			
4038643	Front Tires: Goodyear Workhorse MSA 11R22.5 16PR	(\$1,432)	-139#
4038644	Front Tires: Goodyear Workhorse MSA 11R24.5 16PR	(\$771)	-110#
4038661	Front tires: Goodyear Endurance RSA 11R24.5 14PR 43.9in. diameter, all positions, 20.6SLR.	(\$972)	32#
4038662	Front tires: Goodyear Endurance RSA 11R24.5 16PR 43.9in. diameter, all positions, 20.6SLR.	(\$1,061)	34#
4038807	Front tires: Goodyear G751 MSA 11R24.5 16PR 44.0in. diameter. Steer/all position on/off highway tire. 20.7 SLR.	(\$771)	60#
4038811	Front tires: Goodyear G751 MSA 12R24.5 16PR 45.1in. diameter. 21in. SLR.	(\$273)	82#
4038826	Front tires: Goodyear Endurance LHS 11R24.5 14PR	(\$1,238)	16#
4038827	Front tires: Goodyear Endurance LHS 11R24.5 16PR	(\$1,168)	16#
<b>Goodyear Rear</b>			
4230022	Rear Tires: Goodyear Fuel Max RSA 11R24.5 16PR	(\$289)	22#
4238002	Rear Tires: Goodyear Armor Max Pro Grade MSD 11R24.5 16PR	\$224	82#
4238644	Rear Tires: Goodyear Workhorse MSA 11R24.5 16PR	(\$370)	41#
4238675	Rear tires: Goodyear Endurance RSA 11R24.5 16PR 43.9in. diameter, all positions, 20.6SLR.	(\$148)	34#
4238683	Rear tires: Goodyear G182 RSD 11R24.5 14PR. 44.1 in. diameter. drive tire. 20.8 in. SLR. Code is priced per pair of tires	\$791	58#
4238700	Rear tires: Goodyear G182 RSD 11R24.5 16PR. 44.1 in. diameter. drive tire. 20.8 in. SLR. Code is priced per pair of tires	\$461	68#
4238710	Rear tires: Goodyear Endurance RSA 11R24.5 14PR 43.9in. diameter, all positions, 20.6SLR.	(\$59)	32#
4238807	Rear Tires: 2 Goodyear G751 MSA 11R24.5 16PR 44.0in. Diameter. Steer/All Position On/Off Highway Tire. 20.7 SLR.	\$141	60#
4238811	Rear tires: Goodyear G751 MSA 12R24.5 16PR 45.1in. diameter. 21in. SLR.	\$640	82#
4238826	Rear tires: Goodyear Endurance LHS 11R24.5 14PR	(\$325)	16#
4238827	Rear tires: Goodyear Endurance LHS 11R24.5 16PR	(\$256)	16#
4238857	Rear tires: Goodyear Endurance LHD 11R24.5 14PR	(\$143)	55#
4238858	Rear tires: Goodyear Endurance LHD 11R24.5 16PR	(\$57)	52#
4238868	Rear tires: Goodyear Marathon LHD 11R24.5 14PR	(\$143)	40#



## T880: TIRES & WHEELS

Option	Description	Price	Weight
<b>Front &amp; Rear Axle Tires</b>			
<b>Tubeless Type Standard Profile 24.5</b>			
<b>Michelin Front</b>			
4010003	Front Tires: Michelin X Works Z 11R24.5 16PR	(\$893)	-99#
4010139	Front Tires: Michelin X Line Energy Z 11R24.5 16P	(\$1,184)	-126#
4017157	Front Tires: Michelin XZE2 11R24.5 14PR. 43.5 in. Diameter, All Position. 20.3 in. SLR.	(\$1,375)	26#
4017158	Front Tires: Michelin XZE2 11R24.5 16PR. 43.5 in. Diameter, All Position. 20.3 in. SLR.	(\$1,116)	34#
<b>Michelin Rear</b>			
4210003	Rear Tires: Michelin X Works Z 11R24.5 16PR	\$20	54#
4210151	Rear Tires: Michelin X Works D 11R24.5 16PR	\$228	80#
4213764	Rear tires: Michelin X MULTI D 11R24.5 16PR	(\$96)	46#
4217157	Rear tires: Michelin XZE2 11R24.5 14PR. 43.5 in. diameter, all position. 20.3 in. SLR. Code is priced per pair of tires.	(\$462)	26#
4217158	Rear tires: Michelin XZE2 11R24.5 16PR. 43.5 in. diameter, all position. 20.3 in. SLR. Code is priced per pair of tires.	(\$203)	34#
4217226	Rear tires: Michelin XMultiEnergyD 11R24.5 16PR 43.4 in. diameter, drive. 20.4 in. SLR. Smartway certified. Code is priced per pair of tires.	(\$192)	58#
4217231	Rear Tires: Michelin X Works Grip D 11R24.5 16PR Drive Tire	\$842	70#
4217404	Rear tires: Michelin XDS2 11R24.5 16PR 43.9 in. diameter, drive. 20.5 SLR. Code is priced per pair of tires.	\$293	54#
4217411	Rear tires: Michelin XDA5+ 11R24.5 16PR. 43.8 in. diameter, drive. 20.6 in. SLR. Code is priced per pair of tires.	\$248	63#
<b>Yokohama Front</b>			
4083230	Front Tires: Yokohama MY507 11R24.5 16PR	(\$1,742)	48#
4083241	Front Tires: Yokohama RY023 11R24.5 16PR	(\$2,067)	22#
4083244	Front Tires: Yokohama RY023 11R24.5 14PR	(\$2,109)	22#
4083283	Front Tires: Yokohama RY617 11R24.5 14PR	(\$2,205)	18#
<b>Yokohama Rear</b>			
4283230	Rear Tires: Yokohama MY507 11R24.5 16PR	(\$829)	30#
4283241	Rear Tires: Yokohama RY023 11R24.5 16PR	(\$1,154)	22#
4283244	Rear Tires: Yokohama RY023 11R24.5 14PR	(\$1,196)	22#





## T880: TIRES & WHEELS

Option	Description	Price	Weight
<b>Front &amp; Rear Axle Tires</b>			
<b>Tubeless Type Standard Profile 24.5</b>			
<b>Yokohama Rear</b>			
4283262	Rear Tires: Yokohama 709ZL 11R24.5 14PR	(\$1,208)	46#
4283283	Rear Tires: Yokohama RY617 11R24.5 14PR	(\$1,293)	18#
<b>Tubeless Type Low Profile 22.5</b>			
<b>Apollo Front</b>			
4080185	Front Tires: Apollo Endutrax 315/80R22.5 20PR	(\$920)	-74#
4080186	Front Tires: Apollo Enducombi 295/75R22.5 16PR	(\$1,804)	-126#
<b>Apollo Rear</b>			
4280185	Rear Tires: Apollo Endutrax 315/80R22.5 20PR	(\$7)	76#
4280186	Rear Tires: Apollo Enducombi 295/75R22.5 16PR	(\$891)	24#
4280191	Rear Tires: Apollo Enducombi RD CS 295/75R22.5 16PR	(\$673)	50#
4280192	Rear Tires: Apollo Enducombi RD CS 295/75R22.5 14PR	(\$839)	48#
<b>Continental Front</b>			
4080051	Front Tires: Continental Conti HSL3 295/75R22.5 16PR	(\$1,563)	-150#
4080062	Front Tires: Continental HS3+ 295/75R22.5 16PR	(\$1,604)	-146#
4080252	Front Tires: Continental HAC3 445/65R22.5 22PR. Includes pressure sensor.	\$174	40#
<b>Continental Rear</b>			
4280000	Rear tires: Continental HDR 255/70R22.5 16PR	(\$834)	-38#
4280213	Rear tires: Continental HSR3 295/75R22.5 16PR	(\$487)	24#
4280252	Rear Tires: Continental HAC3 445/65R22.5 22PR. Includes pressure sensor.	\$1,087	192#
<b>Goodyear Front</b>			
4030012	Front Tires: Goodyear Endurance WHA 315/80R22.5 20PR.	(\$350)	62#
4030013	Front Tires: Goodyear Endurance WHA Duraseal 315/80R22.5 20PR.	\$38	62#
4030019	Front Tires Goodyear Fuel Max RSA 295/75R22.5 14P	(\$1,426)	-154#
4030265	Front tires: Goodyear Endurance RSA 295/75R22.5 14PR. 40.6 in. diameter, all position. 19.0 in. SLR.	(\$1,434)	14#
4038263	Front tires: Goodyear G291 315/80R22.5 20PR. 42.3 in. diameter, all position. 19.7 in. SLR.	(\$672)	0#



## T880: TIRES & WHEELS

Option	Description	Price	Weight
<b>Front &amp; Rear Axle Tires</b>			
<b>Tubeless Type Low Profile 22.5</b>			
<b>Goodyear Front</b>			
4038628	Front tires: Goodyear Armormax MSA 385/65R22.5 18PR AP 42.5 in diameter, all position. 19.8 in SLR. On/Off highway. Wide-base tire. in. SLR.	(\$405)	-48#
4038645	Front Tires: Goodyear Workhorse MSA 315/80R22.5 20PR	(\$613)	-97#
4038660	Front tires: Goodyear Endurance RSA 255/70R22.5 16PR. 36.7in. Diameter, all positions, 17.3 SLR.	(\$1,609)	-40#
4038676	Front tires: Goodyear Armormax MSA 425/65R22.5 20PR.44.4 in. diameter 20.6 in. SLR. all position. On/Off highway. Wide-base tire.	STD	0#
4038677	Front tires: Goodyear G291 315/80R22.5 18PR. 42.3 in. diameter, all position. 19.7 in. SLR.	(\$880)	162#
4038678	Front tires: Goodyear G289 WHA 315/80R22.5 20PR. All position. 43.1 in. diameter. 20 in. SLR.	(\$491)	78#
4038699	Front tires: Goodyear G289 WHA DURASEAL 315/80R 22.5 20 PR. 43.1 in. diameter. 20 in. SLR.	(\$119)	102#
4038723	Front tires: Goodyear Armormax MSA 425/65R22.5 20PR. 44.4 in. diameter 20.6 in. SLR. all position. On/Off highway. Wide-base tire.	\$266	14#
4038751	Front tires: Goodyear Armormax MSA 445/65R22.5 20PR 45.5in. diameter. On/Off highway. 20.9in. SLR. Wide base.	\$272	176#
4038822	Front tires: Goodyear Endurance LHS 295/75R22.5 16PR	(\$1,350)	-4#
4039945	Front tires: Goodyear Edurance LHS 295/75R 22.5 14PR	(\$1,442)	-160#
4138676	Front tires: Goodyear Armormax MSA 425/65R22.5 20PR. Twin steer. 44.4 in. diameter 20.6 in. SLR. all position. On/Off highway. Wide-base tire.	\$1,875	364#
<b>Goodyear Rear</b>			
4230012	Rear Tires: Goodyear Endurance WHA 315/80R22.5 20PR.	\$562	62#
4230013	Rear Tires: Goodyear Endurance WHA DuraSeal 315/80R22.5 20PR.	\$951	82#
4230019	Rear Tires: Goodyear Fuel Max RSA 295/75R22.5 14P	(\$513)	-2#
4230020	Rear Tires: Goodyear Fuel Max RSA 295/75R22.5 16PR	(\$421)	4#
4230038	Rear Tires: Goodyear Fuel Max LHD2 295/75R22.5 14PR	(\$537)	26#
4230328	Rear tires: Goodyear Fuel Max 1AD 295/75R22.5 14PR	(\$335)	12#
4237889	Rear Tires: Goodyear Fuel Max SSDDURASEAL 445/50R 22.5 20PR/FUEL MAX SST 445/50R22.5 20PR DEADAXLE 2-4	(\$14)	24#
4238263	Rear tires: Goodyear G291 315/80R22.5 20PR. 42.3 in. diameter, all position. 19.7 in. SLR	\$241	34#
4238265	Rear Tires: Goodyear Endurance RSA 295/75R22.5 14PR 40.6 in. diameter, all position. 19.0 in. SLR.	(\$521)	14#



## T880: TIRES & WHEELS

Option	Description	Price	Weight
<b>Front &amp; Rear Axle Tires</b>			
<b>Tubeless Type Low Profile 22.5</b>			
<b>Goodyear Rear</b>			
4238628	Rear tires: Goodyear Armormax MSA 385/65R22.5 18PR 2-4. 2.5 in diameter, all position. 19.8 in SLR. On/Off highway. Wide-base tire. Code is priced per pair of tires.	(\$1,356)	102#
4238645	Rear Tires: Goodyear Workhorse MSA 315/80R22.5 20PR	\$300	55#
4238677	Rear tires: Goodyear G291 315/80R22.5 18PR. 42.3 in. diameter, all position. 19.7 in. SLR. Code is priced per pair of tires.	\$33	162#
4238678	Rear tires: Goodyear G289 WHA 315/80R22.5 20PR. All position. 43.1 in. diameter. 20 in. SLR. Code is priced per pair of tires.	\$422	78#
4238699	Rear tires:Goodyear G289 WHA DuraSeal 315/80R 22.5 20 PR. 43.1 in. diameter. 20 in. SLR.	\$794	102#
4238707	Rear Tires: Goodyear Endurance RSA 255/70R22.5 16PR. 36.7in. Diameter, all positions, 17.3 SLR.	(\$696)	-40#
4238717	Rear tires: Goodyear G288 MSA 255/70R22.5 16PR 36.9in diameter. 17.3 SLP	(\$465)	-50#
4238718	Rear tires: Goodyear G278 MSD 445/65R22.5 20PR 46.2 in. diameter, all position. 21.1 in. SLR. On/Off highway. Wide-base tire 2 replacing 4. Code is priced per pair of tires.	\$171	-12#
4238720	Rear tires: Goodyear G278 MSD 425/65R22.5 20PR Wide-base tire 2 replacing 4. Code is priced per pair of tires.	(\$375)	-50#
4238738	Rear tires: Goodyear Fuel Max SSD Duraseal 445/50R445/50R 22.5 20PR 2-4	\$151	152#
4238741	Rear tires:Goodyear Fuel Max RTD 295/75R22.5 14PR 40.8 in. diameter, all position. 19.0 in. SLR. Code is priced per pair of tires.	\$210	16#
4238742	Rear tires:Goodyear Fuel Max RTD 255/70R22.5 16PR	\$3	-32#
4238751	Rear tires: Goodyear Armormax MSA 445/65R22.5 20PR. 2-4. 45.5 in. diameter 20.9 in. SLR. all position. On/Off highway. Wide-base tire.	(\$678)	-52#
4238776	Rear tires: Goodyear Armormax MSA 425/65R22.5 20PR. 2-4. 44.4 in. diameter, all position. 20.6 in. SLR. On/Off highway. Wide-base tire. Code is priced per pair of tires.	(\$951)	144#
4238822	Rear tires: Goodyear Endurance LHS 295/75R22.5 16PR	(\$438)	-8#
4238859	Rear tire:Goodyear Endurance LHD 295/75R22.5 14PR	(\$307)	34#
4239945	Rear tires: Goodyear Endurance LHS 295/75R 22.5 14PR	(\$530)	-8#
<b>Michelin Front</b>			
4010006	Front Tires: Michelin X Works Z 315/80R22.5 20PR	(\$488)	-54#
4010093	Front Tires: Michelin XZY3 425/65R22.5 20PR 44.7 in. Diameter, All Position. 20.6in. SLR.	\$337	38#
4010120	Front tires: Michelin XZE 425/65R22.5 20PR 20.6 in. SLR.	\$293	-12#
4010154	Front Tire: Michelin X Line Energy Z 295/60R22.5 18PR	(\$1,267)	-168#

\*See PremierSpec for Applicable Restrictions



## T880: TIRES & WHEELS

Option	Description	Price	Weight
<b>Front &amp; Rear Axle Tires</b>			
<b>Tubeless Type Low Profile 22.5</b>			
<b>Michelin Front</b>			
4011025	Front Tires: Michelin XZL 445/65R22.5 20PR All Position Super Singles. 46in. Diameter. SLR 21.2 in. Maximum 60MPH	\$1,183	258#
4017072	Front Tires: Michelin XZE 255/70R22.5 16PR 36.7 in. Diameter. 17.2 in. SLR. All Position.	(\$1,740)	-40#
4017156	Front Tires: Michelin XZE2 275/80R22.5 14PR. 40.2 in. Diameter, All Position. 18.6 in. SLR.	(\$1,588)	0#
4017181	Front Tires: Michelin XZY3 385/65R22.5 18PR 42.4 in. Diameter, All Position. 19.6 in. SLR.	(\$497)	130#
4017185	Front Tires: Michelin XZY3 445/65R22.5 20PR 45.8 in. Diameter. All Position. 21.1 in. SLR.	\$890	238#
4017194	Front Tires: Michelin X Coach Z Energy 295/ 80R22.5 16PR, All Position	(\$743)	-114#
4017197	Front Tires: Michelin X Works XDY 315/80R22.5 20PR 43 in. Diameter. 20.0 in SLR.	(\$140)	114#
4017199	Front Tires: Michelin X Line Energy Z 315/80R22.5 20PR	(\$550)	-53#
4017211	Front Tire: Michelin X MULTI HL Z 385/65R22.5 20PR MAX SPD 68MPH	\$371	129#
4017217	Front Tires: Michelin XZUS2 315/80R22.5 20PR 42.8 in. Diameter, All Position.. 19.8 in. SLR.	(\$251)	98#
4110093	Front tires: Michelin XZY3 425/65R22.5 20PR 4-4 twin steer 4-4; 44.7 in. diameter, all position. 20.6 in. SLR.	\$2,548	380#
4110120	Front tires: Michelin XZE 425/65R22.5 20PR. 20.6 in. SLR. Twin Steer 4-4.	\$2,461	24#
<b>Michelin Rear</b>			
4210006	Rear Tires: Michelin X Works Z 315/80R22.5 20PR	\$425	88#
4210093	Rear tires: Michelin XZY3 425/65R22.5 20PR 44.7 in. diameter, all position, 2-4 mounting. 20.6 in. SLR. Code is priced per pair of tires.	(\$614)	-38#
4210389	Rear Tire: Michelin X One Line Grip D 445/50R22.5 20PR 2-4	(\$394)	134#
4210391	Rear Tires: Michelin X One Line Grip D 455/55R22.5 20 PR 2-4	(\$62)	179#
4211026	Rear tires: Michelin XZL 445/65R22.5 20PR 2-4 46 in. diameter, all position. Wide based tire, maximum speed 60 mph. 21.2 in. SLR. Code is priced per pair of tires.	\$232	30#
4211038	Rear tires: Michelin XONEXZUS 455/55R22.5 22PR 2-4. 42.2 in. diameter, all position. 19.4 in. SLR. Code is priced per pair of tires.	\$3	-50#
4211040	Rear tires: Michelin XONE XZY3 455/55R22.5 22PR 2-4. 41.9 in. diameter. 17.8 in. SLR.	(\$333)	-50#
4217072	Rear tires: Michelin XZE 255/70R22.5 16PR 36.7 in. diameter. 17.2 in. SLR. All position. Code is priced per pair of tires.	(\$827)	-40#
4217127	Rear tires: Michelin XDN2 275/80R22.5 14PR Drive tire. 40.6 in. diameter, drive. 18.9 in. SLR. Code is priced per pair of tires.	(\$317)	24#



## T880: TIRES & WHEELS

Option	Description	Price	Weight
<b>Front &amp; Rear Axle Tires</b>			
<b>Tubeless Type Low Profile 22.5</b>			
<b>Michelin Rear</b>			
4217152	Rear tires: Michelin XDN2 GRIP 315/80R22.5 20 PR. 43.1 in. diameter, drive. 20.0 in. SLR. Code is priced per pair of tires.	\$1,038	118#
4217156	Rear tires: Michelin XZE2 275/80R22.5 14PR. 40.2 in. diameter, all position. 18.6 in. SLR. Code is priced per pair of tires.	(\$675)	0#
4217169	Rear Tires: Michelin X Line Energy Z 315/80R22.5 20PR	\$362	46#
4217182	Rear tires: Michelin XZY3 385/65R22.5 18PR 42.4 in. diameter, all position, 2-4 mounting. 19.6 in. SLR. Code is priced per pair of tires.	(\$1,448)	-98#
4217197	Rear tires: Michelin X Works XDY 315/80R22.5 20PR 43 in. diameter, drive. 20.0 in. SLR. Code is priced per pair of tires.	\$773	114#
4217217	Rear tires: Michelin XZUS2 315/80R22.5 20PR AP. 42.8 in. diameter, all position.. 19.8 in. SLR. Code is priced per pair of tires.	\$661	98#
4217227	Rear tires: Michelin XMultiEnergyD 275/80R22.5 14PR. 40.1 in. diameter, drive. 18.8 in. SLR. Smartway certified. Code is priced per pair of tires.	(\$601)	22#
4217230	Rear tires: Michelin XLineEnergyD 275/80R22.5 14PR. 40.1 in. diameter. 18.8 in. SLR. Smartway certified. Code is priced per pair of tires.	(\$601)	20#
4217241	Rear Tire Michelin X Line Energy D+ 275/80R22.5 14PR	(\$349)	6#
4217288	Rear tires: Michelin X One Line Energy D 445/50R 22.5 20PR, 2-4 super single drive tire. 40.1 in. diameter. 18.6 in. SLR. Smartway certified. Not for use on single rear axles. Code is priced per pair of tires.	(\$376)	128#
4217408	Rear tires: Michelin XDA5+ 275/80R22.5 14PR. Drive tire. 40.6 in. diameter, drive. 19.0 in. SLR. Code is priced per pair of tires.	(\$51)	34#
4217415	Rear Tires: Michelin X Multi D 295/60R22.5 18PR	(\$298)	2#
<b>Yokohama Front</b>			
4083245	Front Tires: Yokohama RY023 295/75R22.5 14PR	(\$2,250)	0#
4083247	Front Tires: Yokohama RY023 295/75R22.5 16PR	(\$2,218)	0#
4083280	Front Tires: Yokohama RY617 295/75R22.5 14PR	(\$2,297)	-8#
4183280	Front Tires: Yokohama RY617 295/75R22.5 14PR 4-4	(\$2,719)	-16#
<b>Yokohama Rear</b>			
4283221	Rear Tires: Yokohama 703ZL 295/75R22.5 14PR	(\$1,295)	32#
4283245	Rear Tires: Yokohama RY023 295/75R22.5 14PR	(\$1,338)	0#
4283247	Rear Tires: Yokohama RY023 295/75R22.5 16PR	(\$1,305)	0#



## T880: TIRES & WHEELS

Option	Description	Price	Weight
<b>Front &amp; Rear Axle Tires</b>			
<b>Tubeless Type Low Profile 22.5</b>			
<b>Yokohama Rear</b>			
4283251	Rear Tires: Yokohama TY517 MC2 295/75R22.5 14PR	(\$1,249)	8#
4283260	Rear Tires: Yokohama 709ZL 295/75R22.5 14PR	(\$1,283)	26#
4283280	Rear Tires: Yokohama RY617 295/75R22.5 14PR	(\$1,384)	-8#
<b>Tubeless Type Low Profile 24.5</b>			
<b>Continental Front</b>			
4080085	Front tires: Continental Ecoplus HS3+285/75R24.5 16PR	(\$1,700)	-136#
<b>Goodyear Front</b>			
4030021	Front Tires: Goodyear Fuel Max RSA 11R24.5 14PR	(\$1,271)	-132#
4038824	Front tires: Goodyear Endurance LHS 285/75R24.5 14PR	(\$1,310)	-4#
4038825	Front tires: Goodyear Endurance LHS 285/75R24.5 16PR	(\$1,910)	0#
<b>Goodyear Rear</b>			
4230021	Rear Tires: Goodyear Fuel Max RSA 11R24.5 14PR	(\$358)	20#
4238824	Rear tires: Goodyear Endurance LHS 285/75R24.5 14PR	(\$398)	-4#
4238825	Rear tires: Goodyear Endurance LHS 285/75R24.5 16PR	(\$997)	0#
4238861	Rear tire:Goodyear Endurance LHD 285/75R24.5 14PR	(\$182)	49#
4238869	Rear tire: Goodyear Marathon LHD 285/75R24.5 14PR	(\$182)	20#
<b>Yokohama Front</b>			
4083213	Front Tires: Yokohama 101ZL 285/75R24.5 14PR	(\$2,132)	12#
4083240	Front Tires: Yokohama RY023 285/75R24.5 14PR	(\$2,159)	6#
4083281	Front Tires: Yokohama RY617 285/75R24.5 14PR	(\$2,255)	-4#
<b>Yokohama Rear</b>			
4283211	Rear Tires: Yokohama 101ZL 285/75R24.5 14PR	(\$1,219)	8#
4283240	Rear Tires: Yokohama RY023 285/75R24.5 14PR	(\$1,246)	6#
4283252	Rear Tires: Yokohama TY517 MC2 285/75R24.5 14PR	(\$1,155)	18#
4283263	Rear Tires: Yokohama 709ZL 285/75R24.5 14PR	(\$1,237)	30#
4283281	Rear Tires: Yokohama RY617 285/75R24.5 14PR	(\$1,343)	-4#



## T880: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Tires			
<b>Steerable Pushers</b>			
4781084	1 Steerable Pusher: 2 Apollo Enducombi RA 11R22.5 16PR	(\$885)	28#
4781085	1 Steerable Pusher: 2 Apollo Endutrax MA 315/ 80R22.5 20PR	(\$7)	76#
4781103	1 Steerable Pusher: 2 Michelin X WORKS Z 11R24.5 16PR	\$20	54#
4781109	1 Steerable Pusher: 2 Michelin X WORKS Z 315/ 80R22.5 20PR	\$425	96#
4781117	1 Steerable Pusher: 2 Michelin XZUS2 315/80R22.5 20 PR all position. 42.9 in. diameter. 19.8 in. SLR.	\$661	98#
4781120	1 Steerable Pusher: 2 Michelin XZE 425/65R 20PR. 20.6 in. SLR.	\$1,206	162#
4781158	1 Steerable Pusher: 2 Michelin XZE2 11R24.5 16PR 43.5 in. diameter. 20.3 in. SLR.	(\$203)	34#
4781159	1 Steerable Pusher: 2 Michelin XZE2 275/80R22.5 14P 40.2 in. diameter. 18.6 in. SLR.	(\$675)	0#
4781166	1 Steerable Pusher: Michelin XZL 12R20 18PR with tubes and flaps	\$582	146#
4781181	1 Steerable Pusher: 2 Michelin XZY3 385/65R22.5 18PR. 42.4 in. diameter, all position. 19.6 in. SLR.	\$415	130#
4781182	1 Steerable Pusher: 2 Michelin X Multi Z 215/75R17.5 14PR	(\$1,648)	-30#
4781193	1 Steerable Pusher: 2 Michelin XZY3 425/65R22.5 20PR. All position 44.7 in. diameter. 20.6 in. SLR.	\$1,249	190#
4781194	1 Steerable Pusher: 2 Michelin X Coach Z Energy 295/80R22.5 16PR, All Position	\$170	38#
4781199	1 Steerable Pusher: 2 Michelin X Line Energy Z 315/80R22.5 20PR	\$362	0#
4781265	2 Steerable Pusher: 4 Yokohama 104ZR 245/70R 19.5 14PR	(\$2,293)	-136#
4781282	2 Steerable Pusher: Michelin X Multi Z 215/75R17.5 14PR	(\$2,334)	-60#
4781312	2 Steerable Pusher: 4 Goodyear G114 LHT 215/75R17.5 16PR. 30.5in diameter. 14.2in SLR. Available only w/ 8K Super Lite pushers.	(\$1,495)	-108#
4781314	3 Steerable Pusher: 6 Goodyear G114 LHT 215/75R17.5 16PR. 30.5in diameter. 14.2in SLR. Available only w/ 8K Super Lite pushers.	(\$1,762)	-162#
4781326	1 Steerable Pusher: 2 Goodyear G114 LHT 215/ 75R17.5 16PR	(\$1,229)	-108#
4781328	1 Steerable Pusher: 2 Goodyear Armormax MSA 385/ 65R22.5 18PR 42.5 in diameter, all position. 19.8 in SLR. On/Off highway. Wide-base tire. in. SLR. Corresponding Front Tire 4038628	\$508	104#
4781332	1 Steerable Pusher: 2 Goodyear Endurance WHA 315/ 80R22.5 20PR.	\$562	62#
4781344	1 Steerable pusher: 2 Goodyear Workhorse MSA 11R22.5 16PR	(\$519)	13#
4781348	1 Steerable Pusher: 2 Goodyear Workhorse MSA 11R24.5 16PR	(\$370)	41#
4781349	1 Steerable Pusher: 2 Goodyear Workhorse MSA 315/80R22.5 20PR	\$300	55#



## T880: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Tires			
Steerable Pushers			
4781359	1 Steerable Pusher: 2 Goodyear Endurance RSA 255/70R22.5 16PR. 36.7in. Diameter, all positions, 17.3 SLR.	(\$696)	-40#
4781365	1 Steerable Pusher: 2 Goodyear Endurance RSA 295/75R22.5 14PR, 40.6 in. diameter, all position. 19.0 in. SLR.	(\$521)	14#
4781376	1 Steerable Pusher: 2 Goodyear Armormax MSA 425/65R 22.5 20PR. 44.4 in. diameter 20.6 in. SLR. all position. On/Off highway. Wide-base tire.	\$913	144#
4781377	1 Steerable Pusher: 2 Goodyear G291 315/80R22.5 18PR. 42.3 in. diameter. 19.7 in. SLR.	\$33	42#
4781378	1 Steerable Pusher: 2 Goodyear G289 WHA 315/80R22.5, 20PR; All position. 43.1 in. diameter. 20 in. SLR.	\$422	78#
4781410	1 Steerable Pusher: 2 Continental HSR3 11R22.5 16PR. Includes pressure sensor.	(\$463)	0#
4781412	1 Steerable Pusher: 2 Continental HSR3 295/ 75R22.5 14PR	(\$576)	0#
4781413	1 Steerable Pusher: 2 Continental HSR3 295/ 75R22.5 16PR	(\$487)	0#
4781414	1 Steerable Pusher: 2 Continental HSR3 295/ 75R22.5 14PR. Includes pressure sensor.	(\$565)	0#
4781416	1 Steerable Pusher: 2 Continental HSR3 295/ 75R22.5 16PR. Includes pressure sensor.	(\$365)	0#
4781417	1 Steerable Pusher: 2 Continental HSR3 11R22.5 14PR	(\$515)	0#
4781418	1 Steerable Pusher: 2 Continental HSR3 11R22.5 16PR	(\$472)	0#
4781419	1 Steerable Pusher: 2 Continental HSR3 11R22.5 14PR. Includes pressure sensor.	(\$342)	0#
4781422	1 Steerable Pusher: 2 Continental HSR3 11R24.5 16PR	(\$398)	56#
4781423	1 Steerable Pusher: 2 Continental HSR3 11R24.5 16PR. Includes pressure sensor.	(\$225)	56#
4781426	1 Steerable Pusher: 2 Goodyear Endurance LHS 11R24.5 14PR	(\$325)	16#
4781511	1 Steerable Pusher: 2 Yokohama 101ZL 285/75R24.5 14PR	(\$1,219)	8#
4781516	2 Steerable Pusher: 4 Yokohama 101ZL 285/75R24.5 14PR	(\$1,475)	24#
4781542	1 Steerable Pusher: 2 Yokohama RY023 11R22.5 16PR	(\$1,304)	6#
4781544	1 Steerable Pusher: 2 Yokohama RY023 11R24.5 14PR	(\$1,196)	22#
4781545	1 Steerable Pusher: 2 Yokohama RY023 295/75R22.5 14PR	(\$1,338)	0#
4781552	2 Steerable Pusher: 4 Yokohama RY023 11R22.5 16PR	(\$1,646)	12#
4781555	1 Steerable Pusher: 4 Yokohama RY023 295/75R22.5 14PR. 4-4.	(\$1,713)	0#
4781556	1 Steerable Pusher: 2 Yokohama RY023 11R22.5 14PR	(\$1,337)	6#





## T880: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Tires			
Steerable Pushers			
4781772	1 Steerable Pusher: 2 Michelin XZE 255/70R22.5 16PR. 36.7 in. diameter, all position. AKA PXZE. 17.2 in. SLR.	(\$827)	-40#
4781774	3 Steerable Pusher: 6 Michelin XZE 255/70R22.5 16PR 36.7 in. DIA All Position. AKA PXZE	(\$556)	-40#
4781816	1 Steerable Pusher: 2 Goodyear Endurance LHS 11R 22.5 14PR	(\$488)	0#
4781817	1 Steerable Pusher: 2 Goodyear G751 MSA 315/ 80R22.5 20PR	\$869	80#
4781823	1 Steerable Pusher: 2 Goodyear Endurance LHS 11R22.5 16PR	(\$425)	-2#
4781824	1 Steerable Pusher: 2 Goodyear Endurance LHS 285/75R24.5 14PR	(\$398)	-4#
4781826	2 Steerable Pusher:4 Goodyear Endurance LHS 11R22.5 14PR	(\$14)	0#
4781827	1 Steerable Pusher: 2 Goodyear Endurance LHS 11R24.5 16PR	(\$256)	16#
4781845	3 Steerable Pusher: 6 Goodyear Endurance LHS 295/ 75R22.5 14PR	\$335	-24#
4781885	1 Steerable Pusher: 2 Yokohama RY617 11R22.5 14PR	(\$1,373)	2#
4781886	1 Steerable Pusher: 2 Yokohama RY617 11R24.5 14PR	(\$1,293)	18#
4781889	1 Steerable Pusher: 2 Yokohama RY617 295/75R22.5 14PR	(\$1,384)	-8#
4781945	1 Steerable Pusher: 2 Goodyear Endurance LHS 295/ 75R22.5 14PR	(\$530)	0#
4781955	2 Steerable Pusher: 4 Goodyear Endurance LHS 295/ 75R22.5 14PR	(\$97)	-16#
4781982	3 Steerable Pusher: 6 Michelin X Multi Z 215/ 75R17.5 14PR	(\$3,019)	-90#
4783659	3 Steerable-Pushers: 6 Goodyear Endurance RSA 255/70R22.5 16PR. 36.7in. Diameter, all positions, 17.3 SLR.	(\$163)	-120#
4785172	2 Steerable Pusher: 4 Michelin XZE 255/70R22.5 16PR 36.7 in. diameter. 17.2 in. SLR. All position.	(\$656)	-80#
4785352	2 Steerable Pusher: 4 Goodyear Endurance RSA 255/70R22.5 16PR. 36.7in. Diameter, all positions, 17.3 SLR.	(\$429)	-80#
4785885	2 Steerable Pusher: 4 Yokohama RY617 11R22.5 14PR.	(\$1,783)	4#
4785886	2 Steerable Pusher: 4 Yokohama RY617 11R24.5 14PR	(\$1,623)	36#
4785888	2 Steerable Pusher: 4 Yokohama RY617 285/75R 24.5 14PR.	(\$1,723)	-8#
4785889	2 Steerable Pusher: 4 Yokohama RY617 295/75R22.5 14PR.	(\$1,806)	-16#
4786880	3 Steerable Pusher: 6 Yokohama RY617 295/75R22.5 14PR.	(\$2,228)	-24#
4787880	1 Steerable Pusher: 4 Yokohama RY617 295/75R22.5 14PR. 4-4. For SL2200 Lift Axle Only.	(\$1,806)	-16#

Option	Description	Price	Weight
<b>Pusher Axle Tires</b>			
<b>Steerable Pushers</b>			
4789365	2 Steerable Pusher: 4 Goodyear Endurance RSA 295/ 75R22.5 14PR, 40.6 in. diameter, all position. 19.0 in. SLR.	(\$81)	30#
<b>Non-Steerable Pushers 2-4</b>			
4782083	1 Non-Steerable Pusher: 2 Apollo Endutrax MA 315/ 80R22.5 20PR 2-4	(\$1,871)	0#
4782182	1 Non-Steerable Pusher: 2 Michelin XZY3 385/65R22.5 18PR; 42.4 in. diameter, all position. 19.6 in. SLR. 2-4	(\$1,448)	-98#
4782185	1 Non-Steerable Pusher: 2 Michelin XZY3 445/ 65R 22.5, 20PR; 2-4 , 45.8 in. diameter, all position. 21.1 in. SLR.	(\$60)	10#
4782193	1 Non-Steerable Pusher: Michelin XZY3 425/65R22.5 20PR. 44.7 in. diameter, all position. 20.6in. SLR. Wide base. 2-4	(\$614)	-38#
4782328	1 Non-Steerable Pusher: 2 Goodyear Armormax 385/ 65R22.5, 18PR; 2-4. 42.5 in diameter, all position. 19.8 in SLR. On/Off highway. Wide-base tire.	(\$1,356)	-124#
4782359	1 Non-Steerable Pusher: 2 Goodyear Endurance RSA 255/70R22.5 16PR. 36.7in. Diameter, all positions, 17.3 SLR. 2-4	(\$2,559)	-40#
4782376	1 Non-Steerable Pusher: 2 Goodyear Armormax MSA 425/65R22.5, 20PR; 2-4. 44.4 in. diameter 20.6 in. SLR. all position. On/Off highway. Wide-base tire.	(\$951)	144#
4782378	1 Non-Steerable Pusher: 2 Goodyear G289 WHA 315/80R22.5, 20PR; 2-4. All position. 43.1 in. diameter. 20 in. SLR.	(\$1,442)	-130#
4782846	1 Non-Steerable Pusher: 2 Yokohama RY023 11R22.5 14PR 2-4	(\$3,200)	-222#
4782880	1 Non-Steerable Pusher: 2 Yokohama RY617 295/75R 22.5 14PR 2-4.	(\$4,160)	-236#
4783117	1 Non-Steerable Pusher: Michelin XZUS2 315/ 80R22.5 20 PR all position; 2-4. 42.9 in. diameter. 19.8 in. SLR.	(\$1,202)	196#
4783312	1 Non-Steerable Pusher: Goodyear Endurance WHA 315/80R22.5 20PR 2-4.	(\$1,301)	-166#
<b>Non-Steerable Pushers 4-4</b>			
4782346	1 Non-steerable pusher: 4 Goodyear Workhorse MSA 11R22.5 16PR	(\$76)	127#
4782348	1 Non-steerable pusher: 4 Goodyear Workhorse MSA 11R24.5 16PR	\$223	312#
4782349	1 Non-steerable pusher: 4 Goodyear Workhorse MSA 315/80R22.5 20PR	\$1,562	338#
4783084	1 Non-Steerable Pusher: 4 Apollo Enducombi RA 11R22.5 16PR AP 4-4	(\$807)	28#
4783102	1 Non-Steerable Pusher: 4 Michelin X Works Z 11R24.5 16PR 4-4	\$1,002	128#
4783108	1 Non-Steerable Pusher: 4 Michelin X Works Z 315/ 80R22.5 20PR 4-4	\$1,812	212#



## T880: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Tires			
<b>Non-Steerable Pushers 4-4</b>			
4783116	1 Non-Steerable Pusher: Michelin XDA5+ 11R22.5 14PR drive tire. 41.7 in. diameter. 19.5 in. SLR. 4-4.	\$990	84#
4783148	1 Non-Steerable Pusher: 4 Michelin X MULTI Z 275/ 70R22.5 18PR 4-4 38 in. diameter, all position. 17.6 in. SLR.	\$175	12#
4783158	1 Non-Steerable Pusher: 4 Michelin XZE2 11R24.5 16PR. 43.5 in. diameter, all position. 20.3 in. SLR. 4-4	\$556	68#
4783159	1 Non-Steerable Pusher: 4 Michelin XZE2 275/80R22.5 14PR 4-4	(\$388)	0#
4783199	1 Non-Steerable Pusher: 4 Michelin XZE2 11R22.5 14PR. 4-4. 41.3 in. diameter, all position. 19.2 in. SLR.	(\$276)	20#
4783323	1 Non-Steerable Pusher: 4 Goodyear Endurance RSA R22.5 14PR 4-4	(\$47)	46#
4783350	1 Non-Steerable Pusher: 4 Goodyear Endurance RSA 255/70R22.5 16PR. 36.7in. Diameter, all positions, 17.3 SLR. 4-4	(\$429)	-40#
4783365	1 Non-Steerable Pusher: 4 Goodyear Endurance RSA 295/75R22.5 14PR 4-4. 40.6 in. diameter, all position. 19.0 in. SLR.	(\$81)	30#
4783426	1 Non-Steerable Pusher: 4 Goodyear Endurance LHS 11R24.5 14PR 4-4	\$312	32#
4783656	1 Non-Steerable Pusher: 4 Goodyear Endurance RSA 11R24.5 16PR. 43.9in. diameter, all positions, 20.6SLR. 4-4	\$666	34#
4783803	1 Non-Steerable Pusher: 4 Yokohama 101ZL 285/75R R24.5 14PR 4-4	(\$1,475)	24#
4783820	1 Non-Steerable Pusher: 4 Yokohama 703ZL 11R22.5 14PR 4-4.	(\$1,557)	92#
4783823	1 Non-Steerable Pusher: 4 Goodyear Endurance LHS 11R22.5 16PR 4-4	\$113	0#
4783824	1 Non-Steerable Pusher: 4 Goodyear Endurance LHS 285/75R24.5 14PR 4-4	\$167	-4#
4783827	1 Non-Steerable Pusher: 4 Goodyear Endurance LHS 11R24.5 16PR 4-4	\$451	32#
4783831	1 Non-Steerable Pusher: 4 Yokohama MY507 11R22.5 16PR. 4-4.	(\$897)	96#
4783842	1 Non-Steerable Pusher: 4 Yokohama RY023 11R22.5 16PR 4-4	(\$1,646)	12#
4783845	1 Non-Steerable Pusher: 4 Yokohama RY023 295/75R 22.5 14PR. 4-4.	(\$1,713)	0#
4783846	1 Non-Steerable Pusher: 4 Yokohama RY023 11R22.5 Yokohama RY023 11R22.5 14PR. 4-4.	(\$1,711)	12#
4783880	1 Non-Steerable Pusher: 4 Yokohama RY617 295/75R 22.5 14PR 4-4.	(\$1,806)	-16#
4783882	1 Non-Steerable Pusher: 4 Yokohama RY617 285/75R 24.5 14PR 4-4.	(\$1,723)	-8#
4783885	1 Non-Steerable Pusher: 4 Yokohama RY617 11R 22.5 14PR 4-4.	(\$1,783)	4#



## T880: TIRES & WHEELS

Option	Description	Price	Weight
<b>Pusher Axle Tires</b>			
<b>Non-Steerable Pushers 4-4</b>			
4783886	1 Non-Steerable Pusher: 4 Yokohama RY617 11R 24.5 14PR 4-4.	(\$1,623)	36#
4783945	1 Non-Steerable Pusher: 4 Goodyear Endurance LHS 295/75R22.5 14PR 4-4	(\$97)	-16#
4788164	1 Non-Steerable Pusher: 4 Michelin X Multi D 11R24.5 16PR	\$771	92#
5783350	Non-Steerable Pusher Wheel:Alcoa ULA18/Acc 50344 22.5x8.25 4-4, aluminum outside with high polish finish/steel Steel Armor[™] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$585	0#
<b>Tag Axle Tires</b>			
<b>Steerable Tags</b>			
4780080	1 Steerable Tag: 4 Yokohama RY617 295/75R22.5 14PR 4-4. For SL2200 Lift Axle Only.	(\$1,806)	-16#
4780845	1 Steerable Tag: 4 Yokohama RY023 295/75R22.5 14PR. 4-4.	(\$1,713)	0#
4784181	1 Steerable Tag: 2 Michelin XZY3 385/65R22.5 18PR 42.4 in. diameter, all position. 19.6 in. SLR.	\$415	130#
4784193	1 Steerable Tag: 2 Michelin XZY3 425/65R22.5 20PR. 44.7 in. diameter, all position. 20.6in. SLR.	\$1,249	190#
4784312	1 Steerable Tag: 2 Goodyear Endurance WHA 315/ 80R22.5 20PR	\$562	62#
4784326	1 Steerable Tag: 2 Goodyear G114 LHT 215/75R17.5 16PR	(\$1,229)	-108#
4784359	1 Steerable Tag: 2 Goodyear Endurance RSA 255/70R22.5 16PR. 36.7in. Diameter, all positions, 17.3 SLR.	(\$696)	-40#
4784365	1 Steerable Tag: 2 Goodyear Endurance RSA 295/75R22.5 14PR	(\$521)	14#
4784378	1 Steerable Tag: 2 Goodyear G289 WHA 315/80R22.5 20PR All position. 43.1 in. diameter. 20 in. SLR.	\$422	78#
4784772	1 Steerable Tag: 2 Michelin XZE 255/70R22.5 16PR; 36.7 in. diameter, all position. 17.2 in. SLR.	(\$827)	-40#
4784842	1 Steerable Tag: 2 Yokohama RY023 11R22.5 16PR	(\$1,304)	0#
4784845	1 Steerable Tag: 2 Yokohama RY023 295/75R22.5 14PR	(\$1,338)	0#
4784880	1 Steerable Tag: 2 Yokohama RY617 295/75R22.5 14PR.	(\$1,384)	-8#
4784885	1 Steerable Tag: 2 Yokohama RY617 11R22.5 14PR	(\$1,373)	2#
4784945	1 Steerable Tag: 2 Goodyear Endurance LHS 295/ 75R22.5 14PR	(\$480)	-8#
<b>Non-Steerable Tags 2-4</b>			
4789193	1 Non-Steerable Tag: 2 Michelin XZY3 425/65R22.5 20PR. 44.7 in. diameter, all position. 20.6in. SLR. 2-4.	(\$614)	-38#



## T880: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

### Tag Axle Tires

#### Non-Steerable Tags 2-4

4789328	1 Non-Steerable Tag: 2 Goodyear Armormax MSA 385/ 65R22.5, 18PR; 2-4. 42.5 in diameter, all position. 19.8 in SLR. On/Off highway. Wide-base tire.	(\$1,356)	102#
4789845	1 Non-Steerable Tag: 2 Yokohama RY023 295/75R22.5 14PR. 2-4.	(\$3,201)	-228#
4789846	1 Non-Steerable Tag: 2 Yokohama RY023 11R22.5 14PR. 2-4.	(\$3,200)	-222#
4789880	1 Non-Steerable Tag: 2 Yokohama RY617 295/75R 22.5 14PR 2-4.	(\$3,248)	-236#

#### Non-Steerable Tags 4-4

4788142	1 Non-Steerable Tag: 4 Michelin X MULTI D 11R22.5 16PR	\$502	56#
4788300	1 Non-Steerable Tag: 4 Goodyear 182 RSD 11R24.5 16PR 44.1 in. diameter. drive tire. 20.8 in. SLR. 4-4.	\$1,884	136#
4788739	1 Non-Steerable Tag: 4 Goodyear Fuel Max RTD 11R22.5 14PR 4-4	\$1,705	30#
4788816	1 Non-Steerable Tag: 4 Goodyear Endurance LHS 11R22.5 14PR	(\$14)	0#
4788820	1 Non-Steerable Tag: 4 Yokohama 703ZL 11R22.5 14PR 4-4.	(\$1,557)	-182#
4788845	1 Non-Steerable Tag: 4 Yokohama RY023 295/75R22.5 14PR	(\$1,713)	0#
4788846	1 Non-Steerable Tag: 4 Yokohama RY023 11R22.5 14PR 4-4	(\$1,711)	12#
4788880	1 Non-Steerable Tag: 4 Yokohama RY617 295/75R 22.5 14PR 4-4.	(\$1,806)	-16#
4788882	1 Non-Steerable Tag: 4 Yokohama RY617 11R 22.5 14PLY 4-4	(\$1,783)	4#

### Front & Rear Axle Wheels & Rims

#### Tube Type

##### Front

5018049	Front Wheel: OTR 2485020 white 24x8.5 steel painted white, 13-3/16 in. ball seat mounting w/ Surloc. 12500lb. maximum rating. Speed restricted at 55mph. Previously OTR CV419-SL. Not air disc brake compatible.	\$2,419	216#
---------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------	------

##### Rear

5218049	Rear Wheel: OTR 2485020 white 24x8.5 steel painted white, 13-3/16 in. ball seat mounting with Surloc. 12500 lb. maximum rating. Speed restricted at 55 mph. Previously OTR CV419-SL. Not air disc brake compatible. Code is priced per pair of wheels.	\$3,291	216#
5218051	Rear Wheel: OTR 2485019 white 24X8.5 STL steel painted white. 335mm. hub-pilot mounting with Surloc. 12500 lb. maximum rating. Not air disc brake compatible. Code is priced per pair of wheels.	\$3,143	230#

#### Tubeless Type Aluminum 22.5

##### Front

5012047	Front Wheel: Accuride 29057 22.5X13 steel Steel Armor powder coat, hub pilot mount.	\$202	134#
---------	-------------------------------------------------------------------------------------	-------	------



## T880: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Wheels & Rims			
Tubeless Type Aluminum 22.5			
Front			
5042298	Front Wheel: Accuride 29683 22.5x12.25 aluminum, Standard polish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.	\$257	-12#
5042299	Front Wheel: Accuride 29374 22.5x12.25 aluminum, Standard polish finish, hub-pilot mount. 11000lb. maximum rating. 5.80 in. offset. Air disc brake compatible.	\$247	-2#
5042324	Front Wheel: Accuride 41730 22.5X9 aluminum	(\$92)	-20#
5042338	Front Wheel:Accuride 43644 22.5x8.25 AL hub-pilot mount Standard Polish	(\$318)	-162#
5042367	Front Wheel: Accuride 29300 22.5x9 steel Steel Armor[TM] powder coat, hub-pilot mount. 10000lb. maximum rating. 5-hand holes. Not air disc brake compatible.	(\$254)	79#
5043550	Front Wheel: Alcoa ULA18 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400lb maximum rating. Air Disc Brake compatible. High polish.	(\$438)	-159#
5045190	Front Wheel: Alcoa 83462 22.5x13 aluminum hub-pilot mount 11000lb. maximum rating. Aluminum with Lvl One [TM] High Polish finish, hub Level 1 finish.	(\$18)	8#
5045216	Front Wheel: Alcoa 82362 22.5x12.25 aluminum, with Lvl One [TM] finish High Polish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.	(\$5)	-10#
5045218	Front Wheel: Alcoa 82462 22.5x12.25 aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 11000lb. maximum rating. 5.80 in. offset. Air disc brake compatible.	\$14	-3#
5045240	Front wheel: Alcoa 833580 22.5x13 335 mm. hub pilot.	(\$53)	0#
5045263	Front Wheel: Alcoa 88565 22.5x8.25 aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 8000lb. maximum rating. Severe service. Air disc brake compatible.	(\$258)	-36#
5045268	Front Wheel: Alcoa 89U63 22.5X9 AL Ultra One High Polish Wheel.	(\$236)	-39#
5045280	Front Wheel: Alcoa 89U64 22.5X9 AL Ultra One High Polish Wheel.	(\$253)	-24#
5045283	Front Wheel: Kenworth 7-spoke 88U68 22.5x8.25 aluminum with Ultra One high polish finish, hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.	(\$255)	-40#
5045294	Front Wheel: KW100 88U60 22.5x8.25 aluminum with Ultra One high polish finish hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.	(\$71)	-150#
5045295	Front Wheel: Kenworth 10-spoke 88u69 22.5x8.25 aluminum with Ultra One High Polish, hub-pilot mount. 7300lb. maximum rating. Air disc brake compatible.	(\$138)	-40#
5045300	Front Wheel:Alcoa 89652 22.5x9, Level 1, Aluminum 10-Hole 335MM hub-pilot mount Long Lead Time	(\$84)	-28#
5142298	Front Wheel: Accuride 29683 22.5x12.25 aluminum, Standard polish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.	\$1,725	-24#



## T880: TIRES & WHEELS

Option	Description	Price	Weight
<b>Front &amp; Rear Axle Wheels &amp; Rims</b>			
<b>Tubeless Type Aluminum 22.5</b>			
<b>Front</b>			
5142324	Front Wheel: Accuride 41730 22.5X9 AL 4-4 Twin Steer	\$1,069	-16#
5145190	Front Wheel: Alcoa 83462 22.5x13 twin steer, 4-4; aluminum, hub-pilot mount 11000lb. maximum rating. Aluminum with Lvl One [TM] High Polish finish, hub Level 1 finish.	\$1,218	16#
5145216	Front Wheel: Alcoa 82362 22.5x12.25 aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. Twin steer 4-4. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. with 425 tires. Air disc brake compatible.	\$1,259	-20#
5145280	Front Wheel: Alcoa 89U64 22.5X9 AL Twin Steer 4-4 Ultra One High Polish Wheel.	\$700	-47#
<b>Rear</b>			
5242312	Rear Wheel: Accuride 43140 22.5x14.00 2-4; aluminum	\$1,386	-156#
5242324	Rear Wheel: Accuride 41730 22.5X9 aluminum	\$780	-20#
5242338	Rear Wheel: Accuride 43644 22.5X8.25 aluminum hub pilot mount standard polish	\$755	-78#
5242438	Rear Wheel: Accuride 43644 /Accuride 51487 heavy-duty steel 22.5x8.25, Standard Polish aluminum outside/Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$147	-39#
5243550	Rear Wheel: Alcoa ULA18 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400lb maximum rating. Air Disc Brake compatible. High polish.	\$409	-79#
5245215	Rear Wheel: Alcoa 82262 22.5x12.25 2-4; aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 12300 lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels.	\$821	-148#
5245263	Rear Wheel: Alcoa 88565 22.5x8.25 aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 8000lb. maximum rating. Severe service. Air disc brake compatible. Code is priced per pair of wheels.	\$645	-36#
5245280	Rear Wheel: Alcoa 89U64 22.5X9 AL Ultra One High Polish Wheel.	\$653	-24#
5245283	Rear Wheel: Kenworth 7-spoke 88U68 22.5x8.25 aluminum with Ultra One, high polish finish, hub-pilot mount. 7300 lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels. Level 1 finish.	\$676	-40#
5245284	Rear Wheel: Kenworth 7-spoke 88U68/ Accuride 50344 heavy-duty 22.5x8.25, aluminum outside with Ultra One High Polish finish/s/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$293	-6#
5245292	Rear Wheel: Alcoa 84U61 22.5X14.00 AL 2-4 Hub Pilot Mount. Ultra ONE Wheel. Level 1 Finish High Polish	\$736	-214#
5245293	Rear Wheel: Alcoa 84U64 22.5X14.00 AL 2-4 Ultra ONE Wheel. High Polish	\$661	-214#
5245294	Rear Wheel: KW100 88U60 22.5x8.25 aluminum with Ultra One high polish finish hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.	\$777	-150#





## T880: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

### Front & Rear Axle Wheels & Rims

#### Tubeless Type Aluminum 22.5

##### Rear

5245295	Rear Wheel: Kenworth 10-spoke 88U69 Ultra One High Polish	\$735	-40#
5245300	Rear Wheel:Alcoa 89652 22.5x9, Level 1, Aluminum 10-Hole 335MM hub-pilot mount Long Lead Time	\$788	-28#
5245303	Rear Wheel: Alcoa ULA18/Accuride 50344 heavy-duty 22.5x8.25, aluminum outside with high polish finish/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$205	-39#
5245304	Rear Wheel: Alcoa ULA18/Accuride 51487 22.5x8.25, aluminum outside with high polish finish/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$147	-52#
5245338	Rear Wheel: Accuride 43644 /Acc 50344 heavy-duty steel 22.5x8.25 Steel Armor[TM] powder coat, Standard Polish aluminum outside / steel powder coat inside, hub pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$386	-39#

#### Tubeless Type Steel 22.5

##### Front

5042258	Front Wheel: Accuride 50291 22.5X8.25 steel heavy-duty 22.5x8.25; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible.	(\$845)	22#
5042275	Front Wheel: Accuride 51408 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible.	(\$936)	0#
5042285	Front Wheel: Accuride 50344 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount.heavy-duty 5 hand-hole hub pilot mount.	(\$848)	20#
5042289	Front Wheel: Accuride 51487 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible.	(\$962)	0#
5042310	Front Wheel: Accuride 28827 24.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand hole.	(\$840)	36#
5042311	Front Wheel: Accuride 29039 22.5X9 steel Steel Armor[TM] powder coat, hub-pilot mount. 10000lb. maximum rating. 5-hand holes.	(\$560)	70#
5042312	Front Wheel: Accuride 29806 22.5x12.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 11500lb. maximum rating. 5-hand holes.	STD	0#
5042314	Front Wheel: Accuride 29807 22.5x12.25 steel white, Steel Armor[TM] powder coat, hub-pilot mount. 11500lb. maximum rating. 5-hand holes.	(\$1)	102#
5049202	Front Wheel: Marjean 13225-10 mm. 22.5x13 steel painted gray, 335 mm. hub-pilot mount. 10500lb. maximum rating on front axle. Not air disc brake compatible.	\$2,182	132#
5142285	Front Wheel: Accuride 50344 22.5x8.25 steel twin steer 4-4 Steel Armor[TM] powder coat; heavy-duty 5 hand-hole hub-pilot mount, steel white e-coat, 8000lb. maximum rating.	\$15	40#
5142289	Front Wheel: Accuride 51487 22.5x8.25 steel twin steer 4-4: Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible.	\$0	0#





## T880: TIRES & WHEELS

Option	Description	Price	Weight
<b>Front &amp; Rear Axle Wheels &amp; Rims</b>			
<b>Tubeless Type Steel 22.5</b>			
<b>Rear</b>			
5242258	Rear Wheel: Accuride 50291 white 22.5X8.25 heavy-duty 22.5x8.25; Steel Armor[™] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible. Code is priced per pair of wheels.	\$157	22#
5242285	Rear Wheel: Accuride 50344 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. Heavy-duty 5 hand-hole hub pilot mount. Code is priced per pair of wheels.	STD	0#
5242367	Rear Wheel: Accuride 29300 22.5x9 steel Steel Armor[™] powder coat, hub-pilot mount. 10000lb. maximum rating. 5-hand holes. Not air disc brake compatible. Code is priced per pair of wheels.	\$404	79#
5242375	Rear Wheel: Accuride 51408 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible. Code is priced per pair of wheels.	(\$63)	-12#
5242389	Rear Wheel: Accuride 51487 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible. Code is priced per pair of wheels.	(\$49)	0#
5245285	Rear Wheel: Kenworth 7-spoke Alcoa alum 88U68/ Accuride 51487 22.5x8.25. Aluminum with Ultra One High Polish finish outside/steel Steel Armor[™] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. 5-hand hole. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$209	-40#
<b>Tubeless Type Aluminum 24.5</b>			
<b>Front</b>			
5042147	Front Wheel: Kenworth 10-spoke 98U69 24.5x8.25 aluminum with Ultra One High Polish finish, hub-pilot mount. 7300lb. maximum rating. Air disc brake compatible.	(\$182)	-21#
5042328	Front Wheel: Accuride 42362 24.5x8.25 aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating.	(\$286)	-138#
5044193	Front Wheel: Kenworth 7-spoke 98U68 24.5x8.25 aluminum with Ultra One High Polish finish, hub-pilot mount. 7300lb. maximum rating. Air disc brake compatible.	(\$239)	-21#
5045265	Front Wheel: Alcoa 98565 24.5x8.25 aluminum, with Lvl One [™] High Polish finish, hub-pilot mount. 8000lb. maximum rating. Severe service. Air disc brake compatible.	(\$244)	-12#
5045275	Front Wheel: Alcoa 98U63 24.5X8.25 AL Ultra One High Polish Wheel.	(\$367)	-34#
<b>Rear</b>			
5242321	Rear Wheel: Accuride 42362/50409 24.5x8.25 aluminum outside with Standard polish/ACCU-LTE Steel Armor powder coat inside, hub-pilot mount 7400lb. maximum rating. Includes wheel guards. Air disc brake compatible.	\$320	-28#
5242328	Rear Wheel: Accuride 42362 24.5x8.25 aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating. Code is priced per pair of wheels.	\$681	-56#
5243147	Rear Wheel: Kenworth 10-spoke 98U69 24.5x8.25 aluminum with Ultra One High Polish finish, hub-pilot mount. 7300lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels.	\$685	-21#
5244193	Rear Wheel: Kenworth 7-spoke 98U68 24.5x8.25 aluminum with Ultra One High Polish finish, hub-pilot mount. 7300lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels.	\$691	-21#



## T880: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

### Front & Rear Axle Wheels & Rims

#### Tubeless Type Aluminum 24.5

##### Rear

5244194	Rear Wheel: Kenworth 98U68 7-Spoke/Accuride 50409 Steel 24.5x8.25, aluminum with Ultra One High Polish finish outside/ACCU-LTE Steel Armor[TM] powder coat inside, hub pilot mount. 7300 lb. maximum rating. Includes wheel guards.	\$291	3#
5245159	Rear wheel: Alcoa 98350 24.5x8.25 aluminum, 335mm. hub pilot mount. 8500 lb. maximum rating. Long leadtime. Code is priced per pair of wheels.	\$1,050	76#
5245265	Rear Wheel: Alcoa 98565 24.5x8.25 aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 8000lb. maximum rating. Severe service. Code is priced per pair of wheels. Air disc brake compatible.	\$663	-12#
5245275	Rear Wheel: Alcoa 98U63 24.5X8.25 AL Ultra One High Polish Wheel.	\$532	-34#
5245276	Rear Wheel: Alcoa 98U63 Out/ACC 50409 INS 24.5X8. AL/STL High Polish.	\$243	-7#

#### Tubeless Type Steel 24.5

##### Front

5042315	Front Wheel:Accuride 50641 24.5X8.25 Stl ACCU-LTE Steel Armor[TM] powder coat, hub pilot mount. 7400lb. maximum rating. 5-hand holes.	(\$905)	16#
5042330	Front Wheel: Accuride 50409 24.5X8.25 steel ACCU-LTE. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating.	(\$903)	20#

##### Rear

5242310	Rear Wheel: Accuride 28827 24.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand hole. Code is priced per pair of wheels.	\$163	35#
5242315	Rear Wheel: Accuride 50641 24.5X8.25 steel ACCU-LTE. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole.	(\$49)	16#
5242330	Rear-Wheel: Accuride 50409 24.5X8.25 steel ACCU-LITE. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating.	(\$50)	20#
5245277	Rear Wheel: Alcoa 98U63 Out/ACC 28827 INS 24.5X8. AL/STL. High Polish	\$230	1#

### Pusher Axle Wheels

#### Steerable Pushers

5781147	1 Steerable Pusher Wheel: 2 Kenworth 10-spoke 98U69 24.5x8.25; aluminum with Ultra One High Polish finish. Hub-pilot mount. 7300lb. maximum rating.	\$669	-21#
5781175	1 Steerable Pusher Wheel: 2 Accuride 51408 steel 22.5x8.25. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	\$8	0#
5781185	1 Steerable Pusher Wheel: 2 Accuride 50344 22.5x8.25. Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	\$115	20#
5781189	1 Steerable Pusher Wheel: 2 Accuride 51487 steel 22.5x8.25. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$0	0#



## T880: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Wheels			
Steerable Pushers			
5781190	1 Steerable Pusher Wheel: 2 Alcoa 83462 22.5x13 aluminum, hub-pilot mount 11000lb. maximum rating. Aluminum with Lvl One [TM] High Polish finish, hub Level 1 finish.	\$942	8#
5781210	1 Steerable Pusher Wheel: 2 Accuride 28827 steel 24.5X8.25. Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes.	\$122	36#
5781229	1 Steerable Pusher Wheel: 2 Accuride 50409 steel 24.5X8.25. ACCU-LTE. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating.	\$60	20#
5781258	1 Steerable Pusher Wheel: 2 Accuride 50291 22.5X8.25 heavy-duty 22.5x8.25; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible.	\$242	22#
5781263	1 Steerable Pusher: 2 Alcoa 88565 22.5X8.25 AL with Lvl One [TM] High Polish finish, hub-pilot mount. 8000lb. maximum rating. Severe service.	\$706	-36#
5781281	1 Steerable Pusher Wheel: 2 Alcoa 77349 19.5x7 50RW aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K pusher.	\$397	-60#
5781294	1 Steerable Pusher Wheel: KW100 2 88U60 22.5X8.25 aluminum with Ultra One high polish hub-pilot mount. 7300lb max rating. Level 1 finish.	\$892	-44#
5781298	1 Steerable Pusher Wheel: 2 Accuride 29683 22.5x 12.25 aluminum Standard polish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible. FR WHL: Accuride 29683 22.5X12.25 AL	\$1,218	-12#
5781299	1 Steerable Pusher Wheel: 2 Accuride 29374 22.5X12.25; aluminum Standard polish finish, hub-pilot mount. 11000lb. maximum rating. 5.80in. offset. Air disc brake compatible.	\$1,210	-2#
5781324	1 Steerable Pusher Wheel: 2 Accuride 41730 22.5X9 AL	\$868	-20#
5781328	1 Steerable Pusher: 2 Accuride 42362 24.5X8.25 aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating.	\$686	-30#
5781338	1 Steerable Pusher Wheel: 2 Accuride 43644 22.5X8.25; aluminum Standard Polish, hub-pilot mount. 7400lb. maximum rating.	\$693	-52#
5781372	1 Steerable Pusher Wheel: 2 Alcoa 76542 19.5X6.75 aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K pusher.	\$700	0#
5781383	1 Steerable Pusher: 2 Kenworth 7-spoke 88U68 22.5x8.25 aluminum, hub pilot mount. 7300lb max rating Ultra One High Polish	\$708	-40#
5781516	1 Steerable Pusher Wheel: 2 Alcoa 82362 22.5x12.25; aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102in. w/ 425 tires. Air disc brake compatible.	\$984	-10#
5781518	1 Steerable Pusher Wheel: 2 Alcoa 82462 22.5X12.25; aluminum with Lvl One [TM] High Polish finish, hub-pilot mount. 11000lb. maximum rating. 5.80in. offset. Air disc brake compatible.	\$991	-3#
5781554	1 Steerable Pusher Wheel: 2 Alcoa ULA18 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400lb maximum rating. Air Disc Brake compatible. High polish.	\$524	-51#
5781568	1 Steerable Pusher Wheel: 2 Alcoa 89U63 22.5X9 AL Ultra One High Polish Wheel.	\$728	-39#



## T880: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Wheels			
Steerable Pushers			
5781575	1 Steerable Pusher: 2 Alcoa 98U63 24.5X8.25 AL Ultra One High Polish Wheel.	\$563	-20#
5781580	1 Steerable Pusher: 2 Alcoa 89U64 22.5X9 AL Ultra One High Polish Wheel.	\$713	-24#
5781774	1 Steerable pusher wheel: 2 Alcoa 66480 17.5x6 aluminum, hub pilot mount. For use with 8K Super Lite pushers.	\$480	0#
5782312	1 Steerable Pusher Wheel: 2 Accuride 29806 steel 22.5X12.25 Steel Armor [TM] powder coat, hub-pilot mount.	\$962	102#
5785289	1 Steerable Pusher Wheel: 4 Accuride 51487 22.5x8.25, 4-4 SL2200 only. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole.	\$0	0#
5785350	1 Steerable Pusher Wheel: 4 Alcoa ULA18 22.5x8.25, 4-4, New Generation hub-pilot mount, disc brake compatible. High polish.	\$1,048	0#
5787289	3 Steerable Pusher Wheel: 6 Accuride 51487 22.5x8.25. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$0	0#
5789272	2 Steerable Pusher Wheel: 4 Alcoa 76542 19.5X6.75 aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K pusher.	\$733	0#
5789281	2 Steerable Pusher wheel: 4 Alcoa 77349 19.5x7.50RW aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K pusher.	\$694	-60#
5789285	2 Steerable Pusher Wheel: 4 Accuride 50344 HD STL 22.5x8.25; Steel Armor[TM] powder coat. Hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	\$229	40#
5789289	2 Steerable Pusher Wheel: 4 Accuride 51487 22.5x8.25. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$0	0#
5789328	2 Steerable Pusher Wheel: 4 Accuride 42362 24.5X8.25 aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating.	\$1,414	-60#
5789338	2 Steerable Pusher Wheel: 4 Accuride 43644 22.5X8.25; aluminum Standard Polish, hub-pilot mount. 7400lb. maximum rating.	\$1,352	-102#
5789372	3 Steerable Pusher Wheel: 6 Alcoa 76542 19.5X6.75 aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K pusher.	\$2,123	0#
5789381	3 Steerable Pusher Wheel: 6 Alcoa 77349 19.5x7.50 RW aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K pusher.	\$1,022	0#
5789385	3 Steerable Pusher Wheel: 6 Accuride 50344 HD steel 22.5x8.25; Steel Armor[TM] powder coat. Hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	\$344	60#
5789438	3 Steerable Pusher Wheel: 2 Accuride 43644 22.5X8.25; aluminum Standard Polish, hub-pilot mount. 7400lb. maximum rating.	\$2,029	-156#
5789550	3 Steerable Pusher: 6 Alcoa ULA18 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400lb maximum rating. Air Disc Brake compatible. High polish	\$1,572	0#



## T880: TIRES & WHEELS

Option	Description	Price	Weight
<b>Pusher Axle Wheels</b>			
<b>Steerable Pushers</b>			
5789551	2 Steerable Pusher Wheel: 4 Alcoa ULA18 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400lb maximum rating. Air Disc Brake compatible. High polish.	\$1,048	0#
5789583	2 Steerable Pusher Wheel: 4 Kenworth 7-spoke 88U68 22.5x8.25 aluminum, hub-pilot mount. 7300lb max rating. Ultra One High Polish	\$1,244	-80#
5789774	2 Steerable Pusher Wheel: 4 Alcoa 66480 17.5x6 aluminum. Hub pilot mount. 4000lb. maximum rating. For use with 8K Super Lite pushers.	\$1,642	0#
5789874	3 Steerable Pusher Wheel: 6 Alcoa 66480 17.5x6 aluminum. Hub pilot mount. 4000lb. maximum rating. For use with 8K Super Lite pushers.	\$1,096	0#
<b>Non-Steerable Pushers 2-4</b>			
5782285	Non-Steerable Pusher Wheel: Accuride 50344 heavy-duty 22.5 x8.25, 2-4; Steel Armor[TM] powder coat, hub-pilot moun. 8000lb. maximum rating. 5-hand hole.	(\$203)	-104#
5782289	Non-Steerable Pusher Wheel: Accuride 51487 22.5x 8.25, 2-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole.	(\$291)	-133#
5782300	Non-Steerable Pusher Wheel: Accuride 29683 22.5x 12.25, 2-4; aluminum Standard polish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.	\$927	-148#
5782515	Non-Steerable Pusher: Alcoa 82262 22.5x12.25 2-4; aluminum with Lvl One [TM] High Polish finish, hub-pilot mount. 12300 lb. maximum rating. Not air disc compatible. Code is priced per pair of wheels.	\$788	-148#
5782516	Non-Steerable Pusher Wheel: Alcoa 82362 22.5x12.25, 2-4; aluminum with Lvl One [TM] High Polish finish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102in. w/ 425 tires. Air disc brake compatible.	\$665	-146#
5782554	Non-Steerable Pusher: Alcoa ULA18 22.5x8.25 2-4 MagnaForce aluminum alloy, hub pilot mount. 7400lb maximum rating. Air Disc Brake compatible. High polish.	\$121	-51#
5782568	Non-Steerable Pusher Wheel: Alcoa 89U63 22.5X9 AL 2-4. Ultra One High Polish Wheel.	\$394	-175#
5782575	Non-Steerable Pusher Wheel: Alcoa 98U63 24.5X8.25 aluminum 2-4. Ultra One High Polish Wheel.	\$272	-170#
5782580	Non-Steerable Pusher Wheel: Alcoa 89U64 22.5X9 AL 2-4. Ultra One High Polish Wheel.	\$394	-160#
5782591	Non-Steerable Pusher Wheel: Alcoa 84U64 22.5X14.0 aluminum 2-4. Ultra ONE Wheel. High Polish	\$844	-32#
5783267	Non-Steerable Pusher Wheel: Accuride 29300 STL 22.5x9, 2-4; Steel Armor[TM] powder coat. Hub-pilot mount. 10000lb. maximum rating. 5-hand holes. Not air disc brake compatible.	\$154	-56#
<b>Non-Steerable Pushers 4-4</b>			
5783175	Non-Steerable Pusher Wheel: Accuride 51408 STL 22.5x8.25, 4-4; Steel Armor[TM] powder coat. Hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	\$50	0#
5783185	Non-Steerable Pusher Wheel: Accuride 50344 STL heavy-duty 22.5 x8.25, 4-4; Steel Armor[TM] powder coat. Hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	\$229	40#



## T880: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

### Pusher Axle Wheels

#### Non-Steerable Pushers 4-4

5783229	Non-Steerable Pusher Wheel: Accuride 50409 24.5X8.25, 4-4; ACCU-LTE. Steel Armor[TM]. Hub-pilot mount. 7400lb. maximum rating.	\$120	40#
5783258	Non-Steerable Pusher Wheel: Accuride 50291 22.5X8.25 heavy-duty, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes.	\$235	44#
5783282	Non-Steerable Pusher: Accuride 30391225PW 22.5x8.25, 4-4; steel painted white spokes. 7300lb. maximum rating.	\$210	0#
5783289	Non-Steerable Pusher Wheel: Accuride 51487 22.5x 8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$0	0#
5783294	Non-Steerable Pusher Wheel: KW100 88U60 22.5X8.25 aluminum with Ultra One high polish hub-pilot mount. 7300lb max rating. Level 1 finish.	\$1,784	-44#
5783328	Non-Steerable Pusher Wheel: Accuride 42362 24.5X 8.25 4-4; aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating.	\$1,373	-60#
5783338	Non-Steerable Pusher Wheel: Accuride 43644 22.5x8.25, 4-4; aluminum Standard Polish. Hub-pilot mount. 7400lb. maximum rating.	\$1,422	-104#
5783347	Non-Steerable Pusher Wheel: Kenworth 10-spoke 98U69 24.5x8.25, 4-4; aluminum with Ultra One High Polish finish. Hub-pilot mount. 7300lb. maximum rating.	\$1,337	-42#
5783351	Non-Steerable Pusher: Alcoa ULA18 22.5x8.25 4-4 MagnaForce aluminum alloy, hub pilot mount. 7400lb maximum rating. Air Disc Brake compatible. High polish.	\$1,048	-102#
5783575	Non-Steerable Pusher Wheel: Alcoa 98U63 24.5X8.25 aluminum 4-4. Ultra One High Polish Wheel.	\$1,148	-67#
5783581	Non-Steerable Pusher Wheel: Alcoa 89U64 22.5X9 AL 4-4. Ultra One High Polish Wheel.	\$1,368	-47#
5783583	Non-Steerable Pusher Wheel: Kenworth 7-spoke 88U68 22.5X8.25, 4-4; aluminum, hub-pilot mount. 7300lb. maximum rating. Ultra One High Polish	\$1,246	-80#

### Tag Axle Wheels

#### Steerable Tags

5780289	1 Steerable Tag Wheel: 4 Accuride 51487 22.5x8.25, 4-4 SL2200 only. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole.	\$0	0#
5780350	1 Steerable Tag Wheel: 4 Alcoa ULA18 22.5x8.25, 4-4, New Generation hub-pilot mount, disc brake compatible. High polish.	\$1,048	-46#
5788258	1 Steerable Tag Wheel: 2 Accuride 50291 22.5X8.25 STL, HD 22.5x8.25; Steel Armor[TM] powder coat. Hub-pilot mount. 8000lb maximum rating. 2-hand holes.	\$118	22#
5788272	1 Steerable Tag Wheel: 2 Alcoa 76542 19.5X6.75 aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K pusher.	\$764	0#
5788275	1 Steerable Tag Wheel: 2 Accuride 51408 STL 22.5x8.25; Steel Armor[TM] powder coat. Hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	\$3	0#



## T880: TIRES & WHEELS

Option	Description	Price	Weight
<b>Tag Axle Wheels</b>			
<b>Steerable Tags</b>			
5788281	1 steerable tag wheel: 2 Alcoa 77349 19.5x7.50RW aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K tag.	\$736	-60#
5788285	1 Steerable Tag Wheel: 2 Accuride 50344 HD steel 22.5x8.25; Steel Armor[™] powder coat. Hub-pilot mount. 8000lb maximum rating. 5-hand holes.	\$115	20#
5788289	1 Steerable Tag Wheel: 2 Accuride 51487 22.5x8.25. Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$0	0#
5788299	1 Steerable Tag Wheel: 2 Accuride 29374 22.5X12.25; aluminum Semi-polished finish, hub-pilot mount. 11000lb. maximum rating. 5.80in. offset. Air disc brake compatible.	\$1,210	-2#
5788518	1 Steerable Tag Wheel: 2 Alcoa 82462 22.5X12.25; aluminum with Lvl One [™] High Polish finish, hub-pilot mount. 11000lb. maximum rating. 5.80in. offset. Air disc brake compatible.	\$960	-3#
5788554	1 Steerable Tag Wheel: 2 Alcoa ULA18 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400lb maximum rating. Air Disc Brake compatible. High polish.	\$524	-51#
5788568	1 Steerable Tag Wheel: 2 Alcoa 89U63 22.5X9 aluminum. Ultra One High Polish Wheel.	\$701	-39#
5788774	1 Steerable Tag Wheel: 2 Alcoa 66480 17.5x6 aluminum. Hub pilot mount. For use with 8K Super Lite tags.	\$812	0#
<b>Non-Steerable Tags 2-4</b>			
5785275	Non-Steerable Tag Wheel: Accuride 51408 ST 22.5x8.25, 2-4; Steel Armor[™] powder coat. Hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	(\$292)	0#
5786258	Non-Steerable Tag Wheel: Accuride 50291 STL heavy-duty 22.5x8.25, 2-4; Steel Armor[™] powder coat. Hub-pilot mount. 8000lb. maximum rating. 2-hand holes.	(\$205)	-114#
5786285	Non-Steerable Tag Wheel: Accuride 50344 STL heavy-duty 22.5 x8.25, 2-4; Steel Armor[™] powder coat. Hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	(\$203)	-116#
5786289	Non-Steerable Tag Wheel: Accuride 51487 22.5x 8.25, 2-4; Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	(\$291)	-133#
5786298	Non-Steerable Tag Wheel: Accuride 29683 22.5x 12.25, 2-4; aluminum Standard polish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.	\$905	-148#
5786516	Non-Steerable Tag Wheel: Alcoa 82362 22.5x12.25, 2-4; aluminum with Lvl One [™] High Polish finish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102in. w/ 425 tires. Air disc brake compatible.	\$665	-146#
5786550	Non-Steerable Tag Wheel: Alcoa ULA18 22.5x8.25 2-4 MagnaForce aluminum alloy, hub-pilot mount. 7400lb maximum rating. Air Disc Brake Compatible. High polish.	\$121	0#
<b>Non-Steerable Tags 4-4</b>			
5784258	Non-Steerable Tag Wheel: Accuride 50291 22.5X8.25 heavy-duty, 4-4; Steel Armor[™] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes.	\$235	44#





## T880: TIRES & WHEELS

Option	Description	Price	Weight
<b>Tag Axle Wheels</b>			
<b>Non-Steerable Tags 4-4</b>			
5784275	Non-Steerable Tag Wheel: Accuride 51408 STL 22.5x8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	\$15	0#
5784282	Non-Steerable Tag Wheel: Accuride 30391225PW 22.5x8.25 4-4; steel painted white. Spokes. 7300lb. maximum rating.	\$210	0#
5784285	Non-Steerable Tag Wheel: Accuride 50344 heavy-duty 22.5 x8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	\$229	40#
5784289	Non-Steerable Tag Wheel: Accuride 51487 22.5x 8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$0	0#
5784328	Non-Steerable Tag Wheel: Accuride 42362 24.5X8.25 4-4; aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating.	\$1,314	-60#
5784338	Non-Steerable Tag Wheel: Accuride 43644 22.5x8.25, 4-4; aluminum Standard Polish. Hub-pilot mount. 7400lb. maximum rating.	\$1,387	-104#
5784575	Non Steerable Tag Wheel: Alcoa 98U63 24.5X8.25 aluminum 4-4 Ultra One High Polish Wheel.	\$1,126	-67#
5784650	Non-Steerable Tag Wheel: Alcoa ULA18 NST22.5x8.25 4-4 MagnaForce aluminum alloy, hub-pilot mount. 7400lb maximum rating. Air Disc Brake compatible. High polish.	\$1,048	0#

## Miscellaneous Tires & Wheels

### Tire Miscellaneous

4880000	Tires Selected Limit Top Vehicle Speed Delivery requirements may apply see TE-1127/1045. Speed restricted tires.	\$0	0#
4899002	Tire/ Wheel Count for TPMS: 2.	\$110	0#
4899004	Tire/ Wheel Count for TPMS: 4.	\$220	0#
4899006	Tire/ Wheel Count for TPMS: 6.	\$329	0#
4899008	Tire/ Wheel Count for TPMS: 8.	\$439	0#
4899010	Tire/ Wheel Count for TPMS: 10.	\$554	0#
4899012	Tire/ Wheel Count for TPMS: 12.	\$659	0#
4899014	Tire/ Wheel Count for TPMS: 14.	\$769	0#
4899016	Tire/ Wheel Count for TPMS: 16.	\$879	0#

### Wheel Equipment

5800004	Rear Wheels Mounted Inboard. Mounted same as front axle (mounted inset).	\$0	0#
5856048	Dual Rear Accuride-Finish: Accu-Sheild Both Surfaces 8 Wheels, aluminum Only	\$1,281	0#





## T880: TIRES & WHEELS

Option	Description	Price	Weight
<b>Miscellaneous Tires &amp; Wheels</b>			
<b>Wheel Equipment</b>			
<b>Wheelguards</b>			
5850040	Wheelguards: All Axles.	\$119	2#
<b>Wheel Treatments</b>			
5853906	Powder Coat White Steel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5853907	Powder Coat Gray Steel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5853908	Powder Coat Blacksteel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5853909	Powder Coat Red Steel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5854010	Single Front Axle: 2 Polished Wheels. Mirror polished outboard surface of aluminum wheels.	\$168	0#
5854011	Single Rear Axle: 2 Mirror Polish Wheels. outboard surface of outer dual or single aluminum wheels.	\$220	0#
5854012	Dual Rear Axle: 4 Mirror Polish Wheels. outboard surface of outer dual or single aluminum wheels.	\$419	0#
5854014	Dual Rear Axle: 4 Mirror Polish Wheels. both surface of outer dual or single aluminum wheels.	\$522	0#
5854021	Tridem Rear Axle: 6 Mirror Polish Wheels. outboard surface of outer dual or single aluminum wheels.	\$618	0#
5854031	1 Pusher: 2 Mirror Polished Wheels. Polished outboard surface of outboard wheels mounted same as front axle. For use on 1 steerable or 1 non-steerable pusher axle with single wheel.	\$168	0#
5854032	2 Pushers: 2 Mirror Polished Wheels. Polished outboard surface of outboard wheels mounted same as front axle. For use on 2 steerable or 2 non-steerable pusher axle w/ single wheel.	\$316	0#
5854033	3 Pushers: 3 Mirror Polished Wheels. Polished outboard surface of outboard wheels mounted same as front axle. For use on 3 steerable or 3 non-steerable pusher axle with single wheel.	\$464	0#
5854034	1 Tag: 2 Polished Wheels. Polished Outboard surface of outboard wheels mounted same as front axle. For use on 1 steerable or 1 non-steerable tag axle with single wheel.	\$168	0#
5854041	1 Pusher: 2 Mirror Polished Wheels. Polished outboard surface of outboard wheels. For use on 1 non-steerable pusher axle with single or dual wheel.	\$220	0#
5854042	2 Pushers: 4 Mirror Polished Wheels. Polished outboard surface of outboard wheels. For use 2 non-steerable pusher axle with single or dual wheel.	\$419	0#
5854044	1 Tag: 2 Polished Wheels. Polished Outboard surface of outboard wheels. For use on 1 non-steerable tag axle with single or dual wheel.	\$220	0#
5854045	Single Front Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only	\$97	0#
5854047	Single Rear Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum quantity 2	\$97	0#



## T880: TIRES & WHEELS

Option	Description	Price	Weight
<b>Miscellaneous Tires &amp; Wheels</b>			
<b>Wheel Equipment</b>			
<b>Wheel Treatments</b>			
5854048	Dual Rear Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only Quantity 4	\$194	0#
5854051	1 Pusher Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only	\$97	0#
5854052	2 Pusher Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only	\$194	0#
5854054	1 Tag Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only	\$97	0#
5856010	Single Front Axle: Dura-Bright Brushed (QTY 2) -0DB (Satin)	\$285	0#
5856012	Dual Rear Axle: Dura-Bright Brushed (QTY 4) -0DB (Satin)	\$723	0#
5856045	Single Front Accuride-Finish: Accu-Sheild Both Surfaces 2 Wheels, aluminum Only	\$320	0#
5856047	Dual Rear Accuride-Finish: Accu-Sheild Both Surfaces 4 Wheels, aluminum Only	\$640	0#
5856050	1 Pusher Accuride-Finish:Accu-Shield Both Surfaces. 2 Wheels, aluminum Only (Steerable or Non-Steerable)	\$320	0#
5856051	2 Pusher Accuride-Finish: Accu-Shield Both Surfaces. 4 Wheels, aluminum Only (Steerable or Non-Steerable)	\$640	0#
5856053	1 Tag Accuride-Finish: Accu-Shield Both Surfaces 2 Wheels, aluminum Only (Steerable or Non-Steerable)	\$320	0#
5858009	Dual Rear Axle: Dura-Flange (quantity 4) -DF. For super single 2-4 wheels. Not available with Dura-Bright, except 88367.	\$578	0#
5858010	Single Front Axle: 2 Wheels Dura-Flange	\$264	0#
5858011	Single Rear Axle: Dura-Flange (quantity 4) -DF. Not available with polished or Dura-Bright except 88367.	\$578	0#
5858012	Dual Rear Axle: Dura-Flange (quantity 8) -DF	\$1,130	0#
5858013	Tridem Rear Axle: Dura-Flange (quantity 12) -DF. Not available with Dura-Bright except 88367.	\$1,694	0#
5858014	1 Tag Dura-Flange; Steerable or Non-Steerable Tag N/A with super singles (quantity 2) -DF.	\$282	0#
5858015	1 Tag Dura-Flange; Non-Steerable Tag Without super singles (quantity 4) -DF.	\$565	0#
5858017	2 Pusher Dura-Flange; Steerable or Non-Steerable pusher with super singles (quantity 4) -DF.	\$565	0#
5858018	1 Pusher Dura-Flange; Steerable or Non-Steerable pusher with super singles (quantity 2) -DF.	\$282	0#
5858019	1 Pusher Dura-Flange; Non-Steerable Pusher without super singles (quantity 4) -DF. Not available with Dura-Bright.	\$565	0#
5858020	3 Pusher Dura-Flange; Steerable or Non-Steerable pusher with super singles (quantity 6) -DF.	\$847	0#



## T880: TIRES & WHEELS

Option	Description	Price	Weight
<b>Miscellaneous Tires &amp; Wheels</b>			
<b>Wheel Equipment</b>			
<b>Wheel Treatments</b>			
5859006	Tridem Rear Axle Wheels: Dura-Bright Mirror Polish inboard surface of inner dual aluminum wheels.	\$1,149	0#
5859007	Tridem Rear Axle Wheels: 6 Dura-Bright Mirror Polish Dura-Bright outboard surface of outer dual or single aluminum wheels.	\$1,219	0#
5859010	Single Front Axle: 2 wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of aluminum wheels.	\$308	0#
5859011	Single Rear Axle Wheels: 2 Wheels Dura-Bright Mirror Polish. Dura-Bright outboard surface of outer dual or single aluminum wheels.	\$383	0#
5859012	Dual Rear Axle Wheels: 4 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outer dual or single aluminum wheels.	\$820	0#
5859013	Single Rear: Dura-Bright Mirror Polish Inboard Surface Of Inner Wheels (2)-2DB, Required Wheel Grades, Use With 5859011	\$766	0#
5859014	Single Front Axle Wheels: Dura-Bright Mirror Polish both outboard & inboard surfaces of aluminum wheels.	\$462	0#
5859015	Dual Rear Axle Wheels: Dura-Bright Mirror Polish both outboard & inboard surfaces of outboard dual or single aluminum wheels.	\$975	0#
5859016	Dual Rear Axle Wheels: Dura-Bright Mirror Polish inboard surface of inner dual aluminum wheels.	\$813	0#
5859017	Dual Rear Axle Wheels: Dura-Bright Mirror Polish both inboard and outboard surface of inner dual aluminum wheels.	\$924	0#
5859024	Tridem Rear Axle Wheels: Dura-Bright Mirror Polish both outboard & inboard surfaces of outboard dual or single aluminum wheels.	\$1,386	0#
5859025	2 Pusher or Tag wheels: Dura-Bright Mirror Polish outboard surface of outboard wheels mounted same as rear axle. For use on 2 non-steerable lift axles.	\$719	0#
5859027	Dual Rear Axle: Dura-Bright Mirror Polish wide base singles, outboard surface (quantity 4) -1DB.	\$693	0#
5859028	Single Rear Axle: Dura-Bright Mirror Polish wide base singles, outboard surface (quantity 2) -1DB.	\$320	0#
5859031	1 Pusher: 2 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels mounted same as front axle. For use on 1 steerable or 1 non-steerable pusher axles w/ single wheel.	\$320	0#
5859032	2 Pushers: 2 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels mounted same as front axle. For use on 2 steerable or 2 non-steerable pusher axle w/ single wheel.	\$769	0#
5859033	3 Pushers: 3 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels mounted same as front axle. For use on 3 steerable or 3 non-steerable pusher axle w/ single wheel.	\$960	0#
5859034	1 Tag: 2 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels mounted same as front axle. For use on 1 steerable or 1 non-steerable tag axles w/ single wheel.	\$320	0#
5859040	1 Non-Steerable: Dura-Bright Mirror Polish Inner Wheels - Non-steerable (quantity 2) -1DB.	\$320	0#



## T880: TIRES & WHEELS

Option	Description	Price	Weight
<b>Miscellaneous Tires &amp; Wheels</b>			
<b>Wheel Equipment</b>			
<b>Wheel Treatments</b>			
5859041	1 Pusher: 2 Wheels Dura-Bright Mirror Polish Dura-Bright surface of outboard wheels.	\$359	0#
5859042	2 Pushers: 4 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels. For use 2 non-steerable pusher axle with single or dual wheel.	\$719	0#
5859044	1 Tag: 2 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels. For use on 1 non-steerable tag axle with single or dual wheel.	\$359	0#
5859045	1 Pusher Wheel: Dura-Bright Mirror Polish both surfaces of outer - Non-steerable (quantity 2) -3DB.	\$924	0#
5859046	1 Pusher Wheel: Dura-Bright Mirror Polish both surfaces of inner - Non-steerable (quantity 2) -3DB.	\$924	0#
5859065	Single Front Axle: Dura-Black Both Surfaces (QTY 2)	\$608	0#
5859066	Single Rear Axle: Dura-Black Both Surfaces (Qty 4)	\$1,216	0#
5859067	Dual Rear Axle: Dura-Black Both Surfaces (Qty 8)	\$2,432	0#
5859068	Tridem Rear Axle Wheels: Dura-Black Both Surfaces (Qty 12)	\$3,648	0#
5859069	1 Steerable: Dura-Black Both Surfaces Tag or Pusher (Qty 2)	\$608	0#
5859070	1 Non-Steerable: Dura-Black Both Surfaces Tag or Pusher (Qty 4)	\$1,216	0#
5859073	Non-Steerable: 2 Wheels Dura-Black Both Surfaces. For use on 1 non-steerable tag or 1 non-steerable pusher with super single wheels.	\$608	0#
<b>Wheel Miscellaneous</b>			
5800000	Pusher or Tag Wheels Mounted Inboard 2-4 Only. Mounted Same As Front Axle.	\$0	0#
5800001	Pusher Or Tag Wheels Mounted Outboard, 2-4 Only. Mounted Same As Drive Axle.	\$0	0#
5880000	Wheels Selected Limit Top Vehicle Speed. Wheels are speed restricted, special delivery requirements may apply.	\$0	0#
5890000	V2B Double Seal Cap Valves.	\$66	0#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rails & Inserts			
Rail Material			
10.625 x 3.5 x 0.3125 Steel Frame			
6054200	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 284 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80, RBM is 1,776,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	(\$221)	0#
6054400	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 285 in. to 336 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80, RBM is 1,776,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	(\$22)	0#
6054600	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 337 in. to 416 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80, RBM is 1,776,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$490	0#
6054602	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 417 in. to 480 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80, RBM is 1,776,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$1,072	0#
10.75 x 3.5 x 0.375 Steel Frame			
6056200	Frame Rails: 10-3/4 x 3-1/2 x 3/8 in. Steel to 284 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	STD	0#
6056400	Frame Rails: 10-3/4 x 3-1/2 x 3/8 in. Steel 285 in. to 336 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$394	0#
6056600	Frame Rails: 10-3/4 x 3-1/2 x 3/8 in. Steel 337 in. to 416 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$1,001	0#
6056680	Frame Rails: 10-3/4 x 3-1/2 x 3/8 in. Steel 417 in. to 480 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$1,618	0#

Option	Description	Price	Weight
<b>Rails &amp; Inserts</b>			
<b>Rail Material</b>			
<b>10.75 x 3.5 x 0.375 Steel Frame</b>			
6056690	Spliced Frame Rails: 10-3/4 x 3-1/2 x 3/8 in. Steel 481 in. to 720 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$6,312	0#
<b>10.6875 x 3.5 x 0.5 Steel Frame</b>			
6056700	Frame Rails: 10-11/16 x 3-1/2 x 1/2 in. Steel to 455 in. Truck frame weight is 4.70 lb.-in. per pair of rails. Section modulus is 22.35, RBM is 2,683,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$6,441	0#
<b>11.625 x 3.875 x 0.375 Steel Frame</b>			
6057600	Frame Rails: 11-5/8 x 3-7/8 x 3/8 in. Steel to 447 in. Truck frame weight is 3.80 lb.-in. per pair of rails. Section modulus is 21.43, RBM is 2,572,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$1,967	0#
6057680	Frame Rails: 11-5/8 x 3-7/8 x 3/8 in. Steel 448 in. to 480 in. Truck frame weight is 3.80 lb.-in. per pair of rails. Section modulus is 21.43, RBM is 2,572,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$2,279	0#
6057690	Spliced Frame Rails: 11-5/8 x 3-7/8 x 3/8 in. Steel 481 in. to 720 in. Truck frame weight is 3.80 lb.-in. per pair of rails. Section modulus is 21.43, RBM is 2,572,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$6,885	0#
<b>Full Frame Inserts</b>			
<b>9.875 x 2.875 x 0.25 Steel Insert</b>			
6141200	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel to 284 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 lb.-in. to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$2,137	0#
6141400	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel 285 in. to 336 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$2,490	0#
6141600	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel 337 in. to 416 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$2,785	0#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Rails &amp; Inserts</b>			
<b>Full Frame Inserts</b>			
<b>9.875 x 2.875 x 0.25 Steel Insert</b>			
6141615	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel 417 in. to 480 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb-in per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$3,123	0#
6141616	Spliced Full Steel Insert: for 10-5/8 in. or 10-3/4 in. steel 481 in. to 720 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$7,548	0#
<b>10.75 x 3.5 x 0.375 Steel Insert</b>			
6144615	Full Steel Insert: for 11-5/8 in. Steel Rail to 480 in. Adds 2,132,000 in-lb to main rail RBM. 120K PSI. 11-5/8 in. primary insert RBM 4,704,000 in-lbs, section modulus is 39.20. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$5,149	0#
6144617	Spliced Full Steel Insert: for 11-5/8 in. Steel rail 481 in. to 720 in. Adds 2,132,000 in-lb to main rail RBM. 120K PSI. 11-5/8 in. primary insert RBM 4,704,000 in-lbs, section modulus is 39.20. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by mode. See databook addendum section 7.2.	\$9,466	0#
<b>Partial Frame Inserts</b>			
<b>Inserts for 10.625 or 10.75 Main Rail</b>			
6279310	Partial Steel Insert: 10-5/8 in. or 10-3/4 in. Steel to 10 ft or partial 2nd insert for 11-5/8 in. steel rail.	\$1,330	227#
6289325	Partial Steel Insert: 10-5/8 in. or 10-3/4 in. main rail. Insert length is 10 - 25 ft. Adds 1,149,000 in-lb to main rail RBM. Insert weight is 2.05 lb.-in. per pair of rails.	\$2,467	570#
<b>Inserts for 11.625 Main Rail</b>			
6289400	Partial Steel Insert: for 11-5/8 in. Steel Rail to 10 ft.	\$3,110	253#
6289425	Partial Steel Insert: for 11-5/8 in. Steel Rail over 10 ft to 25 ft.	\$5,129	630#
<b>Partial Frame Insert Location</b>			
6279000	Locate Partial Frame Inserts Under Cab to BOC.	\$0	0#
6279001	Locate Partial Frame Inserts Over Bogie.	\$0	0#
6279003	Locate Partial Frame Inserts Under Cab to Over bogie.	\$0	0#
6279005	Locate Partial Frame Inserts Under Cab to end-of-frame.	\$0	0#
<b>Bumpers</b>			
<b>Bumper Style</b>			
<b>Aluminum Channel</b>			
6301360	Bumper: Straight Aluminum Channel. Requires a bumper setting code.	STD	0#





## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Bumpers</b>			
<b>Bumper Style</b>			
<b>Aluminum Channel</b>			
6301610	Bumper: Stainless Steel Clad Straight Aluminum channel. Requires bumper setting code.	\$473	-11#
6302360	Bumper: Tapered Aluminum Channel. Natural Finish. Requires a bumper setting code.	\$98	-6#
6302361	Bumper: Tapered Polished Aluminum Channel. Requires a bumper setting code.	\$191	-6#
<b>Steel Channel</b>			
6301437	Bumper: Straight Steel, Painted Channel. Requires a bumper setting code.	(\$103)	50#
6301790	Bumper: Straight Chrome Steel Channel. Requires bumper setting code.	\$210	50#
6302460	Bumper: Tapered Painted Steel Channel. Requires a bumper setting code.	(\$92)	44#
6302461	Bumper: Tapered Chrome Steel Channel. Requires a bumper setting code.	\$598	63#
<b>Steel Box</b>			
6303360	Bumper: Straight Steel Box. Painted. Requires a bumper setting code.	\$389	211#
6303428	Bumper: Straight Steel Box. Chrome. Requires bumper setting code.	\$1,347	211#
6303759	Bumper: Tapered Painted Steel Box. Requires a bumper setting code.	\$1,657	123#
6303763	Bumper: Heavy-Duty Tapered Painted Steel Box. 3/8 in. thickness. Requires a bumper setting code. T880 only.	\$1,830	185#
<b>Bumper Setting</b>			
6319028	28 in Bumper Setting. Requires a Bumper Code.	\$0	0#
6319033	33 in. Bumper Setting. Requires a Bumper Code.	\$0	0#
6319295	29.5 in. Bumper Setting. Requires a Bumper Code.	\$0	0#
6319485	48.5 in. Bumper Setting. Requires a Bumper Code.	\$0	0#
6319515	51.5 in. Bumper Setting. Requires a Bumper Code.	\$0	0#
<b>Bumper Equipment</b>			
6321005	Removable Front Tow Hooks: 2.	\$304	15#
6323004	Rams Horn Front Tow Hooks: 2.	\$261	18#
6324025	Front Tow Hook: Center Mounted, Cast. Requires iron front drive brackets.	\$303	28#
6390048	Rectangular Bumper Cutouts for customer-installed fog lights.	\$30	0#





## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Front Frame Miscellaneous</b>			
6390001	Steel Shackle Links.	\$10	8#
6390021	Iron Shackle Brackets. Code is not required with front springs greater than or equal to 16,000 lbs.	\$146	11#
6390103	Front Mudflaps.	STD	0#
6390312	Brackets: Iron Front Spring Drive. Included with front spring capacity of 16,000 lbs or greater; code not required.	\$199	47#
<b>Mixer Equipment</b>			
6340110	Side Plate on Chassis Rail for Mixer Boost-a-Load	\$260	46#
6350105	Front Engine Skid Protector. Painted Bumper color. C500B requires 56.5 in. bumper setting.	\$687	79#
<b>Battery Boxes</b>			
<b>Parallel</b>			
6403678	Battery Box: Aluminum Parallel BOC W/ ABS Cover.	\$1,976	11#
6404207	Battery Box: Steel Parallel BOC W/ ABS Cover.	\$1,740	20#
6404303	Battery Box: Twin Steer, between Steer Axles. Parallel steel box with aluminum integral step and diamond plate cover. For 86 in. axle spacing twin steer only.	\$674	53#
6405001	Battery Box: Short Length Polished Aluminum parallel box module under cab w/ aluminum integral step, polished cover. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.	\$581	0#
6405002	Battery Box: Aluminum Parallel Module BOC W/ step, aluminum diamond plate cover. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$366	44#
6405048	Battery Box Module: Short Length Aluminum parallel under cab, aluminum diamond plate cover w/ step. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.	STD	0#
6405080	T8 Parallel Non-Polished Aluminum Battery Box module w/ integral step. Extended length for use w/ 2010 and later SCR style exhaust. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.	\$91	72#
6405082	T8 Parallel Polished Aluminum Battery Box Module w/ integral step. Extended length for use w/ 2010 and later SCR style exhaust. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.	\$1,523	72#
6405102	Short Length Steel Parallel Battery Box Module under cab, aluminum integral step, diamond plate cover. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.	(\$18)	53#
6405103	Steel Parallel Battery Box Module: BOC W/ aluminum diamond plate cover w/step. Up to 2 air tanks may be mounted to bottom of box. Batteries oriented perpendicular.	\$463	92#
6405180	T8 Parallel Non-Polished Steel Battery Box module w/ integral step. Extended length for use w/ 2010 and later SCR style exhaust. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.	\$358	125#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Battery Boxes</b>			
<b>Cantilever</b>			
6400634	Battery Box Cantilever Aluminum BOC with Painted smooth aluminum cover.	\$670	10#
6400636	Battery Box Cantilever Aluminum BOC with fiberglass cover.	\$246	8#
6400641	Battery Box Cantilever Aluminum BOC with Polished smooth aluminum cover.	\$696	10#
6401200	Battery Box Cantilever Steel BOC W/ Fiberglass cover.	\$603	24#
6401233	Steel Cantilever Battery Box BOC W/ Smooth aluminum cover. Vocational Style.	\$754	39#
6401235	Steel Cantilever Battery Box BOC W/ Smooth polished aluminum cover. Vocational Style.	\$861	39#
<b>Across or Between Rails BOC</b>			
6400500	Battery Box: Aluminum between the Rails BOC W/ FMCSR cover.	\$1,372	11#
6400508	Battery Box: Aluminum between the Rails BOC W/ aluminum cover.	\$995	-8#
6400631	Battery box: Temporary Across the Rails.	\$330	-110#
6400633	Battery Box: Temporary Across the Rails. Includes maximum cable length available.	\$387	-110#
<b>In-Cab</b>			
6405000	In-Cab Steel Battery Box: under Rider Seat or in stand alone box. Requires appropriate AGM battery code, which varies by model, and appropriate rider seat code be selected prior to entering the workscreen. Includes 1 battery disconnect switch.	\$1,936	-9#
<b>Battery Box Locations</b>			
6409901	Battery Box Location: LH Side.	\$0	0#
6409902	Battery Box Location: RH Side.	\$116	15#
6409903	Battery Box Location: BOC Between the Rails.	\$0	0#
6409906	In-Cab Battery Box Location: Under Rider Seat.	\$0	0#
6409908	Battery Box Location: BOC Across the Rails.	\$0	0#
6409934	RH Back of Cab Box Location for Kenworth Idle Management System batteries.	\$0	0#
<b>Battery Box Equipment</b>			
6409010	Back of Cab Box for Kenworth Idle Management System batteries. Must also use the location code.	\$1,113	0#
6409136	Insulate Battery Box W/ Acid-Resistant & cross-linked polyolefin foam sheets.	\$115	2#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Center Frame Equipment</b>			
<b>Frame Access</b>			
<b>Grabhandles</b>			
6410010	Frame Access Grabhandle(s) LH Mounted. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$60	2#
6410011	Frame Access Grabhandle(s) RH Mounted. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$60	2#
6410028	Frame Access Grabhandle, Additional LH Mounted in side extender. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$134	2#
6410029	Frame Access Grabhandle, Additional RH Mounted on side extender. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$134	2#
6410040	Full Height Frame Access Grabhandle, LH Mounted. Daycab only, replaces outboard BOC grabhandle.	\$187	6#
6410041	Full Height Frame Access Grabhandle, RH Mounted. Daycab only, replaces outboard BOC grabhandle.	\$187	6#
6410092	Frame Access Grabhandle Horizontal Mounted at midpoint of sleeper or Daycab.	\$74	2#
6418508	Ladder Step Access Handle LH Mounted to Battery box /toolbox. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$279	8#
6418509	Ladder Step Access Handle: RH Mounted to Battery box/toolbox. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$279	8#
6418510	Ladder Step Access Handle: LH Mounted to Frame step. Narrate location of frame step. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$239	8#
6418512	Ladder Step Access Handle: RH Mounted to Frame step. Narrate location of frame step. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$239	8#
<b>Deckplate</b>			
6414002	Short Aluminum Frame Access Deck Plate, 24 in. unless only 12 in. fits.	\$191	10#
6414003	Medium Aluminum Frame Access Deck Plate, 36 in.	\$283	15#
6414004	Full Coverage Deck Plate. More than 72 in. of aluminum frame access deck plate filling the space from hoses to fifth wheel.	\$656	35#
6414006	Full Coverage Deck Plate. Up to and Incl 72 in. of aluminum frame access deck plate filling the space from hoses to fifth wheel.	\$461	24#
<b>Steps</b>			
6417002	Cab Access Step: RH under Mounted to Frame.	\$768	66#
6417004	Frame Access Steps: Narrow, 12" Ladder-Type, RH. Available when rear of tank extends less than 24 in. behind rear of cab or sleeper.	\$225	15#
6417007	Frame Access Steps: 2 Ladder-Type, RH Mount. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.	\$189	15#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

### Center Frame Equipment

#### Frame Access

##### Steps

6417009	Frame Access Steps: 2 for Fuel/Hydraulic Tank BOC, RH mount. Available when rear of tank under extends more than 14 in. behind rear of cab, sleeper, or side extender. For tanks located totally behind a cab or sleeper the front of the tank must be within 14 in. from the rear of cab, sleeper, or side extender.	\$224	6#
6418002	Cab Access Step: LH Under Mounted to Frame.	\$707	66#
6418004	Frame Access Steps: Narrow, 12" Ladder-Type, LH. Available when rear of tank extends less than 24 in. behind rear of cab or sleeper.	\$225	15#
6418006	Frame Access Steps: 2 Ladder-Type, LH Mount. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.	\$189	15#
6418008	Frame Access Steps: 2 for Fuel/Hydraulic Tank BOC, LH mount. Available when rear of tank under extends more than 14 in. behind rear of cab, sleeper, or side extender. For tanks located totally behind a cab or sleeper the front of the tank must be within 14 in. from the rear of cab, sleeper, or side extender.	\$224	6#
6418020	Extended Frame Access Step: LH Mounted, 2 ladder-type steps. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.	\$496	28#
6418021	Extended Frame Access Steps: RH Mounted, 2 ladder-type steps. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.	\$496	28#

#### Box Step Options

6409721	Ladder step: Below Battery Box or Toolbox (diamond plate cover). Flex step brackets. LH side only.	\$319	18#
6409722	Ladder step: Below Battery Box, Toolbox or DPF/SCR box (diamond plate cover). Flex step brackets. RH side only.	\$319	18#
6451072	Battery Box Module Step: Raised 3 in. Aluminum under or BOC.	\$95	0#
6451082	Module Battery Box: Raised 2 in. for Box Under cab. Not for W900L.	\$44	0#

### Toolboxes

6473212	Pro-Tech 15 in. Aluminum Toolbox, Back of Cab. Does not provide frame access.	\$1,946	55#
6473213	2nd Pro-Tech 15 in. Aluminum Toolbox, Back of cab. Does not provide frame access.	\$1,940	55#
6475201	Short Length Aluminum Toolbox Module: Under Cab, aluminum diamond plate cover w/step & lock. Up to 2 air tanks may be mounted to bottom of box.	\$1,023	108#
6475204	2nd Short Length Aluminum Toolbox Module: Under cab, aluminum diamond plate cover w/step & lock. Up to 2 air tanks may be mounted to bottom of box.	\$1,023	108#
6475335	Short Length Steel Toolbox Module: Under, aluminum diamond plate cover w/step & lock. Up to 2 air tanks may be mounted to bottom of box.	\$945	149#
6475345	2nd Short Length Steel Toolbox Module: Under, aluminum diamond plate cover w/step & lock. Up to 2 air tanks may be mounted to bottom of box.	\$945	149#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Toolboxes</b>			
6475348	2nd Short Length Steel Toolbox Module: Under Cab, step, w/o hinged cover, w/o lock. Up to 2 air tanks may be located on the bottom. hinged cover, w/o lock. Up to 2 air tanks may be mounted to bottom of box, batteries will be oriented perpendicular to the frame rail in a single row.	\$885	147#
6475349	Short Length Steel Toolbox Module: Under Cab, step, w/o hinged cover, w/o lock. Up to 2 air tanks may be located on the bottom. hinged cover, w/o lock. Up to 2 air tanks may be mounted to bottom of box.	\$885	147#
6475638	Short Length Aluminum Parallel Toolbox Module: BOC, aluminum diamond plate cover w/step & lock. Up to 2 air tanks may be mounted to bottom of box.	\$1,060	108#
6475640	2nd Short Length Aluminum Parallel Toolbox Module BOC, aluminum diamond plate cover w/step & lock. Up to 2 air tanks may be mounted to bottom of box.	\$1,060	108#
6475641	3rd Short Length Aluminum Parallel Toolbox Module BOC, aluminum diamond plate cover w/step & lock. Up to 2 air tanks may be mounted to bottom of box.	\$1,060	108#
6475702	2nd Extended Length Polish Aluminum Toolbox module: BOC w/aluminum cover, w/step & lock. Up to 2 air tanks may be mounted to bottom of box.	\$2,277	123#
<b>Toolbox Locations</b>			
6479901	Toolbox Location: LH Side.	\$0	0#
6479902	Toolbox Location: RH Side.	\$0	0#
6479905	Second Toolbox Location: LH Side.	\$0	0#
6479906	Third Toolbox Location: RH Side.	\$0	0#
6479915	Second Toolbox Location: RH Side.	\$0	0#
6479916	Third Toolbox Location: LH Side.	\$0	0#
<b>DPF/SCR Covers</b>			
6451090	T470,C5, T6, T8 Non-Polished DPF/SCR or CNG Cover diamond plate w/ step. For use w/ 2010 or later exhaust systems. For T8, use extended length non-polished battery box on opposite rail to match the length of under cab components. End plates will be painted standard black frame color.	STD	0#
6451094	T470, C5, T6, T8 Polished DPF/SCR or CNG Cover with step. For use w/ 2010 or later exhaust systems. For T8, use extended length polished battery box on opposite rail to match the length of under cab components.	\$462	0#
6451099	C500B, T800B, T800W Non-Polished Euro 4/5 EGP cover and cab access. Right hand under exhaust.	\$0	0#
6451100	C500B, T800B, T800W Polished Euro 4/5 EGP Cover and cab access. Right hand under exhaust.	\$436	0#
6451112	T470,C5, T6, T8 Non-Polished DPF/SCR or CNG cover, diamond plate with cab access step and polished end plates. For use with 2017 or later RH under exhaust systems. For T8, use extended length non-polished battery box on opposite rail to match the length of under cab components. For use with frame paint color other than standard black. The cover will be unpolished diamond-plate and the end plates will be polished.	\$165	0#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Frame Crossmembers &amp; Upgrades</b>			
6490012	Two Steel Intermediate Crossmembers With heavy-duty aluminum gussets. Includes one forward and one rear intermediate crossmember.	\$393	52#
6490014	Steel Auxiliary Transmission Crossmember With heavy-duty aluminum gussets.	\$0	24#
6490018	Steel Forward Intermediate Crossmember: One With heavy-duty aluminum gussets, replacing standard.	\$196	17#
6490034	Aluminum Rear Intermediate Crossmember: One additional with standard-duty aluminum gussets.	\$294	29#
6490089	Steel Forward Intermediate Crossmember: One additional with heavy-duty aluminum gussets.	\$481	81#
6490095	Steel Rear Intermediate Crossmember: One With heavy-duty aluminum gussets, replacing standard.	\$196	17#
6490100	Two Steel Intermediate Crossmembers With heavy-duty aluminum gussets. Includes one forward and one rear intermediate crossmember replacing Domestic Severe Service package standard. Code 9462002 is required.	\$393	52#
6490120	Invert Rear Intermediate Crossmember. A Separate sales code is required for one of the following: an additional crossmember; steel crossmember; and if crossmember is not standard aluminum gussets on non-severe service.	\$0	0#
6490416	Heavy-Duty Rear Cab Supports: W/ Steel crossmembers & aluminum gussets.	\$139	26#
6490440	Heavy-Duty BOC Crossmember Assembly.	\$209	23#
<b>Center Frame Clear Space</b>			
6491011	One Clear Frame Space Area Without Custom Frame layout. Use with first clear frame space area code or customer-installed APU code when not using a custom frame layout code.	\$449	0#
6491012	Two Clear Frame Space Areas Without Custom frame layout. Use with first and second clear frame space area codes or customer-installed APU code when not using a custom frame layout code.	\$899	0#
6497020	First Clear Frame Space Dimensioned from Back of Cab.	\$0	0#
6497030	Second Clear Frame Space Dimensioned from Back of Cab.	\$0	0#
<b>First Request Area</b>			
6497101	First - LH Outside Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497102	First - RH Outside Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497103	First - LH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Center Frame Clear Space</b>			
<b>First Request Area</b>			
6497104	First - RH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497105	First - LH Outside and LH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497106	First - RH Outside and RH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497107	First - Between Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497108	First - Between and Below Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
<b>First Request Length</b>			
6497310	First - 10 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497312	First - 12 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497314	First - 14 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497316	First - 16 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497318	First - 18 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497320	First - 20 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497322	First - 22 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497324	First - 24 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497326	First - 26 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#

Option	Description	Price	Weight
<b>Center Frame Clear Space</b>			
<b>First Request Length</b>			
6497328	First - 28 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497330	First - 30 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497332	First - 32 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497334	First - 34 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497336	First - 36 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497338	First - 38 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497340	First - 40 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497341	First - 41 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497350	First - 50 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497360	First - 60 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
<b>First Request Location</b>			
6497200	Directly Behind the Under Fuel/ Hydraulic Tank. First clear frame space location.	\$0	0#
6497201	Directly Behind the BOC Fuel/ Hydraulic Tank. First clear frame space location.	\$0	0#
6497202	Directly Forward of the Rearmost Fuel/ Hydraulic tank. First clear frame space location.	\$0	0#
6497203	Directly Behind DEF Tank. First clear frame space location.	\$0	0#
6497204	Directly Behind the Battery Box. First clear frame space location.	\$0	0#
6497205	Directly Behind the DPF/SCR Box. First clear frame space location.	\$0	0#
6497206	Directly Behind the Toolbox or Temporary Cab entry step for use with natural gas engines. First clear frame space location.	\$0	0#
6497207	Directly Forward of the Rear Suspension/ Quarter fender. First clear frame space location.	\$0	0#
6497209	Directly Behind the Under Cab Component. First clear frame space location.	\$0	0#
6497210	Directly Behind BOC1 Fuel/ Hydraulic Tank or Box. First clear frame space location.	\$0	0#





## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Center Frame Clear Space</b>			
<b>First Request Location</b>			
6497211	Directly Behind BOC2 Fuel/ Hydraulic Tank or Box. First clear frame space location.	\$0	0#
<b>Second Request Area</b>			
6497109	Second - LH Outside Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497110	Second - RH Outside Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497111	Second - LH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497112	Second - RH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497113	Second - LH Outside and LH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497114	Second - RH Outside and RH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497115	Second - Between Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497116	Second - Between and Below Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
<b>Second Request Length</b>			
6497510	Second - 10 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497512	Second - 12 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497514	Second - 14 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497516	Second - 16 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#

Option	Description	Price	Weight
<b>Center Frame Clear Space</b>			
<b>Second Request Length</b>			
6497518	Second - 18 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497520	Second - 20 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497522	Second - 22 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497524	Second - 24 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497526	Second - 26 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497528	Second - 28 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497530	Second - 30 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497532	Second - 32 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497534	Second - 34 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497536	Second - 36 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497538	Second - 38 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497540	Second - 40 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497541	Second - 41 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497550	Second - 50 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497560	Second - 60 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
<b>Second Request Location</b>			
6497230	Directly Behind the Under Fuel/ Hydraulic Tank. Second clear frame space location.	\$0	0#
6497231	Directly Behind the BOC Fuel/ Hydraulic Tank. Second clear frame space location.	\$0	0#
6497232	Directly Forward of the Rearmost Fuel/ Hydraulic tank. Second clear frame space location.	\$0	0#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

### Center Frame Clear Space

#### Second Request Location

6497233	Directly Behind DEF Tank. Second clear frame space location.	\$0	0#
6497234	Directly Behind the Battery Box. Second clear frame space location.	\$0	0#
6497235	Directly Behind the DPF/SCR Box. Second clear frame space location.	\$0	0#
6497236	Directly Behind the Toolbox or Temporary Cab entry step for use with natural gas engines. Second clear frame space location.	\$0	0#
6497237	Directly Forward of the Rear Suspension/ Quarter fender. Second clear frame space location.	\$0	0#
6497239	Directly Behind the Under Cab Component. Second clear frame space location.	\$0	0#
6497240	Directly Behind BOC1 Fuel/ Hydraulic Tank or Box. Second clear frame space location.	\$0	0#
6497241	Directly Behind BOC2 Fuel/ Hydraulic Tank or Box. Second clear frame space location.	\$0	0#

### Miscellaneous Center Frame Equipment

6397001	Huck Bolts Throughout Frame, where Possible.	\$322	0#
6670115	BOC2 Position Location. Component Located Just forward of the drive axle tires.	\$25	0#
6790052	Rear Underrun Protection, Non-Chrome.	\$3,421	281#

### Body Builder Requirements

6090080	Warning: T800/T880 Twin Steer Wheelbase is measured from C/L first steer axle to C/L rear bogie.	\$0	0#
6390088	3D Frame Layout to Dealer Prior to Build Date. Information only, no changes. This provides a 3D frame layout in a Pro/E or STP data file suitable for use with many CAD programs.	\$899	0#
6390091	Frame Layout Picture to Dealer Prior to Build date. Information only, no changes. This provides basic frame layout illustration in a PDF file. Adobe Reader or other software capable of viewing PDF files is required on your computer. A copy of the frame layout can be obtained once the engineering work has been completed. This drawing will help the body builder define clearance requirements for the chassis.	\$899	0#
6390097	DXF Frame Layout to Dealer Prior to Build Date. Information only, no changes. This provides a frame layout in a .DXF format data file suitable for use w/ many CAD programs.	\$899	0#
6391201	Custom Frame Layout: One Chassis	\$1,380	0#
6391202	Custom Frame Layout: Two Chassis	\$690	0#
6391203	Custom Frame Layout: 3-4 Chassis	\$375	0#
6391205	Custom Frame Layout: 5-9 Chassis	\$200	0#
6391210	Custom Frame Layout: 10-24 Chassis	\$100	0#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Body Builder Requirements</b>			
6391225	Custom Frame Layout: 25-49 Chassis	\$40	0#
6391250	Custom Frame Layout: 50 or more Chassis	\$30	0#
6670120	C-Channel or I-Beam is Supplied By Body Builder and adds 1 to 999,999 lbs. RBM.	\$0	0#
6670121	C-Channel or I-Beam is Supplied By Body Builder and adds minimum 1MIL lbs. RBM.	\$0	0#
6670122	C-Channel or I-Beam is Supplied By Body Builder and adds minimum 2MIL lbs. RBM.	\$0	0#
6670123	C-Channel or I-Beam is Supplied By Body Builder and adds minimum 3MIL lbs. RBM.	\$0	0#
6670124	C-Channel or I-Beam is Supplied By Body Builder and adds minimum 4MIL lbs. RBM.	\$0	0#
6670125	C-Channel or I-Beam is Supplied By Body Builder and adds minimum 5MIL lbs. RBM.	\$0	0#
6679850	Dealer Acknowledges Self Loading Crane or Boom will be located behind the cab.	\$0	0#
6679852	Dealer Acknowledges Self Loading Crane or Boom will be located at the end-of-frame.	\$0	0#
6679856	Final End-of-Frame Cut-Off Dimension Will be modified to less than or equal to 45 in.	\$0	0#
6679857	Final End-of-Frame Cut-Off Dimension Will be modified to 46 in. to 50 in.	\$0	0#
6679858	Final End-of-Frame Cut-Off Dimension Will be modified to 51 in. to 55 in.	\$0	0#
6679859	Final End-of-Frame Cut-Off Dimension Will be modified to 56 in. to 60 in.	\$0	0#
6679860	Final End-of-Frame Cut-Off Dimension Will be modified to 61 in. to 65 in.	\$0	0#
6679862	Final End-of-Frame Cut-Off Dimension Will be modified to 66 in. to 74 in.	\$0	0#
6679864	Final End-of-Frame Cut-Off Dimension Will be modified to greater than or equal to 75 in.	\$0	0#
6679901	Hydraulic End of Tank is Difficult to Fill.	\$0	0#
6679914	Any Changes to Rear Cab/Sleeper Area Must Comply w/FMCSR 399.	\$0	0#
6679915	Customer-Installed Bulkhead and/or Headache rack.	\$0	0#
6679995	Customer Will Install Structural End-of-Frame crossmember before vehicle is placed in service.	\$0	0#
6790003	Special Frame Drill: Dealer to Provide Drawing with dimensions and revision level. Acceptable hole diameters range from 10.2 mm to 40.4 mm. Preferred file format is .pdf. Not for use for rear suspension, fifth wheel or other published frame drilling code. Does not replace clear frame space requests or custom frame layout.	\$1,797	0#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Fixed Fifth Wheels</b>			
6541232	Fifth Wheel: Fixed, Holland FW17Y700XL00 7.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,072	378#
6541234	Fifth Wheel: Fixed, Holland FW17Y800XL00 8.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,076	383#
6541236	Fifth Wheel: Fixed, Holland FW17Y900XL00 9.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,080	388#
6541262	Fifth Wheel: Fixed, Holland FW17Z800XL80 7.81 in. height w/air operated KP release. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,925	336#
6541272	Fifth Wheel: Fixed, Holland FW17Z600XL00 5.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,260	333#
6541273	Fifth Wheel: Fixed, Holland FW17Z700XL00 6.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,266	341#
6541274	Fifth Wheel: Fixed, Holland FW17Z700XL80 6.81 in. height. Air operated KP release. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,920	347#
6541275	Fifth Wheel: Fixed, Holland FW17Z800XL00 7.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,271	351#
6541276	Fifth Wheel: Fixed, Holland FW17Z900XL00 8.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,268	343#
6541397	Fifth Wheel: Fixed, Holland FW33K200YL19 12.1 in. height. Kompensator with lockout feature. Low Lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$9,289	737#
6541415	Fifth Wheel: Fixed, Holland FW33Y900XL00 9.00 in. height. Low lube, 50K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,852	437#
6541420	Fifth Wheel: Fixed, Holland FW33Z600XL00 6.00 in. height. Low lube. Outboard mounting angles, 55K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,180	379#
6541423	Fifth Wheel: Fixed, Holland FW33Z700XL00 7.00 in. height. Low lube. Outboard mounting angles, 55K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,991	392#
6541424	Fifth Wheel: Fixed, Holland FW33Z700XL80 7.00 in. height. Low lube. Air-operated kingpin release. Outboard mounting angles, 55K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,830	423#
6541425	Fifth Wheel: Fixed, Holland FW33Z800XL00 8.00 in. height. Low lube. Outboard mounting angles, 55K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,179	394#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Fixed Fifth Wheels</b>			
6541426	Fifth Wheel: Fixed, Holland FW33Z800XL80 8.00 in. height. Low lube. Air-operated kingpin release. Outboard mounting angles, 55K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,037	401#
6541427	Fifth Wheel: Fixed, Holland FW33Z900XL00 9.00 in. height. Low lube. Outboard mounting angles, 55K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,179	391#
6541546	Fifth Wheel: Fixed, Holland FW35-S10268-XL-1L 8.5 in. Holland ELI-te system. Inboard w/ .5 in. angles, 55K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,250	391#
6541548	Fifth Wheel: Fixed, Holland FW35-S10268-XL 8.5 in. Inboard w/ .5in. angles 55K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,946	381#
6541551	Fifth Wheel: Fixed, Holland FW35-07690-1 9.5 in. Outboard mounting angles, heavy-duty mounting plate, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,115	351#
6541570	Fifth Wheel: Fixed, Holland FW35-7727XL19 11.76 in. height and Kompensator mechanism. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$6,114	721#
6541572	Fifth Wheel: Fixed, Holland FW35-7727XL19 11.76 in. height. Kompensator with lockout feature. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$6,363	736#
6541573	Fifth Wheel: Fixed, Holland FW35-7729XL19 9.76 in. height. Kompensator with lockout feature. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$6,059	672#
6541630	Fifth Wheel: Fixed, Holland FW17Y800XL80 8.30 in. height. With air operate KP release, outboard mounting angles. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,700	323#
6541663	Fifth Wheel: Fixed, Holland FW35Y700XL1L 7.00 in. height. Holland ELI-te system. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,817	355#
6541670	Fifth Wheel: Fixed, Holland FW35Y600XL00 6.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,070	396#
6541672	Fifth Wheel: Fixed, Holland FW35Y700XL00 7.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,074	355#
6541673	Fifth Wheel: Fixed, Holland FW35Y700XR00 7.00 in. height. Outboard mounting angles, 55K vertical rating, RH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,074	391#
6541675	Fifth Wheel: Fixed, Holland FW35Y800XL00 8.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,077	401#
6541678	Fifth Wheel: Fixed, Holland FW35Y900XL00 9.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,081	412#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Fixed Fifth Wheels</b>			
6541685	Fifth Wheel: Fixed, Holland FW35Z600XL00 5.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,383	370#
6541687	Fifth Wheel: Fixed, Holland FW35Z700XL00 6.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,389	363#
6541688	Fifth Wheel: Fixed, Holland FW35Z700XL80 6.62 in. height. Air operated KP release. Outboard mounting angles, 55K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,036	371#
6541689	Fifth Wheel: Fixed, Holland FW35Z800XL00 7.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,394	363#
6541690	Fifth Wheel: Fixed, Holland FW35Z800XR00 7.62 in. height. Outboard mounting angles, 55K vertical rating, RH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,445	363#
6541692	Fifth Wheel: Fixed, Holland FW35Z800XL80 7.62 in. height. Air operated KP release. Outboard mounting angles, 55K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,930	388#
6541693	Fifth Wheel: Fixed, Holland FW35Z900XL00 8.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,391	375#
6541695	Fifth Wheel: Fixed, Holland FW35Z900XR00 8.62 in. height. Outboard mounting angles, 55K vertical rating, RH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,471	381#
6541710	Fifth Wheel: Fixed, Holland FW35Z600XL1M 5.62 in. height. Holland ELI-te system. Air operated KP release. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,714	384#
6541712	Fifth Wheel: Fixed, Holland FW35Z700XL1L 6.62 in. height. Holland ELI-te system. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,327	352#
6541714	Fifth Wheel: Fixed, Holland FW35Z800XL1L 7.62 in. height. Holland ELI-te system. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,327	358#
6541752	Fifth Wheel: No-Tilt Fixed, Holland FW35N800YL00 8.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,196	489#
6541753	Fifth Wheel: No-Tilt Fixed, Holland FW35N900YL00 9.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,196	489#
6551060	Fifth Wheel: Fixed, Holland FW0070-7601XL03 9.50 in. height & 3-1/2in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.	\$3,557	604#





## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Fixed Fifth Wheels</b>			
6551061	Fifth Wheel: Fixed, Holland FW0070-7603XL 7.50 in. height & 2in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.	\$3,554	593#
6551069	Fifth Wheel: Fixed, Holland FW0070-7683XL 9.00 in. height & 2.0in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.	\$4,219	588#
6551320	Fifth Wheel: Fixed, Holland FW0070-7601XL 9.50 in. height & 2in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.	\$3,535	604#
6551322	Fifth Wheel: Fixed, Holland FW0070-7602XL 8.50in. height & 2in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.	\$3,559	597#
6561550	Fifth Wheel: Aluminum, Fixed, Holland FWAL-07690 11.2 in. height.	\$8,218	360#
6561554	Fifth Wheel: Aluminum Fixed, Holland FWALZ600XL00 6.3 in. height, plate mount.	\$4,903	278#
6561556	Fifth Wheel: Aluminum Fixed, Holland FWALZ700XL00 7.3 in height, plate mount.	\$4,913	286#
6561558	Fifth Wheel: Aluminum Fixed, Holland FWALZ800XL00 8.3 in. height, plate mount.	\$4,921	293#
6561560	Fifth Wheel: Aluminum Fixed, Holland FWALZ900XL00 9.3 in. height, plate mount.	\$4,916	289#
<b>Jost Fixed Fifth Wheels</b>			
6591005	Fifth Wheel: Jost EURO JSK38C2KM-SM8 8.11in. height. For European countries only.	\$14,423	744#
6591006	Fifth Wheel: Fixed, Jost JSK37UWB-PM7X 7.16 in. height. Low lube, outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,617	432#
6591007	Fifth Wheel: Fixed, Jost JSK37UWB-PM9X 9.16 in. height. Low lube, outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,660	440#
6591008	Fifth Wheel: Fixed, Jost JSK37UWB-PM8X 8.16 in. height. Low lube, outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,645	434#
6591028	Fifth Wheel: Fixed, Jost JSK37USL-DB8X 7.85 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available.	\$2,020	361#
6591036	Fifth Wheel: No-Tilt Fixed, Jost JSK37USLN-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,435	385#
6591043	Fifth Wheel: Fixed, Jost JSK37USB-PM7X 7.16 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,040	427#
6591044	Fifth Wheel: Fixed, Jost JSK37USL-PM9X 9.16 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available.	\$2,033	436#





## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Jost Fixed Fifth Wheels</b>			
6591045	Fifth Wheel: Fixed, Jost JSK37USB-PM8X 8.16 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,040	438#
6591046	Fifth Wheel: Fixed, Jost JSK37USB-PM9X 9.16 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,061	438#
6591047	Fifth Wheel: Fixed, Jost JSK37USC-PM9X 9.16 in. height. Locktronic and retractable handle. 50K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,693	438#
6591048	Fifth Wheel: Fixed, Jost JSK37USC-PM10X 10.16 in. height. Locktronic and retractable handle. 50K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,272	440#
6591059	Fifth Wheel: Fixed, Jost JSK37USB-DB6X 5.85 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,988	359#
6591060	Fifth Wheel: Fixed, Jost JSK37USB-DB7X 6.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,022	361#
6591061	Fifth Wheel: Fixed, Jost JSK37USB-DB8X 7.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,048	365#
6591062	Fifth Wheel: Fixed, Jost JSK37USB-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,055	372#
6591064	Fifth Wheel: Fixed, Jost JSK37UWB-DB8X 7.85 in. height. Fixed Fifth Wheel Outboard mounting angles, Low lube feature, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,287	370#
6591065	Fifth Wheel: Fixed, Jost JSK37USB-DB10X 10 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,391	376#
6591070	Fifth Wheel: Fixed, Jost JSK37CKM-SM6 6.4 in. w/ heavy-duty king pin (EEC Certified). Requires some style of trailer connections.	\$8,527	445#
6591085	Fifth Wheel: Fixed, Jost JSK37UWB-DB9X 8.85 in. height. Fixed Fifth Wheel Outboard mounting angles, Low lube feature, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,291	370#
6591135	Fifth Wheel: No-Tilt Fixed, Jost JSK37UWLN-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, w/ low lube, no-tilt. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,910	385#
6591175	Fifth Wheel: Fixed, Jost JSK37USA-DB7X 6.85 in. height. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,517	365#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Jost Fixed Fifth Wheels</b>			
6591176	Fifth Wheel: Fixed, Jost JSK37USA-DB8X 7.85 in. height. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,494	368#
<b>Holland Air-Sliding Fifth Wheels</b>			
6543018	Fifth Wheel: ILS<=40K air Hol FW35J712XL1L 12 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,643	466#
6543019	Fifth Wheel: ILS<=40K air Hol FW35J712XL1M 12 in. slide, 6.8 in. height. Air operated KP release. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,434	478#
6543021	Fifth Wheel: ILS<=40K air Hol FW35J712XL00 12 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,945	473#
6543040	Fifth Wheel: ILS<=40K air Hol FW35J712XL80 12 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,507	471#
6543046	Fifth Wheel: ILS<=40K air Hol FW17J912XL00 12 in. slide, 8.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,651	449#
6543047	Fifth Wheel: ILS<=40K air Hol FW17J812XL00 12 in. slide, 7.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,647	445#
6543052	Fifth Wheel: ILS<=40K air Hol FW35J836XL00 36 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,362	566#
6543054	Fifth Wheel: ILS<=40K air Hol FW35J924XL00 24 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,162	522#
6543055	Fifth Wheel: ILS<=40K air Hol FW35J924XL1L 24 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,178	530#
6543083	Fifth Wheel: ILS<=40K air Hol FW35J824XL80 24 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,793	523#
6543207	Fifth Wheel: ILS<=40K air Hol FW35J718XL80 18 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,801	538#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Air-Sliding Fifth Wheels</b>			
6543210	Fifth Wheel: ILS<=40K air Hol FW35J724XL00 24 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,154	521#
6543211	Fifth Wheel: ILS<=40K air Hol FW35J724XR00 24 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, RH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,545	513#
6543212	Fifth Wheel: ILS<=40K air Hol FW35J724XL1L 24 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,462	520#
6543213	Fifth Wheel: ILS<=40K air Hol FW35J724XL80 24 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,810	518#
6543214	Fifth Wheel: ILS<=40K air Hol FW35J736XL00 36 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,303	561#
6543217	Fifth Wheel: ILS<=40K air Hol FW35J736XL80 36 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,905	546#
6543218	Fifth Wheel: ILS<=40K air Hol FW35J748XL00 48 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,466	609#
6543221	Fifth Wheel: ILS<=40K air Hol FW35J748XL80 48 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,285	614#
6543222	Fifth Wheel: ILS<=40K air Hol FW35J812XL00 12 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,949	471#
6543223	Fifth Wheel: ILS<=40K air Hol FW35J812XL1L 12 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,178	478#
6543225	Fifth Wheel: ILS<=40K air Hol FW35J812XL80 12 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,571	476#
6543226	Fifth Wheel: ILS<=40K air Hol FW35J824XL00 24 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,159	518#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Air-Sliding Fifth Wheels</b>			
6543230	Fifth Wheel: ILS<=40K air Hol FW35J824XL1M 24 in. slide, 7.8 in. height. Air operated kingpin release. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,780	531#
6543231	Fifth Wheel: ILS<=40K air Hol FW35J824XL1L 24 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,142	526#
6543235	Fifth Wheel: ILS<=40K air Hol FW35J836XL80 36 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,990	571#
6543236	Fifth Wheel: ILS<=40K air Hol FW35J848XL00 48 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,626	614#
6543239	Fifth Wheel: ILS<=40K air Hol FW35J848XL80 48 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,214	619#
6543240	Fifth Wheel: ILS<=40K air Hol FW35J912XL00 12 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,036	475#
6543243	Fifth Wheel: ILS<=40K air Hol FW35J912XL80 12 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,702	480#
6543246	Fifth Wheel: ILS<=40K air Hol FW35J924XL24 24 in. slide, 8.8 in. height. Includes drills and taps for auto lube. Outboard, 55K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,435	522#
6543247	Fifth Wheel: ILS<=40K air Hol FW35J924XL80 24 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,792	527#
6543248	Fifth Wheel: ILS<=40K air Hol FW35J936XL00 36 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,470	570#
6543251	Fifth Wheel: ILS<=40K air Hol FW35J936XL80 36 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,172	575#
6543252	Fifth Wheel: ILS<=40K air Hol FW35J948XL00 48 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,606	618#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Air-Sliding Fifth Wheels</b>			
6543255	Fifth Wheel: ILS<=40K air Hol FW35J948XL80 48 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,205	623#
6543260	Fifth Wheel: ILS<=40K air Hol FW35J024XL00 24 in. slide, 10 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions.	\$3,570	539#
6543263	Fifth Wheel: ILS<=40K air Hol FW35J036XL00 36 in. slide, 9.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,498	596#
6543267	Fifth Wheel: ILS<=40K air Hol FW35J048XL00 48 in. slide, 9.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,728	643#
6543339	Fifth Wheel: ILS<=40K air Hol FW33J812XL00 12 in. slide, 8.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,400	496#
6543340	Fifth Wheel: ILS<=40K air Hol FW33J712XL1L 12 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,790	488#
6543341	Fifth Wheel: ILS<=40K air Hol FW33J712XL00 12 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,400	488#
6543342	Fifth Wheel: ILS<=40K air Hol FW33J712XL80 12 in. slide, 7.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,638	493#
6543343	Fifth Wheel: ILS<=40K air Hol FW33J724XL00 24 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,707	538#
6543344	Fifth Wheel: ILS<=40K air Hol FW33J724XL80 24 in. slide, 7.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,572	543#
6543345	Fifth Wheel: ILS<=40K air Hol FW33J736XL00 36 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,719	586#
6543346	Fifth Wheel: ILS<=40K air Hol FW33J736XL80 36 in. slide, 7.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,891	591#





## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Air-Sliding Fifth Wheels</b>			
6543347	Fifth Wheel: ILS<=40K air Hol FW33J748XL00 48 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,234	634#
6543349	Fifth Wheel: ILS<=40K air Hol FW33J812XL80 12 in. slide, 8.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,705	501#
6543350	Fifth Wheel: ILS<=40K air Hol FW33J824XL00 24 in. slide, 8.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,708	543#
6543352	Fifth Wheel: ILS<=40K air Hol FW33J836XL00 36 in. slide, 8.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,798	591#
6543354	Fifth Wheel: ILS<=40K air Hol FW33J848XL00 48 in. slide, 8.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,572	639#
6543355	Fifth Wheel: ILS<=40K air Hol FW33J848XL80 48 in. slide, 8.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$5,225	644#
6543356	Fifth Wheel: ILS<=40K air Hol FW33J912XL00 12 in. slide, 9.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,400	500#
6543357	Fifth Wheel: ILS<=40K air Hol FW33J912XL80 12 in. slide, 9.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,705	505#
6543358	Fifth Wheel: ILS<=40K air Hol FW33J924XL00 24 in. slide, 9.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,569	547#
6543359	Fifth Wheel: ILS<=40K air Hol FW33J924XL80 24 in. slide, 9.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,653	552#
6543360	Fifth Wheel: ILS<=40K air Hol FW33J936XL00 36 in. slide, 9.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,740	595#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Air-Sliding Fifth Wheels</b>			
6543361	Fifth Wheel: ILS<=40K air Hol FW33J936XL80 36 in. slide, 9.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,833	601#
6543364	Fifth Wheel: ILS<=40K air Hol FW33J024XL00 24 in. slide, 10.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,170	548#
6543400	Fifth Wheel: ILS<=40K air Hol FW17J712XL00 12 in. slide, 6.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,670	441#
6543402	Fifth Wheel: ILS<=40K air Hol FW17J712XL80 12 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,348	446#
6543403	Fifth Wheel: ILS<=40K air Hol FW17J724XL00 24 in. slide, 6.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,078	488#
6543405	Fifth Wheel: ILS<=40K air Hol FW17J724XL80 24 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,557	493#
6543412	Fifth Wheel: ILS<=40K air Hol FW17J718XL00 18 in. slide, 6.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,899	501#
6543414	Fifth Wheel: ILS<=40K air Hol FW17J812XL80 12 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,585	450#
6543415	Fifth Wheel: ILS<=40K air Hol FW17J824XL00 24 in. slider, 7.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,886	493#
6543417	Fifth Wheel: ILS<=40K air Hol FW17J824XL80 24 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,561	498#
6543426	Fifth Wheel: ILS<=40K air Hol FW17J912XL80 12 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,383	454#

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Air-Sliding Fifth Wheels</b>			
6543427	Fifth Wheel: ILS≤40K air Hol FW17J924XL00 24 in. slider, 8.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,890	497#
6543429	Fifth Wheel: ILS≤40K air Hol FW17J924XL80 24 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,554	502#
6543500	Fifth Wheel: ILS>40K air Hol FW33M712XL00 12 in. slide, 7 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,001	528#
6543501	Fifth Wheel: ILS>40K air Hol FW33M712XL80 12 in. slide, 7 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,693	533#
6543502	Fifth Wheel: ILS>40K air Hol FW33M724XL00 24 in. slide, 7 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,784	576#
6543504	Fifth Wheel: ILS>40K air Hol FW33M736XL00 36 in. slide, 7 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,443	624#
6543505	Fifth Wheel: ILS>40K air Hol FW33M736XL80 36 in. slide, 7 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$5,182	629#
6543506	Fifth Wheel: ILS>40K air Hol FW33M748XL00 48 in. slide, 7 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,590	672#
6543507	Fifth Wheel: ILS>40K air Hol FW33M748XL80 48 in. slide, 7 in. height. Air operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$5,247	677#
6543508	Fifth Wheel: ILS>40K air Hol FW33M812XL00 12 in. slide, 8 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,023	554#
6543509	Fifth Wheel: ILS>40K air Hol FW33M812XL80 12 in. slide, 8 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,894	538#
6543510	Fifth Wheel: ILS>40K air Hol FW33M824XL80 24 in. slide, 8 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,615	586#
6543511	Fifth Wheel: ILS>40K air Hol FW33M836XL00 36 in. slide, 8 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,981	630#
6543512	Fifth Wheel: ILS>40K air Hol FW33M836XL80 36 in. slide, 8 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,803	634#



Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Air-Sliding Fifth Wheels</b>			
6543513	Fifth Wheel: ILS>40K air Hol FW33M848XL00 48 in. slide, 8 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,403	669#
6543515	Fifth Wheel: ILS>40K air Hol FW33M912XL00 12 in. slide, 9 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,023	562#
6543517	Fifth Wheel: ILS>40K air Hol FW33M924XL00 24 in. slide, 9 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,740	600#
6543519	Fifth Wheel: ILS>40K air Hol FW33M948XL00 48 in. slide, 9 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,990	680#
6543521	Fifth Wheel: ILS>40K air Hol FW33M024XL00 24 in. slide, 10 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,327	606#
6543608	Fifth Wheel: ILS No-Tilt Air, Hol FW35N918YL1S 18 in. slide, 9.00 in. height. No-tilt convertible w/ outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$5,841	629#
6543610	Fifth Wheel: ILS No-Tilt Air, Hol FW35N918YL00 18 in. slide, 9.00 in. height. No-tilt convertible w/ outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$5,021	629#
6543612	Fifth Wheel: ILS No-Tilt Air, Hol FW35N930YL00 30 in. slide, 9.00 in. height. No-tilt convertible w/ outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$5,236	605#
6543614	Fifth Wheel: ILS No-Tilt Air, Hol FW35N942YL00 42 in. slide, 9.00 in. height. No-tilt convertible w/ outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$5,323	697#
6543630	Fifth Wheel: Air, Holland FW35K324ZL00 24.0 in. slide, 13.2 in. height. Kompensator mechanism, inboard mounted, 55K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$8,530	992#
6543633	Fifth Wheel: Air, Holland FW35K336ZL19 36.0 in. slide, 13.2 in. height. Kompensator with lockout feature, inboard mounted, 55K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$8,166	1,055#
6543642	Fifth Wheel: ILS>40K air Hol FW33M724XL80 24 in. slide, 7 in. height. Air operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,455	596#
6543644	Fifth Wheel: ILS>40K air Hol FW33M936XL00 36 in. slide, 9 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,798	641#
6543645	Fifth Wheel: ILS>40K air Hol FW33M824XL00 24 in. slide, 8 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,767	596#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Air-Sliding Fifth Wheels</b>			
6543646	Fifth Wheel: ILS>40K air Hol FW33M848XL80 48 in. slide, 8 in. height. Air operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,570	681#
6543897	Fifth Wheel: ILS Air, Hol FW33L918XL00 18.0 in. slide, 9.11 in. height. Low lube, inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,203	538#
6543935	Fifth Wheel: ILS>40K air Hol FW35M712XL00 12 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,096	503#
6543936	Fifth Wheel: ILS>40K air Hol FW35M712XL80 12 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,763	517#
6543937	Fifth Wheel: ILS>40K air Hol FW35M718XL80 18 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,699	564#
6543938	Fifth Wheel: ILS>40K air Hol FW35M724XL00 24 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,299	561#
6543939	Fifth Wheel: ILS>40K air Hol FW35M724XL80 24 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,965	556#
6543940	Fifth Wheel: ILS>40K air Hol FW35M724XR00 24 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, RH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,297	562#
6543941	Fifth Wheel: ILS>40K air Hol FW35M736XL00 36 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,507	608#
6543942	Fifth Wheel: ILS>40K air Hol FW35M736XL80 36 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,173	613#
6543943	Fifth Wheel: ILS>40K air Hol FW35M748XL00 48 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,701	657#
6543944	Fifth Wheel: ILS>40K air Hol FW35M748XL80 48 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,367	662#
6543945	Fifth Wheel: ILS>40K air Hol FW35M812XL00 12 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,100	517#
6543946	Fifth Wheel: ILS>40K air Hol FW35M812XL80 12 in. slide, 8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,766	522#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Air-Sliding Fifth Wheels</b>			
6543949	Fifth Wheel: ILS>40K air Hol FW35M824XL00 24 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,302	566#
6543951	Fifth Wheel: ILS>40K air Hol FW35M824XL80 24 in. slide, 8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,969	571#
6543952	Fifth Wheel: ILS>40K air Hol FW35M824XR24 24 in. slide, 8 in. height. Drilled and tapped for auto lube. Outboard mounting angles, 55K vertical rating, RH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,394	567#
6543953	Fifth Wheel: ILS>40K air Hol FW35M836XL00 36 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,511	613#
6543954	Fifth Wheel: ILS>40K air Hol FW35M836XL80 36 in. slide, 8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,177	618#
6543955	Fifth Wheel: ILS>40K air Hol FW35M848XL00 48 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,705	662#
6543956	Fifth Wheel: ILS>40K air Hol FW35M848XL80 48 in. slide, 8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,371	667#
6543957	Fifth Wheel: ILS>40K air Hol FW35M912XL00 12 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,103	521#
6543958	Fifth Wheel: ILS>40K air Hol FW35M912XL80 12 in. slide, 9 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,769	526#
6543961	Fifth Wheel: ILS>40K air Hol FW35M924XL00 24 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,305	570#
6543963	Fifth Wheel: ILS>40K air Hol FW35M924XL24 24 in. slide, 9 in. height. Drilled and tapped for auto lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,396	570#
6543964	Fifth Wheel: ILS>40K air Hol FW35M924XL80 24 in. slide, 9 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,972	575#
6543965	Fifth Wheel: ILS>40K air Hol FW35M924XR24 24 in. slide, 9 in. height. Drilled and tapped for auto lube. Outboard mounting angles, 55K vertical rating, RH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,397	571#
6543966	Fifth Wheel: ILS>40K air Hol FW35M936XL00 36 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,514	617#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Air-Sliding Fifth Wheels</b>			
6543967	Fifth Wheel: ILS>40K air Hol FW35M936XL80 36 in. slide, 9 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,180	622#
6543968	Fifth Wheel: ILS>40K air Hol FW35M948XL00 48 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,708	666#
6543969	Fifth Wheel: ILS>40K air Hol FW35M948XL80 48 in. slide, 9 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,374	671#
6543975	Fifth Wheel: ILS>40K air Hol FW35M024XL00 24 in. slide, 10 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,430	592#
6543977	Fifth Wheel: ILS>40K air Hol FW35M036XL00 36 in. slide, 10 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,280	639#
6543979	Fifth Wheel: ILS>40K air Hol FW35M048XL00 48 in. slide, 10 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,424	688#
6543990	Fifth Wheel: ILS>40K air Hol FW35M724XL1L 24 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,071	552#
6543993	Fifth Wheel: ILS>40K air Hol FW35M824XL1L 24 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,107	557#
6543994	Fifth Wheel: ILS>40K air Hol FW35M836XL1L 36 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,303	605#
6543996	Fifth Wheel: ILS>40K air Hol FW35M924XL1L 24 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,110	561#
6544021	Fifth Wheel: ILS Air, Hol FW35L718XL00 18.0 in. slide, 7.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,374	554#
6544024	Fifth Wheel: ILS Air, Hol FW35L836XL00 36.0 in. slide, 8.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,722	587#
6544025	Fifth Wheel: ILS Air, Hol FW35L848XL00 48.0 in. slide, 8.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,760	629#
6544026	Fifth Wheel: ILS Air, Hol FW35L918XL00 18.0 in. slide, 9.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,381	564#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Air-Sliding Fifth Wheels</b>			
6544027	Fifth Wheel: ILS Air, Hol FW35L924XL00 24.0 in. slide, 9.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,371	550#
6544030	Fifth Wheel: ILS Air, Hol FW35L018XL00 18.0 in. slide, 10.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,454	577#
6544034	Fifth Wheel: ILS Air, Hol FW35L918XL1L 18.0 in. slide, 9.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,206	564#
6553425	Fifth Wheel: Air, Holland FW70N948YL00 48.0 in. slide, 9.3 in. height. Outboard mounting angles, no tilt, manual secondary lock, 70K vertical rating, LH release.	\$6,596	1,134#
6553757	Fifth Wheel: Air, Holland FW70S924XL03 24.0 in. slide, 9.3 in. height, 3.5 in. kingpin. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type A lock. Weight savings with manual secondary lock. Air slide control valve standard in dash.	\$5,919	842#
6553760	Fifth Wheel: Air, Holland FW70S924XL00 24.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$6,362	847#
6553761	Fifth Wheel: Air, Holland FW70S948XL00 48.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$6,839	981#
6553762	Fifth Wheel: Air, Holland FW70S948XL03 48.0 in. slide, 9.3 in. height, 3.5 in. kingpin. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type A lock. Weight savings with manual secondary lock. Air slide control valve standard in dash.	\$6,839	976#
6553763	Fifth Wheel: Air, Holland FW70S824XL24 24 in. slide, 8.3 in. height. Includes drills and taps for auto lube. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Air slide control valve standard in dash.	\$6,827	844#
6553764	Fifth Wheel: Air, Holland FW70S960XL00 60.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$7,709	1,048#
6553765	Fifth Wheel: Air, Holland FW70S848XL00 48.0 in. slide, 8.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$6,954	976#
6553766	Fifth Wheel: Air, Holland FW70S972XL00 72.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$8,285	1,115#
6553767	Fifth Wheel: Air, Holland FW70S848XL03 48.0 in. slide, 8.3 in. height, 3.5 in. kingpin. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$6,845	971#
6553768	Fifth Wheel: Air, Holland FW70S824XL00 24.0 in. slide, 8.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$6,361	842#



Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Air-Sliding Fifth Wheels</b>			
6553769	Fifth Wheel: Air, Holland FW70S160XL00 60 in. slide, 11.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$9,387	1,123#
6553770	Fifth Wheel: Air, Holland FW70N924ZL00 24.0 in. slide, 9.3 in. height. Inboard mounting angles, no tilt, manual secondary lock, 70K vertical rating, LH release.	\$5,923	1,001#
6553771	Fifth Wheel: Air, Holland FW70N948ZL00 48.0 in. slide, 9.3 in. height. Inboard mounting angles, no tilt, manual secondary lock, 70K vertical rating, LH release.	\$6,681	953#
6553773	Fifth Wheel: Air, Holland FW70S872XL00 72.0 in. slide, 8.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$8,401	1,110#
6553774	Fifth Wheel: Air, Holland FW70S860XL00 60.0 in. slide, 8.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$6,566	1,066#
6553776	Fifth Wheel: Air, Holland FW70N960ZL00 60.0 in. slide, 9.3 in. height. Inboard mounting angles, no tilt, manual secondary lock, 70K vertical rating, LH release.	\$8,227	1,121#
6553777	Fifth Wheel: Air, Holland FW70S936XL00 36.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$6,564	982#
6553778	Fifth Wheel: Air, Holland FW70S048XL00 48.0 in. slide, 10.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$5,521	1,052#
6553780	Fifth Wheel: Air, Holland FW70R124XL00 24.0 in. slide, 11.0 in. height. Outboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$6,311	969#
6553782	Fifth Wheel: Air, Holland FW70R148XL00 48.0 in. slide, 11.0 in. height. Outboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$6,726	1,099#
6553783	Fifth Wheel: Air, Holland FW70R160XL03 60.0 in. slide, 11 in. height, 3.5 in. kingpin. Outboard mounting angles, 70K vertical rating, LH release. Extra capacity type A lock. Air slide control valve standard in dash.	\$7,440	1,181#
6553784	Fifth Wheel: Air, Holland FW70S836XL00 36.0 in. slide, 8.4 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$6,562	977#
6553786	Fifth Wheel: Air, Holland FW70R872XL00 72.0 in. slide, 8.3 in. height. Outboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Includes manual secondary lock. Air slide control valve standard in dash.	\$7,203	1,110#
6553787	Fifth Wheel: Air, Holland FW70R960XL00 60.0 in. slide, 9.1 in. height. Outboard mounting angles, 70K vertical rating, LH release, with standard manual secondary lock. Extra capacity type A lock. Air slide control valve standard in dash.	\$6,994	1,112#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Air-Sliding Fifth Wheels</b>			
6553788	Fifth Wheel: Air, Holland FW70R860XL00 60.0 in. slide, 8.0 in. height. Outboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$6,990	1,100#
6553789	Fifth Wheel: Air, Holland FW70R924XL00 24.0 in. slide, 9.1 in. height. Outboard mounting angles, 70K vertical rating, LH release, with standard manual secondary lock. Extra capacity type A lock. Air slide control valve standard in dash.	\$6,561	911#
6553794	Fifth Wheel: Air, Holland FW70R936XL00 36.0 in. slide, 9.1 in. height. Outboard mounting angles, 70K vertical rating, LH release, with standard manual secondary lock. Extra capacity type A lock. Air slide control valve standard in dash.	\$6,641	982#
6553795	Fifth Wheel: Air, Holland FW70R972XL00 72.0 in. slide, 9.1 in. height. Outboard mounting angles, 70K vertical rating, LH release, with standard manual secondary lock. Extra capacity type A lock. Air slide control valve standard in dash.	\$7,207	1,130#
6560002	Fifth Wheel: Air, ILS Holland, FWALJ712XL00 12in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$5,665	397#
6560003	Fifth Wheel: Air, ILS Holland, FWALJ724XL00 24in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$5,814	444#
6560004	Fifth Wheel: Air, ILS Holland, FWALJ736XL00 36in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$6,258	492#
6560005	Fifth Wheel: Air, ILS Holland, FWALJ748XL00 48in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$6,452	540#
6560006	Fifth Wheel: Air, ILS Holland, FWALJ812XL00 12in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$5,733	402#
6560007	Fifth Wheel: Air, ILS Holland, FWALJ824XL00 24in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$6,325	449#
6560008	Fifth Wheel: Air, ILS Holland, FWALJ836XL00 36in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$6,305	497#
6560009	Fifth Wheel: Air, ILS Holland, FWALJ848XL00 48in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$6,707	545#
6560055	Fifth Wheel: Air, ILS Holland, FWALJ912XL00 12in. slide, 9.0in. height. Aluminum, outboard mounted.	\$5,738	406#
6560056	Fifth Wheel: Air, ILS Holland, FWALJ924XL00 24in. slide, 9.0in. height. Aluminum, outboard mounted.	\$5,824	453#
6560057	Fifth Wheel: Air, ILS Holland, FWALJ936XL00 36in. slide, 9.0in. height. Aluminum, outboard mounted.	\$6,161	501#
6560058	Fifth Wheel: Air, ILS Holland, FWALJ948XL00 48 in. slide, 9.0 in. height. Aluminum, outboard mounted.	\$6,462	549#

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Customer-Installed Fifth Wheels</b>			
6600201	Fifth Wheel: Fixed, Dealer & Customer-Installed	\$0	500#
6600202	Fifth Wheel: Slide, Dealer & Customer-Installed 12 inches.	\$0	500#
6600203	Fifth Wheel: Slide, Dealer & Customer-Installed 13 inches to 24 inches.	\$0	500#
6600204	Fifth Wheel: Slide, Dealer & Customer-Installed 25 inches to 36 inches.	\$0	500#
6600205	Fifth Wheel: Slide, Dealer & Customer-Installed over 36 inches.	\$0	500#
<b>Fontaine Air-Sliding Fifth Wheels</b>			
6533204	Fifth Wheel: Air, Fontaine SL6NWB675012 12.0 in. slide, 6.75 in. height. Light weight slide bracket, outboard mounted. 50K vertical rating.	\$1,870	429#
6533207	Fifth Wheel: Air, Fontaine SL6NWB675024 24.0 in. slide, 6.75 in. height. Light weight slide bracket, outboard mounted. 50K vertical rating.	\$2,033	445#
6533208	Fifth Wheel: Air, Fontaine SL6NWB775012 12.0 in. slide, 7.75 in. height. Light weight slide bracket, outboard mounted. 50K vertical rating.	\$1,880	435#
6533209	Fifth Wheel: Air, Fontaine SL6NWB775024 24.0 in. slide, 7.75 in. height. Light weight slide bracket, outboard mounted. 50K vertical rating.	\$2,047	452#
<b>Jost Air-Sliding Fifth Wheels</b>			
6593060	Fifth Wheel: Air, Jost JSK37USB-A11PX36 36.0 in. slide, 10.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,802	637#
6593061	Fifth Wheel: Air, Jost JSK37USB-A11PX24 24.0 in. slide, 10.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,593	637#
6593071	Fifth Wheel: Air, Jost JSK37USB-A8PX12 12.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,884	524#
6593072	Fifth Wheel: Air, Jost JSK37USB-A8PX16 16.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,938	537#
6593073	Fifth Wheel: Air, Jost JSK37USB-A8PX24 24.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,050	559#
6593074	Fifth Wheel: Air, Jost JSK37USB-A8PX36 36.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,232	597#
6593075	Fifth Wheel: Air, Jost JSK37USB-A8PX48 48.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,404	634#





## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Jost Air-Sliding Fifth Wheels</b>			
6593081	Fifth Wheel: Air, Jost JSK37USB-A9PX48 48.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,399	639#
6593082	Fifth Wheel: Air, Jost JSK37USB-A9PX24 24.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,063	566#
6593085	Fifth Wheel: Air, Jost JSK37USB-A9PX36 36.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,244	606#
6593086	Fifth Wheel: Air, Jost JSK37USB-A9PX72 72.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,605	712#
6593087	Fifth Wheel: Air, Jost JSK37USB-A9PX12 12.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,884	531#
6593088	Fifth Wheel: Air, Jost JSK37USB-A9PX16 16.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,950	542#
6593089	Fifth Wheel: Air, Jost JSK37USB-A9PX60 60.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,370	676#
6593090	Fifth Wheel: Air, Jost JSK37USB-A7PX12 12.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,879	520#
6593091	Fifth Wheel: Air, Jost JSK37USB-A7PX16 16.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,932	531#
6593092	Fifth Wheel: Air, Jost JSK37USB-A7PX24 24.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,069	555#
6593093	Fifth Wheel: Air, Jost JSK37USB-A7PX36 36.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,238	593#
6593096	Fifth Wheel: Air, Jost JSK37USB-A7PX48 48.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,407	628#
6593114	Fifth Wheel: Air, Jost JSK37USLN-A8PX16 16.0 in. slide, 7.75 in. height. No-tilt, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,479	551#
6593115	Fifth Wheel: No-Tilt Air, Jost JSK37USLN-A9PX24 24.0 in. slide, 8.75 in. height. No-tilt, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,606	582#

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Jost Air-Sliding Fifth Wheels</b>			
6593116	Fifth Wheel: No-Tilt Air, Jost JSK37USLN-A9PX36 36.0 in. slide, 8.75 in. height. No-tilt, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,995	617#
6593120	Fifth Wheel: No-Tilt Air, Jost JSK37USLN-A8PX24 24.0 in. slide, 7.75 in. height. No-tilt, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,606	575#
6593125	Fifth wheel: Air, Jost JSK37USA-A7PA12 12 in. outboard mount slide, blocked for 8 in. travel. 6.75 in. height with air kingpin release/outboard, 50K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,780	522#
6593141	Fifth Wheel: Air, Jost JSK37UWB-A7PX12 12.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,535	522#
6593143	Fifth Wheel: Air, Jost JSK37UWB-A7PX16 16.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,591	533#
6593145	Fifth Wheel: Air, Jost JSK37UWB-A7PX24 24 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,719	557#
6593147	Fifth Wheel: Air, Jost JSK37UWB-A7PX36 36.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,893	593#
6593153	Fifth Wheel: Air, Jost JSK37UWB-A8PX16 16.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,584	537#
6593155	Fifth Wheel: Air, Jost JSK37UWB-A8PX24 24.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,714	562#
6593157	Fifth Wheel: Air, Jost JSK37UWB-A8PX36 36.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,886	599#
6593159	Fifth Wheel: Air, Jost JSK37UWB-A8PX48 48.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,059	634#
6593168	Fifth wheel: Air, Jost JSK37USA-A7PX12 12 in. 6.75in. with air kingpin release/outboard, 50K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,683	522#
6593171	Fifth Wheel: Air, Jost JSK37USA-A8PX12 12.0 in. slide, 7.75 in. height. Air operated kingpin release, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,676	524#
6593172	Fifth Wheel: Air, Jost JSK37USA-A7PX16 16.0 in. slide, 6.75 in. height. Air operated kingpin release, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,738	533#

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Jost Air-Sliding Fifth Wheels</b>			
6593173	Fifth Wheel: Air, Jost JSK37USA-A7PX24 24 in. 6.75 in. Air kingpin release, outboard 50K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,867	553#
6593178	Fifth Wheel: Air, Jost JSK37USA-A9PX60 60.0 in. slide, 8.75 in. height. Air operated kingpin release, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,527	674#
6593193	Fifth Wheel: Air, Jost JSK37UWLN-A9PX24 24.0 in. slide, 8.75 in. height. Outboard mounting angles, low lube, no tilt feature, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,114	582#
6593194	Fifth Wheel: Air, Jost JSK37UWB-A9PX24 24.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,725	568#
6593198	Fifth Wheel: Air, Jost JSK37UWB-A9PX12 12.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,541	533#
6593199	Fifth Wheel: Air, Jost JSK37UWB-A9PX16 16.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,597	544#
6593201	Fifth Wheel: Air, Jost JSK37UWB-A9PX48 48.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,072	641#
6593207	Fifth Wheel: Air, Jost JSK37USA-A8PX24 24 in. 7.75 in. Air kingpin release, outboard 50K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,860	556#
6593226	Fifth Wheel: Air, Jost JSK37USBN-A9PX48 48 in. slide, 8.75 in. height. No-tilt, outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,649	639#
<b>Fixed Fifth Wheel Placement</b>			
6607023	Fifth Wheel: Fixed Angle Drilled for 4 Additional settings in 2 in. increments. Includes coded setting plus 2 settings ahead and 2 behind. Use with code 6670496-504 to determine the factory setting relative to the coded fixed setting.	\$899	0#
6607024	Fifth Wheel: Fixed Angle Drilled for 8 Additional settings in 2 in. increments. Includes coded setting plus 4 settings ahead and 4 behind. Use with code 6670494-508 to determine the factory setting relative to the coded fixed setting.	\$899	0#
6670494	Fix Fifth Wheel Placement at -6 in. from Coded rear or fixed setting for use with 6607024 angle drill. Determines factory setting for fixed fifth wheels only.	\$0	0#
6670495	Fix Fifth Wheel Placement at -8 in. from Coded rear or fixed setting for use with 6607024 angle drill. Determines factory setting for fixed fifth wheels only.	\$0	0#
6670496	Fix Fifth Wheel Placement at -4 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 4 inches behind the coded rear setting. That would allow for 4 optional settings ahead, each spaced 2 inches apart.	\$0	0#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Fixed Fifth Wheel Placement</b>			
6670498	Fix Fifth Wheel Placement at -2 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 2 inches behind the coded rear setting. That would allow for 3 optional settings ahead and 1 optional setting behind, each spaced 2 inches apart.	\$0	0#
6670500	Fix Fifth Wheel Placement at 0 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel at the coded rear setting. That would allow for 2 optional settings ahead and two optional settings behind, each spaced 2 inches apart.	\$0	0#
6670502	Fix Fifth Wheel Placement at +2 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 2 inches ahead the coded rear setting. That would allow for 1 optional setting ahead and 3 optional settings behind, each spaced 2 inches apart.	\$0	0#
6670504	Fix Fifth Wheel Placement at +4 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 4 inches ahead the coded rear setting. That would allow for 4 optional settings behind, each spaced 2 inches apart.	\$0	0#
6670506	Fix Fifth Wheel Placement at +6 in. from Coded rear or fixed setting for use w/ 6607024 angle drill. Use to determine factory setting for fixed fifth wheels only.	\$0	0#
6670508	Fix Fifth Wheel Placement at +8 in. from Coded rear or fixed setting for use w/ 6607024 angle drill. Use to determine factory setting for fixed fifth wheels only.	\$0	0#
<b>Fifth Wheel Equipment</b>			
6600033	Aluminum Fifth Wheel Angles Replacing Steel on fixed or outboard mounted sliding fifth wheels.	\$317	-30#
6600052	Steel Angle for Customer-Installed Fifth Wheel. For outboard mounted fixed or up to 36.7in. slide fifth wheel w/ o plate drill.	\$795	77#
6600053	Steel Angle for Customer-Installed Fifth Wheel. For outboard mounted fifth wheel. Narrate fifth wheel model & slide; w/ plate drill.	\$1,062	77#
6602010	Fifth Wheel Ramps. Requires Standard or Short tractor taper bent and weld.	\$728	22#
6603011	Mounting Plate: Aluminum for Fixed Fifth Wheel replacing standard steel base plate. Adds 0.25 in. to height.	\$145	-35#
<b>Rear Frame Equipment</b>			
<b>Quarter Fenders</b>			
6734005	Quarter Fenders: Stainless Steel W/ Painted Steel brackets, single post mounted.	\$381	55#
6734008	Quarter Fenders: Stainless Steel Hogebuilt 30in. Nu Style w/ brackets, frame mounted.	\$1,333	63#
6734016	Quarter Fenders: Stainless Steel Hogebuilt 30in. Nu Style w/ brackets, 30in. single post mount.	\$1,088	48#
6737120	Quarter Fenders: Black Polypropylene W/ Painted steel brackets, single post mounted, 21 in. white top flap with logo.	\$250	43#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Rear Frame Equipment</b>			
<b>Quarter Fenders</b>			
6737122	Quarter Fenders: Black Polypropylene W/ Painted steel brackets, single post mounted. No top flap, no holes & no logo.	\$249	40#
6738107	Quarter Fenders: Brackets Painted Steel For customer-installed fenders.	\$64	11#
<b>End-Of-Frame Configurations</b>			
<b>Non-Towing Configuration</b>			
6741011	Square End-of-Frame W/ Crossmember; Non-Towing.	\$307	30#
6742009	Square End-of-Frame W/O Crossmember; Non-Towing.	STD	0#
6743109	Tractor Taper W/ Heavy-Duty Crossmember. Non-towing end-of-frame configuration.	\$290	61#
6743111	Tractor Taper W/ Crossmember. Non-Towing end-of-frame configuration.	\$198	13#
6743116	Tractor Taper Bent & Welded W/ Heavy-Duty Cross member. Non-towing end-of-frame configuration.	\$305	68#
6744001	Long Tractor Taper Top Flange Bent & Welded W/O crossmember. Taper is 4in. longer than standard. Non-towing end-of-frame configuration.	\$35	-2#
6744002	Long Tractor Taper Top Flange Bent & Welded W/ crossmember. Taper is 4in. longer than standard. Non-towing end-of-frame configuration.	\$198	17#
6744121	Tractor Taper W/O Crossmember. Non-Towing end-of-frame configuration.	\$45	-6#
6744122	Short Tractor Taper W/O Crossmember. Non-Towing end-of-frame configuration.	\$35	-4#
6744123	Short Tractor Taper Bent & Welded W/O Cross member. Non-towing end-of-frame configuration.	\$35	-2#
6745270	Top Flange of Rear Frame Bent & Welded W/ crossmember. Non-towing end-of-frame configuration.	\$179	17#
6746131	Top Flange of Rear Frame Bent & Welded W/O crossmember. Non-towing end-of-frame configuration.	\$35	-2#
6747000	Shortest End-of-Frame Cutoff With Specified end-of-frame configuration. Selecting this code will override the overhang dimension found in the Vocational Analysis of Prospector.	\$0	0#
<b>Towing Configuration</b>			
6700005	Drop-Type Crossmember Below Frame Pintle Hook; square end-of-frame towing configuration. This crossmember limits hitch capacity to 68K.	\$1,977	155#
6741005	Straight Crossmember for Pintle Hook Mounting; square end-of-frame towing configuration. This crossmember limits hitch capacity to 78K.	\$949	135#
<b>Hooks &amp; Chain Loops</b>			
6490044	2 Pro-Tech Chain Hangers 35-5950CP W/ Cable Pins and removable lids.	\$865	30#
6490144	1 Pro-Tech Chain Hanger, 35-5950CP LH Rail With removable lid & cable pin.	\$432	15#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

### Rear Frame Equipment

#### Hooks & Chain Loops

6490145	1 Pro-Tech Chain Hanger, 35-5950CP RH Rail with removable lid & cable pin.	\$432	15#
6490161	1 Pro-Tech Chain Hanger, 35-5918 LH Rail With hinged cover. 18.5 in length.	\$703	15#
6490162	1 Pro-Tech Chain Hanger, 35-5918 RH Rail With hinged cover. 18.5 in length.	\$703	15#
6710029	Premier 370 Air-Operated Hook, rated 90,000 LB horizontal, 18,000 lb vertical.	\$2,466	45#
6710080	Two Rams Horn Open Rear Tow Hooks, Not for trailer towing.	\$145	17#
6710157	Holland: PH-30RP41 Pintle Hook Mounted on 15,000 lb rear suspension crossmember for use with Airglide suspensions. For yarding dollies, no trailers. 6,000lb vertical rating.	\$269	11#
6710158	Holland: PH-30RP41 Pintle Hook Mounted on 15,000 lb rear suspension crossmember for use with Reyco, Hendrickson HAS or Neway suspensions. For yarding dollies, no trailers. 6,000 lb vertical rating.	\$258	11#
6792810	Safety Chain Loops - Dual.	\$153	2#

#### Pintle Hook Height

6712024	Maximum Unladen Rear Hook Height is 24 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712025	Maximum Unladen Rear Hook Height is 25 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712026	Maximum Unladen Rear Hook Height is 26 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712027	Maximum Unladen Rear Hook Height is 27 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712028	Maximum Unladen Rear Hook Height is 28 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712029	Maximum Unladen Rear Hook Height is 29 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712030	Maximum Unladen Rear Hook Height is 30 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#





## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Rear Frame Equipment</b>			
<b>Pintle Hook Height</b>			
6712031	Maximum Unladen Rear Hook Height is 31 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712032	Maximum Unladen Rear Hook Height is 32 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712033	Maximum Unladen Rear Hook Height is 33 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712034	Maximum Unladen Rear Hook Height is 34 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712035	Maximum Unladen Rear Hook Height is 35 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712036	Maximum Unladen Rear Hook Height is 36 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712037	Maximum Unladen Rear Hook Height is 37 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712038	Maximum Unladen Rear Hook Height is 38 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712039	Maximum Unladen Rear Hook Height is 39 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712040	Maximum Unladen Rear Hook Height is 40 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
<b>Rear Mudflap Equipment</b>			
<b>Arms</b>			
6721100	Rear Mudflap Arms: Betts B-23 Spring Loop Type, straight.	\$24	5#



## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Rear Frame Equipment</b>			
<b>Rear Mudflap Equipment</b>			
<b>Arms</b>			
6721102	Rear Mudflap Arms: Betts B-25 Standard-Duty, straight. Includes B1732 mounting brackets as standard.	STD	0#
6721108	Rear Mudflap Arms: Betts B33, Spring Loop Type, angled.	\$43	19#
6721110	Rear Mudflap Arms: Betts B35, Shortened W/ 45 degree angle.	\$18	0#
6721118	Rear Mudflap Arms: Betts B84, Heavy-Duty W/ 45 degree angle. Kit includes B700 mounting brackets.	\$54	10#
6721125	Delete Mudflap Arms: Dealer/ Customer Responsible for installation of arms.	(\$34)	-12#
6721127	Rear Mudflap Arms: Betts A603025WTBR/L. Conspicuity reflector included. Spring loaded bent 45 degree angle. No mounting brackets required. Powder coat black.	\$55	-1#
6721142	Rear Mudflap Arms: Fleetline FF30P, Steel Spring loaded & painted.	\$123	13#
6721144	Rear Mudflap Arms: Fleetline FF30SS, Tapered spring loaded & stainless steel.	\$269	13#
6721162	Rear Mudflap Arms: Fleet Engineers, FB27 Shortie 033-00864. 45 degree angle, painted black RoadKote.	\$71	6#
6721163	Rear Mudflap Arms: Fleet Engineers, FB27 Shortie 033-04734. Conspicuity on extended flange. 45 degree angle, painted black RoadKote.	\$76	10#
6721164	Rear Mudflap Arms: Fleet Engineers, FB27 Shortie 033-00865. 45 degree angle, polished stainless steel.	\$168	6#
6721192	Rear Mudflap Arms: Nuline NL306SSKW LED Round spring load stainless steel light bar.	\$1,151	22#
<b>Shields</b>			
6722000	Rear Mudflap Shields: White Plastic Antisail W/ Kenworth logo.	STD	0#
6722020	Rear Mudflap Shields: White Symplastic Spray- guard w/o Kenworth logo.	\$41	4#
6722094	Rear Mudflap Shields: Black Rubber Anti-Sail without logo. 28 in. wide, 0.25 in. thick.	\$73	9#
6723000	Delete Mudflap Shields-Dealer/Customer responsible for installation of shields.	\$0	-8#
6723287	Rear Mudflap Shields: Fleet Engineers AeroFlap. Black, polypropylene material. Without Kenworth logo. Not for use with Kenworth Aero Package.	\$59	0#
<b>Mudflap Equipment</b>			
6721030	Extra Set of Betts B-1732 Storage Brackets. mounted forward of drive axle(s).	\$35	3#
6722104	Mounting Brackets: Betts B-850 Rear Mudflap, replacing Betts B700.	\$6	0#
6722150	Mounting Adapter: Fleet Engineers, Black Primer.	\$97	5#





## T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Rear Frame Equipment</b>			
<b>Rear Mudflap Equipment</b>			
<b>Mudflap Equipment</b>			
6722200	Rear Mudflaps: Moved Back from Standard Location; 70 in. from bogie C/L, 95 in. from tridem.	\$0	0#
<b>Rear Frame Miscellaneous</b>			
6679882	End of Frame Treatment, Stinger Fifth Wheel With slide.	\$0	0#
6791025	Flat Plate Steel Shield: Protect Anchor Tee Valve mounted below rear pintle hook crossmember.	\$25	5#
<b>Delivery Restriction Notifications</b>			
6679804	Do Not Drive: Marker Lights are Deleted. Unit may be decked. Transporter review delivery options. Requires code 9029025.	\$0	0#
6679806	Do Not Drive: Bumper is Deleted. Unit may be decked. Transporter review delivery options. Requires code 6309910 or 6309912.	\$0	0#
6679810	Do Not Drive: Tires Are Not DOT Approved. Dealer to arrange delivery.	\$0	0#
6679812	Speed Limited Tires: Less than 65MPH. Dealer to review delivery options w/transporter.	\$0	0#
6679818	Do Not Drive: Input Torque To Split Shaft PTO exceeds manufacturers limit. Dealer to review delivery options w/transporter.	\$0	0#
6679822	Dealer to Review Delivery Restrictions W/ transporter. Units w/hub reduction axles cannot be decked, but may be driven.	\$0	0#
6679823	Dealer to Review Delivery Restrictions W/ transporter. Units equipped with transfer case.	\$0	0#
6679824	Width Across Front Tires Exceeds 102 inches. Dealer to review delivery constraints w/transporter.	\$0	0#
6679828	Chassis too Long for Delivery in Standard 3 Way due to long cutoff. Dealer to review delivery options w/ transporter.	\$0	0#
6679830	Chassis Cannot be Decked in Standard 3 Way, due to long cutoff & drop type crossmember.	\$0	0#
6679832	Potential Vehicle Over Length due to Use of spliced rail. Dealer to review delivery options w/transporter.	\$0	0#
6679834	Width Across Rear Tires Exceeds 102 in. due to combination of wide track rear axles & dual tires. Dealer to review delivery constraints w/transporter.	\$0	0#
6679836	Dealer Review Delivery Restrictions W/ transporter. Chassis lacking required safety equipment such as fenders, lighting, or bumpers & cannot be driven but may be decked.	\$0	0#
6679911	Component Restriction: Do Not Drive- Unit May be decked.	\$0	0#
6679912	Component Restriction: Do Not Drive - Lowboy Delivery only.	\$0	0#
6679913	Potential Vehicle Over Width and/or Over Length Condition. Transporter to review.	\$0	0#



## T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
<b>Round</b>			
<b>Aluminum Diesel</b>			
<b>22"</b>			
<b>Under - Replace</b>			
7010056	Fuel Tank: 56 US Gallon 22 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$223	-19#
7010075	Fuel Tank: 75 US Gallon 22 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$281	-11#
7010100	Fuel Tank: 100 US Gallon 22 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$285	0#
7010120	Fuel Tank: 120 US Gallon 22 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$461	19#
<b>Under - Add</b>			
7012056	Fuel Tank: 56 US Gallon 22in. Aluminum Under Add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,162	99#
7012075	Fuel Tank: 75 US Gallon 22in. Aluminum Under Add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,250	103#
7012100	Fuel Tank: 100 US Gallon 22in. Aluminum Under Add Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,263	119#
7012120	Fuel Tank: 120 US Gallon 22in. Aluminum Under Add Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,310	139#
<b>Behind - Replace</b>			
7014056	Fuel Tank: 56 US Gallon 22 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$103	-19#
7014075	Fuel Tank: 75 US Gallon 22 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$155	-15#
7014100	Fuel Tank: 100 US Gallon 22 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$155	0#
7014120	Fuel Tank: 120 US Gallon 22 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$321	13#
<b>Behind - Add</b>			
7016056	Fuel Tank: 56 US Gallon 22 in. Aluminum BOC Add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,046	72#



## T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
<b>Round</b>			
<b>Aluminum Diesel</b>			
<b>22"</b>			
<b>Behind - Add</b>			
7016075	Fuel Tank: 75 US Gallon 22 in. Aluminum BOC Add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,138	104#
7016100	Fuel Tank: 100 US Gallon 22 in. Aluminum BOC Add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,131	119#
7016120	Fuel Tank: 120 US Gallon 22 in. Aluminum BOC Add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,164	138#
<b>24.5"</b>			
<b>Under - Replace</b>			
7210060	Fuel Tank: 60 US Gallon 24.5 in. Aluminum Under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.	\$98	-15#
7210075	Fuel Tank: 75 US Gallon 24.5 in. Aluminum Under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.	\$140	-11#
7210090	Fuel Tank: 90 US Gallon 24.5 in. Aluminum Under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.	\$156	-4#
7210100	Fuel Tank: 100 US Gallon 24.5 in. Aluminum Under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.	\$176	0#
7210110	Fuel Tank: 110 US Gallon 24.5 in. Aluminum Under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.	\$226	2#
7210120	Fuel Tank: 120 US Gallon 24.5 in. Aluminum Under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.	\$256	63#
7210135	Fuel Tank: 135 US Gallon 24.5 in. Aluminum Under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$556	63#
7210150	Fuel Tank: 150 US Gallon 24.5 in. Aluminum Under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$599	63#
<b>Under - Add</b>			
7212060	Fuel Tank: 60 US Gallon 24.5 in. Aluminum Under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,356	98#



## T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
<b>Round</b>			
<b>Aluminum Diesel</b>			
<b>24.5"</b>			
<b>Under - Add</b>			
7212075	Fuel Tank: 75 US Gallon 24.5 in. Aluminum Under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,601	104#
7212090	Fuel Tank: 90 US Gallon 24.5 in. Aluminum Under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,601	109#
7212100	Fuel Tank: 100 US Gallon 24.5 in. Aluminum Under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,602	114#
7212110	Fuel Tank: 110 US Gallon 24.5 in. Aluminum Under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,602	116#
7212120	Fuel Tank: 120 US Gallon 24.5 in. Aluminum Under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,624	120#
7212135	Fuel Tank: 135 US Gallon 24.5 in. Aluminum Under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$2,965	170#
7212150	Fuel Tank: 150 US Gallon 24.5 in. Aluminum Under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$2,980	177#
<b>Behind - Replace</b>			
7214045	Fuel Tank: 45 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	(\$88)	-22#
7214060	Fuel Tank: 60 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	(\$55)	-15#
7214075	Fuel Tank: 75 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	(\$35)	-11#
7214090	Fuel Tank: 90 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	(\$9)	-4#
7214100	Fuel Tank: 100 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	STD	0#



## T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
<b>Round</b>			
<b>Aluminum Diesel</b>			
<b>24.5"</b>			
<b>Behind - Replace</b>			
7214110	Fuel Tank: 110 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$25	6#
7214120	Fuel Tank: 120 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$52	6#
7214135	Fuel Tank: 135 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$364	50#
7214150	Fuel Tank: 150 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$407	57#
<b>Behind - Add</b>			
7216045	Fuel Tank: 45 US Gallon 24.5 in. Aluminum BOC Add Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,221	92#
7216060	Fuel Tank: 60 US Gallon 24.5 in. Aluminum BOC Add Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,185	97#
7216075	Fuel Tank: 75 US Gallon 24.5 in. Aluminum BOC Add Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,342	103#
7216090	Fuel Tank: 90 US Gallon 24.5 in. Aluminum BOC Add Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,410	108#
7216100	Fuel Tank: 100 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,410	114#
7216110	Fuel Tank: 110 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,410	116#
7216120	Fuel Tank: 120 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,675	119#



## T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
<b>Round</b>			
<b>Aluminum Diesel</b>			
<b>24.5"</b>			
<b>Behind - Add</b>			
7216135	Fuel Tank: 135 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$3,404	169#
7216150	Fuel Tank: 150 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$3,404	176#
7218045	3rd Fuel Tank 45 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$2,221	120#
7218060	3rd Fuel Tank 60 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$2,185	97#
7218075	3rd Fuel Tank 75 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$2,342	103#
7218100	3rd Fuel Tank 100 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$2,410	114#
7218110	3rd Fuel Tank 110 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$2,410	116#
7218120	3rd Fuel Tank 120 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$2,675	119#
7218135	3rd Fuel Tank 135 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$3,404	169#
7218150	3rd Fuel Tank 150 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$3,404	176#
7219075	4th Fuel Tank 75 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$2,342	103#
7219100	4th Fuel Tank 100 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$2,410	114#
7219120	4th Fuel Tank 120 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$2,675	119#
7219135	4th Fuel Tank 135 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$3,404	169#



## T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
<b>Round</b>			
<b>Aluminum Diesel</b>			
<b>28.5"</b>			
<b>Under - Replace</b>			
7510090	Fuel Tank: 90 US Gallon 28.5 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$386	33#
7510105	Fuel Tank: 105 US Gallon 28.5 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$386	33#
7510120	Fuel Tank: 120 US Gallon 28.5 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$511	72#
7510135	Fuel Tank: 135 US Gallon 28.5 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck. A third tank support is required with this tank.	\$842	132#
7510150	Fuel Tank: 150 US Gallon 28.5 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck. A third tank support is required with this tank.	\$842	136#
7510177	Fuel Tank: 177 US Gallon 28.5 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck. A third tank support is required with this tank.	\$832	143#
<b>Under - Add</b>			
7512090	Fuel Tank: 90 US Gallon 28.5 in. Aluminum Under add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,433	112#
7512105	Fuel Tank: 105 US Gallon 28.5 in. Aluminum Under add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,433	127#
7512120	Fuel Tank: 120 US Gallon 28.5 in. Aluminum Under add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,545	158#
7512177	Fuel Tank: 177 US Gallon 28.5 in. Aluminum Under add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank.	\$2,837	229#
<b>Behind - Replace</b>			
7514075	Fuel Tank: 75 US Gallon 28.5 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$203	2#
7514090	Fuel Tank: 90 US Gallon 28.5 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$203	2#
7514105	Fuel Tank: 105 US Gallon 28.5 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$203	4#
7514120	Fuel Tank: 120 US Gallon 28.5 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$332	44#





## T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
<b>Round</b>			
<b>Aluminum Diesel</b>			
<b>28.5"</b>			
<b>Behind - Replace</b>			
7514150	Fuel Tank: 150 US Gallon 28.5 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck. A third tank support is required with this tank.	\$706	136#
7514177	Fuel Tank: 177 US Gallon 28.5 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck. A third tank support is required with this tank.	\$706	143#
<b>Behind - Add</b>			
7516075	Fuel Tank: 75 US Gallon 28.5 in. Aluminum BOC Add Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,975	108#
7516090	Fuel Tank: 90 US Gallon 28.5 in. Aluminum BOC Add Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,975	112#
7516105	Fuel Tank: 105 US Gallon 28.5 in. Aluminum BOC add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,975	119#
7516120	Fuel Tank: 120 US Gallon 28.5 in. Aluminum BOC add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,104	158#
7516150	Fuel Tank: 150 US Gallon 28.5 in. Aluminum BOC add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank.	\$2,383	220#
7516177	Fuel Tank: 177 US Gallon 28.5 in. Aluminum BOC add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank.	\$2,383	229#
<b>Aluminum Split Diesel Fuel-Hydraulic</b>			
<b>Under - Replace</b>			
7210101	Split Tank: 100 US Gallon 24.5 in. Aluminum Under replace. Split: fuel 50 gallon, hydraulic 50 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck.	\$1,141	11#
7210121	Split Tank: 120 US Gallon 24.5 in. Aluminum Under replace. Split: fuel 60 gallon, hydraulic 60 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck.	\$1,141	63#
7210152	Split Tank: 150 US Gallon 24.5 in. Aluminum Under replace. Split: fuel 100 gallon, hydraulic 50 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$1,334	174#





## T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
<b>Round</b>			
<b>Aluminum Split Diesel Fuel-Hydraulic</b>			
<b>Under - Add</b>			
7212101	Split Tank: 100 US Gallon 24.5 in. Aluminum Under add. Split: fuel 50 gallon, hydraulic 50 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck.	\$3,200	125#
7212121	Split Tank: 120 US Gallon 24.5 in. Aluminum Under add. Split: fuel 60 gallon, hydraulic 60 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck.	\$3,202	132#
7212152	Split Tank: 150 US Gallon 24.5 in. Aluminum Under add. Split: fuel 100 gallon, hydraulic 50 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$3,216	189#
<b>Behind - Replace</b>			
7214101	Split Tank: 100 US Gallon 24.5 in. Aluminum BOC replace. Split: fuel 50 gallon, hydraulic 50 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck.	\$965	11#
7214121	Split Tank: 120 US Gallon 24.5 in. Aluminum BOC replace. Split: fuel 60 gallon, hydraulic 60 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck.	\$963	17#
7214152	Split Tank: 150 US Gallon 24.5 in. Aluminum BOC replace. Split: fuel 100 gallon, hydraulic 50 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$1,193	74#
<b>Behind - Add</b>			
7216101	Split Tank: 100 US Gallon 24.5 in. Aluminum BOC add. Split: fuel 50 gallon, hydraulic 50 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck.	\$2,923	125#
7216121	Split Tank: 120 US Gallon 24.5 in. Aluminum BOC add. Split: fuel 60 gallon, hydraulic 60 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck.	\$2,920	132#
7216152	Split Tank: 150 US Gallon 24.5 in. Aluminum BOC add. Split: fuel 100 gallon, hydraulic 50 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$2,960	189#
<b>Hydraulic Tanks</b>			
7701056	Hydraulic Tank: 56 US Gallon 22 in. Aluminum Add.	\$2,256	99#
7721045	Hydraulic Tank: 45 US Gallon 24.5 in. Aluminum add.	\$1,280	92#
7721060	Hydraulic Tank: 60 US Gallon 24.5 in. Aluminum add.	\$1,280	94#
7721075	Hydraulic Tank: 75 US Gallon 24.5 in. Aluminum add.	\$1,319	103#
7721090	Hydraulic Tank: 90 US Gallon 24.5 in. Aluminum add.	\$1,354	108#
7721100	Hydraulic Tank: 100 US Gallon 24.5 in. Aluminum add.	\$1,373	114#



## T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
<b>Round</b>			
<b>Hydraulic Tanks</b>			
7721120	Hydraulic Tank: 120 US Gallon 24.5 in. Aluminum add.	\$1,427	119#
7751060	Hydraulic Tank: 60 US Gallon 28.5 in. Aluminum add.	\$2,147	85#
<b>Tank Location</b>			
7889801	Hydraulic Tank Location Right Side Under Cab.	\$0	0#
7889802	Hydraulic Tank Location Left Side Under Cab.	\$0	0#
7889803	Hydraulic Tank Location Right Side Behind Cab.	\$0	0#
7889804	Hydraulic Tank Location Left Side Behind Cab.	\$0	0#
7889807	Hydraulic Tank Location Rearmost Right Side behind cab.	\$0	0#
7889808	Hydraulic Tank Location Rearmost Left Side behind cab.	\$0	0#
<b>Tank Fittings Location</b>			
7889810	2 Hydraulic Tank Fittings, Forward Top, Bottom.	\$0	0#
7889811	2 Hydraulic Tank Fittings, Rear Top, Bottom.	\$0	0#
7889812	2 Hydraulic Tank Fittings, 1 Forward Bottom, 1 rear bottom.	\$0	0#
7889819	4 Hydraulic Tank Fittings, 2 Forward Top/ bottom, 2 rear top/bottom.	\$368	0#
<b>Bright Finish</b>			
<b>Polished Aluminum</b>			
7840015	Polish Only One Aluminum Tank.	\$477	0#
7840029	Polish Only Two Aluminum Tanks.	\$854	0#
7840031	Polish Only Three Aluminum Tanks.	\$1,230	0#
7840035	Polish Only Four Aluminum Tanks.	\$1,607	0#
<b>Polished Stainless Steel</b>			
7889061	Polished Stainless Steel Tank Straps for 1 Tank.	\$87	0#
7889062	Polished Stainless Steel Tank Straps for 2 Tanks.	\$174	0#
7889063	Polished Stainless Steel Tank Straps for 3 Tanks	\$261	0#
7889064	Polished Stainless Steel Tank Straps for 4 Tanks	\$348	0#



## T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
<b>Bright Finish</b>			
<b>Polished Stainless Steel</b>			
7889081	Polish Only 7 in. Stainless Steel Straps for One 24.5in. tank; 2 straps per tank.	\$158	0#
7889082	Polish Only 7 in. Stainless Steel Straps for Two 24.5in. tanks; 2 straps per tank.	\$315	0#
7889083	Polish Only 7 in. Stainless Steel Straps for three 24.5in. tanks; 2 straps per tank.	\$473	0#
<b>Fuel Tank Equipment</b>			
<b>Fuel Tank Steps</b>			
7831006	6 in. Wide Lower Fuel Tank Step, for One 22 in. or 24.5 in. or T300 rectangular tank RH.	\$90	2#
7831007	6 in. Wide Lower Fuel Tank Step, for Two 22 in. or 24.5 in. tanks.	\$180	4#
7831008	6 in. Wide Lower Fuel Tank Step, for One 22 in. or 24.5 in. tank LH.	\$90	2#
7831030	Fuel Tank Steps: 6 in. Wide Upper & Lower F/1 RH under round tank 22in. NFPA Compliant.	\$280	8#
7831032	Fuel Tank Steps: 6 in. Wide Upper & Lower F/1 LH under round tank 22in. NFPA Compliant.	\$280	8#
7831034	Fuel Tank Steps: 6 in. Wide Upper & Lower 1RH/1LH under round tank 22in. Only NFPA Compliant.	\$560	16#
7831040	Fuel Tank Steps: 6 in. Wide Upper & Lower F/1 RH under round tank 24.5in. NFPA Compliant. Includes fuel tank crossbrace.	\$272	8#
7831042	Fuel Tank Steps: 6 in. Wide Upper & Lower F/1 LH under round tank 24.5in. NFPA Compliant. Includes fuel tank crossbrace.	\$272	8#
7831044	Fuel Tank Steps: 6 in. Wide Upper & Lower 1RH/1LH under round tank 24.5in. NFPA Compliant. Includes fuel tank crossbrace.	\$544	16#
7839400	Extended Steps on Fuel Tank LH Under for Access; 2 steps, 1 tank.	\$68	2#
7839405	Extended Steps on Fuel Tank RH Under for Access; 2 steps, 1 tank.	\$68	2#
7839722	Ladder-Type Step with Flexible Brackets: Two Fuel tanks, LH and RH.	\$1,662	20#
7839725	Ladder-Type Step with Flexible Brackets: One Fuel tank.	\$831	10#
<b>Tank Plumbing Equipment</b>			
7850051	Number Ten 5/8 in. Fuel Crossover/ Equalizer Line with two breakaway valves without shutoff valve.	\$233	6#
7850057	Two Ball-Type Shutoff Valves for Number Ten 5/8in. fuel crossover line or equalizer line.	\$76	0#
7850058	Single Draw & Return Lines for Two Plumbed tanks.	\$803	0#
7882104	Insulated Fuel Draw Lines.	\$125	0#
7889160	Delete Fuel Piping from Fuel Tank RH Under.	\$0	-6#



## T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
<b>Fuel Tank Equipment</b>			
<b>Tank Plumbing Equipment</b>			
7889161	Delete Fuel Piping from Fuel Tank RH Behind.	\$0	-6#
7889162	Delete Fuel Piping from Fuel Tank RH Rearmost.	\$0	-6#
7889163	Delete Fuel Piping from Fuel Tank LH Under.	\$0	-6#
7889164	Delete Fuel Piping from Fuel Tank LH Behind.	\$0	-6#
7889165	Delete Fuel Piping from Fuel Tank LH Rearmost.	\$0	-6#
<b>Tank Supports</b>			
7812238	One Additional Standard Tank Support for 1 Fuel tank. This is not a heavy-duty 7 in. wide support.	\$183	17#
7812240	One Additional Standard Tank Support for 2 Fuel tanks. This is not a heavy-duty 7 in. wide support.	\$365	34#
7814000	Steel Raised Tank Supports 1 in. BOC for 24.5in. fuel, hydraulic tanks.	\$185	0#
7814005	Steel Raised Tank Supports 2.7 in. BOC for 22in. fuel, hydraulic tanks.	\$770	0#
7814010	Steel Raised Tank Supports 5-5/8 in. BOC for 24.5in. fuel, hydraulic tanks.	\$191	0#
7821100	Heavy-Duty 7 in. Steel Supports/ Straps for One 24.5 in tank. Two supports per tank.	\$437	18#
7821103	Heavy Duty 7 in. Steel Fuel Tank Supports/ Straps for one 24.5in. tank - 3 supports per tank.	\$803	25#
7821300	Heavy-Duty 7 in. Steel Supports/ Straps for Two 24.5in. tanks. Two supports per tank.	\$874	36#
7821600	Heavy-Duty 7 in. Steel Supports/ Straps for Three 24.5in. tanks. Two supports per tank.	\$1,311	54#
7821900	Heavy-Duty 7 in. Steel Supports/ Straps for Four 24.5in. tanks. Two supports per tank.	\$1,748	72#
<b>Tank Miscellaneous</b>			
7813001	Additional Tank Support Location. RH Under.	\$0	0#
7813002	Additional Tank Support Location. LH Under.	\$0	0#
7813003	Additional Tank Support Location. RH Back of Cab.	\$0	0#
7813004	Additional Tank Support Location. LH Back of Cab.	\$0	0#
7813005	Additional Tank Support Location. RH Rearmost back of cab.	\$0	0#
7813006	Additional Tank Support Location. LH Rearmost back of cab.	\$0	0#
7880009	Mechanical Anti-Roll Channel for One Tank.	\$79	6#
7880010	Mechanical Anti-Roll Channel for Two Tanks.	\$158	13#



## T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
<b>Fuel Tank Equipment</b>			
<b>Tank Miscellaneous</b>			
7880011	Mechanical Anti-Roll Channel for Three Tanks.	\$236	22#
7881300	Welded-In Fitting W/ Gasket & Cover Plate for mounting customer-installed fuel tank heater.	\$54	0#
7881310	Plate and Gasket Moved to Rear of Under Cab Fuel tank. For customer installed fuel tank heaters only.	\$55	0#
7884051	CNG BOC, BOS Cabinet Height - Low. Measurement is less than or equal to low roof range.	\$0	0#
7884052	CNG BOC, BOS Cabinet Height - Mid. Measurement is greater than low roof but less than high roof range.	\$0	0#
7884053	CNG BOC, BOS Cabinet Height - High. Measurement is greater than or equal to high roof range.	\$0	0#
7884054	CNG/LNG Frame Rail Mounted Tank Only.	\$0	0#
7884055	CNG Body Mounted Cabinet Only.	\$0	0#
7884056	CNG Body Mounted Cabinet with Frame Mounted Tank.	\$0	0#
7884057	CNG BOC, BOS Mounted Cabinet Only.	\$0	0#
7884058	CNG BOC, BOS Mounted Cabinet with Frame Mounted Tank.	\$0	0#
7884201	CNG Cabinet Drilling - Agility 120 DGE (Diesel Gallon Equivalent) customer-installed system. Agility part number 26400000. Frame drill for customer-installed CNG cabinets.	\$449	0#
7884203	CNG Cabinet Drilling - Agility 160 DGE (Diesel Gallon Equivalent) customer-installed system. Agility part number 26600000. Frame drill for customer-installed CNG cabinets.	\$449	0#
7884251	CNG Cabinet Drilling - Quantum GEN 2 123 DGE (Diesel Gallon Equivalent) customer-installed system. Quantum part number 116074. Frame drill for customer-installed CNG cabinets.	\$449	0#
7884253	CNG Cabinet Drilling - Quantum GEN 2 160 DGE (Diesel Gallon Equivalent) customer-installed system. Quantum part number 117345. Frame drill for customer-installed CNG cabinets.	\$449	0#
7884255	CNG Cabinet Drilling - Quantum GEN 2 180 DGE (Diesel Gallon Equivalent) customer-installed system. Quantum part number 117155. Frame drill for customer-installed CNG cabinets.	\$449	0#
7889003	Fuel Fill Rear Tank(s) Under.	\$0	0#
7889004	Position Fuel Fill Beyond Rear of Sleeper. May have gap between under cab components and fuel tank(s) visible on chassis without full chassis fairings.	\$0	0#
7889006	Fuel Fill Forward Tank(s) BOC.	\$0	0#
7889021	Fuel Tank Locking Cap(s). Not Available W/ hydraulic tank. Tank lock does not match ignition/cab/sleeper locks.	\$60	0#
7889227	Fuel Tank Caps for a Fleet Keyed Alike. Use W/ locking fuel tank cap code 7889021.	\$25	0#
7889245	Anti-Siphon Device in Fuel Tank Filler Neck. For any number of fuel tanks.	STD	0#



## T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
<b>Fuel Tank Equipment</b>			
<b>Tank Miscellaneous</b>			
7889247	Delete Anti-Siphon Device Swaged in Place for Any number of fuel tanks.	(\$18)	-1#
<b>Tank Location</b>			
7910056	Location: 56 gal fuel tank RH under cab.	\$0	0#
7910060	Location: 60 gal fuel tank RH under cab.	\$0	0#
7910075	Location: 75 gal fuel tank RH under cab.	\$0	0#
7910090	Location: 90 gal fuel tank RH under cab.	\$0	0#
7910100	Location: 100 gal fuel tank RH under cab.	\$0	0#
7910101	Location: 100 gal split tank RH und cab.	\$0	0#
7910105	Location: 105 gal fuel tank RH under cab.	\$0	0#
7910110	Location: 110 gal fuel tank RH under cab.	\$0	0#
7910120	Location: 120 gal fuel tank RH under cab.	\$0	0#
7910121	Location: 120 gal split tank RH und cab.	\$0	0#
7910135	Location: 135 gal fuel tank RH under cab.	\$0	0#
7910150	Location: 150 gal fuel tank RH under cab.	\$0	0#
7910152	Location: 150 gal split tank RH under cab.	\$0	0#
7910177	Location: 177 gal fuel tank RH under cab.	\$0	0#
7920056	Location: 56 gal fuel tank LH under cab.	\$0	0#
7920060	Location: 60 gal fuel tank LH under cab.	\$0	0#
7920075	Location: 75 gal fuel tank LH under cab.	\$0	0#
7920090	Location: 90 gal fuel tank LH under cab.	\$0	0#
7920100	Location: 100 gal fuel tank LH under cab.	\$0	0#
7920101	Location: 100 gal splittank LH und cab.	\$0	0#
7920105	Location: 105 gal fuel tank LH under cab.	\$0	0#
7920110	Location: 110 gal fuel tank LH under cab.	\$0	0#
7920120	Location: 120 gal fuel tank LH under cab.	\$0	0#



## T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Tank Location			
7920121	Location: 120 gal split tank LH und cab.	\$0	0#
7920135	Location: 135 gal fuel tank LH under cab.	\$0	0#
7920150	Location: 150 gal fuel tank LH under cab.	\$0	0#
7920152	Location: 150 gal split tank LH under cab.	\$0	0#
7920177	Location: 177 gal fuel tank LH under cab.	\$0	0#
7930040	Location: 40 gal fuel tank RH behind cab.	\$0	0#
7930045	Location: 45 gal fuel tank RH behind cab.	\$0	0#
7930056	Location: 56 gal fuel tank RH behind cab.	\$0	0#
7930060	Location: 60 gal fuel tank RH behind cab.	\$0	0#
7930075	Location: 75 gal fuel tank RH behind cab.	\$0	0#
7930090	Location: 90 gal fuel tank RH behind cab.	\$0	0#
7930100	Location: 100 gal fuel tank RH behind cab.	\$0	0#
7930101	Location: 100 gal split tank RH behind cab.	\$0	0#
7930105	Location: 105 gal fuel tank RH behind cab.	\$0	0#
7930110	Location: 110 gal fuel tank RH behind cab.	\$0	0#
7930120	Location: 120 gal fuel tank RH behind cab.	\$0	0#
7930121	Location: 120 gal split tank RH behind cab.	\$0	0#
7930135	Location: 135 gal fuel tank RH behind cab.	\$0	0#
7930150	Location: 150 gal fuel tank RH behind cab.	\$0	0#
7930152	Location: 150 gal split tank RH behind cab.	\$0	0#
7930177	Location: 177 gal fuel tank RH behind cab.	\$0	0#
7940000	Delete standard fuel tank location.	\$0	0#
7940040	Location: 40 gal fuel tank LH behind cab.	\$0	0#
7940045	Location: 45 Gal Fuel Tank LH Behind Cab.	\$0	0#
7940056	Location: 56 gal fuel tank LH behind cab.	\$0	0#
7940060	Location: 60 gal fuel tank LH behind cab.	\$0	0#



## T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Tank Location			
7940075	Location: 75 gal fuel tank LH behind cab.	\$0	0#
7940090	Location: 90 gal fuel tank LH behind cab.	\$0	0#
7940100	Location: 100 gal fuel tank LH behind cab.	\$0	0#
7940101	Location: 100 gal split tank LH behind cab.	\$0	0#
7940105	Location: 105 gal fuel tank LH behind cab.	\$0	0#
7940110	Location: 110 gal fuel tank LH behind cab.	\$0	0#
7940120	Location: 120 gal fuel tank LH behind cab.	\$0	0#
7940121	Location: 120 gal split tank LH behind cab.	\$0	0#
7940135	Location: 135 gal fuel tank LH behind cab.	\$0	0#
7940150	Location: 150 gal fuel tank LH behind cab.	\$0	0#
7940152	Location: 150 gal split tank LH behind cab.	\$0	0#
7940177	Location: 177 gal fuel tank LH behind cab.	\$0	0#
7950045	Location: 45 gal fuel tank RH behind cab in rear-most position.	\$0	0#
7950056	Location: 56 gal fuel tank RH behind cab in rear-most position.	\$0	0#
7950060	Location: 60 gal fuel tank RH behind cab in rear-most position.	\$0	0#
7950075	Location: 75 gal fuel tank RH behind cab in rear-most position.	\$0	0#
7950090	Location: 90 gal fuel tank RH behind cab in rear-most position.	\$0	0#
7950100	Location: 100 gal fuel tank RH behind cab in rear-most position.	\$0	0#
7950105	Location: 105 gal fuel tank RH behind cab in rear-most position.	\$0	0#
7950110	Location: 110 gal fuel tank RH behind cab in rear-most position.	\$0	0#
7950120	Location: 120 gal fuel tank RH behind cab in rear-most position.	\$0	0#
7950135	Location: 135 gal fuel tank RH behind cab in rear-most position.	\$0	0#
7950150	Location: 150 gal fuel tank RH behind cab in rear-most position.	\$0	0#
7960045	Location: 45 gal fuel tank LH behind cab in rear-most position.	\$0	0#
7960050	Location: 50 gal fuel tank LH behind cab in rear-most position.	\$0	0#
7960056	Location: 56 gal fuel tank LH behind cab in rear-most position.	\$0	0#





## T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Tank Location			
7960060	Location: 60 gal fuel tank LH behind cab in rear-most position.	\$0	0#
7960070	Location: 70 gal fuel tank LH behind cab in rear-most position.	\$0	0#
7960075	Location: 75 gal fuel tank LH behind cab in rear-most position.	\$0	0#
7960090	Location: 90 gal fuel tank LH behind cab in rear-most position.	\$0	0#
7960100	Location: 100 gal fuel tank LH behind cab in rear-most position.	\$0	0#
7960105	Location: 105 gal fuel tank LH behind cab in rear-most position.	\$0	0#
7960110	Location: 110 gal fuel tank LH behind cab in rear-most position.	\$0	0#
7960120	Location: 120 gal fuel tank LH behind cab in rear-most position.	\$0	0#
7960135	Location: 135 gal fuel tank LH behind cab in rear-most position.	\$0	0#
7960150	Location: 150 gal fuel tank LH behind cab in rear-most position.	\$0	0#
7971001	Location 1 RH Fuel Tank BOC Moved Back.	\$0	0#
7971002	Location 1 LH Fuel Tank BOC Moved Back.	\$0	0#

## DEF Tanks & Equipment

### Tanks

7722061	Small Round DEF Tank. 11 Gallons of useable volume. Euro 4/5 engines only.	\$1,159	0#
7722062	Medium Round DEF Tank. 20.7 Gallons of useable volume. Euro 4 or 5 engines only.	\$1,358	33#
7722064	Large Round DEF Tank. 31.1 Gallons of useable volume. Euro 4 or 5 engines only.	\$1,552	40#
7722151	DEF Tank Clear BOC (CBOC), 7.3 Gallons. Requires LH under cab fuel tank. The tank will be located inboard of the LH under cab fuel tank. There is no frame space required to locate this tank. Not for use on sleeper chassis. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204. For use with 2.1m models only.	\$781	-19#
7722153	Small Round DEF Tank, 14 Gallons. The DEF tank will be located on the side you specified. If you have specific configuration or body builder concerns, please utilize the Custom Frame Layout option. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	STD	0#
7722154	Medium Round DEF Tank, 23.8 Gallons. The DEF tank will be located on the side you specified. If you have specific configuration or body builder concerns, please utilize the Custom Frame Layout option. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	\$261	15#
7722155	Large Round DEF Tank, 30 Gallons. The DEF tank will be located on the side you specified. If you have specific configuration or body builder concerns, please utilize the Custom Frame Layout option. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	\$470	22#



## T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
<b>DEF Tanks &amp; Equipment</b>			
<b>Tanks</b>			
7722156	Medium Aerodynamic Round DEF Tank, 21 Gallons. The tank will be located just rearward of the under cab component on the side you specified. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	\$305	31#
<b>DEF Tank Miscellaneous</b>			
7840038	Polished Cover for 1 DEF Tank Any Size.	\$356	3#
7889098	Polished Straps for 1 DEF Tank Any Size.	\$102	0#
7889203	DEF to Fuel Fill Ratio 2:1 or Greater.	\$0	0#
7889204	DEF to Fuel Fill Ratio Between 1:1 and 2:1.	\$0	0#
7889206	Minimum Required DEF to Fuel Fill Ratio.	\$0	0#
7889208	DEF to fuel fill ratio between 1.25:1 and 2:1.	\$0	0#
7889220	DEF Tank Steps	\$1,026	27#
<b>DEF Tank Location</b>			
7889603	DEF Tank Location is RH.	\$0	0#
7889604	DEF Tank Location is LH.	\$0	0#
<b>Tank Miscellaneous</b>			
7210000	Delete Standard Base Model Aluminum Fuel Tank. Hardware and plumbing are also deleted.	(\$1,020)	-114#
7861010	CNG Prep Kit. Includes Pre-Wire Harness and regulator coolant loop.	\$879	5#



## T880: CAB EXTERIOR

Option	Description	Price	Weight
<b>Cabs</b>			
8025301	Cab: Stamped Aluminum Cab with Panoramic Curved glass windshield. Standard with stamped aluminum doors, heavy duty in-swinging hinges, and triple sealed doors. Manufactured using self-piercing rivets and structural adhesive. Includes LED exterior marker lights and turn signals.	STD	0#
<b>Sleepers</b>			
8054498	Sleeper: 52 in. Flat Roof	\$13,851	629#
8071640	Sleeper: 40 in. Integral Low Roof With Locking Tool Doors	\$10,808	582#
8071652	Sleeper: 52 in. Integral Mid-Roof Aerodyne With Locking Tool Doors	\$13,910	679#
8071656	Sleeper: 76 in. Integral Mid-Roof Aerodyne With LH and RH Windows, Locking Tool Doors	\$18,912	1,050#
8071676	Sleeper: 76 in. Integral High-Roof Aerodyne With LH and RH Windows, Locking Tool Doors	\$19,727	1,198#
<b>Windows</b>			
<b>Rear Cab</b>			
8871446	Rear Cab Stationary Window 19in x 36in	STD	0#
8871447	Rear Cab Stationary Window with Dark Tint 19in x 36in.	\$55	0#
8871448	Rear Cab Stationary Shatterproof Window 19in x 36in. Polycarbonate plastic window replacing standard glass window.	\$576	-6#
8871449	Rear Cab Stationary Shatterproof Window 19in x 36in with dark tint. Polycarbonate plastic window replacing standard glass window.	\$587	-6#
8873797	Rear Cab Sliding Window 19 in x 36 in	\$432	0#
8873798	Rear Cab Sliding Window with Dark Tint 19in x 36in	\$402	0#
8879922	Solid Rear Wall. Deletes Rear Cab Window.	\$0	-8#
<b>Corner &amp; Rear Cab</b>			
8879917	Two Additional Outboard Windows 19in x 12in	\$469	10#
8879918	Two Additional Outboard Windows with Dark Tint 19in x 12in	\$482	10#
8879921	Two Additional Outboard Shatterproof Windows 19in x 12in. Polycarbonate plastic windows replacing standard glass windows.	\$595	2#
8879923	Two Additional Outboard Shatterproof Windows 19in x 12in. with dark tint. Polycarbonate plastic windows replacing standard glass windows.	\$626	2#
<b>Rear Sleeper</b>			
8873730	Rear Sleeper Sliding Window with Dark Tint and 19in.X36in. curtains.	\$722	10#
8873751	Rear Sleeper Stationary Window with Dark Tint and 19in.X36in. curtains.	\$492	22#



## T880: CAB EXTERIOR

Option	Description	Price	Weight
<b>Windows</b>			
<b>Rear Sleeper</b>			
8873752	Rear Sleeper Stationary Window 19in x 36in With Curtain	\$456	4#
8873753	Rear Sleeper Sliding Window 19in x 36in With Curtain	\$692	4#
8873754	Two Additional Outboard Windows 19in x 12in With Curtains. 40in Sleeper Only	\$512	11#
8873755	Two Additional Outbd Windows Dark Tint 19in x12in With Curtains. 40in Sleeper Only	\$493	11#
<b>Hoods, Fenders &amp; Grilles</b>			
<b>Hoods, Fenders &amp; Grilles</b>			
8090139	Hood: T880 Set-Fwd Short Length W/Mech. Fastened Fenders	\$0	0#
8090604	Hood: T880 Standard Length With Mechanically Fastened Fenders. 122.6 inch BBC.	\$350	15#
8090605	Hood: T880 Short Length MX-Optimized W/Mechan. Fastened Fenders. 116.7 inch BBC.	STD	0#
8890300	Fender Close-Out: Below Headlamp, Behind bumper. *NOT available with 3-piece bumper.	\$214	0#
8890348	Wheelwell Fender Extension: 4.5 inches	\$45	1#
8890349	Wheelwell Fender Extension: 2.5 Inches	STD	0#
8890359	Delete Wheelwell Fender Extension	(\$291)	-4#
<b>Grilles Only</b>			
8098421	Radiator Mounted Grille for use with W9S or C500 or T880 or T800 standard width sloped hood with 1430 or 1520 Radiator. This code is not applicable to sheet metal hoods. For C500 with 1780 Radiator or T800 FEPTO models, see 8098424.	\$2,383	29#
<b>Other</b>			
8098212	Bright Engine Air Intake Chrome Trimmed Engine Air Intake on Both Sides of Hood	\$109	0#
<b>Cab &amp; Sleeper Aerodynamic Devices</b>			
<b>Airshield Roof Fairing</b>			
8823011	Aerodynamic Roof Fairing for Daycab. Optimized for tractor-trailer combinations, includes integral marker lights. Fairing is factory painted and assembled in collapsed position for delivery.	\$4,014	88#
8823012	Roof Fairing for 52 in. Regional Sleeper. Includes ship loose 7 inch rubber extender. Provides optimal aerodynamics for tractor trailer combinations. Requires sleeper side extenders.	\$3,330	145#
<b>Other</b>			
8829616	Side Extenders: Daycab. Extends 19 inches from Back-of-cab. Panels extend 12 inches, and rubber trailing edge extends 7 inches.	\$969	0#



## T880: CAB EXTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

### Cab & Sleeper Aerodynamic Devices

#### Other

8829617	Side Extenders: 76 inch High-Roof Sleeper. 5-piece set extends 19 inches from back-of-sleeper and includes 7 inch rubber trailing edge. Extender set includes lower (sleeper), upper (sleeper roof), and top (sleeper roof top) extenders.	\$1,580	28#
8829618	Side Extenders: Mid Roof Sleeper. 4-piece set extends 19 inches from back-of-sleeper and includes 7 inch rubber trailing edge. Extender set includes lower sleeper and upper sleeper roof extenders.	\$1,249	16#
8829624	Side Extenders: 40 in. Low Roof/ 52 in. Flat Top Sleeper. Extends 19 inches from back-of-sleeper and includes 7 inch rubber trailing edge. Extender set includes lower sleeper extenders only.	\$682	15#

### Cab Structure Miscellaneous

8080301	Twin Steer Package - T880S SFFA: Includes Fenders, Raised Cab and Hood, and Set-Forward Front Axle. Requires Set-Forward Short Hood 8090139. Package includes metal fenders for second steer axle. Top surface of fender includes traction surface for driver ingress and egress. Includes wiring for C/I Turn Signals for mounting on fenders sides. Overall width across fenders is 101.1". Rubber Wheelwell Fender Extensions (2.5" or 4.5") are required. Cab raised position 3" (76mm) is required to accommodate tire and fender clearance for second steer axle (no option delete). No under cab Rocker Panel mounted components are allowed. Requires Dual Front Springs 2869043 and Exterior Grab Handles 8800372/8800272 (SOC) & 6410040/6410041 (BOC). Battery Box Steps, Tool Box Steps, Fuel Tank Steps or Fender Mounted Ladder Steps are required for Cab Access (Battery Box, Tool Box and Fuel Tank Steps need to be within 6" of Fender).	\$16,213	0#
8080302	Twin Steer Package - T880 Set-Back W/ 86" Axle Spacing: Includes metal fenders for second steer axle. Includes LH/RH ingress and egress steps between the two steer axles, steps are included on optional RH battery box between axles (6404303). Overall width across metal fenders is 101.1". Rubber Wheelwell Fender Extensions (2.5" or 4.5") are required. Requires Dual Front Springs 2869045, Triple Power Steering Gears 2895113 and Exterior Grab Handles 8800372/8800272 (SOC).	\$6,971	0#
8890876	Kenworth Cab/Sleeper Air Suspension.	STD	0#
8890939	LH Loadlock Holder Brackets. Mounted on Back of cab or sleeper.	\$264	11#
8890940	RH Loadlock Holder Brackets. Mounted on Back of cab or sleeper.	\$236	11#
8891022	Roof: Flat Roof Day Cab	\$752	0#

#### Stainless Steel Miscellaneous

8700406	Stainless Steel Permit Panel on Cab, Driver Side only	\$108	0#
8882400	Polished Vent Door Replacing Painted Vent Door.	\$85	0#

#### Emergency Exit Doors

8080906	RH Upper Sleeper Emergency Exit Door With Vent, LH side with vent (no door).	\$0	0#
8080918	LH & RH Upper Sleeper Emergency Exit Doors With Vents.	\$600	24#
8080933	Delete Upper Sleeper Emergency Exit Doors. LH & RH sides with vents only.	(\$118)	-24#
8080941	RH Upper Sleeper Emergency Exit Door With Sliding window. LH side with vent, no door.	\$286	4#



## T880: CAB EXTERIOR

Option	Description	Price	Weight
<b>Cab Structure Miscellaneous</b>			
<b>Emergency Exit Doors</b>			
8080942	Sleeper Door, LH/RH W/ Sliding Window.	\$1,026	19#
8080943	Sleeper Door W/ Sliding Window, RH Side. Sleeper door w/o window, LH side.	\$741	8#
<b>Other</b>			
8891013	Extreme Temperature Insulation: Daycab Additional cab side wall insulation with improved material properties over standard insulation package.	\$159	0#
8891014	Extreme Temperature Insulation: 52 Inch Sleeper Additional cab and sleeper side wall insulation with improved material properties over standard insulation package.	\$385	0#
8891015	Extreme Temperature Insulation: 76 inch Sleeper Additional Cab and Sleeper Side Wall Insulation With Improved Material Properties Over Standard Insulation Package.	\$494	1#
8891021	Extreme Temperature Insulation: 40 inch Sleeper . Additional cab and sleeper insulation with improved material properties over standard insulation package.	\$305	1#
<b>Cab Access</b>			
8800260	Long Grabhandle RH Side Mounted to Side-of-Cab exhaust.	\$67	2#
8800262	Long Grabhandle LH Side Mounted to Side-of-Cab exhaust.	\$67	2#
8800272	Grabhandle: RH, Exterior, Side of Cab - Ergonomic Grab Handle Mounted To The Right Hand Exterior Of The Cab For Entry and Exit.	\$149	3#
8800372	Grabhandle: LH, Exterior, Side of Cab - Ergonomic Grab Handle Mounted To The Left Hand Exterior Of The Cab For Entry and Exit.	\$150	3#
8800380	Grabhandle: LH & RH SOC Non-Slip Ergonomic Grab Handles Mounted To The Left Hand and Right Hand Exterior Of The Cab For Entry and Exit. NFPA Compliant.	\$326	6#
8800382	Grabhandle: LH SOC Non-Slip Ergonomic Grab Handle Mounted To The Left Hand Exterior Of The Cab For Entry and Exit. NFPA Compliant.	\$163	3#
8800402	Dual Cab Interior Grabhandles: A Pillar Mounted Dash Wrap and B Pillar Mounted Grabhandles	STD	0#
8800403	Dual Cab Interior Grabhandles: Yellow, A Pillar Mtd Dash Wrap and B Pillar Mounted Grabhandles	\$60	0#
8805023	Cab Access - Twin Steer: LH Side via Fender Mounted Ladder Steps.	\$351	0#
8805024	Cab Access - Twin Steer: RH Side via Fender Mounted Ladder Steps.	\$351	0#
<b>Horns</b>			
8845101	Delete Standard Air Horn.	(\$57)	0#
<b>Air Horns</b>			
8841411	Single Air Horn Under Cab.	STD	0#



## T880: CAB EXTERIOR

Option	Description	Price	Weight
<b>Horns</b>			
<b>Air Horns</b>			
8841618	Dual Rectangular Air Horn 23 in. LH & RH Top of roof. Includes air horn covers.	\$249	4#
8841628	Quad Rectangular Air Horn 23/26 in. LH/RH Top of roof. Includes air horn covers.	\$523	11#
8841641	Air Horn: Sing Round 26" LH Roof Incl Air Horn Cover	\$91	0#
8841642	Air Horn: Dual Round 26" LH/RH Roof Incl Air Horn Cover	\$228	0#
<b>Mirrors &amp; Equipment</b>			
8850822	Mirror: LH Hood Mounted, Round Convex, Chrome Heated	\$240	12#
8850823	Mirror: RH Hood Mounted, Round Convex, Chrome Heated	\$240	12#
8850825	Mirror: RH Hood Mounted, Rectangle 8x6, Chrome Heated	\$249	4#
8850826	Mirror: LH Hood Mounted, Rectangle 8x6, Chrome Heated	\$249	4#
8850828	Mirror: RH Hood Mounted, Rectangle 8x6, Chrome	\$157	4#
8850829	Mirror: LH Hood Mounted, Rectangle 8x6, Chrome	\$157	4#
8850831	Mirror: RH Hood Mounted, Dual View, Round CX Chrome	\$172	4#
8850832	Mirror: LH Hood Mounted, Dual View, Round Chrome	\$176	4#
<b>Dual Rear View Mirrors</b>			
8865002	Aero Mirror: Dual Kenworth Aerodynamic Motorized heated mirrors, 7in X 13in with cab color mirror shell and black mirror arms. Also includes LH/RH heated 6in X 7in convex mirrors. Mirror brackets set for 8-1/2 ft load width. Mirror controls located on driver side door pad.	STD	0#
8865003	Aero Mirror: Dual Kenworth Chrome Aero. Motorized Heated Mirrors, 7in X 13in With Chrome Mirror Shell and Black Mirror Arms. Also Includes LH/RH Heated 6in X 7in Convex Mirrors. Mirror Brackets Set For 8-1/2 ft Load Width. Mirror Controls Located On Driver Side Door Pad.	\$358	0#
<b>Diminishing Convex Mirror</b>			
<b>Rider Side</b>			
8850139	Look-Down, Pass. Door, Black 11x6	STD	0#
8850144	Delete Pass. Door Look-Down Mirror	\$0	-2#
<b>Hood Mounted</b>			
8850812	Mirror: LH Hood Mounted, Round Convex, Chrome	\$146	4#
8850813	Mirror: RH Hood Mounted, Round Convex, Chrome	\$151	4#



## T880: CAB EXTERIOR

Option	Description	Price	Weight
<b>Window Equipment</b>			
<b>Windshield &amp; Equipment</b>			
8890101	One-Piece Bonded-In Windshield With Curved Glass. Standard.	STD	0#
<b>Exterior Sunvisors</b>			
8890135	Exterior Stainless Steel Sunvisor.	\$921	19#
8890150	Sunvisor: Exterior Stainless Steel w/ Integral Marker Lights for 2.1M Mid Roof Sleepers Only.	\$1,442	16#
<b>Doors &amp; Equipment</b>			
<b>Doors</b>			
8832113	Kenworth Daylite Door With Standard LH/RH electric door locks and LH/RH electric window controls.	STD	0#
<b>Door Lock Options</b>			
8203056	Unspecified Tumbler P/N. All Chassis Keyed Alike Includes ignition, cab doors & if applicable, sleeper tool box door. 2.1m models, requires 2+ chassis. G key will not work on new P lock and ignition.	\$123	0#
8203060	5 Sets of Keys. Replaces Standard 2 Sets of Keys.	\$32	0#
8203191	Customer Specified Tumbler P/N. All Chassis keyed alike if applicable. Includes ignition, cab doors & if applicable, sleeper tool box door. 2.1m models. G key will not work on new P lock and ignition.	\$449	0#
<b>Other</b>			
8700188	Remote Keyless Entry	\$418	0#
8700283	LH and RH Trip Ledge Rain Deflectors	STD	0#





## T880: CAB INTERIOR

Option	Description	Price	Weight
Cabs & Sleepers			
<b>Interior</b>			
8330102	Interior Package: Vantage Daycab Includes durable headliner and vinyl sidewalls with geometric patterned trim and anodized aluminum accents throughout. Convenient overhead storage cubbies, full size glove box, two center console cupholders, and large door pad map pocket. Standard LH/RH power windows, electric door locks, interior LED lighting, nighttime-friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Includes two standard 12V power outlets. Driver sunvisor includes strap.	STD	0#
8330105	Interior Package: Diamond VIT Daycab Includes diamond design trim with premium wood grain accent trim, a durable headline, and anodized aluminum accents throughout. Standard with the Kenworth NavPlus HD system on 2010 and later engines. Convenient overhead storage cubbies, full size glove box, two center console cupholders, and large door pad map pocket. Standard LH and RH power windows, electric door locks, interior LED lighting, nighttime friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Includes two standard 12V power outlets. Driver sunvisor includes vanity mirror and strap, passenger sunvisor includes strap.	\$3,880	0#
8330112	Interior Package: Vantage Daycab Flat Roof Includes durable headliner and vinyl sidewalls with geometric patterned trim and anodized aluminum accents throughout. Full size glove box, two center console cupholders, and large door pad map pocket. Standard LH/RH power windows, electric door locks, interior LED lighting, nighttime-friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Includes two standard 12V power outlets.	\$3,200	0#
8330113	Interior Package: Diamond VIT Daycab Flat Roof Includes diamond design trim with premium wood grain accent trim and anodized aluminum accents throughout. Standard with the Kenworth NavPlus HD system on 2010 and later engines. Full size glove box, two center console cupholders, and large door pad map pocket. Standard LH and RH power windows, electric door locks, interior LED lighting, nighttime friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Includes two standard 12V power outlets.	\$3,600	0#
8330140	Vantage 40 in. Sleeper Cab includes durable vinyl headliner and sidewalls with geometric patterned trim and anodized aluminum accents throughout. Convenient overhead storage cubbies, full size glove box, two center console cup holders and large door pad map pocket. Standard LH and RH power windows, electric door locks, interior LED lighting, nighttime-friendly red ambient lighting for dash and foot well, door mounted courtesy light and two dash 12V power outlet. Driver sun visor includes strap. Sleeper interior includes two overhead storage bins, two large record holders, one magazine rack, cell phone cubby, three large coat hooks and two 12V plugs. 12V ports and USB plug in the sleeper are battery powered.	\$3,077	0#
8330141	Diamond VIT 40in Sleeper Cab includes diamond design trim with premium wood grain accent trim and anodized aluminum accents throughout. Standard with the Kenworth NavPlus HD on 2010 and later engines with full size glove box, two center console cup holders and large door map pocket. Standard LH and RH power windows, electric door locks, interior LED lighting, nighttime friendly red ambient lighting for dash and foot well, door mounted courtesy lights. Driver sun visor includes vanity mirror and strap, passenger sun visor includes strap. Four standard 12V power outlets, two in dash and two in sleeper. Sleeper interior includes two overhead storage bins, two large record holders, one magazine rack, cell phone cubby, three large coat hooks and two 12V plugs. 12V ports and USB plug in the sleeper are battery powered.	\$5,869	2#
8330152	Interior Package: Vantage Cab and 52in Regional Sleeper. Includes durable headliner and vinyl sidewalls with geometric patterned trim and anodized aluminum accents throughout. Large overdoor storage bins with doors, full size glove box, two center console cupholders, large door pad map pocket, and two coat hooks. Standard LH/RH power windows, electric door locks, interior LED lighting, nighttime-friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Single liftable premium pocket coil lower bunk, 32in. standard, 38in. optional, with optional foam upper bunk or backwall storage. Under bunk storage space provides inside access to toolbox area as well as dry storage. Driver sunvisor includes strap.	\$3,900	0#



## T880: CAB INTERIOR

Option	Description	Price	Weight
Cabs & Sleepers			
<b>Interior</b>			
8330154	Interior Package: Diamond VIT Cab and 52in Regional Sleeper. Includes diamond design trim with premium wood grain accent trim, a durable headline, and anodized aluminum accents throughout. Standard with the Kenworth NavPlus HD system on 2010 and later engines and sleeper backwall storage system. Large overdoor storage bins with doors, full size glove box, two center console cupholders, large door pad map pocket, and two coat hooks. Standard LH and RH power windows, electric door locks, interior LED lighting, nighttime friendly red ambient lighting for dash and footwell, door mounted courtesy light. Single liftable premium pocket coil lower bunk, 32in. standard, 38in. optional, with optional foam upper bunk. Under bunk storage space provides inside access to toolbox area as well as dry storage. Driver sunvisor includes strap.	\$9,078	58#
8330176	Interior Package: Vantage Cab 76in Sleeper Includes durable headliner and vinyl sidewalls with geometric patterned trim and anodized aluminum accents throughout. Large overdoor storage bins with doors, overhead storage cubbies, full size glove box, two center console cupholders, and large door pad map pocket. Standard LH and RH power windows, electric door locks, interior LED lighting, nighttime friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Includes single 42in. liftable premium pocket coil lower bunk. Also includes four standard 12V power outlets throughout the cab and sleeper. Driver sunvisor includes strap.	\$5,855	30#
8330178	Interior Package: Diamond VIT Cab 76in Sleeper Includes diamond design trim with premium wood grain accent trim, a durable headline, and anodized aluminum accents throughout. Standard with Kenworth NavPlus HD on 2010 and later engines. Large overdoor storage bins with doors, overhead storage cubbies, full size glove box, two center console cupholders, and large door pad map pocket. Standard LH and RH power windows, electric door locks, interior LED lighting, nighttime friendly red ambient lighting for dash and cab footwell, and door mounted courtesy light. Includes single 42in. liftable premium pocket coil lower bunk. Also includes four standard 12V power outlets throughout the cab and sleeper. Driver sunvisor includes vanity mirror and strap, passenger sunvisor includes strap.	\$9,528	0#
8330200	Interior Package: Vantage Cab and 52in Flat Roof Sleeper. Includes durable headliner and vinyl sidewalls with geometric patterned trim and anodized aluminum accents throughout. Large overdoor storage bins with doors, full size glove box, two center console cupholders, large door pad map pocket, and two coat hooks. Standard LH/RH power windows, electric door locks, interior LED lighting, nighttime-friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Single liftable premium pocket coil lower bunk, 32in. standard. Under bunk storage space provides inside access to toolbox area as well as dry storage. Driver sunvisor includes strap.	\$3,606	0#
8330201	Interior Package: Diamond VIT Cab and 52in Flat Roof Sleeper. Includes diamond design trim with premium wood grain accent trim, a durable headline, and anodized aluminum accents throughout. Standard with the Kenworth NavPlus HD system on 2010 and later engines and sleeper backwall storage system. Large overdoor storage bins with doors, full size glove box, two center console cupholders, large door pad map pocket, and two coat hooks. Standard LH and RH power windows, electric door locks, interior LED lighting, nighttime friendly red ambient lighting for dash and footwell, door mounted courtesy light. Single liftable premium pocket coil lower bunk, 32in. standard, 38in. optional. Under bunk storage space provides inside access to toolbox area as well as dry storage. Driver sunvisor includes strap.	\$8,831	58#
8570007	Delete Backwall Storage System from 52in Regional Sleeper with VIT Interior.	\$0	-58#
<b>Interior Color</b>			
8300008	Interior Color: Slate Gray	STD	0#
8300010	Interior Color: Tan	\$0	0#



## T880: CAB INTERIOR

Option	Description	Price	Weight
<b>Heaters &amp; Air Conditioning</b>			
8108011	Cab HVAC - Day Cab and 40 in. Sleeper System With Defrost, A/C, and 48,000 BTU/hr Heater. Includes automatic temperature control with one touch defrost operation and dash mounted cab temperature and solar intensity sensors. Pleated fresh air filter and cabin recirculation air filter standard. The Kenworth HVAC system is designed to provide optimal heating and cooling in all operating environments without need for additional insulation. Cab HVAC without sleeper heater AC is available with 40in sleeper.	STD	0#
8178213	Cab/Sleeper HVAC System. Cab HVAC includes defrost, A/C, and 48,000 BTU/hr heater. Includes automatic temperature control with one touch defrost operation and dash mounted cab temperature and solar intensity sensors. Pleated fresh air filter for cab system & recirculation filters for cab/sleeper cabin air are standard. Sleeper HVAC includes A/C and 40,000 BTU/hr heater. The Kenworth HVAC system is designed to provide optimal heating and cooling in all operating environments without the need for additional insulation.	\$0	0#
8178351	Kenworth Idle Management System. Includes a battery-powered auxiliary sleeper air conditioning system, additional battery box with 4 additional deep cycle Odyssey batteries, enhanced in-wall insulation and insulated sleeper walk through curtain package, enhanced battery monitoring, sleeper control with system battery status and temperature and fan control. Required with this system is the Delco 40SI 300 Amp alternator, 1812450. For bunk heating, please include 8158011, Espar D2 heater.	\$14,529	555#
8178356	Engine Auto Start/Stop System	\$1,485	2#
8178358	Engine Auto Start/Stop System w/ Fuel Temperature Control. The engine will autostart when fuel reaches 0°F, sensing near the fuel filter, and will run for a pre-specified time in order to keep the engine and fuel warm.	\$1,512	2#
<b>Miscellaneous</b>			
8108002	Fine Particulate Filter for Cabin Air HVAC system. To provide extra filtration in high dust applications. Cabin airflow is reduced with this additional filter. *Cannot be used with code 8108003.	\$46	0#
8108003	Ember Filter For Cabin Air. Used to keep embers out of the HVAC filter element. Cannot be used with code 8108002.	\$52	2#
8158011	Espar Airtronic D2 Sleeper or Bunk Heater w/thermostat. Rated for 5,000 ft of elevation	\$1,379	14#
8158012	Insulated Fuel Lines for Espar Heater.	\$86	0#
8158014	Espar Airtronic D4 Sleeper or Bunk Heater W/Thermostat. Rated For 5,000 ft of Elevation.	\$2,088	14#
8178214	Sleeper HVAC Delete for Cab/ 52 inch Sleeper. Removes standard sleeper portion of the HVAC system.	(\$641)	0#
8190005	Coolant, Fuel, & Electrical Lines: For customer-installed APU. Located BOC/BOS on the frame. Also includes bracketry.	\$979	15#
8190209	Single Auxiliary Defroster Fan Mounted in Sleeper	\$156	0#
8190564	Air Conditioning Excise Tax: Canadian Registry	\$175	0#
<b>Heater Shut-Off Valves</b>			
8190138	Shutoff Valves to Isolate Primary Heater Remote mounted on frame under cab.	\$58	0#



## T880: CAB INTERIOR

Option	Description	Price	Weight
<b>Steering Wheels &amp; Equipment</b>			
8201013	Steering Wheel: 18 in. 4-Spoke.	(\$218)	0#
8201043	Kenworth Smartwheel: 18 in. Leather Wrapped With Integrated Radio and Cruise Controls.	\$94	2#
8201047	Kenworth Smartwheel: 18 in. Non-Leather With Integrated Radio and Cruise Controls.	STD	0#
8201051	Column Mtd Retarder Control, RH Side Use with Manual & Allison Transmissions Only.	\$0	0#
8201052	Column Mtd TMSN Control W/Retarder Cntrl, RH Side Use with Automated and Automated Manual Transmissions Only	STD	0#
8201053	Column Mtd Transmission Control W/O Retarder Control, RH Side. Use with Automated and Automated Manual Transmissions Only.	\$0	0#
8201207	Fixed Steering Column.	(\$51)	-4#
<b>Other</b>			
8201200	Adjustable Telescoping Tilt Steering Column.	STD	0#
<b>Instruments &amp; Controls</b>			
8240620	Canadian Instrument Package: KPH Speedometer replaces MPH.	\$0	0#
8282006	Odometer Units Locked to Match Speedometer Dial. Locks instrumentation to record the units of measure indicated by the primary scale. For instance, U.S. Domestic trucks would not be able to toggle from miles to kilometers on the trip odometer.	\$15	0#
8282007	Kenworth Driver Performance Center:5in Full Color high resolution Thin Film Transistor (TFT) active matrix display with advanced driver information including fuel economy performance, outside air temp, clock, odometer and trip, engine hour meter, ignition timer, engine RPM, general truck information, diagnostics, and gear display. All Highline functionality is accessed via the Kenworth MCS providing intuitive control at the drivers fingertips. Also includes Dark Cabin functionality. When activated, the only interior light that will function when a door is opened is the door courtesy lamp.	\$0	0#
8282013	Kenworth Instrumentation and Control Package With 9 standard easy-read gauges: includes speedometer, tachometer, fuel gauge, engine coolant temp, engine oil pressure, voltmeter, dual air pressure, air application pressure and DEF gauge. All accessory controls utilize electronically activated solenoids that include advanced vehicle protection interlocks.	\$152	0#
8282016	KW Instr. PKG With 8 STD Gauges, For Natural Gas No Def Gauge, Fuel Gauge Without ULSDF Text. ULSDF is Ultra Low Sulfur Diesel Fuel.	\$172	0#
8282027	Main Instrument Package: 15" Digital Display. Includes Speedometer, Tachometer, Primary Air Pressure, Secondary Air Pressure, Fuel Level #1, DEF Level, DPF Filter Status, Fuel Economy, Oil Pressure, Coolant Temp, OAT and Voltmeter, and Air Application.	STD	0#
8282028	Main Instrument Package: Gas Engine 15" Digital Display. Includes Speedometer, Tachometer, Primary Air Pressure, Secondary Air Pressure, Fuel Level, Oil Pressure, Coolant Temp, OAT and Voltmeter, and Air Application	\$0	0#
<b>Gauges</b>			
8220106	Gauge: Dash Mounted Air Filter Restriction Gauge.	\$158	0#



## T880: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
<b>Gauges</b>			
8220112	Virtual Gauge: NavPlus HD Air Filter Restriction Gauge.	\$116	0#
8221100	Gauge: 2 Air Suspension Pressure Gauges. For Use w/air suspension w/dual leveling valves.	\$303	0#
8221136	Gauge: Trailer Reservoir Air Pressure Gauge.	\$75	0#
8221137	Gauge: Trailer Air Application Gauge.	\$64	0#
8221138	Gauge: Air Suspension Pressure Gauge. For dual leveling valves, not dual read.	\$279	0#
8221139	Gauge: Additional Dash Mounted Air Pressure Gauge Includes piping to BOC/BOS.	\$44	0#
8221140	Gauge: Two Additional Dash Mounted Air Pressure gauges. Include piping to BOC/BOS.	\$130	0#
8221144	Gauge: Air Suspension Pressure Gauge.	\$143	0#
8221158	Virtual Gauge: NavPlus HD Air Suspension Pressure Gauge. For use with air suspension with dual leveling valves. Not Dual Read. An air suspension pressure monitoring gauge is available with request for an air suspension. This gauge is for use with dual leveling valves, air suspensions, or suspensions that have a single valve with request for optional dual leveling valves.	\$230	0#
8221159	Virtual Gauge: NavPlus HD Air Suspension Pressure Gauge. For use with a single leveling valve. An air suspension pressure monitoring gauge is available with request for an air suspension.	\$89	0#
8221160	Gauge: Engine Oil Temperature Gauge With Integral warning light. The NavPlus HD unit includes a virtual engine oil temperature gauge.	\$45	0#
8222115	Gauge: All Metric Gauges, Except Digital Display pressure gauges in psi.	\$0	0#
8222400	Gauge: DD Virtual Gauge - Air Suspension Pressure 1	\$92	0#
8222401	Gauge: DD Virtual Gauge - Air Suspension Pressure 2	\$92	0#
8222402	Gauge: DD Virtual Gauge - Trailer Reservoir	\$88	0#
8222403	Gauge: DD Virtual Gauge - Trailer Brake Application	\$67	0#
8222404	Gauge: DD Virtual Gauge - Oil Temp Engine	STD	0#
8222406	Gauge: DD Virtual Gauge - Ammeter	\$14	0#
8222407	Gauge: DD Virtual Gauge - Axle Temp Forward Rear Or Single Rear	\$114	0#
8222408	Gauge: DD Virtual Gauge - Axle Temp Rear Rear	\$109	0#
8222409	Gauge: DD Virtual Gauge - Air Filter Restriction	STD	0#
8222410	Increased Air Filter Full Indication For Air Filter Restriction Gauge	\$0	0#
8222411	Gauge: DD Virtual Gauge - Eng Pto Hour	\$40	0#



## T880: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
<b>Gauges</b>			
8222412	Gauge: DD Virtual Gauge - Main Transmission Temp	\$62	0#
8222413	Gauge: DD Virtual Gauge - Manifold Pressure Boost	STD	0#
8222414	Gauge: DD Virtual Gauge - Engine Percent Torque	STD	0#
8222415	Gauge: DD Virtual Gauge - Axle Temp Center Rear	\$109	0#
8222416	Gauge: DD Virtual Gauge - Aux Trans Temp	\$107	0#
8222417	Gauge: DD Virtual Gauge - Secondary Fuel	\$73	0#
8222712	Gauge: Fuel Filter Restriction Gauge.	\$139	0#
8222722	Gauge: Manifold Pressure Gauge. The NavPlus HD unit includes a virtual manifold pressure gauge.	\$31	0#
8222794	Hour Meter Mounted in Dash for PTO.	\$87	0#
8224401	Gauge: Ammeter Gauge in Addition to Voltmeter. W/integral warning light.	\$91	0#
8224403	Virtual Gauge: NavPlus HD Ammeter Gauge In addition to voltmeter	\$32	0#
8225626	Gauge: Axle Oil Temperature Gauge. Single Drive axle or forward rear axle w/integral warning light.	\$172	0#
8225629	Virtual Gauge: NavPlus HD Axle Oil Temperature Gauge. Use with single drive axle or forward rear axle. When requesting this option with tandem rear axles, you will receive a single gauge with the sensor located in forward axle. A single gauge may be advantageous when dash space limits gauge count.	\$123	0#
8225653	Virtual Gauge: NavPlus HD - Axle Oil Temperature Gauge for tridem rear axle. One gauge for each axle of the tridem, for a total of 3 gauges.	\$183	0#
8225656	Gauge: Axle Oil Temperature Gauge Tri-Drive Axle.	\$375	0#
8225658	Gauge: Axle Oil Temperature, Dual-Drive Axle. (2 gauges) w/integral warning light.	\$227	0#
8225661	Virtual Gauge: NavPlus HD - Axle Oil Temperature Gauge for tandem rear axle. One gauge for each axle of the tandem, for a total of 2 gauges	\$149	0#
8226617	Gauge: Oil temperature. Auxiliary transmission.	\$100	0#
8226667	Gauge: Oil Temperature Gauge Transmission. The NavPlus HD unit includes a virtual transmission oil temperature gauge.	\$62	0#
8282108	Modular Dash Options: RH Dash Storage Unit With two shelves. Reduces total gauge count; HD by 6 and MD by 4.	\$47	0#
8282110	Modular Dash Options: LH Dash Storage Unit With two shelves. Reduces total gauge count by 6.	\$46	0#



## T880: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
<b>Controls</b>			
8205038	Controls on Dash for Pintle Hook. Includes piping.	\$52	2#
8205067	Controls on Dash for Trailer Dump Gate. Includes piping & indicator light. * T680/T880 available with speed interlock (8208603)	\$71	0#
8205069	Dash Controls:Tailgate or Dump Gate, Includes Piping and Telltale	\$199	1#
8205076	Controls On Dash (Qty. 2) For Forward and Rear Trailer Dump Gates. For A Straight Truck. Includes Piping & Indicator Lights. Optional Speed Interlock Available With T680/T880. See Databook for Code.	\$154	0#
8205082	Controls on Dash for Trailer Air Suspension. Includes piping & indicator light. * Dash controls for trailer functions require that you add trailer connections to the order. * This trailer air suspension valve provides an air control. There is an option for trailer hotwire that provides an electric control wired to a dash switch. * Optional speed interlock available on T660/T680 models.	\$145	0#
8205089	Park Brake Interlock for Air Suspension Dump. (Truck/Tractor). Parking brake interlock option for air suspensions other than Hendrickson HAS or Primaax. Air suspension will not dump unless park brakes are engaged. Trailer suspension dump interlock is available	\$137	0#
8205192	Valve: Hand To Actuate Rear Service Brake Self Returning To Off Position. Dash Mounted.	\$455	3#
8205271	Dash Mounted - Compact Valve to Actuate Rear Service Brakes Non-Self-Returning.	\$396	0#
8205272	Dash Mounted - Compact Valve to Actuate Rear Service Brakes Self-Returning.	\$393	0#
8205273	Dash Mounted - Compact Valve to Actuate All Service Brakes Self-Returning.	\$383	0#
<b>PTO Related</b>			
8205087	Auto Suspension Dump W/PTO Engagement Interlock. This feature automatically dumps air from the truck suspension when any PTO is engaged. The intent of this feature is to deflate the air suspension air bags while the load is raised to help alleviate any imbalance or instability that can occur with the air bags inflated.	\$66	2#
8205096	Information for Customer-Installed PTO Muncie 8-BOLT	\$46	0#
8205103	Information for Customer-Installed PTO Chelsea 8-bolt.	\$46	0#
8205135	Information for Customer-Installed PTO Muncie 10-bolt.	\$0	0#
8205157	Park Brake Interlock for First PTO PTO will not engage without park brakes set. Not for use with PTOs with air controls (8205053,8205054,8205057)	\$151	0#
8205222	Park Brake Interlock for Second PTO * PTO No. 2 will not engage without park brakes set.	\$126	0#
8205227	Park Brake Interlock for PTO Air Controls * Controls will not charge with air unless park brakes are set.	\$126	0#
<b>PTO Controls</b>			
8205054	PTO Air Control: Floor Mounted LH of Driver seat for customer installed PTO. Park brake interlock to prevent PTO engagement unless brake is engaged. Available on T680 and T880.	\$573	2#





## T880: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
<b>PTO Related</b>			
<b>PTO Controls</b>			
8205057	PTO Air Control: Floor mounted LH of driver seat. For KW installed PTO. Park brake interlock to prevent PTO engagement unless brake is engaged. Available on T680 and T880.	\$543	2#
8205164	Dash Switch: 1st Single-Acting Eaton or PACCAR Mounted PTO. Electric switch, wiring, software, air solenoids, and plumbing are factory-installed to control the 1st Eaton (single-acting) trans PTO.	\$109	0#
8205165	Dash Switch: 2nd Single-Acting Eaton-mntd PTO. Electric switch, wiring, software, air solenoids, and plumbing are factory-installed to control the 2nd Eaton (single-acting) trans PTO.	\$108	0#
8205168	Dash Switch: 1st Double-Acting Eaton or PACCAR Mounted PTO. Electric switch, wiring, software, air solenoids, inversion dump valve, amd plumbing are factory-installed to control the 1st Eaton (double-acting) trans PTO.	\$306	0#
8205171	Dash Switch: 2nd Double-Acting Eaton-mntd PTO. Electric switch, wiring, software, air solenoids, inversion dump valve, amd plumbing are factory-installed to control the 2nd Eaton (double-acting) trans PTO.	\$134	0#
8205173	Dash Switch: 1st Reversible/dbl Eaton-mntd PTO. Electric switch, wiring, software, air solenoids, inversion dump valve, amd plumbing are factory-installed to control the 1st Eaton (reversible) trans PTO.	\$242	0#
8205177	Dash Switch: 1st Allison-Mounted PTO. Electric switch and wiring are factory-installed to control the 1st Allison Trans mounted PTO.	\$242	0#
8205181	Factory Installed Eaton Transmission PTO Controls for AT1202 auxiliary transmission mounted Chelsea 230/236/238/442/489/660/680/885 or Muncie CS/SH/TG6/8, 6 or 8-bolt PTO with single acting air actuation. Option includes one factory installed dash switch, one indicator light on dash and one air solenoid supplied under cab within chassis node.	\$227	0#
8205182	Customer Installed Eaton Transmission PTO controls for AT1202 auxiliary transmission mounted Chelsea 230/236/238/442/489/660/680/885 or Muncie CS/SH/TG6/8, 6 or 8-bolt PTO with single acting air actuation. Option includes dash and chassis harness prewire. Option does not include dash switches or air solenoids.	\$188	0#
8205183	Factory Installed Eaton Transmission PTO Controls for AT1202 auxiliary transmission mounted Chelsea 823/880 or Muncie 828 8-bolt PTO with double acting air actuation. Option includes one factory installed dash switch, one indicator light on dash, and air solenoid(s) supplied under cab within chassis node.	\$233	0#
8205184	Customer Installed Eaton Transmission PTO controls for AT1202 auxiliary transmission mounted Chelsea 823/880 or Muncie 828 8-bolt PTO with double acting air actuation. Option includes dash and chassis harness prewire. Option does not include dash switches or air solenoids.	\$194	0#
8205185	Factory Installed Eaton Transmission PTO Controls for AT1202 auxiliary transmission mounted Chelsea 340 reversible 6-bolt PTO with double acting air actuation. Option includes factory installed dash switch(s), one indicator light on dash, and air solenoid(s) supplied under cab within chassis node.	\$216	0#
8205186	Customer Installed Eaton Transmission PTO controls for AT1202 auxiliary transmission mounted Chelsea 340 reversible 6-bolt PTO with double acting air actuation. Option includes dash and chassis harness prewire. Option does not include dash switches or air solenoids.	\$194	0#
8205213	Split Shaft PTO Controls: Fabco PTO-180 Split Shaft PTO w/ ONE Switch to simultaneously control PTO Engagement and Rear Axle Disengagement	\$200	0#





## T880: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
<b>PTO Related</b>			
<b>PTO Controls</b>			
8205214	Split Shaft PTO Controls: Fabco PTO-180 Split Shaft PTO w/ TWO Switches to independently control PTO Engagement and Rear Axle Disengagement *Rear Axle Declutch will be interlocked with the Park Brake. (The Park Brake must be Engaged in order to Engage/Disengage the Rear Axle)	\$228	0#
8205215	Split Shaft PTO Controls: NAMCO 126, 136, 137, or M85 Split-Shaft PTO w/ ONE Switch to simultaneously control PTO Engagement and Rear Axle Disengagement.	\$200	0#
8205216	Split Shaft PTO Controls: NAMCO 174, 236, 237, 436, or 437 Split-Shaft PTO w/ ONE Switch to simultaneously control PTO Engagement and Rear Axle Disengagement.	\$353	0#
8205217	Split Shaft PTO Controls: NAMCO 174, 236, 237, 436, or 437 Split-Shaft PTO w/ TWO Switches to independently control PTO Engagement and Rear Axle Disengagement. *Rear Axle Declutch will be interlocked with the Park Brake. (The Park Brake must be Engaged in order to Engage/Disengage the Rear Axle)	\$233	0#
8205218	Split Shaft PTO Controls: NAMCO 201 2-Speed Split Split-Shaft PTO w/ ONE Switch to simultaneously control PTO Engagement and Rear Axle Disengagement	\$200	0#
8205219	Split Shaft PTO Controls: NAMCO 201 2-Speed Split Shaft PTO w/ TWO Switches to independently control PTO Engagement and Rear Axle Disengagement. *Rear Axle Declutch will be interlocked with the Park Brake. (The Park Brake must be Engaged in order to Engage/Disengage the Rear Axle)	\$233	0#
8205232	Switch - PTO Mode Control	\$92	0#
8205233	Switch - PTO Control Cab/Remote	\$92	0#
8205234	Switch - PTO Engine Speed Preset 1	\$92	0#
8205235	Switch - PTO Engine Speed Preset 1 and 2	\$92	0#
8205236	Switch - PTO Engine Speed Preset 1, 2 and 3	\$92	0#
8205237	Switch - PTO Engine Speed Preset +/-	\$92	0#
8205238	Split Shaft PTO Controls: Transmission Tail Shaft speed interlock for PTO Engagement/Disengagement. Option is for hardware protection of PTO auxiliary transmission.	\$0	0#
8205239	Split Shaft PTO Controls: Delete Transmission tail shaft speed interlock for PTO Engagement/Disengagement. Option is for hardware protection of PTO auxiliary transmission.	\$0	0#
<b>Dash Switches</b>			
8203110	Delete Fan Clutch Manual Override Switch in Cab.	\$0	0#
8203161	Fan to Operate When Park Brake Set.	\$23	0#
8203162	Switch To Operate Fan When Parking Brake Is Set & Air Conditioner Is On.	\$33	0#
8203184	Switch & Wiring: For Customer-Installed Cab Panel Lights.	\$101	1#

Option	Description	Price	Weight
<b>Instruments &amp; Controls</b>			
<b>Dash Switches</b>			
8203195	Dash Mounted Switch With Solenoid Block at Rear chassis suspension crossmember for customer-installed fifth wheel slide. Includes standard speed interlock that prevents activation above 7mph. Value is adjustable within ESA.	\$114	0#
8203196	Dash Mounted Compact Trailer Brake Valve. Self Returning.	\$0	0#
8203197	Dash Mounted Compact Trailer Brake Valve. Non-Self Returning.	\$60	0#
8205012	Off-Highway Dash Switch: For ABS System. Includes indicator light.	\$59	0#
8205158	Park Brake Interlock for First Spare Accessory Electric-Over-Air Switch. Prevents activation unless Park Brake is set.	\$149	0#
8205160	Dash SW: Bendix Work Brake Electric Over Air SW To Apply All Service Brakes	\$222	5#
8205221	Park Brake Interlock for Second Spare Accessory Electric-Over-Air Switch. Prevents activation unless Park Brake is set.	\$149	0#
8205228	One (1) Spare Accessory Electric-Over-Air Switch with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on, while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608.	\$114	0#
8205229	Two (2) Spare Accessory Electric-Over-Air Switches with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on, while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608.	\$199	0#
8205230	Three (3) Spare Accessory Electric-Over-Air Switches with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on, while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608.	\$276	0#
8205231	Four (4) Spare Accessory Electric-Over-Air Switches with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on, while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608.	\$353	0#
8205280	Dash Switch: Rock Free Mode for PCAR TX-18 Pro and Endurant XD Pro	\$39	0#
8208494	One Spare Switch: Wired to Power.	\$64	0#
8208495	Two Spare Switches: Wired to Power.	\$68	0#
8208496	Three Spare Switches: Wired to Power.	\$133	0#
8208497	Four Spare Switches: Wired to Power.	\$168	0#
8208498	Five Spare Switches: Wired to Power.	\$192	0#
8208524	Seven-Way Plug: Wired to Dash Switch. For Trailer floodlight. Includes indicator light. Center pin of standard 7-way connector (J560) will be wired to a switch for trailer floodlamps. Switch has an integral indicator lamp. Requires using a second ISO 3731.	\$37	0#



## T880: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
<b>Dash Switches</b>			
8208530	Seven-Way Plug: Wired to Dash Switch for Dumpgate Includes indicator light & guard. Center pin of standard 7-way connector (J560) will be wired to a switch for dumpgate (battery power). Includes a guard & integral indicator lamp.	\$48	0#
8208549	Seven-Way Plug: Wired to Dash Switch. For Trailer power. Includes indicator light. Center pin of standard 7-way connector (J560) will be wired to a switch for trailer hotline. Switch is wired to a battery circuit & has an integral indicator lamp.	\$41	0#
8208551	Seven-Way Plug: Wired to Dash Switch. For Trailer air suspension. Center pin of standard 7-way connector (J560) will be wired to a switch for trailer hotline. Switch has an integral indicator lamp & a guard.	\$41	0#
8208553	Seven-Way Plug: Wired Through Center Wire. For use w/overfill. Center pin of standard 7-way connector (J560) wired to a switch for overfill. Battery power for key off overfill operation. Switch includes integral indicator lamp. If ABS is required, must code for ABS through ISO 3731 connector.	\$40	0#
8208555	Switch: Trailer 3rd Axle Lift. Includes Indicator light. This option connects the center pin of the standard 7-way light line to switched battery power. This pin cannot be used for ABS. If ABS is required, must code for ABS through ISO 3731 connector.	\$41	0#
8208559	Controls on Dash for Forward and Rear Trailer Belly Dump Gates: Includes indicator light, guard & approx 3 meters of coiled wire BOC in LH rail. Use separate codes to add ISO 3731 spare circuit wiring & IDs, if desired.	\$248	0#
8208582	ISO 3731 Spare Circuit Switch 1 ID: For Trailer floodlight. Includes indicator light. Provides a switch connected to one spare circuit in the ISO 3731 connector labeled for trailer floodlights w/an integral indicator light.	\$37	0#
8208583	ISO 3731 Spare Circuit Switch 1 ID: For Dumpgate. Provides a switch connected to one spare circuit in the ISO 3731 connector labeled for dumpgate w/a guard & an integral indicator light. Requires either code 9140341 or 9140342.	\$67	0#
8208586	ISO 3731 Spare Circuit Switch 1 ID: For Trailer air suspension. Provides a switch connected to one spare circuit in the ISO 3731 connector labeled for trailer air suspension w/a guard & an integral indicator light.	\$47	0#
8208587	ISO 3731 Spare Circuit Switch 1 ID: For Trailer third axle lift. Provides a switch connected to one spare circuit in the ISO 3731 connector labeled for trailer third axle lift w/an integral indicator light. Requires either code 9140341 or 9140342.	\$58	0#
8208588	ISO 3731 Spare Circuit Switch 2 ID: For Trailer floodlight. Provides a switch connected to the second spare circuit in the ISO 3731 connector labeled for trailer floodlights w/an integral indicator light. Requires code 9140342.	\$37	0#
8208589	ISO 3731 Spare Circuit Switch 2 ID: For Dumpgate. Provides a switch connected to the second spare circuit in the ISO 3731 connector labeled for dumpgate w/a guard. Requires code 9140342.	\$60	0#
8208592	ISO 3731 Spare Circuit Switch 2 ID: For Trailer air suspension. Provides a switch connected to the second spare circuit in the ISO 3731 connector labeled for trailer air suspension w/a guard & an integral indicator light. Requires code 9140342.	\$47	0#
8208593	ISO 3731 Spare Circuit Switch 2 ID: For Trailer third axle lift. Provides a switch connected to the second spare circuit in the ISO 3731 connector labeled for third axle lift integral indicator light. Requires code 9140342.	\$52	0#



## T880: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
Dash Switches			
8208597	ISO 3731 Spare Circuit Switch 1 ID: For Trailer hotline. Includes indicator light & guard.	\$49	0#
8208598	ISO 3731 Spare Circuit Switch 2 ID: For Trailer hotline. Includes indicator light & guard.	\$49	0#
8208601	Switch: W/Light & Guard For Trailer Dump Gate. Includes Approximately 3 Meters of Coiled Wire BOC in LH Rail.	\$149	0#
8208602	Dash Switch: W/Light & Guard for Truck Dump Gate. Includes approximately 3 meters of coiled wire BOC in LH rail.	\$175	0#
8208605	Switch, Gauge, Regulator for One Trailer Lift Axle. Mounted on Dash. Includes Piping to End-of-Frame. Reduces gauge count by 7 (1-gauge, 6-regulator mounting panel)	\$221	0#
8208606	Switch, Gauge, Regulator for Two Trailer Lift Axles. Mounted on Dash. Includes Piping to End-of-Frame. Reduces gauge count by 7 (1-gauge, 6-regulator mounting panel)	\$376	0#
8208607	Switch Only: Dash MNT For One Trailer Lift Axle Includes Piping to End-of-Frame. *Gauge and regulator available with (8208605).	\$90	0#
8208608	Switch Only: Dash Mount For Two Trailer Lift Axles. Includes Piping to End-of-Frame. *Gauge and regulator available with (8208606).	\$123	0#
8208626	Lytx DriveCam SF300 System: Video Trigger Dash Switch	\$25	0#
8291002	Mute Backup Alarm W/ Buzzer in Cab.	\$195	0#
Turn Signals			
8700168	Non-Self Cancelling Turn Signal: W/Column-Mounted headlight dimmer switch & intermittent wiper control.	\$105	0#
8700196	Turn Signal: Self-Cancelling	\$273	0#
8700197	Turn Signal: Non-Self Cancelling	STD	0#
Other			
8201044	Predictive Cruise Control	\$1,078	0#
8201078	Enable Predictive Cruise Control Enables Predictive Cruise Control Functionality Which Provides Visual Feedback To The Driver	\$0	0#
8201083	Maximize Fuel Economy Function Enables the customer to specify their preference to bias Predictive Cruise Control behavior in favor of fuel economy.	\$0	0#
8203052	Remove Stop Position from Regeneration Switch. Available only with the following applications:0093000 - Linehaul; 0091090 - General Freight; 0095120 - Dry Van; 0096080 - Dry Van	\$0	0#
8205223	Park Brake Interlock for Trailer Air Suspension dump. Air suspension will not dump unless park brakes are engaged. Truck/tractor suspension dump interlock is available (8205089)	\$126	0#



## T880: CAB INTERIOR

Option	Description	Price	Weight
<b>Instruments &amp; Controls</b>			
<b>Other</b>			
8208603	Speed Interlock:Truck,Trailer EOA Dump Gates and Belly Dumps. Speed interlock prevents accidental activation if vehicle is traveling at speeds above 25 mph, configurable from 0-40 mph. Not for use with non-EoA dump gates (8208559,8208583,8208601)	\$213	0#
8209999	Spare Power Wiring For Customer Installed Devices Behind Dash Cluster. Includes 2 batt, 2 ign, 1 acc, 1 LVD at 20A each.	\$95	2#
8229005	Methane Detection System For Natural Gas Required For LNG Fueled Vehicles Optional For CNG Fueled Vehicles	\$1,706	2#
8282019	Large Flat Panel On Dash For 3 Gauges and C/I Qualcomm Bracket.	\$130	0#
8282020	Large Flat Panel On Dash For 2 Gauges and C/I Qualcomm Bracket.	\$130	0#
8282021	Large Flat Panel On Dash For 1 Gauges and C/I Qualcomm Bracket.	\$130	0#
8282107	Large Flat Panel on Rider Side Dash for customer-installed controls. Reduces gauge count by 6.	\$40	0#
8291011	Warning Light and Audible: Drivers Side Seatbelt A telltale and audible warning activates when vehicle speed > 10 mph and driver side seatbelt is not buckled.	\$75	0#
8702221	Tire Pressure Monitoring System Next Gen Requires 48990XX tire/wheel count code for sensors.	\$536	3#
8702224	Enable Inclement Driving Condition Interlock (IDCI). Wiper level 4 is the default for this system.	\$0	0#
8702225	Activate IDCI Wiper Speed 1	\$0	0#
8702226	Activate IDCI Wiper Speed 6	\$0	0#

## Seats

### Driver Seats

#### Driver Seat Other

8410196	Driver Seat: GT701 IB with DuraCloth material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$83	0#
8410197	Driver Seat: GT701 HB with DuraCloth material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$100	0#
8410199	Driver Seat: GT701 IB with Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	(\$62)	0#
8410200	Driver Seat: GT701 HB with Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	(\$40)	0#



## T880: CAB INTERIOR

Option	Description	Price	Weight
<b>Seats</b>			
<b>Driver Seats</b>			
<b>Driver Seat Other</b>			
8410205	Driver Seat: GT701 IB with DuraCloth w/ Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$38	0#
8410206	Driver Seat: GT701 HB with DuraCloth w/ Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	STD	0#
8410272	Driver Seat: GT702 HB with DuraCloth material. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$331	10#
8410273	Driver Seat: GT702 HB with DuraCloth material and integral heat. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$409	10#
8410276	Driver Seat: GT702 HB with Ultraleather material. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$498	10#
8410277	Driver Seat: GT702 HB with Ultraleather material and integral heat. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$558	10#
8410278	Driver Seat: GT702 HB with DuraCloth w/ Vinyl material. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$294	10#
8410279	Driver Seat: GT702 HB with DuraCloth w/ Vinyl material and integral heat. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$352	10#

Option	Description	Price	Weight
<b>Seats</b>			
<b>Driver Seats</b>			
<b>Driver Seat Other</b>			
8410351	Driver Seat: GT703 HB with DuraCloth material and integral heat. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. DR seat standard w/ dual armrests.	\$571	10#
8410353	Driver Seat: GT703 HB with Two-tone Leather material and integral heat. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$842	10#
8410354	Driver Seat: GT703 HB with Two-tone Leather material, integral heat and air-cooling. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$1,294	10#
8410355	Driver Seat: GT703 HB with Ultraleather material and integral heat. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$1,044	10#
8410356	Driver Seat: GT703 HB with Ultraleather material, integral heat and air-cooling. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$1,379	10#
8412810	Drive Air Seat: NFPA Compliant: HB Mordura Includes Dual Armrests and Occupant Sensor. A Third-Party Vehicle Data Recorder (VDR) Harness Must Be Installed Post-Factory.	\$205	0#
8412811	Driver Air Seat: NFPA Compliant: HB Vinyl Includes Dual Armrests and Occupant Sensor. A Third-Party Vehicle Data Recorder (VDR) Harness Must Be Installed Post-Factory.	\$167	0#
8418091	Driver Seat: Rolltek HB with Vinyl Material This seat incorporates a seatbelt tensioner and side airbags. Includes dual folding armrests and headrest logo.	\$4,359	42#
8418092	Driver Seat: Rolltek HB with DuraSupreme Material. This seat incorporates a seatbelt tensioner and side airbags. Includes dual folding armrests and headrest logo.	\$4,407	42#



Option	Description	Price	Weight
<b>Seats</b>			
<b>Rider Seats</b>			
<b>Rider Seat Other</b>			
8460196	Rider Seat: GT701 IB with DuraCloth material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. RD seat standard w/ LH armrest.	\$350	34#
8460197	Rider Seat: GT701 HB with DuraCloth material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. RD seat standard w/ LH armrest.	\$359	34#
8460199	Rider Seat: GT701 IB with Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. RD seat standard w/ LH armrest.	\$241	34#
8460200	Rider Seat: GT701 HB with Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. RD seat standard w/ LH armrest.	\$264	34#
8460205	Rider Seat: GT701 IB with DuraCloth w/ Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. RD seat standard w/ LH armrest.	\$445	34#
8460206	Rider Seat: GT701 HB with DuraCloth w/ Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. RD seat standard w/ LH armrest.	\$474	34#
8460272	Rider Seat: GT702 HB with DuraCloth material. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$600	44#
8460273	Rider Seat: GT702 HB with DuraCloth material and integral heat. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$659	44#
8460276	Rider Seat: GT702 HB with Ultraleather material. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$760	44#
8460277	Rider Seat: GT702 HB with Ultraleather material and integral heat. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$818	44#



Option	Description	Price	Weight
<b>Seats</b>			
<b>Rider Seats</b>			
<b>Rider Seat Other</b>			
8460278	Rider Seat: GT702 HB with DuraCloth w/ Vinyl material. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. RD seat standard w/ LH armrest.	\$567	44#
8460279	Rider Seat: GT702 HB with DuraCloth w/ Vinyl material and integral heat. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$625	44#
8460351	Rider Seat: GT703 HB with DuraCloth material and integral heat. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$841	44#
8460353	Rider Seat: GT703 HB with Two-tone Leather material and integral heat. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$1,272	44#
8460354	Rider Seat: GT703 HB with Two-tone Leather material, integral HEAT and air-COOLING. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$1,512	44#
8460355	Rider Seat: GT703 HB with Ultraleather material and integral heat. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$1,876	44#
8460356	Rider Seat: GT703 HB with Ultraleather material, integral heat and air-cooling. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$1,575	44#
8462801	Rider Air Seat: NFPA Compliant: HB Mordura Includes Dual Armrests and Occuapant Sensor. A Third-Party Vehicle Data Recorder (VDR) Harness Must Be Installed Post-Factory.	\$315	0#



## T880: CAB INTERIOR

Option	Description	Price	Weight
<b>Seats</b>			
<b>Rider Seats</b>			
<b>Rider Seat Other</b>			
8462802	Rider Air Seat: NFPA Compliant: HB Vinyl Includes Dual Armrests and Occuapant Sensor. A Third-Party Vehicle Data Recorder (VDR) Harness Must Be Installed Post-Factory.	\$289	0#
8462803	Rider Air Seat: NFPA Compliant: IB Mordura Includes Dual Armrests and Occuapant Sensor. A Third-Party Vehicle Data Recorder (VDR) Harness Must Be Installed Post-Factory.	\$182	0#
8462804	Rider Air Seat: NFPA Compliant: IB Vinyl Includes Dual Armrests and Occuapant Sensor. A Third-Party Vehicle Data Recorder (VDR) Harness Must Be Installed Post-Factory.	\$281	0#
8480065	Rider Seat: KW 2 Person Bench MB with Vinyl	\$869	22#
8480068	Rider Seat: KW 2 Person Bench MB with DuraCloth	\$915	0#
8480101	Rider Seat: GT100 Toolbox IB with DuraCloth Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$285	0#
8480102	Rider Seat: GT100 Toolbox HB with DuraCloth Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$297	0#
8480103	Rider Seat: GT100 Toolbox IB with Vinyl Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$234	0#
8480104	Rider Seat: GT100 Toolbox HB with Vinyl Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$244	0#
8480107	Rider Seat: GT100 Battery/Utility Box IB With DuraCloth Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts.	\$11	9#
8480108	Rider Seat: GT100 Battery/Utility Box HB With DuraCloth Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts.	\$19	9#
8480109	Rider Seat: GT100 Battery/Utility Box IB With Vinyl Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts.	(\$56)	9#
8480110	Rider Seat: GT100 Battery/Utility Box HB With Vinyl Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts.	(\$37)	9#
8480113	Rider Seat: GT100 Static Riser IB with DuraCloth w/ Vinyl material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$59	-9#
8480114	Rider Seat: GT100 Static Riser HB with DuraCloth w/ Vinyl material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$120	-9#
8480119	Rider Seat: GT100 Toolbox IB with DuraCloth w/ Vinyl material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$293	0#
8480120	Rider Seat: GT100 Toolbox HB with DuraCloth w/ Vinyl material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	STD	0#
8480125	Rider Seat: GT100 Battery/Util Box IB DuraCloth w/ Vinyl material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts.	\$27	9#



## T880: CAB INTERIOR

Option	Description	Price	Weight
<b>Seats</b>			
<b>Rider Seats</b>			
<b>Rider Seat Other</b>			
8480126	Rider Seat: GT100 Battery/Util Box HB DuraCloth w/ Vinyl material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts.	\$23	9#
8480133	Rider Seat: GT100 Static Riser IB w/ DuraSupreme Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	(\$181)	0#
8480134	Rider Seat: GT100 Static Riser HB w/ DuraSupreme Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	(\$92)	0#
8480135	Rider Seat: GT100 Static Riser IB w/ Cloth Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	(\$73)	0#
8480136	Rider Seat: GT100 Static Riser HB w/ Cloth Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	(\$48)	0#
8480137	Rider Seat: GT100 Static Riser IB w/ Vinyl Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	(\$147)	0#
8480138	Rider Seat: GT100 Static Riser HB w/ Vinyl Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	(\$128)	0#
8489979	Delete Standard Rider Seat.	(\$349)	-58#
<b>Seat Miscellaneous</b>			
8489912	NFPA Compliance Kit: 2.1 m Includes Seat occupancy sensors. Seat belt switches, VDR & seat sensor harness, reflective labels, and a second copy of operators manual.	\$900	5#
8490181	Seat Color: Black	STD	0#
8490184	Seat Color: Tan	\$0	0#
8490187	Seat Color: Gray	\$0	0#
8490188	Seat Color: Black w/ Diamond Package Accent	\$0	0#
8496559	Driver and Rider Seat Belts: Orange Seat Belts. Replacing standard color.	\$31	0#
8496561	Driver/ Rider Seat Belts: Lime Green Seat Belts Replace standard color.	\$23	0#
8496575	Driver & Rider Seat Belts: Red, NFPA, Replaces Standard Seat Belts. (Available for NFPA RD Bench)	\$72	0#
8497005	Air Line Fitting: At Driver Seat. Customer-installed air chuck.	\$66	4#
8497465	Seat Swivel for Kenworth GT Series RD Seat	\$599	50#
8497470	Storage Package Upgrade for Kenworth GT702 Driver seat. Standard with Kenworth GT703 driver seat.	\$50	0#
8498452	Delete Dual DR Seat Armrests. Not available on GT703 series seats.	\$0	-6#



## T880: CAB INTERIOR

Option	Description	Price	Weight
<b>Seats</b>			
<b>Seat Miscellaneous</b>			
8498453	Dual KW Driver Seat Armrests: Stowable Inboard & folding outboard.	\$138	2#
8498560	Delete Inboard RD Seat Armrest. Not available on GT703 series seats.	\$0	0#
<b>Cab Accessories</b>			
<b>Carpet-Floormat</b>			
8390634	Rubber Floormat	STD	0#
8390635	Rubber Floormat - NFPA Compliant	\$417	0#
8390648	Black Carpet in Cab, Replacing Floormat.	\$365	0#
<b>Storage</b>			
8570011	Low Profile Roof Interior Overhead Storage	\$236	0#
8700091	Ashtray Insert: W/ Cigar Lighter Located in center console. Deletes 1 12V outlet & 1 cupholder.	\$37	0#
8716000	Two Holders: For 2 Removable Front Tow Hooks. Rider seat must be toolbox style seat.	\$82	0#
8716001	Two Holders: In Tool Compartment for 2 Removable front tow hooks.	\$71	3#
8890036	Aluminum Records Holder: Mounted on Toolbox or Utility box seat base.	\$48	2#
8890038	3.5in x 11.5in Plastic Records Holder: Mounted On Rear Cab Panel. Not available With Sleeper Or 2 Person Bench Seat.	\$64	0#
<b>Inside Window Equipment</b>			
8879431	52 in. Sleeper: Add Sleeper Curtain The 52in. sleeper is standard with a cab windshield curtain. This code allows customers to add a sleeper curtain.	\$538	15#
8879439	Windshield Curtain with Integrated Curtain Track and Storage at B Pillar for 76in Sleepers only. Curtain runs along perimeter of the cab so maintains full use of cab and sleeper interior space. Not available on Daycabs.	\$406	2#
<b>Other</b>			
8282120	USB Charging Port - Dash Panel *Requires 15" Digital Display 8282027/8282028	\$30	0#
8700151	Small Transmission Access Hole Near 1 O'Clock PTO	\$196	0#
8700152	Large Transmission Access Hole - Center Cab Floor	\$216	0#
8721405	Nameplates Shipped Loose: French. In Addition to standard or optional nameplates.	\$0	0#
8721410	Spanish Nameplates.	\$497	0#
8721455	Delete Shipped Loose French Nameplates. In addition to standard or optional nameplates.	\$0	0#



## T880: CAB INTERIOR

Option	Description	Price	Weight
<b>Cab Accessories</b>			
<b>Other</b>			
9090102	Anti-Theft System Installed	\$103	0#
9399996	Kenworth Operator Manual: Spanish.	\$0	0#
9399997	Kenworth Operator Manual: Delete French. Replace w/standard English.	\$0	0#
9399998	Kenworth Operator Manual: French Replacing English.	\$0	0#
<b>Sleeper Accessories</b>			
<b>Folding Upper Bunk</b>			
8520001	Folding Upper Bunk:52in Regional,76in Mid Roof Sleepers. Includes 28in Mattress, Upper Bunk LED Reading Lamp and Tent Style Restraints.	\$1,647	74#
8520984	Folding Upper Bunk For High Roof 76in. Sleeper: 30 X 78 Foam Mattress. Includes Upper Bunk LED Reading Lamp and Tent Style Bunk Restraints.	\$1,690	66#
<b>Lower Bunk &amp; Sofabed</b>			
8520014	Liftable lower bunk for 52in Regional Sleeper. 32 inch x 80 inch pocket coil mattress. Includes additional storage trays and cup holders.	\$0	0#
8520017	Liftable Lower Bunk for 52 in. Regional Sleeper. 38 inch X 80 inch pocket coil mattress. Includes nighttime-friendly red ambient footwell light.	\$299	7#
8520018	Liftable Lower Bunk For 76 in. SLPR: 42 in. x 80 in. Pocket Coil Mattress	\$0	0#
8520021	40in Sleeper Liftable Bunk:78in X 24in With 6.5in Foam Mattress (Smallest Legal Bunk Width). Bunk Opens 90 Degrees For Easy Access To Stored Items.	\$0	0#
8521000	EVA Foam Pad Over Mattress Tray: For Insulation 9/16 in. thick.	\$138	2#
<b>Storage</b>			
8570003	Backwall Storage System For 52in Regional Sleeper with Vantage interior. Includes driver and rider side storage with doors, center shelf and coat hooks.	\$2,393	58#
8570004	Backwall Storage System For 52in Regional Sleeper Standard with Diamond VIT interior. Includes driver and rider side storage with doors, center shelf and coat hooks.	\$0	58#
8570008	Backwall Storage System For 76in Mid Roof Sleeper Includes Driver and Rider Side Storage With Doors and a Center Shelf.	\$2,335	57#
8570026	Driver Side Upper Storage Unit: Wardrobe Closet with Door and Shelf for 76in Aerodyne Sleeper.	\$888	56#
8570027	Driver Side Upper Storage Unit: Wardrobe Closet with Door and w/o Shelf for 76in Sleeper.	\$837	58#
8570028	Driver Side Upper Storage Unit: Open Wardrobe Closet With Shelf for 76in Sleeper.	\$673	51#
8570029	Driver Side Upper Storage Unit: Open Wardrobe Closet w/o Shelf for 76in Sleeper.	\$628	49#

Option	Description	Price	Weight
<b>Sleeper Accessories</b>			
<b>Storage</b>			
8570030	Driver Side Lower Storage Unit: Multi-purpose compartment with door and lower removable drawer.	\$738	48#
8570031	Driver Side Lower Storage Compartment with open space for refrigerator. Opening is 15.5 inches wide, 20.5 inches high, and 19.3 inches deep. Use with F/I or C/I Fridge. Not to be used with Rider Side C/I refrigerator/freezer Sales Code 8570039	\$779	40#
8570032	Driver Side Lower Storage Unit: Open multi- purpose compartment with lower removable drawer.	\$652	43#
8570035	Rider Side Upper Storage Unit Open microwave compartment with tiedown. Standard 12 volt outlet and open storage compartment on top. Dimensions for the microwave compartment are 19.5 inches wide by 12.5 inches high by 15 inches deep. 120V outlet available in the storage unit with the addition of sales code 8700912 or 8700907.	\$898	31#
8570038	Rider Side Lower Storage Unit: Rotating table, DVD tray, and two lower drawers. Includes ambient lighting for table and sleeper footwell. Not to be used with Rider Side C/I refrigerator/freezer Sales Code 8570039	\$1,115	74#
8570039	Rider Side Lower Stand Unit: for C/I Refrigerator with 12V and 120V outlets. Max allowable refrigerator width 20.25 inch. No limit to depth. Height affects TV size.	\$0	0#
8570040	Rider Side Lower Storage Unit: Rotating table, DVD tray, and lower open storage w/ two shelves. Includes ambient lighting for table and sleeper footwell. Not to be used with Rider Side C/I refrigerator/freezer Sales Code 8570039.	\$887	66#
8570042	Rider Side Lower Storage Unit: Organizing tray and lower open storage compartment w/ two shelves. Not to be used with Rider Side C/I refrigerator/freezer Sales Code 8570039.	\$491	31#
8570044	Rider Side Lower Storage Unit: Organizing tray and two lower drawers. Not to be used with Rider Side C/I refrigerator/freezer Sales Code 8570039.	\$709	37#
<b>Television Installation Packages</b>			
8505101	TV Installation Package for 76in. SLPR: Wall Mounted, Articulated Arm, Passenger Side Above Table and Between Upper and Lower Storage Modules. 22in. Flat Screen Maximum.	\$443	4#
8505102	TV Installation Package for 52in Regional Sleeper Backwall mounted with articulated arm. 22in. flat screen maximum for upper storage, 19 in. flat screen maximum for upper bunk.	\$408	4#
<b>Other</b>			
8505070	Drawer-Style Refrigerator With Integral Freezer compartment and LED lighting. Mounted at mid-height on drivers side of 76in Sleeper. Not to be used with Rider Side C/I refrigerator/freezer Sales Code 8570039. Requires 8570031.	\$1,271	40#
8505076	Driver Side 12V Refrigerator Outlet used for Customer Installed Refrigerator/Freezer with 12 Volt Outlet at the Driver Side Lower Cabinet. For 76 in. Sleepers. Not to be used with Sales Code 8570039.	\$127	0#
8700906	52in Regional Sleeper Power Option Package 2: 1800W Inverter With 120V Low Voltage Disconnect For Starter Battery Protection, Two 120V Sleeper Outlets, Shore Power Connection and Battery Charger.	\$2,723	22#
8700907	76in. Sleeper Power Option Package 2: 1800W Inverter With 120V Low Voltage Disconnect For Starter Battery Protection, 4 120V Sleeper Outlets, Shore Power Connection and Battery Charger.	\$3,556	22#



## T880: CAB INTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

### Sleeper Accessories

#### Other

8700911	52in Regional Sleeper Power Option Package 1: 1800W Inverter With 120V Low Voltage Disconnect For Starter Battery Protection and Two 120V Sleeper Outlets.	\$2,239	22#
8700912	76in. Sleeper Power Option Package 1: 1800W Inverter With 120V Low Voltage Disconnect For Starter Battery Protection and 4 120V Sleeper Outlets.	\$2,984	22#
8700942	No Inverter - Customer Acknowledges C/I Fridge will not have power to outlet	\$0	0#
8879412	Delete Cab Windshield Curtain For 52 inch Sleeper Only. For flat roof sleeper, the only curtain available will be deleted.	(\$175)	0#

### Sound Systems

#### Kenworth Radios

8601429	Kenworth Radio DEA730 AM/FM/WB/USB, Bluetooth & Sirius-XM Satellite	\$225	0#
8601430	Kenworth Radio DEA700 AM/FM/WB	(\$11)	0#
8601431	Kenworth Radio DEA710 AM/FM/WB/USB, Phone Bluetooth Disabled	\$13	0#
8601432	Kenworth Radio DEA710 AM/FM/WB/USB, Bluetooth	\$36	0#
8601433	Kenworth Radio DEA730 AM/FM/WB/USB, Sirius-XM Satellite/Phone Bluetooth Disabled	\$182	0#
8601435	Kenworth Radio DEA707 AM/FM/WB/USB	STD	0#
8601450	Radio Opt Out	\$0	0#

#### Radios Miscellaneous

8601495	Radio Mute When Lane Departure Detected. Required Bendix Fusion or Meritor OnAlert and Compatible Radio	\$0	0#
---------	---------------------------------------------------------------------------------------------------------	-----	----

### Sound System Speakers

8698974	Base Level Audio System - Daycab:High Performance Door Speakers.	STD	0#
8698976	Base Level Audio System -Sleeper:High Performance Door and Back Wall Speakers.	\$95	4#
8698982	Mid Level Audio System - Daycab: High Performance Door and B-Pillar Speakers.	\$49	4#
8698986	Mid Level Audio System- Sleeper: High Performance Door, B-Pillar, and Back Wall Speakers With 10 Inch Subwoofer.	\$492	24#
8698994	Premium Level Audio System - Small Slpr:Amplified High Performance Door, B-Pillar, and Back Wall Speakers. Includes A-Pillar Tweeters.	\$697	7#
8698996	Premium Level Audio System-Sleeper:Amplified High Performance Door, B-Pillar, and Back Wall Speakers With A-Pillar Tweeters and 10 Inch Subwoofer. The Amplifier Is Rated To 320 Watts and Contains A Digital Signal Processor (DSP) That Is Specifically Tuned To The Interior.	\$988	29#





## T880: CAB INTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

### Sound System Speakers

8698997	Speaker Opt Out	\$0	0#
---------	-----------------	-----	----

### Options for Sleepers

8208492	Rear Slpr Audio Ctrl Module With USB Charge Port	\$248	1#
---------	--------------------------------------------------	-------	----

### Sound System Equipment

8698973	Audio System Prewire with Speakers Only.	\$108	0#
---------	------------------------------------------	-------	----

8699017	Telescoping Antenna: Mounted Behind LH Door. Replaces Top-of-Cab Antenna.	\$81	0#
---------	---------------------------------------------------------------------------	------	----

8699109	Antenna, Wiring, Radio Cut-Out & Bracket: For din-mounted radio.	\$88	2#
---------	------------------------------------------------------------------	------	----

8699900	Metal Ground Plate: Two-Way Radio. For customer-installed antenna located in center of cab roof.	\$127	2#
---------	--------------------------------------------------------------------------------------------------	-------	----

### CB & Equipment

#### CB Radio

8601869	CB Radio: Cobra 29. Includes Weatherband, Mounted under header. Includes transceiver & separate speaker remote-mounted in headliner & dual CB antennas. Includes sound tracker & illuminated panel.	\$577	0#
---------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------	----

8601875	CB Radio: Cobra 29 W/Weatherband/DI Ant Transceiver/Sound Tracker/Illum Panel W/Microphone Clip Mtd On Side	\$676	0#
---------	-------------------------------------------------------------------------------------------------------------	-------	----

8601880	CB Radio: Cobra 29. Includes Weatherband W/Header mounted quick release. Includes transceiver & separate speaker remote-mounted in headliner & dual CB antennas. Includes sound tracker & illuminated panel.	\$586	11#
---------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------	-----

8601881	CB Radio: Cobra 29. W/ Header Mounted Quick release. Includes transceiver & separate speaker remote-mounted in headliner & dual CB antennas. Includes sound tracker & illuminated panel.	\$589	11#
---------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------	-----

8601890	CB Radio: Bearcat 880. Includes Weatherband w/header mounted quick release. Includes transceiver & separate speaker remote-mounted in headliner & dual CB antennas. Includes sound tracker & illuminated panel.	\$580	0#
---------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------	----

8601891	CB Radio: PC78LTX. W/ Header Mounted Quick release. Includes transceiver & separate speaker remote-mounted in headliner & dual CB antennas. Includes sound tracker & illuminated panel.	\$606	0#
---------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------	----

#### CB Installation Kit

8699926	CB Installation Kit: Center Mounted of Header. W/header mounted quick release CB mount. One red power post & one black ground post. Includes dual antenna leads located on the mirror brackets. Includes dual antenna & separate speaker.	\$298	2#
---------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------	----

8699933	CB Installation Kit: C/I Center Mtd of Header w/ Dual Antenna on LH/RH mirrors. One Jumper Harness.	\$262	0#
---------	-----------------------------------------------------------------------------------------------------	-------	----

### Information & Communication Systems

8700630	Provision for Ram Ball Mounted on Dash w/ wiring pass-through.	\$184	0#
---------	----------------------------------------------------------------	-------	----





## T880: CAB INTERIOR

Option	Description	Price	Weight
<b>Information &amp; Communication Systems</b>			
8700634	Provision For Ram Side Of Dash Allows To Maintain 12 Gauges	\$50	0#
8700663	Kenworth TruckTech+: This system provides the World's Best reporting of engine and aftertreatment fault codes, as well as enhanced support for the truck owner through rapid communication of fault severity and recommended actions. This is standard on all Kenworth models with a PACCAR MX engine, Cummins X15 engine, PX engine or Natural Gas engine.	STD	0#
8700666	Prewire: PeopleNet Fleet Manage. With TruckTech+ Pre-wire for PeopleNet Fleet Management Services on vehicles with TruckTech+. Includes wiring harness for connecting PeopleNet display. No antenna bracket required. For addition of Trailer Tracking functionality, use 8700667.	\$1,016	1#
8700667	Prewire:Peoplenet,TRLR Tracking,TruckTech+ Prewire for PeopleNet Fleet Management Services with additional functionality for Trailer Tracking on vehicles with TruckTech Plus. Includes wiring harness for connecting PeopleNet display. No antenna bracket required.	\$1,090	1#
8700698	Dash Mounted Bracket for Qualcomm MCP200 Display Use with MCP200 pre-wire code	\$79	1#
8700856	Provision for Mounting Antenna for Customer- installed Qualcomm tracking system. For use with Terrestrial antenna (WIB). Day Cab Location: Centerline top of roof, BOC. Sleeper Location: Left Hand, Back-of-Sleeper.	\$147	0#
8700862	Provision for Mounting Antenna for Customer- installed Qualcomm tracking system. For use with satellite antenna (SDM). Day Cab Location: Centerline top of roof, BOC. Sleeper Location: Left Hand, Back-of-Sleeper (NOT with dual Back-of-Sleeper exhaust).	\$147	2#
8700871	Pre-Wire for Peoplenet G3 with Multi Bus Adapter (MBA) for 2010+ engines. Includes Antenna Bracket.	\$1,979	0#
8700895	Exterior Initiation or Inhibition of Regen Thru J1939 BCan Communications.	\$35	0#
8700919	Pre-Wire For Velvac 5th Wheel Camera	\$447	0#
8700927	Lytx DriveCam SF300 System Pre-Wire	\$412	0#
8700930	OnLane Alert by Wabco	\$1,619	0#
8700941	Omnitracs IVG Wiring Harness	\$330	0#
8700964	Delete KW NavPlus HD System:VIT Diamond Interior	(\$300)	0#
8700966	Kenworth NavPlus HD Navigation System: Vantage, Splendor, APEX, Summit, or Pinnacle interior. System hardware includes: head unit that mounts in radio opening and 7in. high resolution touchscreen display mounted in dash area four. Includes: Truck specific navigation by ALK, Sirius and XM satellite radio receiver.	\$2,539	0#
8700985	Additional RP1226 Connector.	\$86	0#
9090153	Bendix Fusion Safety Direct SDP to Qualcomm/ Omnitrac	\$193	0#
9090154	Bendix Fusion Safety Direct SDP to Trucktech+	\$103	0#
9090156	Bendix Fusion Safety Direct SDP to PeopleNet with the header mount.	\$190	0#
9212640	TruckTech+ RD/OTA - 3YR Sub PACCAR MX Engines	\$499	0#



## T880: CAB INTERIOR

Option	Description	Price	Weight
<b>Information &amp; Communication Systems</b>			
9212641	TruckTech+ RD/OTA - 4YR Sub PACCAR MX Engines	\$649	0#
9212642	TruckTech+ RD/OTA - 5YR Sub PACCAR MX Engines	\$799	0#
9212643	TruckTech+ RD/OTA - 6YR Sub PACCAR MX Engines	\$949	0#
9212644	TruckTech+ RD/OTA - 7YR Sub PACCAR MX Engines	\$1,099	0#
9212645	TruckTech+ RD/OTA - 8YR Sub PACCAR MX Engines	\$1,249	0#
9212646	TruckTech+ RD/OTA - 9YR Sub PACCAR MX Engines	\$1,399	0#
9212647	TruckTech+ RD/OTA - 10YR Sub PACCAR MX Engines	\$1,549	0#
9212651	TruckTech+ RD - 3YR Sub Cummins Engines	\$499	0#
9212652	TruckTech+ RD - 4YR Sub Cummins Engines	\$649	0#
9212653	TruckTech+ RD - 5YR Sub Cummins Engines	\$799	0#
9212654	TruckTech+ RD - 6YR Sub Cummins Engines	\$949	0#
9212655	TruckTech+ RD - 7YR Sub Cummins Engines	\$1,099	0#
9212656	TruckTech+ RD - 8YR Sub Cummins Engines	\$1,249	0#
9212657	TruckTech+ RD - 9YR Sub Cummins Engines	\$1,399	0#
9212658	TruckTech+ RD - 10YR Sub Cummins Engines	\$1,549	0#
9212659	TruckTech+ RD - 3YR Sub PACCAR PX Engines	\$499	0#
9212660	TruckTech+ RD - 4YR Sub PACCAR PX Engines	\$649	0#
9212661	TruckTech+ RD - 5YR Sub PACCAR PX Engines	\$799	0#
9212662	TruckTech+ RD - 6YR Sub PACCAR PX Engines	\$949	0#
9212663	TruckTech+ RD - 7YR Sub PACCAR PX Engines	\$1,099	0#
9212664	TruckTech+ RD - 8YR Sub PACCAR PX Engines	\$1,249	0#
9212665	TruckTech+ RD - 9YR Sub PACCAR PX Engines	\$1,399	0#
9212666	TruckTech+ RD - 10YR Sub PACCAR PX Engines	\$1,549	0#



## T880: LIGHTS & SIGNALS

Option	Description	Price	Weight
<b>Headlamps</b>			
9010553	Headlamps: SAE Dual Halogen Complex Reflector	STD	0#
<b>Marker Lights</b>			
9022137	Marker Lights: Five, Rectangular, LED	STD	0#
9027110	Marker Lights: Five LED Rectangular, Flush Mount.	\$0	0#
9090039	Marker Lights: Interrupter Switch. Included in Turn Signal For All Models Except T3. The T3 Switch Is In The Dash.	STD	0#
9090115	Reflectors: Two Midframe	\$24	0#
9090117	Marker Lights: Midframe & reflectors mounted standout. Required on tractors where overall length exceeds 30 feet.	\$227	22#
<b>Turn Signal Lights</b>			
9030016	Turn Signal Lights: Flush Mounted LED. Mounted at top of fender wheel arc.	STD	0#
9039013	Add Rectangular LED Turn/Marker Lamps Mounted on Side Extenders with Lamp Facing Outboard.	\$270	0#
9039014	Add Turn Signal Lamps Mounted BOC/BOS	\$288	2#
<b>Other</b>			
9030034	Wiring: Customer Installed Turn Signals, Mid Chassis.	\$1,150	0#
<b>Foglights</b>			
9042542	Fog Lights with Clear Lens. Does not include Rock Screens on T680.	\$497	4#
<b>Other</b>			
9049825	Customer-Installed Road/ Fog Lights Switch & wiring.	\$59	0#
<b>Spotlights</b>			
9060011	Halogen Spotlight: LH Mounted.	\$186	4#
9060055	Halogen Spotlight: LH & RH Mounted. T680 and T880 models include dash switch for RH spot lamp as standard.	\$345	11#
<b>Taillights</b>			
9030052	LED Stop,Turn,Tail: With Two LED Backup Lights and With An LED License Plate.	STD	0#
9030054	Stop,Turn,Taillight: Trucklite 44 Series 6 LED Red With Two LED Backup Lights. Flange Mounted. Taillights Come On When Fog Lights Are On. With An LED License Plate.	\$177	0#
9030055	Taillight,Stoplight:Trucklite Super 40 With 2 Backup lights and an LED License Plate	\$23	1#



## T880: LIGHTS & SIGNALS

Option	Description	Price	Weight
<b>Taillights</b>			
9070034	LED Stop/Turn/Tail - EOF Bracket Between Rails. With one LED Backup Light and LED License Lamp. Black Finish Only.	\$146	0#
9070138	Combination Stop, Tail, Turn & Backup Lights RH & LH.	\$71	0#
9070144	Additional 6ft Taillamp Harness: In Frame.	\$76	0#
<b>Miscellaneous</b>			
8240020	City Horn to Honk if Door Opens and Park Brake not set.	\$55	0#
9090000	Daytime Running Lamps.	\$180	0#
9090007	Override Switch: For Daytime Running Lamps.	\$56	0#
9090011	Add. 4-Way Receptacle To BOC: Wired To Three Dash Switches. Spare Switch 1 Is Wired To Pin TM, Spare Switch 2 Is Wired To Pin S and Spare Switch 3 Is Wired To Pin A.	\$291	2#
9090012	Add. 4-Way Receptacle: To End-Of-Frame:Wired To 3 Dash Switches.	\$286	2#
9090027	Headlamps to Turn on When Wipers are Active.	\$0	0#
9090043	Add. 4-Way Receptacle to BOC: Wired To 2 Spare Dash Switches.	\$287	2#
9090046	Add. 4-Way Receptacle: To End-Of-Frame:Wired to 2 Spare Dash Switches	\$276	2#
9090049	Omit Brake Light with Engine Brake. Can only be selected when chassis also has engine brake. Cannot be used with options to delete engine brake.	\$0	0#
9090052	Brake Lights on when Engine Brake Active. Can only be selected when chassis also has engine brake. Cannot be used with options to delete engine brake.	\$0	0#
9090058	Switch & Wiring: For Customer-Installed Plow light. Includes circuit breaker.	\$239	0#
9090126	Electric Backup Alarm: Meets SAE J994 & OSHA requirements.	\$175	4#
9090142	Wiring Only: For Customer-Installed Backup alarm.	\$59	0#
9090147	Electric Backup Alarm: 87-112 dBA Self-Adjusting such that volume is maintained at 5dB above ambient up to rated maximum	\$187	4#
9090148	Prewire: Exterior Notification of Regen Prewire leftside of firewall for Customer Installed beacon lamp to notify operator of Regen. Fused to 10A.	\$159	0#
9090166	Exterior Notification of Regen Required	\$0	0#
9090221	Switch & Wiring: For Customer-Installed Sign lamp w/o insulators.	\$78	0#
9090302	Junction Box: Mounted Behind Cab or Sleeper Not Mounted at End of Frame.	\$176	1#
9090316	Junction Box: End of Frame	\$298	1#



## T880: LIGHTS & SIGNALS

Option	Description	Price	Weight
<b>Miscellaneous</b>			
9090849	Polyswitches Replacing Fuses. Switch Will automatically reset after removal of excess load.	\$49	0#
<b>Beacon Lights</b>			
<b>Dual</b>			
9080141	Dual Low-Profile LED Amber Strobe Beacon Centered over door.	\$995	7#
9080142	Dual Low-Profile LED Amber Strobe Beacon Mounted at rear corners of sleeper.	\$985	7#
9080143	Dual Low-Profile LED Amber Revolving Beacon centered over door.	\$935	7#
9080144	Dual Low-Profile LED Amber Revolving Beacon mounted at rear corners of sleeper.	\$935	7#
9080145	Dual Low-Profile LED Amber Strobe Beacons for 76" high roof sleeper mounted over rear corner.	\$999	7#
9080146	Dual Low-Profile LED Amber Revolving Beacons for 76" high roof sleeper mounted over rear corner.	\$999	7#
<b>Customer-Installed</b>			
9080147	Dual Low-Profile Brackets, Switch & Wiring for 76" high roof sleeper, mounted over sleeper window for C/I beacon lamp.	\$373	4#
9080148	Dual Low-Profile Brackets, Switch & Wiring centered over door of cab for C/I beacon lamp.	\$361	4#
9080149	Dual Low-Profile Brackets, Switch & Wiring centered over rear corners for C/I beacon lamp.	\$360	4#
9080206	Switch and Wiring:Cust. Installed Beacon Lights With Additional 20ft Jumper Harness Shipped Loose	\$246	1#
<b>Floodlights</b>			
<b>First Set</b>			
9052008	Floodlights: Dual LED Flush First Set	\$202	0#
9052011	Dual Flush Floodlights: First Set	\$128	2#
9056140	Dual Pedestal Floodlights: First Set	\$279	2#
9056144	Floodlights: Dual LED Pedestal First Set	\$416	0#
<b>Switches for Customer-Installed</b>			
9058071	Switch, Wiring, and Indicator Light for Customer Installed Floodlights. 1st Set. Pigtail Routed Through Pass Thru Grommet. 10ft Jumper Harness Shipped Loose.	\$146	1#
9058085	Switch,Wire,Indicator Light: C/I Flood 1st SW Thru Grommet Under Cab	\$136	0#
9058086	Switch,Wire,Indicator Light: C/I Flood 2nd SW Thru Grommet Under Cab	\$131	0#
9058087	Switch,Wire,Indicator Light: C/I Flood 3rd SW Thru Grommet Under Cab	\$138	0#



## T880: LIGHTS & SIGNALS

Option	Description	Price	Weight
<b>Floodlights</b>			
<b>First Set</b>			
<b>Location Codes</b>			
9059901	Floodlight Location: Located High - First Set. This Code To Be Used With Flush-Mount (9052011) or C/I (9058071) Codes Only.	\$0	0#
9059908	Floodlight Location:High Inboard of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.	\$0	0#
9059909	Floodlight Location:High Outbd of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.	\$0	0#
9059921	Floodlight Location: Located Low - First Set . This Code To Be Used With Flush-Mount (9052011) or C/I (9058071) Codes Only.	\$0	0#
9059927	Floodlight Location: Low Inboard of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.	\$0	0#
9059928	Floodlight Location:Low Outboard of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.	\$0	0#
<b>Miscellaneous</b>			
9058081	Cust. Installed Floodlights1st Set:Add 30ft Wire. Additional 30ft Jumper Harness Shipped Loose.	\$40	1#
<b>Second Set</b>			
9052012	Dual Flush Floodlights: Second Set	\$146	2#
9052016	Floodlights: Dual LED Flush Second Set	\$211	0#
9056141	Dual Pedestal Floodlights: Second Set	\$210	2#
<b>Switches for Customer-Installed</b>			
9058072	Switch, Wiring, and Indicator Light for Customer Installed Floodlights. 2nd Set. Pigtail Routed Through Pass Thru Grommet. 10ft Jumper Harness Shipped Loose.	\$118	1#
<b>Location Codes</b>			
9059903	Floodlight Location: Located High - Second Set. This Code To Be Used With Flush-Mount (9052012) or C/I (9058072) Codes Only.	\$0	0#
9059919	Floodlight Location:High Inboard of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.	\$0	0#
9059920	Floodlight Location:High Outbd of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.	\$0	0#
9059923	Floodlight Location: Located Low - Second Set . This Code To Be Used With Flush-Mount (9052012) or C/I (9058072) Codes Only.	\$0	0#
9059929	Floodlight Location:Low Inboard of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.	\$0	0#



## T880: LIGHTS & SIGNALS

Option	Description	Price	Weight
<b>Floodlights</b>			
<b>Second Set</b>			
<b>Location Codes</b>			
9059930	Floodlight Location:Low Outboard of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.	\$0	0#
<b>Third Set</b>			
9052013	Dual Flush Floodlights: Third Set	\$136	2#
9052017	Floodlights: Dual LED Flush Third Set	\$211	0#
9056142	Floodlights: Dual Pedestal Third Set	\$235	0#
<b>Switches for Customer-Installed</b>			
9058073	Switch, Wiring, and Indicator Light for Customer Installed Floodlights. 3rd Set. Pigtail Routed Through Pass Thru Grommet. 10ft Jumper Harness Shipped Loose.	\$132	1#
<b>Location Codes</b>			
9059904	Floodlight Location: Located High - Third Set. This Code To Be Used With Flush-Mount (9052013) or C/I (9058073) Codes Only.	\$0	0#
9059924	Floodlight Location: Located Low - Third Set . This Code To Be Used With Flush-Mount (9052013) or C/I (9058073) Codes Only.	\$0	0#
9059938	Floodlight Location:High Inboard of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.	\$0	0#
9059939	Floodlight Location: High Outbd of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.	\$0	0#
9059949	Floodlight Location:Low Inboard of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.	\$0	0#
9059950	Floodlight Location:Low Outboard of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.	\$0	0#



## T880: AIR EQUIPMENT

Option	Description	Price	Weight
<b>Air Drying Equipment</b>			
<b>Moisture Ejection Valve</b>			
9102009	Moisture Ejection Valve: Midland Automatic Use with AD-IS or AD-HF.	\$138	2#
9102040	Moisture Ejection Valve: Two Bendix DV-2 Heated drain valves on service tanks. Use w/ AD-IS or AD-HF.	\$299	0#
9108001	Moisture Ejection Valve W/ Pull Cable Drain.	STD	0#
<b>Air Dryer</b>			
9100016	Air Dryer: Wabco 1200 Plus with Integrated Multi Port PPV	\$460	0#
9101024	Air Dryer: Bendix AD-IP.	(\$9)	0#
9101218	Air Dryer: Bendix AD-HF Puraguard Heated	STD	0#
9101219	Air Dryer: Bendix AD-HF Extended Purge Heated With Puraguard	\$148	0#
9101245	Air Dryer: Bendix Dual AD-IS Everflow Heated. PuraGuard	\$1,415	46#
<b>Air System Miscellaneous</b>			
9117005	Service & Supply Lines to End-of-Frame for Boost-a-Load axle.	\$792	0#
9140015	Wirebraid Air Hose, Frame Only; Nylon Air Tubing in cab.	\$1,191	60#
9140020	Nylon Air Tubing in Frame & Cab, Excluding Hoses subject to excessive heat or flexing.	STD	0#
9140060	Air Oil & Fuel Hose to -60 degree F.	\$2,821	60#
9140084	Byp. Air Sys:For Wet Bulk Trailer Unload(7)Gauges	\$1,251	12#
9140085	Bendix LQ-5 Ratio Valve: for Kenworth-Installed pusher/tag. LQ-5 valve limits the amount of air applied to the pusher brakes. Helps prevent lockup in lightly loaded conditions.	\$174	2#
9140092	Schrader Valve to Charge Air System.	\$134	2#
9140101	Gladhand with Schrader Valve for Air Sys Charging Frame Mounted with Piping	\$159	2#
9140236	Locate Air Dryer Outside LH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140238	Locate Air Dryer Outside RH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140248	Locate Air Dryer Under LH Rail BOC This code requires the use of a custom frame layout code.	\$0	0#
9140249	Locate Air Dryer Under RH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140252	Locate Air Dryer Inside LH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140254	Locate Air Dryer Inside RH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#





## T880: AIR EQUIPMENT

Option	Description	Price	Weight
<b>Air System Miscellaneous</b>			
9140267	Locate Air Dryer Inside RH Rail BOC	\$899	0#
9140268	Locate Air Dryer Inside LH Rail BOC	\$899	0#
9140269	Locate Air Dryer Outside LH Rail BOC	\$899	0#
9140270	Locate Air Dryer Outside RH Rail BOC	\$899	0#
9140271	Locate Air Dryer Under LH Rail BOC	\$899	0#
9140272	Locate Air Dryer Under RH Rail BOC	\$899	0#
9150101	Additional Air Tank, 8 x 26 in. or Equivalent volume for Boost-A-Load axle to rear service.	\$131	17#

### Air Tank Locations

9140251	Air Tanks: Clear of Left Side of Transmission area. Clear area - forward of transmission yoke C/L	\$2,246	4#
9140253	Air Tanks: Clear of Right Side of Transmission area. Clear area - forward of transmission yoke C/L	\$2,246	4#
9140273	Air Tanks: Clear of Transmission Area Clear area - forward of transmission yoke C/L	\$2,246	4#
9140286	Air Tanks: Clear of Left Side of Transmission area. This code requires the use of a custom frame layout code.	\$0	0#
9140287	Air Tanks: Clear of Right Side of Transmission area. This code requires the use of a custom frame layout code.	\$0	0#
9140288	Air Tanks: Clear of Transmission Area. This code requires the use of a custom frame layout code.	\$0	0#
9140289	Air Tanks: Mounted Inside Frame Flanges where possible. This code requires the use of a custom frame layout code.	\$0	0#
9140290	Air Tanks: Mounted Inside Frame Flanges where possible.	\$2,246	0#

### Air Tank Options

9150100	Air Tank: One Extra 8 in. X 41 in. or equivalent volume to rear service.	\$332	70#
9150170	Air Tanks: Aluminum Replacing Steel All Tanks. *Not air tanks on lift axles.	\$447	-44#
9150210	Straps for Mounting Air Tank Module Under Box. For steel air tanks only. Straps on all air tanks.	\$105	2#

## Air & Electrical Supply Kits

### Tractor

9110068	Air & Electrical Supply Kits: Tractor LH Frame- mounted kit w/ hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. Use code 9140177 for short hosetenna option, this is not available on the T3 series.	\$1,765	24#
---------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------	-----

Option	Description	Price	Weight
<b>Air &amp; Electrical Supply Kits</b>			
<b>Tractor</b>			
9110071	Tractor Kit: Center Frame-Mounted W/ Hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard.	\$1,511	24#
9110072	Tractor Kit: LH Outboard Frame-Mounted W/ hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. Use code 9140177 for short hosetenna option.	\$1,636	11#
9110083	Tractor Kit: Slide Bar, Spring Hanger & Composite gladhand/light plug holder mounted on back of cab/sleeper. Air and light line connections located on inboard style LH frame mounted bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard.	\$1,749	-5#
9110088	Tractor Kit: Slide Bar, Spring Hanger & Composite gladhand/light plug holder mounted on back of sleeper. Air and light line connections located directly behind sleeper on LH framerail. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard.	\$1,840	-5#
9110100	Tractor Kit: Slide Bar, Spring Hanger & Composite gladhand/light plug holder mounted on back of cab/sleeper. Air and light line connections located on outboard style LH frame mounted bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard.	\$1,688	0#
9140367	Air & Electrical Supply Kits: Tractor BOC Mounted kit with spring hanger and composite gladhand/light plug holder mounted on back of daycab (LH side). Hose tender bracket provided in place of slide bar. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard.	\$1,259	0#
<b>Full Truck</b>			
9110020	Full Truck Kit Gladhands mounted at end-of-frame. Seven-way female receptacle mounted at end-of-frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valves are standard.	\$981	15#
9110025	Logger Kit: Gladhands & Seven-Way Female receptacle mounted inside frame rail on mounting bracket, inset approximately 17in. from end-of-frame. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valves are standard.	\$938	15#
9110026	Logger Kit: Gladhands Mounted Outboard on LH rail at end-of-frame. Seven-way female receptacle mounted at end-of-frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valves are standard.	\$1,426	15#



## T880: AIR EQUIPMENT

Option	Description	Price	Weight
<b>Air &amp; Electrical Supply Kits</b>			
<b>Full Truck</b>			
9110030	Full Truck/Tractor Kit Combined: LH Frame Mounted (Above LH Frame). 7-way female receptacle and air connection gladhands are mounted BOC on LH frame bracket & mounted at end-of-frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valve are standard.	\$1,076	15#
9110034	Full Truck/Tractor Kit Combined: Center Frame mounted. 7-way female receptacle and air connection gladhands are mounted BOC on center frame bracket & mounted at end-of-frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valve are standard.	\$1,061	15#
<b>Air &amp; Light Line Options</b>			
9120010	Air & light line length: 10 feet, Straight lines	\$0	0#
9120012	Air & light line length: 12 feet, Straight lines	\$0	0#
9120014	Air & light line length: 14 feet, Straight lines	\$0	0#
9120015	Air & light line length: 15 feet, Straight lines	\$0	0#
9120016	Air & light line length: 16 feet, Straight lines	\$0	0#
9121008	Phillips 12 ft Coiled Light Line W/ Metal Plugs & 6 in. lead. Must code for tractor kit.	\$27	2#
9121043	Phillips 15 ft Coiled Light Line W/ Metal Plugs & 6 in. lead. Must code for tractor kit.	\$72	4#
9121047	Phillips 12 ft Straight Light Line W/ Metal Plugs & 12 in. lead. Must code for tractor kit.	\$17	0#
9121051	Philatron 15 ft Coiled Air Line. Must Code for tractor kit. use code 9121115	\$167	4#
9121112	Coiled Air & Light Lines Replacing Straight Lines . Included in tractor kit. 12ft working length.	\$49	0#
9121115	Coiled Air & Light Lines Replacing Straight Lines Included in tractor kit. 15ft working length.	\$73	2#
9121118	Phillips 11-5400 Air Lines. Requires Option: 9121115 Air/Light Lines: 15 feet Coiled. *The 11-5400 is a 15 ft. Polar Air pair with 40 in. leads.	\$39	0#
9140005	Straight Air & Light Lines: for Semitrailer application. Air lines detachable one end only; light line detachable both ends. Use w/ code 9110030. Note must code separately for straight air & light line lengths. Requires 12ft straight air & light.	\$267	8#
9140531	12' PACCAR Premium Spiral Wrap & Swival Clamp on 12' Straight Air and Light lines. Requires 12' air/light line code	\$290	0#
9140532	15' PACCAR Premium Spiral Wrap & Swivel Clamp On 15' Straight Air and Light lines. Requires 15' air/light line code.	\$335	0#
9140533	12' PACCAR Premium Spiral Wrap & Two SS Clamps With Metal 7-Way Plug. Requires 12' air/light lines code.	\$239	0#



## T880: AIR EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

### Air & Electrical Supply Kits

#### Air & Light Line Options

9140534	15' PACCAR Premium Spiral Wrap & Two SS Clamps With Metal 7-Way Plug. Requires 15' air/light lines code.	\$273	0#
9140535	12' PACCAR Premium Spiral Wrap & SS Clamp With 12' Phillips QCP Light Line. Requires 12' air/light line code.	\$289	0#
9140536	15' PACCAR Premium Spiral Wrap & SS Clamp With 15' Phillips QCP Light Line. Requires 15' air/light line code.	\$343	0#

#### Kit Accessories

9121057	Additional 7-Way Electrical Receptacle W/ tractor kit wired to 3 dash switches & back-up lamp switch. *Spare Switch 1 is wired to Pin YEL, Spare Switch 2 is wired to Pin GRN, Spare Switch 3 is wired to Pin BRN and Backup Lamp Switch is wired to pin BLK.	\$357	0#
9140123	Tectran 15' Straight Air/Electrical Lines with Dual springs and one clamp.	\$428	0#
9140177	Short Hosetenna For use with tractor kit codes (9110068, 91100719110072 or 9110090).	\$11	0#
9140188	Slide Bar: for Air & Light Lines, Cab/Sleeper mounted.	\$51	2#
9140191	Hosetenna: for Air & Light Lines, for Use W/ Full truck & tractor kit combined.	\$83	11#
9140193	Delete Hosetenna. Must Code for a Tractor Kit.	(\$48)	-8#
9140196	Dual Ring Double Spring Hanger Replacing Single Ring Single Spring Hanger. Requires Trac Kit with Slide Bar.	\$40	2#
9140200	Delete Trailer Hand Valve. Must Code for Tractor kit.	(\$72)	0#
9140201	Chrome Hosetenna: Requires Code for Tractor Kit w/ hosetenna.	\$18	0#
9140245	BPR-1 Relay Valve: Replacing R12.	\$0	0#
9140258	Trailer Hand Control Valve: Self-Return (Spring Loaded) replacing standard.	\$30	0#
9140279	Tectran 12' Straight Air/Electrical Lines With 1 Clamp and Ring and Dual Springs (LK-APK12)	\$418	4#
9140359	Phillips 12' Straight Air/Light Lines Spiral Wrap 30-21512KW Req. Trct Kit	\$250	0#
9140361	Phillips 15' Straight Air/Light Lines Spiral Wrap 30-21712KW Req. Trct Kit	\$284	3#

#### Optional Hosetenna Bracket Location

9140700	Standard hosetenna Bracket Location. Hosetenna bracket will be located plus or minus six inches from standard location of eight inches.	\$0	0#
9140701	Optional Hosetenna Bracket Location 1ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$15	0#
9140702	Optional Hosetenna Bracket Location 2ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$15	0#



## T880: AIR EQUIPMENT

Option	Description	Price	Weight
<b>Air &amp; Electrical Supply Kits</b>			
<b>Optional Hosetenna Bracket Location</b>			
9140703	Optional Hosetenna Bracket Location 3ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$15	0#
9140704	Optional Hosetenna Bracket Location 4ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$15	0#
9140705	Optional Hosetenna Bracket Location 5ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$15	0#
9140706	Optional Hosetenna Bracket Location 6ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$15	0#
9140707	Optional Hosetenna Bracket Location 7ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$15	0#
9140708	Optional Hosetenna Bracket Location 8ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$15	0#
9140709	Optional Hosetenna Bracket Location 9ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$30	0#
9140710	Optional Hosetenna Bracket Location 10ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$30	0#
9140712	Hosetenna Bracket: 12 ft BOC. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$30	0#
9140714	Hosetenna Bracket: 14 ft BOC. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$45	0#
9140716	Hosetenna Bracket: 16 ft BOC. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$45	0#
<b>Trailer ABS Provisions</b>			
9140321	Additional 7-Way ISO 3731 Connector for Trailer ABS power One additional, w/ o light line, for full truck & tractor.	\$211	6#
9140322	Additional 7-Way ISO 3731 Connector for Trailer ABS power One additional, w/ 15ft coiled light line, for full truck & tractor w/ dual light plug holders.	\$370	8#
9140326	Additional 7-Way Electrical Receptacle Mounted end-of-frame.	\$1,203	2#
9140328	Trailer ABS Electric Supply Through SAE J560 7-pin connector per TMC RP137).	\$0	0#
9140329	Trailer ABS Malfunction Lamp for Use W/ Second ISO 3731 connector For non-PLC trailers.	\$45	0#
9140331	Dealer/Customer Declines Trailer ABS Power Option	\$0	0#
9140333	Two Spare Circuits Through Trailer ABS ISO 3731 connector Requires sales code 9140321 or 9140322.	\$11	0#



## T880: AIR EQUIPMENT

Option	Description	Price	Weight
<b>Air &amp; Electrical Supply Kits</b>			
<b>Trailer ABS Provisions</b>			
9140336	Additional 7-Way ISO 3731 Connector for Trailer ABS power. Additional, w/ 15ft coiled light line, for combined full truck & tractor.	\$456	13#
9140337	Additional 7-Way ISO 3731 Connector for Trailer ABS power. Additional, w/ o light line, for combined full truck & tractor.	\$459	11#
9140339	7-Way Electrical Receptacle Wired to battery circuit, center pin requires additional ISO 3731 connector.	(\$25)	0#
9140341	Two Spare Circuits Through Trailer ABS ISO 3731 connector, one spare circuit wired to one dash switch . Requires sales code 9140321, 9140322 or 9140336. Spare Switch 1 is wired to Pin 4, Spare Switch 2 is wired to Pin 5	\$72	0#
9140342	Two Spare Circuits Through Trailer ABS ISO 3731 connector, spare circuits wired to two dash switch es. Requires sales code 9140321 or 9140322. Spare Switch 1 is wired to Pin 4, Spare Switch 2 is wired to Pin 5	\$71	0#
9140343	Two Spare Circuits Through Trailer ABS ISO 3731 connector wired to standard spare switch es. Requires sales code 9140321 or 9140322. Spare Switch 1 is wired to Pin 4, Spare Switch 2 is wired to Pin 5	\$71	0#
<b>Miscellaneous</b>			
9121071	Dual Pole Trailer Charge Kit with 100 amp Fuse	\$350	0#
9127026	Trailer Battery Charging Circuit W/ 125 amp Fuse w/ detach trailer charge line.	\$230	8#



## T880: SPECIAL EQUIPMENT

Option	Description	Price	Weight
<b>Severe Service Packages</b>			
9462002	Domestic Severe Service Package. Domestic severe service is required on any chassis operating within the 50 United States and Canada where the application includes class C road service 10% or more of the operation, or when vehicle will operate predominately on privately maintained, unimproved, or roughly prepared road surfaces. Specific vocations include, but are not limited to, oilfield service and Canadian logging service.	\$775	180#
<b>Safety Equipment</b>			
9490206	Warning Triangle Reflector Kit: Shipped Loose. Kit consists of 3 triangles in plastic carrying case. Not floor mounted.	\$56	4#
9490213	Warning Triangle Reflector Kit: Floor Mounted parallel to back wall between seats. Kit consists of 3 triangles in plastic carrying case. For day cab only.	\$55	12#
9490404	One 5 lb. Dry Chemical Type Fire Extinguisher mounted outboard of driver seat. Class ABC.	\$156	11#
9490406	One 5 lb. Dry Chemical Type Fire Extinguisher mounted outboard of rider seat. Class ABC.	\$151	11#
9490408	One 5 lb. Dry Chemical Type Fire Extinguisher mounted inboard of rider seat. Class ABC.	\$151	11#
9490413	One 5 lb. Dry Chemical Type Fire Extinguisher mounted LH of sleeper toolbox. Class ABC. Not for use with 40 in. sleeper.	\$156	11#
9490417	One 5 lb. Dry Chemical Type Fire Extinguisher mounted inboard of driver seat. Class ABC.	\$152	11#
9490423	One 5 lb. Dry Chemical Type Fire Extinguisher with double strap. Class ABC. Mounted in sleeper LH of sleeper toolbox. For 40" sleeper only.	\$168	9#
<b>Build Notes</b>			
6397010	VIN Number Stamped in Frame Rail	\$899	0#
6679893	Customer to Install Structural Crossmembers if removing the factory installed jackshaft crossmembers. Maximum spacing between structural centerframe crossmembers to be 51 in. (measured from the web of channel type crossmembers, or from the centerline of cast crossmembers). The customer is responsible for meeting minimum crossmember spacing requirements if the factory supplied jackshaft C/M's are removed.	\$0	0#
6679940	U.S. Law Requires ABS on Mexican Registered vehicles operating in the U.S.	\$0	0#
6679975	Frame Access Package Recommended. Dealer Contact Declines.	\$0	0#
6679990	*** This Vehicle Does Not Have Adequate Swing/Dip clearance when coupled to the trailer referenced on this order. See narrative line for maximum forward fifth wheel setting for this vehicle/trailer combination.***	\$0	0#
9409850	GHG Secondary Manufacturer: American Reliance Industries	\$0	0#
9409851	GHG Secondary Manufacturer: Other	\$0	0#
9409852	GHG Secondary Manufacturer: Does Not Apply	\$0	0#
9409862	GHG Secondary Manufacturer: Agility - Fontana, CA	\$0	0#



## T880: SPECIAL EQUIPMENT

Option	Description	Price	Weight
<b>Build Notes</b>			
9409863	GHG Secondary Manufacturer: Agility - Salisbury, NC	\$0	0#
9409864	GHG Secondary Manufacturer: Natural Gas Fuel System Assembler Required.	\$0	0#
9409866	GHG Secondary Manufacturer: Labrie - Levis, QC	\$0	0#
9409867	GHG Secondary Manufacturer: Labrie - San Luis, AZ	\$0	0#
9409874	GHG Secondary Manufacturer: McNeilus Natural Gas Fuel System	\$0	0#
9409875	GHG Secondary Manufacturer: Heil Natural Gas Fuel System	\$0	0#
9490003	Additional Lead Time Required for Off Highway & /or specialty component truck.	\$0	0#
9490012	U.S. Certification Decals for Canadian Trucks.	\$0	0#
9490645	Zinc Phosphate Frame Rail Paint Processing. Requires frame rail code. Code is for 1 pair of rails.	\$405	0#
9490647	Zinc Phosphate Frame Insert Paint Processing. Requires any 1st frame insert code. Code is for 1 pair of any frame inserts.	\$405	0#
9491659	VMUX Architecture	\$0	0#
9999945	Charge Chassis in United States Dollars.	\$0	0#
9999949	Do Not Drive.	\$1,000	0#
9999995	Cancel/ Reorder Chassis.	\$0	0#
<b>International Support Fee</b>			
9212002	International Support Fee, \$3531.	\$3,531	0#
9212003	International Support Fee, \$4355.	\$4,355	0#
9212006	International Support Fee, \$6785.	\$6,785	0#





## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Warranty</b>			
9200002	Base Warranty - Severe Service Heavy Duty 12 months / 50,000 miles / 80,000 km.	\$0	0#
9200006	Base Warranty - PACCAR MX-11 & MX-13 Engine 24 months / 250,000 miles / 400,000 km / 6250 hours.	\$0	0#
9200008	Base Warranty - PACCAR PX-9 Engine 24 months / 250,000 miles / 402,336 km / 6250 hours.	\$0	0#
9200021	Base Warranty - Standard Service Heavy Duty 12 months / 100,000 miles / 160,000 km.	STD	0#
9220001	Base Warranty: Emissions 5YR/100K MI - EPA Engine	\$0	0#
9220002	Base Warranty: Emissions (CARB Operation) 5YR/350K MI - MX Engine < 460HP	\$2,320	0#
9220003	Base Warranty: Emissions (CARB Operation) 5YR/350K MI - MX Engine > 460HP	\$3,495	0#
9220004	Base Warranty: Emissions (CARB Operation) 5YR/350K MI - X15 EFF/PRO Engine	\$2,320	0#
9220005	Base Warranty: Emissions (CARB Operation) 5YR/350K MI - X15 PER/PRO Engine	\$3,495	0#
9220006	Base Warranty: Emissions (CARB Operation) 5YR/150K MI - PX-9 Engine	\$1,866	0#
9220008	Base Warranty: Emissions (CARB Operation) 5YR/100K MI - L9N Engine	\$0	0#

### U.S. Extended Warranty

9201813	EW: US Basic Vehicle 2 year/100,000 miles, United States Only.	\$560	0#
9201814	EW: US Basic Vehicle 2 year/200,000 miles, United States only.	\$1,515	0#
9201815	EW: US Basic Vehicle 2 year/300,000 miles, United States only.	\$3,695	0#
9201816	EW: US Basic Vehicle 2 year/400,000 miles, United States only.	\$4,890	0#
9201817	EW: US Basic Vehicle 2 year/500,000 miles, United States only.	\$6,510	0#
9201818	EW: US Basic Vehicle 3 year/100,000 miles, United States only.	\$1,050	0#
9201819	EW: US Basic Vehicle 3 year/200,000 miles, United States only.	\$2,010	0#
9201820	EW: US Basic Vehicle 3 year/300,000 miles, United States only.	\$4,375	0#
9201821	EW: US Basic Vehicle 3 year/400,000 miles, United States only.	\$5,495	0#
9201822	EW: US Basic Vehicle 3 year/500,000 miles, United States only.	\$7,140	0#
9201823	EW: US Basic Vehicle 4 year/100,000 miles, United States only.	\$1,655	0#
9201824	EW: US Basic Vehicle 4 year/200,000 miles, United States only.	\$2,705	0#
9201825	EW: US Basic Vehicle 4 year/300,000 miles, United States only.	\$5,080	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>U.S. Extended Warranty</b>			
9201826	EW: US Basic Vehicle 4 year/400,000 miles, United States only.	\$6,050	0#
9201827	EW: US Basic Vehicle 4 year/500,000 miles, United States only.	\$7,735	0#
9201828	EW: US Basic Vehicle 5 year/100,000 miles, United States only.	\$2,820	0#
9201829	EW: US Basic Vehicle 5 year/200,000 miles, United States only.	\$3,885	0#
9201830	EW: US Basic Vehicle 5 year/300,000 miles, United States only.	\$6,260	0#
9201831	EW: US Basic Vehicle 5 year/400,000 miles, United States only.	\$7,370	0#
9201832	EW: US Basic Vehicle 5 year/500,000 miles, United States only.	\$8,710	0#
9201833	EW: US Basic Vehicle 6 year/100,000 miles, United States only.	\$3,015	0#
9201834	EW: US Basic Vehicle 6 year/200,000 miles, United States only.	\$4,090	0#
9201835	EW: US Basic Vehicle 6 year/300,000 miles, United States only.	\$6,900	0#
9201836	EW: US Basic Vehicle 6 year/400,000 miles, United States only.	\$8,490	0#
9201837	EW: US Basic Vehicle 6 year/600,000 miles - United States only.	\$10,290	0#
9201838	EW: US Basic Vehicle 7 year/200,000 miles, United States only.	\$4,215	0#
9201865	EW: US Radiator/CAAC 2 year/100,000 miles, United States only.	\$85	0#
9201866	EW: US Radiator/CAAC 2 year/200,000 miles, United States only.	\$285	0#
9201867	EW: US Radiator/CAAC 2 year/300,000 miles, United States only.	\$360	0#
9201868	EW: US Radiator/CAAC 2 year/400,000 miles, United States only.	\$445	0#
9201869	EW: US Radiator/CAAC 2 year/500,000 miles, United States only.	\$520	0#
9201870	EW: US Radiator/CAAC 3 year/100,000 miles, United States only.	\$130	0#
9201871	EW: US Radiator/CAAC 3 year/200,000 miles, United States only.	\$325	0#
9201872	EW: US Radiator/CAAC 3 year/300,000 miles, United States only.	\$405	0#
9201873	EW: US Radiator/CAAC 3 year/400,000 miles, United States only.	\$485	0#
9201874	EW: US Radiator/CAAC 3 year/500,000 miles, United States only.	\$565	0#
9201875	EW: US Radiator/CAAC 4 year/100,000 miles, United States only.	\$165	0#
9201876	EW: US Radiator/CAAC 4 year/200,000 miles, United States only.	\$365	0#
9201877	EW: US Radiator/CAAC 4 year/300,000 miles, United States only.	\$450	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>U.S. Extended Warranty</b>			
9201878	EW: US Radiator/CAAC 4 year/400,000 miles, United States only.	\$530	0#
9201879	EW: US Radiator/CAAC 4 year/500,000 miles, United States only.	\$610	0#
9201880	EW: US Radiator/CAAC 5 year/100,000 miles, United States only.	\$200	0#
9201881	EW: US Radiator/CAAC 5 year/200,000 miles, United States only.	\$400	0#
9201882	EW: US Radiator/CAAC 5 year/300,000 miles, United States only.	\$480	0#
9201883	EW: US Radiator/CAAC 5 year/400,000 miles, United States only.	\$560	0#
9201884	EW: US Radiator/CAAC 5 year/500,000 miles, United States only.	\$625	0#
9201885	EW: US Radiator/CAAC 6 year/100,000 miles, United States only.	\$245	0#
9201886	EW: US Radiator/CAAC 6 year/200,000 miles, United States only.	\$445	0#
9201887	EW: US Radiator/CAAC 7 year/200,000 miles, United States only.	\$490	0#
9201911	EW: US Heater & Air Conditioner 2 year/100,000 miles, United States only.	\$160	0#
9201912	EW: US Heater & Air Conditioner 2 year/200,000 miles, United States only.	\$405	0#
9201913	EW: US Heater & Air Conditioner 2 year/300,000 miles, United States only.	\$720	0#
9201914	EW: US Heater & Air Conditioner 2 year/400,000 miles, United States only.	\$995	0#
9201915	EW: US Heater & Air Conditioner 2 year/500,000 miles, United States only.	\$1,115	0#
9201916	EW: US Heater & Air Conditioner 3 year/100,000 miles, United States only.	\$245	0#
9201917	EW: US Heater & Air Conditioner 3 year/200,000 miles, United States only.	\$525	0#
9201918	EW: US Heater & Air Conditioner 3 year/300,000 miles, United States only.	\$805	0#
9201919	EW: US Heater & Air Conditioner 3 year/400,000 miles, United States only.	\$1,090	0#
9201920	EW: US Heater & Air Conditioner 3 year/500,000 miles, United States only.	\$1,250	0#
9201921	EW: US Heater & Air Conditioner 4 year/100,000 miles, United States only.	\$365	0#
9201922	EW: US Heater & Air Conditioner 4 year/200,000 miles, United States only.	\$645	0#
9201923	EW: US Heater & Air Conditioner 4 year/300,000 miles, United States only.	\$970	0#
9201924	EW: US Heater & Air Conditioner 4 year/400,000 miles, United States only.	\$1,215	0#
9201925	EW: US Heater & Air Conditioner 4 year/500,000 miles, United States only.	\$1,335	0#
9201926	EW: US Heater & Air Conditioner 5 year/100,000 miles, United States only.	\$520	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>U.S. Extended Warranty</b>			
9201927	EW: US Heater & Air Conditioner 5 year/200,000 miles, United States only.	\$795	0#
9201928	EW: US Heater & Air Conditioner 5 year/300,000 miles, United States only.	\$1,110	0#
9201929	EW: US Heater & Air Conditioner 5 year/400,000 miles, United States only.	\$1,395	0#
9201930	EW: US Heater & Air Conditioner 5 year/500,000 miles, United States only.	\$1,445	0#
9201931	EW: US Heater & Air Conditioner 6 year/100,000 miles, United States only.	\$560	0#
9201932	EW: US Heater & Air Conditioner 6 year/200,000 miles, United States only.	\$835	0#
9201933	EW: US Heater & Air Conditioner 7 year/200,000 miles, United States only.	\$895	0#
9201957	EW: US Starter & Alternator 2 year/200,000 miles, United States only.	\$245	0#
9201958	EW: US Starter & Alternator 2 year/300,000 miles, United States only.	\$320	0#
9201959	EW: US Starter & Alternator 3 year/300,000 miles, United States only.	\$565	0#
9201960	EW: US Starter & Alternator 3 year/400,000 miles, United States only.	\$805	0#
9201961	EW: US Starter & Alternator 4 year/500,000 miles, United States only.	\$1,090	0#
9201962	EW: US Starter & Alternator 5 year/500,000 miles, United States only.	\$1,375	0#
9201969	EW: US Towing For Warrantable Failures 1 year / Unlimited miles.	\$390	0#
9201970	EW: US Towing For Warrantable Failures 2 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$770	0#
9201971	EW: US Towing For Warrantable Failures 3 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,160	0#
9201972	EW: US Towing For Warrantable Failures 4 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,515	0#
9201973	EW: US Towing For Warrantable Failures 5 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$2,290	0#
9201974	EW: US Towing For Warrantable Failures 6 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$3,000	0#
9201975	EW: US Towing For Warrantable Failures 7 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$3,800	0#
9201983	EW: US Chassis/Frame Wiring 3 years/300,000 mile Per CA-014	\$1,285	0#
9201984	EW: US Chassis/Frame Wiring 4 years/400,000 miles Per CA-014	\$1,980	0#
9201985	EW: US Chassis/Frame Wiring 4 years/500,000 miles Per CA-014	\$2,880	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>U.S. Extended Warranty</b>			
9201986	EW: US Chassis/Frame Wiring 5 years/500,000 miles Per CA-014	\$4,280	0#
9201987	EW: US Chassis/Frame Wiring 5 years/600,000 miles Per CA-014	\$4,800	0#
9201988	EW: US Chassis/Frame Wiring 6 years/600,000 miles Per CA-014	\$5,320	0#
<b>Canada Extended Warranty</b>			
9201839	EW: Canada Basic Vehicle 2 year/160,000 km, Canada only.	\$1,035	0#
9201840	EW: Canada Basic Vehicle 2 year/320,000 km, Canada only.	\$2,505	0#
9201841	EW: Canada Basic Vehicle 2 year/480,000 km, Canada only.	\$4,055	0#
9201842	EW: Canada Basic Vehicle 2 year/640,000 km, Canada only.	\$6,275	0#
9201843	EW: Canada Basic Vehicle 2 year/800,000 km, Canada only.	\$7,585	0#
9201844	EW: Canada Basic Vehicle 3 year/160,000 km, Canada only.	\$1,410	0#
9201845	EW: Canada Basic Vehicle 3 year/320,000 km, Canada only.	\$2,890	0#
9201846	EW: Canada Basic Vehicle 3 year/480,000 km, Canada only.	\$4,460	0#
9201847	EW: Canada Basic Vehicle 3 year/640,000 km, Canada only.	\$6,735	0#
9201848	EW: Canada Basic Vehicle 3 year/800,000 km, Canada only.	\$8,060	0#
9201849	EW: Canada Basic Vehicle 4 year/160,000 km, Canada only.	\$3,265	0#
9201850	EW: Canada Basic Vehicle 4 year/320,000 km, Canada only.	\$4,880	0#
9201851	EW: Canada Basic Vehicle 4 year/480,000 km, Canada only.	\$6,490	0#
9201852	EW: Canada Basic Vehicle 4 year/640,000 km, Canada only.	\$8,510	0#
9201853	EW: Canada Basic Vehicle 4 year/800,000 km, Canada only.	\$9,995	0#
9201854	EW: Canada Basic Vehicle 5 year/160,000 km, Canada only.	\$4,875	0#
9201855	EW: Canada Basic Vehicle 5 year/320,000 km, Canada only.	\$6,535	0#
9201856	EW: Canada Basic Vehicle 5 year/480,000 km, Canada only.	\$8,235	0#
9201857	EW: Canada Basic Vehicle 5 year/640,000 km, Canada only.	\$10,335	0#
9201858	EW: Canada Basic Vehicle 5 year/800,000 km, Canada only.	\$11,285	0#
9201859	EW: Canada Basic Vehicle 6 year/160,000 km, Canada only.	\$4,920	0#
9201860	EW: Canada Basic Vehicle 6 year/320,000 km, Canada only.	\$6,590	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Canada Extended Warranty</b>			
9201861	EW: Canada Basic Vehicle 6 year/480,000 km, Canada only.	\$9,080	0#
9201862	EW: Canada Basic Vehicle 6 year/640,000 km, Canada only.	\$11,905	0#
9201863	EW: Canada Basic Vehicle 6 year/960,000 km - Canada only.	\$13,460	0#
9201864	EW: Canada Basic Vehicle 7 year/320,000 km, Canada only.	\$6,775	0#
9201888	EW: Canada Radiator/CAAC 2 year/160,000 km, Canada only.	\$245	0#
9201889	EW: Canada Radiator/CAAC 2 year/320,000 km, Canada only.	\$635	0#
9201890	EW: Canada Radiator/CAAC 2 year/480,000 km, Canada only.	\$795	0#
9201891	EW: Canada Radiator/CAAC 2 year/640,000 km, Canada only.	\$1,115	0#
9201892	EW: Canada Radiator/CAAC 2 year/800,000 km, Canada only.	\$1,470	0#
9201893	EW: Canada Radiator/CAAC 3 year/160,000 km, Canada only.	\$325	0#
9201894	EW: Canada Radiator/CAAC 3 year/320,000 km, Canada only.	\$730	0#
9201895	EW: Canada Radiator/CAAC 3 year/480,000 km, Canada only.	\$930	0#
9201896	EW: Canada Radiator/CAAC 3 year/640,000 km, Canada only.	\$1,250	0#
9201897	EW: Canada Radiator/CAAC 3 year/800,000 km, Canada only.	\$1,605	0#
9201898	EW: Canada Radiator/CAAC 4 year/160,000 km, Canada only.	\$610	0#
9201899	EW: Canada Radiator/CAAC 4 year/320,000 km, Canada only.	\$1,010	0#
9201900	EW: Canada Radiator/CAAC 4 year/480,000 km, Canada only.	\$1,215	0#
9201901	EW: Canada Radiator/CAAC 4 year/640,000 km, Canada only.	\$1,495	0#
9201902	EW: Canada Radiator/CAAC 4 year/800,000 km, Canada only.	\$1,860	0#
9201903	EW: Canada Radiator/CAAC 5 year/160,000 km, Canada only.	\$635	0#
9201904	EW: Canada Radiator/CAAC 5 year/320,000 km, Canada only.	\$1,035	0#
9201905	EW: Canada Radiator/CAAC 5 year/480,000 km, Canada only.	\$1,270	0#
9201906	EW: Canada Radiator/CAAC 5 year/640,000 km, Canada only.	\$1,550	0#
9201907	EW: Canada Radiator/CAAC 5 year/800,000 km, Canada only.	\$1,870	0#
9201908	EW: Canada Radiator/CAAC 6 year/160,000 km, Canada only.	\$680	0#
9201909	EW: Canada Radiator/CAAC 6 year/320,000 km, Canada only.	\$1,080	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Canada Extended Warranty</b>			
9201910	EW: Canada Radiator/CAAC 7 year/320,000 km, Canada only.	\$1,135	0#
9201934	EW: Canada Heater & Air Conditioner 2 year/160,000km, Canada only.	\$285	0#
9201935	EW: Canada Heater & Air Conditioner 2 year/320,000km, Canada only.	\$680	0#
9201936	EW: Canada Heater & Air Conditioner 2 year/480,000km, Canada only.	\$995	0#
9201937	EW: Canada Heater & Air Conditioner 2 year/640,000km, Canada only.	\$1,270	0#
9201938	EW: Canada Heater & Air Conditioner 2 year/800,000km, Canada only.	\$1,430	0#
9201939	EW: Canada Heater & Air Conditioner 3 year/160,000km, Canada only.	\$325	0#
9201940	EW: Canada Heater & Air Conditioner 3 year/320,000km, Canada only.	\$730	0#
9201941	EW: Canada Heater & Air Conditioner 3 year/480,000km, Canada only.	\$1,090	0#
9201942	EW: Canada Heater & Air Conditioner 3 year/640,000km, Canada only.	\$1,370	0#
9201943	EW: Canada Heater & Air Conditioner 3 year/800,000km, Canada only.	\$1,530	0#
9201944	EW: Canada Heater & Air Conditioner 4 year/160,000km, Canada only.	\$690	0#
9201945	EW: Canada Heater & Air Conditioner 4 year/320,000km, Canada only.	\$1,130	0#
9201946	EW: Canada Heater & Air Conditioner 4 year/480,000km, Canada only.	\$1,495	0#
9201947	EW: Canada Heater & Air Conditioner 4 year/640,000km, Canada only.	\$1,700	0#
9201948	EW: Canada Heater & Air Conditioner 4 year/800,000km, Canada only.	\$1,860	0#
9201949	EW: Canada Heater & Air Conditioner 5 year/160,000km, Canada only.	\$875	0#
9201950	EW: Canada Heater & Air Conditioner 5 year/320,000km, Canada only.	\$1,310	0#
9201951	EW: Canada Heater & Air Conditioner 5 year/480,000km, Canada only.	\$1,710	0#
9201952	EW: Canada Heater & Air Conditioner 5 year/640,000km, Canada only.	\$1,945	0#
9201953	EW: Canada Heater & Air Conditioner 5 year/800,000km, Canada only.	\$2,025	0#
9201954	EW: Canada Heater & Air Conditioner 6 year/160,000km, Canada only.	\$920	0#
9201955	EW: Canada Heater & Air Conditioner 6 year/320,000km, Canada only.	\$1,355	0#
9201956	EW: Canada Heater & Air Conditioner 7 year/320,000km, Canada only.	\$1,425	0#
9201963	EW: Canada Starter & Alternator 2 year/320,000km, Canada only.	\$405	0#
9201964	EW: Canada Starter & Alternator 2 year/480,000km, Canada only	\$635	0#





## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Canada Extended Warranty</b>			
9201965	EW: Canada Starter & Alternator 3 year/480,000km, Canada only.	\$1,050	0#
9201966	EW: Canada Starter & Alternator 3 year/640,000km, Canada only.	\$1,605	0#
9201967	EW: Canada Starter & Alternator 4 year/800,000km, Canada only.	\$1,890	0#
9201968	EW: Canada Starter & Alternator 5 year/800,000km, Canada only.	\$2,175	0#
9201976	EW: CA Towing For Warrantable Failures 1 year / Unlimited km.	\$555	0#
9201977	EW: CA Towing For Warrantable Failures 2 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,100	0#
9201978	EW: CA Towing For Warrantable Failures 3 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,655	0#
9201979	EW: CA Towing For Warrantable Failures 4 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$2,165	0#
9201980	EW: CA Towing For Warrantable Failures 5 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$3,265	0#
9201981	EW: CA Towing For Warrantable Failures 6 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$4,265	0#
9201982	EW: CA Towing For Warrantable Failures 7 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$5,395	0#
9201989	EW: CA Chassis/Frame Wiring 3 years/480,000 KMs Per CA-014	\$2,980	0#
9201990	EW: CA Chassis/Frame Wiring 4 years/640,000 KMs Per CA-014	\$4,605	0#
9201991	EW: CA Chassis/Frame Wiring 4 years/800,000 KMs Per CA-014	\$6,835	0#
9201992	EW: CA Chassis/Frame Wiring 5 years/800,000 KMs Per CA-014	\$8,035	0#
9201993	EW: CA Chassis/Frame Wiring 5 years/960,000 KMs Per CA-014	\$8,965	0#
9201994	EW: CA Chassis/Frame Wiring 6 years/960,000 KMs Per CA-014	\$9,570	0#
<b>PACCAR Engine Extended Coverage Plans</b>			
9204335	PACCAR MX Premium <460HP - 3YR/300K MI (480K KM) EPA24	\$1,645	0#
9204336	PACCAR MX Premium <460HP - 3YR/400K MI (640K KM) EPA24	\$2,095	0#
9204337	PACCAR MX Premium <460HP - 3YR/500K MI (800K KM) EPA24.	\$3,400	0#
9204338	PACCAR MX Premium <460HP - 3YR/600K MI (960K KM) EPA24.	\$4,195	0#
9204339	PACCAR MX Premium <460HP - 3YR/700K MI (1,120K KM) EPA24.	\$4,990	0#





## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>PACCAR Engine Extended Coverage Plans</b>			
9204340	PACCAR MX Premium <460HP - 4YR/400K MI (640K KM) EPA24.	\$2,945	0#
9204341	PACCAR MX Premium <460HP - 4YR/500K MI (800K KM) EPA24.	\$3,995	0#
9204342	PACCAR MX Premium <460HP - 4YR/600K MI (960K KM) EPA24.	\$5,095	0#
9204343	PACCAR MX Premium <460HP - 4YR/700K MI (1,120K KM) EPA24.	\$6,195	0#
9204344	PACCAR MX Premium <460HP - 5YR/100K MI (160K KM) EPA24.	\$1,600	0#
9204345	PACCAR MX Premium <460HP - 5YR/200K MI (320K KM) EPA24.	\$1,925	0#
9204346	PACCAR MX Premium <460HP - 5YR/300K MI (480K KM) EPA24.	\$2,550	0#
9204347	PACCAR MX Premium <460HP - 5YR/400K MI (640K KM) EPA24.	\$3,625	0#
9204348	PACCAR MX Premium <460HP - 5YR/500K MI (800K KM) EPA24.	\$4,795	0#
9204349	PACCAR MX Premium <460HP - 5YR/600K MI (960K KM) EPA24.	\$6,045	0#
9204350	PACCAR MX Premium <460HP - 5YR/700K MI (1,120K KM) EPA24.	\$7,295	0#
9204351	PACCAR MX Premium <460HP - 6YR/100K MI (160K KM) EPA24.	\$1,880	0#
9204352	PACCAR MX Premium <460HP - 6YR/200K MI (320K KM) EPA24.	\$2,545	0#
9204353	PACCAR MX Premium <460HP - 6YR/300K MI (480K KM) EPA24.	\$3,545	0#
9204354	PACCAR MX Premium <460HP - 6YR/400K MI (640K KM) EPA24.	\$4,545	0#
9204355	PACCAR MX Premium <460HP - 6YR/500K MI (800K KM) EPA24.	\$5,900	0#
9204356	PACCAR MX Premium <460HP - 6YR/600K MI (960K KM) EPA24.	\$7,195	0#
9204357	PACCAR MX Premium <460HP - 6YR/700K MI (1,120K KM) EPA24.	\$8,490	0#
9204358	PACCAR MX Premium <460HP - 7YR/100K MI (160K KM) EPA24.	\$2,155	0#
9204359	PACCAR MX Premium <460HP - 7YR/200K MI (320K KM) EPA24.	\$3,165	0#
9204360	PACCAR MX Premium <460HP - 7YR/300K MI (480K KM) EPA24.	\$4,540	0#
9204361	PACCAR MX Premium <460HP - 7YR/400K MI (640K KM) EPA24.	\$5,465	0#
9204362	PACCAR MX Premium <460HP - 7YR/500K MI (800K KM) EPA24.	\$7,005	0#
9204363	PACCAR MX Premium <460HP - 7YR/600K MI (960K KM) EPA24.	\$8,345	0#
9204364	PACCAR MX Premium <460HP - 7YR/700K MI (1,120K KM) EPA24.	\$9,685	0#
9204365	PACCAR MX Premium >460HP - 3YR/300K MI (480K KM) EPA24.	\$2,300	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>PACCAR Engine Extended Coverage Plans</b>			
9204366	PACCAR MX Premium >460HP - 3YR/400K MI (640K KM) EPA24.	\$3,550	0#
9204367	PACCAR MX Premium >460HP - 3YR/500K MI (800K KM) EPA24.	\$5,550	0#
9204368	PACCAR MX Premium >460HP - 3YR/600K MI (960K KM) EPA24.	\$7,550	0#
9204369	PACCAR MX Premium >460HP - 3YR/700K MI (1,120K KM) EPA24.	\$9,550	0#
9204370	PACCAR MX Premium >460HP - 4YR/400K MI (640K KM) EPA24.	\$4,700	0#
9204371	PACCAR MX Premium >460HP - 4YR/500K MI (800K KM) EPA24.	\$6,650	0#
9204372	PACCAR MX Premium >460HP - 4YR/600K MI (960K KM) EPA24.	\$8,550	0#
9204373	PACCAR MX Premium >460HP - 4YR/700K MI (1,120K KM) EPA24.	\$10,450	0#
9204374	PACCAR MX Premium >460HP - 5YR/100K MI (160K KM) EPA24.	\$2,250	0#
9204375	PACCAR MX Premium >460HP - 5YR/200K MI (320K KM) EPA24.	\$2,700	0#
9204376	PACCAR MX Premium >460HP - 5YR/300K MI (480K KM) EPA24.	\$3,870	0#
9204377	PACCAR MX Premium >460HP - 5YR/400K MI (640K KM) EPA24.	\$5,725	0#
9204378	PACCAR MX Premium >460HP - 5YR/500K MI (800K KM) EPA24.	\$7,870	0#
9204379	PACCAR MX Premium >460HP - 5YR/600K MI (960K KM) EPA24.	\$10,015	0#
9204380	PACCAR MX Premium >460HP - 5YR/700K MI (1,120K KM) EPA24.	\$12,160	0#
9204381	PACCAR MX Premium >460HP - 6YR/100K MI (160K KM) EPA24.	\$3,035	0#
9204382	PACCAR MX Premium >460HP - 6YR/200K MI (320K KM) EPA24.	\$3,485	0#
9204383	PACCAR MX Premium >460HP - 6YR/300K MI (480K KM) EPA24.	\$4,655	0#
9204384	PACCAR MX Premium >460HP - 6YR/400K MI (640K KM) EPA24.	\$6,750	0#
9204385	PACCAR MX Premium >460HP - 6YR/500K MI (800K KM) EPA24.	\$9,090	0#
9204386	PACCAR MX Premium >460HP - 6YR/600K MI (960K KM) EPA24.	\$11,480	0#
9204387	PACCAR MX Premium >460HP - 6YR/700K MI (1,120K KM) EPA24.	\$13,870	0#
9204388	PACCAR MX Premium >460HP - 7YR/100K MI (160K KM) EPA24.	\$3,820	0#
9204389	PACCAR MX Premium >460HP - 7YR/200K MI (320K KM) EPA24.	\$4,270	0#
9204390	PACCAR MX Premium >460HP - 7YR/300K MI (480K KM) EPA24.	\$5,440	0#
9204391	PACCAR MX Premium >460HP - 7YR/400K MI (640K KM) EPA24.	\$7,775	0#

\*See PremierSpec for Applicable Restrictions



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>PACCAR Engine Extended Coverage Plans</b>			
9204392	PACCAR MX Premium >460HP - 7YR/500K MI (800K KM) EPA24.	\$10,310	0#
9204393	PACCAR MX Premium >460HP - 7YR/600K MI (960K KM) EPA24.	\$12,945	0#
9204394	PACCAR MX Premium >460HP - 7YR/700K MI (1,120K KM) EPA24.	\$15,580	0#
9204395	PACCAR MX-13 PP1 <460HP - 3YR/300K MI (480K KM) EPA24.	\$1,595	0#
9204396	PACCAR MX-13 PP1 <460HP - 3YR/400K MI (640K KM) EPA24.	\$2,045	0#
9204397	PACCAR MX-13 PP1 <460HP - 3YR/500K MI (800K KM) EPA24.	\$2,845	0#
9204398	PACCAR MX-13 PP1 <460HP - 3YR/600K MI (960K KM) EPA24.	\$3,645	0#
9204399	PACCAR MX-13 PP1 <460HP - 4YR/400K MI (640K KM) EPA24.	\$2,495	0#
9204400	PACCAR MX-13 PP1 <460HP - 4YR/500K MI (800K KM) EPA24.	\$3,195	0#
9204401	PACCAR MX-13 PP1 <460HP - 4YR/600K MI (960K KM) EPA24.	\$4,045	0#
9204402	PACCAR MX-13 PP1 <460HP - 5YR/200K MI (320K KM) EPA24.	\$1,745	0#
9204403	PACCAR MX-13 PP1 <460HP - 5YR/300K MI (480K KM) EPA24.	\$2,195	0#
9204404	PACCAR MX-13 PP1 <460HP - 5YR/400K MI (640K KM) EPA24.	\$2,795	0#
9204405	PACCAR MX-13 PP1 <460HP - 5YR/500K MI (800K KM) EPA24.	\$3,595	0#
9204406	PACCAR MX-13 PP1 <460HP - 5YR/600K MI (960K KM) EPA24.	\$4,645	0#
9204407	PACCAR MX-13 PP1 <460HP - 6YR/600K MI (960K KM) EPA24.	\$5,445	0#
9204408	PACCAR MX-13 PP1 >460HP - 3YR/300K MI (480K KM) EPA24.	\$2,195	0#
9204409	PACCAR MX-13 PP1 >460HP - 3YR/400K MI (640K KM) EPA24.	\$3,095	0#
9204410	PACCAR MX-13 PP1 >460HP - 3YR/500K MI (800K KM) EPA24.	\$4,995	0#
9204411	PACCAR MX-13 PP1 >460HP - 3YR/600K MI (960K KM) EPA24.	\$6,760	0#
9204412	PACCAR MX-13 PP1 >460HP - 4YR/400K MI (640K KM) EPA24.	\$4,145	0#
9204413	PACCAR MX-13 PP1 >460HP - 4YR/500K MI (800K KM) EPA24.	\$5,845	0#
9204414	PACCAR MX-13 PP1 >460HP - 4YR/600K MI (960K KM) EPA24.	\$7,645	0#
9204415	PACCAR MX-13 PP1 >460HP - 5YR/200K MI (320K KM) EPA24.	\$2,495	0#
9204416	PACCAR MX-13 PP1 >460HP - 5YR/300K MI (480K KM) EPA24.	\$3,495	0#
9204417	PACCAR MX-13 PP1 >460HP - 5YR/400K MI (640K KM) EPA24.	\$4,895	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>PACCAR Engine Extended Coverage Plans</b>			
9204418	PACCAR MX-13 PP1 >460HP - 5YR/500K MI (800K KM) EPA24.	\$6,695	0#
9204419	PACCAR MX-13 PP1 >460HP - 5YR/600K MI (960K KM) EPA24.	\$9,095	0#
9204420	PACCAR MX Major Components <460HP - 6YR/600K MI (960K KM) EPA24.	\$1,360	0#
9204421	PACCAR MX Major Components <460HP - 7YR/700K MI (1,120K KM) EPA24.	\$1,520	0#
9204422	PACCAR MX Major Components >460HP - 6YR/600K MI (960K KM) EPA24.	\$1,780	0#
9204423	PACCAR MX Major Components >460HP - 7YR/700K MI (1,120K KM) EPA24.	\$2,025	0#
9204424	PACCAR MX Aftertreatment <460HP - 3YR/300K MI (480K KM) EPA24	\$870	0#
9204425	PACCAR MX Aftertreatment <460HP - 3YR/400K MI (640K KM) EPA24	\$1,225	0#
9204426	PACCAR MX Aftertreatment <460HP - 3YR/500K MI (800K KM) EPA24	\$1,835	0#
9204427	PACCAR MX Aftertreatment <460HP - 3YR/600K MI (960K KM) EPA24	\$2,380	0#
9204428	PACCAR MX Aftertreatment <460HP - 3YR/700K MI (1,120K KM) EPA24	\$2,925	0#
9204429	PACCAR MX Aftertreatment <460HP - 4YR/400K MI (640K KM) EPA24	\$1,555	0#
9204430	PACCAR MX Aftertreatment <460HP - 4YR/500K MI (800K KM) EPA24	\$2,130	0#
9204431	PACCAR MX Aftertreatment <460HP - 4YR/600K MI (960K KM) EPA24	\$2,450	0#
9204432	PACCAR MX Aftertreatment <460HP - 4YR/700K MI (1,120K KM) EPA24	\$3,220	0#
9204433	PACCAR MX Aftertreatment <460HP - 5YR/100K MI (160K KM) EPA24	\$895	0#
9204434	PACCAR MX Aftertreatment <460HP - 5YR/200K MI (320K KM) EPA24	\$1,060	0#
9204435	PACCAR MX Aftertreatment <460HP - 5YR/300K MI (480K KM) EPA24	\$1,325	0#
9204436	PACCAR MX Aftertreatment <460HP - 5YR/400K MI (640K KM) EPA24	\$1,720	0#
9204437	PACCAR MX Aftertreatment <460HP - 5YR/500K MI (800K KM) EPA24	\$2,225	0#
9204438	PACCAR MX Aftertreatment <460HP - 5YR/600K MI (960K KM) EPA24	\$3,035	0#
9204439	PACCAR MX Aftertreatment <460HP - 5YR/700K MI (1,120K KM) EPA24	\$3,495	0#
9204440	PACCAR MX Aftertreatment <460HP - 6YR/100K MI (160K KM) EPA24	\$915	0#
9204441	PACCAR MX Aftertreatment <460HP - 6YR/200K MI (320K KM) EPA24	\$1,125	0#
9204442	PACCAR MX Aftertreatment <460HP - 6YR/300K MI (480K KM) EPA24	\$1,750	0#
9204443	PACCAR MX Aftertreatment <460HP - 6YR/400K MI (640K KM) EPA24	\$2,270	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>PACCAR Engine Extended Coverage Plans</b>			
9204444	PACCAR MX Aftertreatment <460HP - 6YR/500K MI (800K KM) EPA24	\$2,870	0#
9204445	PACCAR MX Aftertreatment <460HP - 6YR/600K MI (960K KM) EPA24	\$3,370	0#
9204446	PACCAR MX Aftertreatment <460HP - 6YR/700K MI (1,120K KM) EPA24	\$3,870	0#
9204447	PACCAR MX Aftertreatment <460HP - 7YR/100K MI (160K KM) EPA24	\$995	0#
9204448	PACCAR MX Aftertreatment <460HP - 7YR/200K MI (320K KM) EPA24	\$1,360	0#
9204449	PACCAR MX Aftertreatment <460HP - 7YR/300K MI (480K KM) EPA24	\$2,000	0#
9204450	PACCAR MX Aftertreatment <460HP - 7YR/400K MI (640K KM) EPA24	\$2,820	0#
9204451	PACCAR MX Aftertreatment <460HP - 7YR/500K MI (800K KM) EPA24	\$3,305	0#
9204452	PACCAR MX Aftertreatment <460HP - 7YR/600K MI (960K KM) EPA24	\$3,705	0#
9204453	PACCAR MX Aftertreatment <460HP - 7YR/700K MI (1,120K KM) EPA24	\$4,245	0#
9204454	PACCAR MX Aftertreatment >460HP - 3YR/300K MI (480K KM) EPA24	\$1,115	0#
9204455	PACCAR MX Aftertreatment >460HP - 3YR/400K MI (640K KM) EPA24	\$1,555	0#
9204456	PACCAR MX Aftertreatment >460HP - 3YR/500K MI (800K KM) EPA24	\$2,655	0#
9204457	PACCAR MX Aftertreatment >460HP - 3YR/600K MI (960K KM) EPA24	\$3,755	0#
9204458	PACCAR MX Aftertreatment >460HP - 3YR/700K MI (1,120K KM) EPA24	\$4,855	0#
9204459	PACCAR MX Aftertreatment >460HP - 4YR/400K MI (640K KM) EPA24	\$2,215	0#
9204460	PACCAR MX Aftertreatment >460HP - 4YR/500K MI (800K KM) EPA24	\$3,205	0#
9204461	PACCAR MX Aftertreatment >460HP - 4YR/600K MI (960K KM) EPA24	\$4,305	0#
9204462	PACCAR MX Aftertreatment >460HP - 4YR/700K MI (1,120K KM) EPA24	\$5,405	0#
9204463	PACCAR MX Aftertreatment >460HP - 5YR/100K MI (160K KM) EPA24	\$1,170	0#
9204464	PACCAR MX Aftertreatment >460HP - 5YR/200K MI (320K KM) EPA24	\$1,445	0#
9204465	PACCAR MX Aftertreatment >460HP - 5YR/300K MI (480K KM) EPA24	\$1,830	0#
9204466	PACCAR MX Aftertreatment >460HP - 5YR/400K MI (640K KM) EPA24	\$2,595	0#
9204467	PACCAR MX Aftertreatment >460HP - 5YR/500K MI (800K KM) EPA24	\$3,645	0#
9204468	PACCAR MX Aftertreatment >460HP - 5YR/600K MI (960K KM) EPA24	\$4,695	0#
9204469	PACCAR MX Aftertreatment >460HP - 5YR/700K MI (1,120K KM) EPA24	\$5,745	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>PACCAR Engine Extended Coverage Plans</b>			
9204470	PACCAR MX Aftertreatment >460HP - 6YR/100K MI (160K KM) EPA24	\$1,530	0#
9204471	PACCAR MX Aftertreatment >460HP - 6YR/200K MI (320K KM) EPA24	\$1,775	0#
9204472	PACCAR MX Aftertreatment >460HP - 6YR/300K MI (480K KM) EPA24	\$2,190	0#
9204473	PACCAR MX Aftertreatment >460HP - 6YR/400K MI (640K KM) EPA24	\$2,975	0#
9204474	PACCAR MX Aftertreatment >460HP - 6YR/500K MI (800K KM) EPA24	\$4,085	0#
9204475	PACCAR MX Aftertreatment >460HP - 6YR/600K MI (960K KM) EPA24	\$5,085	0#
9204476	PACCAR MX Aftertreatment >460HP - 6YR/700K MI (1,120K KM) EPA24	\$6,085	0#
9204477	PACCAR MX Aftertreatment >460HP - 7YR/100K MI (160K KM) EPA24	\$1,885	0#
9204478	PACCAR MX Aftertreatment >460HP - 7YR/200K MI (320K KM) EPA24	\$2,105	0#
9204479	PACCAR MX Aftertreatment >460HP - 7YR/300K MI (480K KM) EPA24	\$2,545	0#
9204480	PACCAR MX Aftertreatment >460HP - 7YR/400K MI (640K KM) EPA24	\$3,355	0#
9204481	PACCAR MX Aftertreatment >460HP - 7YR/500K MI (800K KM) EPA24	\$4,525	0#
9204482	PACCAR MX Aftertreatment >460HP - 7YR/600K MI (960K KM) EPA24	\$5,475	0#
9204483	PACCAR MX Aftertreatment >460HP - 7YR/700K MI (1,120K KM) EPA24	\$6,425	0#
9204486	PACCAR MX Premium <460HP - 3YR/300K MI (480K KM) CARB24.	\$975	0#
9204487	PACCAR MX Premium <460HP - 3YR/400K MI (640K KM) CARB24.	\$1,325	0#
9204488	PACCAR MX Premium <460HP - 3YR/500K MI (800K KM) CARB24.	\$2,630	0#
9204489	PACCAR MX Premium <460HP - 3YR/600K MI (960K KM) CARB24.	\$3,425	0#
9204490	PACCAR MX Premium <460HP - 3YR/700K MI (1,120K KM) CARB24.	\$4,220	0#
9204491	PACCAR MX Premium <460HP - 4YR/400K MI (640K KM) CARB24.	\$1,875	0#
9204492	PACCAR MX Premium <460HP - 4YR/500K MI (800K KM) CARB24.	\$2,925	0#
9204493	PACCAR MX Premium <460HP - 4YR/600K MI (960K KM) CARB24.	\$4,025	0#
9204494	PACCAR MX Premium <460HP - 4YR/700K MI (1,120K KM) CARB24.	\$5,125	0#
9204495	PACCAR MX Premium <460HP - 5YR/100K MI (160K KM) CARB24.	\$1,050	0#
9204496	PACCAR MX Premium <460HP - 5YR/200K MI (320K KM) CARB24.	\$1,225	0#
9204497	PACCAR MX Premium <460HP - 5YR/300K MI (480K KM) CARB24.	\$1,425	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>PACCAR Engine Extended Coverage Plans</b>			
9204498	PACCAR MX Premium <460HP - 5YR/400K MI (640K KM) CARB24.	\$2,180	0#
9204499	PACCAR MX Premium <460HP - 5YR/500K MI (800K KM) CARB24.	\$3,350	0#
9204500	PACCAR MX Premium <460HP - 5YR/600K MI (960K KM) CARB24.	\$4,600	0#
9204501	PACCAR MX Premium <460HP - 5YR/700K MI (1,120K KM) CARB24.	\$5,850	0#
9204502	PACCAR MX Premium <460HP - 6YR/100K MI (160K KM) CARB24.	\$1,060	0#
9204503	PACCAR MX Premium <460HP - 6YR/200K MI (320K KM) CARB24.	\$1,725	0#
9204504	PACCAR MX Premium <460HP - 6YR/300K MI (480K KM) CARB24.	\$2,125	0#
9204505	PACCAR MX Premium <460HP - 6YR/400K MI (640K KM) CARB24.	\$3,100	0#
9204506	PACCAR MX Premium <460HP - 6YR/500K MI (800K KM) CARB24.	\$4,450	0#
9204507	PACCAR MX Premium <460HP - 6YR/600K MI (960K KM) CARB24.	\$5,750	0#
9204508	PACCAR MX Premium <460HP - 6YR/700K MI (1,120K KM) CARB24.	\$7,045	0#
9204509	PACCAR MX Premium <460HP - 7YR/100K MI (160K KM) CARB24.	\$1,335	0#
9204510	PACCAR MX Premium <460HP - 7YR/200K MI (320K KM) CARB24.	\$2,345	0#
9204511	PACCAR MX Premium <460HP - 7YR/300K MI (480K KM) CARB24.	\$3,120	0#
9204512	PACCAR MX Premium <460HP - 7YR/400K MI (640K KM) CARB24.	\$4,020	0#
9204513	PACCAR MX Premium <460HP - 7YR/500K MI (800K KM) CARB24.	\$5,560	0#
9204514	PACCAR MX Premium <460HP - 7YR/600K MI (960K KM) CARB24.	\$6,900	0#
9204515	PACCAR MX Premium <460HP - 7YR/700K MI (1,120K KM) CARB24.	\$8,240	0#
9204516	PACCAR MX Premium >460HP - 3YR/300K MI (480K KM) CARB24.	\$1,475	0#
9204517	PACCAR MX Premium >460HP - 3YR/400K MI (640K KM) CARB24.	\$2,225	0#
9204518	PACCAR MX Premium >460HP - 3YR/500K MI (800K KM) CARB24.	\$4,225	0#
9204519	PACCAR MX Premium >460HP - 3YR/600K MI (960K KM) CARB24.	\$6,225	0#
9204520	PACCAR MX Premium >460HP - 3YR/700K MI (1,120K KM) CARB24.	\$8,225	0#
9204521	PACCAR MX Premium >460HP - 4YR/400K MI (640K KM) CARB24.	\$3,435	0#
9204522	PACCAR MX Premium >460HP - 4YR/500K MI (800K KM) CARB24.	\$5,385	0#
9204523	PACCAR MX Premium >460HP - 4YR/600K MI (960K KM) CARB24.	\$7,225	0#





## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>PACCAR Engine Extended Coverage Plans</b>			
9204524	PACCAR MX Premium >460HP - 4YR/700K MI (1,120K KM) CARB24.	\$9,125	0#
9204525	PACCAR MX Premium >460HP - 5YR/100K MI (160K KM) CARB24.	\$1,425	0#
9204526	PACCAR MX Premium >460HP - 5YR/200K MI (320K KM) CARB24.	\$1,700	0#
9204527	PACCAR MX Premium >460HP - 5YR/300K MI (480K KM) CARB24.	\$2,525	0#
9204528	PACCAR MX Premium >460HP - 5YR/400K MI (640K KM) CARB24.	\$3,980	0#
9204529	PACCAR MX Premium >460HP - 5YR/500K MI (800K KM) CARB24.	\$6,125	0#
9204530	PACCAR MX Premium >460HP - 5YR/600K MI (960K KM) CARB24.	\$8,270	0#
9204531	PACCAR MX Premium >460HP - 5YR/700K MI (1,120K KM) CARB24.	\$10,415	0#
9204532	PACCAR MX Premium >460HP - 6YR/100K MI (160K KM) CARB24.	\$2,035	0#
9204533	PACCAR MX Premium >460HP - 6YR/200K MI (320K KM) CARB24.	\$2,485	0#
9204534	PACCAR MX Premium >460HP - 6YR/300K MI (480K KM) CARB24.	\$3,655	0#
9204535	PACCAR MX Premium >460HP - 6YR/400K MI (640K KM) CARB24.	\$5,005	0#
9204536	PACCAR MX Premium >460HP - 6YR/500K MI (800K KM) CARB24.	\$7,345	0#
9204537	PACCAR MX Premium >460HP - 6YR/600K MI (960K KM) CARB24.	\$9,735	0#
9204538	PACCAR MX Premium >460HP - 6YR/700K MI (1,120K KM) CARB24.	\$12,125	0#
9204539	PACCAR MX Premium >460HP - 7YR/100K MI (160K KM) CARB24.	\$2,075	0#
9204540	PACCAR MX Premium >460HP - 7YR/200K MI (320K KM) CARB24.	\$2,525	0#
9204541	PACCAR MX Premium >460HP - 7YR/300K MI (480K KM) CARB24.	\$3,695	0#
9204542	PACCAR MX Premium >460HP - 7YR/400K MI (640K KM) CARB24.	\$6,030	0#
9204543	PACCAR MX Premium >460HP - 7YR/500K MI (800K KM) CARB24.	\$8,565	0#
9204544	PACCAR MX Premium >460HP - 7YR/600K MI (960K KM) CARB24.	\$11,200	0#
9204545	PACCAR MX Premium >460HP - 7YR/700K MI (1,120K KM) CARB24.	\$13,835	0#
9204546	PACCAR MX-13 PP1 <460HP - 3YR/300K MI (480K KM) CARB24.	\$950	0#
9204547	PACCAR MX-13 PP1 <460HP - 3YR/400K MI (640K KM) CARB24.	\$1,275	0#
9204548	PACCAR MX-13 PP1 <460HP - 3YR/500K MI (800K KM) CARB24.	\$2,075	0#
9204549	PACCAR MX-13 PP1 <460HP - 3YR/600K MI (960K KM) CARB24.	\$2,875	0#





## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>PACCAR Engine Extended Coverage Plans</b>			
9204550	PACCAR MX-13 PP1 <460HP - 4YR/400K MI (640K KM) CARB24.	\$1,625	0#
9204551	PACCAR MX-13 PP1 <460HP - 4YR/500K MI (800K KM) CARB24.	\$2,325	0#
9204552	PACCAR MX-13 PP1 <460HP - 4YR/600K MI (960K KM) CARB24.	\$3,175	0#
9204553	PACCAR MX-13 PP1 <460HP - 5YR/200K MI (320K KM) CARB24.	\$975	0#
9204554	PACCAR MX-13 PP1 <460HP - 5YR/300K MI (480K KM) CARB24.	\$1,200	0#
9204555	PACCAR MX-13 PP1 <460HP - 5YR/400K MI (640K KM) CARB24.	\$1,775	0#
9204556	PACCAR MX-13 PP1 <460HP - 5YR/500K MI (800K KM) CARB24.	\$2,575	0#
9204557	PACCAR MX-13 PP1 <460HP - 5YR/600K MI (960K KM) CARB24.	\$3,625	0#
9204558	PACCAR MX-13 PP1 <460HP - 6YR/600K MI (960K KM) CARB24.	\$4,425	0#
9204559	PACCAR MX-13 PP1 >460HP - 3YR/300K MI (480K KM) CARB24.	\$1,425	0#
9204560	PACCAR MX-13 PP1 >460HP - 3YR/400K MI (640K KM) CARB24.	\$2,125	0#
9204561	PACCAR MX-13 PP1 >460HP - 3YR/500K MI (800K KM) CARB24.	\$4,025	0#
9204562	PACCAR MX-13 PP1 >460HP - 3YR/600K MI (960K KM) CARB24.	\$5,790	0#
9204563	PACCAR MX-13 PP1 >460HP - 4YR/400K MI (640K KM) CARB24.	\$2,975	0#
9204564	PACCAR MX-13 PP1 >460HP - 4YR/500K MI (800K KM) CARB24.	\$4,675	0#
9204565	PACCAR MX-13 PP1 >460HP - 4YR/600K MI (960K KM) CARB24.	\$6,475	0#
9204566	PACCAR MX-13 PP1 >460HP - 5YR/200K MI (320K KM) CARB24.	\$1,575	0#
9204567	PACCAR MX-13 PP1 >460HP - 5YR/300K MI (480K KM) CARB24.	\$2,325	0#
9204568	PACCAR MX-13 PP1 >460HP - 5YR/400K MI (640K KM) CARB24.	\$3,325	0#
9204569	PACCAR MX-13 PP1 >460HP - 5YR/500K MI (800K KM) CARB24.	\$5,125	0#
9204570	PACCAR MX-13 PP1 >460HP - 5YR/600K MI (960K KM) CARB24.	\$7,525	0#
9204571	PACCAR MX Major Components <460HP - 6YR/600K MI (960K KM) CARB24.	\$1,360	0#
9204572	PACCAR MX Major Components <460HP - 7YR/700K MI (1,120K KM) CARB24.	\$1,520	0#
9204573	PACCAR MX Major Components >460HP - 6YR/600K MI (960K KM) CARB24.	\$1,780	0#
9204574	PACCAR MX Major Components >460HP - 7YR/700K MI (1,120K KM) CARB24.	\$2,025	0#
9204575	PACCAR MX Aftertreatment <460HP - 3YR/400K MI (640K KM) CARB24.	\$650	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>PACCAR Engine Extended Coverage Plans</b>			
9204576	PACCAR MX Aftertreatment <460HP - 3YR/500K MI (800K KM) CARB24.	\$1,000	0#
9204577	PACCAR MX Aftertreatment <460HP - 3YR/600K MI (960K KM) CARB24	\$1,470	0#
9204578	PACCAR MX Aftertreatment <460HP - 3YR/700K MI (1,120K KM) CARB24	\$1,720	0#
9204579	PACCAR MX Aftertreatment <460HP - 4YR/400K MI (640K KM) CARB24	\$660	0#
9204580	PACCAR MX Aftertreatment <460HP - 4YR/500K MI (800K KM) CARB24	\$1,085	0#
9204581	PACCAR MX Aftertreatment <460HP - 4YR/600K MI (960K KM) CARB24	\$1,480	0#
9204582	PACCAR MX Aftertreatment <460HP - 4YR/700K MI (1,120K KM) CARB24	\$2,105	0#
9204583	PACCAR MX Aftertreatment <460HP - 5YR/400K MI (640K KM) CARB24	\$675	0#
9204584	PACCAR MX Aftertreatment <460HP - 5YR/500K MI (800K KM) CARB24	\$1,125	0#
9204585	PACCAR MX Aftertreatment <460HP - 5YR/600K MI (960K KM) CARB24	\$1,820	0#
9204586	PACCAR MX Aftertreatment <460HP - 5YR/700K MI (1,120K KM) CARB24	\$2,380	0#
9204587	PACCAR MX Aftertreatment <460HP - 6YR/100K MI (160K KM) CARB24	\$535	0#
9204588	PACCAR MX Aftertreatment <460HP - 6YR/200K MI (320K KM) CARB24	\$560	0#
9204589	PACCAR MX Aftertreatment <460HP - 6YR/300K MI (480K KM) CARB24	\$850	0#
9204590	PACCAR MX Aftertreatment <460HP - 6YR/400K MI (640K KM) CARB24	\$1,185	0#
9204591	PACCAR MX Aftertreatment <460HP - 6YR/500K MI (800K KM) CARB24	\$1,665	0#
9204592	PACCAR MX Aftertreatment <460HP - 6YR/600K MI (960K KM) CARB24	\$2,255	0#
9204593	PACCAR MX Aftertreatment <460HP - 6YR/700K MI (1,120K KM) CARB24	\$2,755	0#
9204594	PACCAR MX Aftertreatment <460HP - 7YR/100K MI (160K KM) CARB24	\$635	0#
9204595	PACCAR MX PreAftertreatment <460HP - 7YR/200K MI (320K KM) CARB24	\$840	0#
9204596	PACCAR MX Aftertreatment <460HP - 7YR/300K MI (480K KM) CARB24	\$1,075	0#
9204597	PACCAR MX Aftertreatment <460HP - 7YR/400K MI (640K KM) CARB24	\$1,905	0#
9204598	PACCAR MX Aftertreatment <460HP - 7YR/500K MI (800K KM) CARB24	\$2,390	0#
9204599	PACCAR MX Aftertreatment <460HP - 7YR/600K MI (960K KM) CARB24	\$2,590	0#
9204600	PACCAR MX Aftertreatment <460HP - 7YR/700K MI (1,120K KM) CARB24	\$3,130	0#
9204601	PACCAR MX Aftertreatment >460HP - 3YR/400K MI (640K KM) CARB24	\$630	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>PACCAR Engine Extended Coverage Plans</b>			
9204602	PACCAR MX Aftertreatment >460HP - 3YR/500K MI (800K KM) CARB24	\$1,735	0#
9204603	PACCAR MX Aftertreatment >460HP - 3YR/600K MI (960K KM) CARB24	\$2,835	0#
9204604	PACCAR MX Aftertreatment >460HP - 3YR/700K MI (1,120K KM) CARB24	\$3,435	0#
9204605	PACCAR MX Aftertreatment >460HP - 4YR/400K MI (640K KM) CARB24	\$950	0#
9204606	PACCAR MX Aftertreatment >460HP - 4YR/500K MI (800K KM) CARB24	\$1,785	0#
9204607	PACCAR MX Aftertreatment >460HP - 4YR/600K MI (960K KM) CARB24	\$2,885	0#
9204608	PACCAR MX Aftertreatment >460HP - 4YR/700K MI (1,120K KM) CARB24	\$3,640	0#
9204609	PACCAR MX Aftertreatment >460HP - 5YR/400K MI (640K KM) CARB24	\$835	0#
9204610	PACCAR MX Aftertreatment >460HP - 5YR/500K MI (800K KM) CARB24	\$1,880	0#
9204611	PACCAR MX Aftertreatment >460HP - 5YR/600K MI (960K KM) CARB24	\$2,930	0#
9204612	PACCAR MX Aftertreatment >460HP - 5YR/700K MI (1,120K KM) CARB24	\$3,980	0#
9204613	PACCAR MX Aftertreatment >460HP - 6YR/100K MI (160K KM) CARB24	\$265	0#
9204614	PACCAR MX Aftertreatment >460HP - 6YR/200K MI (320K KM) CARB24	\$510	0#
9204615	PACCAR MX Aftertreatment >460HP - 6YR/300K MI (480K KM) CARB24	\$775	0#
9204616	PACCAR MX Aftertreatment >460HP - 6YR/400K MI (640K KM) CARB24	\$1,215	0#
9204617	PACCAR MX Aftertreatment >460HP - 6YR/500K MI (800K KM) CARB24	\$2,320	0#
9204618	PACCAR MX Aftertreatment >460HP - 6YR/600K MI (960K KM) CARB24	\$3,320	0#
9204619	PACCAR MX Aftertreatment >460HP - 6YR/700K MI (1,120K KM) CARB24	\$4,320	0#
9204620	PACCAR MX Aftertreatment >460HP - 7YR/100K MI (160K KM) CARB24	\$620	0#
9204621	PACCAR MX Aftertreatment >460HP - 7YR/200K MI (320K KM) CARB24	\$840	0#
9204622	PACCAR MX Aftertreatment >460HP - 7YR/300K MI (480K KM) CARB24	\$1,130	0#
9204623	PACCAR MX Aftertreatment >460HP - 7YR/400K MI (640K KM) CARB24	\$1,595	0#
9204624	PACCAR MX Aftertreatment >460HP - 7YR/500K MI (800K KM) CARB24	\$2,760	0#
9204625	PACCAR MX Aftertreatment >460HP - 7YR/600K MI (960K KM) CARB24	\$3,710	0#
9204626	PACCAR MX Aftertreatment >460HP - 7YR/700K MI (1,120K KM) CARB24	\$4,660	0#

### Cummins Engine Extended Coverage Plans



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Cummins Engine Extended Coverage Plans</b>			
9203030	PACCAR EW: PX-9 Protect Plan 1 EPA24 3YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$870	0#
9203031	PACCAR EW: PX-9 Protect Plan 1 EPA24 3YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,120	0#
9203032	PACCAR EW: PX-9 Protect Plan 1 EPA24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,770	0#
9203033	PACCAR EW: PX-9 Protect Plan 1 EPA24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,570	0#
9203034	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,720	0#
9203035	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,160	0#
9203036	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,970	0#
9203037	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,970	0#
9203038	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,970	0#
9203039	PACCAR EW: PX-9 Protect Plan 1 EPA24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,720	0#
9203040	PACCAR EW: PX-9 Protect Plan 1 EPA24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,520	0#
9203041	PACCAR EW: PX-9 Protect Plan 1 EPA24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,520	0#
9203042	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 3YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$660	0#
9203043	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 3YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$825	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Cummins Engine Extended Coverage Plans</b>			
9203044	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$920	0#
9203045	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,100	0#
9203046	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$920	0#
9203047	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,115	0#
9203048	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,285	0#
9203049	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,485	0#
9203050	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,760	0#
9203051	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,340	0#
9203052	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,515	0#
9203053	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,765	0#
9203071	PACCAR EW: PX-9 Protect Plan 1 CARB24 3YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$525	0#
9203072	PACCAR EW: PX-9 Protect Plan 1 CARB24 3YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$575	0#
9203073	PACCAR EW: PX-9 Protect Plan 1 CARB24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$725	0#
9203074	PACCAR EW: PX-9 Protect Plan 1 CARB24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,525	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Cummins Engine Extended Coverage Plans</b>			
9203075	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$700	0#
9203076	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$800	0#
9203077	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,610	0#
9203078	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,610	0#
9203079	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,610	0#
9203080	PACCAR EW: PX-9 Protect Plan 1 CARB24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,360	0#
9203081	PACCAR EW: PX-9 Protect Plan 1 CARB24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,160	0#
9203082	PACCAR EW: PX-9 Protect Plan 1 CARB24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,160	0#
9203083	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$860	0#
9203084	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$940	0#
9203085	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,100	0#
9203086	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,370	0#
9203087	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$950	0#
9203088	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,130	0#





## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Cummins Engine Extended Coverage Plans</b>			
9203089	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,375	0#
9203768	Cummins EW: Protect Plan 1 X15 EPA24 3YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,595	0#
9203769	Cummins EW: Protect Plan 1 X15 EPA24 3YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,045	0#
9203770	Cummins EW: Protect Plan 1 X15 EPA24 3YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,845	0#
9203771	Cummins EW: Protect Plan 1 X15 EPA24 3YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,645	0#
9203772	Cummins EW: Protect Plan 1 X15 EPA24 4YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,495	0#
9203773	Cummins EW: Protect Plan 1 X15 EPA24 4YR/450K (724,205KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,795	0#
9203774	Cummins EW: Protect Plan 1 X15 EPA24 4YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,195	0#
9203775	Cummins EW: Protect Plan 1 X15 EPA24 4YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,045	0#
9203776	Cummins EW: Protect Plan 1 X15 EPA24 5YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,445	0#
9203777	Cummins EW: Protect Plan 1 X15 EPA24 5YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,745	0#
9203778	Cummins EW: Protect Plan 1 X15 EPA24 5YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,195	0#
9203779	Cummins EW: Protect Plan 1 X15 EPA24 5YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,795	0#
9203780	Cummins EW: Protect Plan 1 X15 EPA24 5YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,595	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Cummins Engine Extended Coverage Plans</b>			
9203781	Cummins EW: Protect Plan 1 X15 EPA24 5YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,645	0#
9203782	Cummins EW: Protect Plan 1 X15 EPA24 6YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,845	0#
9203783	Cummins EW: Protect Plan 1 X15 EPA24 6YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,345	0#
9203784	Cummins EW: Protect Plan 1 X15 EPA24 6YR/250K (402,336KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,745	0#
9203785	Cummins EW: Protect Plan 1 X15 EPA24 6YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,195	0#
9203786	Cummins EW: Protect Plan 1 X15 EPA24 6YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,845	0#
9203787	Cummins EW: Protect Plan 1 X15 EPA24 6YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,545	0#
9203788	Cummins EW: Protect Plan 1 X15 EPA24 6YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,445	0#
9203789	Cummins EW: Protect Plan 1 X15 EPA24 7YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,495	0#
9203790	Cummins EW: Protect Plan 1 X15 EPA24 7YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,195	0#
9203791	Cummins EW: Protect Plan 1 X15 EPA24 3YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,195	0#
9203792	Cummins EW: Protect Plan 1 X15 EPA24 3YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,095	0#
9203793	Cummins EW: Protect Plan 1 X15 EPA24 3YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,995	0#
9203794	Cummins EW: Protect Plan 1 X15 EPA24 4YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,145	0#





## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Cummins Engine Extended Coverage Plans</b>			
9203795	Cummins EW: Protect Plan 1 X15 EPA24 4YR/450K (724,205KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,945	0#
9203796	Cummins EW: Protect Plan 1 X15 EPA24 4YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,845	0#
9203797	Cummins EW: Protect Plan 1 X15 EPA24 5YR/100K (160,935KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,095	0#
9203798	Cummins EW: Protect Plan 1 X15 EPA24 5YR/200K (321,869KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,495	0#
9203799	Cummins EW: Protect Plan 1 X15 EPA24 5YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,495	0#
9203800	Cummins EW: Protect Plan 1 X15 EPA24 5YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,895	0#
9203801	Cummins EW: Protect Plan 1 X15 EPA24 5YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$6,695	0#
9203802	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 3YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$870	0#
9203803	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 3YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,225	0#
9203804	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 3YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,835	0#
9203805	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 3YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,380	0#
9203806	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 4YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,555	0#
9203807	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 4YR/450K (724,205KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,835	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Cummins Engine Extended Coverage Plans</b>			
9203808	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 4YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,130	0#
9203809	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 4YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,450	0#
9203810	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$895	0#
9203811	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,060	0#
9203812	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,325	0#
9203813	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,720	0#
9203814	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,225	0#
9203815	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,035	0#
9203816	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 6YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$915	0#
9203817	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 6YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,125	0#
9203818	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 6YR/250K (402,336KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,335	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Cummins Engine Extended Coverage Plans</b>			
9203819	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 6YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,750	0#
9203820	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 6YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,270	0#
9203821	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 6YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,870	0#
9203822	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 6YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,370	0#
9203823	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 7YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,360	0#
9203824	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 7YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,000	0#
9203825	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 3YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,115	0#
9203826	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 3YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,555	0#
9203827	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 3YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,655	0#
9203828	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 4YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,215	0#
9203829	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 4YR/450K (724,205KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,655	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Cummins Engine Extended Coverage Plans</b>			
9203830	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 4YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,205	0#
9203831	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/100K (160,935KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,170	0#
9203832	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/200K (321,869KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,445	0#
9203833	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,830	0#
9203834	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,595	0#
9203835	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,645	0#
9203836	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 3YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,195	0#
9203837	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 3YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,645	0#
9203838	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 3YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,445	0#
9203839	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 3YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,245	0#
9203840	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 4YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,195	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Cummins Engine Extended Coverage Plans</b>			
9203841	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 4YR/450K (724,205KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,495	0#
9203842	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 4YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,895	0#
9203843	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 4YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,745	0#
9203844	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,245	0#
9203845	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,545	0#
9203846	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,995	0#
9203847	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,595	0#
9203848	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,395	0#
9203849	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,445	0#
9203850	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 6YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,045	0#
9203851	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 6YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,545	0#





## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Cummins Engine Extended Coverage Plans</b>			
9203852	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 6YR/250K (402,336KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,945	0#
9203853	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 6YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,395	0#
9203854	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 6YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,045	0#
9203855	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 6YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,745	0#
9203856	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 6YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$6,645	0#
9203857	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 7YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,095	0#
9203858	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 7YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,795	0#
9203859	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 3YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,095	0#
9203860	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 3YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,995	0#
9203861	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 3YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,895	0#
9203862	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 4YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,245	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Cummins Engine Extended Coverage Plans</b>			
9203863	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 4YR/450K (724,205KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$6,045	0#
9203864	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 4YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$6,945	0#
9203865	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/100K (160,935KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,345	0#
9203866	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/200K (321,869KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,745	0#
9203867	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,745	0#
9203868	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$6,145	0#
9203869	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$7,945	0#
9203870	Cummins EW: Protect Plan 1 X15 CARB24 3YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$950	0#
9203871	Cummins EW: Protect Plan 1 X15 CARB24 3YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,275	0#
9203872	Cummins EW: Protect Plan 1 X15 CARB24 3YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,075	0#
9203873	Cummins EW: Protect Plan 1 X15 CARB24 3YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,875	0#
9203874	Cummins EW: Protect Plan 1 X15 CARB24 4YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,625	0#
9203875	Cummins EW: Protect Plan 1 X15 CARB24 4YR/450K (724,205KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,925	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Cummins Engine Extended Coverage Plans</b>			
9203876	Cummins EW: Protect Plan 1 X15 CARB24 4YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,325	0#
9203877	Cummins EW: Protect Plan 1 X15 CARB24 4YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,175	0#
9203878	Cummins EW: Protect Plan 1 X15 CARB24 5YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$900	0#
9203879	Cummins EW: Protect Plan 1 X15 CARB24 5YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,000	0#
9203880	Cummins EW: Protect Plan 1 X15 CARB24 5YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,200	0#
9203881	Cummins EW: Protect Plan 1 X15 CARB24 5YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,775	0#
9203882	Cummins EW: Protect Plan 1 X15 CARB24 5YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,575	0#
9203883	Cummins EW: Protect Plan 1 X15 CARB24 5YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,625	0#
9203884	Cummins EW: Protect Plan 1 X15 CARB24 6YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,200	0#
9203885	Cummins EW: Protect Plan 1 X15 CARB24 6YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,400	0#
9203886	Cummins EW: Protect Plan 1 X15 CARB24 6YR/250K (402,336KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,875	0#
9203887	Cummins EW: Protect Plan 1 X15 CARB24 6YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,075	0#
9203888	Cummins EW: Protect Plan 1 X15 CARB24 6YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,525	0#
9203889	Cummins EW: Protect Plan 1 X15 CARB24 6YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,525	0#





## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Cummins Engine Extended Coverage Plans</b>			
9203890	Cummins EW: Protect Plan 1 X15 CARB24 6YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,425	0#
9203891	Cummins EW: Protect Plan 1 X15 CARB24 7YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,725	0#
9203892	Cummins EW: Protect Plan 1 X15 CARB24 7YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,125	0#
9203893	Cummins EW: Protect Plan 1 X15 CARB24 3YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,425	0#
9203894	Cummins EW: Protect Plan 1 X15 CARB24 3YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,125	0#
9203895	Cummins EW: Protect Plan 1 X15 CARB24 3YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,025	0#
9203896	Cummins EW: Protect Plan 1 X15 CARB24 4YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,975	0#
9203897	Cummins EW: Protect Plan 1 X15 CARB24 4YR/450K (724,205KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,775	0#
9203898	Cummins EW: Protect Plan 1 X15 CARB24 4YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,675	0#
9203899	Cummins EW: Protect Plan 1 X15 CARB24 5YR/100K (160,935KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,375	0#
9203900	Cummins EW: Protect Plan 1 X15 CARB24 5YR/200K (321,869KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,575	0#
9203901	Cummins EW: Protect Plan 1 X15 CARB24 5YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,325	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Cummins Engine Extended Coverage Plans</b>			
9203902	Cummins EW: Protect Plan 1 X15 CARB24 5YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,325	0#
9203903	Cummins EW: Protect Plan 1 X15 CARB24 5YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,125	0#
9203904	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 3YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$580	0#
9203905	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 3YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,000	0#
9203906	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 3YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,470	0#
9203907	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 4YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$660	0#
9203908	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 4YR/450K (724,205KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$890	0#
9203909	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 4YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,085	0#
9203910	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 4YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,460	0#
9203911	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 5YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$675	0#
9203912	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 5YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,125	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Cummins Engine Extended Coverage Plans</b>			
9203913	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 5YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,820	0#
9203914	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 6YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$535	0#
9203915	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 6YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$560	0#
9203916	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 6YR/250K (402,336KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$660	0#
9203917	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 6YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$850	0#
9203918	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 6YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,185	0#
9203919	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 6YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,665	0#
9203920	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 6YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,255	0#
9203921	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 7YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$840	0#
9203922	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 7YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,075	0#
9203923	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 3YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$630	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Cummins Engine Extended Coverage Plans</b>			
9203924	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 3YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,735	0#
9203925	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 4YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$795	0#
9203926	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 4YR/450K (724,205KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,240	0#
9203927	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 4YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,785	0#
9203928	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 5YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$835	0#
9203929	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 5YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,880	0#
9203930	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 3YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,550	0#
9203931	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 3YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,875	0#
9203932	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 3YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,685	0#
9203933	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 3YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,475	0#
9203934	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 4YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,325	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Cummins Engine Extended Coverage Plans</b>			
9203935	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 4YR/450K (724,205KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,625	0#
9203936	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 4YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,025	0#
9203937	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 4YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,875	0#
9203938	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,900	0#
9203939	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,000	0#
9203940	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,200	0#
9203941	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,785	0#
9203942	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,575	0#
9203943	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,625	0#
9203944	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 6YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,400	0#
9203945	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 6YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,600	0#





## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Cummins Engine Extended Coverage Plans</b>			
9203946	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 6YR/250K (402,336KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,075	0#
9203947	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 6YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,275	0#
9203948	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 6YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,725	0#
9203949	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 6YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,725	0#
9203950	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 6YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,625	0#
9203951	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 7YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,325	0#
9203952	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 7YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,725	0#
9203953	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 3YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,325	0#
9203954	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 3YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,025	0#
9203955	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 3YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,925	0#
9203956	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 4YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,075	0#



## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Cummins Engine Extended Coverage Plans</b>			
9203957	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 4YR/450K (724,205KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,875	0#
9203958	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 4YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,775	0#
9203959	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/100K (160,935KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,625	0#
9203960	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/200K (321,869KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,825	0#
9203961	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,575	0#
9203962	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,575	0#
9203963	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$6,375	0#
<b>PACCAR Transmission Extended Warranty</b>			
9202962	EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$640	0#
9202963	EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/750K Miles (1,200K KM). Excludes Clutch.	\$870	0#
9202964	EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/850K Miles (1,360K KM). Excludes Clutch.	\$1,065	0#
9202965	EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$870	0#
9202966	EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1850 & Above. 7 Year/750K Miles (1,200K KM). Excludes Clutch.	\$1,155	0#
9202967	EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1850 & Above. 7 Year/850K Miles (1,360K KM). Excludes Clutch.	\$1,410	0#





## T880: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>PACCAR Transmission Extended Warranty</b>			
9202968	EW: PACCAR TX-12 Clutch-Linehaul & Regional Haul. All Torque Ratings. 4 Year/450K Miles (720K KM).	\$450	0#
9202969	EW: PACCAR TX-12 Clutch-Linehaul & Regional Haul. All Torque Ratings. 5 Year/500K Miles (800K KM).	\$710	0#
<b>Eaton Transmission Extended Warranty</b>			
9202970	EW: Eaton Endurant Trans - Linehaul & Regional Haul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$640	0#
9202971	EW: Eaton Endurant Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/750K Miles (1,200K KM). Excludes Clutch.	\$870	0#
9202972	EW: Eaton Endurant Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/850K Miles (1,360K KM). Excludes Clutch.	\$1,065	0#
9202973	EW: Eaton Endurant Trans - Linehaul & Regional Haul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$870	0#
9202974	EW: Eaton Endurant Trans - Linehaul & Regional Haul 1850 & Above. 7 Year/750K Miles (1,200K KM). Excludes Clutch.	\$1,155	0#
9202975	EW: Eaton Endurant Trans - Linehaul & Regional Haul 1850 & Above. 7 Year/850K Miles (1,360K KM). Excludes Clutch.	\$1,410	0#
9202976	EW: Eaton Endurant 12-speed Trans Clutch All Torque Ratings 4 Year/450K Miles (720K KM).	\$450	0#
9202977	EW: Eaton Endurant 12-speed Trans Clutch All Torque Ratings 5 Year/500K Miles (800K KM).	\$710	0#



## T880: PAINT

Option	Description	Price	Weight
9700000	Paint Color Number(s).	\$0	0#
<b>Paint Style</b>			
9944820	1 - Color Paint - Day Cab Color will be White if no other color is specified.	STD	0#
9944821	1 - Color Paint - Sleeper Color will be White if no other color is specified.	\$0	0#
9944822	2 - Color Cust Design - Day Cab - Lo Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$3,443	0#
9944823	2 - Color Cust Design - Sleeper - Lo Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$6,185	0#
9944824	2 - Color Cust Design - Day Cab - Hi Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$5,845	0#
9944825	2 - Color Cust Design - Sleeper - Hi Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$6,948	0#
9944828	3 - Color Cust Design - Day Cab - Lo Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$7,793	0#



## T880: PAINT

Option	Description	Price	Weight
<b>Paint Style</b>			
9944829	3 - Color Cust Design - Sleeper - Lo Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$11,919	0#
9944830	3 - Color Cust Design - Day Cab - Hi Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$10,315	0#
9944831	3 - Color Cust Design - Sleeper - Hi Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$12,667	0#
<b>Paint Type</b>			
9943048	Day Cab Bulk Paint	\$0	0#
9943049	Sleeper Bulk Paint	\$0	0#
9943050	Day Cab Standard Paint	STD	0#
9943051	Day Cab Premium Paint	\$744	0#
9943052	Day Cab Pearl Metallic Paint	\$952	0#
9943053	Sleeper Standard Paint	\$0	0#
9943054	Sleeper Premium Paint	\$837	0#
9943055	Sleeper Pearl/Metallic Paint	\$1,146	0#
9965510	Base Coat/ Clear Coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	STD	0#
<b>Paint Options</b>			
9960009	Fleet Paint – Dealer ECO Required	\$0	0#



## T880: PAINT

Option	Description	Price	Weight
<b>Paint Options</b>			
9960021	Paint Design Continued BOC/BOS -Includes Front of side extenders, but does not include back of side extenders.	\$891	0#
9964089	Paint Steel Bumper Different Color than Frame. Not available for aluminum channel or chrome bumpers.	\$822	0#
<b>Bumper Paint</b>			
9943004	Bumper Unpainted	\$0	0#
9943014	Steel Bumper Painted Frame Color	\$0	0#
<b>Fairing Paint</b>			
9943011	Roof Fairing Painted A Color	\$830	0#
9943012	Roof Fairing Painted Other Than A Color, Specify Color	\$931	0#
<b>Frame Paint</b>			
9940044	Frame Paint Other Than Standard Black, Non-Metallic. Non-Metallic Only.	\$2,001	0#
9940056	Frame Paint Other Than Standard Black, Metallic . Metallic Paint, Imron Elite.	\$2,358	0#
9999944	Chassis has Frame Paint Color other than Black. Taillight brackets not included, bracket painted black.	\$0	0#
<b>Paint Color</b>			
9960003	Non-Standard Paint Color.	\$295	0#
<b>Grille Paint</b>			
9940075	Grille Mesh Anodized Black	\$86	0#
<b>Hood Paint</b>			
9960083	Paint Hood Top Anti-Glare Top of Hood will be painted with Flat-Black Paint	\$0	0#
<b>Paint Designs</b>			
9944839	Spectrum Design - Hood Top Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$1,847	0#
9944840	Spectrum Design - Fenders Only. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,118	0#

Option	Description	Price	Weight
<b>Paint Designs</b>			
9944841	Spectrum Design – Day Cab – Roof and Fenders. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,586	0#
9944842	Spectrum Design – Sleeper – Roof and Fenders. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$4,644	0#
9944843	Spectrum Design – Day Cab – Sunset. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$3,012	0#
9944844	Spectrum Design – Sleeper – Sunset Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$5,804	0#
9944845	Spectrum Design – Day Cab – Deception. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$3,001	0#
9944846	Spectrum Design – Sleeper – Deception. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$5,995	0#
9944847	Spectrum Design - Day Cab - Roof Only. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,394	0#
9944848	Spectrum Design - Sleeper - Roof Only Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$4,431	0#



## T880: PAINT

Option	Description	Price	Weight
<b>Paint Designs</b>			
9944849	Spectrum Design - Day Cab - 3 Color Sunset Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$7,003	0#
9944850	Spectrum Design - Sleeper - 3 Color Sunset Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$9,125	0#
9944855	Spectrum Design - Day Cab - 2 Color Arrowhead Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,896	0#
9944856	Spectrum Design - Day Cab - 3 Color Arrowhead Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$6,734	0#
9944857	Spectrum Design - Sleeper - 2 Color Arrowhead Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$5,581	0#
9944858	Spectrum Design - Sleeper - 3 Color Arrowhead Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$8,774	0#
9944859	Spectrum Design - Day Cab - 2 Color Palouse Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,896	0#
9944860	Spectrum Design - Day Cab - 3 Color Palouse Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$6,734	0#



## T880: PAINT

Option	Description	Price	Weight
<b>Paint Designs</b>			
9944861	Spectrum Design - Sleeper - 2 Color Palouse Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$5,581	0#
9944862	Spectrum Design - Sleeper - 3 Color Palouse Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$8,774	0#