

DATE: 7/19/2016

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00117252

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 3
GRETN, LA. 70054-0003
804-364-2878

VENDOR: SupplyWorks

BUYER: SFOLSE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

DELIVERY: FOB JEFFERSON PARISH	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	_____
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	_____
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	_____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: <u>SUPPLYWORKS</u>	
SIGNATURE: <u>Michelle Rivet</u>	TITLE: <u>Sales Admin.</u>
<small>(Must be signed here)</small>	
PRINT OR TYPE NAME: <u>Michelle Rivet</u>	
ADDRESS: <u>1001 Edwards Ave</u>	
CITY, STATE: <u>Harahan, LA</u>	ZIP: <u>70123</u>
TELEPHONE: <u>504 729-4157 ext 141529</u>	FAX: <u>504 729-4159</u>
EMAIL ADDRESS: <u>mrivet@amsan.com</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 3159.00

DATE: 7/19/2016

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page: 5

BID NO.: 50-00117252

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	36.00	5GA	FLOOR SEALER, FINISH & STRIPPER IN 6 GALLON BUCKETS FOR THE JEFFERSON PARISH EB PARKS & RECREATION DEPARTMENT 0010 - 22-5 GP GSS HIGH SOLIDS FLOOR FINISH SEALER/FINISH, 5 GALLON <i>Sheet 17 SPA 4017-05</i> PRODUCT NO.: 044-2415	55.90	2012.40
2	21.00	5GA	0020 - 2911FX-5GP ANNIHILATOR FLOOR STRIPPER, 5 GALLON PRODUCT NO.: 044-2911 <i>Errol's Plus SPA0054-05</i>	54.60	1146.60



Sheen 17

durable metal interlock floor finish

If you are looking for a hard, durable finish with a pure acrylic foundation, look no further. Sheen 17 creates a clear gloss with excellent coverage. This non-buff, 17% solids finish is recommended for high-traffic areas with low maintenance budgets.



Providing Quality Maintenance and Chemical Specialty Solutions with Unparalleled Customer Service



Spartan Chemical Company, Inc.
 1110 Spartan Drive
 Maumee, OH 43527
 1-800-627-8899
 www.spartanchemical.com

LIGHTER, BRIGHTER FLOORS:

Sheen 17 makes your whole room look lighter and brighter. Its pure acrylic foundation creates a clear gloss, permitting the natural floor color to pass through unobstructed. Recoat, recoat, recoat...and Sheen 17 still won't yellow.

MISTAKE-PROOF APPLICATION:

Easy to apply, put down Sheen 17 with nearly any applicator. Sheen 17 levels well and dries with no fish eyes, no bubbles and no lap marks. Excellent coverage..up to 3,000 square feet per gallon.

LOW MAINTENANCE HARD FINISH:

Sheen 17 is recommended for high traffic areas with low maintenance budgets. A favorite in schools and supermarkets who buff once a week or less.

EASY TO MAINTAIN AND REMOVE:

An excellent choice for top scrub and recoat systems. Even after repeated recoatings, Sheen 17 is easy to strip.

DIRECTIONS FOR USE:

Some individuals may be sensitive to ingredients in this product. Before using, read product label and MSD sheet. Wet floors may be slippery. Prevent pedestrian traffic with signs or barricades.

INITIAL APPLICATION:

1. Completely strip all old wax or floor finish with a Spartan stripper.

2. Remove the stripping solution and follow with two to three clear-water rinses. Allow to dry.
3. For maximum durability, two coats of a Spartan sealer are recommended.
4. Apply Sheen 17 in a uniform, thin coat. Let dry thoroughly for 30 to 40 minutes until surface is dry to the touch. Apply subsequent coats in the same manner. Three to five coats are recommended.

MAINTENANCE:

1. Dust mop or sweep floor as necessary with a Spartan Dust Mop/Dust Cloth Treatment.
2. Damp mop using a Spartan neutral cleaner.
3. To easily repair traffic areas between finish applications, use Spartan restorer or spraybuff. Traffic lanes may be recoated as necessary.
4. For heavily-soiled areas, machine scrub using Shinline Multi Surface Cleaner or Industrial Pathmaker at the recommended dilution.

NOTE: For best maintenance results, always use Spartan floor cleaners and strippers.

Be sure to read all Directions, Precautionary and First Aid Statements on product labels before use of this or any Spartan product. If questions remain, consult your employer or a physician. Material Safety Data Sheets for all Spartan products are available from your authorized Spartan distributor or by visiting www.spartanchemical.com.

SPECIFICATIONS:

Total Solids – 20.5%
 Non-Volatile Solids – 17%
 pH (Concentrate) – 8.5 - 9.0

Stability

- a. Storage @24°C/75°F – One year minimum
- b. Accelerated @49°C/120°F – 30 days minimum
- c. Freeze/Thaw – Can withstand three cycles

Gloss (Gardner)

- a. 1 coat – 75-80
- b. 2 coats – 85-90


Static coefficient of friction meets or exceeds 0.5 as determined by ASTM method D-2047.

COVERAGE:

Up to 3,000 square feet per gallon depending on application method and porosity of floor.

Distributed by:

PACKAGING	
401760	275-gallon totes
401755	55-gallon drum
401730	30-gallon drum
401715	15-gallon drum
401705	5-gallon pail
401704	1-gallon (4 per case)



Label copy is available in English and Spanish. Secondary labels are also available.

GUARANTEE: Spartan's modern manufacturing and laboratory control insure uniform quality. If dissatisfied with performance of product, any unused portion may be returned for credit within one year of the date of manufacture. Use product as directed and read all precautionary statements.

For institutional and industrial use only.

© SCC 3/11 14017



Shineline Emulsifier Plus[®]

finish and wax stripper

When you need high performance, choose Emulsifier Plus. It quickly removes heavy build ups and burnished floor finish, enhancing time and labor savings. This lightly scented solution can be used with hot or cold water, and is formulated for use with ultra-high speed floor care systems.



Providing Quality Maintenance and Chemical Specialty Solutions with Unparalleled Customer Service



Spartan Chemical Company, Inc.
1119 Spartan Drive
Maumee, OH 43537
1-800-637-8690
www.spartanchemical.com

HIGH PERFORMANCE:

Shineline Emulsifier Plus is a high performance stripping compound formulated to quickly remove heavy build-ups and burnished floor finish and enhance the time and labor saving benefits provided through ultra high speed floor care systems!

EXTRA AGGRESSIVE SPEED STRIPPER:

Specially selected solvents in the Shineline Emulsifier Plus formula quickly cut through and emulsify multiple layers of floor finish. Shineline Emulsifier Plus makes an excellent stripper for heavy build-up or "quick strip" applications, when quick floor turn-around is essential.

VERSATILE AND EASY TO USE:

Shineline Emulsifier Plus is versatile. May be used with hot or cool water. Mop on. Agitate. Remove remaining solution easily with a mop, wet vac or automatic scrubber.

THE RIGHT CHOICE FOR HEALTH CARE!

Lightly scented, Shineline Emulsifier Plus is formulated to eliminate strong solvent odors, which are particularly offensive to hospital and nursing home patients and personnel.

DIRECTIONS FOR USE:

Some individuals may be sensitive to ingredients in this product. Before using, read product label and MSD sheet. Prevent pedestrian traffic with signs or barricades.

Light to Medium Finish/Wax Build-Up:

Dilute product 1:10 [12 oz./gal.] or [100 ml per liter] with warm or room temperature water.

Heavy Finish/Wax Build-Up:

Dilute as strong as 1:2 [64 oz./gal.] or [500 ml per liter]. Liberally apply product with mop to small section (100 sq. ft./9 m²) of floor. Be sure to completely cover floor to the baseboards. After 3 to 5 minutes, agitate the wetted section with mop or machine scrub. Pick up solution using mop or wet vac.

Note: Do not allow solution to dry on the floor. Damp mop 2 or 3 times with clear water to remove residue or squeegee tracks as necessary. Flood rinsing is not required before recoating.

Be sure to read all Directions, Precautionary and First Aid Statements on product labels before use of this or any Spartan product. If questions remain, consult your employer or a physician. Material Safety Data Sheets for all Spartan products are available from your authorized Spartan distributor or by visiting www.spartanchemical.com.

SPECIFICATIONS:

Total Active Ingredients - 40.25%
Specific Gravity - 1.017 @ 24°C/75°F
Density - 8.47 lbs./gal. @ 24°C/75°F
Viscosity - water thin
pH Concentrate - 13.5-13.7
Cloud Point - 60°C/140°F
Solvents - Butoxyethanol
Flash Point - none

Stability:

- Shelf @ 24°C/75°F - in excess of one year
- Accelerated @ 49°C/120°F - in excess of 90 days
- Freeze/Thaw Cycle - freezes and thaws with complete clarity

Rinsability - rinses completely in hot or cold water.

Phosphate free



Distributed by:

PACKAGING	
008465	330-gallon totes
008455	55-gallon drum
008430	30-gallon drum
008415	15-gallon drum
008405	5-gallon pail
008404	1-gallon (4 per case)



Label copy is provided in English and Spanish. Secondary labels are also available.

GUARANTEE: Spartan's modern manufacturing and laboratory control insure uniform quality. If dissatisfied with performance of product, any unused portion may be returned for credit within one year of the date of manufacture. Use product as directed and read all precautionary statements.

For institutional and industrial use only.

© SCC 5/11 10084

DATE: 7/19/2016
BID NO.: 50-00117252

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

JEFFERSON PARISH
PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70064-0009
504-364-2678

VENDOR: _____

BUYER: SFOLSE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

DELIVERY: FOB JEFFERSON PARISH	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	_____
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	_____
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	_____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
NUMBER: _____
NUMBER: _____
NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME:	<i>Guillot's Sanitary Supplies Inc</i>
SIGNATURE: (Must be signed here)	<i>Jay K Mart</i> TITLE: <i>EMGR</i>
PRINT OR TYPE NAME:	<i>JAY K MART</i>
ADDRESS:	<i>4866 Te Hoop, TOLSON LA</i>
CITY, STATE:	<i>LA 70115</i>
TELEPHONE:	<i>504 835-1687</i> FAX: <i>504 835-1611</i>
EMAIL ADDRESS:	<i>JMARTIN@GUILLOTSLA.COM</i>

TOTAL PRICE OF ALL BID ITEMS: \$ 3984.00

DATE: 7/19/2016

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page: 6

BID NO.: 50-00117252

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	35.00	5GA	FLOOR SEALER, FINISH & STRIPPER IN 5 GALLON BUCKETS FOR THE JEFFERSON PARISH EB PARKS & RECREATION DEPARTMENT 0010 - 22-6 GP G99 HIGH SOLIDS FLOOR FINISH SEALER/FINISH, 5 GALLON PRODUCT NO.: 044-2415	\$72.00	\$2,520.00
2	21.00	5GA	0020 - 2911FX-5GP ANNIHILATOR FLOOR STRIPPER, 5 GALLON PRODUCT NO.: 044-2811	\$69.71	\$1,464.00