



T380 Data Book

1/1/2024



TABLE OF CONTENTS

Section	Pages
STANDARD SPECIFICATIONS	F
REQUIRED INFORMATION	H
ENGINES	I
ENGINE EQUIPMENT	J
TRANSMISSIONS	K
FRONT AXLE	L
REAR AXLE	M
REAR SUSPENSION	N
TIRES & WHEELS	O
FRAME & EQUIPMENT	P
FUEL TANKS & EQUIPMENT	Q
CAB EXTERIOR	R
CAB INTERIOR	S
LIGHTS & SIGNALS	T
AIR EQUIPMENT	U
SPECIAL EQUIPMENT	V
EXTENDED WARRANTY	W
PAINT	X



T380: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
BASE MODEL PRICE			
0000380	T380 Series Conventional	\$107,796	9,930#
ENGINES			
PACCAR			
0130115	PACCAR PX-7 200 200@2400 600@1300, 2024	\$0	0#
ENGINE EQUIPMENT			
Air Compressor			
1002060	Air Compressor: Cummins 18.7 CFM For Cummins And PACCAR PX engines.	\$0	0#
Air Intake System			
1041399	Air Cleaner: MD Composite Engine Mounted	\$0	0#
1098003	Air Restriction Indicator: Mechanical Mounted on Air Cleaner.	\$0	0#
Cooling System			
1121231	Cooling Module: 2.1M MD - Aero Hood 1000 Square Inches	\$0	0#
1105261	Fan Hub: Horton On/Off for PX-7 or B6.7N	\$0	0#
Exhaust Systems			
1247278	EXH: Single Can 2024 PX-7 Horizontal Under Rail With Horizontal Tailpipe Below Rail RH Rail Back-of-Cab	\$0	0#
Filters			
1321102	Fuel Filter: PACCAR 2.1M MD for PX-7 or PX-9 Fuel/water separator for 2021 and later engines.	\$0	0#
1321200	Run Aid:None *For Fuel Filter	\$0	0#
1321300	Start Aid:None *For Fuel Filter	\$0	0#
Engine Equipment Miscellaneous			
1901018	Remote PTO/Throttle, 12-Pin, 250K, Back of Cab OR Back of Sleeper, J1939, Remote Control Provision	\$0	0#
Starting & Recharging			
1816260	Alternator: PACCAR 160 amp, Brush Type	\$0	0#
1821220	Batteries: 2 PACCAR GP31 Threaded Post (700-730) 1400-1460 CCA dual purpose.	\$0	0#
1840065	12V Low Voltage Disconnect for Battery Protection	\$0	0#
1836107	Starter: PACCAR 90P47 12V with PACCAR PX-7	\$0	0#
TRANSMISSIONS			
PACCAR			
2020101	Transmission: PACCAR TX-8, Without HSA, 560 LB FT Automatic, 8 Speed, With PTO Provision, 8AP560	\$0	0#
Clutch			
2410802	Torque Converter: TP650 for PACCAR TX-8	\$0	0#
Driveline			
2406419	Driveline: 2 Dana SPL100 1 Centerbearing Light Duty.	\$0	0#



T380: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
--------	-------------	-------	--------

FRONT AXLE

Front Axles

2532104	Hendrickson Steertek Front Axle 12.5K rated @ 12K Standard Track 3.32 in. drop.	\$0	0#
---------	---	-----	----

Outer End Equipment

2621310	Front Brakes: 14.6K Bendix ES S-Cam 16.5x5 in.	\$0	0#
2690002	Front Brake Drums: 14.6K 16.5x5 in. cast.	\$0	0#
2702500	Front Hub: Iron Hub Pilot 14,600 lbs. 11-1/4 in. bolt circle. For use w/ air disc brakes. Consider wheelguards (5850002) w/ aluminum wheels.	\$0	0#
2741970	ConMet PreSet Plus Hub Package; Front Axle.	\$0	0#
2750001	Hubcap: Front Vented.	\$0	0#
2765001	Front Auto Slack Adjuster.	\$0	0#

Front Springs

2883002	Front Springs: Mono-leaf 12K W/ Shock Absorbers With maintenance-free elastomer spring pin bushings.	\$0	0#
---------	--	-----	----

Power Steering

2895223	Single Power Steering Gear: 13.2K for Air Brakes.	\$0	0#
---------	---	-----	----

REAR AXLE

Single Drive Rear Axles

3032200	Single Meritor MS21-14x4 Rear Axle rated at 21K.	\$0	0#
---------	--	-----	----

Single Axle Outer End Equipment

3330004	Single Rear Brakes 16-1/2x7 in. Bendix ES- extended service S-cam.	\$0	0#
3392007	Single Rear Brake Drums: Cast S-Cam Single For use with 15x8.625", 16.5X7" or 16.5X8.625" brake.	\$0	0#
3403220	Single Rear Hubs: Iron Hub Pilot 26k; 11.25" Bolt circle. Requires "R" series outer ends.	\$0	0#
3441971	ConMet PreSet Plus Hub Package; Single Rear Axle.	\$0	0#
3485007	Spring Brake: 3030 Long Stroke Single 3 in. travel. Helps keep brakes in adjustment longer.	\$0	0#
3465001	Single Rear Axle Automatic Slack Adjusters. For use with drum brakes.	\$0	0#

Anti-Lock Brake System

3495226	Bendix 4S/4M Anti-Lock Brake System.	\$0	0#
---------	--------------------------------------	-----	----

REAR SUSPENSION

Single

3636421	Rear suspension: single Reyco 79KB taperleaf 21K. Medium-duty. Unladen Height: 9 in. Laden Height: 7.5 in. Not rear air disc brake compatible.	\$0	0#
---------	--	-----	----

TIRES & WHEELS

Front & Rear Axle Tires

4080056	Front tires: Continental HSL3 295/75R22.5 14PR.	\$0	0#
4280056	Rear tires: Continental HSL3 295/75R22.5 14PR. Code is priced per pair of tires.	\$0	0#

Front & Rear Axle Wheels & Rims

5042292	Front Wheel: Accuride 51455 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible.	\$0	0#
---------	--	-----	----



T380: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
5242392	Rear Wheel: Accuride 51455 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible. Code is priced per pair of wheels.	\$0	0#

FRAME & EQUIPMENT

Rails & Inserts

6054250	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 308 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$0	0#
---------	--	-----	----

Bumpers

6308711	Bumper: Aerodynamic, Unpainted, in-mold color. Requires a bumper setting code.	\$0	0#
6321010	Front Tow Loops: Two	\$0	0#

Battery Boxes

6404422	Battery Box: Steel Parallel Module under W/Step, plastic cover. Use with 2 or 3 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$0	0#
6409901	Battery Box Location: LH Side.	\$0	0#

Frame Crossmembers & Upgrades

6490138	Stamped Steel Intermediate/ Fill-In Crossmember.	\$0	0#
6490432	Welded Rear Cab Support.	\$0	0#

Rear Frame Equipment

6742009	Square End-of-Frame W/O Crossmember; Non-Towing.	\$0	0#
---------	--	-----	----

FUEL TANKS & EQUIPMENT

D-Shape Rectangular

7140050	50 US Gallon D-Shape Rectangular Aluminum Under fuel tank, replace. With non-slip step.	\$0	0#
---------	---	-----	----

DEF Tanks & Equipment

7722170	Small DEF Tank, 5.5 Gallons.	\$0	0#
7889204	DEF to Fuel Fill Ratio Between 1:1 and 2:1.	\$0	0#
7889614	DEF Tank Location is LH BOC. For 2.1M Medium-Duty	\$0	0#

CAB EXTERIOR

Cabs

8024311	Cab: Stamped Aluminum with Curved Windshield LED markers. Requires separate roof code.	\$0	0#
---------	--	-----	----

Windows

8871446	Rear Cab Stationary Window 19in x 36in	\$0	0#
---------	--	-----	----

Hoods, Fenders & Grilles

8090151	Hood: Short Aero w/ Dark Gray Crown In-Mold Color	\$0	0#
---------	---	-----	----

Cab Structure Miscellaneous

8890881	Direct Mount, Rubber Isolated Cab Suspension.	\$0	0#
8891012	Roof: Low Profile Stamped Steel	\$0	0#

Cab Access

*See PremierSpec for Applicable Restrictions



T380: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
8800402	Dual Cab Interior Grabhandles: A Pillar Mounted Dash Wrap and B Pillar Mounted Grabhandles	\$0	0#

Mirrors & Equipment

8850842	Mirror Shell: Dual Aero In-Mold Black	\$0	0#
8860853	Mirror: Dual KW Aero Rear View Non-Motor, Non-Heated with Integral CX	\$0	0#
8850139	Look-Down, Pass. Door, Black 11x6	\$0	0#

Window Equipment

8890101	One-Piece Bonded-In Windshield With Curved Glass. Standard.	\$0	0#
---------	---	-----	----

Doors & Equipment

8832113	Kenworth Daylite Door With Standard LH/RH electric door locks and LH/RH electric window controls.	\$0	0#
8700283	LH and RH Trip Ledge Rain Deflectors	\$0	0#

CAB INTERIOR

Cabs & Sleepers

8330591	Interior Trim Package: 2.1M MD Gray Foam Backing/Cloth Headliner W/Gray Sunvisor & Seat Color Three Underdash Center Console Cupholders (Two If Allison Transmission Is Selected).	\$0	0#
---------	--	-----	----

Heaters & Air Conditioning

8108011	Cab HVAC - Day Cab and 40 in. Sleeper System With Defrost, A/C, and 48,000 BTU/hr Heater. Includes automatic temperature control with one touch defrost operation and dash mounted cab temperature and solar intensity sensors. Pleated fresh air filter and cabin recirculation air filter standard. The Kenworth HVAC system is designed to provide optimal heating and cooling in all operating environments without need for additional insulation. Cab HVAC without sleeper heater AC is available with 40in sleeper.	\$0	0#
---------	--	-----	----

Steering Wheels & Equipment

8201013	Steering Wheel: 18 in. 4-Spoke.	\$0	0#
8201053	Column Mtd Transmission Control W/O Retarder Control, RH Side. Use with Automated and Automated Manual Transmissions Only.	\$0	0#
8201200	Adjustable Telescoping Tilt Steering Column.	\$0	0#

Instruments & Controls

8282024	Main Instrument Package: 7" Digital Display Cluster. Includes Physical (Analog): Speedometer, Tachometer, Oil Pressure, and Coolant Temp; and Digital: Fuel Level #1, DEF Level, DPF Filter Status, Fuel Economy, Volts Telltale, OAT and Primary Air Pressure, Secondary Air Pressure, and Air Application for air brake trucks.	\$0	0#
8700196	Turn Signal: Self-Cancelling	\$0	0#

Seats

8410101	Driver Seat: KW Air Seat IB Vinyl W/O Armrests /Susp Cover	\$0	0#
8478051	Rider Seat: KW Toolbox 2-Man Bench Vinyl	\$0	0#

Sound System Equipment

8698970	No Radio Or Speakers Selected: No Prewire & No Antenna Wiring. Not w/ Smart Wheel.	\$0	0#
---------	--	-----	----

Information & Communication Systems

8700663	Kenworth TruckTech+ The Kenworth TruckTech+ system provides the World's Best reporting of engine and aftertreatment fault codes, as well as enhanced support for the truck owner through rapid communication of fault severity and recommended actions. This is standard on all Kenworths with a PACCAR MX engine, Cummins X15 engine, PX engine or Natural Gas engine.	\$0	0#
---------	---	-----	----

LIGHTS & SIGNALS



T380: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
Headlamps			
9010803	Headlamps: Single Halogen Complex Reflector w/ Turn Indicator, Reflector and DRL. Fender Mtd.	\$0	0#
Marker Lights			
9022137	Marker Lights: Five, Rectangular, LED	\$0	0#
Taillights			
9030052	LED Stop,Turn,Tail: With Two LED Backup Lights and With An LED License Plate.	\$0	0#
Miscellaneous			
9020101	14-Pin RP170 Body Lighting Connector.	\$0	0#
AIR EQUIPMENT			
Air Drying Equipment			
9108001	Moisture Ejection Valve W/ Pull Cable Drain.	\$0	0#
9101218	Air Dryer: Bendix AD-HF Puraguard Heated	\$0	0#
Air System Miscellaneous			
9140020	Nylon Air Tubing in Frame & Cab, Excluding Hoses subject to excessive heat or flexing.	\$0	0#
SPECIAL EQUIPMENT			
Build Notes			
9491659	VMUX Architecture	\$0	0#
EXTENDED WARRANTY			
Warranty			
9200007	Base Warranty - PACCAR PX-7 Engine 36 months / Unlimited miles & km / Unlimited hours.	\$0	0#
9200022	Base Warranty - Standard Service Medium Duty 12 months / Unlimited miles & km	\$0	0#
PAINT			
Paint Style			
9944820	1 - Color Paint - Day Cab Color will be White if no other color is specified.	\$0	0#
Paint Type			
9943050	Day Cab Standard Paint	\$0	0#
9965510	Base Coat/ Clear Coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	\$0	0#



T380: REQUIRED INFORMATION

Option	Description	Price	Weight
Intended Service			
0093000	Linehaul: Vehicles (trucks or tractors) used in over-the-road freight hauling. Pickup to delivery distance is typically over 300 miles, & annual mileage is typically over 60,000 miles per year. Operation is typically on-highway. Road usage: minimum 1% Class B, do not code for Class D.	\$0	0#
0093005	Local Pickup & Delivery: Vehicles which haul freight, typically operating within a 100-mile radius, on public streets & highways, & other paved surfaces, including limited Class C roads. Includes package & freight delivery, as well as fuel oil or petroleum distribution, etc. Road usage: minimum 3% Class B, do not code for Class D.	\$0	0#
0093007	Regional Haul: Vehicles used to haul freight on public roads consisting of a mixture of over the road, urban and/or suburban hauling. Pickup to delivery distance typically in the 100 to 300 miles range but some LTL applications may exceed 300 mile limit. Road usage: minimum 19% Class B, do not code for Class D.	\$0	0#
0093010	Logger: Vehicles which haul logs from the forest to the mill, or from mill to mill. Typically includes some operation off of paved roads. Road usage: any combination, which includes some Class C.	\$0	0#
0093015	Concrete Ready Mix: Vehicles which deliver Ready-Mix concrete from batch plant to job site. Typically includes some operation off of paved roads. Road usage: any combination, which includes minimum 5% Class B.	\$0	0#
0093025	Snowplow: Vehicles which are configured for mounting a snowplow to the front. May also have dump or other body. Typically includes some operation off of paved roads. Road usage: majority of Class A & B, do not code for Class D.	\$0	0#
0093035	Mining service: Vehicles used to service earthmoving & mining equipment. Includes bodies such as mechanic's service bodies, tire hoists, fuel/lube, etc. Typically includes some operation off of paved roads. Road usage: any combination, which includes some Class C.	\$0	0#
0093090	Utility vehicle: Used to service utility or communication equipment. Typically operates within 100 mile radius on public roads & may or may not have a man lift. Duty cycle includes long engine idle times. Road usage: any combination of A & B, may include some class C roads.	\$0	0#
0093091	Refuse Hauler: Vehicles which haul refuse, recycled material, etc. Includes Roll-on/roll-off container movement, as well as hauling refuse from transfer stations to landfills. Typically includes operation in landfills, over rough, uneven surfaces. Road usage: any combination, which includes some Class B.	\$0	0#
0093095	Refuse Packer: Vehicles which pick up refuse or recycled material from curbside containers in residential areas. Operation typically includes very frequent stops & starts. Unloading can be at transfer station or at landfill. Road usage: some Class B required, with maximum of 5% Class D.	\$0	0#
0093105	Oil Field Well Servicing: Vehicles which carry well servicing equipment, e.g., pumpers, blenders, cementers, data loggers, etc. Typically involve considerable hours of stationary operation, but low mileage. Typically operate on prepared (although often unpaved) roadways. Road usage: any combination, w/minimum 5% Class C.	\$0	0#
0093111	Wrecker Service: Vehicles w/ recovery bodies used for recovering & towing stranded vehicles & equipment. Road usage: minimum 5% Class B & maximum 10% Class D.	\$0	0#
0093121	Fire Truck Service: Vehicles used in fighting fires. Typically have pumps, etc., mounted in the body. Road usage: minimum 5% Class B & maximum 5% Class D.	\$0	0#
0093122	EMT/Rescue Service: Vehicles used responding to emergencies & rescue operations. Typically configured for rapid response, & carry medical & other rescue equipment. Road usage: minimum 5% Class B & maximum 5% Class D.	\$0	0#



T380: REQUIRED INFORMATION

Option	Description	Price	Weight
Intended Service			
0093125	Crane/Cherry Picker: Vehicles equipped w/ cranes, man-lifts, hoists, cherry-pickers, bridge inspection units, etc. Road usage: any combination, w/minimum 5% Class B.	\$0	0#
0093130	Construction: Vehicles used in the construction industry, other than those listed above. Use typically involves operating on the jobsite, to pick up or deliver construction materials, or to position the vehicle for its intended use at the construction site. Includes such activities as delivery of precast concrete, concrete pumpers, flatbeds or roll-offs for delivery of construction materials or equipment, etc. Typically includes some operation off of paved roads. Road usage: any combination, which includes some Class C.	\$0	0#
0093135	Agriculture: Vehicles used in the agriculture industry, other than those listed above. Use typically involves transportation of agricultural & dairy products to/from/on/around farm sites, & includes operation off of improved surfaces while on the farm. Includes applications such as milk tankers for farm pickup, feed trucks, grain haulers which load in the field, etc. Can be trucks or tractors. Road usage: any combination, which includes both Class C & D.	\$0	0#
Commodity Hauled			
Building Materials			
0091010	Pre-Cast Concrete (Blocks, Pavers, etc)	\$0	0#
0091020	Ready-Mix Concrete	\$0	0#
0091030	Lumber	\$0	0#
0091040	Other Building Materials	\$0	0#
0091041	Asphalt	\$0	0#
0091042	Gravel/Crushed Rock/Sand	\$0	0#
0091043	Topsoil/Bark	\$0	0#
Food-Farm Products			
0091130	Grain	\$0	0#
0091135	Livestock Feed	\$0	0#
0091140	Hay	\$0	0#
0091150	Livestock	\$0	0#
0091160	Hanging Meat	\$0	0#
0091170	Other Food/Farm Products	\$0	0#
Bulk Goods			
0091050	Dry Bulk Goods	\$0	0#
0091060	Dairy Products - Milk	\$0	0#



T380: REQUIRED INFORMATION

Option	Description	Price	Weight
Commodity Hauled			
Bulk Goods			
0091070	Liquid Petroleum Products	\$0	0#
0091080	Other Bulk Goods	\$0	0#
0091115	Compressed Gas	\$0	0#
0091121	Water	\$0	0#
0091122	Crude oil.	\$0	0#
0091123	Liquefied Gas	\$0	0#
0091125	Steel Structural/Coil	\$0	0#
Forest Products			
0091180	Logs	\$0	0#
0091190	Wood Chips	\$0	0#
0091200	Other Forest Products	\$0	0#
Minerals			
0091210	Coal	\$0	0#
0091220	Excavated Earth	\$0	0#
0091230	Rock	\$0	0#
0091240	Other Minerals	\$0	0#
Dry Goods			
0091090	General Freight	\$0	0#
0091100	Heavy Machinery	\$0	0#
0091110	Oil Field Equipment	\$0	0#
0091120	Other Dry Goods	\$0	0#
0091124	Auto Transporter	\$0	0#
Miscellaneous			
0091250	Empty Cans	\$0	0#
0091260	Refuse/Recycled Material	\$0	0#
0091270	Fire apparatus.	\$0	0#



T380: REQUIRED INFORMATION

Option Description	Price	Weight
Commodity Hauled		
Miscellaneous		
0091271 EMT/rescue.	\$0	0#
Body Type		
0095010 End Dump	\$0	0#
0095030 Transfer dump.	\$0	0#
0095056 Volumetric Mixer	\$0	0#
0095060 Roll On/Roll Off	\$0	0#
0095065 Roll Back Flatbed	\$0	0#
0095070 Refuse loader/packer.	\$0	0#
0095080 Refuse, Other	\$0	0#
0095084 Logger, single bunk.	\$0	0#
0095085 Logger, multiple bunks.	\$0	0#
0095090 Oil field rig-up.	\$0	0#
0095095 Beverage.	\$0	0#
0095100 Oil Well Servicing Equipment	\$0	0#
0095105 Drilling derrick.	\$0	0#
0095110 Tank	\$0	0#
0095115 Dry Bulk Hopper	\$0	0#
0095120 Van	\$0	0#
0095125 Service Body	\$0	0#
0095130 Dromedary Box or Automobile Rack	\$0	0#
0095135 Cotton module.	\$0	0#
0095140 Flatbed	\$0	0#
0095145 Flatbed with Utility Crane	\$0	0#
0095146 Wrecker	\$0	0#
0095151 Crane/Boom	\$0	0#



T380: REQUIRED INFORMATION

Option	Description	Price	Weight
Body Type			
0095152	Block body.	\$0	0#
0095153	Logger, self-loading crane/boom. Dealer supplied drawing required.	\$0	0#
0095155	Fire Truck-Pumper	\$0	0#
0095160	Other - Narrative Required	\$0	0#
0095165	Vacuum Tank	\$0	0#
0095175	Reefer van.	\$0	0#
Trailer Type			
0096010	Doubles.	\$0	0#
0096015	Triples.	\$0	0#
0096020	End dump.	\$0	0#
0096025	Side Dump	\$0	0#
0096030	Bottom dump.	\$0	0#
0096040	Flatbed.	\$0	0#
0096045	Beverage.	\$0	0#
0096050	Lowboy.	\$0	0#
0096055	Automobile/marine carrier.	\$0	0#
0096060	Reefer van.	\$0	0#
0096070	Tank.	\$0	0#
0096075	Oil Field Well Service	\$0	0#
0096080	Dry van beverage trailer, curtain trailer, chip trailer.	\$0	0#
0096085	Logger, single bunk or semi-trailer.	\$0	0#
0096090	Other - Narrative Required	\$0	0#
Special Requirements			
Operating Area			
0098010	California Registry	\$0	0#
0098015	Mexico registry.	\$0	0#



T380: REQUIRED INFORMATION

Option	Description	Price	Weight
Special Requirements			
Operating Area			
0098025	U.S. Domestic Registry, 50-state.	\$0	0#
0098030	Export: Off-highway - exempt from US regulations.	\$0	0#
0098032	Export: On-highway chassis.	\$0	0#
0098033	On-Highway Chassis for Use in Off-Shore.	\$0	0#
0098050	Canadian registry.	\$0	0#
0098060	Quebec Registry.	\$0	0#
State of Registry			
0098401	State of Registry: Alabama	\$0	0#
0098402	State of Registry: Alaska	\$0	0#
0098403	State of Registry: Arizona	\$0	0#
0098404	State of Registry: Arkansas	\$0	0#
0098405	State of Registry: California	\$0	0#
0098406	State of Registry: Colorado	\$0	0#
0098407	State of Registry: Connecticut	\$0	0#
0098408	State of Registry: Delaware	\$0	0#
0098409	State of Registry: Florida	\$0	0#
0098410	State of Registry: Georgia	\$0	0#
0098411	State of Registry: Hawaii	\$0	0#
0098412	State of Registry: Idaho	\$0	0#
0098413	State of Registry: Illinois	\$0	0#
0098414	State of Registry: Indiana	\$0	0#
0098415	State of Registry: Iowa	\$0	0#
0098416	State of Registry: Kansas	\$0	0#
0098417	State of Registry: Kentucky	\$0	0#
0098418	State of Registry: Louisiana	\$0	0#



T380: REQUIRED INFORMATION

Option	Description	Price	Weight
Special Requirements			
State of Registry			
0098419	State of Registry: Maine	\$0	0#
0098420	State of Registry: Maryland	\$0	0#
0098421	State of Registry: Massachusetts	\$0	0#
0098422	State of Registry: Michigan	\$0	0#
0098423	State of Registry: Minnesota	\$0	0#
0098424	State of Registry: Mississippi	\$0	0#
0098425	State of Registry: Missouri	\$0	0#
0098426	State of Registry: Montana	\$0	0#
0098427	State of Registry: Nebraska	\$0	0#
0098428	State of Registry: Nevada	\$0	0#
0098429	State of Registry: New Hampshire	\$0	0#
0098430	State of Registry: New Jersey	\$0	0#
0098431	State of Registry: New Mexico	\$0	0#
0098432	State of Registry: New York	\$0	0#
0098433	State of Registry: North Carolina	\$0	0#
0098434	State of Registry: North Dakota	\$0	0#
0098435	State of Registry: Ohio	\$0	0#
0098436	State of Registry: Oklahoma	\$0	0#
0098437	State of Registry: Oregon	\$0	0#
0098438	State of Registry: Pennsylvania	\$0	0#
0098439	State of Registry: Rhode Island	\$0	0#
0098440	State of Registry: South Carolina	\$0	0#
0098441	State of Registry: South Dakota	\$0	0#
0098442	State of Registry: Tennessee	\$0	0#
0098443	State of Registry: Texas	\$0	0#



T380: REQUIRED INFORMATION

Option	Description	Price	Weight
--------	-------------	-------	--------

Special Requirements

State of Registry

0098444	State of Registry: Utah	\$0	0#
0098445	State of Registry: Vermont	\$0	0#
0098446	State of Registry: Virginia	\$0	0#
0098447	State of Registry: Washington	\$0	0#
0098448	State of Registry: West Virginia	\$0	0#
0098449	State of Registry: Wisconsin	\$0	0#
0098450	State of Registry: Wyoming	\$0	0#
0098451	State of Registry: District of Columbia	\$0	0#
0098452	State of Registry: Puerto Rico	\$0	0#
0098453	State of Registry: Guam	\$0	0#
0098454	State of Registry: American Samoa	\$0	0#
0098455	State of Registry: Mariana Islands	\$0	0#
0098456	State of Registry: US Virgin Islands	\$0	0#
0098460	State of Registry: Israel	\$0	0#
0098465	State of Registry: Mexico	\$0	0#
0098470	State of Registry: Canada	\$0	0#
0098490	State of Registry: International	\$0	0#

Stationary Application

0072000	Chassis Operation Will Not Incl. Stationary application. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
0072001	Chassis Operation Will Include Stationary application used in lower 48 states [US only]. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
0072002	Chassis Operation Will Include Stationary application used in Canada or Alaska. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#



T380: REQUIRED INFORMATION

Option	Description	Price	Weight
Stationary Application			
0072003	Chassis Operation Will Include Export stationary application. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
Model Series			
0070086	T380 Aero Hood	\$0	0#
0070087	T380 Vocational Hood	\$0	0#
Model Configurations			
0090143	T380 Automatic	\$0	0#
0090144	T380 Manual	\$0	0#
0090163	T380 with B6.7N	\$0	0#
0090164	T380 with L9N	\$0	0#



T380: ENGINES

Option	Description	Price	Weight
Emission Idle Reduction Feature			
0080050	CARB Clean Idle Label - PACCAR PX Engines	\$36	0#
0080070	CARB Exempt Application Emergency Vehicle Only.	\$0	0#
0080085	CARB Idle - Alternative Fuel Exempt from CARB Anti-Idle.	\$0	0#
0080314	EPA Clean Idle Label - PACCAR PX Engines	\$36	0#

PACCAR

PX-7

0130115	PACCAR PX-7 200 200@2400 600@1300, 2024	STD	0#
0130117	PACCAR PX-7 220 220@2400 600@1300, 2024	\$249	0#
0130118	PACCAR PX-7 240 240@2400 600@1300, 2024	\$513	0#
0130119	PACCAR PX-7 250 250@2400 660@1400, 2024	\$1,099	0#
0130120	PACCAR PX-7 260 260@2400 660@1400, 2024	\$1,346	0#
0130121	PACCAR PX-7 260EV 260@2400 660@1400, 2024 Emergency Vehicle	\$1,346	0#
0130122	PACCAR PX-7 280 280@2400 660@1400, 2024	\$1,912	0#
0130123	PACCAR PX-7 280EV 280@2400 660@1400, 2024 Emergency Vehicle	\$1,912	0#
0130124	PACCAR PX-7 300 300@2600 660@1400, 2024	\$2,411	0#
0130125	PACCAR PX-7 300EV 300@2600 660@1400, 2024 Emergency Vehicle	\$2,411	0#
0130126	PACCAR PX-7 325 325@2400 750@1600, 2024	\$2,777	0#
0130127	PACCAR PX-7 325EV 325@2400 750@1600, 2024 Emergency Vehicle	\$2,777	0#
0130128	PACCAR PX-7 340EV 340@2600 700@1500, 2024 Emergency Vehicle	\$3,061	0#
0130129	PACCAR PX-7 360EV 360@2600 800@1800, 2024 Emergency Vehicle	\$3,875	0#

PX-9

0130216	PACCAR PX-9 260 260@1600 860@1200, 2024	\$8,413	694#
0130217	PACCAR PX-9 270 270@1650 860@1200, 2024	\$8,978	694#
0130218	PACCAR PX-9 270EV 270@1650 860@1200, 2024 Emergency Vehicle	\$8,980	694#
0130219	PACCAR PX-9 300 300@1850 860@1200, 2024	\$9,633	694#
0130220	PACCAR PX-9 300EV 300@1850 860@1200, 2024 Emergency Vehicle	\$9,638	694#



T380: ENGINES

Option	Description	Price	Weight
PACCAR			
PX-9			
0130221	PACCAR PX-9 330 330@1750 1000@1200, 2024	\$10,290	694#
0130222	PACCAR PX-9 330EV 330@1750 1000@1200, 2024 Emergency Vehicle	\$10,292	694#
0130223	PACCAR PX-9 350 350@1750 1050@1200, 2024	\$11,631	694#
0130224	PACCAR PX-9 360 360@1650 1150@1200, 2024	\$12,971	694#
0130225	PACCAR PX-9 360EV 360@1650 1150@1200, 2024 Emergency Vehicle	\$12,969	694#
0130226	PACCAR PX-9 370 370@1600 1250@1200, 2024	\$17,296	694#
0130227	PACCAR PX-9 370EV 370@1900 1250@1200, 2024 Emergency Vehicle	\$17,297	694#
0130228	PACCAR PX-9 380 380@1600 1250@1200, 2024	\$17,769	694#
0130229	PACCAR PX-9 380EV 380@1750 1150@1200, 2024 Emergency Vehicle	\$17,768	694#
0130230	PACCAR PX-9 400EV 400@1700 1250@1200, 2024 Emergency Vehicle	\$18,679	694#
0130231	PACCAR PX-9 450EV 450@2100 1250@1200, 2024 Emergency Vehicle	\$19,598	694#
Cummins			
Natural Gas			
0120066	B6.7N 220 220@2400 520@1600 GOV@2630 2018	\$15,456	0#
0120067	B6.7N 200 200@2400 520@1600 GOV@2630 2018	\$15,072	0#
0120068	B6.7N 240 240@2400 560@1600 GOV@2600 2018	\$15,891	0#
0128902	L9N 300 2018 300@2100 860@1300 GOV@2200	\$40,574	727#
0128922	L9N 320 2018 320@2000 1000@1300 GOV @2200	\$41,579	727#



T380: ENGINE EQUIPMENT

Option	Description	Price	Weight
Engine Information			
1000234	Engine Parameter: Set Engine Fan to Not Engage when Exhaust/Compression Brake Engages	\$0	0#
Emissions			
1000046	EPA Emissions Warranty Engine	\$0	0#
1000047	CARB Emissions Warranty Engine	\$0	0#
Engine Idle Shutdown Timers			
1000857	Engine Idle Shutdown Timer Enabled	\$0	0#
1000858	Engine Idle Shutdown Timer Disabled	\$0	0#
1000859	Enable EIST Ambient Temp Override	\$0	0#
1000861	Enable Adjustable EIST Settings	\$0	0#
1000865	Eff EIST 3000 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000870	Eff EIST 0 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000890	Eff EIST 1259000 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000891	Eff EIST NA Expiration Miles Use only with MX and Cummins engines	\$0	0#
1000912	Eff EIST 1259000 Expiration Miles (CAN) Use only with MX and Cummins engines	\$0	0#
1000980	Eff EIST 3000 Expiration Miles (CAN) Use only with MX and Cummins engines	\$0	0#
Vehicle Speed Limiters			
1000611	Highest Efficiency VSL Settings	\$0	0#
1000624	Effective VSL Setting 51-51.9 MPH (USA)	\$0	0#
1000625	Effective VSL Setting 52-52.9 MPH (USA)	\$0	0#
1000626	Effective VSL Setting 53-53.9 MPH (USA)	\$0	0#
1000627	Effective VSL Setting 54-54.9 MPH (USA)	\$0	0#
1000628	Effective VSL Setting 55-55.9 MPH (USA)	\$0	0#
1000629	Effective VSL Setting 56-56.9 MPH (USA)	\$0	0#
1000630	Effective VSL Setting 57-57.9 MPH (USA)	\$0	0#
1000631	Effective VSL Setting 58-58.9 MPH (USA)	\$0	0#
1000632	Effective VSL Setting 59-59.9 MPH (USA)	\$0	0#



T380: ENGINE EQUIPMENT

Option	Description	Price	Weight
Engine Information			
Vehicle Speed Limiters			
1000633	Effective VSL Setting 60.0 MPH (USA)	\$0	0#
1000634	Effective VSL Setting 60.1 MPH (USA)	\$0	0#
1000635	Effective VSL Setting 60.2 MPH (USA)	\$0	0#
1000636	Effective VSL Setting 60.3 MPH (USA)	\$0	0#
1000637	Effective VSL Setting 60.4 MPH (USA)	\$0	0#
1000638	Effective VSL Setting 60.5 MPH (USA)	\$0	0#
1000639	Effective VSL Setting 60.6 MPH (USA)	\$0	0#
1000640	Effective VSL Setting 60.7 MPH (USA)	\$0	0#
1000641	Effective VSL Setting 60.8 MPH (USA)	\$0	0#
1000642	Effective VSL Setting 60.9 MPH (USA)	\$0	0#
1000643	Effective VSL Setting 61.0 MPH (USA)	\$0	0#
1000644	Effective VSL Setting 61.1 MPH (USA)	\$0	0#
1000645	Effective VSL Setting 61.2 MPH (USA)	\$0	0#
1000646	Effective VSL Setting 61.3 MPH (USA)	\$0	0#
1000647	Effective VSL Setting 61.4 MPH (USA)	\$0	0#
1000648	Effective VSL Setting 61.5 MPH (USA)	\$0	0#
1000649	Effective VSL Setting 61.6 MPH (USA)	\$0	0#
1000650	Effective VSL Setting 61.7 MPH (USA)	\$0	0#
1000651	Effective VSL Setting 61.8 MPH (USA)	\$0	0#
1000652	Effective VSL Setting 61.9 MPH (USA)	\$0	0#
1000653	Effective VSL Setting 62.0 MPH (USA)	\$0	0#
1000654	Effective VSL Setting 62.1 MPH (USA)	\$0	0#
1000655	Effective VSL Setting 62.2 MPH (USA)	\$0	0#
1000656	Effective VSL Setting 62.3 MPH (USA)	\$0	0#
1000657	Effective VSL Setting 62.4 MPH (USA)	\$0	0#



T380: ENGINE EQUIPMENT

Option	Description	Price	Weight
Engine Information			
Vehicle Speed Limiters			
1000658	Effective VSL Setting 62.5 MPH (USA)	\$0	0#
1000659	Effective VSL Setting 62.6 MPH (USA)	\$0	0#
1000660	Effective VSL Setting 62.7 MPH (USA)	\$0	0#
1000661	Effective VSL Setting 62.8 MPH (USA)	\$0	0#
1000662	Effective VSL Setting 62.9 MPH (USA)	\$0	0#
1000663	Effective VSL Setting 63.0 MPH (USA)	\$0	0#
1000664	Effective VSL Setting 63.1 MPH (USA)	\$0	0#
1000665	Effective VSL Setting 63.2 MPH (USA)	\$0	0#
1000666	Effective VSL Setting 63.3 MPH (USA)	\$0	0#
1000667	Effective VSL Setting 63.4 MPH (USA)	\$0	0#
1000668	Effective VSL Setting 63.5 MPH (USA)	\$0	0#
1000669	Effective VSL Setting 63.6 MPH (USA)	\$0	0#
1000670	Effective VSL Setting 63.7 MPH (USA)	\$0	0#
1000671	Effective VSL Setting 63.8 MPH (USA)	\$0	0#
1000672	Effective VSL Setting 63.9 MPH (USA)	\$0	0#
1000673	Effective VSL Setting 64.0 MPH (USA)	\$0	0#
1000674	Effective VSL Setting 64.1 MPH (USA)	\$0	0#
1000675	Effective VSL Setting 64.2 MPH (USA)	\$0	0#
1000676	Effective VSL Setting 64.3 MPH (USA)	\$0	0#
1000677	Effective VSL Setting 64.4 MPH (USA)	\$0	0#
1000678	Effective VSL Setting 64.5 MPH (USA)	\$0	0#
1000679	Effective VSL Setting 64.6 MPH (USA)	\$0	0#
1000680	Effective VSL Setting 64.7 MPH (USA)	\$0	0#
1000681	Effective VSL Setting 64.8 MPH (USA)	\$0	0#
1000682	Effective VSL Setting 64.9 MPH (USA)	\$0	0#



T380: ENGINE EQUIPMENT

Option	Description	Price	Weight
Engine Information			
Vehicle Speed Limiters			
1000683	Effective VSL Setting 65.0 MPH (USA)	\$0	0#
1000684	Effective VSL Setting NA	\$0	0#
1000685	Effective VSL Setting 51-51.9 MPH (CAN)	\$0	0#
1000686	Effective VSL Setting 52-52.9 MPH (CAN)	\$0	0#
1000687	Effective VSL Setting 53-53.9 MPH (CAN)	\$0	0#
1000688	Effective VSL Setting 54-54.9 MPH (CAN)	\$0	0#
1000689	Effective VSL Setting 55-55.9 MPH (CAN)	\$0	0#
1000690	Effective VSL Setting 56-56.9 MPH (CAN)	\$0	0#
1000691	Effective VSL Setting 57-57.9 MPH (CAN)	\$0	0#
1000692	Effective VSL Setting 58-58.9 MPH (CAN)	\$0	0#
1000693	Effective VSL Setting 59-59.9 MPH (CAN)	\$0	0#
1000694	Effective VSL Setting 60.0 MPH (CAN)	\$0	0#
1000695	Effective VSL Setting 60.1 MPH (CAN)	\$0	0#
1000696	Effective VSL Setting 60.2 MPH (CAN)	\$0	0#
1000697	Effective VSL Setting 60.3 MPH (CAN)	\$0	0#
1000698	Effective VSL Setting 60.4 MPH (CAN)	\$0	0#
1000699	Effective VSL Setting 60.5 MPH (CAN)	\$0	0#
1000700	Effective VSL Setting 60.6 MPH (CAN)	\$0	0#
1000701	Effective VSL Setting 60.7 MPH (CAN)	\$0	0#
1000702	Effective VSL Setting 60.8 MPH (CAN)	\$0	0#
1000703	Effective VSL Setting 60.9 MPH (CAN)	\$0	0#
1000704	Effective VSL Setting 61.0 MPH (CAN)	\$0	0#
1000705	Effective VSL Setting 61.1 MPH (CAN)	\$0	0#
1000706	Effective VSL Setting 61.2 MPH (CAN)	\$0	0#
1000707	Effective VSL Setting 61.3 MPH (CAN)	\$0	0#



T380: ENGINE EQUIPMENT

Option	Description	Price	Weight
Engine Information			
Vehicle Speed Limiters			
1000708	Effective VSL Setting 61.4 MPH (CAN)	\$0	0#
1000709	Effective VSL Setting 61.5 MPH (CAN)	\$0	0#
1000710	Effective VSL Setting 61.6 MPH (CAN)	\$0	0#
1000711	Effective VSL Setting 61.7 MPH (CAN)	\$0	0#
1000712	Effective VSL Setting 61.8 MPH (CAN)	\$0	0#
1000713	Effective VSL Setting 61.9 MPH (CAN)	\$0	0#
1000714	Effective VSL Setting 62.0 MPH (CAN)	\$0	0#
1000715	Effective VSL Setting 62.1 MPH (CAN)	\$0	0#
1000716	Effective VSL Setting 62.2 MPH (CAN)	\$0	0#
1000717	Effective VSL Setting 62.3 MPH (CAN)	\$0	0#
1000718	Effective VSL Setting 62.4 MPH (CAN)	\$0	0#
1000719	Effective VSL Setting 62.5 MPH (CAN)	\$0	0#
1000720	Effective VSL Setting 62.6 MPH (CAN)	\$0	0#
1000721	Effective VSL Setting 62.7 MPH (CAN)	\$0	0#
1000722	Effective VSL Setting 62.8 MPH (CAN)	\$0	0#
1000723	Effective VSL Setting 62.9 MPH (CAN)	\$0	0#
1000724	Effective VSL Setting 63.0 MPH (CAN)	\$0	0#
1000725	Effective VSL Setting 63.1 MPH (CAN)	\$0	0#
1000726	Effective VSL Setting 63.2 MPH (CAN)	\$0	0#
1000727	Effective VSL Setting 63.3 MPH (CAN)	\$0	0#
1000728	Effective VSL Setting 63.4 MPH (CAN)	\$0	0#
1000729	Effective VSL Setting 63.5 MPH (CAN)	\$0	0#
1000730	Effective VSL Setting 63.6 MPH (CAN)	\$0	0#
1000731	Effective VSL Setting 63.7 MPH (CAN)	\$0	0#
1000732	Effective VSL Setting 63.8 MPH (CAN)	\$0	0#



T380: ENGINE EQUIPMENT

Option	Description	Price	Weight
Engine Information			
Vehicle Speed Limiters			
1000733	Effective VSL Setting 63.9 MPH (CAN)	\$0	0#
1000734	Effective VSL Setting 64.0 MPH (CAN)	\$0	0#
1000735	Effective VSL Setting 64.1 MPH (CAN)	\$0	0#
1000736	Effective VSL Setting 64.2 MPH (CAN)	\$0	0#
1000737	Effective VSL Setting 64.3 MPH (CAN)	\$0	0#
1000738	Effective VSL Setting 64.4 MPH (CAN)	\$0	0#
1000739	Effective VSL Setting 64.5 MPH (CAN)	\$0	0#
1000740	Effective VSL Setting 64.6 MPH (CAN)	\$0	0#
1000741	Effective VSL Setting 64.7 MPH (CAN)	\$0	0#
1000742	Effective VSL Setting 64.8 MPH (CAN)	\$0	0#
1000743	Effective VSL Setting 64.9 MPH (CAN)	\$0	0#
1000744	Effective VSL Setting 65.0 MPH (CAN)	\$0	0#
Air Compressor			
1002060	Air Compressor: Cummins 18.7 CFM For Cummins And PACCAR PX engines.	STD	0#
1002065	Air Compressor: Cummins 30.4 CFM ISL, PX-8, PX-9 Replacing 18.7.	\$1,998	2#
1006800	Delete Air Compressor for Hydraulic Brakes.	\$0	-1#
Air Intake System			
Air Cleaner			
Engine-Mounted			
1041399	Air Cleaner: MD Composite Engine Mounted	STD	0#
Air Intake Equipment			
1093120	Inside/Outside Air Intake for Engine Mounted Air Cleaner	\$909	16#
1098003	Air Restriction Indicator: Mechanical Mounted on Air Cleaner.	STD	0#
1099080	Pre-Cleaner Mounted in the Hood Plenum	\$322	7#
1099300	Air Inlet Ember Separator NFPA Compliant for Fire Applications.	\$297	8#



T380: ENGINE EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Cooling System

Cooling Module

1121231	Cooling Module: 2.1M MD - Aero Hood 1000 Square Inches	STD	0#
1121232	Cooling Module: 2.1M MD Aero Hood, Clog Resistant 1000 Square Inches	\$45	0#
1121233	Cooling Module: 2.1M MD Vocation Hood 1000 Square Inches	\$704	10#
1121234	Cooling Module: 2.1M MD Vocational Hood, Clog Resistant, 1000 Square Inches	\$477	10#

2 Speed Fan Clutch

1105250	Fan Hub: Horton 2-Speed for ISM only	(\$529)	0#
---------	--------------------------------------	---------	----

On/Off Fan Clutch

1105231	Fan Hub: Horton On/Off for PX-9 or L9N	\$66	0#
1105261	Fan Hub: Horton On/Off for PX-7 or B6.7N	STD	0#
1107060	Fan Hub: Borg Warner On/Off for PX-9 or L9N	\$169	0#
1107170	Fan Hub: Borg Warner On/Off for PX-7 or B6.7N	\$104	0#

Variable Speed Fan Clutch

1105232	Fan Hub: Horton Variable Speed For use with PX engines, L9N or B6.7N natural gas engines on 2.1M only.	\$615	0#
---------	--	-------	----

Cooling System Equipment

1160105	Radiator Winterfront.	\$52	0#
1160205	Bugscreen Front of grille on 2.1M MD, C500 ,T800, T880, and W900. Behind grille on T680 and 1.9M MD.	\$132	2#

Exhaust Systems

RH under DPF/SCR

1247247	EXH: Single Can 2024 RH Under with RH Horizontal Tailpipe Below Rail	\$1,837	0#
1247263	EXH: Single Can 2024 RH Under with RH Side-of-Cab Vertical Tailpipe	\$2,941	0#
1247264	EXH: Single Can 2024 RH Under with Single Vertical RH Back-of-Cab Tailpipe	\$5,463	0#

Horizontal Under Rail

1247278	EXH: Single Can 2024 PX-7 Horizontal Under Rail With Horizontal Tailpipe Below Rail RH Rail Back-of-Cab	STD	0#
1247279	EXH: Single Can 2024 PX-9 Horizontal Under Rail With Horizontal Tailpipe Below RH Rail Back-of-Cab	\$733	0#



T380: ENGINE EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Exhaust Systems

Natural Gas

1247019	EXH: Single Horizontal CNG Catalyst With Single Horizontal Tailpipe, 2018	\$16,975	0#
1247033	EXH: Single Right Hand Under Cab Catalyst With Single Vertical Tailpipe Right Hand Side of Cab	\$20,304	0#

Exhaust Accessories

Single Tailpipes

1290124	Tailpipe: 5 in. single 24 in. 45 degree curved.	\$154	6#
1290130	Tailpipe: 5 in. single 30 in. 45 degree curved.	\$188	12#
1290136	Tailpipe: 5 in. single 36 in. 45 degree curved.	\$210	15#
1290142	Tailpipe: 5 in. single 42 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$232	17#
1290148	Tailpipe: 5 in. single 48 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$254	20#
1290154	Tailpipe: 5 in. single 54 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$276	22#
1290160	Tailpipe: 5 in. single 60 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$310	25#
1290336	Tailpipe: 7 in. single 36 in. 45 degree curved.	\$340	15#
1290342	Tailpipe: 7 in. single 42 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$365	17#
1290348	Tailpipe: 7 in. single 48 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$387	20#
1290354	Tailpipe: 7 in. single 54 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$409	22#
1290360	Tailpipe: 7 in. single 60 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$430	25#
1291736	Tailpipe: single 36 in. curved vertical polished.	\$211	10#

Filters

Fuel-Water Separator

1321102	Fuel Filter: PACCAR 2.1M MD for PX-7 or PX-9 Fuel/water separator for 2021 and later engines.	STD	0#
1321103	Fuel Filter: PACCAR 2.1M MD for B6.7N or L9N Fuel/Water separator	\$207	0#
1321200	Run Aid:None *For Fuel Filter	STD	0#
1321205	Run Aid:Fuel Heat *For Fuel Filter	\$41	0#
1321300	Start Aid:None *For Fuel Filter	STD	0#
1321305	Start Aid:12V Heat *For Fuel Filter	\$22	1#



T380: ENGINE EQUIPMENT

Option	Description	Price	Weight
Heating & Starting Aids			
Block Heater			
1504006	Block Heater: PACCAR 750 watt 120V for PX-7 and B6.7N. 1000 watt for PX-9 and ISL9 Engines.	\$26	2#
Oil Pan Heater			
1506055	Engine Oil Pan Heater, 120V / 300W Includes plug. For use with EPA 2007+ engines.	\$111	0#
In-tank Fuel Heater			
1509058	Fuel Tank Heater: Single Arctic Fox W/ Thermostat	\$571	0#
1509065	Fuel Tank Heater: Dual Arctic Fox W/ Thermostat	\$1,083	0#
1509088	Fuel Tank Heater:Customer Installed - Single Tank 2.1M Medium Duty only	\$7	7#
1509089	Fuel Tank Heater: Customer Installed - Dual Tanks 2.1M Medium Duty only	\$13	14#
Fuel Cooler			
1500029	Kenworth Fuel Cooler Required for Cummins engines with a single fuel tank. Required for PACCAR MX-13 engine with a single fuel tank and stationary use: High RPM, low vehicle speed, sustained for longer than 1 hour. Optional for all other applications.	\$170	0#
Front Engine PTO - FEPTO			
2429038	PTO Adapter For Front Engine PTO (FEPTO)	\$2,291	8#
Rear Engine PTO - REPTO			
6340040	Rear Engine PTO: PX-9, ISL9 Torque Capacity 435 lb-ft continuous, Drive ratio 1.15:1. Includes access provision in toe board.	\$4,138	150#
Governors & Controls			
1405074	Ambient Temperature Sensor for Idle Shutdown for use with Cummins ISM, ISX12, X15, and PACCAR PX Engines.	\$0	0#
Engine Equipment Miscellaneous			
0080020	Chassis to use LNG Fuel System.	\$0	0#
0080021	Chassis to use CNG Fuel System.	\$0	0#
1000170	Enable Engine Regeneration in PTO Mode Cummins	\$0	0#
1000242	Gearing Analysis: Fuel Economy fuel efficiency results.	\$0	0#
1000243	Gearing Analysis: Performance power before economy results.	\$0	0#
1000244	Gearing Analysis: Balance power/economy blend results.	\$0	0#



T380: ENGINE EQUIPMENT

Option	Description	Price	Weight
Engine Equipment Miscellaneous			
1000245	Customer's Typical Operating Spd: 50 MPH	\$0	0#
1000247	Customer's Typical Operating Spd: 40 MPH	\$0	0#
1000248	Customer's Typical Operating Spd: 55 MPH	\$0	0#
1000249	Customer's Typical Operating Spd: 52 MPH	\$0	0#
1000250	Customer's Typical Operating Spd: 58 MPH	\$0	0#
1000251	Customer's Typical Operating Spd: 60 MPH	\$0	0#
1000252	Customer's Typical Operating Spd: 62 MPH	\$0	0#
1000253	Customer's Typical Operating Spd: 63 MPH	\$0	0#
1000254	Customer's Typical Operating Spd: 65 MPH	\$0	0#
1000255	Customer's Typical Operating Spd: 68 MPH	\$0	0#
1000256	Customer's Typical Operating Spd: 64 MPH	\$0	0#
1000257	Customer's Typical Operating Spd: 70 MPH	\$0	0#
1000275	Customer's Typical Operating Spd: 75 MPH	\$0	0#
1000306	T300: 4x2 truck W/ Hydraulic Brakes.	\$0	0#
1000307	Accessory Air System T300 4 x 2 Hydraulic Brakes. Includes an Air System Pressure Gauge.	\$1,231	0#
1600713	Oil Pressure Sender for Pump Panel Gauge VDO 360-009.	\$54	0#
1901016	Delete Standard Remote PTO/Throttle Connections	(\$51)	0#
1901017	Remote PTO/Throttle, 12-Pin, Engine Bay Remote Control Provision	\$34	0#
1901018	Remote PTO/Throttle, 12-Pin, 250K, Back of Cab OR Back of Sleeper, J1939, Remote Control Provision	STD	0#
1901019	Remote PTO/Throttle, 12-Pin, 250K End of Frame, J1939, Remote Control Provision	\$21	0#
1901020	Remote PTO/Throttle, 12-Pin, 500K, Back of Cab OR Back of Sleeper, J1939, Remote Control Provision	\$123	0#
1901021	Remote PTO/Throttle, 12-Pin, 500K End of Frame J1939, Remote Control Provision	\$120	0#
1901084	Body Builder Battery Power Prewire	\$49	0#



T380: ENGINE EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Retarders

1700149	Retarder: Jacobs for PX-9 and ISL With 3-way switch. Replaces the standard turbo brake for PX-9 engines.	\$2,486	57#
---------	--	---------	-----

Starting & Recharging

Alternator

1812162	Alternator: 160 amp Brushless with battery voltage sense. *This code replaced 1812160.	\$39	0#
1812451	Alternator: Delco 40SI 320 amp Brushless with battery voltage sense	\$759	0#
1816160	Alternator: 160 amp Brush Type T3	(\$189)	0#
1816200	Alternator: SEG 200 amp, Brush Type Formerly Bosch.	(\$100)	0#
1816260	Alternator: PACCAR 160 amp, Brush Type	STD	0#

Battery

1821210	Batteries: 3 PACCAR GP31 Threaded Post (700-730) 2100-2190 CCA dual purpose.	\$182	62#
1821215	Batteries: 4 PACCAR GP31 Threaded Post (700-730) 2800-2920 CCA dual purpose.	\$430	123#
1821220	Batteries: 2 PACCAR GP31 Threaded Post (700-730) 1400-1460 CCA dual purpose.	STD	0#
1821225	Batteries: 2 PACCAR GP31 Threaded Post (1000) 2000 CCA starting.	\$12	4#
1821271	Batteries: 2 AGM GP31 threaded post 1850 CCA For 2.1m with In Cab Battery Box (ICBB) only	\$241	0#
1821275	Batteries: 3 AGM GP31 THR (925) 2775 CCA. For T680, T880, or W990 in cab battery box only.	\$525	62#
1825006	Batteries: 4 Odyssey GP 31 AGM Threaded Post (1150) 4600 CCA	\$2,232	184#

Battery Equipment

1840024	Battery Disconnect Switch: 1 Cab Floor Locking	\$170	0#
1840065	12V Low Voltage Disconnect for Battery Protection	STD	0#
1840066	Cab Power Cutoff SW on Cab Floor NFPA Compliant - Engine Shut off. Includes gauge.	\$316	2#
1840067	Battery Disconnect Switch Mounted on Battery Box Provides One (1) Switch	\$395	0#
1900996	Jump Start Terminals Under Hood.	\$71	0#
1901005	Jump Start Terminals Frame Mounted BOC Below Top of Frame Flange.	\$282	0#

Starter

1836106	Mitsubishi 105P55 12V Starter with Cummins and PX PACCAR 12 volt electrical system. W/ centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded. Only for Cummins or PX engines.	\$39	0#
---------	---	------	----



T380: ENGINE EQUIPMENT

Option	Description	Price	Weight
Starting & Recharging			
Starter			
1836107	Starter: PACCAR 90P47 12V with PACCAR PX-7	STD	0#



T380: TRANSMISSIONS

Option	Description	Price	Weight
Eaton			
6-Speed			
2051121	Transmission: Fuller FSO6406A 6-speed synchro. *Torque Limit: 660 pound-feet.	(\$1,521)	108#
2051122	Transmission: Fuller FSO8406A 6-speed synchro. *Torque Limit: 860 pound-feet.	(\$821)	108#
2051123	Transmission: Fuller FS6406A 6-speed synchro. *Torque Limit: 660 pound-feet.	(\$1,626)	108#
10-Speed			
2052360	Transmission: Fuller FR9210B 10-speed. *Torque Limit: 950 pound-feet.	(\$490)	299#
2057360	Transmission: Fuller FRO14210C 10-speed Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1450 pound-feet.	\$863	352#
2057371	Transmission: Fuller RTO14908LL 10-speed. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1450 pound-feet.	\$2,107	453#
2058422	Fuller Advantage Automated FAO-14810C-EA3 10SPD No Cooler w/ HSA *Use w/ 2250385 Only.	\$4,532	475#
Allison			
5-Speed			
2010622	Transmission: Allison 2100RDS 5-speed, With PTO drive gear. 6th Generation Controls. Includes heat exchanger. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$3,872	91#
2010631	Transmission: Allison 2200RDS 5-speed, With PTO drive gear. 6th Generation controls. Limited to 550 LBFT. With park pawl. Includes heat exchanger. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$4,482	91#
2010642	Transmission: Allison 2500RDS 5-speed, With PTO drive gear. 6th Generation controls. Includes heat exchanger. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$3,794	91#
2011610	Transmission: Allison 3000HS 5-speed, No PTO drive gear. 6th Generation Controls. Includes heat exchanger & oil level sensor. Highway Service only as defined by Allison. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$8,674	352#
2011612	Transmission: Allison 3000RDS 5-speed, With PTO drive gear. 6th Generation Controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Requires a push button shift control code. Oil temperature gauge is standard on class 8 models. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$10,112	399#
2011614	Transmission: Allison 3000EVS 5-speed, With PTO drive gear. 6th Generation controls. Includes heat exchanger & oil level sensor. Emergency Vehicle Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$12,423	399#
2011630	Transmission: Allison 3500RDS 5-speed, With PTO drive gear. Limited to 1050LBFT. 6th Generation controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$10,081	399#



T380: TRANSMISSIONS

Option	Description	Price	Weight
Allison			
6-Speed			
2010623	Transmission: Allison 2100RDS 6-speed, With PTO drive gear. 6th Generation Controls. Includes heat exchanger. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$3,872	91#
2010643	Transmission: Allison 2500RDS 6-speed, With PTO drive gear. 6th Generation controls. Includes heat exchanger. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$3,794	91#
2011611	Transmission: Allison 3000HS 6-speed, No PTO drive gear. 6th Generation controls. Includes heat exchanger & oil level sensor. Highway Service only as defined by Allison. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$8,674	352#
2011613	Transmission: Allison 3000RDS 6-speed, With PTO drive gear. 6th Generation controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Requires a push button shift control code. Oil temperature gauge is standard on class 8 models. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$10,112	399#
2011615	Transmission: Allison 3000EVS 6-speed, With PTO Provisions at 4 and 8 o'clock. 6th Generation controls. Includes heat exchanger & oil level sensor. Emergency Vehicle Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$12,423	399#
2011631	Transmission: Allison 3500RDS 6-speed, With PTO drive gear. Limited to 1050LBFT. 6th Generation Controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$10,081	399#
2011632	Transmission: Allison 3500EVS 6-speed, With PTO drive gear. 6th Generation controls. Includes heat exchanger & oil level sensor. Emergency Vehicle Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$12,740	318#
PACCAR			
8-Speed			
2020101	Transmission: PACCAR TX-8, Without HSA, 560 LB FT Automatic, 8 Speed, With PTO Provision, 8AP560	STD	0#
2020103	Transmission: PACCAR TX-8, Without HSA, 660 LB FT Automatic, 8 Speed, With PTO Provision, 8AP660	\$630	0#
2020105	Transmission: PACCAR TX-8, Without HSA, 760 LB FT Automatic, 8 Speed, With PTO Provision, 8AP760	\$1,899	0#
2020107	Transmission: PACCAR TX-8, Without HSA, 860 LB FT Automatic, 8 Speed, With PTO Provision, 8AP860	\$2,601	0#
2020108	Transmission: PACCAR TX-8, Without HSA, 1000 LB FT Automatic, 8 Speed, With PTO Provision, 8AP1000	\$3,447	0#
2020111	Transmission: PACCAR TX-8, With HSA, 560 LB FT Automatic, 8 Speed, With PTO Provision, 8AP560	\$285	0#
2020113	Transmission: PACCAR TX-8, With HSA, 660 LB FT Automatic, 8 Speed, With PTO Provision, 8AP660	\$914	0#



T380: TRANSMISSIONS

Option	Description	Price	Weight
--------	-------------	-------	--------

PACCAR

8-Speed

2020115	Transmission: PACCAR TX-8, With HSA, 760 LB FT Automatic, 8 Speed, With PTO Provision, 8AP760	\$2,183	0#
2020117	Transmission: PACCAR TX-8, With HSA, 860 LB FT Automatic, 8 Speed, With PTO Provision, 8AP860	\$2,886	0#
2020118	Transmission: PACCAR TX-8, With HSA, 1000 LB FT Automatic, 8 Speed, With PTO Provision, 8AP1000	\$3,732	0#

Transmission Equipment

2410072	Auto Neutral not Required this Application.	\$0	0#
2410114	Left Hand PTO Access, Right Hand Dip Stick Tube Allison 3000 series only.	\$42	0#
2410129	Seat Mounted Lever Shifter for Allison Trans	\$149	0#
2410153	Push Button Shifter Controls, Center Console Mounted for Allison Transmission. 2.1m Medium Duty only.	\$0	0#
2410244	J1939 Park Brake Auto Neutral	\$0	0#
2444000	Chrome Shift Lever for Main Transmission.	\$80	0#

Allison Software

2410204	Allison Fuel Sense: Delete	\$0	0#
2410212	Allison Transmission Mobile PTO Operation - Change max output speed to 4500 RPM	\$0	0#
2410310	Allison Neutral at Stop	\$0	0#
2410312	Allison Neutral at Stop Not Applicable	\$0	0#
2410319	Allison Fuel Sense: Dynactive Includes Dynamic Shift Sensing	\$244	0#
2410325	Allison Fuel Sense: ARM Base Economy	\$248	0#
2410326	Allison Fuel Sense: ARM High Economy	\$248	0#
2410327	Allison Fuel Sense: ARM Super Economy	\$248	0#

PACCAR Software

2429092	Park Lock: PACCAR TX-8 Automatic Transmission	\$190	16#
---------	---	-------	-----

Auxiliary Transmissions

2154321	Aux: AT1202 2-speed Electric Over Air Shift 3-position Rocker Switch Dash Mounted and Includes Synthetic Lubricant	\$18,415	522#
---------	--	----------	------



T380: TRANSMISSIONS

Option	Description	Price	Weight
Transfer Case			
2321327	Transfer Case: Fabco TC-137, 873-2146-010 1-Speed W/O PTO, W/O Neutral	\$19,173	388#
2322238	Transfer Case: Fabco TC-237, 873-1144-004 2-Speed W/O PTO, W/O Neutral.	\$19,347	388#
2322239	Transfer Case: Fabco TC-237, 873-2144-004 2-Speed W/O PTO, W/O Neutral.	\$19,347	388#
2322302	Transfer Case: Fabco TC-548C, 548C2-2-1 1-Speed With Lube Pump, Without PTO, With Neutral	\$23,793	490#
2322303	Transfer Case: FABCO TC-548B, 548B-2-2-1 Two Speed, W/O PTO Provision, With Lube Pump. Use with SPL170. Neutral Capable (not provided).	\$27,254	550#
2323005	Transfer Case: Meritor MTC-4210, 2 Speed Without PTO, Without Neutral. For use with Single RR Axle and Meritor FDA.	\$15,909	644#
2349059	Namco Transfer Case 106-2SR-SXSPXS-Y-174 2-speed without PTO and without Neutral W/ Pump, 12" drop	\$20,596	580#
2349060	Namco Trans Case 105-2SR-SXSPXS-Y-174 2-Speed w/o PTO & Neutral for SPL140/SPL170	\$19,801	594#
Split-Shaft PTO			
2329430	Fabco PTO-180 Split Shaft 873-0116-030	\$26,543	755#
2410073	Customer-Installed Split Shaft PTO Informational only, nothing additional is provided.	\$0	0#
Clutch			
Manually Adjusting			
2240013	Clutch: Eaton 14" 2 Plate Ceramic Dampened Up to 860 LBFT Engine torque	\$1,188	0#
2240025	Clutch: Eaton 14" 1 Plate Ceramic Dampened Up to 660 LBFT Engine torque	\$1,037	0#
2250385	Clutch: UltraShift Plus Or Fuller Advantage Series Automated transmissions.	\$1,522	147#
Solo			
2240023	Clutch: Fuller 14 in. solo severe 606 to 860 lb-ft. For severe service. Includes adjustment free clutch cover, extended grease fitting for clutch bearing and cross shaft, and synthetic lubricant for the transmission.	\$1,121	0#
2240040	Clutch: Fuller 14 in. MD solo 606-1050 lb-ft. Includes adjustment free clutch cover, extended grease fitting for clutch bearing and cross shaft, and synthetic lubricant for the transmission.	\$1,198	0#
Miscellaneous			
2294080	Air-Assisted Hydraulic Clutch	\$0	0#
2294081	Clutch: Hydraulic Assist For use with 2.1M Medium Duty only	\$558	10#
Torque Converter			
2410018	Torque Converter Included W/ Allison Transmission.	\$0	0#



T380: TRANSMISSIONS

Option	Description	Price	Weight
Clutch			
Torque Converter			
2410802	Torque Converter: TP650 for PACCAR TX-8	STD	0#
2410803	Torque Converter: TP800 for PACCAR TX-8	\$0	0#
2410804	Torque Converter: TP1000 for PACCAR TX-8	\$0	0#
PTO			
Chelsea			
2421388	PTO: Chelsea 280GGFJP-B5RK, 10 Bolt LH side mounted, electric over hydrolic shift, use with Allison transmission, SAE output	\$4,994	52#
2422213	PTO:Chelsea 280GDFJP-B5RK 10-BLT, Power Shift, LH MTD W/Allison Replaces PTO codes 2422204 AND 2422147.	\$4,994	52#
2422216	PTO:Chelsea 280GCFJP-B5RK 10-BLT Power Shift, LH MTD W/Allison *Replcs 2422133	\$4,994	52#
Muncie			
2424048	PTO: Muncie A20-A1005-HX31XPX, 10 Bolt LH Mounted, Electric over Hydraulic shift, for Allison Transmission	\$2,959	47#
2424049	PTO: Muncie A20-A1007-HX3BBPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, SAE output for Allison Transmissions	\$3,907	47#
2424050	PTO: Muncie A20-A1008-HX3BPBX, 10 Bolt LH Side mounted, Electric over Hydraulic shift, SAE output, for Allison transmissions	\$3,979	47#
2424055	PTO: Muncie A20-A1005-HX11XPX, 10 Bolt RH Side Mounted, Electric over Hydraulic shift, for use with Allison transmission	\$3,694	47#
2424056	PTO: Muncie A20-A1005-HX3BBPX, 10 Bolt LH Side mounted, Electric over hydraulic shift, SAE output for Allison transmissions	\$3,907	47#
2424057	PTO: Muncie A20-A1005-HX3IIPX, 10 Bolt LH Side Mounted, Electric over hydraulic shift, for Allison transmissions	\$3,907	47#
2424058	PTO: Muncie A20-A1005-HX51XBX, 10 Bolt Top Mounted, Electric over Hydraulic shift, for use with Allison transmissions	\$3,694	47#
2424059	PTO: Muncie A20-A1006-HX3IIPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, for use with Allison transmissions	\$4,157	47#
2424060	PTO: Muncie A20-A1006-HX3BBPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, SAE output for Allison Transmissions	\$3,907	47#
2424061	PTO: Muncie A20-A1006-HX3BPBX, 10 Bolt LH Side Mounted, Electric over Hydraulic, SAE output for Allison transmissions	\$3,979	47#
2424062	PTO: Muncie A20-A1006-HX3X2PX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, for Allison transmissions	\$3,907	47#



T380: TRANSMISSIONS

Option	Description	Price	Weight
PTO			
Muncie			
2424063	PTO: Muncie A20-A1006-HX5BSPX, 10 Bolt Top Mounted, Electric over Hydraulic shift for Allison transmissions	\$3,907	47#
2424064	PTO: Muncie A20-A1007-HX31XPX, 10 Bolt LH Side Mounted, Electric over Hydraulic for Allison transmissions	\$3,694	47#
2424065	PTO: Muncie A20-A1007-HX5X4BX, 10 Bolt Top Mounted, Electric over Hydraulic shift, for Allison transmissions	\$3,907	47#
2424066	PTO: Muncie A20-A1008-HX3IIPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, for Allison transmissions	\$4,157	47#
2424067	PTO: Muncie A20-A1008-HX3BBPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift with SAE output for Allison Transmissions	\$3,907	47#
PTO Misc			
2429084	F/I First PACCAR TX-8 PTO 3 O'Clock Position	\$0	0#
2429085	F/I First PACCAR TX-8 PTO 9 O'Clock Position	\$0	0#
2429086	F/I 1st Allison 1000/2000 Transmission PTO 3 O'Clock Position	\$0	0#
2429087	F/I 1st Allison 1000/2000 Transmission PTO 9 O'Clock Position	\$0	0#
2429094	C/I First PACCAR TX-8 PTO 3 O'Clock Position	\$0	0#
2429095	C/I First PACCAR TX-8 PTO 9 O'Clock Position	\$0	0#
2429096	C/I 1st Allison 1000/2000 Transmission PTO 3 O'Clock Position	\$0	0#
2429097	C/I 1st Allison 1000/2000 Transmission PTO 9 O'Clock Position	\$0	0#
2429351	First Transmission PTO Compatibility - Chelsea 230/236/238/442/489/660/680-V3 or Muncie CS8/SH8/TG8S-P1 bottom mounted 6 or 8-Bolt PTO's for all Eaton & PACCAR transmissions. This application includes use of the standard hydraulic clutch actuator on Eaton FR & RT transmissions and supports bottom mounted 6 and 8-Bolt PTO's with single acting air actuation.	\$0	0#
2429358	Rear Transmission Support Springs for transmission PTO applications are required to ensure that engine flywheel housings are not overloaded when transmission PTO's are installed.	\$93	0#
2429374	Factory Installed Transmission PTO in the Top Mounted position (1 o'clock) for Allison 3000 & 4000 transmissions. Create NPO for specific PTO to be installed by the factory. Create NPO for specific PTO to be installed by the factory. Not available with Rear Engine PTO (REPTO)	\$0	0#
2429375	Factory Installed Transmission PTO in the LH Mounted position (8 o'clock) for Allison 3000 & 4000 transmissions. Create NPO for specific PTOs to be installed by the factory.	\$0	0#
2429376	Factory Installed Transmission PTO in the RH Mounted position (4 o'clock) for Allison 3000 transmissions. Create NPO for specific PTOs to be installed by the factory.	\$0	0#
2429377	Customer Installed Transmission PTO in the Top Mounted position (1 o'clock) for Allison 3000 & 4000 transmissions.	\$0	0#



T380: TRANSMISSIONS

Option	Description	Price	Weight
PTO			
PTO Misc			
2429378	Customer Installed Transmission PTO in the LH Mounted position (8 o'clock) for Allison 3000 & 4000 transmissions.	\$0	0#
2429379	Customer Installed Transmission PTO in the RH Mounted position (4 o'clock) for Allison 3000 transmissions.	\$0	0#
Driveline			
Driveline Equipment			
2406005	45 degree Yokes on Interaxle Drivelines.	\$89	0#
2410100	Two Guards for Dual Drivelines.	\$313	8#
2410103	Guards: (3) for 3 Drivelines.	\$469	12#
2410105	One Guard for Single Driveline.	\$96	4#
Centerbearing Crossmembers			
2409941	One Heavy-Duty One-Piece Aluminum Crossmember This option upgrades an existing crossmember. The cost does not include the centerbearing and bracket. Crossmember location will be in accordance with Kenworth engineering standards, using the major components specified on the DTPO.	\$149	0#
2409942	Two Heavy-Duty One-Piece Aluminum Crossmembers This option upgrades existing crossmembers. The cost does not include the centerbearing and bracket. Crossmember locations will be in accordance with Kenworth engineering standards, using the major components specified on the DTPO.	\$323	0#
2409943	Three Heavy-Duty One-Piece Aluminum Crossmembers This option upgrades existing crossmembers. The cost does not include the centerbearing and bracket. Crossmember locations will be in accordance with Kenworth engineering standards, using the major components specified on the DTPO.	\$447	0#
Dana			
2401205	Driveline:1 Dana Standard-Duty; No Centerbearing. *Standard duty is 1710 series.	(\$391)	-11#
2401405	Driveline: 2 Dana Standard-Duty; 1 Centerbearing. *Standard duty is 1710 series.	\$259	67#
2401605	Driveline: 2 Standard Duty; No Center Bearing Use w/ AUX Transmission, Transfer Case, or Jackshaft	\$40	76#
2401905	Driveline: 3 Dana Standard-Duty; 2 Centerbearing. *Standard duty is 1710 series.	\$906	144#
2401915	Driveline: 4 Dana Standard-Duty 3 Centerbearings *Standard duty is 1710 series.	\$1,548	222#
2406203	Driveline: 2 Dana SPL100 with No Centerbearing and 1 SPL100 with No Centerbearing to FDA for Use with Transfer Case.	\$243	53#
2406204	Driveline: 1 Dana SPL170XL No Centerbearing	(\$215)	-1#



T380: TRANSMISSIONS

Option	Description	Price	Weight
Driveline			
Dana			
2406206	Driveline: 3 Dana SPL100 with One Centerbearing and 1 SPL100 with no centerbearing to FDA for use with transfer case.	\$786	100#
2406208	Driveline: 4 Dana SPL100 with Two Centerbearings and 1 SPL100 with no centerbearing to FDA for use with transfer case.	\$1,328	147#
2406209	Driveline: 2 Dana SPL140 with No Centerbearing and 1 SPL140 with no centerbearing to FDA for use with transfer case.	\$761	158#
2406210	Driveline: 3 Dana SPL140 with One Centerbearing and 1 SPL140 with no centerbearing to FDA for use with transfer case.	\$904	238#
2406211	Driveline: 4 Dana SPL140 with Two Centerbearings and 1 SPL140 with no centerbearing to FDA for use with transfer case.	\$2,056	318#
2406215	Driveline: 2 Dana SPL170XL with No Centerbearing and 1 SPL140 with no centerbearing to FDA for use with transfer case.	\$1,003	180#
2406216	Driveline: 3 Dana SPL170XL with One Centerbearing and 1 SPL140 with no centerbearing to FDA for use with transfer case.	\$1,750	264#
2406217	Driveline: 4 Dana SPL170XL with Two Centerbearings and 1 SPL140 with no centerbearing to FDA for use with transfer case.	\$3,120	349#
2406218	Driveline: 2 SPL140 without Centerbearings Forward of transfer case and 1 Dana SPL170XL with no centerbearings to rear axle.	\$883	169#
2406219	Driveline: 2 SPL140 without Centerbearings Forward of transfer case and 2 Dana SPL170XL with 1 centerbearing to rear axle.	\$1,629	253#
2406220	Driveline: 2 SPL140 without Centerbearings Forward of transfer case and 3 Dana SPL170XL with 2 centerbearings to rear axle.	\$2,376	338#
2406240	Driveline: 1 Dana SPL140 No Centerbearing	(\$319)	-12#
2406419	Driveline: 2 Dana SPL100 1 Centerbearing Light Duty.	STD	0#
2406440	Driveline: 2 Dana SPL140 1 Centerbearing	\$342	68#
2406452	Driveline: 2 Dana SPL170XL 1 Centerbearing	\$507	83#
2406455	Driveline: 2 SPL170XL; No Centerbearing Medium-Duty: for Use W/ Auxiliary Transmission or Jackshaft.	\$435	95#
2406457	Driveline: 3 SPL170XL for Use W/ Auxiliary Transmission or Jackshaft, W/ 1 Centerbearing.	\$1,640	180#
2406466	Driveline: 2 Dana SPL170SF With 1 Centerbearing	\$502	83#
2406468	Driveline: 1 SPL170SF With 0 Centerbearings	(\$228)	-1#
2406469	Driveline: 3 SPL170SF With 2 Centerbearings	\$1,232	168#



T380: TRANSMISSIONS

Option	Description	Price	Weight
Driveline			
Dana			
2406470	Driveline: 4 SPL170SF With 3 Centerbearings	\$1,951	252#
2406802	Driveline: 3 Dana SPL170XL 2 Centerbearing	\$1,257	168#
2406804	Driveline: 4 Dana SPL100; 3 Centerbearings light duty.	\$967	94#
2406811	Driveline: 3 Dana SPL100a 2 Centerbearings light duty	\$409	47#
2406820	Driveline: 4 Dana SPL170XL 3 Centerbearing	\$1,960	252#
2406840	Driveline: 3 Dana SPL140 2 centerbearing	\$918	148#
2406850	Driveline: 4 Dana SPL140 With 3 Centerbearings	\$1,533	228#
2406860	Driveline: 2 Dana SPL140 with 0 CB with Transfer Case & 2 SPL140 with 1 CB to FDA	\$1,493	238#
2406862	Driveline: 3 Dana SPL140 with 1 Centerbearing for Transfer case & 1 SPL170 to rear axle.	\$1,597	249#
2406865	Driveline: 3 Dana SPL140 with 1 CB with Transfer Case & 2 SPL140 with 1 CB to FDA	\$2,059	318#
2406867	Driveline:3 SPL140 for T/C w/1 C/B & 2 SPL170 with one centerbearing to rear axle.	\$2,372	333#
2406870	Driveline: 4 Dana SPL140 with 2 CB with Transfer Case & 2 SPL140 with 1 CB to FDA	\$2,591	398#
2406872	Driveline:3 SPL140 for T/C w/1 C/B & 3 SPL170 with two centerbearing to rear axle.	\$3,076	418#
Transmission Oil Cooler			
2460021	Oil to Water Cooler for Transfer Case to 8500 LB-FT	\$416	13#
2460043	TDI Oil to Air Auxiliary Cooler 400HP or Greater	\$1,369	0#
2460069	Transmission Cooler: Automatic Transmission For use with 2.1M MD with Vocational Hood. Includes cooler protector.	\$1,209	38#



T380: FRONT AXLE

Option	Description	Price	Weight
Front Axles			
10K & Under			
2501010	Dana Spicer E-1002IL Front Axle rated 10K 3-1/2in. drop. Use w/ air brakes only.	\$211	-52#
2501011	Dana Spicer E-1002IL Front Axle rated 10K 3-1/2in. drop, hydraulic brakes.	\$882	-24#
2501012	Dana Spicer D-1001IL Front Axle Rated 10K 3.5" drop. Use With Air Disc Brakes Only	\$90	-16#
2530100	Hendrickson Steertek Front Axle 8.5K rated at 8K, 3-1/2in. drop.	(\$141)	0#
2530101	Hendrickson Steertek Front Axle rated 8.5k 3-1/2in. drop.	(\$141)	0#
2531103	Hendrickson Steertek Front Axle rated 10k Standard Track 3.32 in. drop.	(\$53)	0#
2531113	Hendrickson Steertek Front Axle rated 10k Wide Track 3.32 in. drop.	(\$4)	0#
12K to 13.2K			
2502012	Dana Spicer D-1201IL Front Axle rated 12K 3-1/2in. drop. Use with Air Disc Brakes Only.	\$78	-36#
2502016	Dana Spicer D-1301IL Front Axle rated 13K 3.5" drop. Use With Air Disc Brakes Only.	\$128	-36#
2502017	Dana Spicer D-1321IL Front Axle rated 13.2K 3.5" drop. Use With Air Disc Brakes Only	\$249	-51#
2502019	Dana Spicer D-1251LW Front Axle 12.5K rated at 12K 3.5" drop, wide track.	\$79	0#
2502230	Dana Spicer E-1202IL Front Axle rated 12K 3-1/2in. drop. Use W/Air Brakes Only. Medium Duty Only.	\$43	0#
2502232	Dana Spicer E-1202IL Front Axle rated 12K 3-1/2in. drop, hydraulic brakes.	\$530	-24#
2502244	Dana Spicer E-1252LW Front Axle 12.5K rated 12K 3.5" drop wide track	\$161	0#
2502335	Dana Spicer E-1322IL Front Axle rated 13.2K 3-1/2in. drop.	\$192	-15#
2502336	Dana Spicer E-1322LW Front Axle rated 13.2K 3-1/2in. drop, wide track for better turning radius.	\$304	0#
2502338	Dana Spicer E-1302IL Front Axle rated 13K 3-1/2in. drop.	\$279	-15#
2505018	Dana Spicer D-1321LW Front Axle rated 13.2K 3.5" drop Wide Track Use W/ Air Disc Brakes Only	\$260	0#
2512044	Meritor MFS12E PLUS 12.5K rated at 12K 3.5in. drop standard track.	\$140	0#
2512046	Meritor MFS12E Plus 12.5K rated at 12K 3.5" Drop Wide Track	\$38	0#
2512048	Meritor MFS13 PLUS 13.2K 3.5in. Drop Standard Track.	\$314	0#
2512049	Meritor MFS13 PLUS 13.2K 3.5in. Drop Wide Track.	\$284	15#
2512050	Meritor MFS13 PLUS 13.2K rated 13K 3.5 in. Drop standard track.	\$228	0#
2532104	Hendrickson Steertek Front Axle 12.5K rated @ 12K Standard Track 3.32 in. drop.	STD	0#



T380: FRONT AXLE

Option	Description	Price	Weight
Front Axles			
12K to 13.2K			
2532106	Hendrickson Steertek Front Axle 13.2K rated @ 13K Standard Track 3.32 in. drop	\$153	0#
2532107	Hendrickson Steertek Front Axle rated 13.2k Standard Track 3.32 in. drop	\$153	0#
2532114	Hendrickson Steertek Front Axle 12.5K rated @ 12K Wide Track 3.32 in. drop.	\$52	0#
2532116	Hendrickson Steertek Front Axle 13.2K rated @ 13K Wide Track 3.32 in. drop	\$202	0#
14.6K to 18K			
2503461	Dana Spicer E-1462I Front Axle rated 14K 3-1/2in. drop.	\$554	30#
2503463	Dana Spicer E-1462I Front Axle rated 14.6K 3-1/2in. drop.	\$557	30#
2503471	Dana Spicer D-1461I Front Axle rated 14.6K 3-1/2in. drop, use with air disc brake only.	\$340	23#
2503475	Dana Spicer D-1461I Front Axle rated 14K 3-1/2in. drop, use with air disc brake only.	\$340	23#
2513030	Meritor MFS14 Plus 14.6K 3.74in. Drop Wide Track.	\$709	68#
2513031	Meritor MFS14 Plus 14.6K 3.5in. Drop Standard Track.	\$575	39#
2513032	Meritor MFS14 Plus 14.6K Rated @ 14K 3 1/2 in. Drop Standard Track.	\$564	68#
2533108	Hendrickson Steertek Front Axle 14.6K rated @ 14K Standard Track 3.32 in. drop.	\$206	0#
2533109	Hendrickson Steertek Front Axle rated 14.6k Standard Track 3.32 in. drop.	\$206	0#
2533118	Hendrickson Steertek Front Axle 14.6K rated @ 14K Wide Track 3.32 in. drop.	\$255	0#
Front Drive Axles			
2561010	Fabco FSD-10A Front Drive Axle at 10,000 lbs. capacity. Includes cast iron hubs, 16.5x5 in. S-cam brakes, automatic slack adjusters, with ABS provision.	\$15,067	1,072#
2562012	Fabco FSD-12A Front Drive Axle at 12,000 lbs. capacity. Includes cast iron hubs, 16.5x5 in. S-cam brakes, automatic slack adjusters, with ABS provision.	\$15,067	1,072#
2562013	Fabco FSD-13A Front Drive Axle at 13,000 lbs. capacity. Includes cast iron hubs, 16.5x5 in. S-cam brakes, automatic slack adjusters, with ABS provision.	\$15,067	1,072#
2563014	Fabco FSD-14A Front Drive Axle at 14,000 lbs. capacity. Includes cast iron hubs, 16.5x5 in. S-cam brakes, automatic slack adjusters, with ABS provision.	\$15,785	1,072#
2571007	Meritor MX-120 Front Drive Axle Rated 10K 16.5X5 Q+	\$14,700	1,044#
2572007	Meritor MX-120 Front Drive Axle Rated 12K 16.5X5 Q+	\$15,009	1,044#
2573007	Meritor MX-120 Front Drive Axle Rated 14K 16.5X5 Q+	\$15,570	1,044#



T380: FRONT AXLE

Option	Description	Price	Weight
Front Drive Axles			
2589900	Dealer/Customer Acknowledges Specified Components Fail Supplier Blanket Approvals	\$0	0#
Axle Ratios			
2590307	Front Drive Axle Ratio: 3.07	\$0	0#
2590331	Front Drive Axle Ratio: 3.31	\$0	0#
2590358	Front Drive Axle Ratio: 3.58	\$0	0#
2590373	Front Drive Axle Ratio: 3.73	\$0	0#
2590391	Front Drive Axle Ratio: 3.91	\$0	0#
2590410	Front Drive Axle Ratio: 4.10	\$0	0#
2590430	Front Drive Axle Ratio: 4.30	\$0	0#
2590456	Front Drive Axle Ratio: 4.56.	\$0	0#
2590478	Front Drive Axle Ratio: 4.78.	\$0	0#
2590488	Front Drive Axle Ratio: 4.88.	\$0	0#
2590513	Front Drive Axle Ratio: 5.13.	\$0	0#
2590529	Front Drive Axle Ratio: 5.29.	\$0	0#
2590538	Front Drive Axle Ratio: 5.38.	\$0	0#
2590557	Front Drive Axle Ratio: 5.57	\$0	0#
2590586	Front Drive Axle Ratio: 5.86.	\$0	0#
2590614	Front Drive Axle Ratio: 6.14.	\$0	0#
2590650	Front Drive Axle Ratio: 6.50.	\$0	0#
Outer End Equipment			
Brakes			
2659007	Front Brakes: Included W/ Front Drive Axles	\$0	-166#
10K & Under			
2621187	Front Brakes: 10K Bendix ES S- Cam 15x4 in.	(\$187)	0#
12K to 13.2K			
2601605	Front Brakes: 13.2K Bendix RSD HP-ES S-Cam 16.5x5 in. drum brake.	(\$61)	-62#



T380: FRONT AXLE

Option	Description	Price	Weight
Outer End Equipment			
Brakes			
12K to 13.2K			
2703001	Front Brake: 12000 lb. Hydraulic Brake Package 2x73mm. disc brakes, rotors, iron 10-bolt hub pilot hubs, hub caps, oil seals & dust shields. For use w/ 22.5in. wheels.	(\$839)	-45#
14K to 18K			
2601608	Front Brakes: 18K Bendix RSD HP-ES S-Cam 16.5x6 in. drum brake , Max GAWR 18K, with Cast Spider.	\$385	-44#
2607001	Front Brakes: 14.6K Bendix Air Disc Brakes Lube Free.	\$53	0#
2607011	Front Brakes: 14.6K Bendix RSD ADB22X Disc Brake.	(\$68)	0#
2621310	Front Brakes: 14.6K Bendix ES S-Cam 16.5x5 in.	STD	0#
2641113	Front Brakes: 14.6K Meritor Q+ RSD S-Cam 16.5x5 in. drum brake.	(\$34)	0#
2641141	Front Brakes: 14.6K Meritor Q-Plus 16.5x5 in. Not for fire truck/EMT/rescue service.	(\$175)	-44#
2647003	Front Brakes: 14.6K Meritor EX+L Optimized air disc brakes.	(\$44)	0#
2647009	Front Air Disc Brakes: 14.6K Meritor EX+L Optimized RSD reduced stopping distance tractor only.	(\$64)	0#
Brake Drums			
12K to 13.2K			
2690030	Front Brake Drums: 13.2K 15x4 in. cast.	(\$40)	0#
14.6K			
2690002	Front Brake Drums: 14.6K 16.5x5 in. cast.	STD	0#
2690016	Front Brake Drums: 14.6K Meritor X30 light weight 16.5x5 in.	\$275	-8#
2690031	Front Brake Drum: Tru Turn Lite 16.5X5, max rating 14.6K	\$65	0#
20K & Over			
2690032	Front Brake Drum: Tru Turn Lite 16.5X6, max rating 20K	\$69	80#
2690050	Front Brake Drum Included W/ Front Axles.	\$0	-183#
Rotors			
2690024	Splined Rotor for Front Air Disc Brakes for Use with Aluminum Hubs.	\$551	0#
2690025	Splined Rotor for Front Air Disc Brakes for Use with Iron Hubs.	\$470	0#
2690042	U-Shaped Rotor for Meritor Air Disc Brakes.	\$310	0#
2690060	Rotor for Front Air Disc Brakes for use with aluminum hubs. For Meritor front air disc brakes.	\$585	0#



T380: FRONT AXLE

Option	Description	Price	Weight
Outer End Equipment			
Hubs			
12K to 13.2K			
2701300	Front Hub: Aluminum Hub Pilot 13,200 lbs. 10-Bolt, 11-1/4 in. bolt circle .	\$47	0#
2707051	Front Hubs Aluminum Hub Pilot 8 Bolt 10.83 in. bolt circle	\$73	0#
2707053	Front Hubs Iron Hub Pilot 8 Bolt 10.83 in. bolt circle	(\$38)	-24#
14.6K to 16K			
2702500	Front Hub: Iron Hub Pilot 14,600 lbs. 11-1/4 in. bolt circle. For use w/ air disc brakes. Consider wheelguards (5850002) w/ aluminum wheels.	STD	0#
2707050	Front Hub: 14,600 lbs. Aluminum Hub Pilot 10-bolt, 11.25 in. bolt circle.	\$68	-48#
18K & Over			
2707003	Front Hub: Hub Pilot 10 Hole Mount Hub Included w/ Meritor front drive axles. 11.25 in. bolt circle.	\$0	-106#
Oil Seals			
2741970	ConMet PreSet Plus Hub Package; Front Axle.	STD	0#
2741975	ConMet PreSet Hub Package; Front Axle.	\$0	0#
2748550	Front Axle Oil Seal: Included W/ Axle or Brakes.	\$0	0#
Hubcaps			
2750001	Hubcap: Front Vented.	STD	0#
2750900	Hubcaps Included W/ Front Axle.	\$0	-1#
Miscellaneous			
2603007	Front Brakes Included W/ Front Hub Package for hydraulic brakes only. Brakes included w/ front hub package hydraulic brakes only.	\$0	0#
2659047	Front Dustshield: for Drum Brakes: All Front Axles.	\$58	6#
2659065	Front Dustshield: Included W/ Meritor or Sisu Front Drive Axle.	\$0	0#
2690028	Integral Knuckle for Air Disc Brake, for use on Meritor MFS PLUS Steer Axle	\$0	20#
2690029	Drum Brake Knuckle for Use on Meritor MFS Plus Steer Axle	\$0	20#
2790006	Freewheel Locking Hubs for Fabco Front Drive Axle FSD-1XA series only 10 through 16K.	\$2,468	14#
2900903	Front Bendix Air Disc Brake Dustshield includes pad air disc brakes only.	\$61	1#
2900919	Front Air Disc Brake Dustshield Includes Pads.	\$56	0#
2900920	Front Disc Brake: Meritor Pad/Rotor Dust Shields.	\$104	0#



T380: FRONT AXLE

Option	Description	Price	Weight
Outer End Equipment			
Slack Adjusters			
2765001	Front Auto Slack Adjuster for Drum Brakes.	STD	0#
2769000	Slack Adjusters Included W/ Front Axle or Brakes. Also use with disc brakes.	\$0	0#
Front Springs			
8K to 10K Capacity			
2862010	Front Springs: Taperleaf 10K W/ Shock Absorbers. For use on medium duty with FDA only.	\$778	97#
2882001	Front Springs: Mono-leaf 10K W/ Shock Absorbers With maintenance-free elastomer spring pin bushings.	(\$25)	-4#
12K to 14.6K Capacity			
2863010	Front Springs: Taperleaf 12K W/ Shock Absorbers. For use on medium duty with FDA only.	\$778	97#
2863018	Front Springs: Taperleaf 12K W/ Shock Absorbers. With maintenance-free elastomer spring pin bushings.	\$148	58#
2864030	Front Springs: Taperleaf 13K W/ Shock Absorbers. For use on medium duty with FDA only.	\$887	179#
2864040	Front Springs: Taperleaf 14K W/ Shock Absorbers. For use on medium duty with FDA only.	\$887	179#
2864070	Front Springs: Taperleaf 13.2K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings.	\$437	111#
2864072	Front Springs: Taperleaf 14.6K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings.	\$437	111#
2883002	Front Springs: Mono-leaf 12K W/ Shock Absorbers With maintenance-free elastomer spring pin bushings.	STD	0#
Front Spring Equipment			
2900055	5 mm Front Suspension Spacer Block	\$0	0#
2900058	30 mm Front Suspension Spacer Block	\$0	0#
2900059	40 mm Front Suspension Spacer Block	\$0	0#
2900061	50 mm Front Suspension Spacer Block	\$0	0#
2900062	60 mm Front Suspension Spacer Block	\$0	0#
2900063	70 mm Front Suspension Spacer Block	\$0	0#
2900064	80 mm Front Suspension Spacer Block	\$0	0#
2900075	Required Front Suspension Spacer, Aero Hood, PX-7 and 10K/12K FDA.	\$0	0#
2900612	Threaded Front Spring Bushings in Place of elastomeric.	\$62	0#



T380: FRONT AXLE

Option	Description	Price	Weight
Power Steering			
Single Gear			
2895091	Single Power Steering Gear: 14.6K.	\$408	20#
2895219	Single Power Steering Gear: 12K for Hydraulic Brakes.	\$299	0#
2895223	Single Power Steering Gear: 13.2K for Air Brakes.	STD	0#
Miscellaneous			
2899336	Power Steering Cooler:Radiator Mounted Air-to-Oil	\$327	11#
Miscellaneous			
2790035	Maximum Length Wheel Studs for Hub Pilot Wheels only. Option is standard length w/ dual aluminum wheels, code not required.	\$13	2#
2900936	Meritor MX-120 FDA HR Option Req'd for Snowplow.	\$993	0#



T380: REAR AXLE

Option	Description	Price	Weight
Single Drive Rear Axles			
20K & Under			
3011023	Single Dana Spicer P20060S Single Reduction Rear axle for T300 w/ hydraulic brakes. Single rear axle 20K capacity rated at 17K.	\$1,865	0#
3011024	Single Dana Spicer P20060S Single Reduction Rear axle for T300 w/ air brakes. Single rear axle 20K capacity rated at 17K.	(\$88)	0#
3011025	Single Dana Spicer P20060S Single Reduction Rear axle for T300/K300 w/ air brakes. Single rear axle 20K capacity rated at 16K.	(\$88)	-15#
3011026	Single Dana Spicer P20060S Single Reduction Rear axle for T300 w/ hydraulic brakes. Single rear axle 20K capacity rated at 16K.	\$1,865	0#
3011031	Single Dana Spicer P22060S Single Reduction 16K rear axle for T300 w/ hydraulic brakes. Single rear axle 22K capacity rated at 16K.	\$2,844	111#
3011032	Single Dana Spicer P22060S Single Reduction 17K rear axle. T300/K300: use with/air brakes. Single rear axle 22K capacity rated at 17K.	(\$11)	111#
3011033	Single Dana Spicer P22060S Single Reduction 17K rear axle for T300 w/ hydraulic brakes. Single rear axle 22K capacity rated at 17K.	\$2,840	111#
3011046	Dana S17-140 17K rated at 16k-Single Rear Axle w/air brakes.	(\$492)	-132#
3011047	Dana S17-140 17K rated at 16k-Single Rear Axle W/ hydraulic brakes.	\$854	38#
3011048	Dana S17-140 17K Rated Capacity-Single Rear Axle w/air brakes.	(\$521)	-6#
3011049	Dana S17-140 17K Rated Capacity-Single Rear Axle w/hydraulic brakes.	\$880	-88#
3011080	Single Dana Spicer S21-172 Single Reduction Rear axle for T300 w/ air brakes. Single rear axle 21K capacity rated at 16K.	\$94	0#
3012025	Single Meritor MS17-13X3 Rear Axle rated at 16K with air brakes.	(\$776)	0#
3012027	Single Meritor MS17-13X3 Rear Axle rated at 17K with air brakes.	(\$776)	0#
3021062	Single Dana Spicer P20060S Single Reduction Rear axle for T300 w/ air brakes. Single rear axle 20K capacity rated at 19K.	(\$88)	111#
3021063	Single Dana Spicer P20060S Single Reduction Rear axle for T300 w/ air brakes. Single rear axle 20K capacity rated at 18K.	(\$88)	0#
3021064	Single Dana Spicer P20060S Single Reduction Rear axle for T300 w/ hydraulic brakes. Single rear axle 20K capacity rated at 19K.	\$1,865	111#
3021065	Single Dana Spicer P20060S Single Reduction Rear axle for T300 w/ hydraulic brakes. Single rear axle 20K capacity rated at 18K.	\$1,865	111#
3021070	Single Dana Spicer P22060S Single Reduction 18K rear axle. T300/K300: use with/air brakes. Single rear axle 22K capacity rated at 18K.	(\$11)	111#
3021071	Single Dana Spicer P22060S Single Reduction 19K rear axle for T300 w/ hydraulic brakes. Single rear axle 22K capacity rated at 19K.	\$2,840	-15#



T380: REAR AXLE

Option	Description	Price	Weight
Single Drive Rear Axles			
20K & Under			
3021080	Dana S19-140 19K rated at 18K, Single Rear Axle w/ air brakes.	(\$378)	0#
3021081	Dana S19-140 19K rated at 18K, Single Rear Axle w/ hydraulic brakes.	\$947	38#
3021082	Dana S19-140 19K Rated Capacity-Single Rear Axle w/air brakes.	(\$378)	-6#
3021083	Dana S19-140 19K Rated Capacity-Single Rear Axle w/hydraulic brakes	\$947	-88#
3022108	Single Meritor MS19-13X3 Rear Axle rated at 18K with air brakes.	(\$631)	0#
3022109	Single Meritor MS19-14X4 Rear Axle rated at 18K.	\$5	0#
3022110	Single Meritor MS19-13X3 Rear Axle rated at 19K with air brakes.	(\$631)	0#
3022111	Single Meritor MS19-14X4 Rear Axle rated at 19K.	\$5	0#
3031000	Dana S20-140 20K Rated Capacity-Single Rear Axle w/air brakes.	(\$315)	-132#
3031052	Single Dana Spicer P20060S Single Reduction Rear axle, single rear axle rated at 20K.	(\$88)	-15#
3031096	Single Dana Spicer P22060S Single Reduction Rear axle. T300/K300: use with/air brakes. Single rear axle 22K capacity rated at 20K.	(\$11)	111#
3031097	Single Dana Spicer P22060S Single Reduction 19K rear axle. T300/K300: use with/air brakes. Single rear axle 22K capacity rated at 19K.	(\$11)	-15#
3031180	Single Dana Spicer S21-172 Single Reduction Rear axle. Single rear axle rated at 20K.	\$707	102#
3032205	Single Meritor MS21-14x4 Rear Axle rated at 20K.	\$0	0#
3047084	Single Dana Spicer 23082T Rear Axle; 23K Capacity rated at 16K. Single rear axle with dual range for T300 w/ air brakes.	\$3,117	478#
21K to 23K			
3011030	Single Dana Spicer P22060S Single Reduction 16K rear axle for T300 w/ air brakes. Single rear axle 22K capacity rated at 16K.	(\$11)	111#
3031001	Dana S21-140 21K Rated Capacity-Single Rear Axle w/air brakes.	(\$287)	-126#
3031002	Dana S21-140 21K Rated Capacity-Single Rear Axle w/hydraulic brakes.	\$1,066	-88#
3031093	Single Dana Spicer P22060S Single Reduction Rear axle for T300 w/ hydraulic brakes. Single rear axle 22K capacity rated at 21K.	\$2,844	-15#
3031094	Single Dana Spicer P22060S Single Reduction Rear axle. T300/K300: use with/air brakes. Single rear axle 22K capacity rated at 21K.	(\$11)	-15#
3031181	Single Dana Spicer S21-172 Single Reduction Rear axle. Single rear axle rated at 21K.	\$707	102#
3032200	Single Meritor MS21-14x4 Rear Axle rated at 21K.	STD	0#



T380: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Single Drive Rear Axles

21K to 23K

3041180	Single Dana Spicer S23-172 Single Reduction Axle, single rear axle rated at 23K.	\$996	228#
3041181	Single Dana Spicer S23-172H Single Reduction Axle single rear axle rated at 23K. Heavy wall.	\$2,278	263#
3041190	Single Dana Spicer S23-190 Single Reduction Rear axle. Single rear axle rated at 23K.	\$1,487	366#
3042150	Single Meritor RS23-160 Rear Axle rated @ 21K.	\$814	295#
3042160	Single Meritor RS23-160 Rear Axle rated at 23K.	\$1,001	295#
3047082	Single Dana Spicer 23082T Rear Axle; 23K capacity rated at 23K. Single rear axle with dual range for T300 w/ air brakes.	\$3,117	478#

Single Axle Outer End Equipment

Brakes

3300001	Single Rear Brakes Included W/ Rear Hub Package for hydraulic brakes only.	(\$717)	0#
3302001	Single Rear Brakes Bendix Air Disc Brakes for single rear axles to 23K capacity.	\$0	20#
3304010	Single Rear Brakes Bendix RSD-Compliant HP-ES S-Cam 16.5x7 in. single axle drum brake, Max GAWR 23k.	(\$33)	10#
3306012	Single Rear Brakes Bendix RSD-Compliant ADB22X Disc brake for single axle, Max GAWR 23K.	\$0	20#
3330004	Single Rear Brakes 16-1/2x7 in. Bendix ES- extended service S-cam.	STD	0#
3330019	Single Rear Brakes 15x8-5/8 in. Dana Spicer ES S-cam extended service for 19.5 in. wheels	\$713	0#
3350007	Single Rear Brakes 16-1/2x7 in., 23K. Meritor Q-Plus extended service S-cam.	\$101	8#
3352003	Single Rear Brakes Meritor EX+L Optimized air disc brakes for single rear axles to 23K capacity.	\$584	0#
3354022	Single Rear Brakes Meritor RSD-Compliant S-Cam 16.5x8.625 in., single axle drum brake, Max GAWR 21k.	\$255	24#
3354023	Single Rear Brakes Meritor RSD-Compliant S-Cam 16.5x 7 in. single axle drum brake, Max GAWR 23k.	\$59	8#
3356022	Single Rear Air Disc Brakes: Meritor EX+L Optimized RSD Sing Max 23K. Reduced stopping distance tractor only.	\$659	0#

Brake Drums

3392007	Single Rear Brake Drums: Cast S-Cam Single For use with 15x8.625", 16.5X7" or 16.5X8.625" brake.	STD	0#
3392116	Single Rear Brake Drums Meritor X30 Light weight. For use with 16.5X7" brake. Contact Applications Engineering for maximum GAWR.	\$195	-32#



T380: REAR AXLE

Option	Description	Price	Weight
Single Axle Outer End Equipment			
Rotors			
3392042	U-Shaped Rotor for Single Rear Meritor Air Disc brakes.	\$886	0#
3392204	Splined Rotor for Single Rear Air Disc Brakes for use with aluminum hubs.	\$1,472	-104#
3392205	Splined Rotor for Single Rear Air Disc Brakes for use with iron hubs.	\$1,396	-104#
3392210	Rotor for Single Rear Meritor Air Disc Brakes for use with aluminum hubs. For Meritor rear air disc brakes.	\$417	0#
Hubs			
3401010	Single Rear Hubs: Aluminum Hub Pilot 23K; 11.25" bolt circle. Requires "R" series outer ends.	\$134	-26#
3403000	18K Hydraulic Brake Package Includes 2x66 mm. disc brakes, rotors, iron 10-bolt hub pilot hubs, hub caps, oil seals and Dust Shields for use w/ 22.5in. wheels or Alcoa aluminum 19.5in.x7.5in. wheels, code 5242236.	\$0	-171#
3403001	21K Hydraulic Brake Package Includes 2x73 mm. disc brakes, rotors, iron 10-Bolt hub pilot hubs, hub caps, oil seals and dust shields for use w/ 22.5 in. wheels.	\$0	-105#
3403019	Single Rear Hubs Iron Hub Pilot 10.83 in. BC 8 bolt requires 15x8-5/8 in. brakes	(\$26)	0#
3403220	Single Rear Hubs: Iron Hub Pilot 26k; 11.25" Bolt circle. Requires "R" series outer ends.	STD	0#
Oil Seals			
3441967	ConMet PreSet Hub Package; Single Rear Axle.	\$0	0#
3441971	ConMet PreSet Plus Hub Package; Single Rear Axle.	STD	0#
Spring Brakes & Parking Brakes			
3485001	Bosch Parking Brake 3x12 in. High Lever Actuated. Axle mounted for medium duty.	(\$66)	2#
3485004	Spring Brakes Included W/ Single Rear Air Disc brakes.	\$0	0#
3485007	Spring Brake: 3030 Long Stroke Single 3 in. travel. For drum brakes. Helps keep brakes in adjustment longer.	STD	0#
3485008	Spring Brake: 3036 Single.	\$70	8#
3485009	Spring Brake: 3030 High Output Single. For drum brakes.	(\$1)	2#
3485019	Spring Brake: 2430 Single for Medium Duty; maximum capacity 17K. For drum brakes.	\$26	-2#
3485114	Spring Brakes Piston Type for Bendix Air Disc Brakes, Single. Piston type brake chambers are recommended for any full truck vehicle with Bendix rear disc brakes parking on grades exceeding 10%	\$228	70#
3485214	Spring Brake: 3036 Long Stroke Single 30 Square inches; 36 square inches spring chamber. For drum brakes	\$90	0#



T380: REAR AXLE

Option	Description	Price	Weight
Single Axle Outer End Equipment			
Slack Adjusters			
3465001	Single Rear Axle Automatic Slack Adjusters. For use with drum brakes.	STD	0#
Wheel Differential Locks & Limited Slip			
3511080	Meritor Driver Controlled Differential Lock for single rear axle.	\$872	0#
3531000	Wheel Differential Lock for Dana Spicer Axle P22060S; changes S to D to the axle part number.	\$1,146	15#
3531001	Wheel Differential Lock for Dana Spicer Axles S21-170/172, S21-190, S23-170/172, S23-190, S26-190 & S30-190; adds D to the end of the axle part number.	\$929	28#
3531021	Trac-Lok, Limited Slip Differential: S14-110/130, S17/S19/S20/S21-140.	\$1,047	3#
Miscellaneous			
3490901	Rear Air Disc Brake Dustshields for Single Axle; includes pads and rotor shields.	\$320	6#
3490904	Rear Air Disc Brake Dustshields for Single Axle; includes pads only.	\$59	1#
3490911	Rear Air Disc Brake Meritor Dustshields for single axle; includes pads and rotor shields.	\$113	0#
3490913	Rear Air Disc Brake Meritor Dustshields for single axle; includes pads only.	\$18	0#
Anti-Lock Brake System			
4-Channel			
3495013	WABCO 4S/4M Anti-Lock Brake System. T300: w/ hydraulic brakes only. K300 all configurations.	\$1,385	0#
3495226	Bendix 4S/4M Anti-Lock Brake System.	STD	0#
3495228	Bendix 4S/4M Anti-Lock Brake System W/ Air traction control (ATC).	\$550	2#
3495229	Bendix 4S/4M Anti-Lock Brake System W/ Air traction control (ATC) & electronic stability program (ESP) for tractor.	\$2,664	11#
3495233	Bendix 4S/4M Anti-Lock Brake System W/ Air traction control (ATC) and electronic stability program (ESP) for full truck. Must code for additional body information.	\$2,073	0#
Other			
3495243	Bendix Side Object Detection Version 2 sensor on RH side, with increased field of view and enhanced detection.	\$902	0#
3495332	Bendix Wingman Advanced Adaptive CC w/ Collision Mitigation (ACB)	\$904	22#
Body Builder ESP Information			
3500072	Tanker Height less than 75 in. from Top of Frame rail	\$0	0#
3500073	Tanker Height between 75 in. and 85 in. from Top of frame rail.	\$0	0#



T380: REAR AXLE

Option	Description	Price	Weight
Anti-Lock Brake System			
Body Builder ESP Information			
3500096	Flatbed Top of Deck not more than 20 in. Above top of deck or frame rail. Guidelines associated with anti-lock brakes systems that include ESP for full truck chassis can be found in Kenworth TE1647 on DealerNet.	\$0	0#
3500097	Van Body Top of Deck not more than 20 in. Above top of rail-Guidelines associated with anti-lock brakes systems that include ESP for full truck chassis can be found in Kenworth TE1647 on DealerNet.	\$0	0#
Miscellaneous			
3407046	Longer Studs for Aluminum Wheels W/ Steel Hub pilot wheels.	\$20	6#
3465900	Rear Slack Adjusters Included W/ Axle or Air disc brakes.	\$0	0#
3490046	Dustshields for Drum Brakes: All Rear Axles, required and only available with T270/T370 front drive axles	\$0	11#
3490047	Dustshields for Drum Brakes: All Rear Axles.	\$112	11#
3495333	Adjustable Headway Distance For ACC	\$0	0#
3495335	Non-Adjustable Headway Distance For ACC at 2.8 Sec	\$0	0#
3495337	Non-Adjustable Extended Headway Distance For Acc (AT 3.5 Sec for BENDIX or AT 3.6 SEC for WABCO)	\$0	0#
3495338	Standard Headway Distance Warnings For Use with ACC (1.5, 1.0, 0.5 S)	\$0	0#
3495339	Extended Headway Distance Warnings For Use with ACC (2.0/1.5/1.0 S)	\$0	0#
3495340	Max Headway Distance Warnings For Use with ACC (3.0/2.0/1.5 S)	\$0	0#
3495380	Bendix Fusion Adaptive CC W/ACB rel 2.2 W/Adjacent Lane and Highway Departure AEB W/O Video Recording	\$3,715	0#
3495381	Bendix Fusion Adaptive CC W/ACB rel 2.2 W/Adjacent Lane and Highway Departure AEB with Video Recording	\$3,815	0#



T380: REAR SUSPENSION

Option	Description	Price	Weight
Single			
31K & Under			
3620018	Rear suspension: Kenworth AG180 single air leaf 18K.	\$566	-197#
3620403	Rear suspension: Kenworth TL180 18K single taperleaf.	(\$215)	-174#
3622215	Rear suspension: single Hendrickson HAS210L 21K. Welded steel crossmember and gussets w/shocks at 8.3 in. laden height, 8.5 in. unladen height. Medium-duty. Includes air suspension dump valve. Not rear air disc brake compatible.	\$1,076	-121#
3622218	Rear suspension: single Hendrickson HAS210 21K. Steel crossmember and gussets w/shocks at 8.8 in. height. Medium-duty for use with air disc brakes only. Engine < 1351 Lb Ft. Includes air suspension dump valve.	\$1,671	-111#
3626432	Rear suspension: single Reyco 79KB multileaf 20K. 2.1M medium duty FDA only. Without helper spring. Unladen height: 15.6 in. Laden height: 13.2 in. Not rear air disc brake compatible.	\$826	90#
3626433	Rear suspension: single Reyco 79KB multileaf 21K. 2.1M medium duty FDA only. Without helper spring. Unladen height: 15.5 in. Laden height: 13.1 in. Not rear air disc brake compatible.	\$826	90#
3626479	Rear suspension: single Reyco 79KB taperleaf 20K. Medium-duty. Unladen Height: 9 in. Laden Height: 7.6 in. Not rear air disc brake compatible.	\$0	0#
3626482	Rear suspension: single Reyco 79KB taperleaf 20K. Medium-duty. For use with rear air disc brakes. Unladen Height: 9.3 in. Laden Height: 7.9 in.	\$319	17#
3626490	Rear suspension: single Reyco 79KB taperleaf 21K. Medium-duty. Unladen Height: 11.4 in. Laden Height: 9.8 in. Not available with rear air disc brakes.	\$0	0#
3630021	Rear suspension: single Kenworth Airglide 210L 21K. 6.5 in. ride height w/single leveling valve. Includes air suspension dump valve.	\$1,138	-145#
3632010	Rear suspension: Single Hendrickson Primaax EX232 23K, 8.5 in. ride height.	\$3,055	-10#
3632277	Rear suspension: single Hendrickson HAS230L 23K. Welded steel crossmember & gussets w/shocks at 8.3 in. laden height, 8.5 in. unladen height. Medium-duty. Includes air suspension dump valve. Not rear air disc brake compatible.	\$1,251	-59#
3632279	Rear suspension: single Hendrickson HAS230 23K. Welded crossmember and gussets w/shocks at 8.8 in. height. Medium-duty for use with air disc brakes only. Engine < 1351 Lb Ft. Includes air suspension dump valve.	\$1,740	-49#
3636421	Rear suspension: single Reyco 79KB taperleaf 21K. Medium-duty. Unladen Height: 9 in. Laden Height: 7.5 in. Not rear air disc brake compatible.	STD	0#
3636422	Rear suspension: single Reyco 79KB taperleaf 23K with helper spring. Medium-duty. Unladen Height: 9 in. Laden Height: 7.3 in. Not rear air disc brake compatible.	\$253	58#
3636424	Rear suspension: single Reyco 79KB taperleaf 21K. Medium-duty. For use with rear air disc brakes. Unladen Height: 9.3 in. Laden Height: 7.8 in.	\$319	0#
3636425	Rear suspension: single Reyco 79KB taperleaf 23K. Medium-duty. For use with rear air disc brakes. Unladen Height: 9.3 in. Laden Height: 8.0 in.	\$615	58#
3636427	Rear suspension: single Reyco 79KB taperleaf 23K. Medium duty. For use with rear air disc brakes. Unladen Height: 10.8 in. Laden Height: 9.0 in.	\$638	58#



T380: REAR SUSPENSION

Option	Description	Price	Weight
Single			
31K & Under			
3636430	Rear suspension: single Reyco 79KB taperleaf 23K with helper spring. Medium-duty. Unladen Height: 11.4 in. Laden Height: 9.7 in. Not available with rear air disc brakes.	\$547	57#
3636434	Rear suspension: single Reyco 79KB multileaf 23K. 2.1M medium duty FDA only. Without helper spring. Unladen height: 15.4 in. Laden height: 13.0 in. Not rear air disc brake compatible.	\$826	90#
3666435	Rear suspension: single Reyco 79KB multileaf 31K. 28K spring plus helper. Laden height 8.9 inches, unladen height 11.7 inches. Not available with shocks or swaybars. Not rear air disc brake compatible.	\$1,413	196#
Suspension Equipment			
3830313	Bolted Rear Suspension Crossmembers for AG210L. Replaces medium duty standard.	\$108	0#
3830502	Delete Dash Mounted Control for Air Suspension dump valve. Only available with an air suspension.	\$0	0#
3830505	Dual Leveling Valves for Single Air Suspension. Dual leveling valves on single rear suspensions on only available on Neway ADZ for class 8 or Hendrickson HAS for medium duty. Dual leveling valves will not be approved on any other suspensions on T3.	\$139	0#
3831999	Torque Rods for 23K or 26K PRIMAAX EX Single using disc brakes. Replacing standard.	\$374	13#
3832033	Inboard Mounted Shock Absorbers for Hendrickson HAS single or dual. Mounted outboard on forward rear & inboard on rear rear axle.	\$53	0#
3832100	Track Rods: Heavy Duty for Hendrickson PRIMAAX EX single. Replaces standard duty track rods.	\$65	12#
3832313	Bolted Rear Suspension Crossmembers for HAS 210/210L or 230/230L. Replaces medium duty standard.	\$248	4#
3832320	Bolted Rear Suspension Crossmember for PRIMAAX EX single. Replaces medium duty standard.	\$0	16#
3834100	Air Retention Kit for Rear Suspension for Use w/ outriggers.	\$170	4#
3836300	Rear Axle Stabilizer bar for Reyco 79KB.	\$1,122	66#
3836310	Rear Shock Absorbers for Reyco 79KB.	\$231	35#
3836315	Bolted Rear Suspension Crossmembers for Reyco 79KB. Replaces medium duty standard.	\$320	41#



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Apollo Front			
4080184	Front Tires: Apollo Enducombi RA 11R22.5 16PR	\$150	30#
Apollo Rear			
4280184	Rear Tires: Apollo Enducombi RA 11R22.5 16PR	\$150	30#
4280193	Rear Tires: Apollo Enducombi RD CS 11R22.5 16PR	\$302	50#
4280194	Rear Tires: Apollo Enducombi RD CS 11R22.5 14PR	\$186	50#
Continental Front			
4080023	Front tires: Continental HSL3 11R22.5 16PR. Includes pressure sensor.	\$487	12#
4080034	Front tires: Continental Ecoplus HS3+11R22.5 16PR	\$286	14#
4080047	Front tires: Continental HSR3 11R22.5 16PR. Includes pressure sensor.	\$477	38#
4080056	Front tires: Continental HSL3 295/75R22.5 14PR.	STD	0#
4080063	Front tires: Continental HSL3 11R22.5 14PR	\$110	8#
4080064	Front tires: Continental HSL3 11R22.5 16PR	\$201	10#
4080065	Front Tires: Continental Ecoplus HS3+11R22.5 14PR	\$240	10#
4080212	Front tires: Continental HSR3 295/75R22.5 14PR.	\$389	22#
4080213	Front tires: Continental HSR3 295/75R22.5 16PR	\$458	26#
4080214	Front tires: Continental HSR3 295/75R22.5 14PR. Includes pressure sensor.	\$398	22#
4080216	Front tires: Continental HSR3 295/75R22.5 16PR. Includes pressure sensor.	\$552	26#
4080217	Front tires: Continental HSR3 11R22.5 14PR	\$436	34#
4080218	Front tires: Continental HSR3 11R22.5 16PR	\$470	38#
4080219	Front tires: Continental HSR3 11R22.5 14PR. Includes pressure sensor.	\$570	34#
4080226	Front tires: Continental HSR2 SA 275/70R22.5 18PR	\$134	0#
Continental Rear			
4280009	Rear Tires: Continental HSL3 11R22.5 16PR. Includes pressure sensor.	\$487	12#
4280010	Rear tires: Continental HSR3 11R22.5 16PR. Includes pressure sensor.	\$477	38#
4280051	Rear tires: Continental HSL3 295/75 R22.5 16PR	\$332	2#



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Continental Rear			
4280056	Rear tires: Continental HSL3 295/75R22.5 14PR. Code is priced per pair of tires.	STD	0#
4280057	Rear tires: Continental HDR2+ 11R22.5 14PR	\$122	44#
4280058	Rear tires: Continental HDR2+ 11R22.5 16PR	\$374	46#
4280059	Rear tires: Continental HDR2+ 295/75R22.5 14PR	\$109	28#
4280060	Rear tires: Continental HDR2+ 295/75R22.5 16PR	\$360	28#
4280063	Rear tires: Continental HSL3 11R22.5 14PR	\$110	8#
4280064	Rear tires: Continental HSL3 11R22.5 16PR	\$201	10#
4280065	Rear Tires: Continental Ecoplus HS3+11R22.5 14PR	\$240	10#
4280067	Rear tires: Continental HDL2 11R22.5 14PR	\$123	32#
4280068	Rear tires: Continental HDL2 11R22.5 16PR	\$148	32#
4280078	Rear Tires: Continental HDL2+ 295/75R22.5 14PR	\$94	12#
4280079	Rear tires: Continental HDL2+ 295/75R22.5 16PR	\$283	16#
4280081	Rear Tires: Continental HDL3 LTL 295/75R22.5 14 PR	\$225	14#
4280083	Rear tires: Continental Ecoplus HS3+11R22.5 16PR	\$286	14#
4280103	Rear tires: Continental HDL3 LTL 11R22.5 14PR	\$309	28#
4280212	Rear tires: Continental HSR3 295/75R22.5 14PR.	\$389	22#
4280214	Rear tires: Continental HSR3 295/75R22.5 14PR. Includes pressure sensor.	\$398	22#
4280216	Rear tires: Continental HSR3 295/75R22.5 16PR. Includes pressure sensor.	\$552	26#
4280217	Rear tires: Continental HSR3 11R22.5 14PR	\$436	34#
4280218	Rear tires: Continental HSR3 11R22.5 16PR	\$470	38#
4280219	Rear tires: Continental HSR3 11R22.5 14PR. Includes pressure sensor.	\$570	34#
Goodyear Front			
4030020	Front Tires: Goodyear Fuel Max RSA 295/75R22.5 16PR	\$509	2#
4030023	Front Tires: Goodyear Endurance RSA 11R22.5 14PR	\$444	14#
4030024	Front Tires: Goodyear Endurance RSA 11R22.5 16PR	\$493	14#



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Goodyear Front			
4030025	Front Tires: Goodyear Endurance RSA 10R22.5 14PR	\$431	-18#
4038003	Front Tires: Goodyear Armor Max Pro Grade MSD 12R	\$1,196	84#
4038642	Front Tires: Goodyear Workhorse 12R22.5 16PR	\$725	59#
4038736	Front tires: Goodyear Fuel Max RSA 11R22.5 14PR	\$457	4#
4038737	Front Tires: Goodyear Fuel Max RSA 11R22.5 16PR	\$506	4#
4038739	Front tires:Goodyear Fuel Max RTD 11R22.5 14PR 42.1 in. diameter, all position. 19.6 in. SLR. Use For Front Drive Axle Only.	\$580	22#
4038740	Front tires: Goodyear Fuel Max RTD 11R22.5 16PR. 42.1 in. diameter, all position. 19.6 in. SLR.	\$670	22#
4038806	Front tires: Goodyear G751 MSA 11R22.5 16PR 42.0in. diameter, all position. 19.6 SLR.	\$807	34#
4038810	Front tires: 2 Goodyear G751 MSA 12R22.5 16PR 43.2in. diameter. Steer/all position on/off highway tire. 20.3 SLR.	\$1,158	64#
4038816	Front tires: Goodyear Endurance LHS 11R22.5 14PR	\$457	0#
4038817	Front tires: Goodyear G751 MSA 315/80R22.5 20PR	\$1,507	72#
4038820	Front tires: Goodyear G751 MSA DuraSeal 11R22.5 16PR. 42.0in. diameter. Steer/all position on/off highway tire. 19.6 SLR.	\$986	51#
4038823	Front tires: Goodyear Endurance LHS 11R22.5 16PR	\$506	-8#
4038849	Front tires: Goodyear G731 MSA 12R22.5 16PR 43.2in. diameter. 20.3in SLR.	\$1,158	62#
4038860	Front tires: Goodyear Endurance RSA 12R22.5 16PR	\$879	48#
Goodyear Rear			
4230023	Rear Tires: Goodyear Endurance RSA 11R22.5 14PR	\$444	14#
4230024	Rear Tires: Goodyear Endurance RSA 11R22.5 16PR	\$493	14#
4230025	Rear Tires: Goodyear Endurance RSA 10R22.5 14PR	\$431	18#
4238001	Rear Tires: Goodyear Armor Max Pro Grade MSD 11R22.5 16PR	\$858	54#
4238003	Rear Tires: Goodyear Armor Max Pro Grade MSD 12R22.5 16PR	\$1,196	84#
4238004	Rear Tires: Goodyear Armor Max Pro Grade MSD DuraSeal 11R22.5 16PR	\$1,056	62#
4238642	Rear Tires: Goodyear Workhorse MSA 12R22.5 16PR	\$725	59#
4238643	Rear Tires: Goodyear Workhorse MSA 11R22.5 16PR	\$433	13#



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Goodyear Rear			
4238684	Rear tires: Goodyear G182 RSD 12R22.5 16PR. 43.4 in. diameter, all position. 20.4 in. SLR. Code is priced per pair of tires.	\$863	64#
4238704	Rear tires: Goodyear G282 MSD 12R22.5 16PR. 43.4 in. diameter, drive. 20.4 in. SLR.	\$1,036	74#
4238736	Rear tires: Goodyear Fuel Max RSA 11R22.5 14PR	\$457	4#
4238737	Rear tires: Goodyear Fuel Max RSA 11R22.5 16PR	\$506	4#
4238739	Rear tires: Goodyear Fuel Max RTD 11R22.5 14PR 42.1 in. diameter, all position. 19.6 in. SLR. Code is priced per pair of tires.	\$580	22#
4238740	Rear Tires: Goodyear Fuel Max RTD 11R22.5 16PR 42.1 in. diameter, all position. 19.6 in. SLR. Code is priced per pair of tires.	\$670	22#
4238743	Rear tires: Goodyear Fuel Max LHD2 11R22.5 14PR	\$452	26#
4238806	Rear tires: Goodyear G751 MSA 11R22.5 16PR 42.0in. diameter, all position. 19.6 SLR.	\$807	34#
4238810	Rear tires: Goodyear G751 MSA 12R22.5 16PR 43.2in. diameter. Steer/all position on/off highway tire. 20.3 SLR.	\$1,158	64#
4238816	Rear tires: Goodyear Endurance LHS 11R22.5 14PR	\$457	0#
4238817	Rear tires: Goodyear G751 MSA 315/80R22.5 20PR	\$1,507	72#
4238820	Rear Tires: Goodyear G751 MSA DuraSeal 11R22.5 16PR. 42.0in. Diameter. Steer/All Position On/Off Highway Tire. 19.6 SLR.	\$986	51#
4238823	Rear Tires: Goodyear Endurance LHS 11R22.5 16PR	\$506	-8#
4238849	Rear tires: Goodyear G731 MSA 12R22.5 16PR 43.2in. diameter. 20.3in SLR.	\$1,158	62#
4238856	Rear tires: Goodyear Endurance LHD 11R22.5 14PR	\$617	33#
4238860	Rear tires: Goodyear Endurance RSA 12R22.5 16PR	\$879	48#
4238866	Rear tires: Goodyear Endurance LHD 11R22.5 16PR	\$653	40#
4238867	Rear tires: Goodyear MSA G731 Duraseal 11R22.5 16PR	\$986	48#
Michelin Front			
4010002	Front Tires: Michelin X Works Z 11R22.5 16PR	\$665	34#
4010004	Front Tires: Michelin X Works Z 12R22.5 16PR	\$980	64#
4010136	Front Tires: Michelin X Line Energy Z 11R22.5 14P	\$440	1#
4010137	Front Tires: Michelin X Line Energy Z 11R22.5 16P	\$458	-1#



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Michelin Front			
4010140	Front Tires: Michelin X Line Energy Z 275/80R22.5 14PR	\$356	-3#
4010141	Front Tires: Michelin X Line Energy Z 275/80R22.5 16PR	\$411	2#
4010148	Front Tires: Michelin X Multi Energy Z 2 295/75R22.5 16PR	\$586	7#
4010149	Front Tires: Michelin X Multi Energy Z 2 11R22.5 16PR	\$659	17#
4010340	Front Tires: Michelin XZE 12R22.5 16PR 42.6 in. diameter, all position. 19.8 in. SLR.	\$1,005	44#
4017099	Front Tires: Michelin XZE2 11R22.5 14PR. 41.3 in. Diameter, All Position. 19.2 in. SLR.	\$356	2#
4017154	Front Tires: Michelin XZE2 11R22.5 16PR. 41.4 in. Diameter, All Position. 19.2 in. SLR.	\$447	16#
Michelin Rear			
4210002	Rear Tires: Michelin X Works Z 11R22.5 16PR	\$665	34#
4210004	Rear Tires: Michelin X Works Z 12R22.5 16PR	\$980	64#
4210149	Rear Tires: Michelin X Multi Energy Z 2 11R22.5 16PR	\$659	17#
4210150	Rear Tires: Michelin X Works D 11R22.5 16PR	\$816	60#
4210340	Rear Tires: Michelin XZE 12R22.5 16PR 42.6 in. diameter, all position. 19.8 in. SLR. Code is priced per pair of tires.	\$1,005	44#
4211341	Rear tires: Michelin X Multi D 11R22.5 14PR	\$502	18#
4211342	Rear tires: Michelin X MULTI D 11R22.5 16PR	\$502	20#
4217094	Rear tires: Michelin XDN2 11R22.5 16PR. 41.7 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	\$554	30#
4217099	Rear tires: Michelin XZE2 11R22.5 14PR. 41.3 in. diameter, all position. 19.2 in. SLR. Code is priced per pair of tires.	\$356	10#
4217125	Rear tires: Michelin XDN2 12R22.5 16PR. 42.9in. Diameter. drive tire. 20 in. SLR. Code is priced per pair of tires.	\$876	68#
4217154	Rear tires: Michelin XZE2 11R22.5 16PR. 41.4 in. diameter, all position. 19.2 in SLR. Code is priced per pair of tires.	\$447	16#
4217225	Rear tires: Michelin XMultiEnergyD 11R22.5 14PR 41.3 in. diameter, drive. 19.3 in. SLR. Smartway certified. Code is priced per pair of tires.	\$482	26#
4217228	Rear tires: Michelin XLineEnergyD 11R22.5 14PR 41.2 in. diameter. 19.3 in. SLR. Smartway certified. Code is priced per pair of tires.	\$433	26#
4217402	Rear tires: Michelin XDS2 11R22.5 16PR 41.8 in. diameter, drive. 19.5 in. SLR.DR. Code is priced per pair of tires.	\$766	38#



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Michelin Rear			
4217406	Rear tires: Michelin XDA5+ 11R22.5 14PR. Drive tire. 41.7 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	\$613	34#
Yokohama Front			
4083211	Front Tires: Yokohama 101ZL 11R22.5 14PR	(\$178)	4#
4083231	Front Tires: Yokohama MY507 11R22.5 16PR	\$115	22#
4083242	Front Tires: Yokohama RY023 11R22.5 16PR	(\$174)	-2#
4083246	Front Tires: Yokohama RY023 11R22.5 14PR	(\$199)	-2#
4083282	Front Tires: Yokohama RY617 11R22.5 14PR	(\$227)	-6#
Yokohama Rear			
4283213	Rear Tires: Yokohama 101ZL 11R22.5 14PR	(\$178)	4#
4283220	Rear Tires: Yokohama 703ZL 11R22.5 14PR	(\$140)	38#
4283231	Rear Tires: Yokohama MY507 11R22.5 16PR	\$115	22#
4283242	Rear Tires: Yokohama RY023 11R22.5 16PR	(\$174)	0#
4283246	Rear Tires: Yokohama RY023 11R22.5 14PR	(\$199)	-2#
4283250	Rear Tires: Yokohama TY517 MC2 11R22.5 14PR	(\$98)	10#
4283261	Rear Tires: Yokohama 709ZL 11R22.5 14PR	(\$123)	24#
4283282	Rear Tires: Yokohama RY617 11R22.5 14PR	(\$227)	-6#
Tubeless Type Standard Profile 24.5			
Goodyear Front			
4038643	Front Tires: Goodyear Workhorse MSA 11R22.5 16PR	\$433	13#
4038644	Front Tires: Goodyear Workhorse MSA 11R24.5 16PR	\$549	41#
4038826	Front tires: Goodyear Endurance LHS 11R24.5 14PR	\$583	16#
4038827	Front tires: Goodyear Endurance LHS 11R24.5 16PR	\$637	16#
Goodyear Rear			
4238002	Rear Tires: Goodyear Armor Max Pro Grade MSD 11R24.5 16PR	\$1,008	82#
4238675	Rear tires: Goodyear Endurance RSA 11R24.5 16PR 43.9in. diameter, all positions, 20.6SLR.	\$720	26#
4238858	Rear tires: Goodyear Endurance LHD 11R24.5 16PR	\$790	44#

*See PremierSpec for Applicable Restrictions



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 24.5			
Michelin Rear			
4210151	Rear Tires: Michelin X Works D 11R24.5 16PR	\$1,011	40#
Tubeless Type Low Profile 19.5			
Continental Front			
4080052	Front Tires: Continental Hybrid HS3 245/70R19.5 14PR.	(\$381)	-78#
Continental Rear			
4280052	Rear Tires: Continental Hybrid HS3 245/70R19.5 14 PR.	(\$381)	-78#
Goodyear Front			
4038007	Front Tires: Goodyear Endurance RSA 245/70R19.5	\$109	0#
Goodyear Rear			
4238007	Rear Tires: Goodyear Endurance RSA 245/70R19.5 16	\$109	0#
4238750	Rear tires: Goodyear Fuel Max RTD 245/70R19.5 16PR	\$159	-86#
Michelin Front			
4010129	Front Tires: Michelin X Multi Z 265/70R19.5 14PR	\$122	0#
Michelin Rear			
4217166	Rear tires: Michelin XDS2 245/70R19.5 16PR	\$78	38#
Yokohama Front			
4083255	Front Tires: Yokohama 104ZR 245/70R 19.5 14PR	(\$425)	-76#
Yokohama Rear			
4283255	Rear Tires: Yokohama 104ZR 245/70R 19.5 14PR	(\$425)	0#
Tubeless Type Low Profile 22.5			
Apollo Front			
4080185	Front Tires: Apollo Endutrax 315/80R22.5 20PR	\$829	78#
4080186	Front Tires: Apollo Enducombi 295/75R22.5 16PR	\$145	26#
Apollo Rear			
4280185	Rear Tires: Apollo Endutrax 315/80R22.5 20PR	\$829	78#
4280186	Rear Tires: Apollo Enducombi 295/75R22.5 16PR	\$145	26#
4280191	Rear Tires: Apollo Enducombi RD CS 295/75R22.5 16PR	\$314	50#
4280192	Rear Tires: Apollo Enducombi RD CS 295/75R22.5 14PR	\$186	50#



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 22.5			
Continental Front			
4080051	Front Tires: Continental Conti HSL3 295/75R22.5 16PR	\$332	2#
4080062	Front Tires: Continental HS3+ 295/75R22.5 16PR	\$300	6#
Continental Rear			
4280000	Rear tires: Continental HDR 255/70R22.5 16PR	\$190	-36#
4280213	Rear tires: Continental HSR3 295/75R22.5 16PR	\$458	26#
Goodyear Front			
4030012	Front Tires: Goodyear Endurance WHA 315/80R22.5 20PR.	\$1,270	54#
4030013	Front Tires: Goodyear Endurance WHA Duraseal 315/80R22.5 20PR.	\$1,570	54#
4030015	Front Tires: Goodyear Endurance RSA 275/70R22.5 18PR	\$440	0#
4030019	Front Tires Goodyear Fuel Max RSA 295/75R22.5 14P	\$437	-2#
4030265	Front tires: Goodyear Endurance RSA 295/75R22.5 14PR. 40.6 in. diameter, all position. 19.0 in. SLR.	\$431	6#
4038263	Front tires: Goodyear G291 315/80R22.5 20PR. 42.3 in. diameter, all position. 19.7 in. SLR.	\$1,021	0#
4038628	Front tires: Goodyear Armormax MSA 385/65R22.5 18PR AP 42.5 in diameter, all position. 19.8 in. SLR. On/Off highway. Wide-base tire. in. SLR.	\$1,227	104#
4038645	Front Tires: Goodyear Workhorse MSA 315/80R22.5 20PR	\$1,066	55#
4038660	Front tires: Goodyear Endurance RSA 255/70R22.5 16PR. 36.7in. Diameter, all positions, 17.3 SLR.	\$296	-42#
4038677	Front tires: Goodyear G291 315/80R22.5 18PR. 42.3 in. diameter, all position. 19.7 in. SLR.	\$860	154#
4038678	Front tires: Goodyear G289 WHA 315/80R22.5 20PR. All position. 43.1 in. diameter. 20 in. SLR.	\$1,161	78#
4038742	Front tires: Goodyear Fuel Max RTD 255/70R22.5 16PR	\$218	-40#
4038822	Front tires: Goodyear Endurance LHS 295/75R22.5 16PR	\$496	-4#
4039945	Front tires: Goodyear Edurance LHS 295/75R 22.5 14PR	\$425	-8#
Goodyear Rear			
4230012	Rear Tires: Goodyear Endurance WHA 315/80R22.5 20PR.	\$1,270	54#
4230013	Rear Tires: Goodyear Endurance WHA DuraSeal 315/80R22.5 20PR.	\$1,570	84#
4230015	Rear Tires: Goodyear Endurance RSA 275/70R22.5 18PR	\$440	0#
4230019	Rear Tires: Goodyear Fuel Max RSA 295/75R22.5 14P	\$437	-2#



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 22.5			
Goodyear Rear			
4230020	Rear Tires: Goodyear Fuel Max RSA 295/75R22.5 16PR	\$509	4#
4230038	Rear Tires: Goodyear Fuel Max LHD2 295/75R22.5 14PR	\$419	26#
4230328	Rear tires: Goodyear Fuel Max 1AD 295/75R22.5 14PR	\$575	12#
4238263	Rear tires: Goodyear G291 315/80R22.5 20PR. 42.3 in. diameter, all position. 19.7 in. SLR	\$1,021	34#
4238265	Rear Tires: Goodyear Endurance RSA 295/75R22.5 14PR 40.6 in. diameter, all position. 19.0 in. SLR.	\$431	6#
4238645	Rear Tires: Goodyear Workhorse MSA 315/80R22.5 20PR	\$1,066	55#
4238677	Rear tires: Goodyear G291 315/80R22.5 18PR. 42.3 in. diameter, all position. 19.7 in. SLR. Code is priced per pair of tires.	\$860	154#
4238678	Rear tires: Goodyear G289 WHA 315/80R22.5 20PR. All position. 43.1 in. diameter. 20 in. SLR. Code is priced per pair of tires.	\$1,161	70#
4238707	Rear Tires: Goodyear Endurance RSA 255/70R22.5 16PR. 36.7in. Diameter, all positions, 17.3 SLR.	\$296	-48#
4238717	Rear tires: Goodyear G288 MSA 255/70R22.5 16PR 36.9in diameter. 17.3 SLP	\$475	0#
4238741	Rear tires:Goodyear Fuel Max RTD 295/75R22.5 14PR 40.8 in. diameter, all position. 19.0 in. SLR. Code is priced per pair of tires.	\$541	8#
4238742	Rear tires:Goodyear Fuel Max RTD 255/70R22.5 16PR	\$218	-40#
4238822	Rear tires: Goodyear Endurance LHS 295/75R22.5 16PR	\$496	-8#
4238859	Rear tire:Goodyear Endurance LHD 295/75R22.5 14PR	\$597	26#
4239945	Rear tires: Goodyear Endurance LHS 295/75R 22.5 14PR	\$425	-8#
Michelin Front			
4010006	Front Tires: Michelin X Works Z 315/80R22.5 20PR	\$1,163	88#
4010154	Front Tire: Michelin X Line Energy Z 295/60R22.5 18PR	\$560	-16#
4017072	Front Tires: Michelin XZE 255/70R22.5 16PR 36.7 in. Diameter. 17.2 in. SLR. All Position.	\$195	-48#
4017156	Front Tires: Michelin XZE2 275/80R22.5 14PR. 40.2 in. Diameter, All Position. 18.6 in. SLR.	\$312	-8#
4017181	Front Tires: Michelin XZY3 385/65R22.5 18PR 42.4 in. Diameter, All Position. 19.6 in. SLR.	\$1,156	122#
4017194	Front Tires: Michelin X Coach Z Energy 295/ 80R22.5 16PR, All Position	\$966	38#
4017197	Front Tires:Michelin X Works XDY 315/80R22.5 20PR 43 in. Diameter. 20.0 in SLR.	\$1,432	8#



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 22.5			
Michelin Front			
4017199	Front Tires: Michelin X Line Energy Z 315/80R22.5 20PR	\$1,115	23#
4017211	Front Tire: Michelin X MULTI HL Z 385/65R22.5 20PR MAX SPD 68MPH	\$1,827	122#
4017217	Front Tires: Michelin XZUS2 315/80R22.5 20PR 42.8 in. Diameter, All Position.. 19.8 in. SLR.	\$1,346	98#
Michelin Rear			
4210006	Rear Tires: Michelin X Works Z 315/80R22.5 20PR	\$1,163	88#
4210389	Rear Tire: Michelin X One Line Grip D 445/50R22.5 20PR 2-4	\$530	138#
4210391	Rear Tires: Michelin X One Line Grip D 455/55R22.5 20 PR 2-4	\$786	-65#
4211038	Rear tires: Michelin XONEXZUS 455/55R22.5 22PR 2-4. 42.2 in. diameter, all position. 19.4 in. SLR. Code is priced per pair of tires.	\$774	-50#
4211040	Rear tires: Michelin XONE XZY3 455/55R22.5 22PR 2-4. 41.9 in. diameter. 17.8 in. SLR.	\$490	178#
4217072	Rear tires: Michelin XZE 255/70R22.5 16PR 36.7 in. diameter. 17.2 in. SLR. All position. Code is priced per pair of tires.	\$195	-48#
4217127	Rear tires: Michelin XDN2 275/80R22.5 14PR Drive tire. 40.6 in. diameter, drive. 18.9 in. SLR. Code is priced per pair of tires.	\$435	16#
4217156	Rear tires: Michelin XZE2 275/80R22.5 14PR. 40.2 in. diameter, all position. 18.6 in. SLR. Code is priced per pair of tires.	\$312	-8#
4217169	Rear Tires: Michelin X Line Energy Z 315/80R22.5 20PR	\$1,115	38#
4217197	Rear tires: Michelin X Works XDY 315/80R22.5 20PR 43 in. diameter, drive. 20.0 in. SLR. Code is priced per pair of tires.	\$1,432	8#
4217227	Rear tires: Michelin XMultiEnergyD 275/80R22.5 14PR. 40.1 in. diameter, drive. 18.8 in. SLR. Smartway certified. Code is priced per pair of tires.	\$370	16#
4217230	Rear tires: Michelin XLineEnergyD 275/80R22.5 14PR. 40.1 in. diameter. 18.8 in. SLR. Smartway certified. Code is priced per pair of tires.	\$370	12#
4217241	Rear Tire Michelin X Line Energy D+ 275/80R22.5 14PR	\$565	6#
4217408	Rear tires: Michelin XDA5+ 275/80R22.5 14PR. Drive tire. 40.6 in. diameter, drive. 19.0 in. SLR. Code is priced per pair of tires.	\$563	26#
4217415	Rear Tires: Michelin X Multi D 295/60R22.5 18PR	\$604	0#
Yokohama Front			
4083212	Front Tires: Yokohama 101ZL 295/75R22.5 14PR	(\$200)	0#
4083215	Front tires: Yokohama 101ZL 295/75R22.5 16PR	(\$32)	8#



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 22.5			
Yokohama Front			
4083245	Front Tires: Yokohama RY023 295/75R22.5 14PR	(\$200)	-8#
4083247	Front Tires: Yokohama RY023 295/75R22.5 16PR	(\$175)	-6#
4083280	Front Tires: Yokohama RY617 295/75R22.5 14PR	(\$236)	-16#
Yokohama Rear			
4283212	Rear Tires: Yokohama 101ZL 295/75R22.5 14PR	(\$200)	0#
4283221	Rear Tires: Yokohama 703ZL 295/75R22.5 14PR	(\$167)	24#
4283245	Rear Tires: Yokohama RY023 295/75R22.5 14PR	(\$200)	-8#
4283247	Rear Tires: Yokohama RY023 295/75R22.5 16PR	(\$175)	-6#
4283251	Rear Tires: Yokohama TY517 MC2 295/75R22.5 14PR	(\$132)	0#
4283260	Rear Tires: Yokohama 709ZL 295/75R22.5 14PR	(\$158)	18#
4283280	Rear Tires: Yokohama RY617 295/75R22.5 14PR	(\$236)	-16#
Front & Rear Axle Wheels & Rims			
Tubeless Type Aluminum 19.5			
Rear			
5245272	Rear wheel: Alcoa 76542 19.5x6.75RW aluminum, 8-bolt hub pilot mount. 5515lb. maximum rating. For use w/air brakes only.	\$545	-68#
5245281	Rear wheel: Alcoa 77349 19.5x7.50RW aluminum 8-bolt. Require 8 bolt hub.	\$573	-54#
5245282	Rear wheel: Alcoa 76542/Accuride 50180 STL 19.5x6.75RW, aluminum outside/steel painted inside, 8-hole hub pilot mount. 5000 lb. maximum rating. Includes wheel guards. Code is priced per pair of wheels.	\$317	-18#
Tubeless Type Steel 19.5			
Front			
5042236	Front Wheel: Accuride 29685 19.5x7.50 aluminum hub-pilot mount, required w/2x66 mm. 10-bolt mounting. For hydraulic brakes only. 6700lb. maximum rating.	\$563	-57#
5042248	Front Wheel: Accuride 50180 19.5x6.75RW steel Steel Armor[TM] powder coat, hub-pilot mount. 8-bolt hub pilot mount. 5000lb. maximum rating.	\$94	-18#
5045272	Front wheel: Alcoa 76542 19.5x6.75RW aluminum, 8-bolt hub pilot mount. 5515lb. maximum rating. For use w/air brakes only.	\$545	-74#



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Wheels & Rims			
Tubeless Type Steel 19.5			
Rear			
5242236	Rear Wheel: Accuride 29685 19.5x7.50 aluminum hub-pilot mount, required with 2x66 mm. 10-bolt mounting. For hydraulic brakes only. 6700lb. maximum rating.	\$563	-57#
5242248	Rear Wheel: Accuride 50180 19.5x6.75RW steel Steel Armor powder coat, 8-bolt hub-pilot mount. 5000lb. maximum rating.	\$94	-18#
Tubeless Type Aluminum 22.5			
Front			
5042299	Front Wheel: Accuride 29374 22.5x12.25 aluminum, Standard polish finish, hub-pilot mount. 11000lb. maximum rating. 5.80 in. offset. Air disc brake compatible.	\$900	-2#
5042338	Front Wheel: Accuride 43644 22.5x8.25 AL hub-pilot mount Standard Polish	\$553	-52#
5042367	Front Wheel: Accuride 29300 22.5x9 steel Steel Armor[TM] powder coat, hub-pilot mount. 10000lb. maximum rating. 5-hand holes. Not air disc brake compatible.	\$603	79#
5043550	Front Wheel: Alcoa ULA18 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400lb maximum rating. Air Disc Brake compatible. High polish.	\$407	-51#
5045216	Front Wheel: Alcoa 82362 22.5x12.25 aluminum, with Lvl One [TM] finish High Polish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.	\$743	-11#
5045218	Front Wheel: Alcoa 82462 22.5x12.25 aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 11000lb. maximum rating. 5.80 in. offset. Air disc brake compatible.	\$679	-3#
5045280	Front Wheel: Alcoa 89U64 22.5X9 AL Ultra One High Polish Wheel.	\$533	-24#
5045283	Front Wheel: Kenworth 7-spoke 88U68 22.5x8.25 aluminum with Ultra One high polish finish, hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.	\$512	-40#
5045294	Front Wheel: KW100 88U60 22.5x8.25 aluminum with Ultra One high polish finish hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.	\$691	-40#
5045295	Front Wheel: Kenworth 10-spoke 88u69 22.5x8.25 aluminum with Ultra One High Polish, hub-pilot mount. 7300lb. maximum rating. Air disc brake compatible.	\$576	-40#
Rear			
5242312	Rear Wheel: Accuride 43140 22.5x14.00 2-4; aluminum	\$1,038	-10#
5242314	Rear Wheel: Accuride 43142 22.5x14.00 2-4; aluminum. Standard polish finish, hub-pilot mount. 12,800 lb. maximum rating. 2 in. offset. Aluminum hubs will derate this super single wheel style to 17,000 lbs. per axle. Use iron hubs for a 20,000 lbs. per axle rating. Code is priced per pair of wheels. Air disc brake compatible.	\$1,006	-10#
5242338	Rear Wheel: Accuride 43644 22.5X8.25 aluminum hub pilot mount standard polish	\$552	-52#
5242438	Rear Wheel: Accuride 43644 /Accuride 51487 heavy-duty steel 22.5x8.25, Standard Polish aluminum outside/Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$204	-58#



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Wheels & Rims			
Tubeless Type Aluminum 22.5			
Rear			
5243550	Rear Wheel: Alcoa ULA18 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400lb maximum rating. Air Disc Brake compatible. High polish.	\$407	-51#
5245280	Rear Wheel: Alcoa 89U64 22.5X9 AL Ultra One High Polish Wheel.	\$533	-18#
5245283	Rear Wheel: Kenworth 7-spoke 88U68 22.5x8.25 aluminum with Ultra One, high polish finish, hub-pilot mount. 7300 lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels. Level 1 finish.	\$492	-36#
5245284	Rear Wheel: Kenworth 7-spoke 88U68/ Accuride 50344 heavy-duty 22.5x8.25, aluminum outside with Ultra One High Polish finish/s/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$268	-6#
5245289	Rear Wheel: Kenworth 7-spoke 88U68/ Accuride 50885 heavy-duty 22.5x8.25, aluminum outside with Ultra One High Polish finish/s/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$243	-23#
5245292	Rear Wheel: Alcoa 84U61 22.5X14.00 AL 2-4 Hub Pilot Mount. Ultra ONE Wheel. Level 1 Finish High Polish	\$659	-158#
5245293	Rear Wheel: Alcoa 84U64 22.5X14.00 AL 2-4 Ultra ONE Wheel. High Polish	\$602	-158#
5245294	Rear Wheel: KW100 88U60 22.5x8.25 aluminum with Ultra One high polish finish hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.	\$691	-40#
5245295	Rear Wheel: Kenworth 10-spoke 88U69 Ultra One High Polish	\$576	-36#
5245303	Rear Wheel: Alcoa ULA18/Accuride 50344 heavy-duty 22.5x8.25, aluminum outside with high polish finish/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$248	-13#
5245304	Rear Wheel: Alcoa ULA18/Accuride 51487 22.5x8.25, aluminum outside with high polish finish/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$204	-26#
5245338	Rear Wheel: Accuride 43644 /Acc 50344 heavy-duty steel 22.5x8.25 Steel Armor[TM] powder coat, Standard Polish aluminum outside / steel powder coat inside, hub pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$363	-58#
Tubeless Type Steel 22.5			
Front			
5042259	Front Wheel: Accuride 50882 22.5X8.25 steel heavy-duty 22.5x8.25; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible.	\$50	31#
5042268	Front Wheel: Accuride 50885 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount.heavy-duty 5 hand-hole hub pilot mount.	\$46	26#
5042275	Front Wheel: Accuride 51408 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible.	\$108	0#



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Wheels & Rims			
Tubeless Type Steel 22.5			
Front			
5042279	Front Wheel: Accuride 51422 22.5x8.25 steel Steel Armor(TM) powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible.	\$2	4#
5042285	Front Wheel: Accuride 50344 22.5x8.25 steel Steel Armor(TM) powder coat, hub-pilot mount. heavy-duty 5 hand-hole hub pilot mount.	\$220	20#
5042289	Front Wheel: Accuride 51487 22.5x8.25 steel Steel Armor(TM) powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible.	\$106	0#
5042292	Front Wheel: Accuride 51455 22.5x8.25 steel Steel Armor(TM) powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible.	STD	0#
5042311	Front Wheel: Accuride 29039 22.5X9 steel Steel Armor(TM) powder coat, hub-pilot mount. 10000lb. maximum rating. 5-hand holes.	\$313	70#
5042312	Front Wheel: Accuride 29806 22.5x12.25 steel Steel Armor(TM) powder coat, hub-pilot mount. 11500lb. maximum rating. 5-hand holes.	\$746	101#
5042314	Front Wheel: Accuride 29807 22.5x12.25 steel white, Steel Armor(TM) powder coat, hub-pilot mount. 11500lb. maximum rating. 5-hand holes.	\$745	102#
Rear			
5242251	Rear Wheel: Accuride 29001 22.5x7.5 steel Steel Armor(TM) powder coat, hub-pilot mount. 6610 lb. maximum rating. Code is priced per pair of wheels.	\$62	9#
5242259	Rear Wheel: Accuride 50882 white 22.5X8.25 heavy-duty 22.5x8.25; Steel Armor(TM) powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible. Code is priced per pair of wheels.	\$50	29#
5242268	Rear Wheel: Accuride 50885 22.5x8.25 steel Steel Armor(TM) powder coat, hub-pilot mount. Heavy-duty 5 hand-hole hub pilot mount. Code is priced per pair of wheels.	\$46	24#
5242285	Rear Wheel: Accuride 50344 22.5x8.25 steel Steel Armor(TM) powder coat, hub-pilot mount. Heavy-duty 5 hand-hole hub pilot mount. Code is priced per pair of wheels.	\$100	20#
5242367	Rear Wheel: Accuride 29300 22.5x9 steel Steel Armor(TM) powder coat, hub-pilot mount. 10000lb. maximum rating. 5-hand holes. Not air disc brake compatible. Code is priced per pair of wheels.	\$403	79#
5242375	Rear Wheel: Accuride 51408 22.5x8.25 steel Steel Armor(TM) powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible. Code is priced per pair of wheels.	\$108	-12#
5242379	Rear Wheel: Accuride 51422 22.5x8.25 steel Steel Armor(TM) powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible. Code is priced per pair of wheels.	\$2	2#
5242389	Rear Wheel: Accuride 51487 22.5x8.25 steel Steel Armor(TM) powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible. Code is priced per pair of wheels.	\$106	0#
5242392	Rear Wheel: Accuride 51455 22.5x8.25 steel Steel Armor(TM) powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible. Code is priced per pair of wheels.	STD	0#



T380: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

Front & Rear Axle Wheels & Rims

Tubeless Type Steel 22.5

Rear

5245285	Rear Wheel: Kenworth 7-spoke Alcoa alum 88U68/ Accuride 51487 22.5x8.25. Aluminum with Ultra One High Polish finish outside/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. 5-hand hole. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$233	-18#
---------	---	-------	------

5245288	Rear Wheel: Kenworth 7-spoke Alcoa alum 88U68/ Accuride 51455 22.5x8.25. Aluminum with Ultra One High Polish finish outside/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. 5-hand hole. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$231	-30#
---------	---	-------	------

Tubeless Type Aluminum 24.5

Front

5042328	Front Wheel: Accuride 42362 24.5x8.25 aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating.	\$526	-30#
---------	--	-------	------

Rear

5242321	Rear Wheel: Accuride 42362/50409 24.5x8.25 aluminum outside with Standard polish/ACCU-LTE Steel Armor powder coat inside, hub-pilot mount 7400lb. maximum rating. Includes wheel guards. Air disc brake compatible.	\$333	-2#
---------	---	-------	-----

5242328	Rear Wheel: Accuride 42362 24.5x8.25 aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating. Code is priced per pair of wheels.	\$526	-30#
---------	--	-------	------

Tubeless Type Steel 24.5

Rear

5242310	Rear Wheel: Accuride 28827 24.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand hole. Code is priced per pair of wheels.	\$96	35#
---------	--	------	-----

Miscellaneous Tires & Wheels

Tire Miscellaneous

4899002	Tire/ Wheel Count for TPMS: 2.	\$85	0#
---------	--------------------------------	------	----

4899004	Tire/ Wheel Count for TPMS: 4.	\$170	0#
---------	--------------------------------	-------	----

4899006	Tire/ Wheel Count for TPMS: 6.	\$255	0#
---------	--------------------------------	-------	----

Wheel Equipment

Wheelguards

5850040	Wheelguards: All Axles.	\$157	2#
---------	-------------------------	-------	----

Wheel Treatments

5853906	Powder Coat White Steel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
---------	--	-----	----

5853907	Powder Coat Gray Steel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
---------	---	-----	----



T380: TIRES & WHEELS

Option	Description	Price	Weight
Miscellaneous Tires & Wheels			
Wheel Equipment			
Wheel Treatments			
5853908	Powder Coat Blacksteel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5853909	Powder Coat Red Steel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5854010	Single Front Axle: 2 Polished Wheels. Mirror polished outboard surface of aluminum wheels.	\$139	0#
5854011	Single Rear Axle: 2 Mirror Polish Wheels. outboard surface of outer dual or single aluminum wheels.	\$179	0#
5854045	Single Front Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only	\$80	0#
5854047	Single Rear Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum quantity 2	\$20	0#
5856010	Single Front Axle: Dura-Bright Brushed (QTY 2) -0DB (Satin)	\$224	0#
5856013	Single Rear Axle: Dura-Bright Brushed (QTY 2) -0DB (Satin)	\$219	0#
5858010	Single Front Axle: 2 Wheels Dura-Flange	\$204	0#
5858011	Single Rear Axle: Dura-Flange (quantity 4) -DF. Not available with polished or Dura-Bright except 88367.	\$447	0#
5859010	Single Front Axle: 2 wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of aluminum wheels.	\$238	0#
5859011	Single Rear Axle Wheels: 2 Wheels Dura-Bright Mirror Polish. Dura-Bright outboard surface of outer dual or single aluminum wheels.	\$357	0#
5859013	Single Rear: Dura-Bright Mirror Polish Inboard Surface Of Inner Wheels (2)-2DB, Required Wheel Grades, Use With 5859011	\$600	0#
5859014	Single Front Axle Wheels: Dura-Bright Mirror Polish both outboard & inboard surfaces of aluminum wheels.	\$357	0#
5859028	Single Rear Axle: Dura-Bright Mirror Polish wide base singles, outboard surface (quantity 2) -1DB.	\$248	0#
5859065	Single Front Axle: Dura-Black Both Surfaces (QTY 2)	\$470	0#
5859066	Single Rear Axle: Dura-Black Both Surfaces (Qty 4)	\$940	0#
Wheel Miscellaneous			
5890000	V2B Double Seal Cap Valves.	\$25	0#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rails & Inserts			
Rail Material			
10.625 x 3.5 x 0.3125 Steel Frame			
6054250	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 308 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	STD	0#
6054251	33K Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel. To 308 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required, Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$0	0#
6054410	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 309 in. to 380 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$343	0#
6054411	33K Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. steel. 309 in. to 380 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required, Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$343	0#
6054630	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 381 in. to 428 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$706	0#
6054800	Frame Rails: 10-5/8 x 3-1/2 x 5/16in. Steel to 429 in. to 480 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$1,319	0#
10.75 x 3.5 x 0.375 Steel Frame			
6056200	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel to 284 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$266	0#

Option	Description	Price	Weight
--------	-------------	-------	--------

Rails & Inserts

Rail Material

10.75 x 3.5 x 0.375 Steel Frame

6056400	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 285in. to 336 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$583	0#
6056600	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 337in. to 416 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$1,111	0#
6056680	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 417in. to 480 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$1,684	0#

10.6875 x 3.5 x 0.5 Steel Frame

6056705	Frame Rails: 10-11/16 x 3-1/2 x 1/2in. Steel to 336in. Truck frame weight is 4.70 lb.-in. per pair of rails. Section modulus is 22.35, RBM is 2,683,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$3,556	0#
6056707	Frame Rails: 10-11/16 x 3-1/2 x 1/2 in. Steel 337 in. to 416 in. Truck frame weight is 4.70 lb.-in. per pair of rails. Section modulus is 22.35, RBM is 2,683,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$4,293	0#
6056709	Frame Rails: 10-11/16 x 3-1/2 x 1/2 in. Steel 417 in. to 455 in. Truck frame weight is 4.70 lb.-in. per pair of rails. Section modulus is 22.35, RBM is 2,683,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$5,246	0#

Full Frame Inserts

9.875 x 2.875 x 0.25 Steel Insert

6141200	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel to 284 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 lb.-in. to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$1,427	0#
6141400	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel 285 in. to 336 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$1,580	0#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rails & Inserts			
Full Frame Inserts			
9.875 x 2.875 x 0.25 Steel Insert			
6141600	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel 337 in. to 416 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$2,057	0#
6141615	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel 417 in. to 480 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$2,439	0#
Bumpers			
Bumper Style			
Aerodynamic			
6308710	Bumper: Aerodynamic, Painted. Requires a bumper setting code.	\$67	0#
6308711	Bumper: Aerodynamic, Unpainted, in-mold color. Requires a bumper setting code.	STD	0#
6308715	Bumper: Aerodynamic Chrome Requires a Bumper setting code.	\$1,094	68#
Steel Channel			
6302460	Bumper: Tapered Painted Steel Channel. Requires a bumper setting code.	\$475	65#
Other Bumper Style			
6309910	Delete bumper: Requires a bumper setting code.	(\$169)	-27#
6309912	Delete Bumper: For Use With Provisions for customer-installed Braden winch bumper (2.1m MD) or heavy-duty front frame brackets for customer-installed winch bumper. Requires a bumper setting code.	\$0	0#
Bumper Setting			
6319040	40 in. Bumper Setting. Requires a Bumper Code.	\$0	0#
6319064	64 in. Bumper Setting. Requires a Bumper Code.	\$0	0#
Bumper Equipment			
6321010	Front Tow Loops: Two	STD	0#
6324025	Front Tow Hook: Center Mounted, Cast. Requires iron front drive brackets.	\$55	3#
Front Frame Miscellaneous			
6390034	24 in. Frame Rail Extensions. Vocational Hoods only.	\$184	36#
6390077	Provisions for Customer-Installed Braden Winch bumper.	\$1,039	75#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Battery Boxes			
Parallel			
6404420	Battery Box: Steel Parallel Module under W/Step, natural aluminum cover. Use with 2 or 3 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$188	9#
6404421	Battery Box: Steel Parallel Module under W/Step, polished aluminum cover. Use with 2 or 3 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$408	9#
6404422	Battery Box: Steel Parallel Module under W/Step, plastic cover. Use with 2 or 3 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	STD	0#
6404423	Battery Box: Steel Parallel Module under W/Step, painted aluminum cover. Use with 2 or 3 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$131	5#
6404424	Battery Box: Steel Parallel Module under W/Step, natural aluminum cover. Use with 4 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$613	14#
6404425	Battery Box: Steel Parallel Module under W/Step, polished aluminum cover. Use with 4 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$842	14#
6404426	Battery Box: Steel Parallel Module under W/Step, painted aluminum cover. Use with 4 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$578	10#
Cantilever			
6400644	Battery Box Cantilever Aluminum BOC with Smooth natural finish aluminum cover.	\$447	19#
6400645	Battery Box Cantilever Aluminum BOC with Full polish.	\$736	19#
Across or Between Rails BOC			
6400500	Battery Box: Aluminum between the Rails BOC W/ FMCSR cover.	\$911	10#
6400508	Battery Box: Aluminum between the Rails BOC W/ aluminum cover.	\$714	5#
6400631	Battery box: Temporary Across the Rails.	\$150	-99#
6400633	Battery Box: Temporary Across the Rails. Includes maximum cable length available.	\$191	-99#
In-Cab			
6405000	In-Cab Steel Battery Box: under Rider Seat or in stand alone box. Requires appropriate AGM battery code, which varies by model, and appropriate rider seat code be selected prior to entering the workscreen. Includes 1 battery disconnect switch.	\$1,334	0#
Battery Box Locations			
6409901	Battery Box Location: LH Side.	STD	0#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Battery Boxes			
Battery Box Locations			
6409902	Battery Box Location: RH Side.	\$89	0#
6409903	Battery Box Location: BOC Between the Rails.	\$0	0#
6409906	In-Cab Battery Box Location: Under Rider Seat.	\$0	0#
6409908	Battery Box Location: BOC Across the Rails.	\$0	0#
Battery Box Equipment			
6409101	Double Latch on Between Rails Battery Box.	\$33	0#
6409103	Severe Service Hold Down for Cantilever Battery box. Includes battery pad.	\$120	3#
6409210	Rubber Battery Pad in Bottom of Battery Box. For cantilever-style or between the rails battery boxes.	\$12	2#
6409708	Frame Access Step Mounted to LH BOC Cantilever battery box. Not full width step.	\$345	4#
6409709	Frame Access Step Mounted to RH BOC Cantilever battery box. Not full width step.	\$345	4#
6409710	Frame Access Full Width Step Mounted to LH BOC cantilever battery box.	\$359	5#
6409711	Frame Access Full Width Step Mounted to RH BOC cantilever battery box.	\$359	5#
Center Frame Equipment			
Frame Access			
Grabhandles			
6410010	Frame Access Grabhandle(s) LH Mounted. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$43	2#
6410011	Frame Access Grabhandle(s) RH Mounted. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$43	2#
6410028	Frame Access Grabhandle, Additional LH Mounted in side extender. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$82	2#
6410029	Frame Access Grabhandle, Additional RH Mounted on side extender. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$82	2#
6410092	Frame Access Grabhandle Horizontal Mounted at midpoint of sleeper or Daycab.	\$29	2#
Deckplate			
6414500	Flush Mounted Deck Plate, in Place of Frame mounted.	\$188	6#
6414521	Deck Plate: Up to and Including 21 in. Frame mounted.	\$121	12#
6414542	Deck Plate: Up to and Including 42 in. Frame mounted.	\$210	23#
6414563	Deck Plate: Up to and Including 63 in. Frame mounted.	\$307	34#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Equipment			
Frame Access			
Steps			
6417002	Cab Access Step: RH under Mounted to Frame.	\$259	60#
6417007	Frame Access Steps: 2 Ladder-Type, RH Mount. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.	\$171	15#
6417009	Frame Access Steps: 2 for Fuel/Hydraulic Tank BOC, RH mount. Available when rear of tank under extends more than 14 in. behind rear of cab, sleeper, or side extender. For tanks located totally behind a cab or sleeper the front of the tank must be within 14 in. from the rear of cab, sleeper, or side extender.	\$223	6#
6418002	Cab Access Step: LH Under Mounted to Frame.	\$259	60#
6418006	Frame Access Steps: 2 Ladder-Type, LH Mount. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.	\$171	15#
6418008	Frame Access Steps: 2 for Fuel/Hydraulic Tank BOC, LH mount. Available when rear of tank under extends more than 14 in. behind rear of cab, sleeper, or side extender. For tanks located totally behind a cab or sleeper the front of the tank must be within 14 in. from the rear of cab, sleeper, or side extender.	\$223	6#
6419001	Polished Frame Access Ladder Step. Use with LH or RH frame access step codes.	\$42	0#
Box Step Options			
6409715	Ladder-Type Step LH under Cab Below Battery Box or toolbox.	\$236	11#
6409716	Ladder-Type Step RH under Cab Below Battery Box or toolbox or DPF - SCR.	\$236	11#
Toolboxes			
6474420	Tool Box: Steel Parallel Module Under W/ Step, natural aluminum cover. Up to 2 air tanks may be mounted to bottom of box.	\$831	54#
6474421	Tool Box: Steel Parallel Module Under W/ Step, polished aluminum cover. Up to 2 air tanks may be mounted to bottom of box.	\$1,051	54#
6474422	Tool Box: Steel Parallel Module Under W/ Step, plastic cover. Up to 2 air tanks may be mounted to bottom of box.	\$643	45#
6474423	Tool Box: Steel Parallel Module Under W/ Step, painted aluminum cover. Up to 2 air tanks may be mounted to bottom of box.	\$773	51#
6474424	2nd Tool Box:Steel Parallel Module Under W/Step, natural aluminum cover. Up to 2 air tanks may be mounted to bottom of box.	\$831	54#
6474425	2nd Tool Box:Steel Parallel Module Under W/Step, polished aluminum cover. Up to 2 air tanks may be mounted to bottom of box.	\$1,051	54#
6474426	2nd Tool Box:Steel Parallel Module Under W/Step, plastic cover. Up to 2 air tanks may be mounted to bottom of box.	\$643	45#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Toolboxes			
6474427	2nd Tool Box: Steel Parallel Module Under W/Step, painted aluminum cover. Up to 2 air tanks may be mounted to bottom of box.	\$773	51#
6474450	Tool Box: Aluminum Parallel Module BOC, Natural aluminum cover with step and lock. Up to 2 air tanks may be mounted to bottom of box.	\$1,044	82#
6474451	Tool Box: Aluminum Parallel Module BOC, Polished aluminum cover with step and lock. Up to 2 air tanks may be mounted to bottom of box.	\$1,099	82#
6474454	Tool Box: Aluminum Parallel Module BOC, Natural aluminum cover with lock, without step. Up to 2 air tanks may be mounted to bottom of box.	\$775	58#
6474455	Tool Box: Aluminum Parallel Module BOC, Polished aluminum cover with lock, without step. Up to 2 air tanks may be mounted to bottom of box.	\$918	58#
Toolbox Locations			
6479901	Toolbox Location: LH Side.	\$0	0#
6479902	Toolbox Location: RH Side.	\$0	0#
6479905	Second Toolbox Location: LH Side.	\$0	0#
6479915	Second Toolbox Location: RH Side.	\$0	0#
DPF/SCR Covers			
6451125	DPF/SCR Box Natural End Plates and Natural cover.	\$0	0#
6451126	DPF/SCR Box Polished End Plates and Polished cover.	\$261	0#
6451127	DPF/SCR Box Polished End Plates and Diamond Plate cover.	\$199	0#
Frame Crossmembers & Upgrades			
6490138	Stamped Steel Intermediate/ Fill-In Crossmember.	STD	0#
6490139	Heavy-Duty One-PC Aluminum Intermediate/ Fill-In crossmember.	\$231	13#
6490432	Welded Rear Cab Support.	STD	0#
6490433	Heavy-Duty 5-Piece Rear Cab Support, Hucked assembly. Huck fastened to frame.	\$57	15#
6490434	Heavy-Duty 5-Piece Rear Cab Support, Bolted assembly. Huck fastened to frame.	\$57	15#
Center Frame Clear Space			
6491011	One Clear Frame Space Area Without Custom Frame layout. Use with first clear frame space area code or customer-installed APU code when not using a custom frame layout code.	\$347	0#
6491012	Two Clear Frame Space Areas Without Custom frame layout. Use with first and second clear frame space area codes or customer-installed APU code when not using a custom frame layout code.	\$695	0#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Clear Space			
6497020	First Clear Frame Space Dimensioned from Back of Cab.	\$0	0#
6497030	Second Clear Frame Space Dimensioned from Back of Cab.	\$0	0#
First Request Area			
6497101	First - LH Outside Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497102	First - RH Outside Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497103	First - LH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497104	First - RH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497105	First - LH Outside and LH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497106	First - RH Outside and RH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497107	First - Between Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497108	First - Between and Below Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
First Request Length			
6497310	First - 10 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497312	First - 12 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497314	First - 14 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497316	First - 16 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Clear Space			
First Request Length			
6497318	First - 18 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497320	First - 20 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497322	First - 22 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497324	First - 24 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497326	First - 26 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497328	First - 28 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497330	First - 30 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497332	First - 32 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497334	First - 34 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497336	First - 36 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497338	First - 38 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497340	First - 40 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497341	First - 41 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497350	First - 50 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497360	First - 60 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
First Request Location			
6497200	Directly Behind the Under Fuel/ Hydraulic Tank. First clear frame space location.	\$0	0#
6497201	Directly Behind the BOC Fuel/ Hydraulic Tank. First clear frame space location.	\$0	0#
6497202	Directly Forward of the Rearmost Fuel/ Hydraulic tank. First clear frame space location.	\$0	0#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Clear Space			
First Request Location			
6497203	Directly Behind DEF Tank. First clear frame space location.	\$0	0#
6497204	Directly Behind the Battery Box. First clear frame space location.	\$0	0#
6497205	Directly Behind the DPF/SCR Box. First clear frame space location.	\$0	0#
6497206	Directly Behind the Toolbox or Temporary Cab entry step for use with natural gas engines. First clear frame space location.	\$0	0#
6497207	Directly Forward of the Rear Suspension/ Quarter fender. First clear frame space location.	\$0	0#
6497209	Directly Behind the Under Cab Component. First clear frame space location.	\$0	0#
6497210	Directly Behind BOC1 Fuel/ Hydraulic Tank or Box. First clear frame space location.	\$0	0#
6497211	Directly Behind BOC2 Fuel/ Hydraulic Tank or Box. First clear frame space location.	\$0	0#
Second Request Area			
6497109	Second - LH Outside Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497110	Second - RH Outside Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497111	Second - LH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497112	Second - RH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497113	Second - LH Outside and LH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497114	Second - RH Outside and RH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497115	Second - Between Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Center Frame Clear Space

Second Request Area

6497116	Second - Between and Below Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
---------	--	-----	----

Second Request Length

6497510	Second - 10 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497512	Second - 12 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497514	Second - 14 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497516	Second - 16 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497518	Second - 18 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497520	Second - 20 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497522	Second - 22 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497524	Second - 24 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497526	Second - 26 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497528	Second - 28 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497530	Second - 30 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497532	Second - 32 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497534	Second - 34 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497536	Second - 36 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497538	Second - 38 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497540	Second - 40 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Clear Space			
Second Request Length			
6497541	Second - 41 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497550	Second - 50 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497560	Second - 60 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
Second Request Location			
6497230	Directly Behind the Under Fuel/ Hydraulic Tank. Second clear frame space location.	\$0	0#
6497231	Directly Behind the BOC Fuel/ Hydraulic Tank. Second clear frame space location.	\$0	0#
6497232	Directly Forward of the Rearmost Fuel/ Hydraulic tank. Second clear frame space location.	\$0	0#
6497233	Directly Behind DEF Tank. Second clear frame space location.	\$0	0#
6497234	Directly Behind the Battery Box. Second clear frame space location.	\$0	0#
6497235	Directly Behind the DPF/SCR Box. Second clear frame space location.	\$0	0#
6497236	Directly Behind the Toolbox or Temporary Cab entry step for use with natural gas engines. Second clear frame space location.	\$0	0#
6497237	Directly Forward of the Rear Suspension/ Quarter fender. Second clear frame space location.	\$0	0#
6497239	Directly Behind the Under Cab Component. Second clear frame space location.	\$0	0#
6497240	Directly Behind BOC1 Fuel/ Hydraulic Tank or Box. Second clear frame space location.	\$0	0#
6497241	Directly Behind BOC2 Fuel/ Hydraulic Tank or Box. Second clear frame space location.	\$0	0#
Miscellaneous Center Frame Equipment			
6397001	Huck Bolts Throughout Frame, where Possible.	\$0	0#
6397016	Frame Holes without Fasteners for Body Builder.	\$0	0#
Body Builder Requirements			
6390091	Frame Layout Picture to Dealer Prior to Build date. Information only, no changes. This provides basic frame layout illustration in a PDF file. Adobe Reader or other software capable of viewing PDF files is required on your computer. A copy of the frame layout can be obtained once the engineering work has been completed. This drawing will help the body builder define clearance requirements for the chassis.	\$695	0#
6390097	DXF Frame Layout to Dealer Prior to Build Date. Information only, no changes. This provides a frame layout in a .DXF format data file suitable for use w/ many CAD programs.	\$695	0#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Body Builder Requirements			
6391201	Custom Frame Layout: One Chassis	\$1,380	0#
6391202	Custom Frame Layout: Two Chassis	\$690	0#
6391203	Custom Frame Layout: 3-4 Chassis	\$375	0#
6391205	Custom Frame Layout: 5-9 Chassis	\$200	0#
6391210	Custom Frame Layout: 10-24 Chassis	\$100	0#
6391225	Custom Frame Layout: 25-49 Chassis	\$40	0#
6391250	Custom Frame Layout: 50 or more Chassis	\$30	0#
6679856	Final End-of-Frame Cut-Off Dimension Will be modified to less than or equal to 45 in.	\$0	0#
6679857	Final End-of-Frame Cut-Off Dimension Will be modified to 46 in. to 50 in.	\$0	0#
6679858	Final End-of-Frame Cut-Off Dimension Will be modified to 51 in. to 55 in.	\$0	0#
6679859	Final End-of-Frame Cut-Off Dimension Will be modified to 56 in. to 60 in.	\$0	0#
6679860	Final End-of-Frame Cut-Off Dimension Will be modified to 61 in. to 65 in.	\$0	0#
6679862	Final End-of-Frame Cut-Off Dimension Will be modified to 66 in. to 74 in.	\$0	0#
6679864	Final End-of-Frame Cut-Off Dimension Will be modified to greater than or equal to 75 in.	\$0	0#
6679914	Any Changes to Rear Cab/Sleeper Area Must Comply w/FMCSR 399.	\$0	0#
6679915	Customer-Installed Bulkhead and/or Headache rack.	\$0	0#
6679995	Customer Will Install Structural End-of-Frame crossmember before vehicle is placed in service.	\$0	0#
6790003	Special Frame Drill: Dealer to Provide Drawing with dimensions and revision level. Acceptable hole diameters range from 10.2 mm to 40.4 mm. Preferred file format is .pdf. Not for use for rear suspension, fifth wheel or other published frame drilling code. Does not replace clear frame space requests or custom frame layout.	\$1,390	0#
Fifth Wheels			
Holland Fixed Fifth Wheels			
6541232	Fifth Wheel: Fixed, Holland FW17Y700XL00 7.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,654	378#
6541234	Fifth Wheel: Fixed, Holland FW17Y800XL00 8.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,657	383#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Fixed Fifth Wheels			
6541236	Fifth Wheel: Fixed, Holland FW17Y900XL00 9.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,660	388#
6541272	Fifth Wheel: Fixed, Holland FW17Z600XL00 5.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,766	333#
6541273	Fifth Wheel: Fixed, Holland FW17Z700XL00 6.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,770	341#
6541275	Fifth Wheel: Fixed, Holland FW17Z800XL00 7.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,774	351#
6541276	Fifth Wheel: Fixed, Holland FW17Z900XL00 8.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,772	343#
6541548	Fifth Wheel: Fixed, Holland FW35-S10268-XL 8.5 in. Inboard w/ .5in. angles 55K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,293	381#
6541551	Fifth Wheel: Fixed, Holland FW35-07690-1 9.5 in. Outboard mounting angles, heavy-duty mounting plate, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,423	351#
6541570	Fifth Wheel: Fixed, Holland FW35-7727XL19 11.76 in. height and Kompensator mechanism. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,743	721#
6541572	Fifth Wheel: Fixed, Holland FW35-7727XL19 11.76 in. height. Kompensator with lockout feature. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,935	736#
6541573	Fifth Wheel: Fixed, Holland FW35-7729XL19 9.76 in. height. Kompensator with lockout feature. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,700	672#
6541670	Fifth Wheel: Fixed, Holland FW35Y600XL00 6.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,613	396#
6541672	Fifth Wheel: Fixed, Holland FW35Y700XL00 7.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,616	355#
6541673	Fifth Wheel: Fixed, Holland FW35Y700XR00 7.00 in. height. Outboard mounting angles, 55K vertical rating, RH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,616	391#
6541675	Fifth Wheel: Fixed, Holland FW35Y800XL00 8.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,618	401#

Option	Description	Price	Weight
Fifth Wheels			
Holland Fixed Fifth Wheels			
6541678	Fifth Wheel: Fixed, Holland FW35Y900XL00 9.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,622	412#
6541685	Fifth Wheel: Fixed, Holland FW35Z600XL00 5.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,860	370#
6541687	Fifth Wheel: Fixed, Holland FW35Z700XL00 6.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,865	363#
6541689	Fifth Wheel: Fixed, Holland FW35Z800XL00 7.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,869	363#
6541690	Fifth Wheel: Fixed, Holland FW35Z800XR00 7.62 in. height. Outboard mounting angles, 55K vertical rating, RH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,909	363#
6541692	Fifth Wheel: Fixed, Holland FW35Z800XL80 7.62 in. height. Air operated KP release. Outboard mounting angles, 55K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,288	388#
6541693	Fifth Wheel: Fixed, Holland FW35Z900XL00 8.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,867	375#
6541695	Fifth Wheel: Fixed, Holland FW35Z900XR00 8.62 in. height. Outboard mounting angles, 55K vertical rating, RH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,928	381#
6541752	Fifth Wheel: No-Tilt Fixed, Holland FW35N800YL00 8.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,263	489#
6541753	Fifth Wheel: No-Tilt Fixed, Holland FW35N900YL00 9.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,263	489#
6561554	Fifth Wheel: Aluminum Fixed, Holland FWALZ600XL00 6.3 in. height, plate mount.	\$3,810	278#
Jost Fixed Fifth Wheels			
6591043	Fifth Wheel: Fixed, Jost JSK37USB-PM7X 7.16 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,596	427#
6591046	Fifth Wheel: Fixed, Jost JSK37USB-PM9X 9.16 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,613	438#
6591059	Fifth Wheel: Fixed, Jost JSK37USB-DB6X 5.85 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,556	359#

Option	Description	Price	Weight
Fifth Wheels			
Jost Fixed Fifth Wheels			
6591060	Fifth Wheel: Fixed, Jost JSK37USB-DB7X 6.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,583	361#
6591061	Fifth Wheel: Fixed, Jost JSK37USB-DB8X 7.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,602	365#
6591062	Fifth Wheel: Fixed, Jost JSK37USB-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,608	372#
6591176	Fifth Wheel: Fixed, Jost JSK37USA-DB8X 7.85 in. height. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,951	368#
Holland Air-Sliding Fifth Wheels			
6543021	Fifth Wheel: ILS<=40K air Hol FW35J712XL00 12 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,300	473#
6543046	Fifth Wheel: ILS<=40K air Hol FW17J912XL00 12 in. slide, 8.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,072	449#
6543047	Fifth Wheel: ILS<=40K air Hol FW17J812XL00 12 in. slide, 7.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,070	445#
6543210	Fifth Wheel: ILS<=40K air Hol FW35J724XL00 24 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,462	521#
6543222	Fifth Wheel: ILS<=40K air Hol FW35J812XL00 12 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,303	471#
6543226	Fifth Wheel: ILS<=40K air Hol FW35J824XL00 24 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,465	518#
6543240	Fifth Wheel: ILS<=40K air Hol FW35J912XL00 12 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,370	475#
6543339	Fifth Wheel: ILS<=40K air Hol FW33J812XL00 12 in. slide, 8.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,652	496#
6543341	Fifth Wheel: ILS<=40K air Hol FW33J712XL00 12 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,652	488#

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543343	Fifth Wheel: ILS<=40K air Hol FW33J724XL00 24 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,889	538#
6543345	Fifth Wheel: ILS<=40K air Hol FW33J736XL00 36 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,898	586#
6543350	Fifth Wheel: ILS<=40K air Hol FW33J824XL00 24 in. slide, 8.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,890	543#
6543352	Fifth Wheel: ILS<=40K air Hol FW33J836XL00 36 in. slide, 8.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,959	591#
6543356	Fifth Wheel: ILS<=40K air Hol FW33J912XL00 12 in. slide, 9.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,652	500#
6543358	Fifth Wheel: ILS<=40K air Hol FW33J924XL00 24 in. slide, 9.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,782	547#
6543360	Fifth Wheel: ILS<=40K air Hol FW33J936XL00 36 in. slide, 9.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,915	595#
6543400	Fifth Wheel: ILS<=40K air Hol FW17J712XL00 12 in. slide, 6.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,087	441#
6543403	Fifth Wheel: ILS<=40K air Hol FW17J724XL00 24 in. slide, 6.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,403	488#
6543415	Fifth Wheel: ILS<=40K air Hol FW17J824XL00 24 in. slider, 7.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,254	493#
6543427	Fifth Wheel: ILS<=40K air Hol FW17J924XL00 24 in. slider, 8.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,257	497#
6543897	Fifth Wheel: ILS Air, Hol FW33L918XL00 18.0 in. slide, 9.11 in. height. Low lube, inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,273	538#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6544021	Fifth Wheel: ILS Air, Hol FW35L718XL00 18.0 in. slide, 7.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,632	554#
6544026	Fifth Wheel: ILS Air, Hol FW35L918XL00 18.0 in. slide, 9.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,637	564#
6544027	Fifth Wheel: ILS Air, Hol FW35L924XL00 24.0 in. slide, 9.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,630	550#
6544030	Fifth Wheel: ILS Air, Hol FW35L018XL00 18.0 in. slide, 10.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,694	577#
6560002	Fifth Wheel: Air, ILS Holland, FWALJ712XL00 12in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$4,404	397#
6560003	Fifth Wheel: Air, ILS Holland, FWALJ724XL00 24in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$4,519	444#
6560006	Fifth Wheel: Air, ILS Holland, FWALJ812XL00 12in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$4,456	402#
6560007	Fifth Wheel: Air, ILS Holland, FWALJ824XL00 24in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$4,914	449#
6560055	Fifth Wheel: Air, ILS Holland, FWALJ912XL00 12in. slide, 9.0in. height. Aluminum, outboard mounted.	\$4,460	406#
6560056	Fifth Wheel: Air, ILS Holland, FWALJ924XL00 24in. slide, 9.0in. height. Aluminum, outboard mounted.	\$4,527	453#
Customer-Installed Fifth Wheels			
6600201	Fifth Wheel: Fixed, Dealer & Customer-Installed	\$0	0#
6600202	Fifth Wheel: Slide, Dealer & Customer-Installed 12 inches.	\$0	0#
6600205	Fifth Wheel: Slide, Dealer & Customer-Installed over 36 inches.	\$0	0#
Jost Air-Sliding Fifth Wheels			
6593071	Fifth Wheel: Air, Jost JSK37USB-A8PX12 12.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,246	524#
6593072	Fifth Wheel: Air, Jost JSK37USB-A8PX16 16.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,288	537#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Jost Air-Sliding Fifth Wheels			
6593073	Fifth Wheel: Air, Jost JSK37USB-A8PX24 24.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,375	559#
6593082	Fifth Wheel: Air, Jost JSK37USB-A9PX24 24.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,385	566#
6593087	Fifth Wheel: Air, Jost JSK37USB-A9PX12 12.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,247	531#
6593088	Fifth Wheel: Air, Jost JSK37USB-A9PX16 16.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,298	542#
6593090	Fifth Wheel: Air, Jost JSK37USB-A7PX12 12.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,242	520#
6593091	Fifth Wheel: Air, Jost JSK37USB-A7PX16 16.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,284	531#
6593092	Fifth Wheel: Air, Jost JSK37USB-A7PX24 24.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,390	555#
Fixed Fifth Wheel Placement			
6607023	Fifth Wheel: Fixed Angle Drilled for 4 Additional settings in 2 in. increments. Includes coded setting plus 2 settings ahead and 2 behind. Use with code 6670496-504 to determine the factory setting relative to the coded fixed setting.	\$695	0#
6607024	Fifth Wheel: Fixed Angle Drilled for 8 Additional settings in 2 in. increments. Includes coded setting plus 4 settings ahead and 4 behind. Use with code 6670494-508 to determine the factory setting relative to the coded fixed setting.	\$695	0#
6670494	Fix Fifth Wheel Placement at -6 in. from Coded rear or fixed setting for use with 6607024 angle drill. Determines factory setting for fixed fifth wheels only.	\$0	0#
6670495	Fix Fifth Wheel Placement at -8 in. from Coded rear or fixed setting for use with 6607024 angle drill. Determines factory setting for fixed fifth wheels only.	\$0	0#
6670496	Fix Fifth Wheel Placement at -4 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 4 inches behind the coded rear setting. That would allow for 4 optional settings ahead, each spaced 2 inches apart.	\$0	0#
6670498	Fix Fifth Wheel Placement at -2 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 2 inches behind the coded rear setting. That would allow for 3 optional settings ahead and 1 optional setting behind, each spaced 2 inches apart.	\$0	0#

Option	Description	Price	Weight
--------	-------------	-------	--------

Fifth Wheels

Fixed Fifth Wheel Placement

6670500	Fix Fifth Wheel Placement at 0 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel at the coded rear setting. That would allow for 2 optional settings ahead and two optional settings behind, each spaced 2 inches apart.	\$0	0#
6670502	Fix Fifth Wheel Placement at +2 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 2 inches ahead the coded rear setting. That would allow for 1 optional setting ahead and 3 optional settings behind, each spaced 2 inches apart.	\$0	0#
6670504	Fix Fifth Wheel Placement at +4 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 4 inches ahead the coded rear setting. That would allow for 4 optional settings behind, each spaced 2 inches apart.	\$0	0#
6670506	Fix Fifth Wheel Placement at +6 in. from Coded rear or fixed setting for use w/ 6607024 angle drill. Use to determine factory setting for fixed fifth wheels only.	\$0	0#
6670508	Fix Fifth Wheel Placement at +8 in. from Coded rear or fixed setting for use w/ 6607024 angle drill. Use to determine factory setting for fixed fifth wheels only.	\$0	0#

Fifth Wheel Equipment

6600033	Aluminum Fifth Wheel Angles Replacing Steel on fixed or outboard mounted sliding fifth wheels.	\$262	-30#
6600052	Steel Angle for Customer-Installed Fifth Wheel. For outboard mounted fixed or up to 36.7in. slide fifth wheel w/ o plate drill.	\$572	77#
6600053	Steel Angle for Customer-Installed Fifth Wheel. For outboard mounted fifth wheel. Narrate fifth wheel model & slide; w/ plate drill.	\$806	77#
6602010	Fifth Wheel Ramps. Requires Standard or Short tractor taper bent and weld.	\$544	22#
6603011	Mounting Plate: Aluminum for Fixed Fifth Wheel replacing standard steel base plate. Adds 0.25 in. to height.	\$95	-35#

Rear Frame Equipment

Quarter Fenders

6734005	Quarter Fenders: Stainless Steel W/ Painted Steel brackets, single post mounted.	\$361	55#
6737120	Quarter Fenders: Black Polypropylene W/ Painted steel brackets, single post mounted, 21 in. white top flap with logo.	\$193	43#

End-Of-Frame Configurations

Non-Towing Configuration

6741011	Square End-of-Frame W/ Crossmember; Non-Towing.	\$145	41#
6741023	Square End-of-Frame W/ Bolted Crossmember, non-towing.	\$219	41#
6742009	Square End-of-Frame W/O Crossmember; Non-Towing.	STD	0#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rear Frame Equipment			
End-Of-Frame Configurations			
Non-Towing Configuration			
6743109	Tractor Taper W/ Heavy-Duty Crossmember. Non-towing end-of-frame configuration.	\$217	63#
6743111	Tractor Taper W/ Crossmember. Non-Towing end-of-frame configuration.	\$142	29#
6744121	Tractor Taper W/O Crossmember. Non-Towing end-of-frame configuration.	\$45	0#
6744122	Short Tractor Taper W/O Crossmember. Non-Towing end-of-frame configuration.	\$35	0#
6744123	Short Tractor Taper Bent & Welded W/O Cross member. Non-towing end-of-frame configuration.	\$35	0#
6746131	Top Flange of Rear Frame Bent & Welded W/O crossmember. Non-towing end-of-frame configuration.	\$35	0#
Hooks & Chain Loops			
6490044	2 Pro-Tech Chain Hangers 35-5950CP W/ Cable Pins and removable lids.	\$673	30#
6490144	1 Pro-Tech Chain Hanger, 35-5950CP LH Rail With removable lid & cable pin.	\$337	15#
6490145	1 Pro-Tech Chain Hanger, 35-5950CP RH Rail with removable lid & cable pin.	\$337	15#
6710029	Premier 370 Air-Operated Hook, rated 90,000 LB horizontal, 18,000 lb vertical.	\$1,920	45#
6710080	Two Rams Horn Open Rear Tow Hooks, Not for trailer towing.	\$122	17#
6710157	Holland: PH-30RP41 Pintle Hook Mounted on 15,000 lb rear suspension crossmember for use with Airglide suspensions. For yarding dollies, no trailers. 6,000lb vertical rating.	\$104	11#
6710158	Holland: PH-30RP41 Pintle Hook Mounted on 15,000 lb rear suspension crossmember for use with Reyco, Hendrickson HAS or Neway suspensions. For yarding dollies, no trailers. 6,000 lb vertical rating.	\$209	11#
6792810	Safety Chain Loops - Dual.	\$125	2#
Pintle Hook Height			
6712024	Maximum Unladen Rear Hook Height is 24 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712025	Maximum Unladen Rear Hook Height is 25 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712026	Maximum Unladen Rear Hook Height is 26 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rear Frame Equipment			
Pintle Hook Height			
6712027	Maximum Unladen Rear Hook Height is 27 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712028	Maximum Unladen Rear Hook Height is 28 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712029	Maximum Unladen Rear Hook Height is 29 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712030	Maximum Unladen Rear Hook Height is 30 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712031	Maximum Unladen Rear Hook Height is 31 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712032	Maximum Unladen Rear Hook Height is 32 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712033	Maximum Unladen Rear Hook Height is 33 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712034	Maximum Unladen Rear Hook Height is 34 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712035	Maximum Unladen Rear Hook Height is 35 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712036	Maximum Unladen Rear Hook Height is 36 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712037	Maximum Unladen Rear Hook Height is 37 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Rear Frame Equipment

Pintle Hook Height

6712038	Maximum Unladen Rear Hook Height is 38 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712039	Maximum Unladen Rear Hook Height is 39 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712040	Maximum Unladen Rear Hook Height is 40 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#

Rear Mudflap Equipment

Arms

6721100	Rear Mudflap Arms: Betts B-23 Spring Loop Type, straight.	\$97	5#
6721102	Rear Mudflap Arms: Betts B-25 Standard-Duty, straight. Includes B1732 mounting brackets as standard.	\$79	12#
6721108	Rear Mudflap Arms: Betts B33, Spring Loop Type, angled.	\$103	19#
6721110	Rear Mudflap Arms: Betts B35, Shortened W/ 45 degree angle.	\$80	0#
6721144	Rear Mudflap Arms: Fleetline FF30SS, Tapered spring loaded & stainless steel.	\$306	20#
6721163	Rear Mudflap Arms: Fleet Engineers, FB27 Shortie 033-04734. Conspicuity on extended flange. 45 degree angle, painted black RoadKote.	\$119	22#

Shields

6722000	Rear Mudflap Shields: White Plastic Antisail W/ Kenworth logo.	\$63	9#
6722065	Rear Mudflap Shields: Black Rib Poly. Anti-Spray without logo.	\$57	2#
6722094	Rear Mudflap Shields: Black Rubber Anti-Sail without logo. 28 in. wide, 0.25 in. thick.	\$104	17#
6723287	Rear Mudflap Shields: Fleet Engineers AeroFlap. Black, polypropylene material. Without Kenworth logo. Not for use with Kenworth Aero Package.	\$97	4#

Mudflap Equipment

6721030	Extra Set of Betts B-1732 Storage Brackets. mounted forward of drive axle(s).	\$31	3#
6722150	Mounting Adapter: Fleet Engineers, Black Primer.	\$79	5#

Delivery Restriction Notifications

6679804	Do Not Drive: Marker Lights are Deleted. Unit may be decked. Transporter review delivery options. Requires code 9029025.	\$0	0#
---------	--	-----	----



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Delivery Restriction Notifications			
6679806	Do Not Drive: Bumper is Deleted. Unit may be decked. Transporter review delivery options. Requires code 6309910 or 6309912.	\$0	0#
6679812	Speed Limited Tires: Less than 65MPH. Dealer to review delivery options w/transporter.	\$0	0#
6679823	Dealer to Review Delivery Restrictions W/ transporter. Units equipped with transfer case.	\$0	0#
6679828	Chassis too Long for Delivery in Standard 3 Way due to long cutoff. Dealer to review delivery options w/ transporter.	\$0	0#
6679836	Dealer Review Delivery Restrictions W/ transporter. Chassis lacking required safety equipment such as fenders, lighting, or bumpers & cannot be driven but may be decked.	\$0	0#
6679911	Component Restriction: Do Not Drive- Unit May be decked.	\$0	0#



T380: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Round			
Hydraulic			
Tank Location			
7889803	Hydraulic Tank Location Right Side Behind Cab.	\$0	0#
7889804	Hydraulic Tank Location Left Side Behind Cab.	\$0	0#
Tank Fittings Location			
7889810	2 Hydraulic Tank Fittings, Forward Top, Bottom.	\$0	0#
7889811	2 Hydraulic Tank Fittings, Rear Top, Bottom.	\$0	0#
7889812	2 Hydraulic Tank Fittings, 1 Forward Bottom, 1 rear bottom.	\$0	0#
7889819	4 Hydraulic Tank Fittings, 2 Forward Top/ bottom, 2 rear top/bottom.	\$284	0#
Rectangular Steel			
Behind - Replace			
7134545	Fuel Tank: 45 US Gallon Rectangular Steel Inframe replace. Mounted behind the rear axle. Includes auxiliary fuel supply tube. Single fuel tank fuel system.	\$2,107	15#
7134570	Fuel Tank: 70 US Gallon Rectangular Steel Inframe replace. Mounted behind the rear axle. Includes auxiliary fuel supply tube. Single fuel tank fuel system.	\$2,689	55#
D-Shape Rectangular			
Aluminum Diesel			
Under - Replace			
7140050	50 US Gallon D-Shape Rectangular Aluminum Under fuel tank, replace. With non-slip step.	STD	0#
7140060	60 US Gallon D-Shape Rectangular Aluminum Under fuel tank, replace. With non-slip step.	\$33	0#
7140070	70 US Gallon D-Shape Rectangular Aluminum Under fuel tank, replace. With non-slip step.	\$93	0#
7140080	80 US Gallon D-Shape Rectangular Aluminum Under fuel tank, replace. With non-slip step.	\$283	30#
7140100	100 US Gallon D-Shape Rectangular Aluminum Under fuel tank, replace. With non-slip step.	\$345	31#
Under - Add			
7142050	50 US Gallon D-Shape Rectangular Aluminum Under fuel tank, additional. With non-slip step.	\$1,291	115#
7142060	60 US Gallon D-Shape Rectangular Aluminum Under fuel tank, additional. With non-slip step.	\$1,324	116#
7142070	70 US Gallon D-Shape Rectangular Aluminum Under fuel tank, additional. With non-slip step.	\$1,383	116#
7142080	80 US Gallon D-Shape Rectangular Aluminum Under fuel tank, additional. With non-slip step.	\$1,539	145#
7142100	100 US Gallon D-Shape Rectangular Aluminum Under fuel tank, additional. With non-slip step.	\$1,600	146#



T380: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
D-Shape Rectangular			
Aluminum Diesel			
Behind - Replace			
7144050	50 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, replace.	(\$75)	-22#
7144060	60 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, replace.	(\$41)	-21#
7144070	70 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, replace.	\$19	-21#
7144080	80 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, replace.	\$209	9#
7144100	100 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, replace.	\$271	10#
Behind - Add			
7146050	50 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, additional.	\$1,216	93#
7146060	60 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, additional.	\$1,249	94#
7146070	70 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, additional.	\$1,310	94#
7146080	80 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, additional.	\$1,464	124#
7146100	100 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, additional.	\$1,526	125#
Aluminum Hydraulic			
Behind - Add			
7746050	50 US Gallon D-Shape Rectangular Aluminum BOC hydraulic tank, additional.	\$1,482	108#
7746070	70 US Gallon D-Shape Rectangular Aluminum BOC hydraulic tank, additional.	\$1,568	108#
Bright Finish			
Polished Aluminum			
7840015	Polish Only One Aluminum Tank.	\$142	0#
7840029	Polish Only Two Aluminum Tanks.	\$285	0#
Polished Stainless Steel			
7889061	Polished Stainless Steel Tank Straps for 1 Tank.	\$95	0#
7889062	Polished Stainless Steel Tank Straps for 2 Tanks.	\$190	0#
Fuel Tank Equipment			
Fuel Tank Steps			
7839006	Polished Fuel Tank Steps.	\$29	0#
7839715	Ladder-Type Step Below Fuel Tank Under Cab - LH side.	\$221	9#



T380: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Fuel Tank Equipment

Fuel Tank Steps

7839716	Ladder-Type Step Below Fuel Tank Under Cab - RH side.	\$221	9#
---------	---	-------	----

Tank Plumbing Equipment

7889368	Fuel Tank Drain Plug.	\$5	0#
---------	-----------------------	-----	----

Tank Miscellaneous

7884051	CNG BOC, BOS Cabinet Height - Low. Measurement is less than or equal to low roof range.	\$0	0#
---------	---	-----	----

7884052	CNG BOC, BOS Cabinet Height - Mid. Measurement is greater than low roof but less than high roof range.	\$0	0#
---------	--	-----	----

7884053	CNG BOC, BOS Cabinet Height - High. Measurement is greater than or equal to high roof range.	\$0	0#
---------	--	-----	----

7884054	CNG/LNG Frame Rail Mounted Tank Only.	\$0	0#
---------	---------------------------------------	-----	----

7884055	CNG Body Mounted Cabinet Only.	\$0	0#
---------	--------------------------------	-----	----

7884056	CNG Body Mounted Cabinet with Frame Mounted Tank.	\$0	0#
---------	---	-----	----

7884057	CNG BOC, BOS Mounted Cabinet Only.	\$0	0#
---------	------------------------------------	-----	----

7884058	CNG BOC, BOS Mounted Cabinet with Frame Mounted Tank.	\$0	0#
---------	---	-----	----

7889006	Fuel Fill Forward Tank(s) BOC.	\$0	0#
---------	--------------------------------	-----	----

7889007	Fuel Fill: Center of Tank(s) BOC. Not available on fuel tanks with 3 supports or with full or partial chassis fairings.	\$0	0#
---------	---	-----	----

7889018	Fuel Fill: Rear, Tank(s) BOC	\$0	0#
---------	------------------------------	-----	----

7889021	Fuel Tank Locking Cap(s). Not Available W/ hydraulic tank. Tank lock does not match ignition/cab/sleeper locks.	\$37	0#
---------	---	------	----

7889245	Anti-Siphon Device in Fuel Tank Filler Neck. For any number of fuel tanks.	\$46	1#
---------	--	------	----

Tank Location

7910050	Location: 50 gal fuel tank RH under cab.	STD	0#
---------	--	-----	----

7910060	Location: 60 gal fuel tank RH under cab.	\$0	0#
---------	--	-----	----

7910070	Location: 70 gal fuel tank RH under cab.	\$0	0#
---------	--	-----	----

7910080	Location: 80 gal fuel tank RH under cab.	\$0	0#
---------	--	-----	----

7910100	Location: 100 gal fuel tank RH under cab.	\$0	0#
---------	---	-----	----

7920050	Location: 50 gal fuel tank LH under cab.	\$0	0#
---------	--	-----	----



T380: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Tank Location			
7920060	Location: 60 gal fuel tank LH under cab.	\$0	0#
7920070	Location: 70 gal fuel tank LH under cab	\$0	0#
7920080	Location: 80 gal fuel tank LH under cab.	\$0	0#
7920100	Location: 100 gal fuel tank LH under cab.	\$0	0#
7930050	Location: 50 gal fuel tank RH behind cab.	\$0	0#
7930060	Location: 60 gal fuel tank RH behind cab.	\$0	0#
7930070	Location: 70 gal fuel tank RH behind cab	\$0	0#
7930080	Location: 80 gal fuel tank RH behind cab.	\$0	0#
7930100	Location: 100 gal fuel tank RH behind cab.	\$0	0#
7940000	Delete standard fuel tank location.	\$0	0#
7940050	Location: 50 gal fuel tank LH behind cab.	\$0	0#
7940060	Location: 60 gal fuel tank LH behind cab.	\$0	0#
7940070	Location: 70 gal fuel tank LH behind cab	\$0	0#
7940080	Location: 80 gal fuel tank LH behind cab.	\$0	0#
7940100	Location: 100 gal fuel tank LH behind cab.	\$0	0#
7952045	Location: 45 Gal Fuel Tank Inframe Behind Rear axle.	\$0	0#
7952070	Location: 70 Gal Fuel Tank Inframe Behind Rear axle.	\$0	0#

DEF Tanks & Equipment

Tanks

7722170	Small DEF Tank, 5.5 Gallons.	STD	0#
7722173	Large DEF Tank, 15 Gallons.	\$263	26#

DEF Tank Miscellaneous

7840038	Polished Cover for 1 DEF Tank Any Size.	\$241	3#
7889203	DEF to Fuel Fill Ratio 2:1 or Greater.	\$0	0#
7889204	DEF to Fuel Fill Ratio Between 1:1 and 2:1.	STD	0#
7889206	Minimum Required DEF to Fuel Fill Ratio.	\$0	0#



T380: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
DEF Tanks & Equipment			
DEF Tank Miscellaneous			
7889208	DEF to fuel fill ratio between 1.25:1 and 2:1.	\$0	0#
DEF Tank Location			
7889606	DEF Tank Location is LH Under Cab.	\$0	0#
7889613	DEF Tank Location is RH BOC. For 2.1M Medium-Duty	\$0	0#
7889614	DEF Tank Location is LH BOC. For 2.1M Medium-Duty	STD	0#
Tank Miscellaneous			
7210000	Delete Standard Base Model Aluminum Fuel Tank. Hardware and plumbing are also deleted.	(\$955)	0#
7861010	CNG Prep Kit. Includes Pre-Wire Harness and regulator coolant loop.	\$867	5#



T380: CAB EXTERIOR

Option	Description	Price	Weight
Cabs			
8024311	Cab: Stamped Aluminum with Curved Windshield LED markers. Requires separate roof code.	STD	0#
Windows			
Rear Cab			
8871446	Rear Cab Stationary Window 19in x 36in	STD	0#
8871447	Rear Cab Stationary Window with Dark Tint 19in x 36in.	\$55	0#
8871448	Rear Cab Stationary Shatterproof Window 19in x 36in. Polycarbonate plastic window replacing standard glass window.	\$467	-6#
8871449	Rear Cab Stationary Shatterproof Window 19in x 36in with dark tint. Polycarbonate plastic window replacing standard glass window.	\$509	-6#
8873797	Rear Cab Sliding Window 19 in x 36 in	\$355	0#
8873798	Rear Cab Sliding Window with Dark Tint 19in x 36in	\$332	0#
8879922	Solid Rear Wall. Deletes Rear Cab Window.	\$0	-15#
Corner & Rear Cab			
8879917	Two Additional Outboard Windows 19in x 12in	\$149	10#
8879918	Two Additional Outboard Windows with Dark Tint 19in x 12in	\$169	10#
8879921	Two Additional Outboard Shatterproof Windows 19in x 12in. Polycarbonate plastic windows replacing standard glass windows.	\$380	2#
8879923	Two Additional Outboard Shatterproof Windows 19in x 12in. with dark tint. Polycarbonate plastic windows replacing standard glass windows.	\$405	2#
Hoods, Fenders & Grilles			
Hoods, Fenders & Grilles			
8090151	Hood: Short Aero w/ Dark Gray Crown In-Mold Color	STD	0#
8090152	Hood: Med Aero w/ Dark Gray Crown In-Mold Color	\$42	0#
8090153	Hood: Sloped Vocational w/ Stationary Grille w/ Chrome Crown	\$1,803	-24#
8090154	Hood: Short Aero w/ Chrome Crown	\$107	0#
8090155	Hood: Med Aero w/ Chrome Crown	\$95	0#
Other			
8890356	4 1/4" Molded Wheelwell Fender Extension.	\$225	0#



T380: CAB EXTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

Cab & Sleeper Aerodynamic Devices

Airshield Roof Fairing

8823013	Roof Fairing: Cab Fairing W/O Cab Extenders. Drop Shipped/Supplier Painted.	\$1,744	38#
---------	---	---------	-----

Other

8829616	Side Extenders: Daycab. Extends 19 inches from Back-of-cab. Panels extend 12 inches, and rubber trailing edge extends 7 inches.	\$762	0#
---------	---	-------	----

Cab Structure Miscellaneous

8890874	Kenworth Cab Air Suspension.	\$133	0#
---------	------------------------------	-------	----

8890881	Direct Mount, Rubber Isolated Cab Suspension.	STD	0#
---------	---	-----	----

8890939	LH Loadlock Holder Brackets. Mounted on Back of cab or sleeper.	\$222	11#
---------	---	-------	-----

8890940	RH Loadlock Holder Brackets. Mounted on Back of cab or sleeper.	\$222	11#
---------	---	-------	-----

8891011	Roof: Raised Profile, Stamped Aluminum w/ Additional Head Room & Interior Overhead Storage	\$160	0#
---------	--	-------	----

8891012	Roof: Low Profile Stamped Steel	STD	0#
---------	---------------------------------	-----	----

Cab Access

8800260	Long Grabhandle RH Side Mounted to Side-of-Cab exhaust.	\$31	2#
---------	---	------	----

8800261	Long Grabhandle RH Side Mounted to Side-of-Cab exhaust. NFPA Compliant.	\$69	0#
---------	---	------	----

8800272	Grabhandle: RH, Exterior, Side of Cab - Ergonomic Grab Handle Mounted To The Right Hand Exterior Of The Cab For Entry and Exit.	\$122	3#
---------	---	-------	----

8800372	Grabhandle: LH, Exterior, Side of Cab - Ergonomic Grab Handle Mounted To The Left Hand Exterior Of The Cab For Entry and Exit.	\$119	3#
---------	--	-------	----

8800380	Grabhandle: LH & RH SOC Non-Slip Ergonomic Grab Handles Mounted To The Left Hand and Right Hand Exterior Of The Cab For Entry and Exit. NFPA Compliant.	\$250	6#
---------	---	-------	----

8800382	Grabhandle: LH SOC Non-Slip Ergonomic Grab Handle Mounted To The Left Hand Exterior Of The Cab For Entry and Exit. NFPA Compliant.	\$138	3#
---------	--	-------	----

8800402	Dual Cab Interior Grabhandles: A Pillar Mounted Dash Wrap and B Pillar Mounted Grabhandles	STD	0#
---------	--	-----	----

8800403	Dual Cab Interior Grabhandles: Yellow, A Pillar Mtd Dash Wrap and B Pillar Mounted Grabhandles	\$57	0#
---------	--	------	----

Horns

Air Horns

8841411	Single Air Horn Under Cab.	\$100	0#
---------	----------------------------	-------	----

8841641	Air Horn: Sing Round 26" LH Roof Incl Air Horn Cover	\$170	0#
---------	--	-------	----



T380: CAB EXTERIOR

Option	Description	Price	Weight
Horns			
Air Horns			
8841642	Air Horn: Dual Round 26" LH/RH Roof Incl Air Horn Cover	\$251	0#
8841643	Air Horn: Quad Round 23"/26" LH/RH Roof Incl Air Horn Cover	\$445	0#
Other			
8845106	Air Horn Valve, Pull Cord and Plumbing to the Firewall Bulkhead for C/I Air Horn. If the chassis has hydraulic brakes, it will require code 1000307 for Accessory air system for hydraulic brakes.	\$56	0#
Mirrors & Equipment			
8850831	Mirror: RH Hood Mounted, Dual View, Round CX Chrome	\$104	4#
8850832	Mirror: LH Hood Mounted, Dual View, Round Chrome	\$104	4#
8850877	Mirror: RH Hood Mounted Black Rectangle Convex	\$126	0#
8850878	Mirror: LH Hood Mounted Black Rectangle Convex	\$126	0#
Dual Rear View Mirrors			
8850841	Mirror Shell: Dual Aero Chrome	\$148	0#
8850842	Mirror Shell: Dual Aero In-Mold Black	STD	0#
8860851	Mirror: Dual KW Aero Rear View Non-Motor, heated with Integral CX	\$99	0#
8860852	Mirror: Dual KW Aero Rear View Motor, heated with Integral CX.	\$66	0#
8860853	Mirror: Dual KW Aero Rear View Non-Motor, Non-Heated with Integral CX	STD	0#
Diminishing Convex Mirror			
Rider Side			
8850139	Look-Down, Pass. Door, Black 11x6	STD	0#
8850144	Delete Pass. Door Look-Down Mirror	\$0	-2#
Hood Mounted			
8850812	Mirror: LH Hood Mounted, Round Convex, Chrome	\$102	4#
8850813	Mirror: RH Hood Mounted, Round Convex, Chrome	\$102	4#
Window Equipment			
Windshield & Equipment			
8890101	One-Piece Bonded-In Windshield With Curved Glass. Standard.	STD	0#



T380: CAB EXTERIOR

Option	Description	Price	Weight
Window Equipment			
Exterior Sunvisors			
8890135	Exterior Stainless Steel Sunvisor.	\$761	11#
Doors & Equipment			
Doors			
8832113	Kenworth Daylite Door With Standard LH/RH electric door locks and LH/RH electric window controls.	STD	0#
Door Lock Options			
8203056	Unspecified Tumbler P/N. All Chassis Keyed Alike Includes ignition, cab doors & if applicable, sleeper tool box door. 2.1m models, requires 2+ chassis. G key will not work on new P lock and ignition.	\$95	0#
8203060	5 Sets of Keys. Replaces Standard 2 Sets of Keys.	\$34	0#
8203191	Customer Specified Tumbler P/N. All Chassis keyed alike if applicable. Includes ignition, cab doors & if applicable, sleeper tool box door. 2.1m models. G key will not work on new P lock and ignition.	\$347	0#
Other			
8700188	Remote Keyless Entry	\$387	0#
8700283	LH and RH Trip Ledge Rain Deflectors	STD	0#



T380: CAB INTERIOR

Option	Description	Price	Weight
Cabs & Sleepers			
Interior			
8330591	Interior Trim Package: 2.1M MD Gray Foam Backing/Cloth Headliner W/Gray Sunvisor & Seat Color Three Underdash Center Console Cupholders (Two If Allison Transmission Is Selected).	STD	0#
Interior Lights			
8700161	Footwell Light: Red Lens & Switch	\$12	0#
Heaters & Air Conditioning			
8108011	Cab HVAC - Day Cab and 40 in. Sleeper System With Defrost, A/C, and 48,000 BTU/hr Heater. Includes automatic temperature control with one touch defrost operation and dash mounted cab temperature and solar intensity sensors. Pleated fresh air filter and cabin recirculation air filter standard. The Kenworth HVAC system is designed to provide optimal heating and cooling in all operating environments without need for additional insulation. Cab HVAC without sleeper heater AC is available with 40in sleeper.	STD	0#
Miscellaneous			
8108002	Fine Particulate Filter for Cabin Air HVAC system. To provide extra filtration in high dust applications. Cabin airflow is reduced with this additional filter. *Cannot be used with code 8108003.	\$35	0#
8108003	Ember Filter For Cabin Air. Used to keep embers out of the HVAC filter element. Cannot be used with code 8108002.	\$34	2#
8190564	Air Conditioning Excise Tax: Canadian Registry	\$175	0#
Steering Wheels & Equipment			
8201013	Steering Wheel: 18 in. 4-Spoke.	STD	0#
8201047	Kenworth Smartwheel: 18 in. Non-Leather With Integrated Radio and Cruise Controls.	\$116	0#
8201053	Column Mtd Transmission Control W/O Retarder Control, RH Side. Use with Automated and Automated Manual Transmissions Only.	STD	0#
Other			
8201200	Adjustable Telescoping Tilt Steering Column.	STD	0#
Instruments & Controls			
8240620	Canadian Instrument Package: KPH Speedometer replaces MPH.	\$0	0#
8282006	Odometer Units Locked to Match Speedometer Dial. Locks instrumentation to record the units of measure indicated by the primary scale. For instance, U.S. Domestic trucks would not be able to toggle from miles to kilometers on the trip odometer.	\$0	0#
8282024	Main Instrument Package: 7" Digital Display Cluster. Includes Physical (Analog): Speedometer, Tachometer, Oil Pressure, and Coolant Temp; and Digital: Fuel Level #1, DEF Level, DPF Filter Status, Fuel Economy, Volts Telltale, OAT and Primary Air Pressure, Secondary Air Pressure, and Air Application for air brake trucks.	STD	0#



T380: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
8282025	Main Instrument Package: Gas Engine 7" Digital Display Cluster. Includes Physical (Analog): Speedometer, Tachometer, Oil Pressure, and Coolant Temp; and Digital: Fuel Level #1, Volts Telltale, OAT and Primary Air Pressure, Secondary Air Pressure, and Air Application for air brake trucks.	\$0	0#
Gauges			
8220106	Gauge: Dash Mounted Air Filter Restriction Gauge.	\$122	0#
8220112	Virtual Gauge: NavPlus HD Air Filter Restriction Gauge.	\$98	0#
8221100	Gauge: 2 Air Suspension Pressure Gauges. For Use w/air suspension w/dual leveling valves.	\$228	0#
8221105	Gauge: Air Application Gauge.	\$46	0#
8221138	Gauge: Air Suspension Pressure Gauge. For dual leveling valves, not dual read.	\$255	0#
8221144	Gauge: Air Suspension Pressure Gauge.	\$110	0#
8221158	Virtual Gauge: NavPlus HD Air Suspension Pressure Gauge. For use with air suspension with dual leveling valves. Not Dual Read. An air suspension pressure monitoring gauge is available with request for an air suspension. This gauge is for use with dual leveling valves, air suspensions, or suspensions that have a single valve with request for optional dual leveling valves.	\$213	0#
8221159	Virtual Gauge: NavPlus HD Air Suspension Pressure Gauge. For use with a single leveling valve. An air suspension pressure monitoring gauge is available with request for an air suspension.	\$75	0#
8222115	Gauge: All Metric Gauges, Except Digital Display pressure gauges in psi.	\$0	0#
8222400	Gauge: DD Virtual Gauge - Air Suspension Pressure 1	\$72	0#
8222402	Gauge: DD Virtual Gauge - Trailer Reservoir	\$74	0#
8222403	Gauge: DD Virtual Gauge - Trailer Brake Application	\$55	0#
8222406	Gauge: DD Virtual Gauge - Ammeter	\$30	0#
8222407	Gauge: DD Virtual Gauge - Axle Temp Forward Rear Or Single Rear	\$95	0#
8222408	Gauge: DD Virtual Gauge - Axle Temp Rear Rear	\$91	0#
8222409	Gauge: DD Virtual Gauge - Air Filter Restriction	\$0	0#
8222410	Increased Air Filter Full Indication For Air Filter Restriction Gauge	\$0	0#
8222411	Gauge: DD Virtual Gauge - Eng Pto Hour	\$36	0#
8222412	Gauge: DD Virtual Gauge - Main Transmission Temp	\$50	0#
8222413	Gauge: DD Virtual Gauge - Manifold Pressure Boost	\$0	0#
8222414	Gauge: DD Virtual Gauge - Engine Percent Torque	\$0	0#



T380: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
Gauges			
8222418	Gauge: DD Virtual Gauge - Engine Hours Instrument Cluster	\$0	0#
8222419	Gauge: DD Virtual Gauge - Volts Instrument Cluster	\$0	0#
8222707	Delete DEF Gage, Must Use Fuel Gage W/O ULSD Text Replace DEF Gauge With Plug, ULSD is Ultra Low Sulfur Diesel Fuel	(\$20)	0#
8222712	Gauge: Fuel Filter Restriction Gauge.	\$130	0#
8222722	Gauge: Manifold Pressure Gauge. The NavPlus HD unit includes a virtual manifold pressure gauge.	\$26	0#
8224401	Gauge: Ammeter Gauge in Addition to Voltmeter. W/integral warning light.	\$81	0#
8224403	Virtual Gauge: NavPlus HD Ammeter Gauge In addition to voltmeter	\$30	0#
8225626	Gauge: Axle Oil Temperature Gauge. Single Drive axle or forward rear axle w/integral warning light.	\$145	0#
8225629	Virtual Gauge: NavPlus HD Axle Oil Temperature Gauge. Use with single drive axle or forward rear axle. When requesting this option with tandem rear axles, you will receive a single gauge with the sensor located in forward axle. A single gauge may be advantageous when dash space limits gauge count.	\$106	0#
8225661	Virtual Gauge: NavPlus HD - Axle Oil Temperature Gauge for tandem rear axle. One gauge for each axle of the tandem, for a total of 2 gauges	\$127	0#
8226667	Gauge: Oil Temperature Gauge Transmission. The NavPlus HD unit includes a virtual transmission oil temperature gauge.	\$49	0#
8282108	Modular Dash Options: RH Dash Storage Unit With two shelves. Reduces total gauge count; HD by 6 and MD by 4.	\$46	0#
Controls			
8203044	Four Position Ignition Switch, Keyless. Available for fire truck service & EMT/emergency service only.	\$56	0#
8205082	Controls on Dash for Trailer Air Suspension. Includes piping & indicator light. * Dash controls for trailer functions require that you add trailer connections to the order. * This trailer air suspension valve provides an air control. There is an option for trailer hotwire that provides an electric control wired to a dash switch. * Optional speed interlock available on T660/T680 models.	\$129	0#
8205089	Park Brake Interlock for Air Suspension Dump. (Truck/Tractor). Parking brake interlock option for air suspensions other than Hendrickson HAS or Primaax. Air suspension will not dump unless park brakes are engaged. Trailer suspension dump interlock is available	\$129	0#
8205271	Dash Mounted - Compact Valve to Actuate Rear Service Brakes Non-Self-Returning.	\$333	0#
8205272	Dash Mounted - Compact Valve to Actuate Rear Service Brakes Self-Returning.	\$331	0#
8205273	Dash Mounted - Compact Valve to Actuate All Service Brakes Self-Returning.	\$361	0#

Option	Description	Price	Weight
Instruments & Controls			
PTO Related			
8205087	Auto Suspension Dump W/PTO Engagement Interlock. This feature automatically dumps air from the truck suspension when any PTO is engaged. The intent of this feature is to deflate the air suspension air bags while the load is raised to help alleviate any imbalance or instability that can occur with the air bags inflated.	\$59	2#
8205096	Information for Customer-Installed PTO Muncie 8-BOLT	\$0	0#
8205103	Information for Customer-Installed PTO Chelsea 8-bolt.	\$0	0#
8205135	Information for Customer-Installed PTO Muncie 10-bolt.	\$0	0#
8205157	Park Brake Interlock for First PTO PTO will not engage without park brakes set. Not for use with PTOs with air controls (8205053,8205054,8205057)	\$124	0#
8205222	Park Brake Interlock for Second PTO * PTO No. 2 will not engage without park brakes set.	\$97	0#
8205227	Park Brake Interlock for PTO Air Controls * Controls will not charge with air unless park brakes are set.	\$97	0#
8205291	Info for C/I PTO: Muncie 6 Bolt	\$0	0#
8205292	Info for C/I PTO: Chelsea 6 Bolt	\$0	0#
PTO Controls			
8205052	PTO Air Control: On Dash W/ Indicator Light.	\$0	0#
8205053	PTO Air Control: Toolbox Mounted LH of Rider seat for customer-installed PTO. Park brake interlock to prevent PTO engagement unless brake is engaged is available on T680/T880	\$771	11#
8205055	PTO Air Control: On Dash W/Piping & Indicator Light For Customer-Installed Single-Speed PTO.	\$488	0#
8205164	Dash Switch: 1st Single-Acting Eaton or PACCAR Mounted PTO. Electric switch, wiring, software, air solenoids, and plumbing are factory-installed to control the 1st Eaton (single-acting) trans PTO.	\$99	0#
8205165	Dash Switch: 2nd Single-Acting Eaton-mntd PTO. Electric switch, wiring, software, air solenoids, and plumbing are factory-installed to control the 2nd Eaton (single-acting) trans PTO.	\$98	0#
8205168	Dash Switch: 1st Double-Acting Eaton or PACCAR Mounted PTO. Electric switch, wiring, software, air solenoids, inversion dump valve, amd plumbing are factory-installed to control the 1st Eaton (double-acting) trans PTO.	\$254	0#
8205171	Dash Switch: 2nd Double-Acting Eaton-mntd PTO. Electric switch, wiring, software, air solenoids, inversion dump valve, amd plumbing are factory-installed to control the 2nd Eaton (double-acting) trans PTO.	\$98	0#
8205173	Dash Switch: 1st Reversible/dbl Eaton-mntd PTO. Electric switch, wiring, software, air solenoids, inversion dump valve, amd plumbing are factory-installed to control the 1st Eaton (reversible) trans PTO.	\$167	0#
8205177	Dash Switch:1st Allison-Mounted PTO. Electric switch and wiring are factory-installed to control the 1st Allison Trans mounted PTO.	\$167	0#



T380: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
PTO Related			
PTO Controls			
8205283	Info for C/I PTO: Chelsea 10 Bolt	\$0	0#
Dash Switches			
8202996	Manual Override Switch: For Fan Hub, W/O Warning lamp. For fire truck pumpers only. Option used to request fan on only. The engine may turn fan on and off on regardless of switch.	\$23	1#
8203161	Fan to Operate When Park Brake Set.	\$13	0#
8203196	Dash Mounted Compact Trailer Brake Valve. Self Returning.	\$0	0#
8203197	Dash Mounted Compact Trailer Brake Valve. Non-Self Returning.	\$47	0#
8205012	Off-Highway Dash Switch: For ABS System. Includes indicator light.	\$52	0#
8205158	Park Brake Interlock for First Spare Accessory Electric-Over-Air Switch. Prevents activation unless Park Brake is set.	\$115	0#
8205160	Dash SW: Bendix Work Brake Electric Over Air SW To Apply All Service Brakes	\$175	5#
8205221	Park Brake Interlock for Second Spare Accessory Electric-Over-Air Switch. Prevents activation unless Park Brake is set.	\$115	0#
8205228	One (1) Spare Accessory Electric-Over-Air Switch with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on, while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608.	\$95	0#
8205229	Two (2) Spare Accessory Electric-Over-Air Switches with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on, while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608.	\$160	0#
8205230	Three (3) Spare Accessory Electric-Over-Air Switches with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on, while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608.	\$220	0#
8205231	Four (4) Spare Accessory Electric-Over-Air Switches with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on, while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608.	\$279	0#
8208474	One Spare Switch: Wired to Power. BOC Wire termination.	\$45	0#
8208475	Two Spare Switches: Wired to Power. BOC Wire termination.	\$58	0#
8208476	Three Spare Switches: Wired to Power. BOC Wire termination.	\$71	0#
8208477	Four Spare Switches: Wired To Power. BOC Wire termination.	\$84	0#
8208478	Five Spare Switches: Wired to Power. BOC Wire termination.	\$97	0#



T380: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
Dash Switches			
8208484	One Spare Switch: Wired to Power. EOF Wire termination.	\$50	0#
8208485	Two Spare Switches: Wired to Power. EOF Wire termination.	\$63	0#
8208486	Three Spare Switches: Wired to Power. EOF Wire termination.	\$76	0#
8208487	Four Spare Switches: Wired To Power. EOF Wire termination.	\$89	0#
8208488	Five Spare Switches: Wired to Power. EOF Wire termination.	\$102	0#
8208495	Two Spare Switches: Wired to Power.	\$53	0#
8208496	Three Spare Switches: Wired to Power.	\$66	0#
8208497	Four Spare Switches: Wired to Power.	\$79	0#
8208498	Five Spare Switches: Wired to Power.	\$92	0#
8208524	Seven-Way Plug: Wired to Dash Switch. For Trailer floodlight. Includes indicator light. Center pin of standard 7-way connector (J560) will be wired to a switch for trailer floodlamps. Switch has an integral indicator lamp. Requires using a second ISO 3731.	\$30	0#
8208530	Seven-Way Plug: Wired to Dash Switch for Dumpgate Includes indicator light & guard. Center pin of standard 7-way connector (J560) will be wired to a switch for dumpgate (battery power). Includes a guard & integral indicator lamp.	\$31	0#
8208549	Seven-Way Plug: Wired to Dash Switch. For Trailer power. Includes indicator light. Center pin of standard 7-way connector (J560) will be wired to a switch for trailer hotline. Switch is wired to a battery circuit & has an integral indicator lamp.	\$33	0#
8208551	Seven-Way Plug: Wired to Dash Switch. For Trailer air suspension. Center pin of standard 7-way connector (J560) will be wired to a switch for trailer hotline. Switch has an integral indicator lamp & a guard.	\$33	0#
8208553	Seven-Way Plug: Wired Through Center Wire. For use w/overflow. Center pin of standard 7-way connector (J560) wired to a switch for overflow. Battery power for key off overflow operation. Switch includes integral indicator lamp. If ABS is required, must code for ABS through ISO 3731 connector.	\$30	0#
8208559	Controls on Dash for Forward and Rear Trailer Belly Dump Gates: Includes indicator light, guard & approx 3 meters of coiled wire BOC in LH rail. Use separate codes to add ISO 3731 spare circuit wiring & IDs, if desired.	\$213	0#
8208601	Switch: W/Light & Guard For Trailer Dump Gate. Includes Approximately 3 Meters of Coiled Wire BOC in LH Rail.	\$133	0#
8208626	Lytx DriveCam SF300 System: Video Trigger Dash Switch	\$20	0#
8291002	Mute Backup Alarm W/ Buzzer in Cab.	\$165	0#
Turn Signals			
8700196	Turn Signal: Self-Cancelling	STD	0#



T380: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
Turn Signals			
8700197	Turn Signal: Non-Self Cancelling	(\$14)	0#
Other			
8203052	Remove Stop Position from Regeneration Switch. Available only with the following applications:0093000 - Linehaul; 0091090 - General Freight; 0095120 - Dry Van; 0096080 - Dry Van	\$0	0#
8209999	Spare Power Wiring For Customer Installed Devices Behind Dash Cluster. Includes 2 batt, 2 ign, 1 acc, 1 LVD at 20A each.	\$89	2#
8229005	Methane Detection System For Natural Gas Required For LNG Fueled Vehicles Optional For CNG Fueled Vehicles	\$1,453	0#
8282109	Large Flat Panel on Dash For C/I Controls. Replaces Storage Bucket.	\$11	0#
8291011	Warning Light and Audible: Drivers Side Seatbelt A telltale and audible warning activates when vehicle speed > 10 mph and driver side seatbelt is not buckled.	\$58	0#
8702221	Tire Pressure Monitoring System Next Gen Requires 48990XX tire/wheel count code for sensors.	\$417	3#
8702224	Enable Inclement Driving Condition Interlock (IDCI). Wiper level 4 is the default for this system.	\$0	0#
Seats			
Driver Seats			
8410101	Driver Seat: KW Air Seat IB Vinyl W/O Armrests /Susp Cover	STD	0#
8410102	Driver Seat: KW Air Seat HB Vinyl w/o Armrests w/ Susp Cover	\$76	0#
8410106	Driver Seat: KW Air Seat IB Tough Cloth w/o Armrests/Susp Cover	\$0	0#
8410107	Driver Seat : KW Air Seat HB Tough Cloth w/o Armrests w/ Susp Cover	\$99	0#
8410121	Driver Seat: KW Air Seat IB Vinyl w/ Dual Armrests/Susp Cover/Isolator Lever	\$181	0#
8410122	Driver Seat: KW Air Seat HB Vinyl w/ Dual Armrests/Susp Cover/Isolator Lever	\$191	0#
8410126	Driver Seat: KW Air Seat IB Tough Cloth w/ Dual Armrests/Susp Cover/Isolator Lever	\$181	0#
8410127	Driver Seat: KW Air Seat HB Tough Cloth w/ Dual Armrests/Susp Cover/Isolator Lever	\$220	0#
8410142	Driver Seat: KW Air Seat HB Vinyl w/ Air Compressor/Dual Armrests/Susp Cover/Isolator Lever	\$221	0#
8410147	Driver Seat: KW Air Seat HB Tough Cloth w/ Air Compressor/Dual Armrests/Susp Cover/Isolator Lever	\$455	0#
8410161	Driver Seat: KW Air Seat IB Vinyl w/o Armrests w/ Susp Cover/Isolator Lever/Seat Mounted Shifter	\$106	0#
8410162	Driver Seat: KW Air Seat HB Vinyl w/o Armrests w/ Susp Cover/Isolator Lever/Seat Mounted Shifter	\$115	0#



T380: CAB INTERIOR

Option	Description	Price	Weight
Seats			
Driver Seats			
8410212	Driver Seat: KW Premium Air Seat HB Vinyl w/ Dual Armrests/Susp Cover/Isolator Lever/Seat Heater	\$768	0#
8410217	Driver Seat: KW Premium Air Seat HB Tough Cloth w/ Dual Armrests/Susp Cover/Isolator Lever/Seat Heater	\$808	0#
8410361	Driver Seat: NFPA Compliant KW Air Seat HB Vinyl No Armrests, w/ Susp Bellows Cover and Isolator.	\$124	0#
8410371	Driver Seat: Rolltek HB with Vinyl Material This seat incorporates a seatbelt tensioner, suspension cover, and side airbags. Includes dual folding armrests and headrest logo.	\$3,415	0#
Rider Seats			
8450101	Rider Seat: KW Battery Box Seat IB Vinyl w/o Armrests	(\$350)	0#
8450102	Rider Seat: KW Battery Box Seat HB Vinyl w/o Armrests	(\$342)	0#
8450111	Rider Seat: KW Battery Box Seat IB Vinyl w/ Dual Armrests	(\$326)	0#
8450112	Rider Seat: KW Battery Box Seat HB Vinyl w/ Dual Armrests	(\$285)	0#
8450126	Rider Seat: KW Battery Box Seat IB Tough Cloth w/ Dual Armrests/Occupancy Sensor	(\$236)	0#
8450127	Rider Seat: KW Battery Box Seat HB Tough Cloth w/ Dual Armrests/Occupancy Sensor	(\$227)	0#
8460101	Rider Seat: KW Air Seat IB Vinyl w/o Armrests/ Susp Cover	(\$123)	0#
8460102	Rider Seat: KW Air Seat IB Vinyl w/ Susp Cover/ Isolator Lever/Occupancy Sensor w/o Armrests	\$22	0#
8460103	Rider Seat: KW Air Seat HB Vinyl w/ Susp Cover/ Isolator Lever/Occupancy Sensor w/o Armrests	\$31	0#
8460106	Rider Seat: KW Air Seat IB Tough Cloth w/o Armrests/Susp Cover	(\$123)	0#
8460107	Rider Seat: KW Air Seat IB Tough Cloth w/ Susp Cover/Isolator Lever/Occupancy Sensor w/o Armrests	\$22	0#
8460108	Rider Seat: KW Air Seat HB Tough Cloth w/ Susp Cover/Isolator Lever/Occupancy Sensor w/o Armrests	\$83	0#
8460212	Rider Seat: KW Premium Air Seat HB Vinyl w/ Dual Armrests/Susp Cover/Isolator Lever/Seat Heater	\$469	0#
8460217	Rider Seat: KW Premium Air Seat HB Tough Cloth w/ Dual Armrests/Susp Cover/Isolator Lever/Seat Heater	\$469	0#
8460361	Rider Seat: NFPA Compliant KW Air Seat HB Vinyl No Armrests, w/ Susp Bellows Cover, Isolator and Occupancy Sensor.	\$185	0#
8478001	Rider Seat: KW Battery Box 2-Man Bench Vinyl	(\$218)	0#
8478016	Rider Seat: KW Battery Box 2-Man Bench Tough Cloth	(\$218)	0#



T380: CAB INTERIOR

Option	Description	Price	Weight
Seats			
Rider Seats			
8478051	Rider Seat: KW Toolbox 2-Man Bench Vinyl	STD	0#
8478056	Rider Seat: KW Toolbox 2-Man Bench Tough Cloth	\$0	0#
8480201	Rider Seat: KW Toolbox Seat IB Vinyl w/o Armrests	(\$256)	0#
8480202	Rider Seat: KW Toolbox Seat HB Vinyl w/o Armrests	(\$286)	0#
8480206	Rider Seat: KW Toolbox Seat IB Tough Cloth w/o Armrests	(\$292)	0#
8480207	Rider Seat: KW Toolbox Seat HB Tough Cloth w/o Armrests	(\$286)	0#
8480221	Rider Seat: KW Toolbox Seat IB Vinyl w/ Dual Armrests	(\$242)	0#
8480227	Rider Seat: KW Toolbox Seat HB Tough Cloth w/ Dual Armrests	(\$205)	0#
8480231	Rider Seat: KW Toolbox Seat IB Vinyl w/ Dual Armrests/Record Holder/Occupancy Sensor	(\$148)	0#
8480232	Rider Seat: KW Toolbox Seat HB Vinyl w/ Dual Armrests/Record Holder/Occupancy Sensor	(\$139)	0#
8480236	Rider Seat: KW Toolbox Seat IB Tough Cloth w/ Dual Armrests/Record Holder/Occupancy Sensor	(\$148)	0#
8480237	Rider Seat: KW Toolbox Seat HB Tough Cloth w/ Dual Armrests/Record Holder/Occupancy Sensor	(\$139)	0#
Seat Miscellaneous			
8489912	NFPA Compliance Kit: 2.1 m Includes Seat occupancy sensors. Seat belt switches, VDR & seat sensor harness, reflective labels, and a second copy of operators manual.	\$700	5#
8490161	Seat Color: Black Replacing Standard Gray	\$0	0#
8496559	Driver and Rider Seat Belts: Orange Seat Belts. Replacing standard color.	\$11	0#
8496561	Driver/ Rider Seat Belts: Lime Green Seat Belts Replace standard color.	\$10	0#
8496569	Driver & Rider Seat Belts: Red, Replace Standard. NOT NFPA Compliant.	\$11	0#
8496575	Driver & Rider Seat Belts: Red, NFPA, Replaces Standard Seat Belts. (Available for NFPA RD Bench)	\$60	0#
8497005	Air Line Fitting: At Driver Seat. Customer-installed air chuck.	\$85	4#
Cab Accessories			
Storage			
8570011	Low Profile Roof Interior Overhead Storage	\$167	0#
8570012	Low Profile Roof Interior LH Overhead Storage	\$90	0#
8700091	Ashtray Insert: W/ Cigar Lighter Located in center console. Deletes 1 12V outlet & 1 cupholder.	\$33	0#



T380: CAB INTERIOR

Option	Description	Price	Weight
Cab Accessories			
Storage			
8890038	3.5in x 11.5in Plastic Records Holder: Mounted On Rear Cab Panel. Not available With Sleeper Or 2 Person Bench Seat.	\$52	0#
Cab Package			
8891009	Thermal/Sound Insulation Package	\$265	0#
Other			
8700152	Large Transmission Access Hole - Center Cab Floor	\$114	0#
8700158	Removable Plate For Direct REPTO Access Through Floor W/ Floormat/Carpet Cutout	\$87	0#
8700166	Cup Holder (Floor Mtd)	\$55	0#
8700501	Metal Int Door Panel Kick Plates	\$72	0#
8721405	Nameplates Shipped Loose: French. In Addition to standard or optional nameplates.	\$0	0#
8721455	Delete Shipped Loose French Nameplates. In addition to standard or optional nameplates.	\$0	0#
9090102	Anti-Theft System Installed	\$103	0#
9399996	Kenworth Operator Manual: Spanish.	\$0	0#
9399997	Kenworth Operator Manual: Delete French. Replace w/standard English.	\$0	0#
9399998	Kenworth Operator Manual: French Replacing English.	\$0	0#
Sound Systems			
Kenworth Radios			
8601429	Kenworth Radio DEA730 AM/FM/WB/USB, Bluetooth & Sirius-XM Satellite	\$540	0#
8601430	Kenworth Radio DEA700 AM/FM/WB	\$335	0#
8601431	Kenworth Radio DEA710 AM/FM/WB/USB, Phone Bluetooth Disabled	\$373	0#
8601432	Kenworth Radio DEA710 AM/FM/WB/USB, Bluetooth	\$394	0#
8601433	Kenworth Radio DEA730 AM/FM/WB/USB, Sirius-XM Satellite/Phone Bluetooth Disabled	\$513	0#
8601435	Kenworth Radio DEA707 AM/FM/WB/USB	\$378	0#
Radios Miscellaneous			
8601495	Radio Mute When Lane Departure Detected. Required Bendix Fusion or Meritor OnAlert and Compatible Radio	\$0	0#



T380: CAB INTERIOR

Option	Description	Price	Weight
Sound System Speakers			
8698965	Speaker Package For Cab: (2) Speakers B-Pillar	\$51	0#
Sound System Equipment			
8698970	No Radio Or Speakers Selected: No Prewire & No Antenna Wiring. Not w/ Smart Wheel.	STD	0#
8698971	Wiring & Antenna Only - No Radio/Speakers Provided	\$37	0#
8699017	Telescoping Antenna: Mounted Behind LH Door. Replaces Top-of-Cab Antenna.	\$61	0#
8699900	Metal Ground Plate: Two-Way Radio. For customer-installed antenna located in center of cab roof.	\$64	2#
CB & Equipment			
CB Radio			
8601874	CB Radio: Cobra 29 W/Weatherband/ Single Ant. Transceiver/ Sound Tracker/ Illum Panel w/microphone clip mtd on side	\$476	0#
8601875	CB Radio: Cobra 29 W/Weatherband/DI Ant Transceiver/Sound Tracker/Illum Panel W/Microphone Clip Mtd On Side	\$525	0#
8601890	CB Radio: Bearcat 880. Includes Weatherband w/header mounted quick release. Includes transceiver & separate speaker remote-mounted in headliner & dual CB antennas. Includes sound tracker & illuminated panel.	\$457	0#
CB Installation Kit			
8699933	CB Installation Kit: C/I Center Mtd of Header w/ Dual Antenna on LH/RH mirrors. One Jumper Harness.	\$210	2#
8699934	CB Installation Kit: C/I Center Mtd of Header w/ Single Antenna on LH Mirror, low mount.	\$152	0#
Information & Communication Systems			
8700625	Single 1.5" Ram Ball Dash Mounted IPO Storage Bin W/ Pass thru	\$104	0#
8700626	Single 1" Ram Ball Dash Mounted IPO Storage Bin W/ Pass thru	\$98	0#
8700627	Dual 1" Ram Ball Dash Mounted IPO Storage Bin W/ Pass thru	\$179	0#
8700628	Single 1.5" Ram Ball Dash Mounted RH Side of Radio Opening	\$34	0#
8700629	Single 1" Ram Ball Dash Mounted RH Side of Radio Opening	\$29	0#
8700663	Kenworth TruckTech+: This system provides the World's Best reporting of engine and aftertreatment fault codes, as well as enhanced support for the truck owner through rapid communication of fault severity and recommended actions. This is standard on all Kenworth models with a PACCAR MX engine, Cummins X15 engine, PX engine or Natural Gas engine.	STD	0#
8700895	Exterior Initiation or Inhibition of Regen Thru J1939 BCan Communications.	\$35	0#
8700927	Lytx DriveCam SF300 System Pre-Wire	\$378	0#



T380: CAB INTERIOR

Option	Description	Price	Weight
Information & Communication Systems			
8700941	Omnitracs IVG Wiring Harness	\$151	0#
8700966	Kenworth NavPlus HD Navigation System: Vantage, Splendor, APEX, Summit, or Pinnacle interior. System hardware includes: head unit that mounts in radio opening and 7in. high resolution touchscreen display mounted in dash area four. Includes: Truck specific navigation by ALK, Sirius and XM satellite radio receiver.	\$1,596	0#
9090154	Bendix Fusion Safety Direct SDP to Trucktech+	\$92	0#
9090157	Prewire: Bendix Fusion Safety Direct SDP to PeopleNet with the back wall mount.	\$183	0#
9212659	TruckTech+ RD - 3YR Sub PACCAR PX Engines	\$499	0#
9212660	TruckTech+ RD - 4YR Sub PACCAR PX Engines	\$649	0#
9212661	TruckTech+ RD - 5YR Sub PACCAR PX Engines	\$799	0#
9212662	TruckTech+ RD - 6YR Sub PACCAR PX Engines	\$949	0#
9212663	TruckTech+ RD - 7YR Sub PACCAR PX Engines	\$1,099	0#
9212664	TruckTech+ RD - 8YR Sub PACCAR PX Engines	\$1,249	0#
9212665	TruckTech+ RD - 9YR Sub PACCAR PX Engines	\$1,399	0#
9212666	TruckTech+ RD - 10YR Sub PACCAR PX Engines	\$1,549	0#



T380: LIGHTS & SIGNALS

Option	Description	Price	Weight
Headlamps			
9010803	Headlamps: Single Halogen Complex Reflector w/ Turn Indicator, Reflector and DRL. Fender Mtd.	STD	0#
9010810	Headlamps: Sealed Beam Halogen Located in Bumper. Driven by Chassis Height.	\$116	0#
9010813	Headlamps: Single Halogen Complex Reflector w/ Turn Indicator, Reflector and w/o DRL. Fender Mtd.	\$0	0#
Marker Lights			
9022137	Marker Lights: Five, Rectangular, LED	STD	0#
9090039	Marker Lights: Interrupter Switch. Included in Turn Signal For All Models Except T3. The T3 Switch Is In The Dash.	\$7	0#
9090115	Reflectors: Two Midframe	\$23	0#
9090117	Marker Lights: Midframe & reflectors mounted standout. Required on tractors where overall length exceeds 30 feet.	\$180	22#
Turn Signal Lights			
9039014	Add Turn Signal Lamps Mounted BOC/BOS	\$207	2#
Other			
9030034	Wiring: Customer Installed Turn Signals, Mid Chassis.	\$938	0#
Foglights			
9042545	KW Fog Lights (2) Recessed in Bumper	\$275	2#
Other			
9049825	Customer-Installed Road/ Fog Lights Switch & wiring.	\$54	0#
Spotlights			
9060011	Halogen Spotlight: LH Mounted.	\$151	4#
9060055	Halogen Spotlight: LH & RH Mounted. T680 and T880 models include dash switch for RH spot lamp as standard.	\$268	11#
Taillights			
9030051	LED Stop,Turn,Tail: With One Non LED Backup Light and With An LED License Plate.	(\$12)	-3#
9030052	LED Stop,Turn,Tail: With Two LED Backup Lights and With An LED License Plate.	STD	0#
9030053	LED Stop,Turn,Tail: With One LED Backup Light With One LED Backup Light and With An LED License Plate	\$127	1#



T380: LIGHTS & SIGNALS

Option	Description	Price	Weight
Taillights			
9030054	Stop,Turn,Taillight: Trucklite 44 Series 6 LED Red With Two LED Backup Lights. Flange Mounted. Taillights Come On When Fog Lights Are On. With An LED License Plate.	\$113	0#
9030055	Taillight,Stoplight:Trucklite Super 40 With 2 Backup lights and an LED License Plate	\$27	1#
9030056	Stop,Turn,Taillight: Trucklite 44 Series 6 LED red with two LED backup lights and LED License Plate. Grommet mounted. Taillights come on when fog lights are on.	\$121	3#
9030070	Delete Stop, Tail, Turn and Backup Lights: Only the lights and small jumper that connects the lights to the aft harness are deleted.	(\$97)	-8#
9070138	Combination Stop, Tail, Turn & Backup Lights RH & LH.	\$105	0#
Miscellaneous			
8240020	City Horn to Honk if Door Opens and Park Brake not set.	\$55	0#
9010951	Daytime Running Lights Located in Bumper. Driven by Chassis Height.	\$301	3#
9020101	14-Pin RP170 Body Lighting Connector.	STD	0#
9020103	Delete Standard 14-Pin RP170 Body Lighting Connector.	(\$57)	0#
9090007	Override Switch: For Daytime Running Lamps.	\$43	0#
9090011	Add. 4-Way Receptacle To BOC: Wired To Three Dash Switches. Spare Switch 1 Is Wired To Pin TM, Spare Switch 2 Is Wired To Pin S and Spare Switch 3 Is Wired To Pin A.	\$273	2#
9090012	Add. 4-Way Receptacle: To End-Of-Frame:Wired To 3 Dash Switches.	\$263	2#
9090027	Headlamps to Turn on When Wipers are Active.	\$0	0#
9090043	Add. 4-Way Receptacle to BOC: Wired To 2 Spare Dash Switches.	\$268	2#
9090046	Add. 4-Way Receptacle: To End-Of-Frame:Wired to 2 Spare Dash Switches	\$253	2#
9090049	Omit Brake Light with Engine Brake. Can only be selected when chassis also has engine brake. Cannot be used with options to delete engine brake.	\$0	0#
9090052	Brake Lights on when Engine Brake Active. Can only be selected when chassis also has engine brake. Cannot be used with options to delete engine brake.	\$0	0#
9090058	Switch & Wiring: For Customer-Installed Plow light. Includes circuit breaker.	\$183	0#
9090142	Wiring Only: For Customer-Installed Backup alarm.	\$56	0#



T380: LIGHTS & SIGNALS

Option	Description	Price	Weight
Miscellaneous			
9090151	Wiring:Cust. Install Trlr Elec. Brake Controller. Class 8/T4 Content Includes Dash Signals: Ignition Power (20A), Ground, Stop Lamp and Electric Trailer Brake Controller Wired To EOF Junction Box. These Signals Are Located Near The NavPlus HD Area. No Need To Code For An Additional End of Frame Junction Box. EOF Junction Box Signals Are: Ground, Tail Lamp, Marker Lamp, Left Turn, Right Turn, Stop Lamp and Electric Trailer Brake Controller Wired To Dash. Medium Duty (not T4) Content Includes A MP 280 Series Connector In Dash Near Driver Door Connections With Signals: Battery Power (40A), Ground, Stop Lamp and Electric Trailer Brake Controller Wired To Chassis Connector. Medium Duty (not T4) 2 Way Deutsch Chassis Connector Located Near Back of Cab, With Signals: Ground and Electric Trailer Brake Controller Wired To Dash Connector.	\$159	4#
9090180	Backup Alarm: Tail Light Bracket Mounted Variable self-adjusting 82-102 DBA.	\$135	0#
9090221	Switch & Wiring: For Customer-Installed Sign lamp w/o insulators.	\$63	0#
9090301	Junction Box: Under Cab	\$140	1#
9090302	Junction Box: Mounted Behind Cab or Sleeper Not Mounted at End of Frame.	\$136	1#
9090312	Body Builder Lighting Harness Coiled End Of Frame For Additional Customer Installed Exterior Lighting. Harness Includes Circuits for Additional Customer Installed Tail Lamps, Turn Lamps, Stop Lamps, and Marker Lamps.	\$154	0#
9090316	Junction Box: End of Frame	\$239	1#
9090849	Polyswitches Replacing Fuses. Switch Will automatically reset after removal of excess load.	\$43	0#
Beacon Lights			
Dual			
9080125	Dual Rotating Roof Lights: Low-Profile LED Beacon lights w/ overhead switch.	\$783	7#
9080131	Dual Strobe Roof Lights: Low-Profile LED Beacon lights w/ overhead switch.	\$783	7#
Customer-Installed			
9080135	Stainless Steel Brackets, Switch & Wiring: Customer-installed dual beacon lights mounted over door of cab.	\$257	4#
9080206	Switch and Wiring:Cust. Installed Beacon Lights With Additional 20ft Jumper Harness Shipped Loose	\$203	1#
Floodlights			
First Set			
9052008	Floodlights: Dual LED Flush First Set	\$129	0#
9052011	Dual Flush Floodlights: First Set	\$119	2#
9056140	Dual Pedestal Floodlights: First Set	\$236	2#
9056144	Floodlights: Dual LED Pedestal First Set	\$286	0#

Switches for Customer-Installed



T380: LIGHTS & SIGNALS

Option	Description	Price	Weight
Floodlights			
First Set			
Switches for Customer-Installed			
9058071	Switch, Wiring, and Indicator Light for Customer Installed Floodlights. 1st Set. Pigtail Routed Through Pass Thru Grommet. 10ft Jumper Harness Shipped Loose.	\$118	1#
9058085	Switch,Wire,Indicator Light: C/I Flood 1st SW Thru Grommet Under Cab	\$129	0#
9058086	Switch,Wire,Indicator Light: C/I Flood 2nd SW Thru Grommet Under Cab	\$127	0#
9058087	Switch,Wire,Indicator Light: C/I Flood 3rd SW Thru Grommet Under Cab	\$127	0#
Location Codes			
9059901	Floodlight Location: Located High - First Set. This Code To Be Used With Flush-Mount (9052011) or C/I (9058071) Codes Only.	\$0	0#
9059908	Floodlight Location:High Inboard of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.	\$0	0#
9059909	Floodlight Location:High Outbd of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.	\$0	0#
9059921	Floodlight Location: Located Low - First Set . This Code To Be Used With Flush-Mount (9052011) or C/I (9058071) Codes Only.	\$0	0#
9059927	Floodlight Location: Low Inboard of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.	\$0	0#
9059928	Floodlight Location:Low Outboard of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.	\$0	0#
Miscellaneous			
9058081	Cust. Installed Floodlights1st Set:Add 30ft Wire. Additional 30ft Jumper Harness Shipped Loose.	\$31	1#
Second Set			
9052012	Dual Flush Floodlights: Second Set	\$127	2#
9052016	Floodlights: Dual LED Flush Second Set	\$169	0#
9056141	Dual Pedestal Floodlights: Second Set	\$173	2#
Switches for Customer-Installed			
9058072	Switch, Wiring, and Indicator Light for Customer Installed Floodlights. 2nd Set. Pigtail Routed Through Pass Thru Grommet. 10ft Jumper Harness Shipped Loose.	\$96	1#
Location Codes			
9059903	Floodlight Location: Located High - Second Set. This Code To Be Used With Flush-Mount (9052012) or C/I (9058072) Codes Only.	\$0	0#
9059919	Floodlight Location:High Inboard of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.	\$0	0#



T380: LIGHTS & SIGNALS

Option	Description	Price	Weight
Floodlights			
Second Set			
Location Codes			
9059920	Floodlight Location:High Outbd of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.	\$0	0#
9059923	Floodlight Location: Located Low - Second Set . This Code To Be Used With Flush-Mount (9052012) or C/I (9058072) Codes Only.	\$0	0#
9059929	Floodlight Location:Low Inboard of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.	\$0	0#
9059930	Floodlight Location:Low Outboard of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.	\$0	0#
Third Set			
9052013	Dual Flush Floodlights: Third Set	\$113	2#
9052017	Floodlights: Dual LED Flush Third Set	\$169	0#
9056142	Floodlights: Dual Pedestal Third Set	\$196	0#
Switches for Customer-Installed			
9058073	Switch, Wiring, and Indicator Light for Customer Installed Floodlights. 3rd Set. Pigtail Routed Through Pass Thru Grommet. 10ft Jumper Harness Shipped Loose.	\$107	1#
Location Codes			
9059904	Floodlight Location: Located High - Third Set. This Code To Be Used With Flush-Mount (9052013) or C/I (9058073) Codes Only.	\$0	0#
9059924	Floodlight Location: Located Low - Third Set . This Code To Be Used With Flush-Mount (9052013) or C/I (9058073) Codes Only.	\$0	0#
9059938	Floodlight Location:High Inboard of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.	\$0	0#
9059939	Floodlight Location: High Outbd of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.	\$0	0#
9059949	Floodlight Location:Low Inboard of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.	\$0	0#
9059950	Floodlight Location:Low Outboard of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.	\$0	0#



T380: AIR EQUIPMENT

Option	Description	Price	Weight
Air Drying Equipment			
Moisture Ejection Valve			
9102009	Moisture Ejection Valve: Midland Automatic Use with AD-IS or AD-HF.	\$99	0#
9102040	Moisture Ejection Valve: Two Bendix DV-2 Heated drain valves on service tanks. Use w/ AD-IS or AD-HF.	\$203	0#
9108001	Moisture Ejection Valve W/ Pull Cable Drain.	STD	0#
Air Dryer			
9101022	Delete Standard Air Dryer.	(\$259)	0#
9101218	Air Dryer: Bendix AD-HF Puraguard Heated	STD	0#
9101219	Air Dryer: Bendix AD-HF Extended Purge Heated With Puraguard	\$31	0#
Air System Miscellaneous			
9140020	Nylon Air Tubing in Frame & Cab, Excluding Hoses subject to excessive heat or flexing.	STD	0#
9140092	Schrader Valve to Charge Air System.	\$44	0#
9140236	Locate Air Dryer Outside LH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140238	Locate Air Dryer Outside RH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140248	Locate Air Dryer Under LH Rail BOC This code requires the use of a custom frame layout code.	\$0	0#
9140249	Locate Air Dryer Under RH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140252	Locate Air Dryer Inside LH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140254	Locate Air Dryer Inside RH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140267	Locate Air Dryer Inside RH Rail BOC	\$695	0#
9140268	Locate Air Dryer Inside LH Rail BOC	\$695	0#
9140269	Locate Air Dryer Outside LH Rail BOC	\$695	0#
9140270	Locate Air Dryer Outside RH Rail BOC	\$695	0#
9140271	Locate Air Dryer Under LH Rail BOC	\$695	0#
9140272	Locate Air Dryer Under RH Rail BOC	\$695	0#
Air Tank Locations			
9140251	Air Tanks: Clear of Left Side of Transmission area. Clear area - forward of transmission yoke C/L	\$1,737	4#
9140253	Air Tanks: Clear of Right Side of Transmission area. Clear area - forward of transmission yoke C/L	\$1,737	4#



T380: AIR EQUIPMENT

Option	Description	Price	Weight
Air System Miscellaneous			
Air Tank Locations			
9140273	Air Tanks: Clear of Transmission Area Clear area - forward of transmission yoke C/L	\$1,737	4#
9140286	Air Tanks: Clear of Left Side of Transmission area. This code requires the use of a custom frame layout code.	\$0	0#
9140287	Air Tanks: Clear of Right Side of Transmission area. This code requires the use of a custom frame layout code.	\$0	0#
9140288	Air Tanks: Clear of Transmission Area. This code requires the use of a custom frame layout code.	\$0	0#
9140289	Air Tanks: Mounted Inside Frame Flanges where possible. This code requires the use of a custom frame layout code.	\$0	0#
9140290	Air Tanks: Mounted Inside Frame Flanges where possible.	\$1,737	0#
Air Tank Options			
9150170	Air Tanks: Aluminum Replacing Steel All Tanks. *Not air tanks on lift axles.	\$369	-44#
Air & Electrical Supply Kits			
Tractor			
9110037	Air & Electrical Supply Kits: Tractor BOC-Mounted kit w/ slidebar, spring hanger and composite gladhand/light plug holder mounted on back of cab/sleeper. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard.	\$607	19#
9110068	Air & Electrical Supply Kits: Tractor LH Frame- mounted kit w/ hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. Use code 9140177 for short hosetenna option, this is not available on the T3 series.	\$764	24#
9110071	Tractor Kit: Center Frame-Mounted W/ Hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard.	\$784	24#
9110072	Tractor Kit: LH Outboard Frame-Mounted W/ hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. Use code 9140177 for short hosetenna option.	\$716	24#
9110081	Tractor Kit: BOC-Mounted Kit W/ Slidebar, Spring hanger and composite gladhand/light plug holder mounted on back of extended daycab. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. Not available w/ dual independent exhaust.	\$836	19#



T380: AIR EQUIPMENT

Option	Description	Price	Weight
Air & Electrical Supply Kits			
Full Truck			
9110020	Full Truck Kit Gladhands mounted at end-of-frame. Seven-way female receptacle mounted at end-of-frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valves are standard.	\$938	15#
9110034	Full Truck/Tractor Kit Combined: Center Frame mounted. 7-way female receptacle and air connection gladhands are mounted BOC on center frame bracket & mounted at end-of-frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valve are standard.	\$1,048	15#
Air & Light Line Options			
9120010	Air & light line length: 10 feet, Straight lines	\$0	0#
9120012	Air & light line length: 12 feet, Straight lines	\$0	0#
9120014	Air & light line length: 14 feet, Straight lines	\$0	0#
9120015	Air & light line length: 15 feet, Straight lines	\$0	0#
9120016	Air & light line length: 16 feet, Straight lines	\$0	0#
9121008	Phillips 12 ft Coiled Light Line W/ Metal Plugs & 6 in. lead. Must code for tractor kit.	\$32	0#
9121043	Phillips 15 ft Coiled Light Line W/ Metal Plugs & 6 in. lead. Must code for tractor kit.	\$40	0#
9121047	Phillips 12 ft Straight Light Line W/ Metal Plugs & 12 in. lead. Must code for tractor kit.	\$15	0#
9121051	Philatron 15 ft Coiled Air Line. Must Code for tractor kit. use code 9121115	\$77	0#
9121112	Coiled Air & Light Lines Replacing Straight Lines . Included in tractor kit. 12ft working length.	\$32	0#
9121115	Coiled Air & Light Lines Replacing Straight Lines Included in tractor kit. 15ft working length.	\$33	0#
9121118	Phillips 11-5400 Air Lines. Requires Option: 9121115 Air/Light Lines: 15 feet Coiled. *The 11-5400 is a 15 ft. Polar Air pair with 40 in. leads.	\$5	0#
9140005	Straight Air & Light Lines: for Semitrailer application. Air lines detachable one end only; light line detachable both ends. Use w/ code 9110030. Note must code separately for straight air & light line lengths. Requires 12ft straight air & light.	\$214	0#
Kit Accessories			
9140188	Slide Bar: for Air & Light Lines, Cab/Sleeper mounted.	\$43	0#
9140193	Delete Hosetenna. Must Code for a Tractor Kit.	(\$20)	0#
9140196	Dual Ring Double Spring Hanger Replacing Single Ring Single Spring Hanger. Requires Trac Kit with Slide Bar.	\$32	0#
9140200	Delete Trailer Hand Valve. Must Code for Tractor kit.	(\$33)	0#



T380: AIR EQUIPMENT

Option	Description	Price	Weight
Air & Electrical Supply Kits			
Trailer ABS Provisions			
9140321	Additional 7-Way ISO 3731 Connector for Trailer ABS power One additional, w/ o light line, for full truck & tractor.	\$155	6#
9140322	Additional 7-Way ISO 3731 Connector for Trailer ABS power One additional, w/ 15ft coiled light line, for full truck & tractor w/ dual light plug holders.	\$284	8#
9140326	Additional 7-Way Electrical Receptacle Mounted end-of-frame.	\$875	2#
9140328	Trailer ABS Electric Supply Through SAE J560 7-pin connector per TMC RP137).	\$0	0#
9140329	Trailer ABS Malfunction Lamp for Use W/ Second ISO 3731 connector For non-PLC trailers.	\$42	0#



T380: SPECIAL EQUIPMENT

Option	Description	Price	Weight
Safety Equipment			
9490206	Warning Triangle Reflector Kit: Shipped Loose. Kit consists of 3 triangles in plastic carrying case. Not floor mounted.	\$58	4#
9490213	Warning Triangle Reflector Kit: Floor Mounted parallel to back wall between seats. Kit consists of 3 triangles in plastic carrying case. For day cab only.	\$59	12#
9490404	One 5 lb. Dry Chemical Type Fire Extinguisher mounted outboard of driver seat. Class ABC.	\$126	11#
9490408	One 5 lb. Dry Chemical Type Fire Extinguisher mounted inboard of rider seat. Class ABC.	\$123	11#
Build Notes			
6679990	*** This Vehicle Does Not Have Adequate Swing/Dip clearance when coupled to the trailer referenced on this order. See narrative line for maximum forward fifth wheel setting for this vehicle/trailer combination.***	\$0	0#
9212000	PACCAR International Dealer. International support fee does not apply.	\$0	0#
9409850	GHG Secondary Manufacturer: American Reliance Industries	\$0	0#
9409852	GHG Secondary Manufacturer: Does Not Apply	\$0	0#
9409862	GHG Secondary Manufacturer: Agility - Fontana, CA	\$0	0#
9409863	GHG Secondary Manufacturer: Agility - Salisbury, NC	\$0	0#
9409866	GHG Secondary Manufacturer: Labrie - Levis, QC	\$0	0#
9409867	GHG Secondary Manufacturer: Labrie - San Luis, AZ	\$0	0#
9409874	GHG Secondary Manufacturer: McNeilus Natural Gas Fuel System	\$0	0#
9409875	GHG Secondary Manufacturer: Heil Natural Gas Fuel System	\$0	0#
9490003	Additional Lead Time Required for Off Highway & /or specialty component truck.	\$0	0#
9490012	U.S. Certification Decals for Canadian Trucks.	\$0	0#
9490645	Zinc Phosphate Frame Rail Paint Processing. Requires frame rail code. Code is for 1 pair of rails.	\$314	0#
9490647	Zinc Phosphate Frame Insert Paint Processing. Requires any 1st frame insert code. Code is for 1 pair of any frame inserts.	\$314	0#
9491659	VMUX Architecture	STD	0#
9999945	Charge Chassis in United States Dollars.	\$0	0#
9999949	Do Not Drive.	\$1,000	0#
9999995	Cancel/ Reorder Chassis.	\$0	0#



T380: SPECIAL EQUIPMENT

Option	Description	Price	Weight
International Support Fee			
9212001	International Support Fee, \$2700.	\$2,700	0#
9212003	International Support Fee, \$4355.	\$4,355	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Warranty			
9200007	Base Warranty - PACCAR PX-7 Engine 36 months / Unlimited miles & km / Unlimited hours.	STD	0#
9200008	Base Warranty - PACCAR PX-9 Engine 24 months / 250,000 miles / 402,336 km / 6250 hours.	\$0	0#
9200022	Base Warranty - Standard Service Medium Duty 12 months / Unlimited miles & km	STD	0#
9200113	Severe Service Medium-Duty Warranty: 12 months/ 50,000 miles & km	\$0	0#
9220001	Base Warranty: Emissions 5YR/100K MI - EPA Engine	\$0	0#
9220006	Base Warranty: Emissions (CARB Operation) 5YR/150K MI - PX-9 Engine	\$1,866	0#
9220007	Base Warranty: Emissions (CARB Operation) 5YR/150K MI - PX-7 Engine	\$1,224	0#
9220008	Base Warranty: Emissions (CARB Operation) 5YR/100K MI - L9N Engine	\$0	0#
U.S. Extended Warranty			
9201813	EW: US Basic Vehicle 2 year/100,000 miles, United States Only.	\$245	0#
9201814	EW: US Basic Vehicle 2 year/200,000 miles, United States only.	\$605	0#
9201815	EW: US Basic Vehicle 2 year/300,000 miles, United States only.	\$1,470	0#
9201816	EW: US Basic Vehicle 2 year/400,000 miles, United States only.	\$1,990	0#
9201817	EW: US Basic Vehicle 2 year/500,000 miles, United States only.	\$2,625	0#
9201818	EW: US Basic Vehicle 3 year/100,000 miles, United States only.	\$450	0#
9201819	EW: US Basic Vehicle 3 year/200,000 miles, United States only.	\$805	0#
9201820	EW: US Basic Vehicle 3 year/300,000 miles, United States only.	\$1,765	0#
9201821	EW: US Basic Vehicle 3 year/400,000 miles, United States only.	\$2,215	0#
9201822	EW: US Basic Vehicle 3 year/500,000 miles, United States only.	\$2,890	0#
9201823	EW: US Basic Vehicle 4 year/100,000 miles, United States only.	\$690	0#
9201824	EW: US Basic Vehicle 4 year/200,000 miles, United States only.	\$1,095	0#
9201825	EW: US Basic Vehicle 4 year/300,000 miles, United States only.	\$2,060	0#
9201826	EW: US Basic Vehicle 4 year/400,000 miles, United States only.	\$2,420	0#
9201827	EW: US Basic Vehicle 4 year/500,000 miles, United States only.	\$3,105	0#
9201828	EW: US Basic Vehicle 5 year/100,000 miles, United States only.	\$1,150	0#
9201829	EW: US Basic Vehicle 5 year/200,000 miles, United States only.	\$1,585	0#

*See PremierSpec for Applicable Restrictions



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9201830	EW: US Basic Vehicle 5 year/300,000 miles, United States only.	\$2,500	0#
9201831	EW: US Basic Vehicle 5 year/400,000 miles, United States only.	\$2,975	0#
9201832	EW: US Basic Vehicle 5 year/500,000 miles, United States only.	\$3,485	0#
9201833	EW: US Basic Vehicle 6 year/100,000 miles, United States only.	\$1,235	0#
9201834	EW: US Basic Vehicle 6 year/200,000 miles, United States only.	\$1,630	0#
9201835	EW: US Basic Vehicle 6 year/300,000 miles, United States only.	\$2,755	0#
9201836	EW: US Basic Vehicle 6 year/400,000 miles, United States only.	\$3,430	0#
9201837	EW: US Basic Vehicle 6 year/600,000 miles - United States only.	\$4,125	0#
9201838	EW: US Basic Vehicle 7 year/200,000 miles, United States only.	\$1,710	0#
9201865	EW: US Radiator/CAAC 2 year/100,000 miles, United States only.	\$45	0#
9201866	EW: US Radiator/CAAC 2 year/200,000 miles, United States only.	\$125	0#
9201867	EW: US Radiator/CAAC 2 year/300,000 miles, United States only.	\$205	0#
9201868	EW: US Radiator/CAAC 2 year/400,000 miles, United States only.	\$285	0#
9201869	EW: US Radiator/CAAC 2 year/500,000 miles, United States only.	\$360	0#
9201870	EW: US Radiator/CAAC 3 year/100,000 miles, United States only.	\$85	0#
9201871	EW: US Radiator/CAAC 3 year/200,000 miles, United States only.	\$165	0#
9201872	EW: US Radiator/CAAC 3 year/300,000 miles, United States only.	\$245	0#
9201873	EW: US Radiator/CAAC 3 year/400,000 miles, United States only.	\$325	0#
9201874	EW: US Radiator/CAAC 3 year/500,000 miles, United States only.	\$405	0#
9201875	EW: US Radiator/CAAC 4 year/100,000 miles, United States only.	\$130	0#
9201876	EW: US Radiator/CAAC 4 year/200,000 miles, United States only.	\$205	0#
9201877	EW: US Radiator/CAAC 4 year/300,000 miles, United States only.	\$290	0#
9201878	EW: US Radiator/CAAC 4 year/400,000 miles, United States only.	\$365	0#
9201879	EW: US Radiator/CAAC 4 year/500,000 miles, United States only.	\$450	0#
9201880	EW: US Radiator/CAAC 5 year/100,000 miles, United States only.	\$160	0#
9201881	EW: US Radiator/CAAC 5 year/200,000 miles, United States only.	\$245	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9201882	EW: US Radiator/CAAC 5 year/300,000 miles, United States only.	\$320	0#
9201883	EW: US Radiator/CAAC 5 year/400,000 miles, United States only.	\$400	0#
9201884	EW: US Radiator/CAAC 5 year/500,000 miles, United States only.	\$470	0#
9201885	EW: US Radiator/CAAC 6 year/100,000 miles, United States only.	\$200	0#
9201886	EW: US Radiator/CAAC 6 year/200,000 miles, United States only.	\$285	0#
9201887	EW: US Radiator/CAAC 7 year/200,000 miles, United States only.	\$325	0#
9201911	EW: US Heater & Air Conditioner 2 year/100,000 miles, United States only.	\$85	0#
9201912	EW: US Heater & Air Conditioner 2 year/200,000 miles, United States only.	\$160	0#
9201913	EW: US Heater & Air Conditioner 2 year/300,000 miles, United States only.	\$285	0#
9201914	EW: US Heater & Air Conditioner 2 year/400,000 miles, United States only.	\$405	0#
9201915	EW: US Heater & Air Conditioner 2 year/500,000 miles, United States only.	\$480	0#
9201916	EW: US Heater & Air Conditioner 3 year/100,000 miles, United States only.	\$130	0#
9201917	EW: US Heater & Air Conditioner 3 year/200,000 miles, United States only.	\$205	0#
9201918	EW: US Heater & Air Conditioner 3 year/300,000 miles, United States only.	\$325	0#
9201919	EW: US Heater & Air Conditioner 3 year/400,000 miles, United States only.	\$450	0#
9201920	EW: US Heater & Air Conditioner 3 year/500,000 miles, United States only.	\$525	0#
9201921	EW: US Heater & Air Conditioner 4 year/100,000 miles, United States only.	\$165	0#
9201922	EW: US Heater & Air Conditioner 4 year/200,000 miles, United States only.	\$290	0#
9201923	EW: US Heater & Air Conditioner 4 year/300,000 miles, United States only.	\$410	0#
9201924	EW: US Heater & Air Conditioner 4 year/400,000 miles, United States only.	\$485	0#
9201925	EW: US Heater & Air Conditioner 4 year/500,000 miles, United States only.	\$570	0#
9201926	EW: US Heater & Air Conditioner 5 year/100,000 miles, United States only.	\$245	0#
9201927	EW: US Heater & Air Conditioner 5 year/200,000 miles, United States only.	\$320	0#
9201928	EW: US Heater & Air Conditioner 5 year/300,000 miles, United States only.	\$480	0#
9201929	EW: US Heater & Air Conditioner 5 year/400,000 miles, United States only.	\$560	0#
9201930	EW: US Heater & Air Conditioner 5 year/500,000 miles, United States only.	\$625	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9201931	EW: US Heater & Air Conditioner 6 year/100,000 miles, United States only.	\$285	0#
9201932	EW: US Heater & Air Conditioner 6 year/200,000 miles, United States only.	\$360	0#
9201933	EW: US Heater & Air Conditioner 7 year/200,000 miles, United States only.	\$410	0#
9201957	EW: US Starter & Alternator 2 year/200,000 miles, United States only.	\$85	0#
9201958	EW: US Starter & Alternator 2 year/300,000 miles, United States only.	\$160	0#
9201959	EW: US Starter & Alternator 3 year/300,000 miles, United States only.	\$245	0#
9201960	EW: US Starter & Alternator 3 year/400,000 miles, United States only.	\$405	0#
9201961	EW: US Starter & Alternator 4 year/500,000 miles, United States only.	\$595	0#
9201962	EW: US Starter & Alternator 5 year/500,000 miles, United States only.	\$785	0#
9201969	EW: US Towing For Warrantable Failures 1 year / Unlimited miles.	\$390	0#
9201970	EW: US Towing For Warrantable Failures 2 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$770	0#
9201971	EW: US Towing For Warrantable Failures 3 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,160	0#
9201972	EW: US Towing For Warrantable Failures 4 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,515	0#
9201973	EW: US Towing For Warrantable Failures 5 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$2,290	0#
9201974	EW: US Towing For Warrantable Failures 6 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$3,000	0#
9201975	EW: US Towing For Warrantable Failures 7 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$3,800	0#
9201983	EW: US Chassis/Frame Wiring 3 years/300,000 mile Per CA-014	\$520	0#
9201984	EW: US Chassis/Frame Wiring 4 years/400,000 miles Per CA-014	\$795	0#
9201985	EW: US Chassis/Frame Wiring 4 years/500,000 miles Per CA-014	\$1,160	0#
9201986	EW: US Chassis/Frame Wiring 5 years/500,000 miles Per CA-014	\$1,715	0#
9201987	EW: US Chassis/Frame Wiring 5 years/600,000 miles Per CA-014	\$1,925	0#
9201988	EW: US Chassis/Frame Wiring 6 years/600,000 miles Per CA-014	\$2,135	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9201839	EW: Canada Basic Vehicle 2 year/160,000 km, Canada only.	\$445	0#
9201840	EW: Canada Basic Vehicle 2 year/320,000 km, Canada only.	\$1,035	0#
9201841	EW: Canada Basic Vehicle 2 year/480,000 km, Canada only.	\$1,630	0#
9201842	EW: Canada Basic Vehicle 2 year/640,000 km, Canada only.	\$2,540	0#
9201843	EW: Canada Basic Vehicle 2 year/800,000 km, Canada only.	\$3,060	0#
9201844	EW: Canada Basic Vehicle 3 year/160,000 km, Canada only.	\$565	0#
9201845	EW: Canada Basic Vehicle 3 year/320,000 km, Canada only.	\$1,165	0#
9201846	EW: Canada Basic Vehicle 3 year/480,000 km, Canada only.	\$1,810	0#
9201847	EW: Canada Basic Vehicle 3 year/640,000 km, Canada only.	\$2,695	0#
9201848	EW: Canada Basic Vehicle 3 year/800,000 km, Canada only.	\$3,250	0#
9201849	EW: Canada Basic Vehicle 4 year/160,000 km, Canada only.	\$1,335	0#
9201850	EW: Canada Basic Vehicle 4 year/320,000 km, Canada only.	\$1,980	0#
9201851	EW: Canada Basic Vehicle 4 year/480,000 km, Canada only.	\$2,625	0#
9201852	EW: Canada Basic Vehicle 4 year/640,000 km, Canada only.	\$3,430	0#
9201853	EW: Canada Basic Vehicle 4 year/800,000 km, Canada only.	\$3,995	0#
9201854	EW: Canada Basic Vehicle 5 year/160,000 km, Canada only.	\$1,945	0#
9201855	EW: Canada Basic Vehicle 5 year/320,000 km, Canada only.	\$2,620	0#
9201856	EW: Canada Basic Vehicle 5 year/480,000 km, Canada only.	\$3,330	0#
9201857	EW: Canada Basic Vehicle 5 year/640,000 km, Canada only.	\$4,160	0#
9201858	EW: Canada Basic Vehicle 5 year/800,000 km, Canada only.	\$4,520	0#
9201859	EW: Canada Basic Vehicle 6 year/160,000 km, Canada only.	\$1,990	0#
9201860	EW: Canada Basic Vehicle 6 year/320,000 km, Canada only.	\$2,665	0#
9201861	EW: Canada Basic Vehicle 6 year/480,000 km, Canada only.	\$3,670	0#
9201862	EW: Canada Basic Vehicle 6 year/640,000 km, Canada only.	\$4,795	0#
9201863	EW: Canada Basic Vehicle 6 year/960,000 km - Canada only.	\$5,605	0#
9201864	EW: Canada Basic Vehicle 7 year/320,000 km, Canada only.	\$2,760	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9201888	EW: Canada Radiator/CAAC 2 year/160,000 km, Canada only.	\$125	0#
9201889	EW: Canada Radiator/CAAC 2 year/320,000 km, Canada only.	\$285	0#
9201890	EW: Canada Radiator/CAAC 2 year/480,000 km, Canada only.	\$360	0#
9201891	EW: Canada Radiator/CAAC 2 year/640,000 km, Canada only.	\$480	0#
9201892	EW: Canada Radiator/CAAC 2 year/800,000 km, Canada only.	\$635	0#
9201893	EW: Canada Radiator/CAAC 3 year/160,000 km, Canada only.	\$165	0#
9201894	EW: Canada Radiator/CAAC 3 year/320,000 km, Canada only.	\$325	0#
9201895	EW: Canada Radiator/CAAC 3 year/480,000 km, Canada only.	\$405	0#
9201896	EW: Canada Radiator/CAAC 3 year/640,000 km, Canada only.	\$525	0#
9201897	EW: Canada Radiator/CAAC 3 year/800,000 km, Canada only.	\$685	0#
9201898	EW: Canada Radiator/CAAC 4 year/160,000 km, Canada only.	\$250	0#
9201899	EW: Canada Radiator/CAAC 4 year/320,000 km, Canada only.	\$410	0#
9201900	EW: Canada Radiator/CAAC 4 year/480,000 km, Canada only.	\$530	0#
9201901	EW: Canada Radiator/CAAC 4 year/640,000 km, Canada only.	\$610	0#
9201902	EW: Canada Radiator/CAAC 4 year/800,000 km, Canada only.	\$775	0#
9201903	EW: Canada Radiator/CAAC 5 year/160,000 km, Canada only.	\$285	0#
9201904	EW: Canada Radiator/CAAC 5 year/320,000 km, Canada only.	\$445	0#
9201905	EW: Canada Radiator/CAAC 5 year/480,000 km, Canada only.	\$560	0#
9201906	EW: Canada Radiator/CAAC 5 year/640,000 km, Canada only.	\$635	0#
9201907	EW: Canada Radiator/CAAC 5 year/800,000 km, Canada only.	\$795	0#
9201908	EW: Canada Radiator/CAAC 6 year/160,000 km, Canada only.	\$320	0#
9201909	EW: Canada Radiator/CAAC 6 year/320,000 km, Canada only.	\$480	0#
9201910	EW: Canada Radiator/CAAC 7 year/320,000 km, Canada only.	\$530	0#
9201934	EW: Canada Heater & Air Conditioner 2 year/160,000km, Canada only.	\$125	0#
9201935	EW: Canada Heater & Air Conditioner 2 year/320,000km, Canada only.	\$285	0#
9201936	EW: Canada Heater & Air Conditioner 2 year/480,000km, Canada only.	\$405	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9201937	EW: Canada Heater & Air Conditioner 2 year/640,000km, Canada only.	\$520	0#
9201938	EW: Canada Heater & Air Conditioner 2 year/800,000km, Canada only.	\$605	0#
9201939	EW: Canada Heater & Air Conditioner 3 year/160,000km, Canada only.	\$165	0#
9201940	EW: Canada Heater & Air Conditioner 3 year/320,000km, Canada only.	\$325	0#
9201941	EW: Canada Heater & Air Conditioner 3 year/480,000km, Canada only.	\$450	0#
9201942	EW: Canada Heater & Air Conditioner 3 year/640,000km, Canada only.	\$565	0#
9201943	EW: Canada Heater & Air Conditioner 3 year/800,000km, Canada only.	\$645	0#
9201944	EW: Canada Heater & Air Conditioner 4 year/160,000km, Canada only.	\$290	0#
9201945	EW: Canada Heater & Air Conditioner 4 year/320,000km, Canada only.	\$450	0#
9201946	EW: Canada Heater & Air Conditioner 4 year/480,000km, Canada only.	\$610	0#
9201947	EW: Canada Heater & Air Conditioner 4 year/640,000km, Canada only.	\$690	0#
9201948	EW: Canada Heater & Air Conditioner 4 year/800,000km, Canada only.	\$775	0#
9201949	EW: Canada Heater & Air Conditioner 5 year/160,000km, Canada only.	\$360	0#
9201950	EW: Canada Heater & Air Conditioner 5 year/320,000km, Canada only.	\$560	0#
9201951	EW: Canada Heater & Air Conditioner 5 year/480,000km, Canada only.	\$720	0#
9201952	EW: Canada Heater & Air Conditioner 5 year/640,000km, Canada only.	\$795	0#
9201953	EW: Canada Heater & Air Conditioner 5 year/800,000km, Canada only.	\$875	0#
9201954	EW: Canada Heater & Air Conditioner 6 year/160,000km, Canada only.	\$400	0#
9201955	EW: Canada Heater & Air Conditioner 6 year/320,000km, Canada only.	\$600	0#
9201956	EW: Canada Heater & Air Conditioner 7 year/320,000km, Canada only.	\$650	0#
9201963	EW: Canada Starter & Alternator 2 year/320,000km, Canada only.	\$245	0#
9201964	EW: Canada Starter & Alternator 2 year/480,000km, Canada only.	\$320	0#
9201965	EW: Canada Starter & Alternator 3 year/480,000km, Canada only.	\$565	0#
9201966	EW: Canada Starter & Alternator 3 year/640,000km, Canada only.	\$805	0#
9201967	EW: Canada Starter & Alternator 4 year/800,000km, Canada only.	\$995	0#
9201968	EW: Canada Starter & Alternator 5 year/800,000km, Canada only.	\$1,185	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9201976	EW: CA Towing For Warrantable Failures 1 year / Unlimited km.	\$555	0#
9201977	EW: CA Towing For Warrantable Failures 2 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,100	0#
9201978	EW: CA Towing For Warrantable Failures 3 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,655	0#
9201979	EW: CA Towing For Warrantable Failures 4 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$2,165	0#
9201980	EW: CA Towing For Warrantable Failures 5 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$3,265	0#
9201981	EW: CA Towing For Warrantable Failures 6 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$4,265	0#
9201982	EW: CA Towing For Warrantable Failures 7 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$5,395	0#
9201989	EW: CA Chassis/Frame Wiring 3 years/480,000 KMs Per CA-014	\$1,200	0#
9201990	EW: CA Chassis/Frame Wiring 4 years/640,000 KMs Per CA-014	\$1,850	0#
9201991	EW: CA Chassis/Frame Wiring 4 years/800,000 KMs Per CA-014	\$2,735	0#
9201992	EW: CA Chassis/Frame Wiring 5 years/800,000 KMs Per CA-014	\$3,220	0#
9201993	EW: CA Chassis/Frame Wiring 5 years/960,000 KMs Per CA-014	\$3,590	0#
9201994	EW: CA Chassis/Frame Wiring 6 years/960,000 KMs Per CA-014	\$3,830	0#
Cummins Engine Extended Coverage Plans			
9203010	PACCAR EW: PX-7 Protect Plan 1 EPA24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,220	0#
9203011	PACCAR EW: PX-7 Protect Plan 1 EPA24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,370	0#
9203012	PACCAR EW: PX-7 Protect Plan 1 EPA24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,070	0#
9203013	PACCAR EW: PX-7 Protect Plan 1 EPA24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,320	0#
9203014	PACCAR EW: PX-7 Protect Plan 1 EPA24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,620	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9203015	PACCAR EW: PX-7 Protect Plan 1 EPA24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,920	0#
9203016	PACCAR EW: PX-7 Protect Plan 1 EPA24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,970	0#
9203017	PACCAR EW: PX-7 Protect Plan 1 EPA24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,670	0#
9203018	PACCAR EW: PX-7 Protect Plan 1 EPA24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,070	0#
9203019	PACCAR EW: PX-7 Protect Plan 1 EPA24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,420	0#
9203020	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$740	0#
9203021	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$820	0#
9203022	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$740	0#
9203023	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$820	0#
9203024	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$935	0#
9203025	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,040	0#
9203026	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,120	0#
9203027	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$920	0#
9203028	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,105	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9203029	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,215	0#
9203030	PACCAR EW: PX-9 Protect Plan 1 EPA24 3YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$870	0#
9203031	PACCAR EW: PX-9 Protect Plan 1 EPA24 3YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,120	0#
9203032	PACCAR EW: PX-9 Protect Plan 1 EPA24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,770	0#
9203033	PACCAR EW: PX-9 Protect Plan 1 EPA24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,570	0#
9203034	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,720	0#
9203035	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,160	0#
9203036	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,970	0#
9203037	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,970	0#
9203038	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,970	0#
9203039	PACCAR EW: PX-9 Protect Plan 1 EPA24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,720	0#
9203040	PACCAR EW: PX-9 Protect Plan 1 EPA24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,520	0#
9203041	PACCAR EW: PX-9 Protect Plan 1 EPA24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,520	0#
9203042	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 3YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$660	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9203043	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 3YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$825	0#
9203044	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$920	0#
9203045	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,100	0#
9203046	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$920	0#
9203047	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,115	0#
9203048	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,285	0#
9203049	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,485	0#
9203050	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,760	0#
9203051	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,340	0#
9203052	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,515	0#
9203053	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,765	0#
9203054	PACCAR EW: PX-7 Protect Plan 1 CARB24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$550	0#
9203055	PACCAR EW: PX-7 Protect Plan 1 CARB24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$700	0#
9203056	PACCAR EW: PX-7 Protect Plan 1 CARB24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$525	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9203057	PACCAR EW: PX-7 Protect Plan 1 CARB24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$575	0#
9203058	PACCAR EW: PX-7 Protect Plan 1 CARB24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$850	0#
9203059	PACCAR EW: PX-7 Protect Plan 1 CARB24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,150	0#
9203060	PACCAR EW: PX-7 Protect Plan 1 CARB24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,200	0#
9203061	PACCAR EW: PX-7 Protect Plan 1 CARB24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$900	0#
9203062	PACCAR EW: PX-7 Protect Plan 1 CARB24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,300	0#
9203063	PACCAR EW: PX-7 Protect Plan 1 CARB24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,650	0#
9203064	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$500	0#
9203065	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$530	0#
9203066	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$640	0#
9203067	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$695	0#
9203068	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$510	0#
9203069	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$705	0#
9203070	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$785	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9203071	PACCAR EW: PX-9 Protect Plan 1 CARB24 3YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$525	0#
9203072	PACCAR EW: PX-9 Protect Plan 1 CARB24 3YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$575	0#
9203073	PACCAR EW: PX-9 Protect Plan 1 CARB24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$725	0#
9203074	PACCAR EW: PX-9 Protect Plan 1 CARB24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,525	0#
9203075	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$700	0#
9203076	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$800	0#
9203077	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,610	0#
9203078	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,610	0#
9203079	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,610	0#
9203080	PACCAR EW: PX-9 Protect Plan 1 CARB24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,360	0#
9203081	PACCAR EW: PX-9 Protect Plan 1 CARB24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,160	0#
9203082	PACCAR EW: PX-9 Protect Plan 1 CARB24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,160	0#
9203083	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$860	0#
9203084	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$940	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9203085	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,100	0#
9203086	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,370	0#
9203087	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$950	0#
9203088	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,130	0#
9203089	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,375	0#
PACCAR Transmission Extended Warranty			
9202978	EW: PACCAR TX-8 Trans 8AP560 5YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$355	0#
9202979	EW: PACCAR TX-8 Trans 8AP560 7YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$795	0#
9202980	EW: PACCAR TX-8 Trans 8AP560 5YR/Unlimited MI/KM - Standard Duty - PTO	\$635	0#
9202981	EW: PACCAR TX-8 Trans 8AP560 7YR/Unlimited MI/KM - Standard Duty - PTO	\$1,155	0#
9202982	EW: PACCAR TX-8 Trans 8AP560 5YR/Unlimited MI/KM - Severe Duty	\$1,130	0#
9202983	EW: PACCAR TX-8 Trans 8AP660 5YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$355	0#
9202984	EW: PACCAR TX-8 Trans 8AP660 7YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$795	0#
9202985	EW: PACCAR TX-8 Trans 8AP660 5YR/Unlimited MI/KM - Standard Duty - PTO	\$635	0#
9202986	EW: PACCAR TX-8 Trans 8AP660 7YR/Unlimited MI/KM - Standard Duty - PTO	\$1,155	0#
9202987	EW: PACCAR TX-8 Trans 8AP660 5YR/Unlimited MI/KM - Severe Duty	\$1,130	0#
9202988	EW: PACCAR TX-8 Trans 8AP760 5YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$385	0#
9202989	EW: PACCAR TX-8 Trans 8AP760 7YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$915	0#
9202990	EW: PACCAR TX-8 Trans 8AP760 5YR/Unlimited MI/KM - Standard Duty - PTO	\$675	0#
9202991	EW: PACCAR TX-8 Trans 8AP760 7YR/Unlimited MI/KM - Standard Duty - PTO	\$1,235	0#
9202992	EW: PACCAR TX-8 Trans 8AP760 5YR/Unlimited MI/KM - Severe Duty	\$1,425	0#
9202993	EW: PACCAR TX-8 Trans 8AP860 5YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$385	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
PACCAR Transmission Extended Warranty			
9202994	EW: PACCAR TX-8 Trans 8AP860 5YR/Unlimited MI/KM - Standard Duty - PTO	\$675	0#
9202995	EW: PACCAR TX-8 Trans 8AP860 5YR/Unlimited MI/KM - Severe Duty	\$1,425	0#
9202996	EW: PACCAR TX-8 Trans 8AP1000 5YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$385	0#
9202997	EW: PACCAR TX-8 Trans 8AP1000 5YR/Unlimited MI/KM - Standard Duty - PTO	\$675	0#
9202998	EW: PACCAR TX-8 Trans 8AP1000 5YR/Unlimited MI/KM - Severe Duty	\$1,425	0#



T380: PAINT

Option	Description	Price	Weight
9700000	Paint Color Number(s).	\$0	0#

Paint Style

9944820	1 - Color Paint - Day Cab Color will be White if no other color is specified.	STD	0#
9944822	2 - Color Cust Design - Day Cab - Lo Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$3,105	0#
9944824	2 - Color Cust Design - Day Cab - Hi Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$5,302	0#

Paint Type

9943048	Day Cab Bulk Paint	\$0	0#
9943049	Sleeper Bulk Paint	\$0	0#
9943050	Day Cab Standard Paint	STD	0#
9943051	Day Cab Premium Paint	\$621	0#
9943052	Day Cab Pearl Metallic Paint	\$827	0#
9965510	Base Coat/ Clear Coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	STD	0#

Paint Options

9960009	Fleet Paint – Dealer ECO Required	\$0	0#
9960021	Paint Design Continued BOC/BOS -Includes Front of side extenders, but does not include back of side extenders.	\$778	0#

Bumper Paint

9943001	Bumper Painted Color A	\$791	0#
9943002	Bumper Painted Other Than Color A: Specify Color	\$791	0#
9943004	Bumper Unpainted	\$0	0#



T380: PAINT

Option	Description	Price	Weight
Paint Options			
Bumper Paint			
9943014	Steel Bumper Painted Frame Color	\$0	0#
Fairing Paint			
9943011	Roof Fairing Painted A Color	\$706	0#
9943012	Roof Fairing Painted Other Than A Color, Specify Color	\$796	0#
Frame Paint			
9940044	Frame Paint Other Than Standard Black, Non-Metallic. Non-Metallic Only.	\$1,647	0#
9999944	Chassis has Frame Paint Color other than Black. Taillight brackets not included, bracket painted black.	\$0	0#
Paint Color			
9960003	Non-Standard Paint Color.	\$295	0#
Hood Paint			
9960083	Paint Hood Top Anti-Glare Top of Hood will be painted with Flat-Black Paint	\$0	0#
Paint Designs			
9944839	Spectrum Design - Hood Top Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$1,812	0#
9944840	Spectrum Design - Fenders Only. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$1,914	0#
9944841	Spectrum Design – Day Cab – Roof and Fenders. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,337	0#
9944843	Spectrum Design – Day Cab – Sunset. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,688	0#



T380: PAINT

Option	Description	Price	Weight
Paint Designs			
9944845	Spectrum Design – Day Cab – Deception. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,683	0#
9944847	Spectrum Design - Day Cab - Roof Only. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,362	0#
9944849	Spectrum Design - Day Cab - 3 Color Sunset Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$5,926	0#