



**CENTRALBIDDING**  
FROM CENTRAL AUCTION HOUSE

Toggle navigation

- [Home](#)
- [Central Bidding](#)
- [My CP](#)
- [Create New](#)
  - [Create New Standard Envelope](#)
- [Logout \(MCAMARD\)](#)

**Central Bidding Time:** Fri April 21, 2017 2:39:16 PM GMT-6

Location: **Lafayette > Louisiana > USA**

Name: **John Atkinson**

Email: **charlotte@basicsupply.com**

Address: **2108 Cameron Street**

Zip code: **70506**

Contact number: **3372321733**

Official  
Company/Business  
Name: **Basic Supply llc**

Are you registered with  
the State of Louisiana as  
a Disadvantaged  
Business Enterprise  
(DBE)?: **No**

Is your company owned  
my a female?: **No**

Is your company owned  
by a minority?: **No**

Louisiana Contractor  
ID#:

NIGP Codes: (Commodity  
code categories) **02585 - Motors, Air Compressor**  
**28509 - Cabinets, Electrical Service Entrance**  
**28525 - Current Collection Equipment and  
Accessories, Electrical**  
**28595 - Wiring Devices: Adapters, Caps,  
Connectors, Extension Cords, Fluorescent and  
HP Starters, Outlets, Plates and Covers, Plugs,  
Receptacles, Safety Cord Lock, Switches,**

Terminals, etc. (Incl. Recycled Electrical  
Products, Supplies)

**54549** - Motors and Engines (Including Parts),  
Industrial, All Types (Not Automotive, Lawn  
or Marine)

**69040** - Engines, Motors and Parts (Power  
Generation)

**92941** - Engines And Motors, Industrial,  
Maintenance and Repair

## Where To?



[Main Menu](#)

[Home](#) - [Central Bidding](#) - [Register](#) - [Contact Us](#) -  
[Terms](#)

[Renew/Upgrade Membership](#)



Central Auction House, LTD



**CENTRALBIDDING**  
FROM CENTRAL AUCTION HOUSE

Toggle navigation

- [Home](#)
- [Central Bidding](#)
- [My CP](#)
- [Create New](#)
  - [Create New Standard Envelope](#)
- [Logout \(MCAMARD\)](#)

**Central Bidding Time:** Fri April 21, 2017 2:39:41 PM GMT-6

Place a Bid for 5000119560 - QUANTITY OF SHOP TOOLS

Please enter your best bid proposal for this project

Louisiana Contractor ID#

Enter all information required on the outside of the sealed envelope in the box below

<input type="text"/>	<input type="text"/>
<p>BASIC SUPPLY, LLC JOHN ATKINSON, MANAGER PO BOX 63066 LAFAYETTE, LA 70596 337-232-1733 337-232-2045 FAX CHARLOTTE@BASICSUPPLY.COM</p>	

Bid Bond #

Jefferson Parish Vendor #:

Upload Attachment(s)

While this site accepts various file types, sizes and quantities, the preferred method for delivering all of the appropriate and required bid documents is one single scanned PDF file. Vendors submitting bids with multiple uploaded images/photos of bid

responses are solely responsible for clarity. If uploaded images/documents are not legible, the bidder's submission will be rejected. Please note all requirements in this bid package for electronic bid submission.

## Upload a file

Click the Upload button in order to upload bid related documents

[Home](#) - [Central Bidding](#) - [Register](#) - [Contact Us](#) -  
[Terms](#)

[Renew/Upgrade Membership](#)



Central Auction House, LTD

DATE: 4/13/2017

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00119560

**JEFFERSON PARISH**

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETN, LA. 70054-0009  
504-364-2678

VENDOR: BASIC SUPPLY, LLC

BUYER: MCAMARD

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

**DELIVERY: FOB JEFFERSON PARISH**

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

10-14 DAYS

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) \_\_\_\_\_

**\*\*\* ALL BIDDERS MUST COMPLETE SECTION BELOW \*\*\***

FIRM NAME: BASIC SUPPLY, LLC

SIGNATURE:

(Must be signed here)

TITLE:

MANAGER

PRINT OR TYPE NAME:

JOHN ATKINSON

ADDRESS:

P.O. BOX 63066

CITY, STATE:

LAFAYETTE, LA

ZIP:

70596

TELEPHONE:

( ) 337-232-1733

FAX:

( ) 337-232-2045

EMAIL ADDRESS:

charlotte@basicsupply.com

TOTAL PRICE OF ALL BID ITEMS: \$ 1616.42

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00119560

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	60.00	EA	QUANTITY OF SHOP TOOLS	9.39	563.40
			0010 - BROOM, SORBENT, FLOATING, FIVE IN DIAMETER BY TEN FEET LONG OUR STK #484380 OB-B510		
2	8.00	EA	0020 - PINCH POINT CROW BAR, 3 FT LONG X 1 1/16 IN SQUARE STICK SIZE, LEETONIA	26.00	208.00
			#215 OUR STK # 58100 Tru Temper 1161300		
3	2.00	EA	0030 - CUTTER, Wire Rope, HAMMER TYPE 1 1/16 IN CAPACITY, MORSE-STARRETT	193.00	386.00
			MODEL # 1A Quoting Morse-Starrett 1A OUR STK NUMBER 58122		
4	5.00	EA	0040 - Chisels, HAND 7/8 IN CUTTING WIDTH, 7 1/2 IN LONG, WILLIAMS # C-28	4.88	24.40
			OUR STK # 58150 Stanley 16-920		
5	8.00	EA	0050 - GRIP, WIRE FOR PULLING PLASTIC PIPE, SIZE RANGE 2/4 IN MIN. TO 15/16	no bid	no bid
			IN MAX 26 IN LONG, 1360# WORKING STRENGTH, DOUBLE WEAVE MESH FOR GREATER PULLING STRENGTH, USA STK MG 65498 OUR STICK # 59081		
6	10.00	EA	0060 - ESTENSION, CHROME, 1/2 IN SQUARE DRIVE, 6 IN LONG	6.40	64.00
			OUR STK # 60147 Stanley DWM860470sp		
7	6.00	EA	0070 - HANDLE, HINGED, 1/2 IN. X 17 7/8 IN LONG, SQUARE DRIVE, CHROME,	12.41	74.46
			ARMSTRON # 12-918 OR EQUAL OUR STK # 60155 Mint Craft MT6508925		
8	100.00	EA	0080 - CLAMP, CABLE 3/8 IN, HOT DIPPED GALVANIZED, MEETS SPEC FF-C-450, TYPE 1	.75	75.00
			CLASS 1 CROSBY # G-450 National Hardware OUR STK # 27134 N248-318		
9	12.00	EA	0090 - TWINE, NYLON, # 18, 1/16 DIAMETER 550 FT PER ROLL, 165 LB TEST, DURALINE	3.59	43.08
			# 00090 Lehigh 10848		

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00119560

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
10	6.00	ROLL	OUR STK # 47714  0100 - CLOTH, ABRASIVE, ALUMINUM OXIDE 2 IN X 50 YDS, 100GRIT NORTON # K224	18.64	111.84
11	12.00	EA	OUR STK 59763 Precision Abrasives 91-0005-55  0110 - SUPPORT, BACK - EXTRA LARGE REFLECTIVE ORANGE WITH SHOULDER STRAPS ERGODYNE # 11885 OUR STOCK # 47714 Cordova Sb200 Hi-Vis Orange Safety belt with suspenders	17.00	204.00



O-B-B510  
5 Inch Sorbent Boom (Oil Only)  
Absorbency: 32 gallons/roll

5 x 10  
Ship Weight: 17lbs/Case

4/Case, 20/Pallet



HOME > TOOLS > BARS AND TAMPERS > PRYING BARS > 36-IN PINCH POINT CROW BAR

[← BACK TO PRYING BARS](#)

## 36-IN PINCH POINT CROW BAR

**PRYING BARS | #1161300**

The Pinch Point crow bar is a 36-inch long straight heat-treated steel for maximum strength. The pinch point makes this tool easily used to pry and move heavy objects. The typical uses for a pinch point crow bar include breaking up clay, concrete, and other hard materials.



### DIMENSIONS

1.125" h x 1.125" w x 36.25" d


### UPC

049206116139



Stanley 16-290 Cold Chisel, 7/8 In Tip, 8 In OAL, Chrome Vanadium Steel, Powder Coated

Used to cut or shape wrought iron, cast iron, steel, brass, bronze, copper, aluminum, nuts and rivets.



Catalog Page #: A01020  
Click to view Large Image



Org#	Item No.	▶ 2823441 Y	16-290 COLD CHISEL 7/8X8
Vendor:	STANLEY TOOLS		
Model NO.:	16-290		
Retail UPC:	076174162905		
Country of Origin:	CN		
Shelf Pack:	3		
Minimum Purchase:	1		
Available:	22	Check Other DC?	
Quantity:	1	Add To Cart	PO Number: <input type="text"/>

Note: Any prices are subject to change without notice. We will bill you at current prices prevailing at the time of shipment.

✶ Add to Favorites

Your Comments

Product Information	Ordering Specifications	Pricing	Vendor Information	Available	Codes	Similar Items	Order History	Item Restriction
---------------------	-------------------------	---------	--------------------	-----------	-------	---------------	---------------	------------------

PRODUCT OVERVIEW: Used To Cut Or Shape Wrought Iron, Cast Iron, Steel, Brass, Bronze, Copper, Aluminum, Nuts And Rivets.

Description Du Français: BURIN 7/8X8

Descripción Español: CINCEL CORTAFRIO DE 2,22 X 20,32 CM


- FLAT
- Cut Lgth In : 7/8 X 8

PRODUCT DETAILS


Finish:	Powder Coated
Overall Length:	8 In
Material:	Chrome Vanadium Steel
Tip Size:	7/8 In
Usage:	For Cutting Or Shaping Wrought Iron, Cast Iron, Steel, Brass, Bronze, Copper, Aluminum, Bolts, Nuts And Rivets

## Stanley DWMT86407OSP Extension Bar, 1/2 In, 5 In OAL

Stanley Extension Bar, 1/2 In Drive, 5 In Overall Length



Catalog Page #: A06011  
Click to view Large Image



Original Item No.	▶ 7519416 Y	DWMT86407OSP EXTENSION 1/2D 5IN
Vendor:	STANLEY TOOLS	Benchmark Retail:
Model NO.:	DWMT86407OSP	USD 6.40/EA
Retail UPC:	076174864076	
Country of Origin:	TW	
Shelf Pack:	4	
Minimum Purchase:	1	
Available:	13	Check Other DC?
Quantity:	1	PO Number:
<a href="#">Add To Cart</a>		

Note: Any prices are subject to change without notice. We will bill you at current prices prevailing at the time of shipment.

[Add to Favorites](#)

[Your Comments](#)

Product Information	Ordering Specifications	Pricing	Vendor Information	Available	Codes	Similar Items	Order History	Item Restriction
---------------------	-------------------------	---------	--------------------	-----------	-------	---------------	---------------	------------------

PRODUCT OVERVIEW: Stanley Extension Bar, 1/2 In Drive, 5 In Overall Length

Description Du Français: BARRE D EXTENSION 1/2ENTRAÎNEMENT 5POUCES


- Drive X Lgth In : 1/2 X 5

### PRODUCT DETAILS

Drive Size: 0.5 In  
Overall Length: 5 In

Mintcraft MT6508295 Flexible Ratchet Handle With Knurled Handle Cap, 1/2 In Drive, Vanadium Steel, Forged Chrome

Drop forged chrome vanadium steel with knurled handle cap.



Catalog Page #: A08009

Original Item No.	▶ 4766325 Y	FLEX HANDLE 1/2DRIVE	
Vendor:	MINTCRAFT	Benchmark Retail:	USD 20.84/EA
Model NO.:	MT6508295		
Retail UPC:	045734910775		
Country of Origin:	TW		
Shelf Pack:	10		
Minimum Purchase:	1		
Available:	53		
Quantity:	1	Add To Cart	PO Number: <input type="text"/>
		<input type="button" value="Check Other DC?"/>	

Note: Any prices are subject to change without notice. We will bill you at current prices prevailing at the time of shipment.

Add to Favorites



- Product Information
- Ordering Specifications
- Pricing
- Vendor Information
- Available
- Codes
- Similar Items
- Order History
- Item Restriction

PRODUCT OVERVIEW: Drop Forged Chrome Vanadium Steel With Knurled Handle Cap.

Description Du Français: POIGNEE ARTICULEE 1/2DR


Descripción Español: MANGO FLEXIBLE CON MANDO DE 1,27 CM

- PROFESSIONAL QUALITY
- Hang Tagged
- Drive Ins. : 1/2
- Lgth In : 16

Product Detail

Cable Clamps/Ferrules | # 7158702  
**CABLE CLAMPS 3/8IN ZN PLT**

National Hardware Wire Cable Clamp, Series: MP3230B, 3/8 In Opening, Steel U-Bolt/Nuts, Malleable Iron Saddle, Zinc Plated, 2 In Height, 3 In Width, 5 In Length, Federal FF-C-450D, Type 1, Class 2, For Forming an Eye or Loop on Wire Rope



Catalog Page #:   
Click to view Large Image



Original Item No.	7158702 Y	248310 MP3230B 3/8 CABLE CLAMP
Vendor:	NATIONAL HARDWARE	Benchmark Retail:
Model NO.:	N248-310	USD 1.33/EA
Retail UPC:	038613176751	
Country of Origin:	CN	
Shelf Pack:	10	
Minimum Purchase:	1	
Available:	460	Check Other DC?
Quantity:	1	PO Number:
<a href="#">Add To Cart</a>		

Note: Any prices are subject to change without notice. We will bill you at current prices prevailing at the time of shipment.

[Add to Favorites](#)

[Your Comments](#)

Product Information	Ordering Specifications	Pricing	Vendor Information	Available	Codes	Similar Items	Order History	Item Restriction
---------------------	-------------------------	---------	--------------------	-----------	-------	---------------	---------------	------------------

**PRODUCT OVERVIEW:** National Hardware Wire Cable Clamp, Series: MP3230B, 3/8 In Opening, Steel U-Bolt/Nuts, Malleable Iron Saddle, Zinc Plated, 2 In Height, 3 In Width, 5 In Length, Federal FF-C-450D, Type 1, Class 2, For Forming An Eye Or Loop On Wire Rope

Description Du Français: SERRE-CABLES 3/8 PO ZINGUES

Descripción Español: GRAMPA DE 0.95 CM PARA CABLES MP3230B (248310)

PRODUCT DETAILS

FEATURES

- Anchoring Point For Webbing Or Strap
- Meets Torque Value Of Federal Specifications FF-C-450D, Type 1, Class 2
- Base Of Saddles Are Grooved To Form Wire Rope For A Stronger Grip

## Product Detail

Printer Friendly - Basic Version | Detailed Version

Nylon Seine Twine (Mason Line) | # 9821281

### Wellington Puritan Twisted Seine Twine, NO 18 525 Ft L, 10 Lb, Nylon, White

Twisted from 100 percent filament nylon. Has excellent resistance to rot, abrasion, mildew, marine growth, petroleum products and many chemicals. Spliceable. Must be bound or fused on end to prevent raveling. WARNING: Not recommended for uses where personal safety is involved.



Orgill Item No.	9821281 Y	10484 NYL SEINE TWINE#18 525'
Vendor:	LEHIGH GROUP	Benchmark Retail:
Model NO.:	10484	USD 5.82/EA
Retail UPC:	070095101842	
Country of Origin:	US	
Shelf Pack:	8	
Minimum Purchase:	1	

Available: 358

Check Other DC?

Quantity: 1

Add To Cart

PO Number:

Catalog Page #: A04047  
Click to view Large Image

Note: Any prices are subject to change without notice. We will bill you at current prices prevailing at the time of shipment.

Add to Favorites

Your Comments

Product Information	Ordering Specifications	Pricing	Vendor Information	Available	Codes	Similar Items	Order History	Item Restriction
---------------------	-------------------------	---------	--------------------	-----------	-------	---------------	---------------	------------------

**PRODUCT OVERVIEW:** Twisted From 100 Percent Filament Nylon. Has Excellent Resistance To Rot, Abrasion, Mildew, Marine Growth, Petroleum Products And Many Chemicals. Spliceable. Must Be Bound Or Fused On End To Prevent Raveling. WARNING: Not Recommended For Uses Where Personal Safety Is Involved.

Descripción Español: CORDEL DE NYLON COLOR BLANCO N 18 DE 160.02 M

- TWISTED
- Brand: "PURITAN"
- MEDIUM TUBE
- Color White
- Size No : 18
- Lgth Ft : 525

## PRODUCT DETAILS

Series:	Puritan
Type:	Twisted
Size Group:	NO 18
Length:	525 Ft
Working Load:	10 Lb
Packing Type:	Medium Tube
Material:	Nylon
Resists:	Rot, Abrasion, Mildew, Marine Growth And Petroleum Products

# Shop Rolls - Economy


## Economy

Size	Grit	P/N	Each	Min
1" x 50 yds	50	91-0285	15.809	1
1" x 50 yds	60	91-0287	15.014	1
1" x 50 yds	80	91-0286	14.351	1
1" x 50 yds	100	91-0288	14.043	1
1" x 50 yds	120	91-0081	14.043	1
1" x 50 yds	150	91-0008	14.043	1
1" x 50 yds	180	91-0289	14.043	1
1" x 50 yds	220	91-0290	14.043	1
1" x 50 yds	240	91-0271	14.043	1
1" x 50 yds	320	91-0014	14.043	1
1" x 50 yds	400	91-0292	14.043	1

Size	Grit	P/N	Each	Min
1-1/2" x 50 yds	50	91-0267	22.132	1
1-1/2" x 50 yds	60	91-0020	21.030	1
1-1/2" x 50 yds	80	91-0080	20.059	1
1-1/2" x 50 yds	100	91-0004	19.571	1
1-1/2" x 50 yds	120	91-0006	19.571	1
1-1/2" x 50 yds	150	91-0268	19.571	1
1-1/2" x 50 yds	180	91-0269	19.571	1
1-1/2" x 50 yds	220	91-0270	19.571	1
1-1/2" x 50 yds	240	91-0291	19.571	1
1-1/2" x 50 yds	320	91-0015	19.571	1
1-1/2" x 50 yds	400	91-0293	19.571	1

Size	Grit	P/N	Each	Min
2" x 50 yds	50	91-0019	28.514	1
2" x 50 yds	60	91-0003	26.996	1
2" x 50 yds	80	91-0022	25.140	1
2" x 50 yds	100	91-0005	24.920	1
2" x 50 yds	120	91-0007	24.920	1
2" x 50 yds	150	91-0009	24.920	1
2" x 50 yds	180	91-0010	24.920	1
2" x 50 yds	220	91-0012	24.920	1
2" x 50 yds	240	91-0013	24.920	1
2" x 50 yds	320	91-0016	24.920	1
2" x 50 yds	400	91-0017	24.920	1

**Cordova SB200 Hi-Vis Orange Back Support Belt  
With Attached Suspenders SIZE XL**





#299085

<b>Form W-9</b> (Rev. August 2013) Department of the Treasury Internal Revenue Service	<b>Request for Taxpayer Identification Number and Certification</b>	Give Form to the requester. Do not send to the IRS.
Name (as shown on your income tax return) <b>BASIC SUPPLY, LLC</b>		
Business name/disregarded entity name, if different from above		
Check appropriate box for federal tax classification: <input type="checkbox"/> Individual/sole proprietor <input type="checkbox"/> C Corporation <input type="checkbox"/> S Corporation <input type="checkbox"/> Partnership <input type="checkbox"/> Trust/estate <input checked="" type="checkbox"/> Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=partnership) <b>C</b> <input type="checkbox"/> Other (see instructions)		
Exemptions (see instructions): Exempt payee code (if any) _____ Exemption from FATCA reporting code (if any) _____		
Address (number, street, and apt. or suite no.) <b>2108 CAMERON ST</b> <b>REMIT TO: PO BOX 3307</b> City, state, and ZIP code <b>LAFAYETTE, LA 70506</b> <b>LAFAYETTE, LA 70502</b>		Requester's name and address (optional)
List account number(s) here (optional)		
<b>Part I Taxpayer Identification Number (TIN)</b> Enter your TIN in the appropriate box. The TIN provided must match the name given on the "Name" line to avoid backup withholding. For individuals, this is your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see <i>How to get a TIN</i> on page 3. Note: If the account is in more than one name, see the chart on page 4 for guidelines on whose number to enter.		
Social security number <div style="border: 1px solid black; width: 100px; height: 20px; margin: 5px;"></div>		Employer identification number <div style="border: 1px solid black; width: 100px; height: 20px; margin: 5px; text-align: center;">             8 4 - 1 6 2 7 5 5 1           </div>
<b>Part II Certification</b> Under penalties of perjury, I certify that: 1. The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me), and 2. I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends or (c) the IRS has notified me that I am no longer subject to backup withholding, and 3. I am a U.S. citizen or other U.S. person (defined below), and 4. The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct. Certification instructions: You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions on page 3.		
Sign Here	Signature of U.S. person <i>[Signature]</i> Date <b>1/4/16</b>	
<b>General Instructions</b> Section references are to the Internal Revenue Code unless otherwise noted. Future developments. The IRS has created a page on <a href="http://www.irs.gov">www.irs.gov</a> for information about Form W-9, at <a href="http://www.irs.gov/w9">www.irs.gov/w9</a> . Information about any future developments affecting Form W-9 (such as legislation enacted after we release it) will be posted on that page. <b>Purpose of Form</b> A person who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) to report, for example, income paid to you, payments made to you in settlement of payment card and third party network transactions, real estate transactions, mortgage interest you paid, acquisition or abandonment of secured property, cancellation of debt, or contributions you made to an IRA. Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN to the person requesting it (the requester) and, when applicable, to: 1. Certify that the TIN you are giving is correct (or you are waiting for a number to be issued), 2. Certify that you are not subject to backup withholding, or 3. Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the		
withholding tax on foreign partners' share of effectively connected income, and 4. Certify that FATCA code(s) entered on this form (if any) indicating that you are exempt from the FATCA reporting, is correct. Note: If you are a U.S. person and a requester gives you a form other than Form W-9 to request your TIN, you must use the requester's form if it is substantially similar to this Form W-9. <b>Definition of a U.S. person.</b> For federal tax purposes, you are considered a U.S. person if you are: • An individual who is a U.S. citizen or U.S. resident alien, • A partnership, corporation, company, or association created or organized in the United States or under the laws of the United States, • An estate (other than a foreign estate), or • A domestic trust (as defined in Regulations section 301.7701-7). <b>Special rules for partnerships.</b> Partnerships that conduct a trade or business in the United States are generally required to pay a withholding tax under section 1446 on any foreign partners' share of effectively connected taxable income from such business. Further, in certain cases where a Form W-9 has not been received, the rules under section 1446 require a partnership to presume that a partner is a foreign person, and pay the section 1446 withholding tax. Therefore, if you are a U.S. person that is a partner in a partnership conducting a trade or business in the United States, provide Form W-9 to the partnership to establish your U.S. status and avoid section 1446 withholding on your share of partnership income.		



#2 99035

[e-services](#)[Online Tutorials](#)[Mailbox](#)[Sign Out](#)[Contact Us](#)

## Interactive TIN Session:Interactive Results

This screen provides you with the results of your TIN Match request. The 'Match Indicator' displays a code next to the TIN and name combination. Use the codes below to interpret your results:

- 0 = TIN and Name combination matches IRS records.
- 1 = TIN was missing or TIN not 9-digit numeric.
- 2 = TIN entered is not currently issued.
- 3 = TIN and Name combination does not match IRS records.
- 4 = Invalid TIN Matching request.
- 5 = Duplicate TIN Matching request.
- 6 = TIN and Name combination matches IRS SSN records.
- 7 = TIN and Name combination matches IRS EIN records.
- 8 = TIN and Name combination matches IRS SSN and EIN records.

**Important:** Before leaving this screen, you may want to do a Print Screen of the results. Once you exit this screen, the interactive results will no longer be available for viewing.

Using the TIN Matching system allows you to verify the accuracy of taxpayer TIN and name information prior to submitting information to IRS. Internal Revenue Code 6724 provides any penalties under Section 6721 may be waived if the filer shows the failure to file a correct TIN on an information return was due to reasonable cause and not willful neglect. Filers may prove due diligence and receive a waiver from proposed penalties if they prove the TIN and name combination they submitted matched IRS records. Providing a copy of the Print Screen of your Interactive Results will be considered proof of due diligence.

ID	TIN Type	TIN	Name	Result Code
1	Unknown	841627551	basic supply llc	7

You may do either of the following:

- Select *Another Tin Matching Request* to check more TIN and Name combinations.
- Select *Done* to return to the TIN Matching home page.



[IRS Privacy Policy](#) | [Privacy Notice](#)  
version 10.0.1