

DATE: 4/13/2016

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

B'D NO.: 50-00116284

JEFFERSON PARISHPURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: CGasper

Bids will be received until 11:00 AM, 4/21/2016 via fax: 504-364-2693 or via online at www.jeffparish.net

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law, as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647. A copy of these resolutions may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 260 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at www.purchasing.jeffparish.net and clicking on On-line forms.

All vendors submitting bids must register as a Jefferson Parish vendor if not already yet registered. Bidders may be required to furnish current W-9 Forms and respective Tax Identification Numbers within 10 days after bid opening if such information is not on file or not up to date. Registration forms may be downloaded from www.purchasing.jeffparish.net and clicking on Vendor Information.

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Delivered, anywhere within the Parish as designated by the Purchasing Department. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications. JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit prices shall prevail.

JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in the quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum.

All formal Addenda require written acknowledgment on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected; JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A117.1-1961).

DATE: 4/13/2016

BID NO.: 50-00116284

Page: 2

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This Electronic Procurement System allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only.

Please visit the Purchasing Department webpage at <http://purchasing.jeffparish.net> to register and review Jefferson Parish solicitations.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

13

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

DATE: 4/13/2016

BID NO.: 50-00116284

Page: 3

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise stated in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. Unless otherwise stated in the bid specifications, the successful bidder will be required to procure standard insurance policies evidencing Parish-mandated insurance requirements as indicated on the attached sheet. The current certificate of insurance must be submitted by low bidder within 10 days after bid opening to the Purchasing Department. Failure to comply will cause bid to be rejected. JEFFERSON PARISH reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies). If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits (in Original Format) required; Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit and E-Verify Affidavit must be completed, signed, notarized and submitted by low bidder within 10 days after bid opening to the Purchasing Department on all solicitations for construction, alteration or demolition of public building or project, including but not limited to requirements found in LSA-RS 38:2212.9; LSA-RS 38:2212.10; LSA-RS 38:2224; Code of Ordinances, Jefferson Parish, Louisiana, Sec 2-923.1. Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format for the bid to be considered responsive.
15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits (in Original Format) required; Non-Collusion Affidavit, and Campaign Contribution Affidavit must be completed, signed, notarized and submitted by low bidder within 10 days after bid opening to the Purchasing Department. See LSA-RS 38:2212.10; LSA-RS 38:2224; Code of Ordinances, Jefferson Parish, Louisiana, Sec 2-923.1 Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format for the bid to be considered responsive.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

DATE: 4/13/2016

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00116284

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: CGasper

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

10 working

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

10 working

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

10 working

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) 12-0991128

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: <u>Economical Janitorial AND Paper Supplies</u>	
SIGNATURE: (Must be signed here)	TITLE: <u>President</u>
PRINT OR TYPE NAME: <u>Stacie Migliore</u>	
ADDRESS: <u>P.O. BOX 23607</u>	
CITY, STATE: <u>NEW ORLEANS LA.</u>	ZIP: <u>70183-3607</u>
TELEPHONE: <u>504 464-7106 ext. 3110</u>	FAX: <u>504 465-9363</u>
EMAIL ADDRESS: <u>Stacie@economicaljanitorial.com</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 2606.76

DATE: 4/13/2016

Page: 5

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00116284

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	8.00	EA	TAP, TAPER, CLEVIS GRAB HOOK, WELDER TIP 0010 TAP, TAPER, 3/8 IN - 16, NC/UNC THREAD, GENERAL PURPOSE, HIGH SPEED STEEL, GRAINGER #4AHT4 SK# 00-0190240	NB	NB
2	24.00	EA	0020 HOOK, CLEVIS GRAB, 5/16 IN, FORGED ALLOY STEEL, 4,700# LOAD LIMIT, CROSBY #A-330 SK# 00-0272310	NB	NB
3	8.00	EA	0030 TIP, WELDER, VICTOR #2-1-101 SK# 00-0307030	NB	NB
4	200.00	LB	0040 ROD, WELDING, 5/32 INCH DIAMETER, TYPE 5P #E6010, IN 50 LB CAN SK# 00-0307110	NB	NB
5	4.00	EA	0050 REGULATOR, WELDING, OXYGEN GAS, WITH 2-1/2 INCH GAUGES, 5 - 125 PSI DELIVERY PRESSURE RANGE, VICTOR #SR460A-540-0781G0527, GRAINGER #6KJ68 SK# 00-0307430	NB	NB
6	312.00	EA	0060 PAINT, SPRAY, GLOSSY BLACK, 12 OUNCE, KRYLON #1601 SK# 00-0329360	3.02 CHASE 4190921	942.24 10.500000
7	18.00	EA	0070 ADAPTER, BRASS, 1-1/2 IN MALE NATIONAL PIPE THREAD X 1-1/2 IN MALE NATIONAL STANDARD HOSE THREAD, GRAINGER #4FY11 SK# 00-038009N	NB	NB
8	16.00	EA	0080 HOSE, WATER, 1 IN X 50 FT, SWAN COMMERCIAL DUTY, REINFORCED RUBBER, GRAINGER #IP865 SK# 00-0480220	NB	NB
9	72.00	EA	0090 BROOM, PUSH, 24 IN WIDE X 4 IN TRIM NATURAL PALMYRA, SCREW TYPE, GRAINGER #1A845	4.66 ABC BH-12003	335.52 EACH

DATE: 4/13/2016

Page: 6

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00116284

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
10	60.00	EA	SK# 00-0480330 0100 HANDLE, PUSH BROOM, WOODEN, TAPERED TYPE, 1-1/8 IN DIAMETER BY 54 IN LONG	1.99	119.40
			SK# 00-0480370	ABO AB-01113	EACH
11	24.00	EA	0110 WIRE, TIE, 16 GAUGE, BLACK ANNEALED 3-1/2 POUND ROLL	NB	NB
			SK# 00-0481890		
12	288.00	EA	0120 HE LAUNDRY DETERGENT, 50 OZ. BOTTLE CP-49558 AJAX DUAL ACTION.	4.20	1209.60
			6/50 OZ PER CASE SK# 00-048484A	AJAX CP-49558	50g Bottle
13	24.00	EA	0130 FUNNEL, UTILITY, 16 OZ, PLASTIC, GRAINGER #4ZH70	NB	NB
			SK# 00-0484930		
14	4.00	EA	0140 LEVEL, MASON, 48 IN, BAMBOO WOOD, JOHNSON #6XUR7, (MAHOGANY WOOD, STANLEY #42-347 DISCONTINUED) SK# 00-0488170	NB	NB
15	8.00	EA	0150 BLADE, SAW, METALICA, 14 IN DIAMETER 70 TOOTH, FOR CUTTING HEAVY GAUGE STEEL, 1 IN ARBOR, DEWALT #DW7747 SK# 00-0488740	NB	NB
16	36.00	EA	0160 TWINE, NYLON, #18, 1/16 IN DIA., 550 FT PER ROLL, 165 LB TEST, DURALINE BRAND #00090 SK# 00-0490080	NB	NB
17	196.00	EA	0170 PADLOCK, MASTERLOCK NUMBER 3KA, KEYED ALIKE TO #A389 SK# 00-0580090	NB	NB
18	288.00	EA	0180 PADLOCK, COMMERCIAL, NUMBER 5KA, KEYED ALIKE TO #A389, MASTER BRAND, NO SUBSTITUTION (SEWERAGE DEPT) SK# 00-0580180	NB	NB
19	72.00	EA	0190 PANTS, RAIN, DRAW-STRING WAIST, SIZE LGE, HEAVY DUTY INDUSTRIAL, NEESE	NB	NB

DATE: 4/13/2016

Page: 7

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00116284

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			SERIES 300, #35DTF, YELLOW IN COLOR SK# 00-058027C		
20	12.00	EA	0200 RAINCOAT, FULL LENGTH, XXX-LARGE, YELLOW MATERIAL IS PVC/NYLON/PVC, SEAMS ARE DOUBLE STITCHED AND TAPED, MEETS ASTM D6413, NEESE #35SC SK# 00-058028F	NB	NB
21	12.00	EA	0210 RAINCOAT, FULL LENGTH, XXXX-LARGE, YELLOW MATERIAL IS PVC/NYLON/PVC, SEAMS ARE DOUBLE STITCHED AND TAPED, MEETS ASTM D6413, NEESE #35SC SK# 00-058028G	NB	NB
22	6.00	EA	0220 CHISEL, HAND, 7/8 IN CUTTING WIDTH, 7-1/2 IN LONG, WILLIAMS #C-28 SK# 00-0581500	NB	NB
23	16.00	EA	0230 CUTTER, COMPOUND LEVERAGE RATCHET, FOR PLASTIC PIPE, CAPACITY IS 1/8 IN TO 2-3/8 IN O.D., MADE IN U.S.A., RIGID MODEL #RC-2375, CATALOG #30088 SK# 00-0582910	NB	NB
24	48.00	EA	0240 SCREWDRIVER, 5/16 IN STANDARD TIP, INDUSTRIAL, 6 IN LONG ALLOY STEEL ROUND SHANK, NON-SLIP HANDLE, MADE IN U.S.A., PROTO #88006 SK# 00-0584400	NB	NB
25	3.00	EA	0250 HAMMER, SCALING, 16 OZ, HICKORY HANDLE, VAUGHAN #SC16, GRAINGER #4A100 SK# 00-0586020	NB	NB
26	3.00	EA	0260 IRON, CAULKING, POINT IS 1/8 IN THICK X 1 IN WIDE X 1-1/2 IN LONG TOOL IS 7/8 IN DIA X 7-1/2 LONG, POLLARD #P62901 SK# 00-0586500	NB	NB
27	4.00	EA	0270 IRON, YARNING, POINT IS 1/8 IN THICK X 1 IN WIDE X 7 IN LONG, TOOL IS 7/8 IN DIA X 13-1/2 IN LONG, POLLARD #P63001	NB	NB

DATE: 4/13/2016

Page: 8

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00116284

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
28	48.00	EA	SK# 00-0586600 0280 LANTERN, HAND, HEAVY-DUTY STEEL BODY, KRYPTON BULB, WITH SIX VOLT SCREW BATTERY, RAYOVAC #301KA OR EQUAL SK# 00-0588160	NB	NB
29	2.00	EA	0290 REGULATOR, WELDING, ACETYLENE, 350 PSIG MAXIMUM INLET, UNIWELD #RV8011 SK# 00-0589310	NB	NB
30	216.00	EA	0300 GLASSES, SAFETY, SCRATCH RESISTANT POLYCARBONATE CLEAR LENS PROVIDES 99.9% UV PROTECTION, BLACK FRAME, MEETS ANSI Z87 STANDARD, PYRAMEX PART #SB1810S OR EQUAL SK# 00-0589420	NB	NB
31	40.00	PK	0310 BLADE, SAWSALL, 9 INCH LONG X 6 TEETH PER INCH, 5 PER PACK, GRAINGER #4TF54, DEWALT #DW4803 SK# 00-0592420	NB	NB
32	600.00	LF	0320 CHAIN, 3/8 INCH, GRADE 70 TRANSPORT 6600# WORKING LOAD LIMIT, SYSTEM 7, PLATED, 200 FT PER DRUM, CAMPBELL #0510610, FASTENAL #45025 SK# 00-0596820	NB	NB
33	6.00	EA	0330 HANDLE, RATCHET, QUICK RELEASE, MADE IN U.S.A., REED #L500 SK# 00-0610010	NB	NB
34	2.00	EA	0340 SOCKET, THRU-BOLT, 3/4 INCH, MADE IN U.S.A., REED #L12 SK# 00-0610020	NB	NB
35	4.00	EA	0350 SOCKET, THRU-BOLT, 1-1/16 INCH, MADE IN U.S.A., REED #L17 SK# 00-0610060	NB	NB
36	6.00	EA	0360 SOCKET, THRU-BOLT, 1-1/8 INCH, MADE IN U.S.A., REED #L18 SK# 00-0610070	NB	NB

DATE: 4/13/2016

Page: 9

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00116284

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
37	6.00	EA	0370 SOCKET, THRU-BOLT, 1-1/4 INCH, MADE IN U.S.A., REED #L20 SK# 00-0610080	NB	NB
38	500.00	LF	0380 CABLE, WELDING, SIZE 1/0 AWG, 600 VOLT, A.I.W. BRAND OR EQUAL SK# 00-0883000	NB	NB



Chase

Premium Enamel



4190900	Gloss Purple*	4190926	Gloss Forest Green	4190938	Satin Black
4190901	Gloss Pink	4190927	Gloss Light Blue	4190940	Gloss Machinery Gray
4190905	Gloss Candy Apple Red*	4190928	Flat White	4190941	Dull Aluminum
4190920	Gloss White*	4190929	Gloss Canary Yellow*	4190942	Gloss Ocean Blue*
4190921	Gloss Black*	4190930	Gloss Danger Orange*	4190943	Gloss Medium Gray*
4190922	Flat Black	4190931	Gloss Rich Brown	4190944	Gloss Light Green*
4190923	Copper Metallic	4190932	Gloss Acrylic Clear Coat	4190945	Satin Oil-Rubbed Bronze
4190924	Aluminum Metallic	4190936	Gloss Royal Blue	4190946	Gloss Linen White
4190925	Gold Metallic	4190937	Gloss Deep Red		

Net wt 10.5 oz (297 g) Case pack 6

Champion Sprayon® Premium Enamel offers a broad range of colors and finishes. This multi-purpose, interior/exterior enamel dries quickly, provides excellent coverage and durability, and resists chipping and peeling. The line includes three finishes in black and three in white, five different metallic shades (three of which are leafing formulas), a clear coat, and 14 colors in various finishes.

- **Finish:** Gloss, satin, flat and metallic finishes
- **Dry Time:** 8-12 minutes to touch, handle after 1 hour
- **Recoating:** Apply light coats a minimum of 15 minutes apart
- **Cleanup:** Clean inanimate objects with mineral spirits, paint thinner, toluene

RECOMMENDED USES


For use on metal, wood, ceramic, wicker, plaster, paper products, and some plastic surfaces.

*OSHA safety colors




#6

#9



Abco 24" Garage Brush Push Broom

Item# AB-BH12003



Exceptional cleaning performance on unfinished surfaces; suited for heavy duty cleaning jobs where heavy debris and soils must be removed.

Handle is not included.

Rough surface 4" Palmyra fiber bristles in a wood block

Size:24"

Packaged: 12

Sold by: the Each or the Dozen



CLARK & THORNTON


Lean on us





Abco Tapered Wood Broom Handle

Item# AB-01113





Economical; tapered pine handle style for use on non-threaded blocks such as floor scrappers, squeegees or light duty brooms used in floor cleaning applications. Our best solution in operations when less hand contact is preferred during quick tool changes.

Size: 60" x 1 1/8"

Pack: 12

Sold By: the Each or the Dozen





CP-49558

Ajax 50 Oz. 2x HE Laundry Regular Detergent (Case of 6)



High performance detergent formulated with low-sudsing prevents machine malfunction and breakdown. Soap is quickly dispersed for high performance, saving time and energy. Smaller soap measurements maintain consistent performance, eliminating breakdowns and extending machine life. -

Material Safety Data Sheet

AJAX® 2X Heavy Duty Liquid Detergent– All Variants

Page 1 of 5
Rev. Date
10/03/07

SECTION #1 – PRODUCT AND COMPANY IDENTIFICATION

Product: AJAX® 2x Heavy Duty Liquid Detergent– All Variants

Phoenix Brands
2855 N. Franklin Rd., #7
Indianapolis, Indiana 46219 USA

Consumer Service Telephone Number: 1-866-794-0800
Emergency Contact: PROSAR IPC
Emergency Phone Number: 1-866-794-0800

Product Description: A water-soluble 2X concentrated consumer liquid laundry detergent.

SECTION #2 – COMPOSITION, INFORMATION ON INGREDIENTS

INGREDIENTS: Contains cleaning and sudsing agents.

CHEMICAL NAME	CAS #	<u>EXPOSURE LIMITS IN AIR*</u>			
		ACGIH		OSHA	
		TLV	STEL	PEL	STEL
		mg/m ³	mg/m ³	mg/m ³	mg/m ³
Ethanol	64-17-5	1000 ppm		1000 ppm	
Linear alkylbenzene sulfonate	25155-30-0	NA		NA	
Linear ethoxylated alcohol	68951-67-7	NA		NA	
Soda Ash	497-19-8	NA		NA	
Formalin	50-00-0	NA		NA	

NA = Not Applicable

See Section #16 for DEFINITION OF TERMS

SECTION #3 – HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: CAUTION: Keep out of reach of children. Do not mix with chlorine bleach or other household cleaning products. If product contacts eye, rinse thoroughly with water. If swallowed, drink a glass of water to dilute. Material may be slippery if spilled.

Route of Exposure - Inhalation

While inhalation of a product mist is unlikely, such exposure may cause transient upper respiratory irritation.

Route of Exposure - Skin

No irritation when used according to directions. Possible irritation from prolonged contact to industrial amounts.

Route of Exposure - Eyes

Causes irritation on direct contact.

Route of Exposure - Ingestion

May be harmful if swallowed in large quantities.

Material Safety Data Sheet

AJAX® 2X Heavy Duty Liquid Detergent– All Variants

Page 2 of 5

Rev. Date

10/03/07

SECTION #4 – FIRST AID MEASURES

First Aid - Inhalation

Give the subject access to fresh air. If symptoms do not resolve quickly, seek medical assistance.

First Aid - Skin

Rinse with water. If skin irritation occurs in use, seek medical assistance.

First Aid - Eyes

Flush affected areas with water for at least 15 minutes. Seek medical assistance if required.

First Aid - Ingestion

Not applicable.

Note: If symptoms persist, seek medical attention.

SECTION #5 – FIRE FIGHTING MEASURES

Flash Point: > 200°F (93°C)

Autoignition Temperature: Not applicable

Flammable Limits (in air, by volume %): Not applicable

Fire and Explosion Hazards

Product is not flammable. Use appropriate fire extinguishing agent for the packaging material.

Extinguishing Media

Water Spray: Yes

Carbon Dioxide: Yes

Foam: Yes

Dry Chemical: Yes

Halon: Yes

Special Fire Fighting Instructions

None. Product is not combustible. Use appropriate fire extinguishing agent for the packaging material.

SECTION #6 – ACCIDENTAL RELEASE MEASURES

Steps to be Taken in The Event of Spills, Leaks, or Release

Disposal is to be performed in compliance with applicable laws. Small or household quantities may be disposed of in refuse or sewer. For large (industrial) releases, cover with inert, absorbent material and remove to disposal container. Material may be slippery if spilled. Flush with plenty of water.

Waste Disposal Methods

Dispose of unused containers of product in accordance with applicable Federal, State/Provincial, and local regulations.

Material Safety Data Sheet

AJAX® 2X Heavy Duty Liquid Detergent– All Variants

Page 3 of 5

Rev. Date

10/03/07

SECTION #7 – HANDLING AND STORAGE

Work Practices and Hygiene Practices:

Use personal protective equipment appropriate for the task.

Storing and Handling Practices:

Store in a tightly closed container in a cool, dry, well-ventilated area.

Protective Practices During Maintenance Or Contaminated Equipment:

Use personal protective equipment when contact is likely.

SECTION #8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation

Use with adequate ventilation. Mechanical ventilation is not required under normal conditions of use.

Eye Protection

Wear eye protection.

Skin Protection

Skin protection is not normally required. If gloves are desired for protection against irritation, water-impervious types (e.g. rubber, PVA, or nitrile) are recommended.

Respiratory Protection

Respiratory protection is not normally required. If this product is used in a manner that generates airborne mist not controlled by ventilation, wear a NIOSH-approved respirator with filters for protection against dusts (type N95 or better). For guidance on the selection and use of respiratory protection, consult American National Standard Z88.2-1992 (ANSI, New York, NY 10036 USA).

SECTION #9 – PHYSICAL AND CHEMICAL PROPERTIES

pH (1% solution): 11.0 – 12.0

Appearance: This liquid is a blue solution.

SECTION #10 – STABILITY AND REACTIVITY

Conditions to Avoid

This product is stable when maintained at room temperature.

Incompatible Materials

Avoid contact with acids and strong oxidizing agents.

Material Safety Data Sheet

AJAX® 2X Heavy Duty Liquid Detergent– All Variants

Page 4 of 5
Rev. Date
10/03/07

SECTION #10 – STABILITY AND REACTIVITY CONTINUED...

Hazardous Decomposition Products

Hazardous polymerization will not occur.

SECTION #11 – TOXICOLOGICAL INFORMATION

This product has not been tested as a whole. However, this formula was reviewed by expert toxicologists in the Product Safety Assurance Department and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the statements in Section 3 of the MSDS.

SECTION #12 – ECOLOGICAL INFORMATION

No data available.

The product is not expected to present an environmental hazard.

SECTION #13 – DISPOSAL CONSIDERATIONS

Dispose of unused containers of product in accordance with applicable Federal, State/Provincial, and local regulations. Empty containers should be triple rinsed before disposal.

SECTION #14 – TRANSPORTATION INFORMATION

This product is not regulated as a DOT hazardous material.

Fab/Dynamo 2X Heavy Duty Liquid Detergent:

SECTION #15 – REGULATORY INFORMATION

RCRA (40 CFR 261, Subpart D): Not Applicable.

CLEAN WATER ACT: Contains sodium hydroxide which is a Section 311 material.

CLEAN AIR ACT: Contains ethanol and methanol which are Section 111 materials.
Methanol is also a Section 112 material.

SARA; Sections 301-304 (Threshold planning quantity – TPQ) 40 CFR 355:

component.

No TPQ for any

Section 313 (Toxic chemical release reporting) 40 CFR 372:

The following chemicals must be reported under SARA 313:

Not Applicable.

CERCLA: Section 102 (Reportable Quantity – RQ) 40 CFR 302:

Not Applicable

Material Safety Data Sheet

AJAX® 2X Heavy Duty Liquid Detergent– All Variants

Page 5 of 5

Rev. Date

10/03/07

New Jersey Right to Know Hazardous Substance List:

This product contains the following components subject to reporting requirements: Ethanol, methanol, sodium hydroxide.

SECTION #15 – REGULATORY INFORMATION CONTINUED...

Pennsylvania Hazardous Substance List:

This product contains the following components subject to reporting requirements: Ethanol, methanol, sodium sulfate, sodium hydroxide.

Massachusetts Substance List:

This product contains the following components subject to reporting requirements: Ethanol, methanol, sodium sulfate, sodium hydroxide.

Canada: Workplace Hazardous Materials Information System (WHMIS):

This product contains the following components subject to reporting requirements: Ethanol.

TSCA Section 8(b) Inventory Status:

All ingredients in this product are listed on the TSCA Inventory or are not required to be listed on the TSCA Inventory.

SECTION #16 – OTHER INFORMATION – DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these which are commonly used include the following: CAS #: This is the Chemical Abstract Service Number which uniquely identifies each constituent. It is used for computer-related searching. EXPOSURE LIMITS IN AIR: ACGIH – American Conference of Governmental Industrial Hygienists, a professional association which establishes exposure limits. TLV – Threshold Limit Value – an airborne concentration of a substance which represents conditions under which it is generally believed that nearly all workers may be repeatedly exposed without adverse effect. The duration must be considered, including the 8-hour Time Weighted Average (TWA), the 15-minute Short Term Exposure Limit (STEL), and the instantaneous Ceiling Limit. Skin adsorption effects must also be considered.

OSHA – U. S. Occupational Safety and Health Administration. PEL – Permissible Exposure Limit – this exposure value means exactly the same as a TLV, except that it is enforceable by OSHA. NIOSH is the National Institute of Occupational Safety and Health, which is the research arm of the U.S. Occupational Safety and Health Administration (OSHA). NIOSH issues exposure guidelines called Recommended Exposure Levels (RELs). FLAMMABILITY LIMITS IN AIR: Much of the information related to fire and explosion is derived from the National Fire Protection Association (NFPA). LEL – the lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source. UEL – the highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source.

DISCLAIMER OF EXPRESS AND IMPLIED WARRANTIES

The foregoing data has been compiled from sources that the company, in good faith, believes to be dependable and is accurate and reliable to the best of our knowledge and belief. However, the company cannot make any warranty or representation respecting the accuracy or completeness of the data, and assumes no responsibility for any liability or damages relating thereto or for advising you regarding the protection of your employees or others. Users should make their own tests to determine the applicability of such information or the suitability of any products for specific use.