

DATE: 1/05/2018

Page: 5

BID NO.: 50-00121857

BID FORM
Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO X

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____ %

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF _____.

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

2-3 weeks

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: BASIC SUPPLY, LLC

ADDRESS: PO BOX 63066

CITY, STATE: LAFAYETTE, LA ZIP: 70506

TELEPHONE: () 337-769-0122 FAX: () 337-247-7699

EMAIL ADDRESS: charlotte@basicsupply.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: one

NUMBER: _____

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ _____

AUTHORIZED
SIGNATURE: 

JOHN ATKINSON

Printed Name

TITLE: MANAGER

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF
INCORPORATED.

AT THE MEETING OF DIRECTORS OF Basic Supply LLC
INCORPORATED, DULY NOTICED AND HELD ON 7/6/17,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT John Atkinson, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.

Bonnie Atkinson
SECRETARY-TREASURER

7/6/17

DATE



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
08/10/2017

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER	STIEL INSURANCE OF ACADIANA, INC. 2205 W. PINHOOK RD. SUITE 101 LAFAYETTE, LA 70508	CONTACT NAME	TERRY D. MORGAN			
		PHONE (A/C, No, Ext):	337-233-5022	FAX (A/C, No):		
		E-MAIL ADDRESS:	JALAINEM@STIELINS.COM			
		INSURER(S) AFFORDING COVERAGE		NAIC #		
INSURED	EXCO INDUSTRIAL INC.; BASIC SUPPLY, LLC; JOHN & BONNIE ATKINSON PROPERTIES, LLC; MOST ELECTRIC, INC. P.O. BOX 63066 LAFAYETTE, LA 70596	INSURER A:		ROCKHILL INSURANCE COMPANY		28053
		INSURER B:		TECHNOLOGY INSURANCE COMPANY		42376
		INSURER C:		NATIONAL UNION FIRE INSURANCE COMPANY		19445
		INSURER D:		LWCC		22350
		INSURER E:		LUBA		
		INSURER F:		NAVIGATORS INSURANCE CO		

COVERAGES

CERTIFICATE NUMBER: 101273

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PROJECT <input type="checkbox"/> LOC OTHER:			RCGLPG02510-02	06/27/2017	06/27/2018	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 100,000 MED EXP (Any one person) \$ 1,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000
B	<input checked="" type="checkbox"/> AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input checked="" type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS ONLY <input checked="" type="checkbox"/> NON-OWNED AUTOS ONLY			TPP122051802	06/27/2017	06/27/2018	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$
C	<input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED <input checked="" type="checkbox"/> RETENTION \$ 10,000			EBU014127703	06/27/2017	06/27/2018	EACH OCCURRENCE \$ 10,000,000 AGGREGATE \$ 10,000,000
D	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) <input type="checkbox"/> Y/N If yes, describe under DESCRIPTION OF OPERATIONS below		N/A	154584	01/08/2017	01/08/2018	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTHER E.L. EACH ACCIDENT \$ 1,000,000 E.L. DISEASE - EA EMPLOYEE \$ 1,000,000 E.L. DISEASE - POLICY LIMIT \$ 1,000,000
E	LUBA WORKERS COMP - MS			028000020095117	01/08/2017	01-08-2018	1,000,000/1,000,000/1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

GENERAL LIABILITY AND AUTO POLICIES CONTAIN BLANKET ADDITIONAL INSURED AS REQUIRED BY WRITTEN CONTRACT;
BLANKET WAIVER OF SUBROGATION AS REQUIRED BY WRITTEN CONTRACT.
GENERAL LIABILITY CONTAINS CONTRACTUAL LIABILITY
AUTO POLICY CONTAINS PRIMARY WORDING ENDORSEMENT, 30 DAY NOC
WC: WAIVER OF SUBROGATION ENDORSEMENT IN FAVOR OF CERTIFICATE HOLDER.

CERTIFICATE HOLDER

CANCELLATION

SAMPLE	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
	AUTHORIZED REPRESENTATIVE

© 1988-2015 ACORD CORPORATION. All rights reserved.

Non-Public Works Bid

AFFIDAVIT

STATE OF LOUISIANA

PARISH/COUNTY OF LAFAYETTE

BEFORE ME, the undersigned authority, personally came and appeared: _____

JOHN ATKINSON, (Affiant) who after being by me duly sworn, deposed and said that he/she is the fully authorized MANAGER of BASIC SUPPLY (Entity), the party who submitted a bid in response to Bid Number 50-00121857 to the Parish of Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B X there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B X There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

John Atkinson
Signature of Affiant

JOHN ATKINSON
Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME
ON THE 24th DAY OF January, 2018.

Kenneth T. Toups
Notary Public

Kenneth T. Toups
Printed Name of Notary

La # 49594
Notary/Bar Roll Number

My commission expires At Death

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00121857

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	240.00	EA	<p>TWO YEAR CONTRACT TO SUPPLY SAFETY SUPPLIES TO BE ORDERED ON AN AS NEEDED BASIS FOR THE DEPARTMENT OF PARKS AND RECREATION AND USED BY ALL DEPARTMENTS AND AGENCIES WITHIN JEFFERSON PARISH</p> <p>0010 - Hardhat Helmet, safety, slotted,</p> <p>Fas-Trac suspension Type 1 MSA V-Gard No.475362 Colors: White Green</p> <p>H26R1 / H2649</p> <p>SESS #14110</p> <p>Note: This bid is for a two-year supply of Safety Supplies to be ordered on an as-needed basis and used by all departments and agencies within Jefferson Parish. The quantities listed in this bid are estimates based upon historical purchasing and upcoming project planning. The actual quantities needed may vary from these estimates.</p> <p>For items with a name brand listed, other name brand are acceptable as long as quantities per package, specifications, and available colors and sizes are equal or better. If bidding other than specs- please include specifications for the items when submitting your bid.</p>	7.32	1756.10
2	40.00	PR	<p>0020 - Winter Hat Liners Jackson 3000442 Winter-liners</p> <p>Color: Green Medium/Heavy Weight, Quilted, Flame Retardant</p> <p>6265953</p> <p>SESS #679/WLQEN</p>	2.35	94.15
3	50.00	PR	<p>0030 - Eadians 360-C Visitors Specs Top and Side Protection</p> <p>Fit Over Prescription Eyewear. Not Intended as Safety Glasses. 12 MIN MCR/CREWS 9800XL</p> <p>SAME PART</p>	1.75	87.50
4	60.00	PR	<p>0040 - Flexible Frame Goggles, Must Comply with ANSI Z87.1, Soft Frame</p> <p>CORDOVA GD10</p>	1.10	66.00

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
5	10.00	PR	<p>Perforated On Top and Side for Maximum Ventilation. May Be Worn with Prescription Glasses, Fog Free 6 oz. PYRAMEX C204</p> <p>SESS #201</p> <p>0050 - Foreman Safety Glasses Clear-View Foreman Series Safety</p>	1.65	16.46
6	10.00	EA	<p>Glasses with UG3 Coated Lenses CREWS 41110, 59MM Lens One Piece Molded Side Shields Conventional Style Wire Reinforced Temple Upper Shield Guards, Meets ANSI Z87.1 Standards PYRAMEX SB1810SB RADIAN JR01101D</p> <p>SESS #0110 C/W NECK CORD</p> <p>0060 - Safety Glasses With Earplugs Gray Lens, Anti-Fog, Anti-Scratch</p>	12.59	125.90
7	10.00	EA	<p>Black Frame, Flexible CONDOR GRCNB-GR SAME PART</p> <p>0070 - Safety Glasses With Earplugs Amber Lens, Anti-Fog, Anti-Scratch,</p>	12.59	125.90
8	30.00	BX	<p>Black Frame, Flexible SAME PART CONDOR GRCNB-AM</p> <p>0080 - Ultrafit Ear Plugs RADAIA NS JP3150ID</p>	59.00	1770.00
9	180.00	EA	<p>Reuseable and Disposable with Cord, NRR 21, Will Accept Type Capable of Attaching to Safety Hardhat. 100 PAIR PER BOX EP312OR</p> <p>0090 - Earmuffs RADIANS EL30</p>	12.75	2295.00
10	200.00	PR	<p>Comfort-Designed Industrial Earmuffs Feature Wider Ear Cushions That Spread Pressure Over a Larger Area NRR 29 DB Over the Head, 28 DB Behind the Neck. HL1 1010970 HB-650</p> <p>0100 - Knee Pads - Allegro 7100 Heavy Duty Black Molded Rubber V310</p>	7.10	1420.00
11	2.00	PR	<p>0110 - 12 Inch Neoprene Coated Heavy Duty Gloves 5014</p>	1.20	2.40

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00121857

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
12	320.00	PR	Memphis 6922 SESS #4020 0120 - 18 Inch Standard Line Neoprene Coated Gloves, Standard Weight	7.25	2320.00
13	10.00	BX	Gauntlet Cuff, MEMPHIS 6948 5002472 0130 - Disposable Gloves, Polyethylene, Medium, Clear, Powder Free, Length: 11 Inch, Package of 500 MEMPHIS 5040 4100	3.10	31.00
14	10.00	BX	0140 - Disposable Gloves, Polyethylene, Large, Clear, Powder Free, Length: 11 Inch Package of 500 MEMPHIS 5040 4100	3.10	31.00
15	2.00	EA	0150 - Welders Aprons Neoprene Rubber Full Aprons with Bibs AME 56-512-35X45 RNA01	24.39	48.78
16	100.00	PR	0160 - Gloves Russet Split Leather Gloves Memphis OG91310L Wing Thumb, Gunn Cut, All Seams Welted, One Piece Back, Fully Lined, Thumb Strap Sewn with Kevlar Thread RAD 64057562 Size: Large 7500	4.00	400.00
17	1,400.00	PR	0170 - Gloves Russet Split Leather Memphis No. OG91310 XL Wing Thumb, Gunn Cut, All Seams Welted, One Piece Back, Thumb Strap, Sewn with Kevlar Thread Size: X-Large 7500 RAD 64057563	4.00	5600.00
18	5.00	EA	0180 - Cowhide Leather Driver's Gloves Unlined, Medium MODEL NO.: S-6777M SESS #OG87M 8212	3.70	18.50

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00121857

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
19	5.00	PR	0190 - Cowhide Leather Driver's Gloves Unlined, Large MODEL NO.: S-6777L 8212 SESS #OG87L	3.70	18.50
20	600.00	PR	0200 - Cowhide Leather Driver's Gloves Unlined, X-Large MODEL NO.: S-6777XL 8212 SESS #OG87XL	3.70	2220.00
21	50.00	PR	0210 - Gloves Gauntlet Tanned MEMPHIS Red Ram No. OG94300 Welding Gloves By Elliott Made Of No.1 Selected Chrome Tanned Leather. Full Wool Back Lining For Maximum Heat Protection. Reinforcing Leather Back Patch Extending From The Side Seam To The Index Finger. Gauntlet Of Fine Leather To Act As A Stiffener. A530	6.45	322.56
22	2.00	EA	0220 - Auto Darkening Welding Helmet, Black, Classic, 8 to 12 Lens Shade MILLER ELECTRIC 251 292 4-1072	82.00	164.00
23	10.00	EA	0230 - Welding Helmet Fiber Metal Tigerhood - Universal Shape 2 Inch X 4-1/4 Inch Lift Front Glassholder FIB 906 BK 8910069	22.00	220.00
24	200.00	EA	0240 - Fiber Metal Brand High Performance Faceshield Window, Injection Molded Propionate, Standard Size 11-1/4 Inch Width X 8 inch Depth X .060 Inch, Thick to Fit F-300 Faceshields, Meets ASSI-Z87.1, MCR/CREWS 8/54/840C FS-12PC	5.15	1030.00
25	250.00	EA	0250 - Fiber Metal Brand High Performance Ratcheted Headgear Certified ANSI-Z87.1, MCR/CREWS JM-103 HG-25	6.25	1562.50
26	700.00	ROLL	0260 - Caution Tape - Barricade TYCO 701455 T15101	5.07	3551.22

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00121857

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
27	2.00	ROLL	Caution Barrier Tape National 3 Inch Wide X 1000 Feet Long Rolls Tough Abrasion Resistant, Low Density with Continuous Black Imprint Caution - Caution - Caution Meets OSHA Specifications 1910.144 RAD 64055720	26.45	52.90
28	250.00	BX	0270 - Safety Barricades 4 Foot X 100 Foot, Made of High Density Polyethylene, Color: Orange, 32 Pound Roll Weight, 9 Inch Roll Diameter, 4 Roll Width, 100 Foot Length, 2.2 X Inches Typical Aperture Size, 7,500 Pound Minimum Tensile Strength Per Roll, 55 percent Porosity Full Stabilized UV Resistance, MUT 1490045100 2AO6006	8.40	2100.00
29	2.00	PK	0280 - Dust/Mist Respirator Gerson Brand Disposable Elastic Headband, Adjustable Nosepiece, 20 Per Box NIOSH/MSHA Approved TC-21C-347 GATEWAY SAFETY #80301-R8210 N95	10.98	21.95
30	2.00	PK	0290 - Acid Gas/Organic Vapors Cartridges Chlorine, Hydrogen Chloride, Sulfur Dioxide or Chlorine Dioxide TC-23C-343 SAME PART 3M Brand, 2 Per Pack 3M-6001	4.76	9.51
31	2.00	EA	0300 - Filter Cartridge Highly Particulate Asbestos, High Efficiency Filter/Cartridge, NIOSH Approval TC-21C-152. 3M Brand PACK OF 2 SAME PART 3MR 2091	10.98	21.95
32	120.00	EA	0310 - Half Mask Respirator Lightweight SAME PART Silicone Facepiece, Contoured Sealing Flange, Medium Size. Certified By NIOSH/MSHA 3-M Brand 3 MR 6200	1.80	216.59
			0320 - Protective Eyewear Radians TH1-20 RAD-THUNDERS JR0120ID		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00121857

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
33	75.00	EA	Gray Lens, Black Frames, Scratch Resistant Lens, Ratchet Action Temples, Non-Slip Rubber Head Grips, Meets ANSI Z87.1-1989 RN2 TH 1-20 PYRAMEX SB 18205 SESS #0112 C/W NECK CORD	1.80	135.37
34	20.00	CS	0330 - Protective Eyewear RADIANS THI-10 RAD-THUNDER Condor Thunder, Clear Lens Black Frames, Scratch Resistant Lens, Ratchet Action Temples, Non-slip Rubber Head Grips Meets ANSI Z87.1-1989 PYRAMEX SB 18105 JR0110ID SESS #0110 C/W NECK CORD	44.00	880.00
35	10.00	CS	0340 - Coverall Lakeland 1412-S, 25 Per Case Protects Against Asbestos, Serged Seams, And Static free, Full Cut Seat, Wide Leg, Extended Torso Length, Size: Small DPPTY120SWHSMOD SESS #412 SMS100	44.00	440.00
36	80.00	CS	0350 - Coverall Lakeland 1412-M, 25 Per Case, Protects Against Asbestos, Serged Seams, And Static free, Full Cut Seat, Wide Leg, Extended Torso Length, Size: Medium DPPTY120SWHMDOO SMS100 SESS #412	44.00	3520.00
37	120.00	CS	0360 - Coverall Lakeland 1412-S, 25 Per Case Protects Against Asbestos, Serged Seam And Static free, Full Cut Seat, Wide Leg, Extended Torso Length, Size: Larage DPPTY120SWHLGOO SESS #412 SMS100 0370 - Coverall Lakeland 1412-XL, 25 Per Case SMS100	44.00	5280.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00121857

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
38	1,500.00	EA	Protects Against Asbestos, Serged Seam And Static free, Full Cut Seat, Wide Leg, Extended Torso Length, Size: Extra Large DPPTY120SWHXLOO		
			SESS #412	1.80	2700.00
39	4,000.00	EA	0380 - Coverall Collared SMS, White, Elastic		
			Size: 2X-Large SMS100 CVL-SMS-E-2XL	1.90	7600.00
40	5.00	EA	SESS #412 25/CS		
			0390 - Coverall Collared SMS, White, Elastic	1.90	9.50
41	5.00	EA	Size: 3X-Large SMS100 CVL-SMS-E-3XL		
			SESS #412 25/CS	1.90	9.50
42	2.00	EA	0391 - Coverall Collared SMS, White, Elastic		
			Size: 4X-Large SMS100 CVL-SMS-E-4XL	62.98	125.95
43	70.00	EA	0392 - Coverall Collared SMS, White, Elastic		
			Size: 5X-Large SMS100 CVL-SMS-E-5XL	63.71	4459.51
			0400 - Safety Can - Type II Justrite 10327		
			Safe Squeeze Trigger Mechanism Natural grasp, Lift Latch For Single Handed Filling, Internal Flame Arrestor Automatic Venting Between 3 and 5 Psig Guards SIZE: 1 gallon JUSTRITE 7210120 SAFEWAY 2010		
			0410 - Safety Can - Type II Eagle U2-26-		
			Safe Squeeze Trigger Mechanism Natural Grasp, Lift Latch For Single Handed Filling, Internal Flame Arrestor Automatic Venting Between 3 And 5 Psig Guards JUSTRITE 7220120		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00121857

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
44	2.00	EA	SIZE: 2 Gallon SAFEWAY 2020 0420 - Safety Can - Type II Justrite 10728 Safe Squeeze Trigger Mechanism, Natural Grasp, Lift Latch For Single Handed Filling, Internal Flame Arrestor Automatic Venting Between 3 And 5 Psig guards SIZE: 3 Gallon SAFEWAY 2030 JUSTRITE 7225120	64.45	128.90
45	100.00	EA	0430 - Safety Can - Type II Eagle U2-51-S Safe Squeeze Trigger Mechanism, Natural Grasp, Lift Latch For Single Handed Filling, Internal Flame Arrestor Automatic Venting Between 3 And 5 Psig Guards SIZE: 5 Gallons SAFEWAY 2050 JUSTRITE 7250120	57.26	5725.61
46	2.00	EA	0440 - Safety Can - Type II Eagle US2-51-SY Yellow, 15-7/8 Inch High Galvanized Steel, Flexible Metal Pour Spout Size: 5 Gallon JUSTRITE 7250220	69.71	139.41
47	.00		2050-Y		
48	250.00	EA	0450 - Eyewear, Safety, Clear Lens, Radians AP1-10 RAD-APOCALYPSE Frame/Temple Color = Black Frame/Temple Material = Nylon Size = Universal Lens Color = Clear Lens Material = Polycarbonate Lens Coating = Anti-Scratch Lens Style = Dual Temple Style = Wraparound 99.9 percent UV Protection Includes Neck Cord PYRAMEX SB 18105 RADIAN AP1-10 SESS #0110 C/W NECK CORD	2.63	658.54
49	150.00	EA	0460 - Eyewear, Safety, Smoke Lens, Radiams AP1-20 RAD-APOCALYPSE Frame/temple color = Black Frame/Temple material = Nylon RADIANS AP1-20	2.63	395.12

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00121857

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
50	10.00	EA	Size = Universal Lens Color = Smoke Lens Material = Polycarbonate Lens Coating = Anti-Scratch Lens Style = Dual Temple Style = Wraparound 99.9 percent UV Protection Includes Neck Cord PYRAMEX SB 18205 SESS #0112 C/W NECK CORD 0470 - Eyewear, Safety, Amber Lens Radians AP1-40 RAD-APOCALYPSE	2.93	29.30
51	20.00	EA	Frame/temple color = Black Frame/Temple material = Nylon Size = Universal Lens Color = Amber Lens Material = Polycarbonate Lens Coating = Anti-Scratch Lens Style = Dual Temple Style = Wraparound 99.9 percent UV Protection Includes Neck Cord PYRAMEX SB 18305 RADIANS AP1-40 SESS #0113 C/W NECK CORD 0480 - Eyewear, Safety, Clear Sperian 11150405 OP-TEMA	1.86	37.20
52	2,000.00	EA	Frame color = Silver/Black Frame/Temple material = Nylon Soft nose Bridge Lens Color = Clear Lens Material = Polycarbonate Adjustable Temples Lens Style = Single Contoured Design 99.9% UV Protection Lens = Anti Fog Frame Three Lens Angles PYRAMEX SB45 10DP EJNWR10STEC002 SESS #0110AF C/W NECK CORD 0490 - Eyewear, Safety, Gray Sperian 11150401 OP-TEMA ANTI-FOG UNAVAILABLE Frame color = Silver/Black Frame/Temple material = Nylon Soft nose Bridge Lens Color = Gray Lens Material = Polycarbonate Adjustable Temples Lens Style = Single Contoured Design EJB20SEC002	1.86	3720.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00121857

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
53	2.00	PR	99.9 percent UV Protection Lens = Anti Fog Frame Three Lens Angles PYRAMEX SB 4520 DP SESS #0112AF C/W NECK CORD 0500 - Glove, Leather, Extra Large Memphis OG91410XL	3.50	7.00
54	2.00	PR	Heat & Cut Resistant Stched Thread Material Double Chromed Tanned Leather/ Cotton Back/Fleece Lining into thumb and Forefinger Rubberized Safety Cuff 7510A Wing Thumb	3.50	7.00
55	80.00	PR	0510 - Glove, Leather, Large Memphis OG91410L Heat & Cut Resistant Stched Thread Material Double Chromed Tanned Leather/ Cotton Back/Fleece Lining into thumb and Forefinger Rubberized Safety Cuff 7510A Wing Thumb	1.00	80.00
56	100.00	PR	0520 - Glove, String Knit, Blue/Gray, MEMPHIS 9688L Seamless String Knit 3896 Large 100 Percent Cotton Shell Full Latex Palm Dip	1.10	110.00
57	2.00	PR	0530 - Glove, String Knit,Blue/Gray, Memphis 9688XL Seamless String Knit Glove 3896 Extra Large 100 Percent Cotton Shell Full Latex Palm Dip	5.10	102.00
58	60.00	EA	0540 - Glove, Rubber Coated Kevlar S-9867 Latex Rubber Coating 3050 SESS #4342L 0550 - Ratchet tie down, 2 inch long handle, strap width 2 inch, working load limit 3,333 pound, braking strength 10,000 pound, polyester strapping fabric, alloy steel A-2X27RFH5	13.27	796.10

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00121857

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
59	30.00	EA	plate ratchet material 5-Line 557-227 0560 - Ratchet tie down, S hook strap width 1 inch, working load limit	7.54	226.10
60	10.00	EA	400 pound, braking strength 1,200 pound polyester strapping fabric, allow steel plate ratchet material, 2 per package 1 tie down lifts all 60 106 hook PLT 5-Line 557-130 A-1X16RVSH	13.50	135.00
61	2.00	EA	0570 - Tarp strap assortment, black, EPDM rubber hardened steel hooks, includes (4) 10 inch, (2) 15 inch, (2) 21 inch, (2) 31 inch, 10 per package D16 55E 10,15,21,31 TARP10	18.00	36.00
62	2.00	EA	0580 - Web strap, ratchet, strap length 40 feet, strap width 2 inch, load capacity 3,333 pound, working load limit 3,333 pound, working load limit 3,333 pound, braking strength 10,000 pound, polyester strapping fabric yellow webbing, DBL J hook fitting style, steel ratchet material length 30 feet S-Line 557-240 A-2X30RWHK10	20.05	40.10
63	2.00	EA	0590 - Heavy duty tuff edge sling, width 2 inches, sling type eye and eye, vertical load capacity 6,400 pounds, basket hitch capacity 12,800 pounds, choker hitch capacity 5,000 pounds, overall length 10 feet, double ply EEF2902X10P 1230202010	14.60	29.20
64	2.00	EA	0600 - Extra heavy duty web sling, width 2 inches, sling type eye and eye, vertical load capacity 6,400 pound, basket hitch capacity 12,800 pounds, choker hitch capacity 5,000 pounds, overall length 6 feet, double ply, polyester, flat eye EEF2902X6P 2X6D	7.85	15.70
			0610 - Endles heavy duty tuff edge sling, width 1 inch, vertical load 1X6END		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00121857

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
65	600.00	EA	capacity 3,200 pounds, basket hitch capacity 6,400 pounds, choker hitch capacity 2,500 pounds, overall length 6 feet, singel ply EN1901X6P		
			0620 - Wasp And Hornet Killer, Aerosol, 14 Ounce CRC 14010 1183037 SESS #95715	2.50	12500.00
66	2.00	EA	0630 - Yellow Beverage Cooler, 5 Gallon Plastic, Lid Color: Red, Exterior Length: 14-1/2 Inch Exterior Width: 13 Inch Exterior Height: 20-1/3 Inch Exterior Diameter: 13 Inch IGLOO 48153 6937296 SESS #SQ5	28.13	56.27
			0640 - Yellow Beverage Cooler, 3 Gallon Plastic, Lid Color: Red, Exterior Height: 14 Inch Exterior Diameter: 13-1/2 Inch IGLOO 431 SESS #SQ3 SAME PART	27.00	54.00
67	2.00	EA			

LINE ITEM NO. 1

SAFETY WORK H26R1 (WHITE) /H2G49 (GREEN)

Duo Safety™ Helmets, Cap-Style, High Density Polyethylene Shell, 6-Point Nylon Suspensions with Ratchet. Meets/Exceeds ANSI/ISEA Z89.1-2014, Class E & G Requirements, Made in USA



LINE ITEM NO 2

6265953

Quilted Nylon Shell With Fastener Straps. Three Layers Of Thick Foam. Meets 16 CFR 1610, Class. QUILTED

Color : Blue



PRODUCT DETAILS

Closure Type: Hook And Loop

Lining Material: Poly-Fleece

Material: Quilted Nylon

Resists: Water

Standards: 16 CFR 1610

Temperature Range: -20 TO 0 Deg C

Usage: Used To Worn Under Caps And Hats

LINE ITEM NO. 4

CORDOVA GD10

GD10 GOGGLES-PERFORATED

Clear, Scratch Resistant Polycarbonate Lens, Clear Nylon Frame with Perforation, Elastic Strap, Meets ANSI Z87.1+ Standards, Provides 99.9% UV Protection, (GD10T: Clear/Anti-Fog)



LINE ITEM NO. 5

RADIANS JR0110ID CLEAR

Radians Journey® safety glasses provide excellent optics and coverage. Scratch resistant coating on all protective lenses. Eyewear also available with Realtree Hardwoods® camo pattern on the frame. 4-position telescoping temples for superior fit. 9.75 base lens provides excellent optics and coverage.

Rubber nose piece allows for all day comfort. All lenses are hard coated for scratch resistance. JR0110ID & JR0120ID Meet Canadian Safety Standards.

Ballistic Testing.

Provides 99.9% UVA/UVB protection.

Safety glasses meet ANSI Z87.1 + standards.



LINE ITEM NO. 8

EP-312-OR

TriSonic™ 3-FLANGE REUSABLE CORDED EAR PLUGS WITH PLASTIC CLIP CASE



LINE ITEM NO. 9

ELEVEX HB-650

The UltraSonic™ high attenuation muff, comfortable and lighter than competitive models.

Lightweight with 20% lower headband pressure. Headband: PVC

Ear Cup: ABS. Dual Fork Suspension: Stainless Steel. Foam Absorber:

Polyurethane. Ear Cushion: PVC

ANSI S12.6 Hearing Protection Attenuation Standard - ANSI S12.6

ANSI S3.19 29 NRR NRR (Noise Reduction Rating)



LINE ITEM NO. 10

Custom Leathercraft Tool Works V310 Non-Marring Knee Pad, One Size Fits All, Molded Natural Rubber



ITEM NO. 11

CORDOVA 5014 SMOOTH PVC/14-INCH

Black PVC, Smooth Finish, Interlock Lining, 14-Inch Length

LINE ITEM NO. 12

5002472

Technic 450 33555 Protective Gloves, Large, Neoprene, Black,
100% Cotton Flock Lining
One Size Fits All Heavy Duty Neoprene Glove Resists
Chemicals, Abrasions, Cuts, Sunlight, And Ozone. Nonslip Grip
With 100 Percent Cotton Flock Lining, And 16-1/2" Elbow
Length Cuff.



LINE ITEM NO. 13 & 14

CORDOVA 4100

Low Density Polyethylene
(LDPE) Gloves, 1.25-mil,
Embossed, 100 Gloves Per
Envelope, Sizes: S-XL



LINE ITEM NO. 15

CORDOVA RNA01

Commander-FR™ Apron, Black .50 mm.
Neoprene/Nylon Scrim Fabric, Cotton String
Waist & Neckties, Split Legs Design, Two Metal
Snap Adjustments Per Leg, Flame Resistant
(ASTM D6413), Dimensions: 44-Inch Length x
34.5-Inch Width, One Size Fits All



LINE NO. 16 & 17

CORDOVA 7500

Premium Double Chrome Tanned, Heavy Side
Split Cowhide Leather Palm, Gunn Cut,
Premium White Cotton Canvas Back, Fleece
Jersey Cotton Palm Lining, Shirred Elastic Back,
Kevlar® Stitching, 2.5-inch Rubberized Safety
Cuff

LINE ITEM NO. 18, 19, & 20

CORDOVA 8512

Standard Grain Cowhide Driver, Unlined, Shirred Elastic
Back, Keystone Thumb, Sizes: S-2XL



LINE ITEM NO. 21

PORTWEST A530

Premium quality leather welding gauntlet with reinforced palm and thumb area for additional protection. Fully welted and sewn with DuPont™ Kevlar® throughout. CE certified



LINE NO. 22

KT INDUSTRIES 4-1072

COOL BLUE AUTO DARKENING HELMET

Item Notes:

Auto-Darkening at it's best!

Sturdy construction helmets are made of lightweight, molded nylon with a ratcheting headgear and moistureabsorbing headband lining. User can customized fit with a special up/down, forward/backward headband mechanism, reducing fatigue of the head and neck. Sensitivity adjustment knob is located outside the helmet making it more convenient to adjust. Upon striking an arc, the filter automatically changes from clear to dark in only 1/30,000 of a second. Four optical sensors for better detection of the arc. Operator can set the delay time for the filter screen to change from dark to clear state - short, medium or long. Replacement lenses are available making changing scratched or damaged lenses fast and easy! Dual purpose welding or grinding mode. UV/IR Protection provide full protection for the user's eyes and face, even in the light state at up to Shade 16 (DIN) at all times. Increased field of vision makes it easier to see the working parameter. Now measures 3.86" x 2.17". Helmet is powered by high performance solar cells, and two long lasting lithium-ion batteries. ADF lens conserves power by going to standby after 5 minutes of inactivity. Conforms with ANSI and CE safety standards.

The K-T Advantage

- 1/30,000 Second Response
- Variable Shade 9-13
- Replaceable Lenses
- Welding or Grinding Mode
- U/V Protection at all times
- Huge Viewing Area
- Magnifying Lens Included!

LINE ITEM NO. 23

8910069

Forney Industries 55666 Lift-Front Arc
Welding Helmet, 2 In L X 4-1/4 In W, Glass



LINE ITEM NO. 24

FS-12PC features a non-proprietary, high quality polycarbonate material that has similar in performance characteristics to Lexan®.

Aspherical design allows optimal freedom of movement in all directions.

Offers wraparound, splash and impact protection.

Universal Hole Pattern on Elvex® face shields, also fit on the more popular headgear brands.

Elvex® face shields fit to our HG-25 and HG-35 headgears.

Material: Molded Aspherical Polycarbonate

Industry Leading Thickness: 0.078 inches

Die cut universal hole pattern fits most competitive headgear options.

Heat Tolerance: up to 265 degrees

Dimensions: 8 in. x 12 in. x .078 in.

UV Protection: 99.9% between 180-380nm

LINE ITEM NO. 25

HG-25

The Ultimate™ Headgear HG-25 is our high performance dielectric construction accommodating face shields, visors and mesh screens.

It features a customizable head hugging suspension for secure fit and all day wear.

The HG-25 may be used with other face shields, visors and mesh screens.

Browguard: High Density Polyethylene

Suspension: Low Density Polyethylene

Sweatband: Cotton & PU Foam

Knobs: POM

For industrial applications with the melting point of high density polyethylene of 248° F (120° C).

Ratchet adjusts for head circumference so it fits more heads.

Head hugging Pin Lock suspension with two swivel points for head height adjustments and snug fit.

Browguard, soft terry cloth brow pad, and neck pad for extra comfort.

Dielectric construction.



LINE ITEM NO. 26

CORDOVA T15101: 1.5 Mil

Barricade Tape with CAUTION Legend, Yellow, 1.5 Mil Thickness, 3-Inch Width, High Strength, Non-Toxic, Non-Flammable, UV Resistant Ink, Lead Free, Remains Flexible in Cold Weather, 1000 Feet Per Roll, 12 Rolls Per Case



LINE ITEM NO. 27

6582902

Tenax 2A060006 Economy Lightweight Warning Barrier, 100 Ft L X 4 Ft W, 1-3/4 X 1-3/4 In Mesh

A lightweight visual barrier suited for use around construction sites or in crowd control applications; a highly noticeable barrier with oval mesh openings and is UV protected; available in orange color with 1.75 square inch mesh.



LINE ITEM NO. 28

CORDOVA N95

Class N95 Particulate Respirator, NIOSH Approved, Two Latex-Free Straps, Adjustable Aluminum Nose Piece, Polyethylene Nose Pad, 20 Per Box, 12 Boxes Per Case, Assigned Protection Factor: APF 10

LINE ITEM NO. 33

JR0120ID Smoke

Radians Journey® safety glasses provide excellent optics and coverage. Scratch resistant coating on all protective lenses. Eyewear also available with Realtree Hardwoods® camo pattern on the frame.

4-position telescoping temples for superior fit.

9.75 base lens provides excellent optics and coverage.

Rubber nose piece allows for all day comfort.

All lenses are hard coated for scratch resistance.

JR0110ID & JR0120ID Meet Canadian Safety Standards.

Ballistic Testing.

Provides 99.9% UVA/UVB protection.

Safety glasses meet ANSI Z87.1 + standards.



LINE ITEM NO. 34

RADIANS JR0110ID CLEAR

Radians Journey® safety glasses provide excellent optics and coverage. Scratch resistant coating on all protective lenses. Eyewear also available with Realtree Hardwoods® camo pattern on the frame.

4-position telescoping temples for superior fit.

9.75 base lens provides excellent optics and coverage.

Rubber nose piece allows for all day comfort.

All lenses are hard coated for scratch resistance.

JR0110ID & JR0120ID Meet Canadian Safety Standards.

Ballistic Testing.

Provides 99.9% UVA/UVB protection.

Safety glasses meet ANSI Z87.1 + standards.



LINE ITEMS NO. 35-41

CORDOVA SMS100


C-MAX™ Coveralls, White SMS Fabric, Open Wrists and Ankles, Serged Seams, Zipper Closure, Elastic Waist

Food Contact Information:

Component Materials comply with all federal regulations for food contact. (U.S. Code of Federal Regulations, 21CFR, Parts 170-199)

Applications Include:

Asbestos Abatement, Food Processing, Painting, Tank Cleaning, Mold Remediation



LINE ITEM NO. 21

JUSTRITE 7210120

Justrite 1 Gallon Type II Safety Can Red 5/8 Hose

1 Gallon/4L Type II Red 5/8 Hose, Justrite 7210120

Capacity: 3.79 liters

9.5" outer diameter

1.58" fill/pour hole



LINE ITEM NO. 43

Justrite 7220120

Justrite 2 Gallon Type II Safety Can Red 5/8 Hose

2 Gallon/7.5 Liter Type II Red 5/8 Hose,

Capacity: 7.5 liters

11.75" outer diameter

1.58" fill/pour hole

Hose Dimensions: 9" L x .625" outer diameter



LINE ITEM NO. 44

Justrite 7225120

Justrite 2.5 Gallon Type II Safety Can Red 5/8 Hose



LINE ITEM NO. 45

Justrite 7250120

5 Gallon/19 Liter Type II Red 5/8 Hose,

Dimensions: 17.5" H x 11.75" Outer Dia.

1.68" fill/pour hole. Hose dimensions: 9" L x 0.625" Outer Dia.

LINE ITEM NO. 46

Justrite 7250220

Justrite 5 Gallon Type II Safety Can Yellow 5/8 Hose

Dimensions: 17.5" H x 11.75" Outer Dia.

1.68" fill/pour hole

Hose dimensions: 9" L x 0.625" Outer Dia.



LINE ITEM NO. 51 CORDOVA EJWR10ST-EC002

CLEAR ANTI-FOG LENSES

Lightweight and comfortable Nylon frame with brow guard for frontal protection, fully adjustable extendable temples for better fit and protection, CASC™ Cordova AntiScratch Coating offers scratch resistance, Single lens design with Integrated Side, Shields offers excellent peripheral vision, 99.9% Ultraviolet Light Protection. ANTI-FOG. COMES WITH NECK CORD

Frame Material Nylon Frame with Brow Guard for Frontal Protection Lens Material Coated, -4.0 Base Spherical Polycarbonate lens
Meets or Exceeds ANSI Z87.1, EN 166, and CSA Standards.



LINE ITEM NO. 52VCORDOVA EJB20S-EC002

GRAY LENSES

Lightweight and comfortable Nylon frame with brow guard for frontal protection, fully adjustable extendable temples for better fit and protection, CASC™ Cordova AntiScratch Coating offers scratch resistance, Single lens design with Integrated Side, Shields offers excellent peripheral vision, 99.9% Ultraviolet Light Protection. COMES WITH NECK CORD

Frame Material Nylon Frame with Brow Guard for Frontal Protection Lens Material Coated, -4.0 Base Spherical Polycarbonate lens
Meets or Exceeds ANSI Z87.1, EN 166, and CSA Standards.



ITEM LINE NO 53 & 54

Premium Double Chrome Tanned, Heavy Side Split Cowhide Leather Palm, White, Cotton Canvas Back, Fleece Jersey Cotton Palm Lining, Shirred Elastic Back, Kevlar® Stitching, 4-inch Rubberized Gauntlet Cuff

Leather:

Natural Pearl Color, 1.4-1.5 mm.

Drill Fabric Back:

8-ounce/square yard

Jersey Fabric Lining:

6-ounce/square yard

Stitching:

Kevlar® Thread, 8-stitches/inch

Gunn Cut Features: Leather

Fingertips & Forefinger, Welted

Seams, Wing Thumb,

Continuous Pull, Knuckle Strap,

Gauntlet Cuff, Shirred Elastic

Back

LINE ITEM NO. 55 & 56

3896 COR-GRIP™

Cor-Grip™, 10-Gauge, Gray,
Cotton/Polyester Machine Knit Shell with
Blue Crinkle Latex Palm Coating and Fully
Coated Thumb

Resistance: Level 2

Blade Cut Resistance: Level 1

Tear Resistance: Level 4

Puncture Resistance: Level 2

Food Contact:

Component Materials comply with all
federal regulations for food contact.

Washing Instructions:

Wash using warm water and commercial laundry
detergent. Water temperature not to exceed
50°C/122°F. Air-dry or tumble-dry with low heat.



LINE ITEM NO. 57

CORDOVA 3050

Power-Cor™, 10-Gauge, 100% Kevlar®
Machine Knit Shell with Blue Crinkle Finish
Latex Palm Coating

ANSI/ISEA 105

Cut Resistance: Level 3, 1030 grams

Abrasion Resistance: Level 3

CE EN 388

Abrasion Resistance: Level 3

Blade Cut Resistance: Level 4

Tear Resistance: Level 4

Puncture Resistance: Level 4

Washing Instructions:

Wash using warm water and
commercial laundry detergent. Water
temperature not to exceed
50°C/122°F. Air-dry or tumble-dry
with low heat. Do not use Chlorine
Bleach.



LINE ITEM NO. 58

A-2X27RFH5

Yellow polyester ratchet strap, 27 feet long, 2 inch, load capacity 3,333 pound working load limit, breaking strength 10,000 pound. Flat hooks on each end.



LINE ITEM NO. 59

A-1X16RVSH

Blue 1 inch polyester ratchet tie down strap, 16 foot long, 400 pound load capacity with 1200 pound breaking strength, S hooks.



LINE ITEM NO. 61

A-2X30RWK10

Yellow polyester ratchet strap, 30 feet long, 2 inch, load capacity 3,333 pound working load limit, breaking strength 10,000 pound. Double J hooks on each end.



LINE ITEM NO. 62

1230202010

LENGTH FEET 10

WIDTH INCHES 2

COLOR FINISH Yellow

CONSTRUCTION Nylon

EYE HEIGHT INCHES 10

EYE WIDTH INCHES 2

RATED CAPACITY LBS - SINGLE LEG @ 90 DEGREES 6400

BASKET HITCH CAPACITY LBS. 12,800

VERTICAL LIFT CAPACITY LBS. 6400

CHOKER HITCH CAPACITY LBS. 5000



LINE ITEM NO. 63

2X6D

LENGTH FEET 6

WIDTH INCHES 2

COLOR FINISH Yellow

CONSTRUCTION Nylon

EYE HEIGHT INCHES 10

EYE WIDTH INCHES 2

RATED CAPACITY LBS - SINGLE LEG @ 90 DEGREES 6400

BASKET HITCH CAPACITY LBS. 12,800

VERTICAL LIFT CAPACITY LBS. 6400

CHOKER HITCH CAPACITY LBS. 5000



LINE ITEM NO. 64
1X6END
1 x 6 endless. 2PLY (part # 1x6END)
VERTICAL – 6,200 LBS
CHOKER – 4,960 LBS
BASKET – 12,400 LBS

LINE ITEM NO. 65
1183037
Spectrum HG-41331 Wasp/
Hornet Killer, 14 Oz Can,
Light-Yellow To Water-
White, Liquid



LINE ITEM NO. 66
6937296
Rubbermaid 1840999 Heavy Duty Water Cooler, 5
Gal, Polyethylene, Orange
Heavy-Duty Construction Resists Dents And
Corrosion. Extra Thick Insulation Keeps Beverage
Hot Or Cold. Screw Tight Insulated Lid. Interior Lid
Vent For Smooth Pouring. Fast Flow Faucet For Easy
Pouring. Attached Cup Dispenser Bracket. Splash
Seal Helps Prevent Leaks. Ultraviolet Inhibitors To
Resist Fading. Meets OSHA Requirements.
Dimensions: 12-1/2"D X 19"H.
5 Gallon Capacity
Color : Orange
PRODUCT DETAILS
Height:18-7/8 In
Length: 14-3/4 In
Material: Polyethylene
Storage Capacity: 5 Gal
Type: Heavy Duty
Width: 12-7/8 In

