



# **T480 Data Book**

**1/1/2024**





---

## TABLE OF CONTENTS

<b>Section</b>	<b>Pages</b>
STANDARD SPECIFICATIONS	F
REQUIRED INFORMATION	H
ENGINES	I
ENGINE EQUIPMENT	J
TRANSMISSIONS	K
FRONT AXLE	L
REAR AXLE	M
REAR SUSPENSION	N
TIRES & WHEELS	O
FRAME & EQUIPMENT	P
FUEL TANKS & EQUIPMENT	Q
CAB EXTERIOR	R
CAB INTERIOR	S
LIGHTS & SIGNALS	T
AIR EQUIPMENT	U
SPECIAL EQUIPMENT	V
EXTENDED WARRANTY	W
PAINT	X

---



# T480: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
--------	-------------	-------	--------

## BASE MODEL PRICE

0000480	T480 Series Conventional	\$123,353	10,386#
---------	--------------------------	-----------	---------

## ENGINES

### PACCAR

0130216	PACCAR PX-9 260 260@1600 860@1200, 2024	\$0	0#
---------	---	-----	----

## ENGINE EQUIPMENT

### Air Compressor

1002060	Air Compressor: Cummins 18.7 CFM For Cummins And PACCAR PX engines.	\$0	0#
---------	---	-----	----

### Air Intake System

1041399	Air Cleaner: MD Composite Engine Mounted	\$0	0#
---------	--	-----	----

1098003	Air Restriction Indicator: Mechanical Mounted on Air Cleaner.	\$0	0#
---------	---	-----	----

### Cooling System

1121231	Cooling Module: 2.1M MD - Aero Hood 1000 Square Inches	\$0	0#
---------	--	-----	----

1105231	Fan Hub: Horton On/Off for PX-9 or L9N	\$0	0#
---------	--	-----	----

### Exhaust Systems

1247247	EXH: Single Can 2024 RH Under with RH Horizontal Tailpipe Below Rail	\$0	0#
---------	--	-----	----

### Filters

1321102	Fuel Filter: PACCAR 2.1M MD for PX-7 or PX-9 Fuel/water separator for 2021 and later engines.	\$0	0#
---------	---	-----	----

1321200	Run Aid:None *For Fuel Filter	\$0	0#
---------	-------------------------------	-----	----

1321300	Start Aid:None *For Fuel Filter	\$0	0#
---------	---------------------------------	-----	----

### Engine Equipment Miscellaneous

1901018	Remote PTO/Throttle, 12-Pin, 250K, Back of Cab OR Back of Sleeper, J1939, Remote Control Provision	\$0	0#
---------	--	-----	----

### Starting & Recharging

1816260	Alternator: PACCAR 160 amp, Brush Type	\$0	0#
---------	--	-----	----

1821220	Batteries: 2 PACCAR GP31 Threaded Post (700-730) 1400-1460 CCA dual purpose.	\$0	0#
---------	--	-----	----

1840065	12V Low Voltage Disconnect for Battery Protection	\$0	0#
---------	---	-----	----

1836106	Mitsubishi 105P55 12V Starter with Cummins and PX PACCAR 12 volt electrical system. W/ centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded. Only for Cummins or PX engines.	\$0	0#
---------	---	-----	----

## TRANSMISSIONS

### PACCAR

2020107	Transmission: PACCAR TX-8, Without HSA, 860 LB FT Automatic, 8 Speed, With PTO Provision, 8AP860	\$0	0#
---------	--	-----	----

### Clutch

2410803	Torque Converter: TP800 for PACCAR TX-8	\$0	0#
---------	---	-----	----

### Driveline



# T480: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
2409941	One Heavy-Duty One-Piece Aluminum Crossmember This option upgrades an existing crossmember. The cost does not include the centerbearing and bracket. Crossmember location will be in accordance with Kenworth engineering standards, using the major components specified on the DTPO.	\$0	0#
2406440	Driveline: 2 Dana SPL140 1 Centerbearing	\$0	0#

## FRONT AXLE

### Front Axles

2532104	Hendrickson Steertek Front Axle 12.5K rated @ 12K Standard Track 3.32 in. drop.	\$0	0#
---------	---	-----	----

### Outer End Equipment

2621310	Front Brakes: 14.6K Bendix ES S-Cam 16.5x5 in.	\$0	0#
2690002	Front Brake Drums: 14.6K 16.5x5 in. cast.	\$0	0#
2702500	Front Hub: Iron Hub Pilot 14,600 lbs. 11-1/4 in. bolt circle. For use w/ air disc brakes. Consider wheelguards (5850002) w/ aluminum wheels.	\$0	0#
2741970	ConMet PreSet Plus Hub Package; Front Axle.	\$0	0#
2750001	Hubcap: Front Vented.	\$0	0#
2765001	Front Auto Slack Adjuster.	\$0	0#

### Front Springs

2864070	Front Springs: Taperleaf 13.2K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings.	\$0	0#
---------	--	-----	----

### Power Steering

2895223	Single Power Steering Gear: 13.2K for Air Brakes.	\$0	0#
---------	---	-----	----

## REAR AXLE

### Single Drive Rear Axles

3042160	Single Meritor RS23-160 Rear Axle rated at 23K.	\$0	0#
---------	---	-----	----

### Single Axle Outer End Equipment

3330004	Single Rear Brakes 16-1/2x7 in. Bendix ES- extended service S-cam.	\$0	0#
3392007	Single Rear Brake Drums: Cast S-Cam Single For use with 15x8.625", 16.5X7" or 16.5X8.625" brake.	\$0	0#
3403220	Single Rear Hubs: Iron Hub Pilot 26k; 11.25" Bolt circle. Requires "R" series outer ends.	\$0	0#
3441971	ConMet PreSet Plus Hub Package; Single Rear Axle.	\$0	0#
3485007	Spring Brake: 3030 Long Stroke Single 3 in. travel. Helps keep brakes in adjustment longer.	\$0	0#
3465001	Single Rear Axle Automatic Slack Adjusters. For use with drum brakes.	\$0	0#

### Anti-Lock Brake System

3495226	Bendix 4S/4M Anti-Lock Brake System.	\$0	0#
---------	--------------------------------------	-----	----

## REAR SUSPENSION

### Single

3636422	Rear suspension: single Reyco 79KB taperleaf 23K with helper spring. Medium-duty. Unladen Height: 9 in. Laden Height: 7.3 in. Not rear air disc brake compatible.	\$0	0#
---------	---	-----	----

### Suspension Equipment

3836315	Bolted Rear Suspension Crossmembers for Reyco 79KB. Replaces medium duty standard.	\$0	0#
---------	--	-----	----

## TIRES & WHEELS



# T480: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
--------	-------------	-------	--------

## Front & Rear Axle Tires

4080056	Front tires: Continental HSL3 295/75R22.5 14PR.	\$0	0#
4280056	Rear tires: Continental HSL3 295/75R22.5 14PR. Code is priced per pair of tires.	\$0	0#

## Front & Rear Axle Wheels & Rims

5042292	Front Wheel: Accuride 51455 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible.	\$0	0#
5242392	Rear Wheel: Accuride 51455 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible. Code is priced per pair of wheels.	\$0	0#

## FRAME & EQUIPMENT

### Rails & Inserts

6054250	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 308 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$0	0#
---------	--	-----	----

### Bumpers

6308711	Bumper: Aerodynamic, Unpainted, in-mold color. Requires a bumper setting code.	\$0	0#
6321010	Front Tow Loops: Two	\$0	0#

### Battery Boxes

6404422	Battery Box: Steel Parallel Module under W/Step, plastic cover. Use with 2 or 3 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$0	0#
6409901	Battery Box Location: LH Side.	\$0	0#

### DPF/SCR Covers

6451125	DPF/SCR Box Natural End Plates and Natural cover.	\$0	0#
---------	---	-----	----

### Frame Crossmembers & Upgrades

6490139	Heavy-Duty One-PC Aluminum Intermediate/ Fill-In crossmember.	\$0	0#
6490433	Heavy-Duty 5-Piece Rear Cab Support, Hucked assembly. Huck fastened to frame.	\$0	0#

### Rear Frame Equipment

6742009	Square End-of-Frame W/O Crossmember; Non-Towing.	\$0	0#
6721102	Rear Mudflap Arms: Betts B-25 Standard-Duty, straight. Includes B1732 mounting brackets as standard.	\$0	0#
6722000	Rear Mudflap Shields: White Plastic Antisail W/ Kenworth logo.	\$0	0#

## FUEL TANKS & EQUIPMENT

### D-Shape Rectangular

7144050	50 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, replace.	\$0	0#
---------	---	-----	----

### DEF Tanks & Equipment

7722170	Small DEF Tank, 5.5 Gallons.	\$0	0#
7889204	DEF to Fuel Fill Ratio Between 1:1 and 2:1.	\$0	0#
7889614	DEF Tank Location is LH BOC. For 2.1M Medium-Duty	\$0	0#

## CAB EXTERIOR



# T480: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
<b>Cabs</b>			
8024311	Cab: Stamped Aluminum with Curved Windshield LED markers. Requires seperate roof code.	\$0	0#
<b>Windows</b>			
8871446	Rear Cab Stationary Window 19in x 36in	\$0	0#
<b>Hoods, Fenders &amp; Grilles</b>			
8090151	Hood: Short Aero w/ Dark Gray Crown In-Mold Color	\$0	0#
<b>Cab Structure Miscellaneous</b>			
8890881	Direct Mount, Rubber Isolated Cab Suspension.	\$0	0#
8891012	Roof: Low Profile Stamped Steel	\$0	0#
<b>Cab Access</b>			
8800402	Dual Cab Interior Grabhandles: A Pillar Mounted Dash Wrap and B Pillar Mounted Grabhandles	\$0	0#
<b>Horns</b>			
8841411	Single Air Horn Under Cab.	\$0	0#
<b>Mirrors &amp; Equipment</b>			
8850842	Mirror Shell: Dual Aero In-Mold Black	\$0	0#
8860853	Mirror: Dual KW Aero Rear View Non-Motor, Non-Heated with Integral CX	\$0	0#
8850139	Look-Down, Pass. Door, Black 11x6	\$0	0#
<b>Window Equipment</b>			
8890101	One-Piece Bonded-In Windshield With Curved Glass. Standard.	\$0	0#
<b>Doors &amp; Equipment</b>			
8832113	Kenworth Daylite Door With Standard LH/RH electric door locks and LH/RH electric window controls.	\$0	0#
8700283	LH and RH Trip Ledge Rain Deflectors	\$0	0#
<b>CAB INTERIOR</b>			
<b>Cabs &amp; Sleepers</b>			
8330591	Interior Trim Package: 2.1M MD Gray Foam Backing/Cloth Headliner W/Gray Sunvisor & Seat Color Three Underdash Center Console Cupholders (Two If Allison Transmission Is Selected).	\$0	0#
<b>Heaters &amp; Air Conditioning</b>			
8108011	Cab HVAC - Day Cab and 40 in. Sleeper System With Defrost, A/C, and 48,000 BTU/hr Heater. Includes automatic temperature control with one touch defrost operation and dash mounted cab temperature and solar intensity sensors. Pleated fresh air filter and cabin recirculation air filter standard. The Kenworth HVAC system is designed to provide optimal heating and cooling in all operating environments without need for additional insulation. Cab HVAC without sleeper heater AC is available with 40in sleeper.	\$0	0#
<b>Steering Wheels &amp; Equipment</b>			
8201013	Steering Wheel: 18 in. 4-Spoke.	\$0	0#
8201053	Column Mtd Transmission Control W/O Retarder Control, RH Side. Use with Automated and Automated Manual Transmissions Only.	\$0	0#
8201200	Adjustable Telescoping Tilt Steering Column.	\$0	0#
<b>Instruments &amp; Controls</b>			

\*See PremierSpec for Applicable Restrictions



# T480: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
8282024	Main Instrument Package: 7" Digital Display Cluster. Includes Physical (Analog): Speedometer, Tachometer, Oil Pressure, and Coolant Temp; and Digital: Fuel Level #1, DEF Level, DPF Filter Status, Fuel Economy, Volts Telltale, OAT and Primary Air Pressure, Secondary Air Pressure, and Air Application for air brake trucks.	\$0	0#

8700196	Turn Signal: Self-Cancelling	\$0	0#
---------	------------------------------	-----	----

## Seats

8410101	Driver Seat: KW Air Seat IB Vinyl W/O Armrests /Susp Cover	\$0	0#
---------	--	-----	----

8480201	Rider Seat: KW Toolbox Seat IB Vinyl w/o Armrests	\$0	0#
---------	---	-----	----

## Sound System Equipment

8698970	No Radio Or Speakers Selected: No Prewire & No Antenna Wiring. Not w/ Smart Wheel.	\$0	0#
---------	--	-----	----

## Information & Communication Systems

8700663	Kenworth TruckTech+ The Kenworth TruckTech+ system provides the World's Best reporting of engine and aftertreatment fault codes, as well as enhanced support for the truck owner through rapid communication of fault severity and recommended actions. This is standard on all Kenworths with a PACCAR MX engine, Cummins X15 engine, PX engine or Natural Gas engine.	\$0	0#
---------	---	-----	----

## LIGHTS & SIGNALS

### Headlamps

9010803	Headlamps: Single Halogen Complex Reflector w/ Turn Indicator, Reflector and DRL. Fender Mtd.	\$0	0#
---------	---	-----	----

### Marker Lights

9022137	Marker Lights: Five, Rectangular, LED	\$0	0#
---------	---------------------------------------	-----	----

### Taillights

9030052	LED Stop,Turn,Tail: With Two LED Backup Lights and With An LED License Plate.	\$0	0#
---------	---	-----	----

### Miscellaneous

9020101	14-Pin RP170 Body Lighting Connector.	\$0	0#
---------	---------------------------------------	-----	----

## AIR EQUIPMENT

### Air Drying Equipment

9108001	Moisture Ejection Valve W/ Pull Cable Drain.	\$0	0#
---------	--	-----	----

9101218	Air Dryer: Bendix AD-HF Puraguard Heated	\$0	0#
---------	--	-----	----

### Air System Miscellaneous

9140020	Nylon Air Tubing in Frame & Cab, Excluding Hoses subject to excessive heat or flexing.	\$0	0#
---------	--	-----	----

## SPECIAL EQUIPMENT

### Build Notes

9491659	VMUX Architecture	\$0	0#
---------	-------------------	-----	----

## EXTENDED WARRANTY

### Warranty

9200008	Base Warranty - PACCAR PX-9 Engine 24 months / 250,000 miles / 402,336 km / 6250 hours.	\$0	0#
---------	---	-----	----

9200022	Base Warranty - Standard Service Medium Duty 12 months / Unlimited miles & km	\$0	0#
---------	---	-----	----

## PAINT

### Paint Style

9944820	1 - Color Paint - Day Cab Color will be White if no other color is specified.	\$0	0#
---------	---	-----	----



## T480: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
<b>Paint Type</b>			
9943050	Day Cab Standard Paint	\$0	0#
9965510	Base Coat/ Clear Coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	\$0	0#



# T480: REQUIRED INFORMATION

Option	Description	Price	Weight
<b>Intended Service</b>			
0093000	Linehaul: Vehicles (trucks or tractors) used in over-the-road freight hauling. Pickup to delivery distance is typically over 300 miles, & annual mileage is typically over 60,000 miles per year. Operation is typically on-highway. Road usage: minimum 1% Class B, do not code for Class D.	\$0	0#
0093005	Local Pickup & Delivery: Vehicles which haul freight, typically operating within a 100-mile radius, on public streets & highways, & other paved surfaces, including limited Class C roads. Includes package & freight delivery, as well as fuel oil or petroleum distribution, etc. Road usage: minimum 3% Class B, do not code for Class D.	\$0	0#
0093007	Regional Haul: Vehicles used to haul freight on public roads consisting of a mixture of over the road, urban and/or suburban hauling. Pickup to delivery distance typically in the 100 to 300 miles range but some LTL applications may exceed 300 mile limit. Road usage: minimum 19% Class B, do not code for Class D.	\$0	0#
0093010	Logger: Vehicles which haul logs from the forest to the mill, or from mill to mill. Typically includes some operation off of paved roads. Road usage: any combination, which includes some Class C.	\$0	0#
0093015	Concrete Ready Mix: Vehicles which deliver Ready-Mix concrete from batch plant to job site. Typically includes some operation off of paved roads. Road usage: any combination, which includes minimum 5% Class B.	\$0	0#
0093025	Snowplow: Vehicles which are configured for mounting a snowplow to the front. May also have dump or other body. Typically includes some operation off of paved roads. Road usage: majority of Class A & B, do not code for Class D.	\$0	0#
0093030	Mining haulers: Vehicles used for hauling ore or overburden, either from the pit or face or from a stockpile. Generally used on private haul roads, rather than public highways. Typically includes some operation off of paved roads. Road usage: do not code for Class A, some Class C required.	\$0	0#
0093035	Mining service: Vehicles used to service earthmoving & mining equipment. Includes bodies such as mechanic's service bodies, tire hoists, fuel/lube, etc. Typically includes some operation off of paved roads. Road usage: any combination, which includes some Class C.	\$0	0#
0093071	Heavy equipment transport: Vehicles used to transport heavy, non-divisible loads, such as earthmoving equipment, electrical transformers, pressure vessels, etc. GCW can be from 80,000 lbs. to extremely heavy. Road usage: any combination, which includes some Class B.	\$0	0#
0093090	Utility vehicle: Used to service utility or communication equipment. Typically operates within 100 mile radius on public roads & may or may not have a man lift. Duty cycle includes long engine idle times. Road usage: any combination of A & B, may include some class C roads.	\$0	0#
0093091	Refuse Hauler: Vehicles which haul refuse, recycled material, etc. Includes Roll-on/roll-off container movement, as well as hauling refuse from transfer stations to landfills. Typically includes operation in landfills, over rough, uneven surfaces. Road usage: any combination, which includes some Class B.	\$0	0#
0093095	Refuse Packer: Vehicles which pick up refuse or recycled material from curbside containers in residential areas. Operation typically includes very frequent stops & starts. Unloading can be at transfer station or at landfill. Road usage: some Class B required, with maximum of 5% Class D.	\$0	0#
0093101	Oil field rig move: Vehicles used in the transport & erection of oil well equipment. Includes bed trucks, winch trucks, rig-up trucks, etc. Trucks typically move heavy loads over poorly-prepared surfaces, & do considerable maneuvering on the jobsite to place or pick up loads. Road usage: minimum 5% Class C, w/no Class A or B required.	\$0	0#



# T480: REQUIRED INFORMATION

Option	Description	Price	Weight
<b>Intended Service</b>			
0093105	Oil Field Well Servicing: Vehicles which carry well servicing equipment, e.g., pumpers, blenders, cementers, data loggers, etc. Typically involve considerable hours of stationary operation, but low mileage. Typically operate on prepared (although often unpaved) roadways. Road usage: any combination, w/minimum 5% Class C.	\$0	0#
0093111	Wrecker Service: Vehicles w/ recovery bodies used for recovering & towing stranded vehicles & equipment. Road usage: minimum 5% Class B & maximum 10% Class D.	\$0	0#
0093121	Fire Truck Service: Vehicles used in fighting fires. Typically have pumps, etc., mounted in the body. Road usage: minimum 5% Class B & maximum 5% Class D.	\$0	0#
0093122	EMT/Rescue Service: Vehicles used responding to emergencies & rescue operations. Typically configured for rapid response, & carry medical & other rescue equipment. Road usage: minimum 5% Class B & maximum 5% Class D.	\$0	0#
0093125	Crane/Cherry Picker: Vehicles equipped w/ cranes, man-lifts, hoists, cherry-pickers, bridge inspection units, etc. Road usage: any combination, w/minimum 5% Class B.	\$0	0#
0093130	Construction: Vehicles used in the construction industry, other than those listed above. Use typically involves operating on the jobsite, to pick up or deliver construction materials, or to position the vehicle for its intended use at the construction site. Includes such activities as delivery of precast concrete, concrete pumpers, flatbeds or roll-offs for delivery of construction materials or equipment, etc. Typically includes some operation off of paved roads. Road usage: any combination, which includes some Class C.	\$0	0#
0093135	Agriculture: Vehicles used in the agriculture industry, other than those listed above. Use typically involves transportation of agricultural & dairy products to/from/on/around farm sites, & includes operation off of improved surfaces while on the farm. Includes applications such as milk tankers for farm pickup, feed trucks, grain haulers which load in the field, etc. Can be trucks or tractors. Road usage: any combination, which includes both Class C & D.	\$0	0#

## Commodity Hauled

### Building Materials

0091010	Pre-Cast Concrete (Blocks, Pavers, etc)	\$0	0#
0091020	Ready-Mix Concrete	\$0	0#
0091030	Lumber	\$0	0#
0091040	Other Building Materials	\$0	0#
0091041	Asphalt	\$0	0#
0091042	Gravel/Crushed Rock/Sand	\$0	0#
0091043	Topsoil/Bark	\$0	0#

### Food-Farm Products

0091130	Grain	\$0	0#
0091135	Livestock Feed	\$0	0#



# T480: REQUIRED INFORMATION

Option Description	Price	Weight
<b>Commodity Hauled</b>		
<b>Food-Farm Products</b>		
0091140 Hay	\$0	0#
0091150 Livestock	\$0	0#
0091160 Hanging Meat	\$0	0#
0091170 Other Food/Farm Products	\$0	0#
<b>Bulk Goods</b>		
0091050 Dry Bulk Goods	\$0	0#
0091060 Dairy Products - Milk	\$0	0#
0091070 Liquid Petroleum Products	\$0	0#
0091080 Other Bulk Goods	\$0	0#
0091115 Compressed Gas	\$0	0#
0091121 Water	\$0	0#
0091122 Crude oil.	\$0	0#
0091123 Liquefied Gas	\$0	0#
0091125 Steel Structural/Coil	\$0	0#
<b>Forest Products</b>		
0091180 Logs	\$0	0#
0091190 Wood Chips	\$0	0#
0091200 Other Forest Products	\$0	0#
<b>Minerals</b>		
0091210 Coal	\$0	0#
0091220 Excavated Earth	\$0	0#
0091230 Rock	\$0	0#
0091240 Other Minerals	\$0	0#
<b>Dry Goods</b>		
0091090 General Freight	\$0	0#
0091100 Heavy Machinery	\$0	0#

\*See PremierSpec for Applicable Restrictions



# T480: REQUIRED INFORMATION

Option Description	Price	Weight
--------------------	-------	--------

## Commodity Hauled

### Dry Goods

0091110 Oil Field Equipment	\$0	0#
0091120 Other Dry Goods	\$0	0#
0091124 Auto Transporter	\$0	0#

### Miscellaneous

0091250 Empty Cans	\$0	0#
0091260 Refuse/Recycled Material	\$0	0#
0091270 Fire apparatus.	\$0	0#
0091271 EMT/rescue.	\$0	0#

## Body Type

0095010 End Dump	\$0	0#
0095015 Super dump with flying tag axle.	\$0	0#
0095030 Transfer dump.	\$0	0#
0095035 Stone slinger.	\$0	0#
0095040 Concrete Mixer, Non-Booster-Axle	\$0	0#
0095050 Booster axle mixer w/ approved frame reinforcement.	\$0	0#
0095055 Concrete Pump	\$0	0#
0095056 Volumetric Mixer	\$0	0#
0095060 Roll On/Roll Off	\$0	0#
0095065 Roll Back Flatbed	\$0	0#
0095070 Refuse loader/packer.	\$0	0#
0095080 Refuse, Other	\$0	0#
0095084 Logger, single bunk.	\$0	0#
0095085 Logger, multiple bunks.	\$0	0#
0095090 Oil field rig-up.	\$0	0#
0095095 Beverage.	\$0	0#



## T480: REQUIRED INFORMATION

Option Description	Price	Weight
<b>Body Type</b>		
0095099 Oil Field Winch/Equipment BOC for use w/Tractors	\$0	0#
0095100 Oil Well Servicing Equipment	\$0	0#
0095102 Coil Tubing Unit.	\$0	0#
0095105 Drilling derrick.	\$0	0#
0095110 Tank	\$0	0#
0095115 Dry Bulk Hopper	\$0	0#
0095120 Van	\$0	0#
0095125 Service Body	\$0	0#
0095130 Dromedary Box or Automobile Rack	\$0	0#
0095135 Cotton module.	\$0	0#
0095140 Flatbed	\$0	0#
0095145 Flatbed with Utility Crane	\$0	0#
0095146 Wrecker	\$0	0#
0095151 Crane/Boom	\$0	0#
0095152 Block body.	\$0	0#
0095153 Logger, self-loading crane/boom. Dealer supplied drawing required.	\$0	0#
0095155 Fire Truck-Pumper	\$0	0#
0095160 Other - Narrative Required	\$0	0#
0095165 Vacuum Tank	\$0	0#
0095175 Reefer van.	\$0	0#
<b>Trailer Type</b>		
0096010 Doubles.	\$0	0#
0096015 Triples.	\$0	0#
0096020 End dump.	\$0	0#
0096025 Side Dump	\$0	0#
0096030 Bottom dump.	\$0	0#



# T480: REQUIRED INFORMATION

Option Description	Price	Weight
<b>Trailer Type</b>		
0096040 Flatbed.	\$0	0#
0096045 Beverage.	\$0	0#
0096050 Lowboy.	\$0	0#
0096055 Automobile/marine carrier.	\$0	0#
0096060 Reefer van.	\$0	0#
0096070 Tank.	\$0	0#
0096075 Oil Field Well Service	\$0	0#
0096080 Dry van beverage trailer, curtain trailer, chip trailer.	\$0	0#
0096085 Logger, single bunk or semi-trailer.	\$0	0#
0096090 Other - Narrative Required	\$0	0#

## Special Requirements

### Operating Area

0098010 California Registry	\$0	0#
0098015 Mexico registry.	\$0	0#
0098025 U.S. Domestic Registry, 50-state.	\$0	0#
0098030 Export: Off-highway - exempt from US regulations.	\$0	0#
0098032 Export: On-highway chassis.	\$0	0#
0098033 On-Highway Chassis for Use in Off-Shore.	\$0	0#
0098050 Canadian registry.	\$0	0#
0098060 Quebec Registry.	\$0	0#

### State of Registry

0098401 State of Registry: Alabama	\$0	0#
0098402 State of Registry: Alaska	\$0	0#
0098403 State of Registry: Arizona	\$0	0#
0098404 State of Registry: Arkansas	\$0	0#
0098405 State of Registry: California	\$0	0#



# T480: REQUIRED INFORMATION

Option Description	Price	Weight
<b>Special Requirements</b>		
<b>State of Registry</b>		
0098406 State of Registry: Colorado	\$0	0#
0098407 State of Registry: Connecticut	\$0	0#
0098408 State of Registry: Delaware	\$0	0#
0098409 State of Registry: Florida	\$0	0#
0098410 State of Registry: Georgia	\$0	0#
0098411 State of Registry: Hawaii	\$0	0#
0098412 State of Registry: Idaho	\$0	0#
0098413 State of Registry: Illinois	\$0	0#
0098414 State of Registry: Indiana	\$0	0#
0098415 State of Registry: Iowa	\$0	0#
0098416 State of Registry: Kansas	\$0	0#
0098417 State of Registry: Kentucky	\$0	0#
0098418 State of Registry: Louisiana	\$0	0#
0098419 State of Registry: Maine	\$0	0#
0098420 State of Registry: Maryland	\$0	0#
0098421 State of Registry: Massachusetts	\$0	0#
0098422 State of Registry: Michigan	\$0	0#
0098423 State of Registry: Minnesota	\$0	0#
0098424 State of Registry: Mississippi	\$0	0#
0098425 State of Registry: Missouri	\$0	0#
0098426 State of Registry: Montana	\$0	0#
0098427 State of Registry: Nebraska	\$0	0#
0098428 State of Registry: Nevada	\$0	0#
0098429 State of Registry: New Hampshire	\$0	0#
0098430 State of Registry: New Jersey	\$0	0#

\*See PremierSpec for Applicable Restrictions



# T480: REQUIRED INFORMATION

Option Description	Price	Weight
<b>Special Requirements</b>		
<b>State of Registry</b>		
0098431 State of Registry: New Mexico	\$0	0#
0098432 State of Registry: New York	\$0	0#
0098433 State of Registry: North Carolina	\$0	0#
0098434 State of Registry: North Dakota	\$0	0#
0098435 State of Registry: Ohio	\$0	0#
0098436 State of Registry: Oklahoma	\$0	0#
0098437 State of Registry: Oregon	\$0	0#
0098438 State of Registry: Pennsylvania	\$0	0#
0098439 State of Registry: Rhode Island	\$0	0#
0098440 State of Registry: South Carolina	\$0	0#
0098441 State of Registry: South Dakota	\$0	0#
0098442 State of Registry: Tennessee	\$0	0#
0098443 State of Registry: Texas	\$0	0#
0098444 State of Registry: Utah	\$0	0#
0098445 State of Registry: Vermont	\$0	0#
0098446 State of Registry: Virginia	\$0	0#
0098447 State of Registry: Washington	\$0	0#
0098448 State of Registry: West Virginia	\$0	0#
0098449 State of Registry: Wisconsin	\$0	0#
0098450 State of Registry: Wyoming	\$0	0#
0098451 State of Registry: District of Columbia	\$0	0#
0098452 State of Registry: Puerto Rico	\$0	0#
0098453 State of Registry: Guam	\$0	0#
0098454 State of Registry: American Samoa	\$0	0#
0098455 State of Registry: Mariana Islands	\$0	0#

\*See PremierSpec for Applicable Restrictions



# T480: REQUIRED INFORMATION

Option	Description	Price	Weight
--------	-------------	-------	--------

## Special Requirements

### State of Registry

0098456	State of Registry: US Virgin Islands	\$0	0#
0098460	State of Registry: Israel	\$0	0#
0098465	State of Registry: Mexico	\$0	0#
0098470	State of Registry: Canada	\$0	0#
0098490	State of Registry: International	\$0	0#

### Export Destination

0098035	Russian compliant chassis.	\$0	0#
---------	----------------------------	-----	----

## Stationary Application

0072000	Chassis Operation Will Not Incl. Stationary application. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
0072001	Chassis Operation Will Include Stationary application used in lower 48 states [US only]. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
0072002	Chassis Operation Will Include Stationary application used in Canada or Alaska. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
0072003	Chassis Operation Will Include Export stationary application. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#

## Model Series

0071000	T480 Aero Hood	\$0	0#
0071001	T480 Vocational Hood	\$0	0#

## Model Configurations

0090161	T480 Single Rear	\$0	0#
0090162	T480 Tandem	\$0	0#
0090166	T480 with L9N	\$0	0#



# T480: ENGINES

Option Description	Price	Weight
<b>Emission Idle Reduction Feature</b>		
0080050 CARB Clean Idle Label - PACCAR PX Engines	\$36	0#
0080070 CARB Exempt Application Emergency Vehicle Only.	\$0	0#
0080085 CARB Idle - Alternative Fuel Exempt from CARB Anti-Idle.	\$0	0#
0080314 EPA Clean Idle Label - PACCAR PX Engines	\$36	0#

## PACCAR

### PX-7

0130115 PACCAR PX-7 200 200@2400 600@1300, 2024	(\$7,956)	-694#
0130117 PACCAR PX-7 220 220@2400 600@1300, 2024	(\$7,711)	-694#
0130118 PACCAR PX-7 240 240@2400 600@1300, 2024	(\$7,450)	-694#
0130119 PACCAR PX-7 250 250@2400 660@1400, 2024	(\$6,873)	-694#
0130120 PACCAR PX-7 260 260@2400 660@1400, 2024	(\$6,629)	-694#
0130121 PACCAR PX-7 260EV 260@2400 660@1400, 2024 Emergency Vehicle	(\$6,629)	-694#
0130122 PACCAR PX-7 280 280@2400 660@1400, 2024	(\$6,071)	-694#
0130123 PACCAR PX-7 280EV 280@2400 660@1400, 2024 Emergency Vehicle	(\$6,071)	-694#
0130124 PACCAR PX-7 300 300@2600 660@1400, 2024	(\$5,650)	-694#
0130125 PACCAR PX-7 300EV 300@2600 660@1400, 2024 Emergency Vehicle	(\$5,579)	-694#
0130126 PACCAR PX-7 325 325@2400 750@1600, 2024	(\$5,219)	-694#
0130127 PACCAR PX-7 325EV 325@2400 750@1600, 2024 Emergency Vehicle	(\$5,219)	-694#
0130128 PACCAR PX-7 340EV 340@2600 700@1500, 2024 Emergency Vehicle	(\$4,939)	-694#
0130129 PACCAR PX-7 360EV 360@2600 800@1800, 2024 Emergency Vehicle	(\$4,136)	-694#

### PX-9

0130216 PACCAR PX-9 260 260@1600 860@1200, 2024	STD	0#
0130217 PACCAR PX-9 270 270@1650 860@1200, 2024	\$283	0#
0130218 PACCAR PX-9 270EV 270@1650 860@1200, 2024 Emergency Vehicle	\$283	0#
0130219 PACCAR PX-9 300 300@1850 860@1200, 2024	\$927	0#
0130220 PACCAR PX-9 300EV 300@1850 860@1200, 2024 Emergency Vehicle	\$927	0#



# T480: ENGINES

Option Description	Price	Weight
--------------------	-------	--------

## PACCAR

### PX-9

0130221 PACCAR PX-9 330 330@1750 1000@1200, 2024	\$1,571	0#
0130222 PACCAR PX-9 330EV 330@1750 1000@1200, 2024 Emergency Vehicle	\$1,571	0#
0130223 PACCAR PX-9 350 350@1750 1050@1200, 2024	\$2,897	0#
0130224 PACCAR PX-9 360 360@1650 1150@1200, 2024	\$4,239	0#
0130225 PACCAR PX-9 360EV 360@1650 1150@1200, 2024 Emergency Vehicle	\$4,239	0#
0130226 PACCAR PX-9 370 370@1600 1250@1200, 2024	\$8,568	0#
0130227 PACCAR PX-9 370EV 370@1900 1250@1200, 2024 Emergency Vehicle	\$8,568	0#
0130228 PACCAR PX-9 380 380@1600 1250@1200, 2024	\$9,034	0#
0130229 PACCAR PX-9 380EV 380@1750 1150@1200, 2024 Emergency Vehicle	\$9,034	0#
0130230 PACCAR PX-9 400EV 400@1700 1250@1200, 2024 Emergency Vehicle	\$9,948	0#
0130231 PACCAR PX-9 450EV 450@2100 1250@1200, 2024 Emergency Vehicle	\$10,863	0#

## Cummins

### Natural Gas

0128902 L9N 300 2018 300@2100 860@1300 GOV@2200	\$32,333	33#
0128922 L9N 320 2018 320@2000 1000@1300 GOV @2200	\$33,339	33#



# T480: ENGINE EQUIPMENT

Option	Description	Price	Weight
<b>Engine Information</b>			
1000234	Engine Parameter: Set Engine Fan to Not Engage when Exhaust/Compression Brake Engages	\$0	0#
<b>Emissions</b>			
1000046	EPA Emissions Warranty Engine	\$0	0#
1000047	CARB Emissions Warranty Engine	\$0	0#
<b>Engine Idle Shutdown Timers</b>			
1000857	Engine Idle Shutdown Timer Enabled	\$0	0#
1000858	Engine Idle Shutdown Timer Disabled	\$0	0#
1000859	Enable EIST Ambient Temp Override	\$0	0#
1000861	Enable Adjustable EIST Settings	\$0	0#
1000865	Eff EIST 3000 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000870	Eff EIST 0 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000890	Eff EIST 1259000 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000891	Eff EIST NA Expiration Miles Use only with MX and Cummins engines	\$0	0#
1000912	Eff EIST 1259000 Expiration Miles (CAN) Use only with MX and Cummins engines	\$0	0#
1000980	Eff EIST 3000 Expiration Miles (CAN) Use only with MX and Cummins engines	\$0	0#
<b>Vehicle Speed Limiters</b>			
1000611	Highest Efficiency VSL Settings	\$0	0#
1000624	Effective VSL Setting 51-51.9 MPH (USA)	\$0	0#
1000625	Effective VSL Setting 52-52.9 MPH (USA)	\$0	0#
1000626	Effective VSL Setting 53-53.9 MPH (USA)	\$0	0#
1000627	Effective VSL Setting 54-54.9 MPH (USA)	\$0	0#
1000628	Effective VSL Setting 55-55.9 MPH (USA)	\$0	0#
1000629	Effective VSL Setting 56-56.9 MPH (USA)	\$0	0#
1000630	Effective VSL Setting 57-57.9 MPH (USA)	\$0	0#
1000631	Effective VSL Setting 58-58.9 MPH (USA)	\$0	0#
1000632	Effective VSL Setting 59-59.9 MPH (USA)	\$0	0#



# T480: ENGINE EQUIPMENT

Option	Description	Price	Weight
<b>Engine Information</b>			
<b>Vehicle Speed Limiters</b>			
1000633	Effective VSL Setting 60.0 MPH (USA)	\$0	0#
1000634	Effective VSL Setting 60.1 MPH (USA)	\$0	0#
1000635	Effective VSL Setting 60.2 MPH (USA)	\$0	0#
1000636	Effective VSL Setting 60.3 MPH (USA)	\$0	0#
1000637	Effective VSL Setting 60.4 MPH (USA)	\$0	0#
1000638	Effective VSL Setting 60.5 MPH (USA)	\$0	0#
1000639	Effective VSL Setting 60.6 MPH (USA)	\$0	0#
1000640	Effective VSL Setting 60.7 MPH (USA)	\$0	0#
1000641	Effective VSL Setting 60.8 MPH (USA)	\$0	0#
1000642	Effective VSL Setting 60.9 MPH (USA)	\$0	0#
1000643	Effective VSL Setting 61.0 MPH (USA)	\$0	0#
1000644	Effective VSL Setting 61.1 MPH (USA)	\$0	0#
1000645	Effective VSL Setting 61.2 MPH (USA)	\$0	0#
1000646	Effective VSL Setting 61.3 MPH (USA)	\$0	0#
1000647	Effective VSL Setting 61.4 MPH (USA)	\$0	0#
1000648	Effective VSL Setting 61.5 MPH (USA)	\$0	0#
1000649	Effective VSL Setting 61.6 MPH (USA)	\$0	0#
1000650	Effective VSL Setting 61.7 MPH (USA)	\$0	0#
1000651	Effective VSL Setting 61.8 MPH (USA)	\$0	0#
1000652	Effective VSL Setting 61.9 MPH (USA)	\$0	0#
1000653	Effective VSL Setting 62.0 MPH (USA)	\$0	0#
1000654	Effective VSL Setting 62.1 MPH (USA)	\$0	0#
1000655	Effective VSL Setting 62.2 MPH (USA)	\$0	0#
1000656	Effective VSL Setting 62.3 MPH (USA)	\$0	0#
1000657	Effective VSL Setting 62.4 MPH (USA)	\$0	0#

\*See PremierSpec for Applicable Restrictions



# T480: ENGINE EQUIPMENT

Option Description	Price	Weight
<b>Engine Information</b>		
<b>Vehicle Speed Limiters</b>		
1000658 Effective VSL Setting 62.5 MPH (USA)	\$0	0#
1000659 Effective VSL Setting 62.6 MPH (USA)	\$0	0#
1000660 Effective VSL Setting 62.7 MPH (USA)	\$0	0#
1000661 Effective VSL Setting 62.8 MPH (USA)	\$0	0#
1000662 Effective VSL Setting 62.9 MPH (USA)	\$0	0#
1000663 Effective VSL Setting 63.0 MPH (USA)	\$0	0#
1000664 Effective VSL Setting 63.1 MPH (USA)	\$0	0#
1000665 Effective VSL Setting 63.2 MPH (USA)	\$0	0#
1000666 Effective VSL Setting 63.3 MPH (USA)	\$0	0#
1000667 Effective VSL Setting 63.4 MPH (USA)	\$0	0#
1000668 Effective VSL Setting 63.5 MPH (USA)	\$0	0#
1000669 Effective VSL Setting 63.6 MPH (USA)	\$0	0#
1000670 Effective VSL Setting 63.7 MPH (USA)	\$0	0#
1000671 Effective VSL Setting 63.8 MPH (USA)	\$0	0#
1000672 Effective VSL Setting 63.9 MPH (USA)	\$0	0#
1000673 Effective VSL Setting 64.0 MPH (USA)	\$0	0#
1000674 Effective VSL Setting 64.1 MPH (USA)	\$0	0#
1000675 Effective VSL Setting 64.2 MPH (USA)	\$0	0#
1000676 Effective VSL Setting 64.3 MPH (USA)	\$0	0#
1000677 Effective VSL Setting 64.4 MPH (USA)	\$0	0#
1000678 Effective VSL Setting 64.5 MPH (USA)	\$0	0#
1000679 Effective VSL Setting 64.6 MPH (USA)	\$0	0#
1000680 Effective VSL Setting 64.7 MPH (USA)	\$0	0#
1000681 Effective VSL Setting 64.8 MPH (USA)	\$0	0#
1000682 Effective VSL Setting 64.9 MPH (USA)	\$0	0#

\*See PremierSpec for Applicable Restrictions



# T480: ENGINE EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

## Engine Information

### Vehicle Speed Limiters

1000683	Effective VSL Setting 65.0 MPH (USA)	\$0	0#
1000684	Effective VSL Setting NA	\$0	0#
1000685	Effective VSL Setting 51-51.9 MPH (CAN)	\$0	0#
1000686	Effective VSL Setting 52-52.9 MPH (CAN)	\$0	0#
1000687	Effective VSL Setting 53-53.9 MPH (CAN)	\$0	0#
1000688	Effective VSL Setting 54-54.9 MPH (CAN)	\$0	0#
1000689	Effective VSL Setting 55-55.9 MPH (CAN)	\$0	0#
1000690	Effective VSL Setting 56-56.9 MPH (CAN)	\$0	0#
1000691	Effective VSL Setting 57-57.9 MPH (CAN)	\$0	0#
1000692	Effective VSL Setting 58-58.9 MPH (CAN)	\$0	0#
1000693	Effective VSL Setting 59-59.9 MPH (CAN)	\$0	0#
1000694	Effective VSL Setting 60.0 MPH (CAN)	\$0	0#
1000695	Effective VSL Setting 60.1 MPH (CAN)	\$0	0#
1000696	Effective VSL Setting 60.2 MPH (CAN)	\$0	0#
1000697	Effective VSL Setting 60.3 MPH (CAN)	\$0	0#
1000698	Effective VSL Setting 60.4 MPH (CAN)	\$0	0#
1000699	Effective VSL Setting 60.5 MPH (CAN)	\$0	0#
1000700	Effective VSL Setting 60.6 MPH (CAN)	\$0	0#
1000701	Effective VSL Setting 60.7 MPH (CAN)	\$0	0#
1000702	Effective VSL Setting 60.8 MPH (CAN)	\$0	0#
1000703	Effective VSL Setting 60.9 MPH (CAN)	\$0	0#
1000704	Effective VSL Setting 61.0 MPH (CAN)	\$0	0#
1000705	Effective VSL Setting 61.1 MPH (CAN)	\$0	0#
1000706	Effective VSL Setting 61.2 MPH (CAN)	\$0	0#
1000707	Effective VSL Setting 61.3 MPH (CAN)	\$0	0#

\*See PremierSpec for Applicable Restrictions



# T480: ENGINE EQUIPMENT

Option Description	Price	Weight
<b>Engine Information</b>		
<b>Vehicle Speed Limiters</b>		
1000708 Effective VSL Setting 61.4 MPH (CAN)	\$0	0#
1000709 Effective VSL Setting 61.5 MPH (CAN)	\$0	0#
1000710 Effective VSL Setting 61.6 MPH (CAN)	\$0	0#
1000711 Effective VSL Setting 61.7 MPH (CAN)	\$0	0#
1000712 Effective VSL Setting 61.8 MPH (CAN)	\$0	0#
1000713 Effective VSL Setting 61.9 MPH (CAN)	\$0	0#
1000714 Effective VSL Setting 62.0 MPH (CAN)	\$0	0#
1000715 Effective VSL Setting 62.1 MPH (CAN)	\$0	0#
1000716 Effective VSL Setting 62.2 MPH (CAN)	\$0	0#
1000717 Effective VSL Setting 62.3 MPH (CAN)	\$0	0#
1000718 Effective VSL Setting 62.4 MPH (CAN)	\$0	0#
1000719 Effective VSL Setting 62.5 MPH (CAN)	\$0	0#
1000720 Effective VSL Setting 62.6 MPH (CAN)	\$0	0#
1000721 Effective VSL Setting 62.7 MPH (CAN)	\$0	0#
1000722 Effective VSL Setting 62.8 MPH (CAN)	\$0	0#
1000723 Effective VSL Setting 62.9 MPH (CAN)	\$0	0#
1000724 Effective VSL Setting 63.0 MPH (CAN)	\$0	0#
1000725 Effective VSL Setting 63.1 MPH (CAN)	\$0	0#
1000726 Effective VSL Setting 63.2 MPH (CAN)	\$0	0#
1000727 Effective VSL Setting 63.3 MPH (CAN)	\$0	0#
1000728 Effective VSL Setting 63.4 MPH (CAN)	\$0	0#
1000729 Effective VSL Setting 63.5 MPH (CAN)	\$0	0#
1000730 Effective VSL Setting 63.6 MPH (CAN)	\$0	0#
1000731 Effective VSL Setting 63.7 MPH (CAN)	\$0	0#
1000732 Effective VSL Setting 63.8 MPH (CAN)	\$0	0#

\*See PremierSpec for Applicable Restrictions



# T480: ENGINE EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

## Engine Information

### Vehicle Speed Limiters

1000733	Effective VSL Setting 63.9 MPH (CAN)	\$0	0#
1000734	Effective VSL Setting 64.0 MPH (CAN)	\$0	0#
1000735	Effective VSL Setting 64.1 MPH (CAN)	\$0	0#
1000736	Effective VSL Setting 64.2 MPH (CAN)	\$0	0#
1000737	Effective VSL Setting 64.3 MPH (CAN)	\$0	0#
1000738	Effective VSL Setting 64.4 MPH (CAN)	\$0	0#
1000739	Effective VSL Setting 64.5 MPH (CAN)	\$0	0#
1000740	Effective VSL Setting 64.6 MPH (CAN)	\$0	0#
1000741	Effective VSL Setting 64.7 MPH (CAN)	\$0	0#
1000742	Effective VSL Setting 64.8 MPH (CAN)	\$0	0#
1000743	Effective VSL Setting 64.9 MPH (CAN)	\$0	0#
1000744	Effective VSL Setting 65.0 MPH (CAN)	\$0	0#

## Air Compressor

1002060	Air Compressor: Cummins 18.7 CFM For Cummins And PACCAR PX engines.	STD	0#
1002065	Air Compressor: Cummins 30.4 CFM ISL, PX-8, PX-9 Replacing 18.7.	\$1,998	2#

## Air Intake System

### Air Cleaner

#### Engine-Mounted

1041399	Air Cleaner: MD Composite Engine Mounted	STD	0#
---------	--	-----	----

### Air Intake Equipment

1093120	Inside/Outside Air Intake for Engine Mounted Air Cleaner	\$909	16#
1098003	Air Restriction Indicator: Mechanical Mounted on Air Cleaner.	STD	0#
1099080	Pre-Cleaner Mounted in the Hood Plenum	\$322	7#
1099300	Air Inlet Ember Separator NFPA Compliant for Fire Applications.	\$297	8#

Option	Description	Price	Weight
--------	-------------	-------	--------

## Cooling System

### Cooling Module

1121231	Cooling Module: 2.1M MD - Aero Hood 1000 Square Inches	STD	0#
1121232	Cooling Module: 2.1M MD Aero Hood, Clog Resistant 1000 Square Inches	\$45	0#
1121233	Cooling Module: 2.1M MD Vocation Hood 1000 Square Inches	\$704	10#
1121234	Cooling Module: 2.1M MD Vocational Hood, Clog Resistant, 1000 Square Inches	\$477	10#

### 2 Speed Fan Clutch

1105250	Fan Hub: Horton 2-Speed for ISM only	(\$44)	0#
---------	--------------------------------------	--------	----

### On/Off Fan Clutch

1105231	Fan Hub: Horton On/Off for PX-9 or L9N	STD	0#
1105261	Fan Hub: Horton On/Off for PX-7 or B6.7N	\$24	0#
1107060	Fan Hub: Borg Warner On/Off for PX-9 or L9N	\$168	0#
1107170	Fan Hub: Borg Warner On/Off for PX-7 or B6.7N	\$102	0#

### Variable Speed Fan Clutch

1105232	Fan Hub: Horton Variable Speed For use with PX engines, L9N or B6.7N natural gas engines on 2.1M only.	\$614	0#
---------	--	-------	----

## Cooling System Equipment

1160105	Radiator Winterfront.	\$52	0#
1160205	Bugscreen Front of grille on 2.1M MD, C500, T800, T880, and W900. Behind grille on T680 and 1.9M MD.	\$132	2#

## Exhaust Systems

### RH under DPF/SCR

1247247	EXH: Single Can 2024 RH Under with RH Horizontal Tailpipe Below Rail	STD	0#
1247263	EXH: Single Can 2024 RH Under with RH Side-of-Cab Vertical Tailpipe	\$1,104	0#
1247264	EXH: Single Can 2024 RH Under with Single Vertical RH Back-of-Cab Tailpipe	\$3,889	0#

### Horizontal Under Rail

1247278	EXH: Single Can 2024 PX-7 Horizontal Under Rail With Horizontal Tailpipe Below Rail RH Rail Back-of-Cab	(\$1,600)	0#
1247279	EXH: Single Can 2024 PX-9 Horizontal Under Rail With Horizontal Tailpipe Below RH Rail Back-of-Cab	(\$1,044)	0#



# T480: ENGINE EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

## Exhaust Systems

### Natural Gas

1247019	EXH: Single Horizontal CNG Catalyst With Single Horizontal Tailpipe, 2018	\$15,638	0#
1247033	EXH: Single Right Hand Under Cab Catalyst With Single Vertical Tailpipe Right Hand Side of Cab	\$18,467	0#

## Exhaust Accessories

### Single Tailpipes

1290124	Tailpipe: 5 in. single 24 in. 45 degree curved.	\$154	6#
1290130	Tailpipe: 5 in. single 30 in. 45 degree curved.	\$188	12#
1290136	Tailpipe: 5 in. single 36 in. 45 degree curved.	\$210	15#
1290142	Tailpipe: 5 in. single 42 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$232	17#
1290148	Tailpipe: 5 in. single 48 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$254	20#
1290154	Tailpipe: 5 in. single 54 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$276	22#
1290160	Tailpipe: 5 in. single 60 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$310	25#
1290336	Tailpipe: 7 in. single 36 in. 45 degree curved.	\$340	15#
1290342	Tailpipe: 7 in. single 42 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$365	17#
1290348	Tailpipe: 7 in. single 48 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$387	20#
1290354	Tailpipe: 7 in. single 54 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$409	22#
1290360	Tailpipe: 7 in. single 60 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$430	25#
1291736	Tailpipe: single 36 in. curved vertical polished.	\$211	10#

## Filters

### Fuel-Water Separator

1321102	Fuel Filter: PACCAR 2.1M MD for PX-7 or PX-9 Fuel/water separator for 2021 and later engines.	STD	0#
1321103	Fuel Filter: PACCAR 2.1M MD for B6.7N or L9N Fuel/Water separator	\$207	0#
1321200	Run Aid:None *For Fuel Filter	STD	0#
1321205	Run Aid:Fuel Heat *For Fuel Filter	\$41	0#
1321300	Start Aid:None *For Fuel Filter	STD	0#
1321305	Start Aid:12V Heat *For Fuel Filter	\$22	1#



# T480: ENGINE EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

## Heating & Starting Aids

### Block Heater

1504006	Block Heater: PACCAR 750 watt 120V for PX-7 and B6.7N. 1000 watt for PX-9 and ISL9 Engines.	\$26	2#
---------	---	------	----

### Oil Pan Heater

1506055	Engine Oil Pan Heater, 120V / 300W Includes plug. For use with EPA 2007+ engines.	\$111	0#
---------	---	-------	----

### In-tank Fuel Heater

1509058	Fuel Tank Heater: Single Arctic Fox W/ Thermostat	\$571	0#
---------	---	-------	----

1509065	Fuel Tank Heater: Dual Arctic Fox W/ Thermostat	\$1,083	0#
---------	---	---------	----

1509088	Fuel Tank Heater:Customer Installed - Single Tank 2.1M Medium Duty only	\$7	7#
---------	---	-----	----

1509089	Fuel Tank Heater: Customer Installed - Dual Tanks 2.1M Medium Duty only	\$13	14#
---------	---	------	-----

## Fuel Cooler

1500029	Kenworth Fuel Cooler Required for Cummins engines with a single fuel tank. Required for PACCAR MX-13 engine with a single fuel tank and stationary use: High RPM, low vehicle speed, sustained for longer than 1 hour. Optional for all other applications.	\$170	0#
---------	---	-------	----

## Front Engine PTO - FEPTO

2429038	PTO Adapter For Front Engine PTO (FEPTO)	\$2,291	8#
---------	--	---------	----

## Rear Engine PTO - REPTO

6340040	Rear Engine PTO: PX-9, ISL9 Torque Capacity 435 lb-ft continuous, Drive ratio 1.15:1. Includes access provision in toe board.	\$4,138	150#
---------	---	---------	------

## Governors & Controls

1405074	Ambient Temperature Sensor for Idle Shutdown for use with Cummins ISM, ISX12, X15, and PACCAR PX Engines.	\$0	0#
---------	---	-----	----

## Engine Equipment Miscellaneous

0080020	Chassis to use LNG Fuel System.	\$0	0#
---------	---------------------------------	-----	----

0080021	Chassis to use CNG Fuel System.	\$0	0#
---------	---------------------------------	-----	----

1000170	Enable Engine Regeneration in PTO Mode Cummins	\$0	0#
---------	--	-----	----

1000242	Gearing Analysis: Fuel Economy fuel efficiency results.	\$0	0#
---------	---	-----	----

1000243	Gearing Analysis: Performance power before economy results.	\$0	0#
---------	---	-----	----

1000244	Gearing Analysis: Balance power/economy blend results.	\$0	0#
---------	--	-----	----



## T480: ENGINE EQUIPMENT

Option	Description	Price	Weight
<b>Engine Equipment Miscellaneous</b>			
1000245	Customer's Typical Operating Spd: 50 MPH	\$0	0#
1000247	Customer's Typical Operating Spd: 40 MPH	\$0	0#
1000248	Customer's Typical Operating Spd: 55 MPH	\$0	0#
1000249	Customer's Typical Operating Spd: 52 MPH	\$0	0#
1000250	Customer's Typical Operating Spd: 58 MPH	\$0	0#
1000251	Customer's Typical Operating Spd: 60 MPH	\$0	0#
1000252	Customer's Typical Operating Spd: 62 MPH	\$0	0#
1000253	Customer's Typical Operating Spd: 63 MPH	\$0	0#
1000254	Customer's Typical Operating Spd: 65 MPH	\$0	0#
1000255	Customer's Typical Operating Spd: 68 MPH	\$0	0#
1000256	Customer's Typical Operating Spd: 64 MPH	\$0	0#
1000257	Customer's Typical Operating Spd: 70 MPH	\$0	0#
1000275	Customer's Typical Operating Spd: 75 MPH	\$0	0#
1600713	Oil Pressure Sender for Pump Panel Gauge VDO 360-009.	\$54	0#
1901016	Delete Standard Remote PTO/Throttle Connections	(\$51)	0#
1901017	Remote PTO/Throttle, 12-Pin, Engine Bay Remote Control Provision	\$34	0#
1901018	Remote PTO/Throttle, 12-Pin, 250K, Back of Cab OR Back of Sleeper, J1939, Remote Control Provision	STD	0#
1901019	Remote PTO/Throttle, 12-Pin, 250K End of Frame, J1939, Remote Control Provision	\$21	0#
1901020	Remote PTO/Throttle, 12-Pin, 500K, Back of Cab OR Back of Sleeper, J1939, Remote Control Provision	\$123	0#
1901021	Remote PTO/Throttle, 12-Pin, 500K End of Frame J1939, Remote Control Provision	\$120	0#
1901084	Body Builder Battery Power Prewire	\$49	0#
<b>Retarders</b>			
1700149	Retarder: Jacobs for PX-9 and ISL With 3-way switch. Replaces the standard turbo brake for PX-9 engines.	\$2,486	57#



## T480: ENGINE EQUIPMENT

Option	Description	Price	Weight
<b>Starting &amp; Recharging</b>			
<b>Alternator</b>			
1812162	Alternator: 160 amp Brushless with battery voltage sense. *This code replaced 1812160.	\$39	0#
1812451	Alternator: Delco 40SI 320 amp Brushless with battery voltage sense	\$759	0#
1816160	Alternator: 160 amp Brush Type T3	(\$189)	0#
1816200	Alternator: SEG 200 amp, Brush Type Formerly Bosch.	(\$100)	0#
1816260	Alternator: PACCAR 160 amp, Brush Type	STD	0#
<b>Battery</b>			
1821210	Batteries: 3 PACCAR GP31 Threaded Post (700-730) 2100-2190 CCA dual purpose.	\$182	62#
1821215	Batteries: 4 PACCAR GP31 Threaded Post (700-730) 2800-2920 CCA dual purpose.	\$430	123#
1821220	Batteries: 2 PACCAR GP31 Threaded Post (700-730) 1400-1460 CCA dual purpose.	STD	0#
1821225	Batteries: 2 PACCAR GP31 Threaded Post (1000) 2000 CCA starting.	\$12	4#
1821271	Batteries: 2 AGM GP31 threaded post 1850 CCA For 2.1m with In Cab Battery Box (ICBB) only	\$241	0#
1821275	Batteries: 3 AGM GP31 THR (925) 2775 CCA. For T680, T880, or W990 in cab battery box only.	\$525	62#
<b>Battery Equipment</b>			
1840024	Battery Disconnect Switch: 1 Cab Floor Locking	\$170	0#
1840065	12V Low Voltage Disconnect for Battery Protection	STD	0#
1840066	Cab Power Cutoff SW on Cab Floor NFPA Compliant - Engine Shut off. Includes gauge.	\$316	2#
1840067	Battery Disconnect Switch Mounted on Battery Box Provides One (1) Switch	\$395	0#
1900996	Jump Start Terminals Under Hood.	\$71	0#
1901005	Jump Start Terminals Frame Mounted BOC Below Top of Frame Flange.	\$282	0#
<b>Starter</b>			
1836106	Mitsubishi 105P55 12V Starter with Cummins and PX PACCAR 12 volt electrical system. W/ centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded. Only for Cummins or PX engines.	STD	0#
1836107	Starter: PACCAR 90P47 12V with PACCAR PX-7	(\$4)	0#



# T480: TRANSMISSIONS

Option	Description	Price	Weight
<b>Eaton</b>			
<b>6-Speed</b>			
2051122	Transmission: Fuller FSO8406A 6-speed synchro. *Torque Limit: 860 pound-feet.	(\$3,422)	108#
2051123	Transmission: Fuller FS6406A 6-speed synchro. *Torque Limit: 660 pound-feet.	(\$4,227)	108#
<b>10-Speed</b>			
2052360	Transmission: Fuller FR9210B 10-speed. *Torque Limit: 950 pound-feet.	(\$3,091)	299#
2057360	Transmission: Fuller FRO14210C 10-speed Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1450 pound-feet.	(\$1,738)	352#
2057371	Transmission: Fuller RTO14908LL 10-speed. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1450 pound-feet.	(\$494)	0#
2057384	Transmission: Eaton FO14E308LL-VCS UltraShift Plus 10-speed w/Hill Start Aid feature. Standard with synthetic lubricant. This product has extended forward and reverse gear ratio coverage specifically designed for dump truck or other construction applications. *Torque Limit: 1450 pound-feet.	\$7,082	561#
2058422	Fuller Advantage Automated FAO-14810C-EA3 10SPD No Cooler w/ HSA *Use w/ 2250385 Only.	\$1,931	0#
<b>11-Speed</b>			
2057420	Transmission: Eaton FO-14E309ALL-VMS UltraShift Plus 11-speed w/Hill Start Aid feature. Standard with synthetic lubricant. This product has a deep drive ratio intended for use in mixer applications, or where deep reduction is needed. *Torque Limit: 1450 pound-feet.	\$9,848	561#
2057422	Transmission: Fuller RTO14909ALL 11-speed. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1450 pound-feet.	\$1,071	434#
<b>13-Speed</b>			
2058424	Transmission: Fuller RTLO18913A 13-speed with pump, without oil cooler. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1850 pound-feet.	\$2,132	491#
<b>18-Speed</b>			
2058425	Transmission: Fuller RTLO18918B 18-speed with pump, without oil cooler. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1850 pound-feet.	\$2,589	491#
<b>Allison</b>			
<b>5-Speed</b>			
2011610	Transmission: Allison 3000HS 5-speed, No PTO drive gear. 6th Generation Controls. Includes heat exchanger & oil level sensor. Highway Service only as defined by Allison. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$6,072	352#
2011612	Transmission: Allison 3000RDS 5-speed, With PTO drive gear. 6th Generation Controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Requires a push button shift control code. Oil temperature gauge is standard on class 8 models. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$7,511	399#



# T480: TRANSMISSIONS

Option	Description	Price	Weight
<b>Allison</b>			
<b>5-Speed</b>			
2011614	Transmission: Allison 3000EVS 5-speed, With PTO drive gear. 6th Generation controls. Includes heat exchanger & oil level sensor. Emergency Vehicle Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$9,822	399#
2011630	Transmission: Allison 3500RDS 5-speed, With PTO drive gear. Limited to 1050LBFT. 6th Generation controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$7,480	399#
2016611	Transmission: Allison 4000RDS 5-speed, With PTO drive gear. No Retarder. 6th Generation controls. For vocational applications. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$21,294	755#
2016625	Transmission: Allison 4500RDS 5-speed, With PTO drive gear. No retarder. 6th Generation controls. For vocational applications. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$21,894	755#
<b>6-Speed</b>			
2011611	Transmission: Allison 3000HS 6-speed, No PTO drive gear. 6th Generation controls. Includes heat exchanger & oil level sensor. Highway Service only as defined by Allison. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$6,072	352#
2011613	Transmission: Allison 3000RDS 6-speed, With PTO drive gear. 6th Generation controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Requires a push button shift control code. Oil temperature gauge is standard on class 8 models. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$7,511	399#
2011615	Transmission: Allison 3000EVS 6-speed, With PTO Provisions at 4 and 8 o'clock. 6th Generation controls. Includes heat exchanger & oil level sensor. Emergency Vehicle Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$9,822	399#
2011631	Transmission: Allison 3500RDS 6-speed, With PTO drive gear. Limited to 1050LBFT. 6th Generation Controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$7,480	399#
2011632	Transmission: Allison 3500EVS 6-speed, With PTO drive gear. 6th Generation controls. Includes heat exchanger & oil level sensor. Emergency Vehicle Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$10,139	318#
2016612	Transmission: Allison 4000RDS 6-speed, With PTO drive gear. No retarder. 6th Generation controls. For vocational applications. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$21,294	755#
2016627	Transmission: Allison 4500RDS 6-speed, With PTO drive gear. No Retarder. 6th Generation controls. For vocational applications. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$22,421	755#



# T480: TRANSMISSIONS

Option	Description	Price	Weight
--------	-------------	-------	--------

## PACCAR

### 8-Speed

2020101	Transmission: PACCAR TX-8, Without HSA, 560 LB FT Automatic, 8 Speed, With PTO Provision, 8AP560	(\$1,751)	0#
2020103	Transmission: PACCAR TX-8, Without HSA, 660 LB FT Automatic, 8 Speed, With PTO Provision, 8AP660	(\$1,222)	0#
2020105	Transmission: PACCAR TX-8, Without HSA, 760 LB FT Automatic, 8 Speed, With PTO Provision, 8AP760	(\$202)	0#
2020107	Transmission: PACCAR TX-8, Without HSA, 860 LB FT Automatic, 8 Speed, With PTO Provision, 8AP860	STD	0#
2020108	Transmission: PACCAR TX-8, Without HSA, 1000 LB FT Automatic, 8 Speed, With PTO Provision, 8AP1000	\$846	0#
2020111	Transmission: PACCAR TX-8, With HSA, 560 LB FT Automatic, 8 Speed, With PTO Provision, 8AP560	(\$1,567)	0#
2020113	Transmission: PACCAR TX-8, With HSA, 660 LB FT Automatic, 8 Speed, With PTO Provision, 8AP660	(\$937)	0#
2020115	Transmission: PACCAR TX-8, With HSA, 760 LB FT Automatic, 8 Speed, With PTO Provision, 8AP760	\$82	0#
2020117	Transmission: PACCAR TX-8, With HSA, 860 LB FT Automatic, 8 Speed, With PTO Provision, 8AP860	\$285	0#
2020118	Transmission: PACCAR TX-8, With HSA, 1000 LB FT Automatic, 8 Speed, With PTO Provision, 8AP1000	\$1,131	0#

## Transmission Equipment

2410047	High Capacity Input Shaft Bearing for High PTO Duty Cycle	\$23	0#
2410072	Auto Neutral not Required this Application.	\$0	0#
2410114	Left Hand PTO Access, Right Hand Dip Stick Tube Allison 3000 series only.	\$42	0#
2410129	Seat Mounted Lever Shifter for Allison Trans	\$149	0#
2410153	Push Button Shifter Controls, Center Console Mounted for Allison Transmission. 2.1m Medium Duty only.	\$0	0#
2410244	J1939 Park Brake Auto Neutral	\$0	0#
2444000	Chrome Shift Lever for Main Transmission.	\$80	0#

### Allison Software

2410204	Allison Fuel Sense: Delete	\$0	0#
2410212	Allison Transmission Mobile PTO Operation - Change max output speed to 4500 RPM	\$0	0#



# T480: TRANSMISSIONS

Option Description	Price	Weight
--------------------	-------	--------

## Transmission Equipment

### Allison Software

2410310 Allison Neutral at Stop	\$0	0#
2410312 Allison Neutral at Stop Not Applicable	\$0	0#
2410319 Allison Fuel Sense: Dynactive Includes Dynamic Shift Sensing	\$244	0#
2410325 Allison Fuel Sense: ARM Base Economy	\$248	0#
2410326 Allison Fuel Sense: ARM High Economy	\$248	0#
2410327 Allison Fuel Sense: ARM Super Economy	\$248	0#

### PACCAR Software

2429092 Park Lock: PACCAR TX-8 Automatic Transmission	\$190	16#
---	-------	-----

## Auxiliary Transmissions

2154321 Aux: AT1202 2-speed Electric Over Air Shift 3-position Rocker Switch Dash Mounted and Includes Synthetic Lubricant	\$18,522	522#
--	----------	------

## Transfer Case

2321327 Transfer Case: Fabco TC-137, 873-2146-010 1-Speed W/O PTO, W/O Neutral	\$19,173	388#
2322238 Transfer Case: Fabco TC-237, 873-1144-004 2-Speed W/O PTO, W/O Neutral.	\$19,347	388#
2322239 Transfer Case: Fabco TC-237, 873-2144-004 2-Speed W/O PTO, W/O Neutral.	\$19,347	388#
2322302 Transfer Case: Fabco TC-548C, 548C2-2-1 1-Speed With Lube Pump, Without PTO, With Neutral	\$23,793	490#
2322303 Transfer Case: FABCO TC-548B, 548B-2-2-1 Two Speed, W/O PTO Provision, With Lube Pump. Use with SPL170. Neutral Capable (not provided).	\$27,254	550#
2323005 Transfer Case: Meritor MTC-4210, 2 Speed Without PTO, Without Neutral. For use with Single RR Axle and Meritor FDA.	\$15,909	644#
2349006 Jackshaft Installation: Includes 2 Centerbearings and 2 Crossmembers to Support the Jackshaft.	\$2,635	386#
2349059 Namco Transfer Case 106-2SR-SXSPXS-Y-174 2-speed without PTO and without Neutral W/ Pump, 12" drop	\$20,596	580#
2349060 Namco Trans Case 105-2SR-SXSPXS-Y-174 2-Speed w/o PTO & Neutral for SPL140/SPL170	\$19,801	594#

## Split-Shaft PTO

2329430 Fabco PTO-180 Split Shaft 873-0116-030	\$26,543	755#
2410073 Customer-Installed Split Shaft PTO Informational only, nothing additional is provided.	\$0	0#



# T480: TRANSMISSIONS

Option	Description	Price	Weight
--------	-------------	-------	--------

## Clutch

2250496	Clutch: Eaton 15-1/2 in. Advantage Self-Adjust to 1750 ft-lb, Ceramic, 4-Paddle, Predamper	\$1,522	0#
---------	--	---------	----

## Manually Adjusting

2240013	Clutch: Eaton 14" 2 Plate Ceramic Dampened Up to 860 LBFT Engine torque	\$1,188	0#
---------	---	---------	----

2240025	Clutch: Eaton 14" 1 Plate Ceramic Dampened Up to 660 LBFT Engine torque	\$1,037	0#
---------	---	---------	----

2250385	Clutch:UltraShift Plus Or Fuller Advantage Series Automated transmissions.	\$1,522	147#
---------	--	---------	------

## Solo

2240023	Clutch: Fuller 14 in. solo severe 606 to 860 lb-ft. For severe service. Includes adjustment free clutch cover, extended grease fitting for clutch bearing and cross shaft, and synthetic lubricant for the transmission.	\$1,121	0#
---------	--	---------	----

2240040	Clutch: Fuller 14 in. MD solo 606-1050 lb-ft. Includes adjustment free clutch cover, extended grease fitting for clutch bearing and cross shaft, and synthetic lubricant for the transmission.	\$1,198	0#
---------	--	---------	----

## Miscellaneous

2294080	Air-Assisted Hydraulic Clutch	\$0	0#
---------	-------------------------------	-----	----

2294081	Clutch: Hydraulic Assist For use with 2.1M Medium Duty only	\$558	10#
---------	---	-------	-----

## Torque Converter

2410018	Torque Converter Included W/ Allison Transmission.	\$0	0#
---------	--	-----	----

2410802	Torque Converter: TP650 for PACCAR TX-8	\$0	0#
---------	---	-----	----

2410803	Torque Converter: TP800 for PACCAR TX-8	STD	0#
---------	---	-----	----

2410804	Torque Converter: TP1000 for PACCAR TX-8	\$0	0#
---------	--	-----	----

## PTO

### Chelsea

2421388	PTO: Chelsea 280GGFJP-B5RK, 10 Bolt LH side mounted, electric over hydrolic shift, use with Allison transmission, SAE output	\$4,994	52#
---------	--	---------	-----

2422213	PTO:Chelsea 280GDFJP-B5RK 10-BLT, Power Shift, LH MTD W/Allison Replaces PTO codes 2422204 AND 2422147.	\$4,994	52#
---------	---	---------	-----

2422216	PTO:Chelsea 280GCFJP-B5RK 10-BLT Power Shift, LH MTD W/Allison *Replcs 2422133	\$4,994	52#
---------	--	---------	-----

### Muncie

2424048	PTO: Muncie A20-A1005-HX31XPX, 10 Bolt LH Mounted, Electric over Hydraulic shift, for Allison Transmission	\$2,959	47#
---------	--	---------	-----

2424049	PTO: Muncie A20-A1007-HX3BBPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, SAE output for Allison Transmissions	\$3,907	47#
---------	---	---------	-----



# T480: TRANSMISSIONS

Option Description	Price	Weight
<b>PTO</b>		
<b>Muncie</b>		
2424050 PTO: Muncie A20-A1008-HX3BPX, 10 Bolt LH Side mounted, Electric over Hydraulic shift, SAE output, for Allison transmissions	\$3,979	47#
2424055 PTO: Muncie A20-A1005-HX11XPX, 10 Bolt RH Side Mounted, Electric over Hydraulic shift, for use with Allison transmission	\$3,694	47#
2424056 PTO: Muncie A20-A1005-HX3BBPX, 10 Bolt LH Side mounted, Electric over hydraulic shift, SAE output for Allison transmissions	\$3,907	47#
2424057 PTO: Muncie A20-A1005-HX3IIPX, 10 Bolt LH Side Mounted, Electric over hydraulic shift, for Allison transmissions	\$3,907	47#
2424058 PTO: Muncie A20-A1005-HX51XBX, 10 Bolt Top Mounted, Electric over Hydraulic shift, for use with Allison transmissions	\$3,694	47#
2424059 PTO: Muncie A20-A1006-HX3IIPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, for use with Allison transmissions	\$4,157	47#
2424060 PTO: Muncie A20-A1006-HX3BBPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, SAE output for Allison Transmissions	\$3,907	47#
2424061 PTO: Muncie A20-A1006-HX3BPX, 10 Bolt LH Side Mounted, Electric over Hydraulic, SAE output for Allison transmissions	\$3,979	47#
2424062 PTO: Muncie A20-A1006-HX3X2PX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, for Allison transmissions	\$3,907	47#
2424063 PTO: Muncie A20-A1006-HX5BSPX, 10 Bolt Top Mounted, Electric over Hydraulic shift for Allison transmissions	\$3,907	47#
2424064 PTO: Muncie A20-A1007-HX31XPX, 10 Bolt LH Side Mounted, Electric over Hydraulic for Allison transmissions	\$3,694	47#
2424065 PTO: Muncie A20-A1007-HX5X4BX, 10 Bolt Top Mounted, Electric over Hydraulic shift, for Allison transmissions	\$3,907	47#
2424066 PTO: Muncie A20-A1008-HX3IIPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, for Allison transmissions	\$4,157	47#
2424067 PTO: Muncie A20-A1008-HX3BBPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift with SAE output for Allison Transmissions	\$3,907	47#
<b>PTO Misc</b>		
2410044 Thru-Shaft PTO Provision (PTO not Included) 10-speed RTO14908LL.	\$273	6#
2429084 F/I First PACCAR TX-8 PTO 3 O'Clock Position	\$0	0#
2429085 F/I First PACCAR TX-8 PTO 9 O'Clock Position	\$0	0#
2429094 C/I First PACCAR TX-8 PTO 3 O'Clock Position	\$0	0#
2429095 C/I First PACCAR TX-8 PTO 9 O'Clock Position	\$0	0#

\*See PremierSpec for Applicable Restrictions



# T480: TRANSMISSIONS

Option	Description	Price	Weight
<b>PTO</b>			
<b>PTO Misc</b>			
2429351	First Transmission PTO Compatibility - Chelsea 230/236/238/442/489/660/680-V3 or Muncie CS8/SH8/TG8S-P1 bottom mounted 6 or 8-Bolt PTO's for all Eaton & PACCAR transmissions. This application includes use of the standard hydraulic clutch actuator on Eaton FR & RT transmissions and supports bottom mounted 6 and 8-Bolt PTO's with single acting air actuation.	\$0	0#
2429358	Rear Transmission Support Springs for transmission PTO applications are required to ensure that engine flywheel housings are not overloaded when transmission PTO's are installed.	\$93	0#
2429374	Factory Installed Transmission PTO in the Top Mounted position (1 o'clock) for Allison 3000 & 4000 transmissions. Create NPO for specific PTO to be installed by the factory. Create NPO for specific PTO to be installed by the factory. Not available with Rear Engine PTO (REPTO)	\$0	0#
2429375	Factory Installed Transmission PTO in the LH Mounted position (8 o'clock) for Allison 3000 & 4000 transmissions. Create NPO for specific PTOs to be installed by the factory.	\$0	0#
2429376	Factory Installed Transmission PTO in the RH Mounted position (4 o'clock) for Allison 3000 transmissions. Create NPO for specific PTOs to be installed by the factory.	\$0	0#
2429377	Customer Installed Transmission PTO in the Top Mounted position (1 o'clock) for Allison 3000 & 4000 transmissions.	\$0	0#
2429378	Customer Installed Transmission PTO in the LH Mounted position (8 o'clock) for Allison 3000 & 4000 transmissions.	\$0	0#
2429379	Customer Installed Transmission PTO in the RH Mounted position (4 o'clock) for Allison 3000 transmissions.	\$0	0#

## Driveline

### Driveline Equipment

2406005	45 degree Yokes on Interaxle Drivelines.	\$89	0#
2410100	Two Guards for Dual Drivelines.	\$313	8#
2410103	Guards: (3) for 3 Drivelines.	\$469	12#
2410105	One Guard for Single Driveline.	\$96	4#

### Centerbearing Crossmembers

2409941	One Heavy-Duty One-Piece Aluminum Crossmember This option upgrades an existing crossmember. The cost does not include the centerbearing and bracket. Crossmember location will be in accordance with Kenworth engineering standards, using the major components specified on the DTPO.	STD	0#
2409942	Two Heavy-Duty One-Piece Aluminum Crossmembers This option upgrades existing crossmembers. The cost does not include the centerbearing and bracket. Crossmember locations will be in accordance with Kenworth engineering standards, using the major components specified on the DTPO.	\$0	0#



# T480: TRANSMISSIONS

Option Description	Price	Weight
<b>Driveline</b>		
<b>Centerbearing Crossmembers</b>		
<b>2409943</b> Three Heavy-Duty One-Piece Aluminum Crossmembers This option upgrades existing crossmembers. The cost does not include the centerbearing and bracket. Crossmember locations will be in accordance with Kenworth engineering standards, using the major components specified on the DTPO.	<b>\$0</b>	<b>0#</b>
<b>Dana</b>		
<b>2401205</b> Driveline:1 Dana Standard-Duty; No Centerbearing. *Standard duty is 1710 series.	<b>(\$732)</b>	<b>-79#</b>
<b>2401405</b> Driveline: 2 Dana Standard-Duty; 1 Centerbearing. *Standard duty is 1710 series.	<b>\$119</b>	<b>-1#</b>
<b>2401605</b> Driveline: 2 Standard Duty; No Center Bearing Use w/ AUX Transmission, Transfer Case, or Jackshaft	<b>(\$250)</b>	<b>8#</b>
<b>2401905</b> Driveline: 3 Dana Standard-Duty; 2 Centerbearing. *Standard duty is 1710 series.	<b>\$863</b>	<b>77#</b>
<b>2401915</b> Driveline: 4 Dana Standard-Duty 3 Centerbearings *Standard duty is 1710 series.	<b>\$1,654</b>	<b>154#</b>
<b>2405205</b> Driveline:1 Dana 1810 Heavy-Duty No Centerbearing *Heavy duty is 1810HD series.	<b>(\$492)</b>	<b>-54#</b>
<b>2405405</b> Driveline: 2 Dana 1810 Heavy-Duty 1 Centerbearing *Heavy duty is 1810HD series.	<b>\$481</b>	<b>38#</b>
<b>2405425</b> Driveline: 3 Dana 1810 Heavy-Duty W/2 Centerbearings *Heavy duty is 1810HD series.	<b>\$1,587</b>	<b>131#</b>
<b>2405605</b> Driveline:2 Dana 1810 Heavy-Duty No Centerbearing for Use W/ Auxiliary Transmission, Jackshaft, or Transfer Case. *Heavy duty is 1810 series.	<b>\$222</b>	<b>56#</b>
<b>2405815</b> Driveline:3 Dana 1810 Heavy-Duty; 1 Centerbearing for Use W/ Auxiliary Transmission or Jackshaft. *Heavy duty is 1810HD series.	<b>\$1,273</b>	<b>149#</b>
<b>2406203</b> Driveline: 2 Dana SPL100 with No Centerbearing and 1 SPL100 with No Centerbearing to FDA for Use with Transfer Case.	<b>(\$123)</b>	<b>-15#</b>
<b>2406204</b> Driveline: 1 Dana SPL170XL No Centerbearing	<b>(\$555)</b>	<b>-69#</b>
<b>2406205</b> Driveline: 1 Dana SPL250XL W/ No Centerbearing Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	<b>(\$466)</b>	<b>-51#</b>
<b>2406206</b> Driveline: 3 Dana SPL100 with One Centerbearing and 1 SPL100 with no centerbearing to FDA for use with transfer case.	<b>\$595</b>	<b>32#</b>
<b>2406208</b> Driveline: 4 Dana SPL100 with Two Centerbearings and 1 SPL100 with no centerbearing to FDA for use with transfer case.	<b>\$1,286</b>	<b>79#</b>
<b>2406209</b> Driveline: 2 Dana SPL140 with No Centerbearing and 1 SPL140 with no centerbearing to FDA for use with transfer case.	<b>\$421</b>	<b>90#</b>
<b>2406210</b> Driveline: 3 Dana SPL140 with One Centerbearing and 1 SPL140 with no centerbearing to FDA for use with transfer case.	<b>\$712</b>	<b>170#</b>
<b>2406211</b> Driveline: 4 Dana SPL140 with Two Centerbearings and 1 SPL140 with no centerbearing to FDA for use with transfer case.	<b>\$2,013</b>	<b>250#</b>

\*See PremierSpec for Applicable Restrictions



# T480: TRANSMISSIONS

Option	Description	Price	Weight
<b>Driveline</b>			
<b>Dana</b>			
2406215	Driveline: 2 Dana SPL170XL with No Centerbearing and 1 SPL140 with no centerbearing to FDA for use with transfer case.	\$662	112#
2406216	Driveline: 3 Dana SPL170XL with One Centerbearing and 1 SPL140 with no centerbearing to FDA for use with transfer case.	\$1,559	197#
2406217	Driveline: 4 Dana SPL170XL with Two Centerbearings and 1 SPL140 with no centerbearing to FDA for use with transfer case.	\$3,078	281#
2406218	Driveline: 2 SPL140 without Centerbearings Foward of transfer case and 1 Dana SPL170XL with no centerbearings to rear axle.	\$542	101#
2406219	Driveline: 2 SPL140 without Centerbearings Foward of transfer case and 2 Dana SPL170XL with 1 centerbearing to rear axle.	\$1,437	185#
2406220	Driveline: 2 SPL140 without Centerbearings Foward of transfer case and 3 Dana SPL170XL with 2 centerbearings to rear axle.	\$2,334	270#
2406240	Driveline: 1 Dana SPL140 No Centerbearing	(\$685)	-80#
2406254	Driveline: 2 SPL250XL No Centerbearing for use w/auxiliary transmission, jackshaft, or transfer case. Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$273	63#
2406303	Driveline: 2 Dana SPL250 LITE; W/ 1 C/B	\$409	58#
2406304	Driveline: 3 Dana SPL250 LITE; W/ 2 C/B	\$1,340	156#
2406305	Driveline: 4 Dana SPL250 LITE; W/ 3 C/B	\$2,280	254#
2406311	Driveline: 2 Dana SPL250SF Lite, 1 Centerbearing	\$409	58#
2406312	Driveline: 3 Dana SPL250SF Lite, 2 Centerbearings	\$1,307	156#
2406313	Driveline: 4 Dana SPL250SF Lite, 3 Centerbearings	\$2,206	254#
2406314	Driveline: 2 SPL250SF No Centerbearing For use with auxiliary transmission, jackshaft, or transfer case.	\$324	63#
2406315	Driveline: 3 SPL250SF with 1 Centerbearing For use with auxiliary transmission, jackshaft, or transfer case.	\$1,249	281#
2406316	Driveline: 4 SPL250SF with 2 Centerbearings For use with auxiliary transmission, jackshaft, or transfer case.	\$2,172	499#
2406317	Driveline: 5 SPL250SF with 3 Centerbearings For use with auxiliary transmission, jackshaft, or transfer case.	\$3,105	717#
2406440	Driveline: 2 Dana SPL140 1 Centerbearing	STD	0#
2406452	Driveline: 2 Dana SPL170XL 1 Centerbearing	\$478	16#



# T480: TRANSMISSIONS

Option	Description	Price	Weight
<b>Driveline</b>			
<b>Dana</b>			
2406453	Driveline: 2 Dana SPL250XL 1 Centerbearing Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$432	53#
2406454	Driveline: 4 Dana SPL250XL 3 Centerbearing Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$2,333	261#
2406455	Driveline: 2 SPL170XL; No Centerbearing Medium-Duty: for Use W/ Auxiliary Transmission or Jackshaft.	\$95	27#
2406457	Driveline: 3 SPL170XL for Use W/ Auxiliary Transmission or Jackshaft, W/ 1 Centerbearing.	\$1,299	112#
2406461	Driveline: 4 Dana SPL250XL 2 Centerbearing for use w/auxiliary transmission or jackshaft, requires 3500057 interaxle driveline. Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$2,173	271#
2406465	Driveline: 2 Dana SPL250SF 1 Centerbearing	\$432	53#
2406466	Driveline: 2 Dana SPL170SF With 1 Centerbearing	\$310	16#
2406468	Driveline: 1 SPL170SF With 0 Centerbearings	(\$543)	-69#
2406469	Driveline: 3 SPL170SF With 2 Centerbearings	\$1,189	100#
2406470	Driveline: 4 SPL170SF With 3 Centerbearings	\$2,057	184#
2406802	Driveline: 3 Dana SPL170XL 2 Centerbearing	\$1,273	100#
2406806	Driveline: 3 Dana SPL250XL 1 Centerbearing for use w/auxiliary transmission or jackshaft, requires 3500057 interaxle driveline. Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$1,249	167#
2406809	Driveline: 5 Dana SPL250XL,3 C/B For use with Aux Trans or Jackshaft	\$3,105	375#
2406820	Driveline: 4 Dana SPL170XL 3 Centerbearing	\$2,066	184#
2406850	Driveline: 4 Dana SPL140 With 3 Centerbearings	\$1,193	160#
2406860	Driveline: 2 Dana SPL140 with 0 CB with Transfer Case & 2 SPL140 with 1 CB to FDA	\$1,341	170#
2406862	Driveline: 3 Dana SPL140 with 1 Centerbearing for Transfer case & 1 SPL170 to rear axle.	\$1,547	248#
2406865	Driveline: 3 Dana SPL140 with 1 CB with Transfer Case & 2 SPL140 with 1 CB to FDA	\$2,094	250#
2406867	Driveline:3 SPL140 for T/C w/1 C/B & 2 SPL170 with one centerbearing to rear axle.	\$2,502	265#
2406870	Driveline: 4 Dana SPL140 with 2 CB with Transfer Case & 2 SPL140 with 1 CB to FDA	\$2,852	330#
2406872	Driveline:3 SPL140 for T/C w/1 C/B & 3 SPL170 with two centerbearing to rear axle.	\$3,285	350#

\*See PremierSpec for Applicable Restrictions



## T480: TRANSMISSIONS

Option Description	Price	Weight
<b>Driveline</b>		
<b>Meritor</b>		
2408201 Driveline: 1 Meritor RPL25; No Center Bearing	(\$566)	-42#
2408302 Driveline: 1 Meritor RPL25 SD; No Centerbearing	(\$512)	-30#
2408401 Driveline: 2 Meritor RPL25; 1 Centerbearing	\$111	61#
2408502 Driveline: 2 Meritor RPL25 SD; 1 Centerbearing	\$231	84#
2408602 Driveline: 3 Meritor RPL25; 2 Centerbearing	\$972	163#
2408703 Driveline: 3 Meritor RPL25 SD; 2 Centerbearing	\$904	199#
<b>Interaxle Driveline</b>		
3500037 Interaxle Driveline:1 Dana 1710 Series Tandem Rear Axels Only.	\$466	86#
3500057 Interaxle Driveline: 1 Dana SPL170XL Tandem Rear Axles Only	\$513	96#
3500062 Interaxle Driveline: 1 Dana SPL170SF Not For Tridem Axles.	\$478	96#
<b>Transmission Oil Cooler</b>		
2460021 Oil to Water Cooler for Transfer Case to 8500 LB-FT	\$416	13#
2460043 TDI Oil to Air Auxiliary Cooler 400HP or Greater	\$1,369	0#
2460069 Transmission Cooler: Automatic Transmission For use with 2.1M MD with Vocational Hood. Includes cooler protector.	\$1,209	38#
2460070 Supplemental Allison Oil to Water Trans Cooler	\$513	16#



# T480: FRONT AXLE

Option	Description	Price	Weight
<b>Front Axles</b>			
<b>10K &amp; Under</b>			
2501012	Dana Spicer D-1001IL Front Axle Rated 10K 3.5" drop. Use With Air Disc Brakes Only	\$90	-16#
<b>12K to 13.2K</b>			
2502012	Dana Spicer D-1201IL Front Axle rated 12K 3-1/2in. drop. Use with Air Disc Brakes Only.	\$78	-36#
2502014	Dana Spicer D-1251IL Front Axle rated 12.5K 3-1/2in. drop. Not W9L/C5. Use With Air Disc Brakes Only	\$78	12#
2502015	Dana Spicer D-1251LW Front Axle rated 12.5K 3-1/2in. drop, wide track. Not W9L/C5. Use w/ Air Disc Brakes Only.	\$176	0#
2502016	Dana Spicer D-1301IL Front Axle rated 13K 3.5" drop. Use With Air Disc Brakes Only.	\$128	-36#
2502017	Dana Spicer D-1321IL Front Axle rated 13.2K 3.5" drop. Use With Air Disc Brakes Only	\$249	2#
2502230	Dana Spicer E-1202IL Front Axle rated 12K 3-1/2in. drop. Use W/Air Brakes Only. Medium Duty Only.	\$43	0#
2502240	Dana Spicer E-1252IL Front Axle rated 12.5K 3-1/2in. drop. Not W9L/C5.	\$225	-24#
2502243	Dana Spicer E-1252LW Front Axle rated 12.5K 3-1/2in. drop, wide track. Not W9L/C5.	\$291	-17#
2502335	Dana Spicer E-1322IL Front Axle rated 13.2K 3-1/2in. drop.	\$192	0#
2502336	Dana Spicer E-1322LW Front Axle rated 13.2K 3-1/2in. drop, wide track for better turning radius.	\$304	-8#
2502338	Dana Spicer E-1302IL Front Axle rated 13K 3-1/2in. drop.	\$279	27#
2505018	Dana Spicer D-1321LW Front Axle rated 13.2K 3.5" drop Wide Track Use W/ Air Disc Brakes Only	\$260	18#
2512042	Meritor MFS12E PLUS 12.5K 3.5in. Drop Standard Track	\$140	0#
2512043	Meritor MFS12E PLUS 12.5K 3.5in. Drop Wide Track	\$191	19#
2512044	Meritor MFS12E PLUS 12.5K rated at 12K 3.5in. drop standard track.	\$140	0#
2512048	Meritor MFS13 PLUS 13.2K 3.5in. Drop Standard Track.	\$314	0#
2512049	Meritor MFS13 PLUS 13.2K 3.5in. Drop Wide Track.	\$284	15#
2512050	Meritor MFS13 PLUS 13.2K rated 13K 3.5 in. Drop standard track.	\$228	0#
2532104	Hendrickson Steertek Front Axle 12.5K rated @ 12K Standard Track 3.32 in. drop.	STD	0#
2532105	Hendrickson Steertek Front Axle rated 12.5K Standard Track 3.32 in. drop	\$0	0#
2532106	Hendrickson Steertek Front Axle 13.2K rated @ 13K Standard Track 3.32 in. drop	\$153	0#
2532107	Hendrickson Steertek Front Axle rated 13.2k Standard Track 3.32 in. drop	\$153	0#



# T480: FRONT AXLE

Option	Description	Price	Weight
<b>Front Axles</b>			
<b>12K to 13.2K</b>			
2532114	Hendrickson Steertek Front Axle 12.5K rated @ 12K Wide Track 3.32 in. drop.	\$52	0#
2532115	Hendrickson Steertek Front Axle rated 12.5K Wide Track 3.32 in. drop	\$52	0#
2532116	Hendrickson Steertek Front Axle 13.2K rated @ 13K Wide Track 3.32 in. drop	\$202	0#
2532117	Hendrickson Steertek Front Axle rated 13.2k Wide Track 3.32 in. drop	\$202	0#
<b>14.6K to 18K</b>			
2503461	Dana Spicer E-1462I Front Axle rated 14K 3-1/2in. drop.	\$554	30#
2503463	Dana Spicer E-1462I Front Axle rated 14.6K 3-1/2in. drop.	\$557	30#
2503471	Dana Spicer D-1461I Front Axle rated 14.6K 3-1/2in. drop, use with air disc brake only.	\$340	23#
2503475	Dana Spicer D-1461I Front Axle rated 14K 3-1/2in. drop, use with air disc brake only.	\$340	23#
2505171	Dana Spicer D2000 Front Axle rated 18K	\$1,975	120#
2513030	Meritor MFS14 Plus 14.6K 3.74in. Drop Wide Track.	\$709	68#
2513031	Meritor MFS14 Plus 14.6K 3.5in. Drop Standard Track.	\$575	39#
2513032	Meritor MFS14 Plus 14.6K Rated @ 14K 3 1/2 in. Drop Standard Track.	\$564	68#
2517016	Meritor MFS20 Front Axle rated 16K 3.5 in. drop, standard track.	\$2,391	0#
2517018	Meritor MFS20 Front Axle rated 18K 3.5 in. drop, standard track.	\$2,391	150#
2533108	Hendrickson Steertek Front Axle 14.6K rated @ 14K Standard Track 3.32 in. drop.	\$206	0#
2533109	Hendrickson Steertek Front Axle rated 14.6k Standard Track 3.32 in. drop.	\$206	0#
2533118	Hendrickson Steertek Front Axle 14.6K rated @ 14K Wide Track 3.32 in. drop.	\$255	0#
2533119	Hendrickson Steertek Front Axle rated 14.6k Wide Track 3.32 in. drop.	\$206	0#
2534001	PACCAR FX-20 ST Fr Axle rated @ 16K 4" drop	\$2,317	0#
2535001	PACCAR FX-20 ST Fr Axle rated @ 18K 4" drop	\$2,317	0#
<b>20K &amp; Over</b>			
2506181	Dana Spicer D2000 Front Axle rated 20K standard track.	\$1,997	120#
2516006	Meritor MFS20 20K 3.74in. Drop Wide Track.	\$2,410	0#
2517020	Meritor MFS20 Front Axle rated 20K 3.5 in. drop, standard track.	\$2,391	150#



## T480: FRONT AXLE

Option Description	Price	Weight
<b>Front Axles</b>		
<b>20K &amp; Over</b>		
2536002 PACCAR FX-20 Front Axle rated at 20K 4" drop standard track	\$2,177	156#
2536004 PACCAR FX-20 Front Axle rated at 20K 4" drop wide track	\$2,773	169#
<b>Front Drive Axles</b>		
2561010 Fabco FSD-10A Front Drive Axle at 10,000 lbs. capacity. Includes cast iron hubs, 16.5x5 in. S-cam brakes, automatic slack adjusters, with ABS provision.	\$14,901	1,072#
2562012 Fabco FSD-12A Front Drive Axle at 12,000 lbs. capacity. Includes cast iron hubs, 16.5x5 in. S-cam brakes, automatic slack adjusters, with ABS provision.	\$14,901	1,072#
2562013 Fabco FSD-13A Front Drive Axle at 13,000 lbs. capacity. Includes cast iron hubs, 16.5x5 in. S-cam brakes, automatic slack adjusters, with ABS provision.	\$14,901	1,072#
2563014 Fabco FSD-14A Front Drive Axle at 14,000 lbs. capacity. Includes cast iron hubs, 16.5x5 in. S-cam brakes, automatic slack adjusters, with ABS provision.	\$15,619	1,072#
2564016 Fabco FSD-16A Front Drive Axle at 16,000 lbs. capacity. Includes cast iron hubs, 16.5x6 in. S-cam brakes, automatic slack adjusters, and ABS provision.	\$16,161	1,072#
2565001 Fabco FSD-18A Front Drive Axle at 18,000lbs capacity. With iron hubs, 16.5x7 in. brakes, automatic slack adjusters, and ABS provision.	\$32,152	1,454#
2566001 Fabco FSD-20A Front Drive Axle at 20,000lbs capacity. Includes cast iron hubs, 16.5x7 in. S-cam brakes, automatic slack adjusters, and ABS provision.	\$32,151	1,454#
2571007 Meritor MX-120 Front Drive Axle Rated 10K 16.5X5 Q+	\$14,534	1,044#
2572007 Meritor MX-120 Front Drive Axle Rated 12K 16.5X5 Q+	\$14,843	1,044#
2573007 Meritor MX-120 Front Drive Axle Rated 14K 16.5X5 Q+	\$15,404	1,044#
2574007 Meritor MX-120 Front Drive Axle Rated 16K 16.5X6 Q+	\$16,038	1,354#
2589900 Dealer/Customer Acknowledges Specified Components Fail Supplier Blanket Approvals	\$0	0#
<b>Axle Ratios</b>		
2590307 Front Drive Axle Ratio: 3.07	\$0	0#
2590331 Front Drive Axle Ratio: 3.31	\$0	0#
2590358 Front Drive Axle Ratio: 3.58	\$0	0#
2590373 Front Drive Axle Ratio: 3.73	\$0	0#
2590391 Front Drive Axle Ratio: 3.91	\$0	0#
2590410 Front Drive Axle Ratio: 4.10	\$0	0#



# T480: FRONT AXLE

Option Description	Price	Weight
--------------------	-------	--------

## Front Drive Axles

### Axle Ratios

2590430 Front Drive Axle Ratio: 4.30	\$0	0#
2590456 Front Drive Axle Ratio: 4.56.	\$0	0#
2590478 Front Drive Axle Ratio: 4.78.	\$0	0#
2590488 Front Drive Axle Ratio: 4.88.	\$0	0#
2590513 Front Drive Axle Ratio: 5.13.	\$0	0#
2590529 Front Drive Axle Ratio: 5.29.	\$0	0#
2590538 Front Drive Axle Ratio: 5.38.	\$0	0#
2590557 Front Drive Axle Ratio: 5.57	\$0	0#
2590586 Front Drive Axle Ratio: 5.86.	\$0	0#
2590614 Front Drive Axle Ratio: 6.14.	\$0	0#
2590650 Front Drive Axle Ratio: 6.50.	\$0	0#

## Outer End Equipment

### Brakes

2659007 Front Brakes: Included W/ Front Drive Axles	\$0	-166#
---	-----	-------

### 10K & Under

2621187 Front Brakes: 10K Bendix ES S- Cam 15x4 in.	(\$187)	0#
---	---------	----

### 12K to 13.2K

2601605 Front Brakes: 13.2K Bendix RSD HP-ES S-Cam 16.5x5 in. drum brake.	(\$61)	-62#
---	--------	------

### 14K to 18K

2601608 Front Brakes: 18K Bendix RSD HP-ES S-Cam 16.5x6 in. drum brake , Max GAWR 18K, with Cast Spider.	\$385	-44#
--	-------	------

2607001 Front Brakes: 14.6K Bendix Air Disc Brakes Lube Free.	\$53	0#
---	------	----

2607011 Front Brakes: 14.6K Bendix RSD ADB22X Disc Brake.	(\$68)	0#
---	--------	----

2621310 Front Brakes: 14.6K Bendix ES S-Cam 16.5x5 in.	STD	0#
--	-----	----

2641113 Front Brakes: 14.6K Meritor Q+ RSD S-Cam 16.5x5 in. drum brake.	(\$34)	-44#
---	--------	------

2641141 Front Brakes: 14.6K Meritor Q-Plus 16.5x5 in. Not for fire truck/EMT/rescue service.	(\$175)	-44#
--	---------	------

2647003 Front Brakes: 14.6K Meritor EX+L Optimized air disc brakes.	(\$43)	0#
---	--------	----



# T480: FRONT AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

## Outer End Equipment

### Brakes

#### 14K to 18K

2647009	Front Air Disc Brakes: 14.6K Meritor EX+L Optimized RSD reduced stopping distance tractor only.	(\$64)	0#
2647011	Front Air Disc Brakes: 14,601-22K Meritor RSD EX+L Optimized. Reduced stopping distance tractor only.	\$51	0#

#### 20K & Over

2601609	Front Brakes: 22K Bendix RSD HP-ES S-Cam 16.5x7 in. drum brake.	\$463	19#
2607002	Front Brakes: 14,601-22K Bendix Air Disc Brakes.	\$323	10#
2621078	Front Brakes: 22K Bendix ES S-Cam 16.5x6 in.	(\$83)	-46#
2641137	Front Brakes: 20K Meritor Q-Plus 16.5x6 in.	\$129	-38#
2647004	Front Brakes: 14,601-22K Meritor EX+L Optimized air disc brakes.	\$200	0#

### Brake Drums

#### 12K to 13.2K

2690030	Front Brake Drums: 13.2K 15x4 in. cast.	(\$20)	0#
---------	---	--------	----

#### 14.6K

2690002	Front Brake Drums: 14.6K 16.5x5 in. cast.	STD	0#
2690016	Front Brake Drums: 14.6K Meritor X30 light weight 16.5x5 in.	\$275	-8#
2690031	Front Brake Drum: Tru Turn Lite 16.5X5, max rating 14.6K	\$65	0#

#### 20K & Over

2690013	Front Brake Drum: 20K Meritor X30 light weight 16.5x6 in.	\$325	-8#
2690017	Front Brake Drum: Cast 16.5x7 in., Max rating 22k.	\$96	94#
2690032	Front Brake Drum: Tru Turn Lite 16.5X6, max rating 20K	\$69	80#
2690035	Front Brake Drum: 22K 16.5x6 in. cast.	\$40	104#
2690050	Front Brake Drum Included W/ Front Axles.	\$0	-183#

### Rotors

2690024	Splined Rotor for Front Air Disc Brakes for Use with Aluminum Hubs.	\$551	0#
2690025	Splined Rotor for Front Air Disc Brakes for Use with Iron Hubs.	\$470	0#
2690042	U-Shaped Rotor for Meritor Air Disc Brakes.	\$310	0#
2690060	Rotor for Front Air Disc Brakes for use with aluminum hubs. For Meritor front air disc brakes.	\$585	0#



# T480: FRONT AXLE

Option	Description	Price	Weight
<b>Outer End Equipment</b>			
<b>Hubs</b>			
<b>12K to 13.2K</b>			
2701300	Front Hub: Aluminum Hub Pilot 13,200 lbs. 10-Bolt, 11-1/4 in. bolt circle .	\$47	0#
<b>14.6K to 16K</b>			
2702500	Front Hub: Iron Hub Pilot 14,600 lbs. 11-1/4 in. bolt circle. For use w/ air disc brakes. Consider wheelguards (5850002) w/ aluminum wheels.	STD	0#
2707050	Front Hub: 14,600 lbs. Aluminum Hub Pilot 10-bolt, 11.25 in. bolt circle.	\$68	-48#
<b>18K &amp; Over</b>			
2701319	Front Hubs Aluminum Hub Pilot 20,000 lbs. 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle.	\$590	16#
2702018	Front Hubs Iron Hub Pilot 18,000 lbs. 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle. Consider Wheelguards (5850002) with aluminum wheels.	\$339	80#
2702020	Front Hubs Iron Hub Pilot 20,000 lbs. 10 Bolt 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle. Consider Wheelguards (5850002) with aluminum wheels.	\$282	80#
2702022	Front Hubs Iron Hub Pilot 22,000 lbs. 10 Bolt 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle. Consider Wheelguards (5850002) with aluminum wheels.	\$339	80#
2707003	Front Hub: Hub Pilot 10 Hole Mount Hub Included w/ Meritor front drive axles. 11.25 in. bolt circle.	\$0	-106#
<b>Oil Seals</b>			
2741970	ConMet PreSet Plus Hub Package; Front Axle.	STD	0#
2741975	ConMet PreSet Hub Package; Front Axle.	\$0	0#
2748550	Front Axle Oil Seal: Included W/ Axle or Brakes.	\$0	0#
<b>Hubcaps</b>			
2750001	Hubcap: Front Vented.	STD	0#
2750900	Hubcaps Included W/ Front Axle.	\$0	-1#
<b>Miscellaneous</b>			
2659047	Front Dustshield: for Drum Brakes: All Front Axles.	\$58	6#
2659065	Front Dustshield: Included W/ Meritor or Sisu Front Drive Axle.	\$0	0#
2690028	Integral Knuckle for Air Disc Brake, for use on Meritor MFS PLUS Steer Axle	\$0	20#
2690029	Drum Brake Knuckle for Use on Meritor MFS Plus Steer Axle	\$0	20#
2690039	Integral Knuckle for Air Disc Brake, for use on PACCAR FX Steer Axle	\$0	-33#
2790006	Freewheel Locking Hubs for Fabco Front Drive Axle FSD-1XA series only 10 through 16K.	\$2,468	14#

\*See PremierSpec for Applicable Restrictions



# T480: FRONT AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

## Outer End Equipment

### Miscellaneous

2900903	Front Bendix Air Disc Brake Dustshield includes pad air disc brakes only.	\$50	0#
2900916	Front Disc Brake Pad/Rotor Dust Shields Air Disc Brakes Only.	\$305	0#
2900919	Front Air Disc Brake Dustshield Includes Pads.	\$56	0#
2900920	Front Disc Brake: Meritor Pad/Rotor Dust Shields.	\$104	0#

### Slack Adjusters

2765001	Front Auto Slack Adjuster for Drum Brakes.	STD	0#
2769000	Slack Adjusters Included W/ Front Axle or Brakes. Also use with disc brakes.	\$0	0#

## Front Springs

### 8K to 10K Capacity

2862010	Front Springs: Taperleaf 10K W/ Shock Absorbers. For use on medium duty with FDA only.	\$341	-35#
2882001	Front Springs: Mono-leaf 10K W/ Shock Absorbers With maintenance-free elastomer spring pin bushings.	(\$427)	-114#

### 12K to 14.6K Capacity

2863010	Front Springs: Taperleaf 12K W/ Shock Absorbers. For use on medium duty with FDA only.	\$341	-35#
2863018	Front Springs: Taperleaf 12K W/ Shock Absorbers. With maintenance-free elastomer spring pin bushings.	(\$275)	-53#
2864030	Front Springs: Taperleaf 13K W/ Shock Absorbers. For use on medium duty with FDA only.	\$449	47#
2864040	Front Springs: Taperleaf 14K W/ Shock Absorbers. For use on medium duty with FDA only.	\$449	47#
2864070	Front Springs: Taperleaf 13.2K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings.	STD	0#
2864072	Front Springs: Taperleaf 14.6K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings.	\$0	0#
2883002	Front Springs: Mono-leaf 12K W/ Shock Absorbers With maintenance-free elastomer spring pin bushings.	(\$302)	-110#

### 15K & Over Capacity

2864060	Front Springs: Taperleaf 16K W/ Shock Absorbers. For use on medium duty with FDA only.	\$449	47#
2864074	Front Springs: Taperleaf 16K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings.	\$266	99#
2865020	Front Springs: Taperleaf 18-20K W/ Shock Absorbers For use on medium duty with FDA only.	\$444	77#



# T480: FRONT AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

## Front Springs

### 15K & Over Capacity

2865025	Front Springs: Taperleaf 20K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings.	\$266	99#
---------	--	-------	-----

### Front Spring Equipment

2900055	5 mm Front Suspension Spacer Block	\$0	0#
2900058	30 mm Front Suspension Spacer Block	\$0	0#
2900059	40 mm Front Suspension Spacer Block	\$0	0#
2900061	50 mm Front Suspension Spacer Block	\$0	0#
2900062	60 mm Front Suspension Spacer Block	\$0	0#
2900063	70 mm Front Suspension Spacer Block	\$0	0#
2900064	80 mm Front Suspension Spacer Block	\$0	0#
2900075	Required Front Suspension Spacer, Aero Hood, PX-7 and 10K/12K FDA.	\$0	0#
2900612	Threaded Front Spring Bushings in Place of elastomeric.	\$62	0#

## Power Steering

### Single Gear

2895091	Single Power Steering Gear: 14.6K.	\$408	20#
2895096	Single Power Steering Gear: 16K.	\$408	20#
2895223	Single Power Steering Gear: 13.2K for Air Brakes.	STD	0#

### Dual Gear

2895300	Dual Power Steering Gears: 16K.	\$1,044	75#
2895305	Dual Power Steering Gears: 18/20K	\$1,044	75#

### Miscellaneous

2899336	Power Steering Cooler:Radiator Mounted Air-to-Oil	\$327	11#
---------	---	-------	-----

## Miscellaneous

2790035	Maximum Length Wheel Studs for Hub Pilot Wheels only. Option is standard length w/ dual aluminum wheels, code not required.	\$13	2#
2900936	Meritor MX-120 FDA HR Option Req'd for Snowplow.	\$993	0#



# T480: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

## Single Drive Rear Axles

### 21K to 23K

3031001	Dana S21-140 21K Rated Capacity-Single Rear Axle w/air brakes.	(\$570)	-295#
3031094	Single Dana Spicer P22060S Single Reduction Rear axle. T300/K300: use with/air brakes. Single rear axle 22K capacity rated at 21K.	(\$294)	-184#
3031181	Single Dana Spicer S21-172 Single Reduction Rear axle. Single rear axle rated at 21K.	\$449	-67#
3041180	Single Dana Spicer S23-172 Single Reduction Axle, single rear axle rated at 23K.	\$196	0#
3041181	Single Dana Spicer S23-172H Single Reduction Axle single rear axle rated at 23K. Heavy wall.	\$1,995	35#
3041190	Single Dana Spicer S23-190 Single Reduction Rear axle. Single rear axle rated at 23K.	\$1,017	138#
3042150	Single Meritor RS23-160 Rear Axle rated @ 21K.	\$1,235	295#
3042160	Single Meritor RS23-160 Rear Axle rated at 23K.	STD	0#
3047082	Single Dana Spicer 23082T Rear Axle; 23K capacity rated at 23K. Single rear axle with dual range for T300 w/ air brakes.	\$3,156	250#

### 24K & Above

3061190	Single Dana Spicer S26-190 Rear Axle; 26K capacity rated at 26K. Single rear axle.	\$1,621	208#
3062186	Single Meritor RS26-185 Rear Axle rated at 26K.	\$2,001	72#
3081093	Single Dana Spicer S30-190 Rear Axle; 30K capacity rated at 30K. Single rear axle with 74in. track, outer ends included w/ axle 16.5x7 brakes, iron hubs and dustshields	\$5,496	202#
3082320	Single Meritor RS30-185 Rear Axle rated at 30K.	\$5,540	910#

## Tandem Drive Rear Axle

### 40K & Under

3121444	Dual Dana Spicer DSH40 Rear Axle rated at 40K w/ 11mm housing. Tandem rear axles.	\$9,754	2,035#
3121446	Dual Dana Spicer DSH40P Rear Axle rated at 40K w/ 11mm housing and 1.81in. shaft diameter. Includes pump. Tandem rear axles.	\$10,897	2,053#
3122162	Dual Rear Axle 40,000 lbs. Meritor RT40-160	\$10,773	2,369#
3122164	Dual Rear Axle 40,000 lbs. Meritor RT40-160P with pump	\$13,312	2,369#
3122245	Dual Meritor MT40-14X3 Hypoid Rear Axle rated at 40K. Tandem rear axle.	\$9,709	1,961#
3122246	Dual Meritor MT40-14X3 Hypoid DualTrac Rear Axle rated at 40K. Tandem rear axles.	\$9,105	1,993#
3122247	Dual Meritor MT40-14x4 Hypoid Rear Axle rated at 40K, with heavy-wall housing. Tandem rear axles.	\$10,263	2,001#



# T480: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

## Tandem Drive Rear Axle

### 40K & Under

3122248	Dual Meritor MT40-14x4 Hypoid DualTrac Rear Axle rated at 40K. w/heavy-wall housing. Tandem rear axles.	\$9,280	2,033#
3122250	Dual Meritor MP40-14x3 Rear Axle rated at 40K. Tandem rear axles with pump.	\$8,774	1,971#
3122251	Dual Meritor MP40-14x3 DualTrac Rear Axle rated at 40K. Tandem rear axles with pump.	\$9,362	2,003#
3122252	Dual Meritor MP40-14x4 Rear Axle rated at 40K. w/ heavy-wall housing with pump. Tandem rear axles.	\$9,712	2,011#
3123001	Dual PACCAR DX-40 Axle rated at 40K 9.5 mm housing standard track	\$8,392	1,878#
3123003	Dual PACCAR DX-40 Rear Axle rated at 40K 9.5 mm housing mid track	\$8,903	1,898#
3124400	Dual Dana Spicer DSP40 Rear Axle rated at 40K. w/ 9.5mm housing and 1.88in. shaft diameter. Tandem rear axles.	\$8,842	1,960#
3124401	Dual Dana Spicer DSP40P Rear Axle rated at 40K. w/ 9.5mm housing and 1.88in. shaft diameter. Includes pump. Tandem rear axles.	\$8,705	1,978#
3124403	Dual Dana Spicer DSP41 Rear Axle rated at 40K. (DSP40 w/ heavy-wall housing) w/ 11mm housing and 1.88in. shaft diameter. Tandem rear axles.	\$9,032	1,991#
3124404	Dual Dana Spicer DSP41P Rear Axle rated at 40K. (DSP40P w/ heavy-wall housing) w/ 11mm housing and 1.88in. shaft diameter. Includes pump. Tandem rear axles.	\$8,910	2,009#

### 44K

3131446	Dual Dana Spicer DSH44P Rear Axle rated at 44K w/ 12.5mm housing and 1.88in. shaft diameter. Includes pump. Tandem rear axles.	\$10,597	2,085#
3132246	Dual Meritor MT44-14x5 Plus Rear Axle Rated At 44K. W/ 12.7MM Housin. Tandem Rear Axles.	\$11,671	1,909#

### 46K

3142160	Dual Meritor RT46-160 Rear Axle rated at 46K. Tandem rear axles.	\$11,029	2,745#
3142161	Dual Meritor RT46-160P Rear Axle rated at 46K. Tandem rear axles. With pump	\$11,446	2,442#
3142170	Dual Meritor RT46-164EH Rear Axle rated at 46K. Tandem rear axles. Heavy wall housing	\$10,731	2,489#
3142171	Dual Meritor RT46-164PEH Rear Axle rated at 46K w/ heavy wall housing. Tandem rear axles.	\$13,297	0#
3147480	Dual Dana Spicer DT463P Rear Axle rated at 46K. dual range tandem axle w/ 14mm housing and 2.06in. shaft diameter. Includes pump.	\$15,763	2,586#

## Single Axle Outer End Equipment

### Brakes

3302001	Single Rear Brakes Bendix Air Disc Brakes for single rear axles to 23K capacity.	\$0	20#
---------	--	-----	-----



# T480: REAR AXLE

Option	Description	Price	Weight
<b>Single Axle Outer End Equipment</b>			
<b>Brakes</b>			
3302002	Single Rear Brakes Bendix Air Disc Brakes for single rear axles 23,001 to 26K capacity.	\$0	20#
3304010	Single Rear Brakes Bendix RSD-Compliant HP-ES S-Cam 16.5x7 in. single axle drum brake, Max GAWR 23k.	(\$70)	10#
3306012	Single Rear Brakes Bendix RSD-Compliant ADB22X Disc brake for single axle, Max GAWR 23K.	\$0	20#
3330004	Single Rear Brakes 16-1/2x7 in. Bendix ES- extended service S-cam.	STD	0#
3350007	Single Rear Brakes 16-1/2x7 in., 23K. Meritor Q-Plus extended service S-cam.	\$101	8#
3352003	Single Rear Brakes Meritor EX+L Optimized air disc brakes for single rear axles to 23K capacity.	\$584	0#
3354022	Single Rear Brakes Meritor RSD-Compliant S-Cam 16.5x8.625 in., single axle drum brake, Max GAWR 21k.	\$255	24#
3354023	Single Rear Brakes Meritor RSD-Compliant S-Cam 16.5x 7 in. single axle drum brake, Max GAWR 23k.	\$59	8#
3354029	Single Rear Brakes 16.5X7" , 23,0001-26K; Meritor P Series S-cam requires cast drums	\$272	0#
3356022	Single Rear Air Disc Brakes: Meritor EX+L Optimized RSD Sing Max 23K. Reduced stopping distance tractor only.	\$659	0#
<b>Brake Drums</b>			
3392001	Single Rear Brake Heavy Duty Brake Drums: Cast. Use HD Gunite Drum when single axle with GAWR over 23,000 lbs is selected. With 16.5X7" or 16.5X8.625" brake.	\$114	0#
3392007	Single Rear Brake Drums: Cast S-Cam Single For use with 15x8.625", 16.5X7" or 16.5X8.625" brake.	STD	0#
3392116	Single Rear Brake Drums Meritor X30 Light weight. For use with 16.5X7" brake. Contact Applications Engineering for maximum GAWR.	\$195	-32#
<b>Rotors</b>			
3392042	U-Shaped Rotor for Single Rear Meritor Air Disc brakes.	\$886	0#
3392204	Splined Rotor for Single Rear Air Disc Brakes for use with aluminum hubs.	\$1,472	-104#
3392205	Splined Rotor for Single Rear Air Disc Brakes for use with iron hubs.	\$1,396	-104#
3392210	Rotor for Single Rear Meritor Air Disc Brakes for use with aluminum hubs. For Meritor rear air disc brakes.	\$417	0#
<b>Hubs</b>			
3401010	Single Rear Hubs: Aluminum Hub Pilot 23K; 11.25" bolt circle. Requires "R" series outer ends.	\$134	-26#
3403220	Single Rear Hubs: Iron Hub Pilot 26k; 11.25" Bolt circle. Requires "R" series outer ends.	STD	0#



Option	Description	Price	Weight
--------	-------------	-------	--------

**Single Axle Outer End Equipment****Oil Seals**

3441967	ConMet PreSet Hub Package; Single Rear Axle.	\$0	0#
3441971	ConMet PreSet Plus Hub Package; Single Rear Axle.	STD	0#

**Spring Brakes & Parking Brakes**

3485004	Spring Brakes Included W/ Single Rear Air Disc brakes.	\$0	0#
3485007	Spring Brake: 3030 Long Stroke Single 3 in. travel. For drum brakes. Helps keep brakes in adjustment longer.	STD	0#
3485008	Spring Brake: 3036 Single.	\$70	8#
3485114	Spring Brakes Piston Type for Bendix Air Disc Brakes, Single. Piston type brake chambers are recommended for any full truck vehicle with Bendix rear disc brakes parking on grades exceeding 10%	\$228	70#
3485214	Spring Brake: 3036 Long Stroke Single 30 Square inches; 36 square inches spring chamber. For drum brakes	\$90	0#

**Slack Adjusters**

3465001	Single Rear Axle Automatic Slack Adjusters. For use with drum brakes.	STD	0#
---------	---	-----	----

**Wheel Differential Locks & Limited Slip**

3511080	Meritor Driver Controlled Differential Lock for single rear axle.	\$780	0#
3531000	Wheel Differential Lock for Dana Spicer Axle P22060S; changes S to D to the axle part number.	\$1,364	15#
3531001	Wheel Differential Lock for Dana Spicer Axles S21-170/172, S21-190, S23-170/172, S23-190, S26-190 & S30-190; adds D to the end of the axle part number.	\$1,152	28#

**Miscellaneous**

3490901	Rear Air Disc Brake Dustshields for Single Axle; includes pads and rotor shields.	\$327	6#
3490904	Rear Air Disc Brake Dustshields for Single Axle; includes pads only.	\$59	1#
3490905	Rear Air Disc Brake Dustshields for Dual Axle; includes pads only.	\$118	2#
3490911	Rear Air Disc Brake Meritor Dustshields for single axle; includes pads and rotor shields.	\$113	0#
3490913	Rear Air Disc Brake Meritor Dustshields for single axle; includes pads only.	\$18	0#
3490914	Rear Air Disc Brake Meritor Dustshields for dual axle; includes pads only.	\$37	2#



# T480: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

## Tandem Axle Outer End Equipment

### Brakes

#### 46K & Under

3304012	Dual Rear Brake: Bendix RSD 16.5X7 46K Capacity Reduced Stopping Distance Tractor Only. RSD-Compliant HP-ES S-Cam, tandem axle drum brake.	\$925	24#
3304016	Dual Rear Brake: Bendix RSD 16.5X8.625 46K Capacity, Reduced Stopping Distance Tractor Only. RSD-Compliant HP-ES S-Cam, tandem axle drum brake.	\$940	32#
3306001	Dual Rear Bendix Air Disc Brakes for Dual rear axles to 46K capacity.	\$0	40#
3306014	Dual Rear Brakes Bendix RSD-Compliant ADB22X Disc brake for tandem axle, Max GAWR 46k.	\$1,832	40#
3334004	Dual Rear Brakes 16-1/2x7 in. to 46K; Bendix ES-extended service S-cam.	\$0	0#
3334050	Dual Rear Brakes 16-1/2x8-5/8 in. to 44K; Bendix ES-extended service S-cam.	\$440	32#
3354004	Dual Rear Brakes 16-1/2x7 in. to 46K; Meritor Q-Plus S-cam stamped spider.	\$110	16#
3354007	Dual Rear Brakes 16-1/2x7 in. to 46K; Meritor Q- plus-extended service S-cam.	\$195	16#
3354046	Dual Rear Brakes Meritor Q+ RSD-Compliant S-Cam 16.5x8.625 in. tandem axle drum brake, Max GAWR 46k.	\$1,122	48#
3356007	Dual rear Meritor EX+L Optimized Air Disc Brakes for dual rear axles to 46K capacity.	\$2,228	0#
3356024	Rear Air Disc Brakes: Meritor EX+L Optimized RSD Dual Max 46K. Reduced stopping distance tractor only.	\$2,303	0#

### Brake Drums

3392005	Dual Rear Brake Drums: Cast. For use with 16.5X7" or 16.5X8.625" brake.	\$0	0#
3392010	Rear Brake Drums: Cast Included W/ Axle or brake.	\$0	0#
3392130	Dual Rear Brake Drums Meritor X30 Light Weight. Use with 16.5X7" brakes. Limits GAWR to 46K maximum. Requires dual spring brakes. Not for spoke wheels	\$487	-64#
3392131	Dual Rear Brake Drums Meritor X30 Light Weight. Use w/ 16.5X8.625" brakes. Limits GAWR to 46K maximum. Requires dual spring brakes. Not for spoke wheels.	\$640	-32#

### Rotors

3392043	U-Shaped Rotor for Dual Rear Meritor Air Disc brakes.	\$2,508	0#
3392604	Splined Rotor for Dual Rear Air Disc Brake for use with aluminum hubs.	\$2,447	-208#
3392605	Splined Rotor for Dual Rear Air Disc Brakes for use with iron hubs.	\$3,160	-208#
3392606	Rotor for Tandem Rear Meritor Air Disc Brakes for use with aluminum hubs. For Meritor rear air disc brakes.	\$1,348	0#

Option	Description	Price	Weight
--------	-------------	-------	--------

### Tandem Axle Outer End Equipment

**Hubs**

3403460	Dual Rear Hubs: Iron Hub Pilot 52K; 11.25" Bolt circle. Requires "R" series outer ends.	\$25	104#
3407050	Dual Rear Hubs: Aluminum Hub Pilot 46K; 11.25" bolt circle. Requires "R" series outer ends.	\$0	0#

**Oil Seals**

3441968	ConMet PreSet Hub Package; Dual Rear Axle.	\$0	0#
3441972	ConMet PreSet Plus Hub Package; Dual Rear Axle.	\$0	0#

**Spring Brake & Service Chambers**
**Single on Dual**

3485101	Spring Brake: 3030 Long Stroke Single Spring brake on dual axle. For drum brakes, also known as spring brake delete. This option reduces rear tandem GAWR to 36,000 lbs.	\$102	-20#
3485103	Spring Brakes Included W/ Rear Air Disc Brakes single spring brake on dual axle installation. Derates tandem to 36,000 lbs. AKA spring brake delete.	\$118	-20#

**Dual**

3485002	Spring Brakes Included W/ Dual Rear Air Disc brakes.	\$0	0#
3485013	Spring Brakes Piston Type for Bendix Air Disc Brakes, Dual. Piston type brake chambers are recommended for any full truck vehicle with Bendix rear disc brakes parking on grades exceeding 10%	\$1,123	140#
3485207	Spring Brake: 3030 Long Stroke Dual 30 Square inches travel. For drum brakes. Helps keep brakes in adjustment longer.	\$102	4#
3485208	Spring Brake: 3036 Dual 30 Square Inches; 36 square inches spring chamber.	\$296	16#
3485209	Spring Brake: 3030 High Output Dual. For drum brakes.	\$115	0#
3485213	Spring Brake: 3036 Long Stroke Dual 30 Square inches; 36 square inches spring chamber. For drum brakes.	\$343	16#

**Brake Equipment**

3500006	Inverted Chambers for 16-1/2 x 7 in. Brakes; Replaces standard mount w/ higher mount.	\$12	0#
3500021	Brake Cam Tube Bracket Required W/ Wide Base tires w/ Airglide 380, 400, 400L, 460, 690 & Primaax suspension.	\$0	0#

**Differential Lock & Crosslock**

3511400	Driver Controlled Differential Lock (Crosslock) for Meritor Axles 40K to 52K forward rear axle. Under Speed Interlock is standard on T680.	\$1,244	19#
3511401	Driver Controlled Differential Lock (Crosslock) for FUELite MA40-165.	\$1,205	0#
3511410	Driver Controlled Differential Lock (Crosslock) for Meritor Axles 40K to 58K rear rear axle. Under Speed Interlock is standard on T680.	\$1,254	19#



# T480: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

## Tandem Axle Outer End Equipment

### Differential Lock & Crosslock

3511420	Driver Controlled Differential Lock (Crosslock) for Meritor Axles 40K to 52K forward rear & rear rear axle. Under Speed Interlock is standard on T680.	\$2,163	39#
3511500	Driver Controlled Differential Lock (Crosslock) for Paccar Axles 40K rated, forward rear axle, with cab control.	\$1,147	19#
3532120	Wheel Differential Lock for Dana Spicer Axles DSH40(P)/DSH44(P)/DSP40(P)/DSP41(P)/D40-145(P)(H)(S)/D40-155 forward rear axle. Under Speed Interlock is standard on T680.	\$1,153	22#
3532125	Wheel Differential Lock for Dana Spicer Axles DSP40/DSP41(P)/DSH40(P)/DSH44(P)/D40-155 rear rear axle. Under Speed Interlock is standard on T680.	\$1,224	15#
3532130	Wheel Differential Lock for Dana Spicer Axles DSP40/DSP41(P)/DSH40(P)/DSH44(P)/D40-155 forward rear axle & rear rear. Under Speed Interlock is standard on T680.	\$2,217	37#
3532191	Wheel Differential Lock for Dana Spicer Axles D52-190P or D46-590HP forward rear axle.	\$1,010	19#
3532193	Wheel Differential Lock for Dana Spicer Axles D52-190P or D46-590HP rear rear axle. Under Speed Interlock is standard on T680.	\$1,233	20#
3532195	Wheel Differential Lock for Dana Spicer Axles D52-190P, D46-590HP or D52-590P forward rear axle & rear rear axle.	\$1,932	39#

### Slack Adjusters

3465002	Tandem Rear Axle Automatic Slack Adjusters. For use with drum brakes.	\$0	0#
---------	---	-----	----

### Miscellaneous

3490902	Rear Air Disc Brake Dustshields for Tandem axles; includes pads and rotor shields.	\$655	12#
3490912	Rear Air Disc Brake Meritor Dustshields for tandem axles; includes pads and rotor shields.	\$185	0#
3500022	Brake Cam Tube Bracket W/ Dual Tires	\$74	4#

## Anti-Lock Brake System

### 4-Channel

3495226	Bendix 4S/4M Anti-Lock Brake System.	STD	0#
3495228	Bendix 4S/4M Anti-Lock Brake System W/ Air traction control (ATC).	\$553	2#
3495229	Bendix 4S/4M Anti-Lock Brake System W/ Air traction control (ATC) & electronic stability program (ESP) for tractor.	\$1,993	11#
3495233	Bendix 4S/4M Anti-Lock Brake System W/ Air traction control (ATC) and electronic stability program (ESP) for full truck. Must code for additional body information.	\$1,991	0#

### 6-Channel

3495227	Bendix 6S/6M Anti-Lock Brake System.	\$813	5#
---------	--------------------------------------	-------	----



## T480: REAR AXLE

Option	Description	Price	Weight
<b>Anti-Lock Brake System</b>			
<b>6-Channel</b>			
3495230	Bendix 6S/6M Anti-Lock Brake System W/ Air traction control (ATC).	\$1,026	6#
3495231	Bendix 6S/6M Anti-Lock Brake System W/ Air traction control (ATC) and electronic stability program (ESP) for tractor.	\$2,911	15#
3495232	Bendix 6S/6M Anti-Lock Brake System W/ Air traction control (ATC) and electronic stability program (ESP) for full truck. Must code for additional body information.	\$1,919	15#
<b>Other</b>			
3495243	Bendix Side Object Detection Version 2 sensor on RH side, with increased field of view and enhanced detection.	\$1,607	0#
3495332	Bendix Wingman Advanced Adaptive CC w/ Collision Mitigation (ACB)	\$904	22#
<b>Body Builder ESP Information</b>			
3500072	Tanker Height less than 75 in. from Top of Frame rail	\$0	0#
3500073	Tanker Height between 75 in. and 85 in. from Top of frame rail.	\$0	0#
3500096	Flatbed Top of Deck not more than 20 in. Above top of deck or frame rail. Guidelines associated with anti-lock brakes systems that include ESP for full truck chassis can be found in Kenworth TE1647 on DealerNet.	\$0	0#
3500097	Van Body Top of Deck not more than 20 in. Above top of rail-Guidelines associated with anti-lock brakes systems that include ESP for full truck chassis can be found in Kenworth TE1647 on DealerNet.	\$0	0#
<b>Miscellaneous</b>			
3367001	Rear Brake Included W/ Rear Axle.	\$0	0#
3407026	Rear Hub: Included W/ Axles 11-1/4 in. B.C. hub-pilot.	\$0	0#
3407046	Longer Studs for Aluminum Wheels W/ Steel Hub pilot wheels.	\$20	6#
3440100	Oil Seals Included W/ Axle.	\$0	0#
3465900	Rear Slack Adjusters Included W/ Axle or Air disc brakes.	\$0	0#
3490046	Dustshields for Drum Brakes: All Rear Axles, required and only available with T270/T370 front drive axles	\$0	11#
3490047	Dustshields for Drum Brakes: All Rear Axles.	\$112	11#
3495333	Adjustable Headway Distance For ACC	\$0	0#
3495335	Non-Adjustable Headway Distance For ACC at 2.8 Sec	\$0	0#
3495337	Non-Adjustable Extended Headway Distance For Acc (AT 3.5 Sec for BENDIX or AT 3.6 SEC for WABCO)	\$0	0#



# T480: REAR AXLE

Option	Description	Price	Weight
<b>Miscellaneous</b>			
3495338	Standard Headway Distance Warnings For Use with ACC (1.5, 1.0, 0.5 S)	\$0	0#
3495339	Extended Headway Distance Warnings For Use with ACC (2.0/1.5/1.0 S)	\$0	0#
3495340	Max Headway Distance Warnings For Use with ACC (3.0/2.0/1.5 S)	\$0	0#
3495380	Bendix Fusion Adaptive CC W/ACB rel 2.2 W/Adjacent Lane and Highway Departure AEB W/O Video Recording	\$3,715	0#
3495381	Bendix Fusion Adaptive CC W/ACB rel 2.2 W/Adjacent Lane and Highway Departure AEB with Video Recording	\$3,815	0#
3510000	Tapered Axle Shaft Holes.	\$55	0#
3533000	Raised Oil Levels for Rear Rear Axle for use on 12% or greater continuous grades.	\$62	20#
3573111	Separate Switch for Dual Axles: differential lock or crosslock.	\$15	0#

## Pusher Axles

### Non-Steerable Pushers

#### Suspensions

3808025	Non-Steerable Pusher Axle: Watson Chalin AL2200 23K Standard track.	\$12,213	2,296#
---------	---	----------	--------

#### Brakes

3820348	16.5x7 in. Bendix Non-RSD Brakes for Use With 21K or 23K non-steerable pusher assembly (included w/ axle).	\$0	0#
3820353	16.5x7 in. Bendix RSD brakes for use with 21K or 23K axle non-steerable pusher assembly.	\$107	0#

#### Brake Drums

3820698	Cast Brake Drums 16.5x7 for Non-Steerable 21K or 23K pusher axle.	\$0	0#
---------	---	-----	----

#### Hubs

3821703	Non-Steerable Pusher Hubs Iron Hub Pilot 10-Hole 11.25 in. bolt circle for use with 21K or 23K axle.	\$0	0#
3821704	Non-Steerable Pusher Hubs Aluminum Hub Pilot 10-hole 11.25 in. bolt circle for use with 21K or 23K axle.	\$486	0#

#### Miscellaneous

3825011	Non-Steerable Pusher: Optional Dustshields.	\$43	3#
---------	---	------	----

### Steerable Pushers

#### Suspensions

3808027	1 Steerable Pusher: Watson Chalin Tru Track 23K SL2200 includes axle.	\$23,840	1,594#
3808111	1 Steerable Pusher: Watson Chalin 8K SL08	\$10,999	941#



# T480: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

## Pusher Axles

### Steerable Pushers

#### Suspensions

3808124	1 Steerable Pusher: Watson Chalin 10K SL10	\$10,524	962#
3808131	1 Steerable Pusher: Watson-Chalin 13.5K SL13	\$11,752	1,245#
3808802	1 Steerable Pusher: Watson Chalin Tru Track 20K; SL2065	\$14,898	2,086#

#### Brakes

3820027	1 Steerable Pusher Brakes: Non-RSD 325x100 Use with 8K OR 10K axle.	\$0	0#
3820036	1 Steerable Pusher Brakes: Bendix Non-RSD 15x4 Use with 13.5K axle.	\$0	0#
3820041	16.5x5 in. Bendix RSD brakes for use with 13.5K 1 steerable pusher assembly (included w/ axle).	\$44	0#
3820042	16.5x7 in. Bendix Non-RSD Brakes for Use With 23K 1 steerable pusher assembly (included w/ axle).	\$0	0#
3820044	16.5x7 in. Bendix RSD Brakes for Use with 23K 1 steerable pusher assembly (included w/ axle)	\$107	0#
3820045	1 Steerable Pusher Brakes: 16.5x7 in. Meritor Non-RSD brakes for use with 23K 1 steerable pusher assembly (included w/ axle).	\$0	0#
3820048	1 Steerable Pusher Disc Brakes And Splined Rotor: Bendix RSD Use With 13.5K Axle	\$4,281	42#
3820050	1 Steerable Pusher Disc Brakes And Splined Rotor: Bendix Non-RSD Use With 13.5K Axle	\$4,281	42#
3820083	1 Steerable Pusher Brakes: Bendix Non-RSD 16.5x6 in.; Use with 20K axle.	\$0	0#
3820087	1 Steerable Pusher Brakes: Bendix RSD 16.5x6 in. Use with 20K axle.	\$63	0#
3820101	1 Steerable Pusher Brake: Meritor Q+ 16.5x6 in.; Use with 20K axle.	\$686	48#
3820211	1 Steerable Pusher Brakes: Meritor Non-RSD15X4 Use with 13.5K axle.	\$862	0#

#### Brake Drums

3820500	1 Steerable Pusher Cast Brake Drums. 16.5X7 in. for use with 23K axle.	\$0	0#
3820501	1 Steerable Pusher Brake Drums 325x100 included with 8K axle 205mm BC.	\$0	0#
3820511	1 Steerable Pusher Brake Drums 325x100 included with 10K axle 275mm BC.	\$0	0#
3820523	1 Steerable Pusher Brake Drum 15x4 for Use With 13.5K axle.	\$246	0#
3820533	1 Steerable Pusher Cast Brake Drums. 16.5X5 in. for use with 13.5K axle.	\$40	0#
3820562	1 Steerable Pusher Cast Brake Drums. 16.5X6 in. for use with 20K axle.	\$246	0#

#### Hubs

3821003	1 Steerable Pusher Iron Hubs Included for 10K axle.	\$0	0#
---------	---	-----	----



# T480: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

## Pusher Axles

### Steerable Pushers

#### Hubs

3821112	1 Steerable Pusher Iron Hubs Included for 8K axle.	\$0	0#
3821121	1 Steerable Pusher Hubs Aluminum Hub Pilot for use with 13.5K axle.	\$0	0#
3821152	1 Steerable Pusher Hubs Alum Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 20K axle.	\$488	0#
3821153	1 Steerable Pusher Hubs Iron Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 20K axle.	\$251	78#
3821156	1 Steerable Pusher Hubs Iron Hub Pilot 10-Hole 11-.25 in. bolt circle. For use with 23K axle.	\$0	0#
3821157	1 Steerable Pusher Hubs Alum Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 23K axle.	\$278	0#

#### Miscellaneous

3825047	Steerable Pusher: Optional Dustshields.	\$73	6#
---------	---	------	----

### Pusher Axle Locations

3841043	1st Pusher Location: 43 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841044	1st Pusher Location: 44 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841045	1st Pusher Location: 45 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841046	1st Pusher Location: 46 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841047	1st Pusher Location: 47 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841048	1st Pusher Location: 48 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841049	1st Pusher Location: 49 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841050	1st Pusher Location: 50 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841051	1st Pusher Location: 51 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841052	1st Pusher Location: 52 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841053	1st Pusher Location: 53 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841054	1st Pusher Location: 54 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841055	1st Pusher Location: 55 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841056	1st Pusher Location: 56 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841057	1st Pusher Location: 57 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841058	1st Pusher Location: 58 in. From C/I Forward tandem axle or single rear axle.	\$0	0#



# T480: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

## Pusher Axles

### Pusher Axle Locations

3841059	1st Pusher Location: 59 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841060	1st Pusher Location: 60 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841061	1st Pusher Location: 61 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841062	1st Pusher Location: 62 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841063	1st Pusher Location: 63 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841064	1st Pusher Location: 64 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841065	1st Pusher Location: 65 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841066	1st Pusher Location: 66 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841067	1st Pusher Location: 67 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841068	1st Pusher Location: 68 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841069	1st Pusher Location: 69 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841070	1st Pusher Location: 70 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841071	1st Pusher Location: 71 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841072	1st Pusher Location: 72 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841073	1st Pusher Location: 73 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841074	1st Pusher Location: 74 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841075	1st Pusher Location: 75 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841076	1st Pusher Location: 76 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841077	1st Pusher Location: 77 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841078	1st Pusher Location: 78 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841079	1st Pusher Location: 79 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841080	1st Pusher Location: 80 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841081	1st Pusher Location: 81 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841082	1st Pusher Location: 82 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841083	1st Pusher Location: 83 in. From C/I Forward tandem axle or single rear axle.	\$0	0#

\*See PremierSpec for Applicable Restrictions



# T480: REAR AXLE

Option	Description	Price	Weight
<b>Pusher Axles</b>			
<b>Pusher Axle Locations</b>			
3841084	1st Pusher Location: 84 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841085	1st Pusher Location: 85 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841086	1st Pusher Location: 86 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841088	1st Pusher Location: 88 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841089	1st Pusher Location: 89 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841090	1st Pusher Location: 90 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841091	1st Pusher Location: 91 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841092	1st Pusher Location: 92 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841093	1st Pusher Location: 93 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841094	1st Pusher Location: 94 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841095	1st Pusher Location: 95 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841096	1st Pusher Location: 96 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841097	1st Pusher Location: 97 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841098	1st Pusher Location: 98 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841099	1st Pusher Location: 99 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841100	1st Pusher Location: 100 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841101	1st Pusher Location: 101 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841102	1st Pusher Location: 102 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841103	1st Pusher Location: 103 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841104	1st Pusher Location: 104 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841105	1st Pusher Location: 105 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841106	1st Pusher Location: 106 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841107	1st Pusher Location: 107 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841108	1st Pusher Location: 108 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841109	1st Pusher Location: 109 in. From C/I Forward tandem axle or single rear axle.	\$0	0#

\*See PremierSpec for Applicable Restrictions



# T480: REAR AXLE

Option	Description	Price	Weight
<b>Pusher Axles</b>			
<b>Pusher Axle Locations</b>			
3841110	1st Pusher Location: 110 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841112	1st Pusher Location: 112 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841113	1st Pusher Location: 113 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841114	1st Pusher Location: 114 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841115	1st Pusher Location: 115 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841116	1st Pusher Location: 116 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841118	1st Pusher Location: 118 in. From C/I Forward forward rear/single rear axle.	\$0	0#
3841119	1st Pusher Location: 119 in. From C/I Forward forward rear/single rear axle.	\$0	0#
3841121	1st Pusher Location: 121 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841122	1st Pusher Location: 122 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841123	1st Pusher Location: 123 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841124	1st Pusher Location: 124 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841129	1st Pusher Location: 129 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841130	1st Pusher Location: 130 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841136	1st Pusher Location: 136 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841137	1st Pusher Location: 137 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841147	1st Pusher Location: 147 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841148	1st Pusher Location: 149 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841154	1st Pusher Location: 154 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841156	1st Pusher Location: 156 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841165	1st Pusher Location: 165 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841202	1st Pusher Location: 202 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841209	1st Pusher Location: 209 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841235	1st Pusher Location: 235 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841240	1st Pusher Location: 240 in. From C/I Forward tandem axle or single rear axle.	\$0	0#



# T480: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

## Tag Axles

### Non-Steerable Tags

#### Suspensions

3818025	Non-Steerable Tag Axle: Watson Chalin AL2200 23K Standard track.	\$11,713	2,296#
---------	--	----------	--------

#### Brakes

3820349	16.5x7 in. Bendix Non-RSD Brakes for Use With 21K or 23K non-steerable tag assembly (included w/ axle).	\$0	0#
---------	---	-----	----

#### Brake Drums

3820699	Cast brake Drums 16.5x7 for Non-Steerable 21K or 23K tag axle.	\$0	0#
---------	--	-----	----

#### Hubs

3821708	Non-Steerable Tag Hubs Iron Hub Pilot 10-Hole 11.25 in. bolt circle for use with 21K or 23K axle.	\$0	0#
---------	---	-----	----

3821709	Non-Steerable Tag Hubs Aluminum Hub Pilot 10-hole 11.25 in. bolt circle for use with 21K or 23K axle.	\$482	0#
---------	---	-------	----

#### Miscellaneous

3825009	Non-Steerable Tag: Optional Dustshields.	\$43	2#
---------	--	------	----

### Steerable Tags

#### Suspensions

3818124	1 Steerable Tag: Watson Chalin 10K SL10	\$11,187	962#
---------	---	----------	------

3818131	1 Steerable Tag: Watson-Chalin 13.5K SL13	\$11,229	1,245#
---------	---	----------	--------

3818211	1 Steerable Tag: Watson Chalin 8K SL08	\$11,213	941#
---------	--	----------	------

#### Brakes

3820030	1 Steerable Tag Brakes: Non-RSD 325x100 Use with 8K OR 10K axle.	\$0	0#
---------	--	-----	----

3820039	1 Steerable Tag Brakes: Bendix Non-RSD15X4 Use with 13.5K axle.	\$0	0#
---------	---	-----	----

3820043	1 Steerable Tag Brakes: 16.5x7 in. Bendix Non-RSD brakes for use with 23K 1 steerable tag assembly (included w/ axle)	\$0	0#
---------	---	-----	----

3820053	1 Steerable Tag Disc Brakes And Splined Rotor: Bendix Non-RSD Use With 13.5K Axle	\$4,281	42#
---------	---	---------	-----

3820084	1 Steerable Tag Brakes: Bendix Non-RSD 16.5x6 in.; Use with 20K axle.	\$0	0#
---------	---	-----	----

#### Brake Drums

3820504	1 Steerable Tag Brake Drums 325X100 included with 8K axle 205mm BC.	\$0	0#
---------	---	-----	----

3820508	1 Steerable Tag Cast Brake Drums. 16.5X7 in. for use with 23K axle.	\$0	0#
---------	---	-----	----

3820514	1 Steerable Tag Brake Drums 325X100 included with 10K axle 275mm BC.	\$0	0#
---------	--	-----	----

3820526	1 Steerable Tag Cast Drum 15x4 for Use With 13.5K axle.	\$246	0#
---------	---	-------	----



# T480: REAR AXLE

Option	Description	Price	Weight
<b>Tag Axles</b>			
<b>Steerable Tags</b>			
<b>Brake Drums</b>			
3820563	1 Steerable Tag Brake Drums. 16.5X6 in. for use with 20K axle.	\$0	0#
<b>Hubs</b>			
3821009	1 Steerable Tag Iron Hubs Included for 10K axle 8-bolt	\$0	0#
3821116	1 Steerable Tag Iron Hubs Included for 8K axle 6-bolt	\$0	0#
3821124	1 Steerable Tag Hubs Aluminum Hub Pilot 10-Bolt for use with 13.5K axle.	\$0	0#
3821154	1 Steerable Tag Hubs Alum Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 20K axle.	\$509	0#
3821155	1 Steerable Tag Hubs Iron Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 20K axle.	\$31	16#
3821158	1 Steerable Tag Hubs Iron Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 23K axle.	\$0	0#
3821159	1 Steerable Tag Hubs Alum Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 23K axle.	\$278	0#
<b>Miscellaneous</b>			
3825070	Steerable Tag: Optional Dustshields.	\$71	6#
3827220	Locking Tag Kit: Required W/ Multiple Axles.	\$496	30#
<b>Tag Axle Locations</b>			
3844052	Tag Location: 52 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844053	Tag Location: 53 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844054	Tag Location: 54 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844055	Tag Location: 55 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844056	Tag Location: 56 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844057	Tag Location: 57 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844058	Tag Location: 58 in. From C/I of Rearmost Axle or single rear XL	\$0	0#
3844059	Tag Location: 59 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844060	Tag Location: 60 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844061	Tag Location: 61 in. From C/I of Rearmost Axle single rear axle.	\$0	0#
3844062	Tag Location: 62 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844063	Tag Location: 63 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#

\*See PremierSpec for Applicable Restrictions



# T480: REAR AXLE

Option Description	Price	Weight
<b>Tag Axles</b>		
<b>Tag Axle Locations</b>		
3844064 Tag Location: 64 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844065 Tag Location: 65 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844066 Tag Location: 66 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844067 Tag Location: 67 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844068 Tag Location: 68 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844069 Tag Location: 69 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844070 Tag Location: 70 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844071 Tag Location: 71 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844072 Tag Location: 72 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844073 Tag Location: 73 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844074 Tag Location: 74 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844075 Tag Location: 75 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844076 Tag Location: 76 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844077 Tag Location: 77 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844080 Tag Location: 80 in. From C/I Rear Rear or single rear axle.	\$0	0#
3844081 Tag Location: 81 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844082 Tag Location: 82 in. From C/I Rear Rear or single rear axle.	\$0	0#
3844083 Tag Location: 83 in. From C/I Rear Rear or single rear axle.	\$0	0#
3844085 Tag Location: 85 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844089 Tag Location: 89 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844096 Tag Location: 96 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844101 Tag Location:101 in. From C/I Rear Rear or single rear axle.	\$0	0#
3844109 Tag Location:109 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844132 Tag Location:132 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#



Option	Description	Price	Weight
--------	-------------	-------	--------

**Customer-Installed Lift Axles**

**Kenworth-Offered Lift Axles**

**Customer-Installed Information Codes**

3840111	Customer-Installed: Steerable Pusher Information. Watson Chalin 8K SL08	\$0	0#
3840116	Customer-Installed: Steerable Pusher Information. Watson Chalin 8K Tru Track Super Lite. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will not be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
3840124	Customer-Installed: Steerable Pusher Information. Watson Chalin 10K SL10	\$0	0#
3840126	Customer-Installed: Steerable Pusher Information. Watson Chalin 20K Tru Track.	\$0	0#
3840127	Customer-Installed: Steerable Pusher Information. Watson Chalin 23K SL2200. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
3840128	Customer-Installed: Steerable Tag Information. Watson Chalin 23K SL2200. The rail will be drilled for the installation.	\$0	0#
3840132	Customer-Installed: Steerable Pusher Information. Watson Chalin 13.2K Tru Track Alumilite. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will not be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
3840145	Customer-Installed: Steerable Pusher Information. Hendrickson Paralift Ultra. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will not be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
3840214	Customer-Installed: Steerable Tag Information. Watson Chalin 1800.	\$0	0#
3840218	Customer-Installed: Steerable Pusher Information. Watson Chalin 20K SL2065. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
3840219	Customer-Installed: Non-Steerable Pusher information. Watson Chalin AL2200. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
3840220	Customer-Installed: Non-Steerable Tag information. Watson Chalin AL2200. The rail will be drilled for the installation.	\$0	0#
3840231	Customer-Installed: Steerable Pusher Information. Watson Chalin 13.5K SL13	\$0	0#

**Clear Frame Request**

3840005	Clear Frame: For 1 Customer-Installed Steerable Kenworth offered pusher axle. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will not be drilled for the installation. Clearances and design are based upon the Kenworth standard tire, the selected lift axle type, and a location code. Type and axle spacing required.	\$1,042	0#
---------	--	---------	----



Option	Description	Price	Weight
--------	-------------	-------	--------

**Customer-Installed Lift Axles**

**Kenworth-Offered Lift Axles**

**Clear Frame Request**

3840020	Clear Frame: For 1 Customer-Installed non-steerable Kenworth offered pusher axle. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will not be drilled for the installation. Clearances and design are based upon the Kenworth standard tire, the selected lift axle type, and a location code. Type and axle spacing required.	\$1,042	0#
---------	--	---------	----

**Non-Kenworth-Offered Lift Axles**

**Clear Frame Request**

3840300	Clear Frame: For 1 Customer-Installed non-Kenworth offered steerable pusher. Kenworth will provide clear frame 34 inches ahead and 24 inches behind the coded location. Intermediate, centerbearing and forward suspension crossmembers may be located within the clear frame area. The driveline will be installed as if there were no lift axle on the truck. The lift axle installer must address any driveline clearance issues.	\$1,042	0#
---------	--	---------	----

3840350	Clear Frame: For 1 Customer-Installed Non steerable, non-Kenworth offered pusher. Kenworth will provide clear frame 29 inches ahead and 24 inches behind the coded location. Intermediate, centerbearing and forward suspension crossmembers may be located within the clear frame area. The driveline will be installed as if there were no lift axle on the truck. The lift axle installer must address any driveline clearance issues.	\$1,042	0#
---------	---	---------	----

3840400	Clear Frame: For 1 Customer-Installed Steerable non-Kenworth offered tag axle. Kenworth will provide clear frame 34 inches ahead and 24 inches behind the coded location. Intermediate and suspension crossmembers may be located within the clear frame area.	\$1,042	0#
---------	--	---------	----

3840411	Clear Frame: For 1 Customer-Installed non-steerable, non-Kenworth offered tag axle. Kenworth will provide clear frame 29 inches ahead and 24 inches behind the coded location. Intermediate and suspension crossmembers may be located within the clear frame area.	\$1,042	0#
---------	---	---------	----

**Air System For Customer-Installed Lift Axles**

3828801	Kenworth-Installed: Air System & Controls for 1 customer-installed lift axle. Must Code 38283XX Location.	\$1,106	68#
---------	---	---------	-----

3828802	Kenworth-Installed: Air System & Controls for 2 customer-installed lift axles. Must Code 38283XX Location.	\$2,215	0#
---------	--	---------	----

3828803	Kenworth-Installed: Air System & Controls for 3 customer-installed lift axles. Must Code 38283XX Location.	\$3,322	0#
---------	--	---------	----

**Lift Axle Capacity**

3840708	Customer-Installed Steerable Tag Information: maximum capacity 8K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
---------	--	-----	----

3840709	Customer-Installed Steerable Tag Information: Maximum capacity 9K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
---------	--	-----	----

3840710	Customer-Installed Steerable Tag Information: maximum capacity 10K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
---------	---	-----	----



Option	Description	Price	Weight
--------	-------------	-------	--------

Customer-Installed Lift Axles

Lift Axle Capacity

3840712	Customer-Installed Steerable Tag Information: maximum capacity 12K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840713	Customer-Installed Steerable Tag Information: Maximum capacity 13.2K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840718	Customer-Installed Steerable Tag Information: Maximum capacity 18K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840720	Customer-Installed Steerable Tag Information: maximum capacity 20K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840721	Customer-Installed Non-Steerable Tag Information: maximum capacity 18K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840722	Customer-Installed Non-Steerable Tag Information: maximum capacity 20K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840723	Customer-Installed Non-Steerable Tag Information: maximum capacity 22K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3860608	Customer-Installed Steerable Pusher Information: maximum capacity 8K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860609	Customer-Installed Steerable Pusher Information: maximum capacity 9K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860610	Customer-Installed Steerable Pusher Information: maximum capacity 10K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860612	Customer-Installed Steerable Pusher Information: maximum capacity 12K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860613	Customer-Installed Steerable Pusher Information: maximum capacity 13.2K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860618	Customer-Installed Steerable Pusher Information: maximum capacity 18K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860620	Customer-Installed Steerable Pusher Information: maximum capacity 20K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#



Option	Description	Price	Weight
--------	-------------	-------	--------

**Customer-Installed Lift Axles**

**Lift Axle Capacity**

3860621	Customer-Installed Non-Steerable Pusher information: maximum capacity 18K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles, enter a capacity which represents a single pusher installation.	\$0	0#
3860622	Customer-Installed Non-Steerable Pusher information: maximum capacity 20K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860623	Customer-Installed Non-Steerable Pusher information: maximum capacity 22K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#

**Lift Axle Control Locations**

3828332	Pusher or Tag: Gauge Dash-Mounted; Switch, pressure regulator and gauge mounted BOC lower LH side.	\$0	0#
3828333	Pusher or Tag: Gauge/ Switch Dash-Mounted; Gauge and pressure regulator mounted BOC lower LH side.	\$0	0#
3828335	Pusher or Tag: Gauge, Switch & Pressure Regulator mounted BOC lower LH side.	\$0	0#
3828336	Pusher or Tag: Gauge/ Switch Dash-Mounted; Gauge and pressure regulator tie-strapped to rail.	\$0	0#
3828339	Pusher or Tag: Gauge/ Switch Dash-Mounted; Gauge and pressure regulator mounted left of driver.	\$0	0#
3828370	Info for Cust.Inst. Controls for C/I Pusher/ Tag: (Regulator installed inside of cab)	\$0	0#
3828371	Info for Cust.Inst. Controls for C/I Pusher/ Tag (Regulator installed outside of cab)	\$0	0#
3828401	Pusher: Gauge Digital Display Single Pusher 1	\$0	0#
3828402	Pusher: Gauge Digital Display Single Pusher 2	\$0	0#
3828403	Pusher: Gauge Digital Display Single Pusher 3	\$0	0#
3828411	Pusher: Gauge Digital Display Tag	\$0	0#



## T480: REAR SUSPENSION

Option	Description	Price	Weight
<b>Single</b>			
<b>31K &amp; Under</b>			
3632010	Rear suspension: Single Hendrickson Primaax EX232 23K, 8.5 in. ride height.	\$2,516	-68#
3632277	Rear suspension: single Hendrickson HAS230L 23K. Welded steel crossmember & gussets w/shocks at 8.3 in. laden height, 8.5 in. unladen height. Medium-duty. Includes air suspension dump valve. Not rear air disc brake compatible.	\$701	-59#
3632279	Rear suspension: single Hendrickson HAS230 23K. Welded crossmember and gussets w/shocks at 8.8 in. height. Medium-duty for use with air disc brakes only. Engine < 1351 Lb Ft. Includes air suspension dump valve.	\$1,203	-49#
3636421	Rear suspension: single Reycy 79KB taperleaf 21K. Medium-duty. Unladen Height: 9 in. Laden Height: 7.5 in. Not rear air disc brake compatible.	(\$537)	-58#
3636422	Rear suspension: single Reycy 79KB taperleaf 23K with helper spring. Medium-duty. Unladen Height: 9 in. Laden Height: 7.3 in. Not rear air disc brake compatible.	STD	0#
3636424	Rear suspension: single Reycy 79KB taperleaf 21K. Medium-duty. For use with rear air disc brakes. Unladen Height: 9.3 in. Laden Height: 7.8 in.	(\$219)	-58#
3636425	Rear suspension: single Reycy 79KB taperleaf 23K. Medium-duty. For use with rear air disc brakes. Unladen Height: 9.3 in. Laden Height: 8.0 in.	\$362	58#
3636427	Rear suspension: single Reycy 79KB taperleaf 23K. Medium duty. For use with rear air disc brakes. Unladen Height: 10.8 in. Laden Height: 9.0 in.	\$385	58#
3636430	Rear suspension: single Reycy 79KB taperleaf 23K with helper spring. Medium-duty. Unladen Height: 11.4 in. Laden Height: 9.7 in. Not available with rear air disc brakes.	\$293	57#
3636434	Rear suspension: single Reycy 79KB multileaf 23K. 2.1M medium duty FDA only. Without helper spring. Unladen height: 15.4 in. Laden height: 13.0 in. Not rear air disc brake compatible.	\$288	32#
3646417	Rear suspension: single Reycy 79KB multileaf 26K with helper spring. Medium duty. Unladen Height: 10.8 in. Laden Height: 8.1 in. Not rear air disc brake compatible.	\$158	119#
3652012	Rear suspension: Single Hendrickson Primaax EX262 26K, 8.5 in. ride height.	\$3,191	-68#
3656428	Rear suspension: single Reycy 79KB multileaf 26K. 2.1M medium duty FDA only. Without helper spring. Unladen height: 15.1 in. Laden height: 12.7 in. Not rear air disc brake compatible.	\$572	90#
3656429	Rear suspension: single Reycy 79KB multileaf 26K with helper spring. For use with rear air disc brakes. Unladen Height: 10.7 in. Laden Height: 8.4 in.	\$512	129#
3666428	Rear suspension: single Reycy 79KB multileaf 28K. Medium-duty. Unladen Height: 11.7 in. Laden Height: 9.6 in.	\$580	170#
3666435	Rear suspension: single Reycy 79KB multileaf 31K. 28K spring plus helper. Laden height 8.9 inches, unladen height 11.7 inches. Not available with shocks or swaybars. Not rear air disc brake compatible.	\$875	138#
3666437	Rear suspension: single Reycy 79KB multileaf 31K with 16 leaf springs. 2.1M medium duty FDA only. Without helper spring. Unladen height: 15.4 in. Laden height: 13.0 in. Not rear air disc brake compatible.	\$1,032	220#



# T480: REAR SUSPENSION

Option	Description	Price	Weight
<b>Tandem</b>			
<b>40K &amp; Under</b>			
<b>Kenworth</b>			
3730026	Rear suspension: Tandem Kenworth Airglide 400L 40K. 54 in. axle spacing. Air suspension w/ 8.5 in. ride height. Includes single leveling valve. Includes air suspension dump valve.	\$2,987	200#
3730028	Rear suspension: Tandem Kenworth Airglide 400L 40K. 52 in. axle spacing. Air suspension w/ 8.5 in. ride height. Includes single leveling valve. Includes air suspension dump valve.	\$2,987	200#
3730053	Rear suspension: Tandem Kenworth Airglide 380 38K 52 in. axle spacing. Air suspension with 8.5 in. ride height. Includes single leveling valve and air suspension dump valve. Compatible with drum or air disc brakes.	\$4,334	97#
<b>Reyco</b>			
3726416	Rear suspension: Tandem Reyco 102 40K 4-spring multileaf. 52 in. axle spacing. Steel crossmembers & gussets. 9.6 in. low mount. Unladen height: 9.6 in. Laden height: 8 in. Not rear air disc brake compatible.	\$3,459	424#
<b>Chalmers</b>			
3739202	Rear suspension: Tandem Chalmers 854-40-XL-HS 40K 54 in. axle spacing. Underslung. Unladen Height: 9.3 in. Laden Height: 7.6 in. Not rear air disc brake compatible.	\$5,560	419#
3739203	Rear suspension: Tandem Chalmers 854-40-XL 40K. 54 in. axle spacing. Underslung. Unladen Height: 9.3 in. Laden Height: 6.9 in. Standard restrictor can. Not rear air disc brake compatible.	\$5,560	419#
3739204	Rear suspension: Tandem Chalmers 854-40-H 40K. 54 in. axle spacing. Standard restrictor can.	\$6,438	405#
3739205	Rear suspension: Tandem Chalmers 854-40-L 40K. 54 in. axle spacing. Laden height 8.9 inches, unladen height 11.1 inches. Standard restrictor can.	\$6,434	405#
3739207	Rear suspension: Tandem Chalmers 854-40-H-HS 40K. 54 in. axle spacing. High center of gravity application. Unladen Height: 12.4 in. Laden Height: 10.9 in.	\$6,438	404#
3739208	Rear suspension: Tandem Chalmers 854-40-L-HS 40K. 54 in. axle spacing. High center of gravity application. Unladen Height: 11.1 in. Laden Height: 9.6 in.	\$6,426	404#
<b>Hendrickson</b>			
3732100	Rear suspension: Tandem Hendrickson HAS402 40K. 52 in. axle spacing. Steel crossmember & gussets with shocks at 7.9 in. height. Includes air suspension dump valve. Not rear air disc brake compatible.	\$4,432	392#
3732104	Rear suspension: Tandem Hendrickson HAS402 40K. 52 in. axle spacing, 8.8 in. ride height. Steel crossmember and gussets. With shocks. Includes air suspension dump valve. For use with rear air disc brakes only.	\$4,773	431#
3732114	Rear suspension: Tandem Hendrickson HAS402 40K. 54 in. axle space, 10 in. ride height. Aluminum crossmember and gussets with shocks. Includes air suspension dump valve. Not rear air disc brake compatible.	\$4,585	392#
3732976	Tandem Hendrickson HAULMAAX EX (HMX) 400 40K. 54 in. axle spacing, 16.5 in. saddle height. With shocks. Unladen Height: 11.5 in. Laden Height: 9.5 in.	\$4,715	474#
3732977	Tandem Hendrickson HAULMAAX EX (HMX) 400 40K. 54 in. axle spacing, 17.5 in. saddle height. With shocks. Unladen Height: 12.5 in. Laden Height: 10.5 in.	\$4,858	480#



# T480: REAR SUSPENSION

Option Description	Price	Weight
--------------------	-------	--------

## Tandem

### 40K & Under

#### Hendrickson

<b>3737455</b>	Rear suspension: Tandem Hendrickson RT403 40K. 52 in. axle spacing. 7.19 in. saddle height w/barpin bushing. Unladen Height: 10.7 in. Laden Height: 9.7 in. Advertised axle spacing for this rear suspension is a nominal value. Actual spacing may be up to two inches greater than noted. This is important in situations where the body is likely to be pre-built before the chassis is delivered. Tire to body or bracket to body interference may be encountered. Communicate clear space requirements on the sales order. DSP40/P rear axles are not for use with Hendrickson HAS 402, Hendrickson Primaax, or Hendrickson beam-type rear suspensions. Hendrickson RT403 rear suspension for use with tandem axles up to 46K on T8 series. Hendrickson RT403 rear suspension requires bronze center bushings when used in refuse loader or packer applications.	\$5,734	461#
<b>3737456</b>	Rear suspension: Tandem Hendrickson RT403 40K. 52 in. axle spacing. 6 in. saddle height w/ barpin bushing. Unladen Height: 8.6 in. Laden Height: 7.6 in.	\$5,822	449#

### 44K to 52K

#### Chalmers

<b>3749201</b>	Rear suspension: Tandem Chalmers 854-46-L 46K. 54 in. axle spacing. Unladen Height: 11.3 in. Laden Height: 8.9 in. Standard restrictor can.	\$7,391	534#
<b>3749203</b>	Rear suspension: Tandem Chalmers 854-46-L-HS 46K. 54 in. axle spacing. High center of gravity application. Unladen Height: 11.3 in. Laden Height: 9.6 in.	\$7,391	534#
<b>3749204</b>	Rear suspension: Tandem Chalmers 854-46-H-HS 46K. 54 in. axle spacing. High center of gravity application. Unladen Height: 12.5 in. Laden Height: 10.9 in.	\$7,403	534#
<b>3749209</b>	Rear suspension: Tandem Chalmers 854-46-H 46K. 54 in. axle spacing. Unladen Height: 12.5 in. Laden Height: 10.1 in. Standard restrictor can.	\$7,403	534#

#### Hendrickson

<b>3742020</b>	Rear suspension: Tandem Hendrickson Primaax EX462 46K. Steel crossmember & gussets. 54 in. axle spacing. 10 in. ride height.	\$7,299	511#
<b>3742030</b>	Rear suspension: Tandem Hendrickson Primaax EX462 46K. Steel crossmember & gussets. 72 in. axle spacing. 10 in. ride height.	\$7,593	511#
<b>3742940</b>	Tandem Hendrickson HAULMAAX EX (HMX) 460 46K. 54 in. axle spacing, 16.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 11.5 in. Laden Height: 9.5 in.	\$5,557	482#
<b>3742941</b>	Tandem Hendrickson HAULMAAX EX (HMX) 460 46K. 54 in. axle spacing, 17.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 12.5 in. Laden Height: 10.5 in.	\$5,700	488#
<b>3742942</b>	Tandem Hendrickson HAULMAAX EX (HMX) 460 46K. 54 in. axle spacing, 18.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 13.5 in. Laden Height: 11.5 in.	\$5,823	488#
<b>3742947</b>	Tandem Hendrickson HAULMAAX EX (HMX) 460 46K. 60 in. axle spacing. 17.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 12.5 in. Laden Height: 10.5 in.	\$6,251	488#
<b>3742948</b>	Tandem Hendrickson HAULMAAX EX (HMX) 460 46K. 60 in. axle spacing, 18.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 13.5 in. Laden Height: 11.5 in.	\$6,374	488#
<b>3747460</b>	Rear suspension: Tandem Hendrickson RT463 46K. 54 in. axle spacing. Steel beams & barpin bushing. 6 in. saddle height. Unladen Height: 11.1 in. Laden Height: 10 in.	\$5,930	997#



# T480: REAR SUSPENSION

Option	Description	Price	Weight
<b>Tandem</b>			
<b>44K to 52K</b>			
<b>Hendrickson</b>			
3747461	Rear suspension: Tandem Hendrickson RT463 46K. 54 in. axle spacing. Steel beams & barpin bushing. 7.19 in. saddle height. Unladen Height: 12.5 in. Laden Height: 11.2 in.	\$6,001	997#
<b>Suspension Equipment</b>			
3830502	Delete Dash Mounted Control for Air Suspension dump valve. Only available with an air suspension.	\$0	0#
3830505	Dual Leveling Valves for Single Air Suspension. Dual leveling valves on single rear suspensions on only available on Neway ADZ for class 8 or Hendrickson HAS for medium duty. Dual leveling valves will not be approved on any other suspensions on T3.	\$139	0#
3830510	Dual Leveling Valves for Tandem Air Suspension.	\$160	2#
3831999	Torque Rods for 23K or 26K PRIMAAX EX Single using disc brakes. Replacing standard.	\$374	13#
3832001	Torque Rods for 46K PRIMAAX EX Using Disc Brakes. Replacing standard.	\$423	23#
3832004	Heavy-Duty Track Rods for Hendrickson Beam suspensions rated up to 46K or Neway AD tandem suspensions.	\$171	0#
3832008	Heavy-Duty Torque Rods for Hendrickson Beam. 46K and under suspensions.	\$327	15#
3832018	Delete Shock Absorbers: Hendrickson HAULMAAX EX rear suspension.	(\$195)	-30#
3832020	Edge Kit for HAS Single or Tandem Rear Suspension	\$123	10#
3832026	Chalmers Shock Absorbers. 52K and Under suspension.	\$497	35#
3832030	Bronze Center Bushings for Hendrickson 403.	\$105	6#
3832033	Inboard Mounted Shock Absorbers for Hendrickson HAS single or dual. Mounted outboard on forward rear & inboard on rear rear axle.	\$53	0#
3832072	Transverse Track Rods for Hendrickson RT/RTE suspensions w/52 or 54 in. axle spacing.	\$495	108#
3832098	Track Rods: Heavy Duty for Hendrickson Primaax EX tandem. Replaces standard duty track rods.	\$84	37#
3832100	Track Rods: Heavy Duty for Hendrickson PRIMAAX EX single. Replaces standard duty track rods.	\$65	12#
3832105	Hendrickson TRAAX Track Rods. Replaces Standard track rods for Hendrickson HAULMAAX EX suspensions rated below 46K.	\$102	0#
3832161	Double Rebound Strap Kit: Hendrickson HAULMAAX EX rear suspension.	\$362	6#
3832313	Bolted Rear Suspension Crossmembers for HAS 210/210L or 230/230L. Replaces medium duty standard.	\$0	0#
3832315	Bolted Rear Suspension Crossmembers for RT403 or HAS402. Replaces medium duty standard.	\$0	0#
3832320	Bolted Rear Suspension Crossmember for PRIMAAX EX single. Replaces medium duty standard.	\$0	16#

\*See PremierSpec for Applicable Restrictions



## T480: REAR SUSPENSION

Option	Description	Price	Weight
<b>Suspension Equipment</b>			
3834100	Air Retention Kit for Rear Suspension for Use w/ outriggers.	\$170	4#
3836300	Rear Axle Stabilizer bar for Reyco 79KB.	\$1,122	66#
3836310	Rear Shock Absorbers for Reyco 79KB.	\$231	35#
3836315	Bolted Rear Suspension Crossmembers for Reyco 79KB. Replaces medium duty standard.	STD	0#
3839140	Chalmers 40K Severe Service Upgrade. Use with Chalmers 8xx-40 series suspensions. Separate suspension code required.	\$747	16#
3839146	Chalmers 46K Severe Service Upgrade. Use with Chalmers 8xx-46 series suspensions. Separate suspension code required.	\$1,095	30#
<b>Suspension Miscellaneous</b>			
3830152	Air Springs: Heavy-Duty for Airglide 460. Replaces standard duty air springs.	\$53	28#
3839046	Heavy Duty Barpin Brackets for Tandem Hendrickson beam rear suspensions.	\$486	0#



# T480: TIRES & WHEELS

Option	Description	Price	Weight
<b>Front &amp; Rear Axle Tires</b>			
<b>Tubeless Type Standard Profile 22.5</b>			
<b>Apollo Front</b>			
4080184	Front Tires: Apollo Enducombi RA 11R22.5 16PR	\$150	30#
<b>Apollo Rear</b>			
4280184	Rear Tires: Apollo Enducombi RA 11R22.5 16PR	\$150	30#
4280193	Rear Tires: Apollo Enducombi RD CS 11R22.5 16PR	\$302	50#
4280194	Rear Tires: Apollo Enducombi RD CS 11R22.5 14PR	\$186	50#
<b>Continental Front</b>			
4080023	Front tires: Continental HSL3 11R22.5 16PR. Includes pressure sensor.	\$487	12#
4080034	Front tires: Continental Ecoplus HS3+11R22.5 16PR	\$286	14#
4080047	Front tires: Continental HSR3 11R22.5 16PR. Includes pressure sensor.	\$477	38#
4080056	Front tires: Continental HSL3 295/75R22.5 14PR.	STD	0#
4080063	Front tires: Continental HSL3 11R22.5 14PR	\$110	8#
4080064	Front tires: Continental HSL3 11R22.5 16PR	\$201	10#
4080065	Front Tires: Continental Ecoplus HS3+11R22.5 14PR	\$240	10#
4080212	Front tires: Continental HSR3 295/75R22.5 14PR.	\$389	22#
4080213	Front tires: Continental HSR3 295/75R22.5 16PR	\$458	26#
4080214	Front tires: Continental HSR3 295/75R22.5 14PR. Includes pressure sensor.	\$398	22#
4080216	Front tires: Continental HSR3 295/75R22.5 16PR. Includes pressure sensor.	\$552	26#
4080217	Front tires: Continental HSR3 11R22.5 14PR	\$436	34#
4080218	Front tires: Continental HSR3 11R22.5 16PR	\$470	38#
4080219	Front tires: Continental HSR3 11R22.5 14PR. Includes pressure sensor.	\$570	34#
4080220	Front tires: Continental HSR3 12R22.5 16PR	\$569	66#
4080221	Front tires: Continental HSR3 12R22.5 16PR. Includes pressure sensor.	\$703	66#
<b>Continental Rear</b>			
4280009	Rear Tires: Continental HSL3 11R22.5 16PR. Includes pressure sensor.	\$487	12#
4280010	Rear tires: Continental HSR3 11R22.5 16PR. Includes pressure sensor.	\$477	38#



# T480: TIRES & WHEELS

Option Description	Price	Weight
<b>Front &amp; Rear Axle Tires</b>		
<b>Tubeless Type Standard Profile 22.5</b>		
<b>Continental Rear</b>		
4280051 Rear tires: Continental HSL3 295/75 R22.5 16PR	\$332	2#
4280056 Rear tires: Continental HSL3 295/75R22.5 14PR. Code is priced per pair of tires.	STD	0#
4280057 Rear tires: Continental HDR2+ 11R22.5 14PR	\$122	44#
4280058 Rear tires: Continental HDR2+ 11R22.5 16PR	\$374	46#
4280059 Rear tires: Continental HDR2+ 295/75R22.5 14PR	\$109	28#
4280060 Rear tires: Continental HDR2+ 295/75R22.5 16PR	\$360	28#
4280063 Rear tires: Continental HSL3 11R22.5 14PR	\$110	8#
4280064 Rear tires: Continental HSL3 11R22.5 16PR	\$201	10#
4280065 Rear Tires: Continental Ecoplus HS3+11R22.5 14PR	\$240	10#
4280067 Rear tires: Continental HDL2 11R22.5 14PR	\$123	32#
4280068 Rear tires: Continental HDL2 11R22.5 16PR	\$148	32#
4280078 Rear Tires: Continental HDL2+ 295/75R22.5 14PR	\$94	12#
4280079 Rear tires: Continental HDL2+ 295/75R22.5 16PR	\$283	16#
4280081 Rear Tires: Continental HDL3 LTL 295/75R22.5 14 PR	\$225	14#
4280083 Rear tires: Continental Ecoplus HS3+11R22.5 16PR	\$286	14#
4280103 Rear tires: Continental HDL3 LTL 11R22.5 14PR	\$309	28#
4280212 Rear tires: Continental HSR3 295/75R22.5 14PR.	\$389	22#
4280214 Rear tires: Continental HSR3 295/75R22.5 14PR. Includes pressure sensor.	\$398	22#
4280216 Rear tires: Continental HSR3 295/75R22.5 16PR. Includes pressure sensor.	\$552	26#
4280217 Rear tires: Continental HSR3 11R22.5 14PR	\$436	34#
4280218 Rear tires: Continental HSR3 11R22.5 16PR	\$470	38#
4280219 Rear tires: Continental HSR3 11R22.5 14PR. Includes pressure sensor.	\$570	34#
4280220 Rear tires: Continental HSR3 12R22.5 16PR	\$569	66#
4280221 Rear tires: Continental HSR3 12R22.5 16PR. Includes pressure sensor.	\$703	66#

\*See PremierSpec for Applicable Restrictions



# T480: TIRES & WHEELS

Option Description	Price	Weight
--------------------	-------	--------

## Front & Rear Axle Tires

### Tubeless Type Standard Profile 22.5

#### Goodyear Front

4030020	Front Tires: Goodyear Fuel Max RSA 295/75R22.5 16PR	\$509	2#
4030023	Front Tires: Goodyear Endurance RSA 11R22.5 14PR	\$444	14#
4030024	Front Tires: Goodyear Endurance RSA 11R22.5 16PR	\$493	14#
4038642	Front Tires: Goodyear Workhorse 12R22.5 16PR	\$725	59#
4038736	Front tires: Goodyear Fuel Max RSA 11R22.5 14PR	\$457	4#
4038737	Front Tires: Goodyear Fuel Max RSA 11R22.5 16PR	\$506	4#
4038806	Front tires: Goodyear G751 MSA 11R22.5 16PR 42.0in. diameter, all position. 19.6 SLR.	\$807	42#
4038810	Front tires: 2 Goodyear G751 MSA 12R22.5 16PR 43.2in. diameter. Steer/all position on/off highway tire. 20.3 SLR.	\$1,158	72#
4038816	Front tires: Goodyear Endurance LHS 11R22.5 14PR	\$457	0#
4038817	Front tires: Goodyear G751 MSA 315/80R22.5 20PR	\$1,507	80#
4038820	Front tires: Goodyear G751 MSA DuraSeal 11R22.5 16PR. 42.0in. diameter. Steer/all position on/off highway tire. 19.6 SLR.	\$986	59#
4038823	Front tires: Goodyear Endurance LHS 11R22.5 16PR	\$506	0#
4038849	Front tires: Goodyear G731 MSA 12R22.5 16PR 43.2in. diameter. 20.3in SLR.	\$1,158	70#
4038860	Front tires: Goodyear Endurance RSA 12R22.5 16PR	\$879	56#

#### Goodyear Rear

4230023	Rear Tires: Goodyear Endurance RSA 11R22.5 14PR	\$444	14#
4230024	Rear Tires: Goodyear Endurance RSA 11R22.5 16PR	\$493	15#
4238001	Rear Tires: Goodyear Armor Max Pro Grade MSD 11R22.5 16PR	\$858	64#
4238003	Rear Tires: Goodyear Armor Max Pro Grade MSD 12R22.5 16PR	\$1,196	84#
4238004	Rear Tires: Goodyear Armor Max Pro Grade MSD DuraSeal 11R22.5 16PR	\$1,056	70#
4238642	Rear Tires: Goodyear Workhorse MSA 12R22.5 16PR	\$725	59#
4238643	Rear Tires: Goodyear Workhorse MSA 11R22.5 16PR	\$433	13#
4238684	Rear tires: Goodyear G182 RSD 12R22.5 16PR. 43.4 in. diameter, all position. 20.4 in. SLR. Code is priced per pair of tires.	\$863	72#
4238704	Rear tires: Goodyear G282 MSD 12R22.5 16PR. 43.4 in. diameter, drive. 20.4 in. SLR.	\$1,036	74#



# T480: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

## Front & Rear Axle Tires

### Tubeless Type Standard Profile 22.5

#### Goodyear Rear

4238725	Rear tires: Goodyear G282 MSD 11R24.5 16PR. 43.9 in. diameter, drive. 20.6 in. SLR.	\$1,454	62#
4238736	Rear tires: Goodyear Fuel Max RSA 11R22.5 14PR	\$457	4#
4238737	Rear tires: Goodyear Fuel Max RSA 11R22.5 16PR	\$506	4#
4238743	Rear tires: Goodyear Fuel Max LHD2 11R22.5 14PR	\$452	26#
4238806	Rear tires: Goodyear G751 MSA 11R22.5 16PR 42.0in. diameter, all position. 19.6 SLR.	\$807	42#
4238810	Rear tires: Goodyear G751 MSA 12R22.5 16PR 43.2in. diameter. Steer/all position on/off highway tire. 20.3 SLR.	\$1,158	72#
4238816	Rear tires: Goodyear Endurance LHS 11R22.5 14PR	\$457	0#
4238817	Rear tires: Goodyear G751 MSA 315/80R22.5 20PR	\$1,507	80#
4238820	Rear Tires: Goodyear G751 MSA DuraSeal 11R22.5 16PR. 42.0in. Diameter. Steer/All Position On/Off Highway Tire. 19.6 SLR.	\$986	59#
4238823	Rear Tires: Goodyear Endurance LHS 11R22.5 16PR	\$506	0#
4238849	Rear tires: Goodyear G731 MSA 12R22.5 16PR 43.2in. diameter. 20.3in SLR.	\$1,158	70#
4238856	Rear tires: Goodyear Endurance LHD 11R22.5 14PR	\$617	33#
4238860	Rear tires: Goodyear Endurance RSA 12R22.5 16PR	\$879	56#
4238866	Rear tires: Goodyear Endurance LHD 11R22.5 16PR	\$653	40#
4238867	Rear tires: Goodyear MSA G731 Duraseal 11R22.5 16PR	\$986	48#

#### Michelin Front

4010002	Front Tires: Michelin X Works Z 11R22.5 16PR	\$665	42#
4010004	Front Tires: Michelin X Works Z 12R22.5 16PR	\$980	64#
4010136	Front Tires: Michelin X Line Energy Z 11R22.5 14P	\$440	9#
4010137	Front Tires: Michelin X Line Energy Z 11R22.5 16P	\$458	7#
4010140	Front Tires: Michelin X Line Energy Z 275/80R22.5 14PR	\$356	-3#
4010141	Front Tires: Michelin X Line Energy Z 275/80R22.5 16PR	\$411	2#
4010148	Front Tires: Michelin X Multi Energy Z 2 295/75R22.5 16PR	\$586	7#
4010149	Front Tires: Michelin X Multi Energy Z 2 11R22.5 16PR	\$659	17#



# T480: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

## Front & Rear Axle Tires

### Tubeless Type Standard Profile 22.5

#### Michelin Front

4010340	Front Tires: Michelin XZE 12R22.5 16PR 42.6 in. diameter, all position. 19.8 in. SLR.	\$1,005	52#
4017099	Front Tires: Michelin XZE2 11R22.5 14PR. 41.3 in. Diameter, All Position. 19.2 in. SLR.	\$356	10#
4017154	Front Tires: Michelin XZE2 11R22.5 16PR. 41.4 in. Diameter, All Position. 19.2 in. SLR.	\$447	24#

#### Michelin Rear

4210002	Rear Tires: Michelin X Works Z 11R22.5 16PR	\$665	42#
4210004	Rear Tires: Michelin X Works Z 12R22.5 16PR	\$980	64#
4210150	Rear Tires: Michelin X Works D 11R22.5 16PR	\$816	60#
4210340	Rear Tires: Michelin XZE 12R22.5 16PR 42.6 in. diameter, all position. 19.8 in. SLR. Code is priced per pair of tires.	\$1,005	52#
4211341	Rear tires: Michelin X Multi D 11R22.5 14PR	\$502	26#
4211342	Rear tires: Michelin X MULTI D 11R22.5 16PR	\$502	28#
4217094	Rear tires: Michelin XDN2 11R22.5 16PR. 41.7 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	\$554	38#
4217099	Rear tires: Michelin XZE2 11R22.5 14PR. 41.3 in. diameter, all position. 19.2 in. SLR. Code is priced per pair of tires.	\$356	10#
4217124	Rear tires: Michelin XDN2 11R22.5 14PR. 41.7 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	\$813	36#
4217125	Rear tires: Michelin XDN2 12R22.5 16PR. 42.9in. Diameter. drive tire. 20 in. SLR. Code is priced per pair of tires.	\$876	68#
4217154	Rear tires: Michelin XZE2 11R22.5 16PR. 41.4 in. diameter, all position. 19.2 in SLR. Code is priced per pair of tires.	\$447	34#
4217225	Rear tires: Michelin XMultiEnergyD 11R22.5 14PR 41.3 in. diameter, drive. 19.3 in. SLR. Smartway certified. Code is priced per pair of tires.	\$482	34#
4217228	Rear tires: Michelin XLineEnergyD 11R22.5 14PR 41.2 in. diameter. 19.3 in. SLR. Smartway certified. Code is priced per pair of tires.	\$433	32#
4217402	Rear tires: Michelin XDS2 11R22.5 16PR 41.8 in. diameter, drive. 19.5 in. SLR.DR. Code is priced per pair of tires.	\$766	46#
4217406	Rear tires: Michelin XDA5+ 11R22.5 14PR. Drive tire. 41.7 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	\$913	42#

#### Yokohama Front

4083211	Front Tires: Yokohama 101ZL 11R22.5 14PR	(\$178)	12#
---------	--	---------	-----



# T480: TIRES & WHEELS

Option Description	Price	Weight
--------------------	-------	--------

## Front & Rear Axle Tires

### Tubeless Type Standard Profile 22.5

#### Yokohama Front

4083231 Front Tires: Yokohama MY507 11R22.5 16PR	\$115	30#
4083242 Front Tires: Yokohama RY023 11R22.5 16PR	(\$174)	6#
4083246 Front Tires: Yokohama RY023 11R22.5 14PR	(\$199)	6#
4083282 Front Tires: Yokohama RY617 11R22.5 14PR	(\$227)	2#

#### Yokohama Rear

4283213 Rear Tires: Yokohama 101ZL 11R22.5 14PR	(\$178)	12#
4283220 Rear Tires: Yokohama 703ZL 11R22.5 14PR	(\$140)	46#
4283231 Rear Tires: Yokohama MY507 11R22.5 16PR	\$115	30#
4283242 Rear Tires: Yokohama RY023 11R22.5 16PR	(\$174)	6#
4283246 Rear Tires: Yokohama RY023 11R22.5 14PR	(\$199)	6#
4283250 Rear Tires: Yokohama TY517 MC2 11R22.5 14PR	(\$98)	18#
4283261 Rear Tires: Yokohama 709ZL 11R22.5 14PR	(\$123)	32#
4283282 Rear Tires: Yokohama RY617 11R22.5 14PR	(\$227)	2#

### Tubeless Type Standard Profile 24.5

#### Continental Front

4080084 Front tires: Continental HSC3 12R24.5 16PR	\$850	98#
4080222 Front tires: Continental HSR3 11R24.5 16PR	\$527	58#
4080223 Front tires: Continental HSR3 11R24.5 16PR. Includes pressure sensor.	\$661	58#

#### Continental Rear

4280084 Rear tires: Continental HSC3 12R24.5 16PR	\$850	98#
4280104 Rear tires: Continental HDL3 LTL 11R24.5 16PR	\$371	50#
4280222 Rear tires: Continental HSR3 11R24.5 16PR	\$527	58#
4280223 Rear tires: Continental HSR3 11R24.5 16PR. Includes pressure sensor.	\$661	58#

#### Goodyear Front

4030022 Front Tires: Goodyear Fuel Max RSA 11R24.5 16PR	\$611	22#
4038643 Front Tires: Goodyear Workhorse MSA 11R22.5 16PR	\$433	13#



# T480: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

## Front & Rear Axle Tires

### Tubeless Type Standard Profile 24.5

#### Goodyear Front

4038644	Front Tires: Goodyear Workhorse MSA 11R24.5 16PR	\$549	41#
4038661	Front tires: Goodyear Endurance RSA 11R24.5 14PR 43.9in. diameter, all positions, 20.6SLR.	\$823	32#
4038662	Front tires: Goodyear Endurance RSA 11R24.5 16PR 43.9in. diameter, all positions, 20.6SLR.	\$720	34#
4038807	Front tires: Goodyear G751 MSA 11R24.5 16PR 44.0in. diameter. Steer/all position on/off highway tire. 20.7 SLR.	\$944	60#
4038811	Front tires: Goodyear G751 MSA 12R24.5 16PR 45.1in. diameter. 21in. SLR.	\$1,363	82#
4038826	Front tires: Goodyear Endurance LHS 11R24.5 14PR	\$583	16#
4038827	Front tires: Goodyear Endurance LHS 11R24.5 16PR	\$637	16#

#### Goodyear Rear

4230022	Rear Tires: Goodyear Fuel Max RSA 11R24.5 16PR	\$611	22#
4238002	Rear Tires: Goodyear Armor Max Pro Grade MSD 11R24.5 16PR	\$1,008	82#
4238644	Rear Tires: Goodyear Workhorse MSA 11R24.5 16PR	\$549	41#
4238675	Rear tires: Goodyear Endurance RSA 11R24.5 16PR 43.9in. diameter, all positions, 20.6SLR.	\$720	34#
4238683	Rear tires: Goodyear G182 RSD 11R24.5 14PR. 44.1 in. diameter. drive tire. 20.8 in. SLR. Code is priced per pair of tires	\$1,684	58#
4238700	Rear tires: Goodyear G182 RSD 11R24.5 16PR. 44.1 in. diameter. drive tire. 20.8 in. SLR. Code is priced per pair of tires	\$1,338	68#
4238710	Rear tires: Goodyear Endurance RSA 11R24.5 14PR 43.9in. diameter, all positions, 20.6SLR.	\$823	32#
4238807	Rear Tires: 2 Goodyear G751 MSA 11R24.5 16PR 44.0in. Diameter. Steer/All Position On/Off Highway Tire. 20.7 SLR.	\$944	60#
4238811	Rear tires: Goodyear G751 MSA 12R24.5 16PR 45.1in. diameter. 21in. SLR.	\$1,363	82#
4238826	Rear tires: Goodyear Endurance LHS 11R24.5 14PR	\$583	16#
4238827	Rear tires: Goodyear Endurance LHS 11R24.5 16PR	\$637	16#
4238857	Rear tires: Goodyear Endurance LHD 11R24.5 14PR	\$724	55#
4238858	Rear tires: Goodyear Endurance LHD 11R24.5 16PR	\$790	44#
4238868	Rear tires: Goodyear Marathon LHD 11R24.5 14PR	\$724	40#

#### Michelin Front

4010003	Front Tires: Michelin X Works Z 11R24.5 16PR	\$850	54#
---------	--	-------	-----

\*See PremierSpec for Applicable Restrictions



# T480: TIRES & WHEELS

Option Description	Price	Weight
<b>Front &amp; Rear Axle Tires</b>		
<b>Tubeless Type Standard Profile 24.5</b>		
<b>Michelin Front</b>		
4010139 Front Tires: Michelin X Line Energy Z 11R24.5 16P	\$624	26#
4017157 Front Tires: Michelin XZE2 11R24.5 14PR. 43.5 in. Diameter, All Position. 20.3 in. SLR.	\$477	26#
4017158 Front Tires: Michelin XZE2 11R24.5 16PR. 43.5 in. Diameter, All Position. 20.3 in. SLR.	\$677	34#
<b>Michelin Rear</b>		
4210003 Rear Tires: Michelin X Works Z 11R24.5 16PR	\$850	54#
4210151 Rear Tires: Michelin X Works D 11R24.5 16PR	\$1,011	80#
4213764 Rear tires: Michelin X MULTI D 11R24.5 16PR	\$806	46#
4217157 Rear tires: Michelin XZE2 11R24.5 14PR. 43.5 in. diameter, all position. 20.3 in. SLR. Code is priced per pair of tires.	\$477	26#
4217158 Rear tires: Michelin XZE2 11R24.5 16PR. 43.5 in. diameter, all position. 20.3 in. SLR. Code is priced per pair of tires.	\$677	0#
4217226 Rear tires: Michelin XMultiEnergyD 11R24.5 16PR 43.4 in. diameter, drive. 20.4 in. SLR. Smartway certified. Code is priced per pair of tires.	\$686	58#
4217231 Rear Tires: Michelin X Works Grip D 11R24.5 16PR Drive Tire	\$1,610	70#
4217404 Rear tires: Michelin XDS2 11R24.5 16PR 43.9 in. diameter, drive. 20.5 SLR. Code is priced per pair of tires.	\$1,129	54#
4217411 Rear tires: Michelin XDA5+ 11R24.5 16PR. 43.8 in. diameter, drive. 20.6 in. SLR. Code is priced per pair of tires.	\$1,095	63#
<b>Yokohama Front</b>		
4083230 Front Tires: Yokohama MY507 11R24.5 16PR	\$193	48#
4083241 Front Tires: Yokohama RY023 11R24.5 16PR	(\$58)	22#
4083244 Front Tires: Yokohama RY023 11R24.5 14PR	(\$91)	22#
4083283 Front Tires: Yokohama RY617 11R24.5 14PR	(\$165)	18#
<b>Yokohama Rear</b>		
4283230 Rear Tires: Yokohama MY507 11R24.5 16PR	\$193	30#
4283241 Rear Tires: Yokohama RY023 11R24.5 16PR	(\$58)	22#
4283244 Rear Tires: Yokohama RY023 11R24.5 14PR	(\$91)	22#
4283262 Rear Tires: Yokohama 709ZL 11R24.5 14PR	(\$100)	46#



# T480: TIRES & WHEELS

Option	Description	Price	Weight
<b>Front &amp; Rear Axle Tires</b>			
<b>Tubeless Type Standard Profile 24.5</b>			
<b>Yokohama Rear</b>			
4283283	Rear Tires: Yokohama RY617 11R24.5 14PR	(\$165)	18#
<b>Tubeless Type Low Profile 22.5</b>			
<b>Apollo Front</b>			
4080185	Front Tires: Apollo Endutrax 315/80R22.5 20PR	\$829	78#
4080186	Front Tires: Apollo Enducombi 295/75R22.5 16PR	\$145	26#
<b>Apollo Rear</b>			
4280185	Rear Tires: Apollo Endutrax 315/80R22.5 20PR	\$829	78#
4280186	Rear Tires: Apollo Enducombi 295/75R22.5 16PR	\$145	26#
4280191	Rear Tires: Apollo Enducombi RD CS 295/75R22.5 16PR	\$314	50#
4280192	Rear Tires: Apollo Enducombi RD CS 295/75R22.5 14PR	\$186	50#
<b>Continental Front</b>			
4080019	Front tires: Continental HAC3 425/65R22.5 20PR with pressure sensor included	\$1,619	146#
4080051	Front Tires: Continental Conti HSL3 295/75R22.5 16PR	\$332	2#
4080062	Front Tires: Continental HS3+ 295/75R22.5 16PR	\$300	6#
4080252	Front Tires: Continental HAC3 445/65R22.5 22PR. Includes pressure sensor.	\$1,675	192#
<b>Continental Rear</b>			
4280000	Rear tires: Continental HDR 255/70R22.5 16PR	\$190	-36#
4280213	Rear tires: Continental HSR3 295/75R22.5 16PR	\$458	26#
4280252	Rear Tires: Continental HAC3 445/65R22.5 22PR. Includes pressure sensor.	\$1,675	192#
<b>Goodyear Front</b>			
4030012	Front Tires: Goodyear Endurance WHA 315/80R22.5 20PR.	\$1,270	62#
4030013	Front Tires: GoodYear Endurance WHA Duraseal 315/80R22.5 20PR.	\$1,570	62#
4030019	Front Tires Goodyear Fuel Max RSA 295/75R22.5 14P	\$437	0#
4030265	Front tires: Goodyear Endurance RSA 295/75R22.5 14PR. 40.6 in. diameter, all position. 19.0 in. SLR.	\$431	14#
4038263	Front tires: Goodyear G291 315/80R22.5 20PR. 42.3 in. diameter, all position. 19.7 in. SLR.	\$1,021	0#



# T480: TIRES & WHEELS

Option Description	Price	Weight
--------------------	-------	--------

## Front & Rear Axle Tires

### Tubeless Type Low Profile 22.5

#### Goodyear Front

4038628	Front tires: Goodyear Armormax MSA 385/65R22.5 18PR AP 42.5 in diameter, all position. 19.8 in SLR. On/Off highway. Wide-base tire. in. SLR.	\$1,227	104#
4038645	Front Tires: Goodyear Workhorse MSA 315/80R22.5 20PR	\$1,066	55#
4038660	Front tires: Goodyear Endurance RSA 255/70R22.5 16PR. 36.7in. Diameter, all positions, 17.3 SLR.	\$296	-40#
4038676	Front tires: Goodyear Armormax MSA 425/65R22.5 20PR.44.4 in. diameter 20.6 in. SLR. all position. On/Off highway. Wide-base tire.	\$1,540	144#
4038677	Front tires: Goodyear G291 315/80R22.5 18PR. 42.3 in. diameter, all position. 19.7 in. SLR.	\$860	154#
4038678	Front tires: Goodyear G289 WHA 315/80R22.5 20PR. All position. 43.1 in. diameter. 20 in. SLR.	\$1,161	78#
4038699	Front tires: Goodyear G289 WHA DURASEAL 315/80R 22.5 20 PR. 43.1 in. diameter. 20 in. SLR.	\$1,448	102#
4038723	Front tires: Goodyear Armormax MSA 425/65R22.5 20PR. 44.4 in. diameter 20.6 in. SLR. all position. On/Off highway. Wide-base tire.	\$1,746	166#
4038822	Front tires: Goodyear Endurance LHS 295/75R22.5 16PR	\$496	-4#
4039945	Front tires: Goodyear Edurance LHS 295/75R 22.5 14PR	\$425	-8#

#### Goodyear Rear

4230012	Rear Tires: Goodyear Endurance WHA 315/80R22.5 20PR.	\$1,270	54#
4230013	Rear Tires: Goodyear Endurance WHA DuraSeal 315/80R22.5 20PR.	\$1,570	84#
4230019	Rear Tires: Goodyear Fuel Max RSA 295/75R22.5 14P	\$437	-2#
4230020	Rear Tires: Goodyear Fuel Max RSA 295/75R22.5 16PR	\$509	4#
4230038	Rear Tires: Goodyear Fuel Max LHD2 295/75R22.5 14PR	\$419	26#
4230328	Rear tires: Goodyear Fuel Max 1AD 295/75R22.5 14PR	\$575	12#
4237889	Rear Tires: Goodyear Fuel Max SSDDURASEAL 445/50R 22.5 20PR/FUEL MAX SST 445/50R22.5 20PR DEADAXLE 2-4	\$824	24#
4238263	Rear tires: Goodyear G291 315/80R22.5 20PR. 42.3 in. diameter, all position. 19.7 in. SLR	\$1,021	34#
4238265	Rear Tires: Goodyear Endurance RSA 295/75R22.5 14PR 40.6 in. diameter, all position. 19.0 in. SLR.	\$431	14#
4238628	Rear tires: Goodyear Armormax MSA 385/65R22.5 18PR 2-4. 2.5 in diameter, all position. 19.8 in SLR. On/Off highway. Wide-base tire. Code is priced per pair of tires.	(\$214)	96#
4238645	Rear Tires: Goodyear Workhorse MSA 315/80R22.5 20PR	\$1,066	55#



# T480: TIRES & WHEELS

Option Description	Price	Weight
--------------------	-------	--------

## Front & Rear Axle Tires

### Tubeless Type Low Profile 22.5

#### Goodyear Rear

4238677	Rear tires: Goodyear G291 315/80R22.5 18PR. 42.3 in. diameter, all position. 19.7 in. SLR. Code is priced per pair of tires.	\$860	162#
4238678	Rear tires: Goodyear G289 WHA 315/80R22.5 20PR. All position. 43.1 in. diameter. 20 in. SLR. Code is priced per pair of tires.	\$1,161	70#
4238699	Rear tires: Goodyear G289 WHA DuraSeal 315/80R 22.5 20 PR. 43.1 in. diameter. 20 in. SLR.	\$1,448	102#
4238707	Rear Tires: Goodyear Endurance RSA 255/70R22.5 16PR. 36.7in. Diameter, all positions, 17.3 SLR.	\$296	-48#
4238717	Rear tires: Goodyear G288 MSA 255/70R22.5 16PR 36.9in diameter. 17.3 SLP	\$475	0#
4238718	Rear tires: Goodyear G278 MSD 445/65R22.5 20PR 46.2 in. diameter, all position. 21.1 in. SLR. On/Off highway. Wide-base tire 2 replacing 4. Code is priced per pair of tires.	\$1,023	-12#
4238720	Rear tires: Goodyear G278 MSD 425/65R22.5 20PR Wide-base tire 2 replacing 4. Code is priced per pair of tires.	\$567	-50#
4238738	Rear tires: Goodyear Fuel Max SSD Duraseal 445/50R445/50R 22.5 20PR 2-4	\$952	152#
4238751	Rear tires: Goodyear Armormax MSA 445/65R22.5 20PR. 2-4. 45.5 in. diameter 20.9 in. SLR. all position. On/Off highway. Wide-base tire.	\$310	-52#
4238776	Rear tires: Goodyear Armormax MSA 425/65R22.5 20PR. 2-4. 44.4 in. diameter, all position. 20.6 in. SLR. On/Off highway. Wide-base tire. Code is priced per pair of tires.	\$99	144#
4238822	Rear tires: Goodyear Endurance LHS 295/75R22.5 16PR	\$496	-8#
4238859	Rear tire: Goodyear Endurance LHD 295/75R22.5 14PR	\$597	26#
4239945	Rear tires: Goodyear Endurance LHS 295/75R 22.5 14PR	\$425	-8#

#### Michelin Front

4010006	Front Tires: Michelin X Works Z 315/80R22.5 20PR	\$1,163	96#
4010093	Front Tires: Michelin XZY3 425/65R22.5 20PR 44.7 in. Diameter, All Position. 20.6in. SLR.	\$1,801	190#
4010120	Front tires: Michelin XZE 425/65R22.5 20PR 20.6 in. SLR.	\$1,767	164#
4010154	Front Tire: Michelin X Line Energy Z 295/60R22.5 18PR	\$560	-16#
4017072	Front Tires: Michelin XZE 255/70R22.5 16PR 36.7 in. Diameter. 17.2 in. SLR. All Position.	\$195	-40#
4017156	Front Tires: Michelin XZE2 275/80R22.5 14PR. 40.2 in. Diameter, All Position. 18.6 in. SLR.	\$312	0#
4017181	Front Tires: Michelin XZY3 385/65R22.5 18PR 42.4 in. Diameter, All Position. 19.6 in. SLR.	\$1,156	130#
4017194	Front Tires: Michelin X Coach Z Energy 295/ 80R22.5 16PR, All Position	\$966	38#



# T480: TIRES & WHEELS

Option	Description	Price	Weight
<b>Front &amp; Rear Axle Tires</b>			
<b>Tubeless Type Low Profile 22.5</b>			
<b>Michelin Front</b>			
4017197	Front Tires: Michelin X Works XDY 315/80R22.5 20PR 43 in. Diameter. 20.0 in SLR.	\$1,432	114#
4017199	Front Tires: Michelin X Line Energy Z 315/80R22.5 20PR	\$1,115	23#
4017217	Front Tires: Michelin XZUS2 315/80R22.5 20PR 42.8 in. Diameter, All Position.. 19.8 in. SLR.	\$1,346	98#
<b>Michelin Rear</b>			
4210006	Rear Tires: Michelin X Works Z 315/80R22.5 20PR	\$1,163	88#
4210093	Rear tires: Michelin XZY3 425/65R22.5 20PR 44.7 in. diameter, all position, 2-4 mounting. 20.6 in. SLR. Code is priced per pair of tires.	\$359	-38#
4210389	Rear Tire: Michelin X One Line Grip D 445/50R22.5 20PR 2-4	\$530	138#
4210391	Rear Tires: Michelin X One Line Grip D 455/55R22.5 20 PR 2-4	\$786	-65#
4211038	Rear tires: Michelin XONEXZUS 455/55R22.5 22PR 2-4. 42.2 in. diameter, all position. 19.4 in. SLR. Code is priced per pair of tires.	\$774	-50#
4211040	Rear tires: Michelin XONE XZY3 455/55R22.5 22PR 2-4. 41.9 in. diameter. 17.8 in. SLR.	\$490	178#
4217072	Rear tires: Michelin XZE 255/70R22.5 16PR 36.7 in. diameter. 17.2 in. SLR. All position. Code is priced per pair of tires.	\$195	-40#
4217127	Rear tires: Michelin XDN2 275/80R22.5 14PR Drive tire. 40.6 in. diameter, drive. 18.9 in. SLR. Code is priced per pair of tires.	\$435	24#
4217152	Rear tires: Michelin XDN2 GRIP 315/80R22.5 20 PR. 43.1 in. diameter, drive. 20.0 in. SLR. Code is priced per pair of tires.	\$1,717	118#
4217156	Rear tires: Michelin XZE2 275/80R22.5 14PR. 40.2 in. diameter, all position. 18.6 in. SLR. Code is priced per pair of tires.	\$312	0#
4217169	Rear Tires: Michelin X Line Energy Z 315/80R22.5 20PR	\$1,115	38#
4217182	Rear tires: Michelin XZY3 385/65R22.5 18PR 42.4 in. diameter, all position, 2-4 mounting. 19.6 in. SLR. Code is priced per pair of tires.	(\$285)	-98#
4217197	Rear tires: Michelin X Works XDY 315/80R22.5 20PR 43 in. diameter, drive. 20.0 in. SLR. Code is priced per pair of tires.	\$1,432	114#
4217217	Rear tires: Michelin XZUS2 315/80R22.5 20PR AP. 42.8 in. diameter, all position.. 19.8 in. SLR. Code is priced per pair of tires.	\$1,346	98#
4217227	Rear tires: Michelin XMultiEnergyD 275/80R22.5 14PR. 40.1 in. diameter, drive. 18.8 in. SLR. Smartway certified. Code is priced per pair of tires.	\$370	22#
4217230	Rear tires: Michelin XLineEnergyD 275/80R22.5 14PR. 40.1 in. diameter. 18.8 in. SLR. Smartway certified. Code is priced per pair of tires.	\$370	20#



# T480: TIRES & WHEELS

Option Description	Price	Weight
--------------------	-------	--------

## Front & Rear Axle Tires

### Tubeless Type Low Profile 22.5

#### Michelin Rear

4217241 Rear Tire Michelin X Line Energy D+ 275/80R22.5 14PR	\$565	3#
4217288 Rear tires: Michelin X One Line Energy D 445/50R 22.5 20PR, 2-4 super single drive tire. 40.1 in. diameter. 18.6 in. SLR. Smartway certified. Not for use on single rear axles. Code is priced per pair of tires.	\$544	128#
4217408 Rear tires: Michelin XDA5+ 275/80R22.5 14PR. Drive tire. 40.6 in. diameter, drive. 19.0 in. SLR. Code is priced per pair of tires.	\$563	34#

#### Yokohama Front

4083212 Front Tires: Yokohama 101ZL 295/75R22.5 14PR	(\$200)	8#
4083215 Front tires: Yokohama 101ZL 295/75R22.5 16PR	(\$32)	8#
4083245 Front Tires: Yokohama RY023 295/75R22.5 14PR	(\$200)	0#
4083247 Front Tires: Yokohama RY023 295/75R22.5 16PR	(\$175)	0#
4083280 Front Tires: Yokohama RY617 295/75R22.5 14PR	(\$236)	-8#
4183212 Front Tires: Yokohama 101ZL 295/75R22.5 14PR Twin Steer 4-4.	(\$400)	16#
4183280 Front Tires: Yokohama RY617 295/75R22.5 14PR 4-4	(\$473)	-16#

#### Yokohama Rear

4283212 Rear Tires: Yokohama 101ZL 295/75R22.5 14PR	(\$200)	8#
4283221 Rear Tires: Yokohama 703ZL 295/75R22.5 14PR	(\$167)	32#
4283245 Rear Tires: Yokohama RY023 295/75R22.5 14PR	(\$200)	0#
4283247 Rear Tires: Yokohama RY023 295/75R22.5 16PR	(\$175)	0#
4283251 Rear Tires: Yokohama TY517 MC2 295/75R22.5 14PR	(\$132)	8#
4283260 Rear Tires: Yokohama 709ZL 295/75R22.5 14PR	(\$158)	26#
4283280 Rear Tires: Yokohama RY617 295/75R22.5 14PR	(\$236)	-8#

### Tubeless Type Low Profile 24.5

#### Continental Front

4080085 Front tires: Continental Ecoplus HS3+285/75R24.5 16PR	\$225	16#
---	-------	-----

#### Goodyear Front

4030021 Front Tires: Goodyear Fuel Max RSA 11R24.5 14PR	\$557	20#
4038824 Front tires: Goodyear Endurance LHS 285/75R24.5 14PR	\$527	-4#



# T480: TIRES & WHEELS

Option Description	Price	Weight
--------------------	-------	--------

## Front & Rear Axle Tires

### Tubeless Type Low Profile 24.5

#### Goodyear Rear

4230021 Rear Tires: Goodyear Fuel Max RSA 11R24.5 14PR	\$557	20#
4238824 Rear tires: Goodyear Endurance LHS 285/75R24.5 14PR	\$527	-4#
4238861 Rear tire:Goodyear Endurance LHD 285/75R24.5 14PR	\$693	49#
4238869 Rear tire: Goodyear Marathon LHD 285/75R24.5 14PR	\$693	20#

#### Yokohama Front

4083213 Front Tires: Yokohama 101ZL 285/75R24.5 14PR	(\$108)	12#
4083240 Front Tires: Yokohama RY023 285/75R24.5 14PR	(\$130)	6#
4083281 Front Tires: Yokohama RY617 285/75R24.5 14PR	(\$204)	-4#

#### Yokohama Rear

4283211 Rear Tires: Yokohama 101ZL 285/75R24.5 14PR	(\$108)	8#
4283240 Rear Tires: Yokohama RY023 285/75R24.5 14PR	(\$130)	6#
4283252 Rear Tires: Yokohama TY517 MC2 285/75R24.5 14PR	(\$59)	18#
4283263 Rear Tires: Yokohama 709ZL 285/75R24.5 14PR	(\$122)	30#
4283281 Rear Tires: Yokohama RY617 285/75R24.5 14PR	(\$204)	-4#

## Pusher Axle Tires

### Steerable Pushers

4781084 1 Steerable Pusher: 2 Apollo Enducombi RA 11R22.5 16PR	\$150	30#
4781085 1 Steerable Pusher: 2 Apollo Endutrax MA 315/ 80R22.5 20PR	\$829	78#
4781103 1 Steerable Pusher: 2 Michelin X WORKS Z 11R24.5 16PR	\$850	54#
4781159 1 Steerable Pusher: 2 Michelin XZE2 275/80R22.5 14P 40.2 in. diameter. 18.6 in. SLR.	\$312	0#
4781182 1 Steerable Pusher: 2 Michelin X Multi Z 215/75R17.5 14PR	(\$440)	-30#
4781194 1 Steerable Pusher: 2 Michelin X Coach Z Energy 295/80R22.5 16PR, All Position	\$966	38#
4781199 1 Steerable Pusher: 2 Michelin X Line Energy Z 315/80R22.5 20PR	\$1,115	0#
4781326 1 Steerable Pusher: 2 Goodyear G114 LHT 215/ 75R17.5 16PR	(\$116)	-108#
4781332 1 Steerable Pusher: 2 Goodyear Endurance WHA 315/ 80R22.5 20PR.	\$1,270	62#



# T480: TIRES & WHEELS

Option Description	Price	Weight
<b>Pusher Axle Tires</b>		
<b>Steerable Pushers</b>		
4781344 1 Steerable pusher: 2 Goodyear Workhorse MSA 11R22.5 16PR	\$433	13#
4781348 1 Steerable Pusher: 2 Goodyear Workhorse MSA 11R24.5 16PR	\$549	41#
4781359 1 Steerable Pusher: 2 Goodyear Endurance RSA 255/70R22.5 16PR. 36.7in. Diameter, all positions, 17.3 SLR.	\$296	-40#
4781410 1 Steerable Pusher: 2 Continental HSR3 11R22.5 16PR. Includes pressure sensor.	\$477	0#
4781412 1 Steerable Pusher: 2 Continental HSR3 295/ 75R22.5 14PR	\$389	0#
4781413 1 Steerable Pusher: 2 Continental HSR3 295/ 75R22.5 16PR	\$458	0#
4781414 1 Steerable Pusher: 2 Continental HSR3 295/ 75R22.5 14PR. Includes pressure sensor.	\$398	0#
4781416 1 Steerable Pusher: 2 Continental HSR3 295/ 75R22.5 16PR. Includes pressure sensor.	\$552	0#
4781417 1 Steerable Pusher: 2 Continental HSR3 11R22.5 14PR	\$436	0#
4781418 1 Steerable Pusher: 2 Continental HSR3 11R22.5 16PR	\$470	0#
4781419 1 Steerable Pusher: 2 Continental HSR3 11R22.5 14PR. Includes pressure sensor.	\$570	0#
4781422 1 Steerable Pusher: 2 Continental HSR3 11R24.5 16PR	\$527	58#
4781423 1 Steerable Pusher: 2 Continental HSR3 11R24.5 16PR. Includes pressure sensor.	\$661	58#
4781511 1 Steerable Pusher: 2 Yokohama 101ZL 285/75R24.5 14PR	(\$108)	8#
4781542 1 Steerable Pusher: 2 Yokohama RY023 11R22.5 16PR	(\$174)	6#
4781544 1 Steerable Pusher: 2 Yokohama RY023 11R24.5 14PR	(\$91)	22#
4781545 1 Steerable Pusher: 2 Yokohama RY023 295/75R22.5 14PR	(\$200)	0#
4781555 1 Steerable Pusher: 4 Yokohama RY023 295/75R22.5 14PR. 4-4.	(\$490)	0#
4781556 1 Steerable Pusher: 2 Yokohama RY023 11R22.5 14PR	(\$199)	6#
4781772 1 Steerable Pusher: 2 Michelin XZE 255/70R22.5 16PR. 36.7 in. diameter, all position. AKA PXZE. 17.2 in. SLR.	\$195	-40#
4781816 1 Steerable Pusher: 2 Goodyear Endurance LHS 11R 22.5 14PR	\$457	0#
4781885 1 Steerable Pusher: 2 Yokohama RY617 11R22.5 14PR	(\$227)	2#
4781886 1 Steerable Pusher: 2 Yokohama RY617 11R24.5 14PR	(\$165)	18#
4781889 1 Steerable Pusher: 2 Yokohama RY617 295/75R22.5 14PR	(\$236)	-8#

\*See PremierSpec for Applicable Restrictions



# T480: TIRES & WHEELS

Option	Description	Price	Weight
<b>Pusher Axle Tires</b>			
<b>Steerable Pushers</b>			
4787880	1 Steerable Pusher: 4 Yokohama RY617 295/75R22.5 14PR. 4-4. For SL2200 Lift Axle Only.	(\$562)	-16#
<b>Non-Steerable Pushers 2-4</b>			
4782359	1 Non-Steerable Pusher: 2 Goodyear Endurance RSA 255/70R22.5 16PR. 36.7in. Diameter, all positions, 17.3 SLR. 2-4	(\$1,145)	-40#
4782376	1 Non-Steerable Pusher: 2 Goodyear Armormax MSA 425/65R22.5, 20PR; 2-4. 44.4 in. diameter 20.6 in. SLR. all position. On/Off highway. Wide-base tire.	\$99	144#
4782846	1 Non-Steerable Pusher: 2 Yokohama RY023 11R22.5 14PR 2-4	(\$1,640)	-222#
4782880	1 Non-Steerable Pusher: 2 Yokohama RY617 295/75R 22.5 14PR 2-4.	(\$1,677)	-236#
4783312	1 Non-Steerable Pusher: Goodyear Endurance WHA 315/80R22.5 20PR 2-4.	(\$172)	-166#
<b>Non-Steerable Pushers 4-4</b>			
4782346	1 Non-steerable pusher: 4 Goodyear Workhorse MSA 11R22.5 16PR	\$776	127#
4782348	1 Non-steerable pusher: 4 Goodyear Workhorse MSA 11R24.5 16PR	\$1,007	312#
4783084	1 Non-Steerable Pusher: 4 Apollo Enducombi RA 11R22.5 16PR AP 4-4	\$210	30#
4783102	1 Non-Steerable Pusher: 4 Michelin X Works Z 11R24.5 16PR 4-4	\$1,609	128#
4783159	1 Non-Steerable Pusher: 4 Michelin XZE2 275/80R22.5 14PR 4-4	\$534	0#
4783350	1 Non-Steerable Pusher: 4 Goodyear Endurance RSA 255/70R22.5 16PR. 36.7in. Diameter, all positions, 17.3 SLR. 4-4	\$502	-40#
4783365	1 Non-Steerable Pusher: 4 Goodyear Endurance RSA 295/75R22.5 14PR 4-4. 40.6 in. diameter, all position. 19.0 in. SLR.	\$772	30#
4783656	1 Non-Steerable Pusher: 4 Goodyear Endurance RSA 11R24.5 16PR. 43.9in. diameter, all positions, 20.6SLR. 4-4	\$1,350	34#
4783803	1 Non-Steerable Pusher: 4 Yokohama 101ZL 285/75R R24.5 14PR 4-4	(\$307)	24#
4783820	1 Non-Steerable Pusher: 4 Yokohama 703ZL 11R22.5 14PR 4-4.	(\$370)	92#
4783831	1 Non-Steerable Pusher: 4 Yokohama MY507 11R22.5 16PR. 4-4.	\$141	96#
4783842	1 Non-Steerable Pusher: 4 Yokohama RY023 11R22.5 16PR 4-4	(\$438)	12#
4783845	1 Non-Steerable Pusher: 4 Yokohama RY023 295/75R 22.5 14PR. 4-4.	(\$490)	0#
4783846	1 Non-Steerable Pusher: 4 Yokohama RY023 11R22.5 Yokohama RY023 11R22.5 14PR. 4-4.	(\$489)	12#
4783880	1 Non-Steerable Pusher: 4 Yokohama RY617 295/75R 22.5 14PR 4-4.	(\$562)	-16#

\*See PremierSpec for Applicable Restrictions



# T480: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

## Pusher Axle Tires

### Non-Steerable Pushers 4-4

4783882	1 Non-Steerable Pusher: 4 Yokohama RY617 285/75R 24.5 14PR 4-4.	(\$498)	-8#
4783885	1 Non-Steerable Pusher: 4 Yokohama RY617 11R 22.5 14PR 4-4.	(\$545)	4#
4783886	1 Non-Steerable Pusher: 4 Yokohama RY617 11R 24.5 14PR 4-4.	(\$421)	36#

## Tag Axle Tires

### Steerable Tags

4784312	1 Steerable Tag: 2 Goodyear Endurance WHA 315/ 80R22.5 20PR	\$1,270	62#
4784326	1 Steerable Tag: 2 Goodyear G114 LHT 215/75R17.5 16PR	(\$116)	-108#
4784359	1 Steerable Tag: 2 Goodyear Endurance RSA 255/70R22.5 16PR. 36.7in. Diameter, all positions, 17.3 SLR.	\$296	-40#
4784365	1 Steerable Tag: 2 Goodyear Endurance RSA 295/75R22.5 14PR	\$431	17#
4784842	1 Steerable Tag: 2 Yokohama RY023 11R22.5 16PR	(\$174)	0#
4784845	1 Steerable Tag: 2 Yokohama RY023 295/75R22.5 14PR	(\$200)	0#
4784880	1 Steerable Tag: 2 Yokohama RY617 295/75R22.5 14PR.	(\$236)	-8#
4784885	1 Steerable Tag: 2 Yokohama RY617 11R22.5 14PR	(\$227)	2#

### Non-Steerable Tags 2-4

4789845	1 Non-Steerable Tag: 2 Yokohama RY023 295/75R22.5 14PR. 2-4.	(\$1,641)	-228#
4789846	1 Non-Steerable Tag: 2 Yokohama RY023 11R22.5 14PR. 2-4.	(\$1,640)	-222#
4789880	1 Non-Steerable Tag: 2 Yokohama RY617 295/75R 22.5 14PR 2-4.	(\$1,677)	-236#

### Non-Steerable Tags 4-4

4788820	1 Non-Steerable Tag:4 Yokohama 703ZL 11R22.5 14PR 4-4.	(\$370)	-182#
4788845	1 Non-Steerable Tag: 4 Yokohama RY023 295/75R22.5 14PR	(\$490)	0#
4788846	1 Non-Steerable Tag: 4 Yokohama RY023 11R22.5 14PR 4-4	(\$489)	12#
4788880	1 Non-Steerable Tag: 4 Yokohama RY617 295/75R 22.5 14PR 4-4.	(\$562)	-16#
4788882	1 Non-Steerable Tag: 4 Yokohama RY617 11R 22.5 14PLY 4-4	(\$545)	4#



# T480: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

## Front & Rear Axle Wheels & Rims

### Tubeless Type Aluminum 22.5

#### Front

5042298	Front Wheel: Accuride 29683 22.5x12.25 aluminum, Standard polish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.	\$908	-12#
5042299	Front Wheel: Accuride 29374 22.5x12.25 aluminum, Standard polish finish, hub-pilot mount. 11000lb. maximum rating. 5.80 in. offset. Air disc brake compatible.	\$900	-2#
5042324	Front Wheel: Accuride 41730 22.5X9 aluminum	\$642	-20#
5042338	Front Wheel:Accuride 43644 22.5x8.25 AL hub-pilot mount Standard Polish	\$553	-52#
5042367	Front Wheel: Accuride 29300 22.5x9 steel Steel Armor[TM] powder coat, hub-pilot mount. 10000lb. maximum rating. 5-hand holes. Not air disc brake compatible.	\$603	79#
5043550	Front Wheel: Alcoa ULA18 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400lb maximum rating. Air Disc Brake compatible. High polish.	\$407	-51#
5045190	Front Wheel: Alcoa 83462 22.5x13 aluminum hub-pilot mount 11000lb. maximum rating. Aluminum with Lvl One [TM] High Polish finish, hub Level 1 finish.	\$733	8#
5045216	Front Wheel: Alcoa 82362 22.5x12.25 aluminum, with Lvl One [TM] finish High Polish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.	\$743	-11#
5045218	Front Wheel: Alcoa 82462 22.5x12.25 aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 11000lb. maximum rating. 5.80 in. offset. Air disc brake compatible.	\$747	-3#
5045263	Front Wheel: Alcoa 88565 22.5x8.25 aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 8000lb. maximum rating. Severe service. Air disc brake compatible.	\$527	-36#
5045268	Front Wheel: Alcoa 89U63 22.5X9 AL Ultra One High Polish Wheel.	\$545	-39#
5045280	Front Wheel: Alcoa 89U64 22.5X9 AL Ultra One High Polish Wheel.	\$533	0#
5045283	Front Wheel: Kenworth 7-spoke 88U68 22.5x8.25 aluminum with Ultra One high polish finish, hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.	\$512	-40#
5045294	Front Wheel: KW100 88U60 22.5x8.25 aluminum with Ultra One high polish finish hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.	\$691	-40#
5045295	Front Wheel: Kenworth 10-spoke 88u69 22.5x8.25 aluminum with Ultra One High Polish, hub-pilot mount. 7300lb. maximum rating. Air disc brake compatible.	\$576	-40#

#### Rear

5242312	Rear Wheel:Accuride 43140 22.5x14.00 2-4;aluminum	\$1,038	-10#
5242314	Rear Wheel: Accuride 43142 22.5x14.00 2-4; aluminum. Standard polish finish, hub-pilot mount. 12,800 lb. maximum rating. 2 in. offset. Aluminum hubs will derate this super single wheel style to 17,000 lbs. per axle. Use iron hubs for a 20,000 lbs. per axle rating. Code is priced per pair of wheels. Air disc brake compatible.	\$1,006	-10#



# T480: TIRES & WHEELS

Option	Description	Price	Weight
<b>Front &amp; Rear Axle Wheels &amp; Rims</b>			
<b>Tubeless Type Aluminum 22.5</b>			
<b>Rear</b>			
5242324	Rear Wheel: Accuride 41730 22.5X9 aluminum	\$642	-20#
5242338	Rear Wheel: Accuride 43644 22.5X8.25 aluminum hub pilot mount standard polish	\$552	-52#
5242438	Rear Wheel: Accuride 43644 /Accuride 51487 heavy-duty steel 22.5x8.25, Standard Polish aluminum outside/Steel Armor[™] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$204	-58#
5243550	Rear Wheel: Alcoa ULA18 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400lb maximum rating. Air Disc Brake compatible. High polish.	\$407	-51#
5245215	Rear Wheel: Alcoa 82262 22.5x12.25 2-4; aluminum, with Lvl One [™] High Polish finish, hub-pilot mount. 12300 lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels.	\$748	-148#
5245263	Rear Wheel: Alcoa 88565 22.5x8.25 aluminum, with Lvl One [™] High Polish finish, hub-pilot mount. 8000lb. maximum rating. Severe service. Air disc brake compatible. Code is priced per pair of wheels.	\$527	-30#
5245280	Rear Wheel: Alcoa 89U64 22.5X9 AL Ultra One High Polish Wheel.	\$533	-18#
5245283	Rear Wheel: Kenworth 7-spoke 88u68 22.5x8.25 aluminum with Ultra One, high polish finish, hub-pilot mount. 7300 lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels. Level 1 finish.	\$492	-36#
5245284	Rear Wheel: Kenworth 7-spoke 88U68/ Accuride 50344 heavy-duty 22.5x8.25, aluminum outside with Ultra One High Polish finish/s/steel Steel Armor[™] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$268	-6#
5245289	Rear Wheel: Kenworth 7-spoke 88U68/ Accuride 50885 heavy-duty 22.5x8.25, aluminum outside with Ultra One High Polish finish/s/steel Steel Armor[™] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$243	-23#
5245292	Rear Wheel: Alcoa 84U61 22.5X14.00 AL 2-4 Hub Pilot Mount. Ultra ONE Wheel. Level 1 Finish High Polish	\$659	-158#
5245293	Rear Wheel: Alcoa 84U64 22.5X14.00 AL 2-4 Ultra ONE Wheel. High Polish	\$602	-158#
5245294	Rear Wheel: KW100 88U60 22.5x8.25 aluminum with Ultra One high polish finish hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.	\$691	-40#
5245295	Rear Wheel: Kenworth 10-spoke 88U69 Ultra One High Polish	\$576	-36#
5245303	Rear Wheel: Alcoa ULA18/Accuride 50344 heavy-duty 22.5x8.25, aluminum outside with high polish finish/steel Steel Armor[™] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$248	-13#
5245304	Rear Wheel: Alcoa ULA18/Accuride 51487 22.5x8.25, aluminum outside with high polish finish/steel Steel Armor[™] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$204	-26#



# T480: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

## Front & Rear Axle Wheels & Rims

### Tubeless Type Aluminum 22.5

#### Rear

5245338	Rear Wheel: Accuride 43644 /Acc 50344 heavy-duty steel 22.5x8.25 Steel Armor[TM] powder coat, Standard Polish aluminum outside / steel powder coat inside, hub pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$363	-58#
---------	---	-------	------

### Tubeless Type Steel 22.5

#### Front

5042258	Front Wheel: Accuride 50291 22.5X8.25 steel heavy-duty 22.5x8.25; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible.	\$92	22#
---------	--	------	-----

5042259	Front Wheel: Accuride 50882 22.5X8.25 steel heavy-duty 22.5x8.25; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible.	\$50	31#
---------	--	------	-----

5042268	Front Wheel: Accuride 50885 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount.heavy-duty 5 hand-hole hub pilot mount.	\$46	26#
---------	--	------	-----

5042275	Front Wheel: Accuride 51408 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible.	\$108	0#
---------	--	-------	----

5042279	Front Wheel: Accuride 51422 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible.	\$2	4#
---------	--	-----	----

5042285	Front Wheel: Accuride 50344 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount.heavy-duty 5 hand-hole hub pilot mount.	\$220	20#
---------	--	-------	-----

5042289	Front Wheel: Accuride 51487 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible.	\$106	0#
---------	---	-------	----

5042292	Front Wheel: Accuride 51455 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible.	STD	0#
---------	---	-----	----

5042310	Front Wheel: Accuride 28827 24.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand hole.	\$96	36#
---------	--	------	-----

5042311	Front Wheel: Accuride 29039 22.5X9 steel Steel Armor[TM] powder coat, hub-pilot mount. 10000lb. maximum rating. 5-hand holes.	\$313	70#
---------	---	-------	-----

5042312	Front Wheel: Accuride 29806 22.5x12.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 11500lb. maximum rating. 5-hand holes.	\$746	102#
---------	---	-------	------

5042314	Front Wheel: Accuride 29807 22.5x12.25 steel white, Steel Armor[TM] powder coat, hub-pilot mount. 11500lb. maximum rating. 5-hand holes.	\$745	102#
---------	--	-------	------

#### Rear

5242258	Rear Wheel: Accuride 50291 white 22.5X8.25 heavy-duty 22.5x8.25; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible. Code is priced per pair of wheels.	\$92	22#
---------	--	------	-----

5242259	Rear Wheel: Accuride 50882 white 22.5X8.25 heavy-duty 22.5x8.25; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible. Code is priced per pair of wheels.	\$50	29#
---------	--	------	-----



# T480: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

## Front & Rear Axle Wheels & Rims

### Tubeless Type Steel 22.5

#### Rear

5242268	Rear Wheel: Accuride 50885 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. Heavy-duty 5 hand-hole hub pilot mount. Code is priced per pair of wheels.	\$46	24#
5242285	Rear Wheel: Accuride 50344 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. Heavy-duty 5 hand-hole hub pilot mount. Code is priced per pair of wheels.	\$100	20#
5242367	Rear Wheel: Accuride 29300 22.5x9 steel Steel Armor[™] powder coat, hub-pilot mount. 10000lb. maximum rating. 5-hand holes. Not air disc brake compatible. Code is priced per pair of wheels.	\$403	79#
5242375	Rear Wheel: Accuride 51408 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible. Code is priced per pair of wheels.	\$108	-12#
5242379	Rear Wheel: Accuride 51422 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible. Code is priced per pair of wheels.	\$2	2#
5242389	Rear Wheel: Accuride 51487 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible. Code is priced per pair of wheels.	\$106	0#
5242392	Rear Wheel: Accuride 51455 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible. Code is priced per pair of wheels.	STD	0#
5245285	Rear Wheel: Kenworth 7-spoke Alcoa alum 88U68/ Accuride 51487 22.5x8.25. Aluminum with Ultra One High Polish finish outside/steel Steel Armor[™] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. 5-hand hole. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$233	-18#
5245288	Rear Wheel: Kenworth 7-spoke Alcoa alum 88U68/ Accuride 51455 22.5x8.25. Aluminum with Ultra One High Polish finish outside/steel Steel Armor[™] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. 5-hand hole. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$231	-30#

### Tubeless Type Aluminum 24.5

#### Front

5042147	Front Wheel: Kenworth 10-spoke 98U69 24.5x8.25 aluminum with Ultra One High Polish finish, hub-pilot mount. 7300lb. maximum rating. Air disc brake compatible.	\$538	-21#
5042328	Front Wheel: Accuride 42362 24.5x8.25 aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating.	\$526	-30#
5044193	Front Wheel: Kenworth 7-spoke 98U68 24.5x8.25 aluminum with Ultra One High Polish finish, hub-pilot mount. 7300lb. maximum rating. Air disc brake compatible.	\$481	-21#
5045265	Front Wheel: Alcoa 98565 24.5x8.25 aluminum, with Lvl One [™] High Polish finish, hub-pilot mount. 8000lb. maximum rating. Severe service. Air disc brake compatible.	\$540	-2#
5045275	Front Wheel: Alcoa 98U63 24.5X8.25 AL Ultra One High Polish Wheel.	\$439	-34#

#### Rear

5242328	Rear Wheel: Accuride 42362 24.5x8.25 aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating. Code is priced per pair of wheels.	\$526	-30#
---------	--	-------	------



# T480: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

## Front & Rear Axle Wheels & Rims

### Tubeless Type Aluminum 24.5

#### Rear

5243147	Rear Wheel: Kenworth 10-spoke 98U69 24.5x8.25 aluminum with Ultra One High Polish finish, hub-pilot mount. 7300lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels.	\$538	-21#
5244193	Rear Wheel: Kenworth 7-spoke 98U68 24.5x8.25 aluminum with Ultra One High Polish finish, hub-pilot mount. 7300lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels.	\$481	-21#
5244194	Rear Wheel: Kenworth 98U68 7-Spoke/Accuride 50409 Steel 24.5x8.25, aluminum with Ultra One High Polish finish outside/ACCU-LTE Steel Armor[TM] powder coat inside, hub pilot mount. 7300 lb. maximum rating. Includes wheel guards.	\$257	3#
5245265	Rear Wheel: Alcoa 98565 24.5x8.25 aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 8000lb. maximum rating. Severe service. Code is priced per pair of wheels. Air disc brake compatible.	\$540	-6#
5245275	Rear Wheel: Alcoa 98U63 24.5X8.25 AL Ultra One High Polish Wheel.	\$439	-28#
5245276	Rear Wheel: Alcoa 98U63 Out/ACC 50409 INS 24.5X8. AL/STL High Polish.	\$237	0#

### Tubeless Type Steel 24.5

#### Front

5042315	Front Wheel: Accuride 50641 24.5X8.25 Stl ACCU-LTE Steel Armor[TM] powder coat, hub pilot mount. 7400lb. maximum rating. 5-hand holes.	\$166	16#
5042330	Front Wheel: Accuride 50409 24.5X8.25 steel ACCU-LTE. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating.	\$173	20#

#### Rear

5242310	Rear Wheel: Accuride 28827 24.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand hole. Code is priced per pair of wheels.	\$96	35#
5242315	Rear Wheel: Accuride 50641 24.5X8.25 steel ACCU-LTE. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole.	\$166	16#
5242330	Rear-Wheel: Accuride 50409 24.5X8.25 steel ACCU-LITE. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating.	\$173	20#
5245277	Rear Wheel: Alcoa 98U63 Out/ACC 28827 INS 24.5X8. AL/STL. High Polish	\$252	1#

## Pusher Axle Wheels

### Steerable Pushers

5781147	1 Steerable Pusher Wheel: 2 Kenworth 10-spoke 98U69 24.5x8.25; aluminum with Ultra One High Polish finish. Hub-pilot mount. 7300lb. maximum rating.	\$519	-14#
5781175	1 Steerable Pusher Wheel: 2 Accuride 51408 steel 22.5x8.25. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	\$108	4#
5781179	1 Steerable Pusher Wheel: 2 Accuride 51422 steel 22.5x8.25. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	\$2	2#



# T480: TIRES & WHEELS

Option	Description	Price	Weight
<b>Pusher Axle Wheels</b>			
<b>Steerable Pushers</b>			
5781185	1 Steerable Pusher Wheel: 2 Accuride 50344 22.5x8.25. Steel Armor[™] powder coat, hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	\$220	26#
5781189	1 Steerable Pusher Wheel: 2 Accuride 51487 steel 22.5x8.25. Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$106	0#
5781190	1 Steerable Pusher Wheel: 2 Alcoa 83462 22.5x13 aluminum, hub-pilot mount 11000lb. maximum rating. Aluminum with Lvl One [™] High Polish finish, hub Level 1 finish.	\$733	14#
5781192	1 Steerable Pusher Wheel: 2 Accuride 51455 steel 22.5x8.25. Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$0	0#
5781210	1 Steerable Pusher Wheel: 2 Accuride 28827 steel 24.5X8.25. Steel Armor[™] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes.	\$96	42#
5781229	1 Steerable Pusher Wheel: 2 Accuride 50409 steel 24.5X8.25. ACCU-LTE. Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating.	\$173	26#
5781258	1 Steerable Pusher Wheel: 2 Accuride 50291 22.5X8.25 heavy-duty 22.5x8.25; Steel Armor[™] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible.	\$92	28#
5781259	1 Steerable Pusher Wheel: 2 Accuride 50882 22.5X8.25 heavy-duty 22.5x8.25; Steel Armor[™] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible.	\$50	31#
5781261	1 Steerable Pusher Wheel: 2 Accuride 50885 22.5x8.25. Steel Armor[™] powder coat, hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	\$46	26#
5781263	1 Steerable Pusher: 2 Alcoa 88565 22.5X8.25 AL with Lvl One [™] High Polish finish, hub-pilot mount. 8000lb. maximum rating. Severe service.	\$527	-30#
5781281	1 Steerable Pusher Wheel: 2 Alcoa77349 19.5x7 50RW aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K pusher.	\$319	-54#
5781294	1 Steerable Pusher Wheel: KW100 2 88U60 22.5X8.25 aluminum with Ultra One high polish hub-pilot mount. 7300lb max rating. Level 1 finish.	\$691	-44#
5781298	1 Steerable Pusher Wheel: 2 Accuride 29683 22.5x 12.25 aluminum Standard polish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.FR WHL:Accuride 29683 22.5X12.25 AL	\$908	-12#
5781299	1 Steerable Pusher Wheel: 2 Accuride 29374 22.5X12.25; aluminum Standard polish finish, hub-pilot mount. 11000lb. maximum rating. 5.80in. offset. Air disc brake compatible.	\$900	-2#
5781324	1 Steerable Pusher Wheel: 2 Accuride 41730 22.5X9 AL	\$642	-20#
5781338	1 Steerable Pusher Wheel: 2 Accuride 43644 22.5X8.25; aluminum Standard Polish, hub-pilot mount. 7400lb. maximum rating.	\$562	-52#
5781372	1 Steerable Pusher Wheel: 2 Alcoa 76542 19.5X6.75 aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K pusher.	\$545	-68#
5781383	1 Steerable Pusher: 2 Kenworth 7-spoke 88U68 22.5x8.25 aluminum, hub pilot mount. 7300lb max rating Ultra One High Polish	\$492	-36#

\*See PremierSpec for Applicable Restrictions

Option	Description	Price	Weight
<b>Pusher Axle Wheels</b>			
<b>Steerable Pushers</b>			
5781516	1 Steerable Pusher Wheel: 2 Alcoa 82362 22.5x12.25; aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102in. w/ 425 tires. Air disc brake compatible.	\$743	-4#
5781518	1 Steerable Pusher Wheel: 2 Alcoa 82462 22.5x12.25; aluminum with Lvl One [TM] High Polish finish, hub-pilot mount. 11000lb. maximum rating. 5.80in. offset. Air disc brake compatible.	\$747	4#
5781554	1 Steerable Pusher Wheel: 2 Alcoa ULA18 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400lb maximum rating. Air Disc Brake compatible. High polish.	\$407	-51#
5781568	1 Steerable Pusher Wheel: 2 Alcoa 89U63 22.5X9 AL Ultra One High Polish Wheel.	\$545	-34#
5781575	1 Steerable Pusher: 2 Alcoa 98U63 24.5X8.25 AL Ultra One High Polish Wheel.	\$439	-28#
5781580	1 Steerable Pusher: 2 Alcoa 89U64 22.5X9 AL Ultra One High Polish Wheel.	\$533	-18#
5781774	1 Steerable pusher wheel: 2 Alcoa 66480 17.5x6 aluminum, hub pilot mount. For use with 8K Super Lite pushers.	\$283	-76#
5785289	1 Steerable Pusher Wheel: 4 Accuride 51487 22.5x8.25, 4-4 SL2200 only. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole.	\$313	0#
5785292	1 Steerable Pusher Wheel: 4 Accuride 51455 22.5x8.25, 4-4 SL2200 only. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole.	\$310	128#
5789328	2 Steerable Pusher Wheel: 4 Accuride 42362 24.5X8.25 aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating.	\$1,274	50#
5789338	2 Steerable Pusher Wheel: 4 Accuride 43644 22.5X8.25; aluminum Standard Polish, hub-pilot mount. 7400lb. maximum rating.	\$1,251	-102#
<b>Non-Steerable Pushers 2-4</b>			
5782268	Non-Steerable Pusher Wheel: Accuride 50885 heavy-duty 22.5 x8.25, 2-4; Steel Armor[TM] powder coat, hub-pilot moun. 8000lb. maximum rating. 5-hand hole.	(\$199)	26#
5782285	Non-Steerable Pusher Wheel: Accuride 50344 heavy-duty 22.5 x8.25, 2-4; Steel Armor[TM] powder coat, hub-pilot moun. 8000lb. maximum rating. 5-hand hole.	(\$149)	-104#
5782289	Non-Steerable Pusher Wheel: Accuride 51487 22.5x 8.25, 2-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole.	(\$218)	-130#
5782292	Non-Steerable Pusher Wheel: Accuride 51455 22.5x 8.25, 2-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole.	(\$223)	0#
5782300	Non-Steerable Pusher Wheel: Accuride 29683 22.5x 12.25, 2-4; aluminum Standard polish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.	\$685	-148#
5782515	Non-Steerable Pusher: Alcoa 82262 22.5x12.25 2-4; aluminum with Lvl One [TM] High Polish finish, hub-pilot mount. 12300 lb. maximum rating. Not air disc compatible. Code is priced per pair of wheels.	\$524	-140#

Option	Description	Price	Weight
<b>Pusher Axle Wheels</b>			
<b>Non-Steerable Pushers 2-4</b>			
5782516	Non-Steerable Pusher Wheel: Alcoa 82362 22.5x12.25, 2-4; aluminum with Lvl One [TM] High Polish finish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102in. w/ 425 tires. Air disc brake compatible.	\$519	-134#
5782568	Non-Steerable Pusher Wheel: Alcoa 89U63 22.5X9 AL 2-4. Ultra One High Polish Wheel.	\$322	-164#
5782575	Non-Steerable Pusher Wheel: Alcoa 98U63 24.5X8.25 aluminum 2-4. Ultra One High Polish Wheel.	\$215	-158#
5782580	Non-Steerable Pusher Wheel: Alcoa 89U64 22.5X9 AL 2-4. Ultra One High Polish Wheel.	\$310	-148#
5782591	Non-Steerable Pusher Wheel: Alcoa 84U64 22.5X14.0 aluminum 2-4. Ultra ONE Wheel. High Polish	\$660	-32#
5783267	Non-Steerable Pusher Wheel: Accuride 29300 STL 22.5x9, 2-4; Steel Armor[TM] powder coat. Hub-pilot mount. 10000lb. maximum rating. 5-hand holes. Not air disc brake compatible.	\$129	-44#
<b>Non-Steerable Pushers 4-4</b>			
5783175	Non-Steerable Pusher Wheel: Accuride 51408 STL 22.5x8.25, 4-4; Steel Armor[TM] powder coat. Hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	\$8	8#
5783179	Non-Steerable Pusher Wheel: Accuride 51422 STL 22.5x8.25, 4-4; Steel Armor[TM] powder coat. Hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	\$3	2#
5783185	Non-Steerable Pusher Wheel: Accuride 50344 STL heavy-duty 22.5 x8.25, 4-4; Steel Armor[TM] powder coat. Hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	\$180	52#
5783229	Non-Steerable Pusher Wheel: Accuride 50409 24.5X8.25, 4-4; ACCU-LTE. Steel Armor[TM]. Hub-pilot mount. 7400lb. maximum rating.	\$95	52#
5783258	Non-Steerable Pusher Wheel: Accuride 50291 22.5X8.25 heavy-duty, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes.	\$185	56#
5783259	Non-Steerable Pusher Wheel: Accuride 50882 22.5X8.25 heavy-duty, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes.	\$100	190#
5783261	Non-Steerable Pusher Wheel: Accuride 50885 STL heavy-duty 22.5 x8.25, 4-4; Steel Armor[TM] powder coat. Hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	\$92	181#
5783289	Non-Steerable Pusher Wheel: Accuride 51487 22.5x 8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$10	0#
5783292	Non-Steerable Pusher Wheel: Accuride 51455 22.5x 8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$0	0#
5783294	Non-Steerable Pusher Wheel: KW100 88U60 22.5X8.25 aluminum with Ultra One high polish hub-pilot mount. 7300lb max rating. Level 1 finish.	\$1,382	-44#
5783338	Non-Steerable Pusher Wheel: Accuride 43644 22.5x8.25, 4-4; aluminum Standard Polish. Hub-pilot mount. 7400lb. maximum rating.	\$1,090	-104#
5783347	Non-Steerable Pusher Wheel: Kenworth 10-spoke 98U69 24.5x8.25, 4-4; aluminum with Ultra One High Polish finish. Hub-pilot mount. 7300lb. maximum rating.	\$1,037	-28#



# T480: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

## Pusher Axle Wheels

### Non-Steerable Pushers 4-4

5783351	Non-Steerable Pusher: Alcoa ULA18 22.5x8.25 4-4 MagnaForce aluminum alloy, hub pilot mount. 7400lb maximum rating. Air Disc Brake compatible. High polish.	\$814	-102#
5783575	Non-Steerable Pusher Wheel: Alcoa 98U63 24.5X8.25 aluminum 4-4. Ultra One High Polish Wheel.	\$877	-56#
5783581	Non-Steerable Pusher Wheel: Alcoa 89U64 22.5X9 AL 4-4. Ultra One High Polish Wheel.	\$1,065	-36#
5783583	Non-Steerable Pusher Wheel: Kenworth 7-spoke 88U68 22.5X8.25, 4-4; aluminum, hub-pilot mount. 7300lb. maximum rating. Ultra One High Polish	\$984	-72#

## Tag Axle Wheels

### Steerable Tags

5780292	1 Steerable Tag Wheel: 4 Accuride 51455 22.5x8.25, 4-4 SL2200 only. Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole.	\$310	128#
5788258	1 Steerable Tag Wheel: 2 Accuride 50291 22.5X8.25 STL, HD 22.5x8.25; Steel Armor[™] powder coat. Hub-pilot mount. 8000lb maximum rating. 2-hand holes.	\$92	28#
5788259	1 Steerable Tag Wheel: 2 Accuride 50882 22.5X8.25 STL, HD 22.5x8.25; Steel Armor[™] powder coat. Hub-pilot mount. 8000lb maximum rating. 2-hand holes.	\$50	31#
5788268	1 Steerable Tag Wheel: 2 Accuride 50885 HD steel 22.5x8.25; Steel Armor[™] powder coat. Hub-pilot mount. 8000lb maximum rating. 5-hand holes.	\$46	26#
5788272	1 Steerable Tag Wheel: 2 Alcoa 76542 19.5X6.75 aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K pusher.	\$545	-68#
5788275	1 Steerable Tag Wheel: 2 Accuride 51408 STL 22.5x8.25; Steel Armor[™] powder coat. Hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	\$8	4#
5788279	1 Steerable Tag Wheel: 2 Accuride 51422 STL 22.5x8.25; Steel Armor[™] powder coat. Hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	\$2	2#
5788281	1 steerable tag wheel: 2 Alcoa 77349 19.5x7.50RW aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K tag.	\$573	-54#
5788285	1 Steerable Tag Wheel: 2 Accuride 50344 HD steel 22.5x8.25; Steel Armor[™] powder coat. Hub-pilot mount. 8000lb maximum rating. 5-hand holes.	\$90	26#
5788289	1 Steerable Tag Wheel: 2 Accuride 51487 22.5x8.25. Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$10	0#
5788292	1 Steerable Tag Wheel: 2 Accuride 51455 22.5x8.25. Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$0	0#
5788299	1 Steerable Tag Wheel: 2 Accuride 29374 22.5X12.25; aluminum Semi-polished finish, hub-pilot mount. 11000lb. maximum rating. 5.80in. offset. Air disc brake compatible.	\$900	-2#
5788554	1 Steerable Tag Wheel: 2 Alcoa ULA18 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400lb maximum rating. Air Disc Brake compatible. High polish.	\$407	-50#



# T480: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

## Tag Axle Wheels

### Steerable Tags

5788568	1 Steerable Tag Wheel: 2 Alcoa 89U63 22.5X9 aluminum. Ultra One High Polish Wheel.	\$545	-34#
5788774	1 Steerable Tag Wheel: 2 Alcoa 66480 17.5x6 aluminum. Hub pilot mount. For use with 8K Super Lite tags.	\$639	-76#

### Non-Steerable Tags 2-4

5785275	Non-Steerable Tag Wheel: Accuride 51408 ST 22.5x8.25, 2-4; Steel Armor[TM] powder coat. Hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	(\$219)	-126#
5785279	Non-Steerable Tag Wheel: Accuride 51422 ST 22.5x8.25, 2-4; Steel Armor[TM] powder coat. Hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	(\$224)	2#
5786258	Non-Steerable Tag Wheel: Accuride 50291 STL heavy-duty 22.5x8.25, 2-4; Steel Armor[TM] powder coat. Hub-pilot mount. 8000lb. maximum rating. 2-hand holes.	(\$151)	-102#
5786259	Non-Steerable Tag Wheel: Accuride 50882 STL heavy-duty 22.5x8.25, 2-4; Steel Armor[TM] powder coat. Hub-pilot mount. 8000lb. maximum rating. 2-hand holes.	(\$198)	31#
5786268	Non-Steerable Tag Wheel: Accuride 50885 STL heavy-duty 22.5 x8.25, 2-4; Steel Armor[TM] powder coat. Hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	(\$199)	26#
5786285	Non-Steerable Tag Wheel: Accuride 50344 STL heavy-duty 22.5 x8.25, 2-4; Steel Armor[TM] powder coat. Hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	(\$149)	-104#
5786289	Non-Steerable Tag Wheel: Accuride 51487 22.5x 8.25, 2-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	(\$218)	-130#
5786292	Non-Steerable Tag Wheel: Accuride 51455 22.5x 8.25, 2-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	(\$223)	0#
5786298	Non-Steerable Tag Wheel: Accuride 29683 22.5x 12.25, 2-4; aluminum Standard polish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.	\$663	-148#
5786516	Non-Steerable Tag Wheel: Alcoa 82362 22.5x12.25, 2-4; aluminum with Lvl One [TM] High Polish finish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102in. w/ 425 tires. Air disc brake compatible.	\$519	-134#

### Non-Steerable Tags 4-4

5784258	Non-Steerable Tag Wheel: Accuride 50291 22.5X8.25 heavy-duty, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes.	\$185	56#
5784259	Non-Steerable Tag Wheel: Accuride 50882 22.5X8.25 heavy-duty, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes.	\$100	190#
5784268	Non-Steerable Tag Wheel: Accuride 50885 heavy-duty 22.5 x8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	\$92	181#
5784275	Non-Steerable Tag Wheel: Accuride 51408 STL 22.5x8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount.7400lb. maximum rating. 2-hand holes.	\$212	8#



# T480: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

## Tag Axle Wheels

### Non-Steerable Tags 4-4

5784279	Non-Steerable Tag Wheel: Accuride 51422 STL 22.5x8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	\$3	2#
5784285	Non-Steerable Tag Wheel: Accuride 50344 heavy-duty 22.5 x8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	\$180	52#
5784289	Non-Steerable Tag Wheel: Accuride 51487 22.5x 8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$10	0#
5784292	Non-Steerable Tag Wheel: Accuride 51455 22.5x 8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$0	0#
5784338	Non-Steerable Tag Wheel: Accuride 43644 22.5x8.25, 4-4; aluminum Standard Polish. Hub-pilot mount. 7400lb. maximum rating.	\$1,055	-104#
5784575	Non Steerable Tag Wheel: Alcoa 98U63 24.5X8.25 aluminum 4-4 Ultra One High Polish Wheel.	\$877	-56#

## Miscellaneous Tires & Wheels

### Tire Miscellaneous

4880000	Tires Selected Limit Top Vehicle Speed Delivery requirements may apply see TE-1127/1045. Speed restricted tires.	\$0	0#
4899002	Tire/ Wheel Count for TPMS: 2.	\$85	0#
4899004	Tire/ Wheel Count for TPMS: 4.	\$170	0#
4899006	Tire/ Wheel Count for TPMS: 6.	\$255	0#
4899008	Tire/ Wheel Count for TPMS: 8.	\$340	0#
4899010	Tire/ Wheel Count for TPMS: 10.	\$428	0#

### Wheel Equipment

#### Wheelguards

5850040	Wheelguards: All Axles.	\$166	2#
---------	-------------------------	-------	----

#### Wheel Treatments

5853906	Powder Coat White Steel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5853907	Powder Coat Gray Steel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5853908	Powder Coat Blacksteel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5853909	Powder Coat Red Steel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#



# T480: TIRES & WHEELS

Option	Description	Price	Weight
<b>Miscellaneous Tires &amp; Wheels</b>			
<b>Wheel Equipment</b>			
<b>Wheel Treatments</b>			
5854010	Single Front Axle: 2 Polished Wheels. Mirror polished outboard surface of aluminum wheels.	\$139	0#
5854011	Single Rear Axle: 2 Mirror Polish Wheels. outboard surface of outer dual or single aluminum wheels.	\$179	0#
5854012	Dual Rear Axle: 4 Mirror Polish Wheels. outboard surface of outer dual or single aluminum wheels.	\$339	0#
5854031	1 Pusher: 2 Mirror Polished Wheels. Polished outboard surface of outboard wheels mounted same as front axle. For use on 1 steerable or 1 non-steerable pusher axle with single wheel.	\$139	0#
5854034	1 Tag: 2 Polished Wheels. Polished Outboard surface of outboard wheels mounted same as front axle. For use on 1 steerable or 1 non-steerable tag axle with single wheel.	\$139	0#
5854041	1 Pusher: 2 Mirror Polished Wheels. Polished outboard surface of outboard wheels. For use on 1 non-steerable pusher axle with single or dual wheel.	\$179	0#
5854044	1 Tag: 2 Polished Wheels. Polished Outboard surface of outboard wheels. For use on 1 non-steerable tag axle with single or dual wheel.	\$179	0#
5854045	Single Front Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only	\$80	0#
5854047	Single Rear Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum quantity 2	\$20	0#
5854048	Dual Rear Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only Quantity 4	\$159	0#
5854051	1 Pusher Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only	\$80	0#
5854052	2 Pusher Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only	\$159	0#
5854054	1 Tag Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only	\$80	0#
5856010	Single Front Axle: Dura-Bright Brushed (QTY 2) -0DB (Satin)	\$224	0#
5856012	Dual Rear Axle: Dura-Bright Brushed (QTY 4) -0DB (Satin)	\$565	0#
5856056	Single Front Accuride-Finish: XGT Both Surfaces 2 Wheels, Aluminum Only	\$231	0#
5856057	Dual Rear Accuride-Finish: XGT Both Surfaces 4 Wheels, Aluminum Only	\$462	0#
5856058	Dual Rear Accuride-Finish: XGT Both Surfaces 8 Wheels, Aluminum Only	\$924	0#
5856060	1 Pusher Accuride-Finish: XGT Both Surfaces. 2 Wheels, aluminum Only (Steerable or Non-Steerable)	\$231	0#
5856061	2 Pusher Accuride-Finish: XGT Both Surfaces. 4 Wheels, aluminum Only (Steerable or Non-Steerable)	\$462	0#
5856063	1 Tag Accuride-Finish: XGT Both Surfaces 2 Wheels, Aluminum Only (Steerable or Non-Steerable)	\$231	0#
5858009	Dual Rear Axle: Dura-Flange (quantity 4) -DF. For super single 2-4 wheels. Not available with Dura-Bright, except 88367.	\$447	0#

\*See PremierSpec for Applicable Restrictions



# T480: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

## Miscellaneous Tires & Wheels

### Wheel Equipment

#### Wheel Treatments

5858010	Single Front Axle: 2 Wheels Dura-Flange	\$204	0#
5858011	Single Rear Axle: Dura-Flange (quantity 4) -DF. Not available with polished or Dura-Bright except 88367.	\$447	0#
5858012	Dual Rear Axle: Dura-Flange (quantity 8) -DF	\$874	0#
5858014	1 Tag Dura-Flange; Steerable or Non-Steerable Tag N/A with super singles (quantity 2) -DF.	\$218	0#
5858015	1 Tag Dura-Flange; Non-Steerable Tag Without super singles (quantity 4) -DF.	\$437	0#
5858018	1 Pusher Dura-Flange; Steerable or Non-Steerable pusher with super singles (quantity 2) -DF.	\$218	0#
5858019	1 Pusher Dura-Flange; Non-Steerable Pusher without super singles (quantity 4) -DF. Not available with Dura-Bright.	\$437	0#
5859006	Tridem Rear Axle Wheels: Dura-Bright Mirror Polish inboard surface of inner dual aluminum wheels.	\$900	0#
5859007	Tridem Rear Axle Wheels: 6 Dura-Bright Mirror Polish Dura-Bright outboard surface of outer dual or single aluminum wheels.	\$970	0#
5859010	Single Front Axle: 2 wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of aluminum wheels.	\$238	0#
5859011	Single Rear Axle Wheels: 2 Wheels Dura-Bright Mirror Polish. Dura-Bright outboard surface of outer dual or single aluminum wheels.	\$357	0#
5859012	Dual Rear Axle Wheels: 4 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outer dual or single aluminum wheels.	\$735	0#
5859013	Single Rear: Dura-Bright Mirror Polish Inboard Surface Of Inner Wheels (2)-2DB, Required Wheel Grades, Use With 5859011	\$600	0#
5859014	Single Front Axle Wheels: Dura-Bright Mirror Polish both outboard & inboard surfaces of aluminum wheels.	\$357	0#
5859015	Dual Rear Axle Wheels: Dura-Bright Mirror Polish both outboard & inboard surfaces of outboard dual or single aluminum wheels.	\$766	0#
5859016	Dual Rear Axle Wheels: Dura-Bright Mirror Polish inboard surface of inner dual aluminum wheels.	\$644	0#
5859017	Dual Rear Axle Wheels: Dura-Bright Mirror Polish both inboard and outboard surface of inner dual aluminum wheels.	\$715	0#
5859024	Tridem Rear Axle Wheels: Dura-Bright Mirror Polish both outboard & inboard surfaces of outboard dual or single aluminum wheels.	\$1,072	0#
5859025	2 Pusher or Tag wheels: Dura-Bright Mirror Polish outboard surface of outboard wheels mounted same as rear axle. For use on 2 non-steerable lift axles.	\$556	0#
5859027	Dual Rear Axle: Dura-Bright Mirror Polish wide base singles, outboard surface (quantity 4) -1DB.	\$548	0#

\*See PremierSpec for Applicable Restrictions



# T480: TIRES & WHEELS

Option	Description	Price	Weight
<b>Miscellaneous Tires &amp; Wheels</b>			
<b>Wheel Equipment</b>			
<b>Wheel Treatments</b>			
5859028	Single Rear Axle: Dura-Bright Mirror Polish wide base singles, outboard surface (quantity 2) -1DB.	\$248	0#
5859031	1 Pusher: 2 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels mounted same as front axle. For use on 1 steerable or 1 non-steerable pusher axles w/ single wheel.	\$248	0#
5859033	3 Pushers: 3 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels mounted same as front axle. For use on 3 steerable or 3 non-steerable pusher axle w/ single wheel.	\$743	0#
5859034	1 Tag: 2 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels mounted same as front axle. For use on 1 steerable or 1 non-steerable tag axles w/ single wheel.	\$248	0#
5859040	1 Non-Steerable: Dura-Bright Mirror Polish Inner Wheels - Non-steerable (quantity 2) -1DB.	\$248	0#
5859041	1 Pusher: 2 Wheels Dura-Bright Mirror Polish Dura-Bright surface of outboard wheels.	\$278	0#
5859042	2 Pushers: 4 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels. For use 2 non-steerable pusher axle with single or dual wheel.	\$556	0#
5859044	1 Tag: 2 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels. For use on 1 non-steerable tag axle with single or dual wheel.	\$278	0#
5859045	1 Pusher Wheel: Dura-Bright Mirror Polish both surfaces of outer - Non-steerable (quantity 2) -3DB.	\$715	0#
5859046	1 Pusher Wheel: Dura-Bright Mirror Polish both surfaces of inner - Non-steerable (quantity 2) -3DB.	\$715	0#
5859065	Single Front Axle: Dura-Black Both Surfaces (QTY 2)	\$470	0#
5859066	Single Rear Axle: Dura-Black Both Surfaces (Qty 4)	\$940	0#
5859067	Dual Rear Axle: Dura-Black Both Surfaces (Qty 8)	\$1,881	0#
5859069	1 Steerable: Dura-Black Both Surfaces Tag or Pusher (Qty 2)	\$470	0#
5859070	1 Non-Steerable: Dura-Black Both Surfaces Tag or Pusher (Qty 4)	\$940	0#
<b>Wheel Miscellaneous</b>			
5800000	Pusher or Tag Wheels Mounted Inboard 2-4 Only. Mounted Same As Front Axle.	\$0	0#
5800001	Pusher Or Tag Wheels Mounted Outboard, 2-4 Only. Mounted Same As Drive Axle.	\$0	0#
5880000	Wheels Selected Limit Top Vehicle Speed. Wheels are speed restricted, special delivery requirements may apply.	\$0	0#
5890000	V2B Double Seal Cap Valves.	\$25	0#



# T480: FRAME & EQUIPMENT

Option Description	Price	Weight
--------------------	-------	--------

## Rails & Inserts

### Rail Material

#### 10.625 x 3.5 x 0.3125 Steel Frame

<b>6054250</b> Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 308 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	<b>STD</b>	<b>0#</b>
---	------------	-----------

<b>6054410</b> Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 309 in. to 380 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	<b>\$343</b>	<b>0#</b>
--	--------------	-----------

<b>6054630</b> Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 381 in. to 428 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	<b>\$706</b>	<b>0#</b>
--	--------------	-----------

<b>6054800</b> Frame Rails: 10-5/8 x 3-1/2 x 5/16in. Steel to 429 in. to 480 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	<b>\$1,319</b>	<b>0#</b>
---	----------------	-----------

#### 10.75 x 3.5 x 0.375 Steel Frame

<b>6056200</b> Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel to 284 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	<b>\$266</b>	<b>0#</b>
---	--------------	-----------

<b>6056400</b> Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 285in. to 336 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	<b>\$583</b>	<b>0#</b>
--	--------------	-----------

<b>6056600</b> Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 337in. to 416 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	<b>\$1,111</b>	<b>0#</b>
--	----------------	-----------



# T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

## Rails & Inserts

### Rail Material

#### 10.75 x 3.5 x 0.375 Steel Frame

<b>6056680</b>	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 417in. to 480 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	<b>\$1,684</b>	<b>0#</b>
----------------	---	----------------	-----------

#### 10.6875 x 3.5 x 0.5 Steel Frame

<b>6056705</b>	Frame Rails: 10-11/16 x 3-1/2 x 1/2in. Steel to 336in. Truck frame weight is 4.70 lb.-in. per pair of rails. Section modulus is 22.35, RBM is 2,683,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	<b>\$3,556</b>	<b>0#</b>
----------------	---	----------------	-----------

<b>6056707</b>	Frame Rails: 10-11/16 x 3-1/2 x 1/2 in. Steel 337 in. to 416 in. Truck frame weight is 4.70 lb.-in. per pair of rails. Section modulus is 22.35, RBM is 2,683,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	<b>\$4,293</b>	<b>0#</b>
----------------	---	----------------	-----------

<b>6056709</b>	Frame Rails: 10-11/16 x 3-1/2 x 1/2 in. Steel 417 in. to 455 in. Truck frame weight is 4.70 lb.-in. per pair of rails. Section modulus is 22.35, RBM is 2,683,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	<b>\$5,246</b>	<b>0#</b>
----------------	---	----------------	-----------

#### 11.625 x 3.875 x 0.375 Steel Frame

<b>6057600</b>	Frame Rails: 11-5/8 x 3-7/8 x 3/8 in. Steel to 447 in. Truck frame weight is 3.80 lb.-in. per pair of rails. Section modulus is 21.43, RBM is 2,572,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	<b>\$1,674</b>	<b>0#</b>
----------------	---	----------------	-----------

<b>6057680</b>	Frame Rails: 11-5/8 x 3-7/8 x 3/8in. Steel 448in. to 480 in. Truck frame weight is 3.80 lb.-in. per pair of rails. Section modulus is 21.43, RBM is 2,572,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	<b>\$2,081</b>	<b>0#</b>
----------------	---	----------------	-----------

### Full Frame Inserts

#### 9.875 x 2.875 x 0.25 Steel Insert

<b>6141200</b>	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel to 284 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 lb.-in. to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	<b>\$1,427</b>	<b>0#</b>
----------------	--	----------------	-----------

Option	Description	Price	Weight
<b>Rails &amp; Inserts</b>			
<b>Full Frame Inserts</b>			
<b>9.875 x 2.875 x 0.25 Steel Insert</b>			
6141400	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel 285 in. to 336 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$1,580	0#
6141600	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel 337 in. to 416 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$2,057	0#
6141615	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel 417 in. to 480 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb-in per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$2,439	0#
<b>10.75 x 3.5 x 0.375 Steel Insert</b>			
6144615	Full Steel Insert: for 11-5/8 in. Steel Rail to 480 in. Adds 2,132,000 in-lb to main rail RBM. 120K PSI. 11-5/8 in. primary insert RBM 4,704,000 in-lbs, section modulus is 39.20. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$3,971	0#
<b>Bumpers</b>			
<b>Bumper Style</b>			
<b>Aerodynamic</b>			
6308710	Bumper: Aerodynamic, Painted. Requires a bumper setting code.	\$67	0#
6308711	Bumper: Aerodynamic, Unpainted, in-mold color. Requires a bumper setting code.	STD	0#
6308715	Bumper: Aerodynamic Chrome Requires a Bumper setting code.	\$1,094	68#
<b>Steel Channel</b>			
6302460	Bumper: Tapered Painted Steel Channel. Requires a bumper setting code.	\$475	65#
<b>Other Bumper Style</b>			
6309910	Delete bumper: Requires a bumper setting code.	(\$169)	-27#
6309912	Delete Bumper: For Use With Provisions for customer-installed Braden winch bumper (2.1m MD) or heavy-duty front frame brackets for customer-installed winch bumper. Requires a bumper setting code.	\$0	0#
<b>Bumper Setting</b>			
6319040	40 in. Bumper Setting. Requires a Bumper Code.	\$0	0#
6319064	64 in. Bumper Setting. Requires a Bumper Code.	\$0	0#
<b>Bumper Equipment</b>			
6321010	Front Tow Loops: Two	STD	0#



# T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

## Bumpers

### Bumper Equipment

6324025	Front Tow Hook: Center Mounted, Cast. Requires iron front drive brackets.	\$55	3#
---------	---	------	----

## Front Frame Miscellaneous

6390034	24 in. Frame Rail Extensions. Vocational Hoods only.	\$184	36#
---------	--	-------	-----

6390077	Provisions for Customer-Installed Braden Winch bumper.	\$1,039	75#
---------	--	---------	-----

## Battery Boxes

### Parallel

6404420	Battery Box: Steel Parallel Module under W/Step, natural aluminum cover. Use with 2 or 3 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$188	9#
---------	--	-------	----

6404421	Battery Box: Steel Parallel Module under W/Step, polished aluminum cover. Use with 2 or 3 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$408	9#
---------	---	-------	----

6404422	Battery Box: Steel Parallel Module under W/Step, plastic cover. Use with 2 or 3 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	STD	0#
---------	---	-----	----

6404423	Battery Box: Steel Parallel Module under W/Step, painted aluminum cover. Use with 2 or 3 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$131	5#
---------	--	-------	----

6404424	Battery Box: Steel Parallel Module under W/Step, natural aluminum cover. Use with 4 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$613	14#
---------	---	-------	-----

6404425	Battery Box: Steel Parallel Module under W/Step, polished aluminum cover. Use with 4 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$842	14#
---------	--	-------	-----

6404426	Battery Box: Steel Parallel Module under W/Step, painted aluminum cover. Use with 4 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$578	10#
---------	---	-------	-----

### Cantilever

6400644	Battery Box Cantilever Aluminum BOC with Smooth natural finish aluminum cover.	\$447	19#
---------	--	-------	-----

6400645	Battery Box Cantilever Aluminum BOC with Full polish.	\$736	19#
---------	---	-------	-----

### Across or Between Rails BOC

6400500	Battery Box: Aluminum between the Rails BOC W/ FMCSR cover.	\$911	10#
---------	---	-------	-----

6400508	Battery Box: Aluminum between the Rails BOC W/ aluminum cover.	\$714	5#
---------	--	-------	----

6400631	Battery box: Temporary Across the Rails.	\$150	-99#
---------	--	-------	------



# T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

## Battery Boxes

### Across or Between Rails BOC

6400633	Battery Box: Temporary Across the Rails. Includes maximum cable length available.	\$191	-99#
---------	---	-------	------

### In-Cab

6405000	In-Cab Steel Battery Box: under Rider Seat or in stand alone box. Requires appropriate AGM battery code, which varies by model, and appropriate rider seat code be selected prior to entering the workscreen. Includes 1 battery disconnect switch.	\$1,334	0#
---------	---	---------	----

### Battery Box Locations

6409901	Battery Box Location: LH Side.	STD	0#
6409902	Battery Box Location: RH Side.	\$89	0#
6409903	Battery Box Location: BOC Between the Rails.	\$0	0#
6409906	In-Cab Battery Box Location: Under Rider Seat.	\$0	0#
6409908	Battery Box Location: BOC Across the Rails.	\$0	0#

### Battery Box Equipment

6409101	Double Latch on Between Rails Battery Box.	\$33	0#
6409103	Severe Service Hold Down for Cantilever Battery box. Includes battery pad.	\$120	3#
6409210	Rubber Battery Pad in Bottom of Battery Box. For cantilever-style or between the rails battery boxes.	\$12	2#
6409708	Frame Access Step Mounted to LH BOC Cantilever battery box. Not full width step.	\$345	4#
6409709	Frame Access Step Mounted to RH BOC Cantilever battery box. Not full width step.	\$345	4#
6409710	Frame Access Full Width Step Mounted to LH BOC cantilever battery box.	\$359	5#
6409711	Frame Access Full Width Step Mounted to RH BOC cantilever battery box.	\$359	5#

## Center Frame Equipment

### Frame Access

#### Grabhandles

6410010	Frame Access Grabhandle(s) LH Mounted. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$43	2#
6410011	Frame Access Grabhandle(s) RH Mounted. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$43	2#
6410028	Frame Access Grabhandle, Additional LH Mounted in side extender. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$82	2#
6410029	Frame Access Grabhandle, Additional RH Mounted on side extender. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$82	2#



## T480: FRAME & EQUIPMENT

Option Description	Price	Weight
--------------------	-------	--------

### Center Frame Equipment

#### Frame Access

##### Grabhandles

6410092	Frame Access Grabhandle Horizontal Mounted at midpoint of sleeper or Daycab.	\$29	2#
---------	--	------	----

##### Deckplate

6414500	Flush Mounted Deck Plate, in Place of Frame mounted.	\$188	6#
---------	--	-------	----

6414521	Deck Plate: Up to and Including 21 in. Frame mounted.	\$121	12#
---------	---	-------	-----

6414542	Deck Plate: Up to and Including 42 in. Frame mounted.	\$210	23#
---------	---	-------	-----

6414563	Deck Plate: Up to and Including 63 in. Frame mounted.	\$307	34#
---------	---	-------	-----

##### Steps

6417002	Cab Access Step: RH under Mounted to Frame.	\$259	60#
---------	---	-------	-----

6417007	Frame Access Steps: 2 Ladder-Type, RH Mount. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.	\$171	15#
---------	--	-------	-----

6417009	Frame Access Steps: 2 for Fuel/Hydraulic Tank BOC, RH mount. Available when rear of tank under extends more than 14 in. behind rear of cab, sleeper, or side extender. For tanks located totally behind a cab or sleeper the front of the tank must be within 14 in. from the rear of cab, sleeper, or side extender.	\$223	6#
---------	---	-------	----

6418002	Cab Access Step: LH Under Mounted to Frame.	\$259	60#
---------	---	-------	-----

6418006	Frame Access Steps: 2 Ladder-Type, LH Mount. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.	\$171	15#
---------	--	-------	-----

6418008	Frame Access Steps: 2 for Fuel/Hydraulic Tank BOC, LH mount. Available when rear of tank under extends more than 14 in. behind rear of cab, sleeper, or side extender. For tanks located totally behind a cab or sleeper the front of the tank must be within 14 in. from the rear of cab, sleeper, or side extender.	\$223	6#
---------	---	-------	----

6419001	Polished Frame Access Ladder Step. Use with LH or RH frame access step codes.	\$42	0#
---------	---	------	----

#### Box Step Options

6409715	Ladder-Type Step LH under Cab Below Battery Box or toolbox.	\$236	11#
---------	---	-------	-----

6409716	Ladder-Type Step RH under Cab Below Battery Box or toolbox or DPF - SCR.	\$236	11#
---------	--	-------	-----

### Toolboxes

6474420	Tool Box: Steel Parallel Module Under W/ Step, natural aluminum cover. Up to 2 air tanks may be mounted to bottom of box.	\$831	54#
---------	---	-------	-----

6474421	Tool Box: Steel Parallel Module Under W/ Step, polished aluminum cover. Up to 2 air tanks may be mounted to bottom of box.	\$1,051	54#
---------	--	---------	-----

6474422	Tool Box: Steel Parallel Module Under W/ Step, plastic cover. Up to 2 air tanks may be mounted to bottom of box.	\$643	45#
---------	--	-------	-----



# T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Toolboxes</b>			
6474423	Tool Box: Steel Parallel Module Under W/ Step, painted aluminum cover. Up to 2 air tanks may be mounted to bottom of box.	\$773	51#
6474424	2nd Tool Box:Steel Parallel Module Under W/Step, natural aluminum cover. Up to 2 air tanks may be mounted to bottom of box.	\$831	54#
6474425	2nd Tool Box:Steel Parallel Module Under W/Step, polished aluminum cover. Up to 2 air tanks may be mounted to bottom of box.	\$1,051	54#
6474426	2nd Tool Box:Steel Parallel Module Under W/Step, plastic cover. Up to 2 air tanks may be mounted to bottom of box.	\$643	45#
6474427	2nd Tool Box:Steel Parallel Module Under W/Step, painted aluminum cover. Up to 2 air tanks may be mounted to bottom of box.	\$773	51#
6474450	Tool Box: Aluminum Parallel Module BOC, Natural aluminum cover with step and lock. Up to 2 air tanks may be mounted to bottom of box.	\$1,044	82#
6474451	Tool Box: Aluminum Parallel Module BOC, Polished aluminum cover with step and lock. Up to 2 air tanks may be mounted to bottom of box.	\$1,099	82#
6474454	Tool Box: Aluminum Parallel Module BOC, Natural aluminum cover with lock, without step. Up to 2 air tanks may be mounted to bottom of box.	\$775	58#
6474455	Tool Box: Aluminum Parallel Module BOC, Polished aluminum cover with lock, without step. Up to 2 air tanks may be mounted to bottom of box.	\$918	58#

## Toolbox Locations

6479901	Toolbox Location: LH Side.	\$0	0#
6479902	Toolbox Location: RH Side.	\$0	0#
6479905	Second Toolbox Location: LH Side.	\$0	0#
6479915	Second Toolbox Location: RH Side.	\$0	0#

## DPF/SCR Covers

6451125	DPF/SCR Box Natural End Plates and Natural cover.	STD	0#
6451126	DPF/SCR Box Polished End Plates and Polished cover.	\$261	0#
6451127	DPF/SCR Box Polished End Plates and Diamond Plate cover.	\$199	0#

## Frame Crossmembers & Upgrades

6490139	Heavy-Duty One-PC Aluminum Intermediate/ Fill-In crossmember.	STD	0#
6490433	Heavy-Duty 5-Piece Rear Cab Support, Hucked assembly. Huck fastened to frame.	STD	0#
6490434	Heavy-Duty 5-Piece Rear Cab Support, Bolted assembly. Huck fastened to frame.	\$0	0#

Option	Description	Price	Weight
<b>Center Frame Clear Space</b>			
6491011	One Clear Frame Space Area Without Custom Frame layout. Use with first clear frame space area code or customer-installed APU code when not using a custom frame layout code.	\$347	0#
6491012	Two Clear Frame Space Areas Without Custom frame layout. Use with first and second clear frame space area codes or customer-installed APU code when not using a custom frame layout code.	\$695	0#
6497020	First Clear Frame Space Dimensioned from Back of Cab.	\$0	0#
6497030	Second Clear Frame Space Dimensioned from Back of Cab.	\$0	0#
<b>First Request Area</b>			
6497101	First - LH Outside Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497102	First - RH Outside Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497103	First - LH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497104	First - RH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497105	First - LH Outside and LH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497106	First - RH Outside and RH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497107	First - Between Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497108	First - Between and Below Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
<b>First Request Length</b>			
6497310	First - 10 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497312	First - 12 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#



# T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

## Center Frame Clear Space

### First Request Length

6497314	First - 14 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497316	First - 16 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497318	First - 18 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497320	First - 20 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497322	First - 22 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497324	First - 24 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497326	First - 26 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497328	First - 28 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497330	First - 30 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497332	First - 32 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497334	First - 34 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497336	First - 36 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497338	First - 38 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497340	First - 40 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497341	First - 41 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497350	First - 50 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497360	First - 60 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#

### First Request Location

6497200	Directly Behind the Under Fuel/ Hydraulic Tank. First clear frame space location.	\$0	0#
---------	---	-----	----



# T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

## Center Frame Clear Space

### First Request Location

6497201	Directly Behind the BOC Fuel/ Hydraulic Tank. First clear frame space location.	\$0	0#
6497202	Directly Forward of the Rearmost Fuel/ Hydraulic tank. First clear frame space location.	\$0	0#
6497203	Directly Behind DEF Tank. First clear frame space location.	\$0	0#
6497204	Directly Behind the Battery Box. First clear frame space location.	\$0	0#
6497205	Directly Behind the DPF/SCR Box. First clear frame space location.	\$0	0#
6497206	Directly Behind the Toolbox or Temporary Cab entry step for use with natural gas engines. First clear frame space location.	\$0	0#
6497207	Directly Forward of the Rear Suspension/ Quarter fender. First clear frame space location.	\$0	0#
6497209	Directly Behind the Under Cab Component. First clear frame space location.	\$0	0#
6497210	Directly Behind BOC1 Fuel/ Hydraulic Tank or Box. First clear frame space location.	\$0	0#
6497211	Directly Behind BOC2 Fuel/ Hydraulic Tank or Box. First clear frame space location.	\$0	0#

### Second Request Area

6497109	Second - LH Outside Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497110	Second - RH Outside Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497111	Second - LH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497112	Second - RH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497113	Second - LH Outside and LH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497114	Second - RH Outside and RH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#



# T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

## Center Frame Clear Space

### Second Request Area

6497115	Second - Between Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497116	Second - Between and Below Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#

### Second Request Length

6497510	Second - 10 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497512	Second - 12 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497514	Second - 14 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497516	Second - 16 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497518	Second - 18 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497520	Second - 20 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497522	Second - 22 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497524	Second - 24 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497526	Second - 26 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497528	Second - 28 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497530	Second - 30 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497532	Second - 32 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497534	Second - 34 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497536	Second - 36 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#



## T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Center Frame Clear Space</b>			
<b>Second Request Length</b>			
6497538	Second - 38 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497540	Second - 40 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497541	Second - 41 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497550	Second - 50 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497560	Second - 60 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
<b>Second Request Location</b>			
6497230	Directly Behind the Under Fuel/ Hydraulic Tank. Second clear frame space location.	\$0	0#
6497231	Directly Behind the BOC Fuel/ Hydraulic Tank. Second clear frame space location.	\$0	0#
6497232	Directly Forward of the Rearmost Fuel/ Hydraulic tank. Second clear frame space location.	\$0	0#
6497233	Directly Behind DEF Tank. Second clear frame space location.	\$0	0#
6497234	Directly Behind the Battery Box. Second clear frame space location.	\$0	0#
6497235	Directly Behind the DPF/SCR Box. Second clear frame space location.	\$0	0#
6497236	Directly Behind the Toolbox or Temporary Cab entry step for use with natural gas engines. Second clear frame space location.	\$0	0#
6497237	Directly Forward of the Rear Suspension/ Quarter fender. Second clear frame space location.	\$0	0#
6497239	Directly Behind the Under Cab Component. Second clear frame space location.	\$0	0#
6497240	Directly Behind BOC1 Fuel/ Hydraulic Tank or Box. Second clear frame space location.	\$0	0#
6497241	Directly Behind BOC2 Fuel/ Hydraulic Tank or Box. Second clear frame space location.	\$0	0#
<b>Miscellaneous Center Frame Equipment</b>			
6397001	Huck Bolts Throughout Frame, where Possible.	\$0	0#
6397016	Frame Holes without Fasteners for Body Builder.	\$0	0#



## T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Body Builder Requirements</b>			
6390091	Frame Layout Picture to Dealer Prior to Build date. Information only, no changes. This provides basic frame layout illustration in a PDF file. Adobe Reader or other software capable of viewing PDF files is required on your computer. A copy of the frame layout can be obtained once the engineering work has been completed. This drawing will help the body builder define clearance requirements for the chassis.	\$695	0#
6390097	DXF Frame Layout to Dealer Prior to Build Date. Information only, no changes. This provides a frame layout in a .DXF format data file suitable for use w/ many CAD programs.	\$695	0#
6391201	Custom Frame Layout: One Chassis	\$1,380	0#
6391202	Custom Frame Layout: Two Chassis	\$690	0#
6391203	Custom Frame Layout: 3-4 Chassis	\$375	0#
6391205	Custom Frame Layout: 5-9 Chassis	\$200	0#
6391210	Custom Frame Layout: 10-24 Chassis	\$100	0#
6391225	Custom Frame Layout: 25-49 Chassis	\$40	0#
6391250	Custom Frame Layout: 50 or more Chassis	\$30	0#
6679856	Final End-of-Frame Cut-Off Dimension Will be modified to less than or equal to 45 in.	\$0	0#
6679857	Final End-of-Frame Cut-Off Dimension Will be modified to 46 in. to 50 in.	\$0	0#
6679858	Final End-of-Frame Cut-Off Dimension Will be modified to 51 in. to 55 in.	\$0	0#
6679859	Final End-of-Frame Cut-Off Dimension Will be modified to 56 in. to 60 in.	\$0	0#
6679860	Final End-of-Frame Cut-Off Dimension Will be modified to 61 in. to 65 in.	\$0	0#
6679862	Final End-of-Frame Cut-Off Dimension Will be modified to 66 in. to 74 in.	\$0	0#
6679864	Final End-of-Frame Cut-Off Dimension Will be modified to greater than or equal to 75 in.	\$0	0#
6679914	Any Changes to Rear Cab/Sleeper Area Must Comply w/FMCSR 399.	\$0	0#
6679915	Customer-Installed Bulkhead and/or Headache rack.	\$0	0#
6679995	Customer Will Install Structural End-of-Frame crossmember before vehicle is placed in service.	\$0	0#
6790003	Special Frame Drill: Dealer to Provide Drawing with dimensions and revision level. Acceptable hole diameters range from 10.2 mm to 40.4 mm. Preferred file format is .pdf. Not for use for rear suspension, fifth wheel or other published frame drilling code. Does not replace clear frame space requests or custom frame layout.	\$1,390	0#



# T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Fixed Fifth Wheels</b>			
6541232	Fifth Wheel: Fixed, Holland FW17Y700XL00 7.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,654	378#
6541234	Fifth Wheel: Fixed, Holland FW17Y800XL00 8.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,657	383#
6541236	Fifth Wheel: Fixed, Holland FW17Y900XL00 9.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,660	388#
6541272	Fifth Wheel: Fixed, Holland FW17Z600XL00 5.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,766	333#
6541273	Fifth Wheel: Fixed, Holland FW17Z700XL00 6.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,770	341#
6541275	Fifth Wheel: Fixed, Holland FW17Z800XL00 7.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,774	351#
6541276	Fifth Wheel: Fixed, Holland FW17Z900XL00 8.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,772	343#
6541548	Fifth Wheel: Fixed, Holland FW35-S10268-XL 8.5 in. Inboard w/ .5in. angles 55K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,293	381#
6541551	Fifth Wheel: Fixed, Holland FW35-07690-1 9.5 in. Outboard mounting angles, heavy-duty mounting plate, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,423	351#
6541570	Fifth Wheel: Fixed, Holland FW35-7727XL19 11.76 in. height and Kompensator mechanism. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,743	721#
6541572	Fifth Wheel: Fixed, Holland FW35-7727XL19 11.76 in. height. Kompensator with lockout feature. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,935	736#
6541573	Fifth Wheel: Fixed, Holland FW35-7729XL19 9.76 in. height. Kompensator with lockout feature. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,700	672#
6541670	Fifth Wheel: Fixed, Holland FW35Y600XL00 6.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,613	396#
6541672	Fifth Wheel: Fixed, Holland FW35Y700XL00 7.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,616	355#



# T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Fixed Fifth Wheels</b>			
6541673	Fifth Wheel: Fixed, Holland FW35Y700XR00 7.00 in. height. Outboard mounting angles, 55K vertical rating, RH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,616	391#
6541675	Fifth Wheel: Fixed, Holland FW35Y800XL00 8.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,618	401#
6541678	Fifth Wheel: Fixed, Holland FW35Y900XL00 9.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,622	412#
6541685	Fifth Wheel: Fixed, Holland FW35Z600XL00 5.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,860	370#
6541687	Fifth Wheel: Fixed, Holland FW35Z700XL00 6.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,865	363#
6541689	Fifth Wheel: Fixed, Holland FW35Z800XL00 7.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,869	363#
6541690	Fifth Wheel: Fixed, Holland FW35Z800XR00 7.62 in. height. Outboard mounting angles, 55K vertical rating, RH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,909	363#
6541692	Fifth Wheel: Fixed, Holland FW35Z800XL80 7.62 in. height. Air operated KP release. Outboard mounting angles, 55K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,288	388#
6541693	Fifth Wheel: Fixed, Holland FW35Z900XL00 8.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,867	375#
6541695	Fifth Wheel: Fixed, Holland FW35Z900XR00 8.62 in. height. Outboard mounting angles, 55K vertical rating, RH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,928	381#
6541752	Fifth Wheel: No-Tilt Fixed, Holland FW35N800YL00 8.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,263	489#
6541753	Fifth Wheel: No-Tilt Fixed, Holland FW35N900YL00 9.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,263	489#
6551060	Fifth Wheel: Fixed, Holland FW0070-7601XL03 9.50 in. height & 3-1/2in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.	\$2,763	604#
6551061	Fifth Wheel: Fixed, Holland FW0070-7603XL 7.50 in. height & 2in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.	\$2,760	593#

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Fixed Fifth Wheels</b>			
6551320	Fifth Wheel: Fixed, Holland FW0070-7601XL 9.50 in. height & 2in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.	\$2,741	604#
6551322	Fifth Wheel: Fixed, Holland FW0070-7602XL 8.50in. height & 2in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.	\$2,764	597#
6561554	Fifth Wheel: Aluminum Fixed, Holland FWALZ600XL00 6.3 in. height, plate mount.	\$3,810	278#
6561556	Fifth Wheel: Aluminum Fixed, Holland FWALZ700XL00 7.3 in height, plate mount.	\$3,817	286#
6561558	Fifth Wheel: Aluminum Fixed, Holland FWALZ800XL00 8.3 in. height, plate mount.	\$3,823	293#
6561560	Fifth Wheel: Aluminum Fixed, Holland FWALZ900XL00 9.3 in. height, plate mount.	\$3,820	289#
<b>Jost Fixed Fifth Wheels</b>			
6591006	Fifth Wheel: Fixed, Jost JSK37UWB-PM7X 7.16 in. height. Low lube, outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,042	432#
6591007	Fifth Wheel: Fixed, Jost JSK37UWB-PM9X 9.16 in. height. Low lube, outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,075	440#
6591008	Fifth Wheel: Fixed, Jost JSK37UWB-PM8X 8.16 in. height. Low lube, outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,064	434#
6591036	Fifth Wheel: No-Tilt Fixed, Jost JSK37USLN-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,901	385#
6591043	Fifth Wheel: Fixed, Jost JSK37USB-PM7X 7.16 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,596	427#
6591045	Fifth Wheel: Fixed, Jost JSK37USB-PM8X 8.16 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,596	438#
6591046	Fifth Wheel: Fixed, Jost JSK37USB-PM9X 9.16 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,613	438#
6591059	Fifth Wheel: Fixed, Jost JSK37USB-DB6X 5.85 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,556	359#
6591060	Fifth Wheel: Fixed, Jost JSK37USB-DB7X 6.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,583	361#
6591061	Fifth Wheel: Fixed, Jost JSK37USB-DB8X 7.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,602	365#



# T480: FRAME & EQUIPMENT

Option Description	Price	Weight
--------------------	-------	--------

## Fifth Wheels

### Jost Fixed Fifth Wheels

<b>6591062</b> Fifth Wheel: Fixed, Jost JSK37USB-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	<b>\$1,608</b>	<b>372#</b>
<b>6591135</b> Fifth Wheel: No-Tilt Fixed, Jost JSK37UWLN-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, w/ low lube, no-tilt. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	<b>\$2,269</b>	<b>385#</b>
<b>6591175</b> Fifth Wheel: Fixed, Jost JSK37USA-DB7X 6.85 in. height. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	<b>\$1,980</b>	<b>365#</b>
<b>6591176</b> Fifth Wheel: Fixed, Jost JSK37USA-DB8X 7.85 in. height. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	<b>\$1,951</b>	<b>368#</b>

### Holland Air-Sliding Fifth Wheels

<b>6543021</b> Fifth Wheel: ILS<=40K air Hol FW35J712XL00 12 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	<b>\$2,300</b>	<b>473#</b>
<b>6543040</b> Fifth Wheel: ILS<=40K air Hol FW35J712XL80 12 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	<b>\$2,740</b>	<b>471#</b>
<b>6543046</b> Fifth Wheel: ILS<=40K air Hol FW17J912XL00 12 in. slide, 8.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	<b>\$2,072</b>	<b>449#</b>
<b>6543047</b> Fifth Wheel: ILS<=40K air Hol FW17J812XL00 12 in. slide, 7.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	<b>\$2,070</b>	<b>445#</b>
<b>6543052</b> Fifth Wheel: ILS<=40K air Hol FW35J836XL00 36 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	<b>\$2,623</b>	<b>566#</b>
<b>6543054</b> Fifth Wheel: ILS<=40K air Hol FW35J924XL00 24 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	<b>\$2,468</b>	<b>522#</b>
<b>6543083</b> Fifth Wheel: ILS<=40K air Hol FW35J824XL80 24 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	<b>\$2,961</b>	<b>523#</b>
<b>6543207</b> Fifth Wheel: ILS<=40K air Hol FW35J718XL80 18 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	<b>\$2,967</b>	<b>538#</b>
<b>6543210</b> Fifth Wheel: ILS<=40K air Hol FW35J724XL00 24 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	<b>\$2,462</b>	<b>521#</b>



# T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Air-Sliding Fifth Wheels</b>			
6543213	Fifth Wheel: ILS<=40K air Hol FW35J724XL80 24 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,974	518#
6543214	Fifth Wheel: ILS<=40K air Hol FW35J736XL00 36 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,577	561#
6543217	Fifth Wheel: ILS<=40K air Hol FW35J736XL80 36 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,047	546#
6543218	Fifth Wheel: ILS<=40K air Hol FW35J748XL00 48 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,703	609#
6543221	Fifth Wheel: ILS<=40K air Hol FW35J748XL80 48 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,342	614#
6543222	Fifth Wheel: ILS<=40K air Hol FW35J812XL00 12 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,303	471#
6543225	Fifth Wheel: ILS<=40K air Hol FW35J812XL80 12 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,789	476#
6543226	Fifth Wheel: ILS<=40K air Hol FW35J824XL00 24 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,465	518#
6543235	Fifth Wheel: ILS<=40K air Hol FW35J836XL80 36 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,113	571#
6543236	Fifth Wheel: ILS<=40K air Hol FW35J848XL00 48 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,826	614#
6543239	Fifth Wheel: ILS<=40K air Hol FW35J848XL80 48 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,287	619#
6543240	Fifth Wheel: ILS<=40K air Hol FW35J912XL00 12 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,370	475#



# T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Air-Sliding Fifth Wheels</b>			
6543243	Fifth Wheel: ILS<=40K air Hol FW35J912XL80 12 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,891	480#
6543246	Fifth Wheel: ILS<=40K air Hol FW35J924XL24 24 in. slide, 8.8 in. height. Includes drills and taps for auto lube. Outboard, 55K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,679	522#
6543247	Fifth Wheel: ILS<=40K air Hol FW35J924XL80 24 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,960	527#
6543248	Fifth Wheel: ILS<=40K air Hol FW35J936XL00 36 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,706	570#
6543251	Fifth Wheel: ILS<=40K air Hol FW35J936XL80 36 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,254	575#
6543252	Fifth Wheel: ILS<=40K air Hol FW35J948XL00 48 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,811	618#
6543255	Fifth Wheel: ILS<=40K air Hol FW35J948XL80 48 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,280	623#
6543260	Fifth Wheel: ILS<=40K air Hol FW35J024XL00 24 in. slide, 10 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions.	\$2,783	539#
6543263	Fifth Wheel: ILS<=40K air Hol FW35J036XL00 36 in. slide, 9.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,728	596#
6543267	Fifth Wheel: ILS<=40K air Hol FW35J048XL00 48 in. slide, 9.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,906	643#
6543339	Fifth Wheel: ILS<=40K air Hol FW33J812XL00 12 in. slide, 8.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,652	496#
6543341	Fifth Wheel: ILS<=40K air Hol FW33J712XL00 12 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,652	488#



# T480: FRAME & EQUIPMENT

Option Description	Price	Weight
<b>Fifth Wheels</b>		
<b>Holland Air-Sliding Fifth Wheels</b>		
<b>6543342</b> Fifth Wheel: ILS<=40K air Hol FW33J712XL80 12 in. slide, 7.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	<b>\$3,615</b>	<b>493#</b>
<b>6543343</b> Fifth Wheel: ILS<=40K air Hol FW33J724XL00 24 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	<b>\$2,889</b>	<b>538#</b>
<b>6543344</b> Fifth Wheel: ILS<=40K air Hol FW33J724XL80 24 in. slide, 7.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	<b>\$3,564</b>	<b>543#</b>
<b>6543345</b> Fifth Wheel: ILS<=40K air Hol FW33J736XL00 36 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	<b>\$2,898</b>	<b>586#</b>
<b>6543346</b> Fifth Wheel: ILS<=40K air Hol FW33J736XL80 36 in. slide, 7.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	<b>\$3,810</b>	<b>591#</b>
<b>6543347</b> Fifth Wheel: ILS<=40K air Hol FW33J748XL00 48 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	<b>\$3,297</b>	<b>634#</b>
<b>6543349</b> Fifth Wheel: ILS<=40K air Hol FW33J812XL80 12 in. slide, 8.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	<b>\$3,667</b>	<b>501#</b>
<b>6543350</b> Fifth Wheel: ILS<=40K air Hol FW33J824XL00 24 in. slide, 8.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	<b>\$2,890</b>	<b>543#</b>
<b>6543352</b> Fifth Wheel: ILS<=40K air Hol FW33J836XL00 36 in. slide, 8.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	<b>\$2,959</b>	<b>591#</b>
<b>6543354</b> Fifth Wheel: ILS<=40K air Hol FW33J848XL00 48 in. slide, 8.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	<b>\$3,558</b>	<b>639#</b>
<b>6543355</b> Fifth Wheel: ILS<=40K air Hol FW33J848XL80 48 in. slide, 8.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	<b>\$4,069</b>	<b>644#</b>



# T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Air-Sliding Fifth Wheels</b>			
6543356	Fifth Wheel: ILS<=40K air Hol FW33J912XL00 12 in. slide, 9.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,652	500#
6543357	Fifth Wheel: ILS<=40K air Hol FW33J912XL80 12 in. slide, 9.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,667	505#
6543358	Fifth Wheel: ILS<=40K air Hol FW33J924XL00 24 in. slide, 9.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,782	547#
6543359	Fifth Wheel: ILS<=40K air Hol FW33J924XL80 24 in. slide, 9.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,626	552#
6543360	Fifth Wheel: ILS<=40K air Hol FW33J936XL00 36 in. slide, 9.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,915	595#
6543361	Fifth Wheel: ILS<=40K air Hol FW33J936XL80 36 in. slide, 9.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,766	601#
6543364	Fifth Wheel: ILS<=40K air Hol FW33J024XL00 24 in. slide, 10.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,247	548#
6543400	Fifth Wheel: ILS<=40K air Hol FW17J712XL00 12 in. slide, 6.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,087	441#
6543402	Fifth Wheel: ILS<=40K air Hol FW17J712XL80 12 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,616	446#
6543403	Fifth Wheel: ILS<=40K air Hol FW17J724XL00 24 in. slide, 6.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,403	488#
6543405	Fifth Wheel: ILS<=40K air Hol FW17J724XL80 24 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,778	493#

Option Description	Price	Weight
<b>Fifth Wheels</b>		
<b>Holland Air-Sliding Fifth Wheels</b>		
<b>6543414</b> Fifth Wheel: ILS<=40K air Hol FW17J812XL80 12 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	<b>\$2,800</b>	<b>450#</b>
<b>6543415</b> Fifth Wheel: ILS<=40K air Hol FW17J824XL00 24 in. slider, 7.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Limited to use with 40K & under suspensions. Not available with lift axles.	<b>\$2,254</b>	<b>493#</b>
<b>6543417</b> Fifth Wheel: ILS<=40K air Hol FW17J824XL80 24 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	<b>\$2,781</b>	<b>498#</b>
<b>6543426</b> Fifth Wheel: ILS<=40K air Hol FW17J912XL80 12 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	<b>\$2,644</b>	<b>454#</b>
<b>6543427</b> Fifth Wheel: ILS<=40K air Hol FW17J924XL00 24 in. slider, 8.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	<b>\$2,257</b>	<b>497#</b>
<b>6543429</b> Fifth Wheel: ILS<=40K air Hol FW17J924XL80 24 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	<b>\$2,776</b>	<b>502#</b>
<b>6543500</b> Fifth Wheel: ILS>40K air Hol FW33M712XL00 12 in. slide, 7 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	<b>\$3,117</b>	<b>528#</b>
<b>6543501</b> Fifth Wheel: ILS>40K air Hol FW33M712XL80 12 in. slide, 7 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	<b>\$3,657</b>	<b>533#</b>
<b>6543502</b> Fifth Wheel: ILS>40K air Hol FW33M724XL00 24 in. slide, 7 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	<b>\$2,949</b>	<b>576#</b>
<b>6543504</b> Fifth Wheel: ILS>40K air Hol FW33M736XL00 36 in. slide, 7 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	<b>\$3,459</b>	<b>624#</b>
<b>6543505</b> Fifth Wheel: ILS>40K air Hol FW33M736XL80 36 in. slide, 7 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	<b>\$4,035</b>	<b>629#</b>
<b>6543506</b> Fifth Wheel: ILS>40K air Hol FW33M748XL00 48 in. slide, 7 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	<b>\$3,572</b>	<b>672#</b>
<b>6543507</b> Fifth Wheel: ILS>40K air Hol FW33M748XL80 48 in. slide, 7 in. height. Air operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	<b>\$4,086</b>	<b>677#</b>



# T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Air-Sliding Fifth Wheels</b>			
6543508	Fifth Wheel: ILS>40K air Hol FW33M812XL00 12 in. slide, 8 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,134	554#
6543509	Fifth Wheel: ILS>40K air Hol FW33M812XL80 12 in. slide, 8 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,813	538#
6543510	Fifth Wheel: ILS>40K air Hol FW33M824XL80 24 in. slide, 8 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,597	586#
6543511	Fifth Wheel: ILS>40K air Hol FW33M836XL00 36 in. slide, 8 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,101	630#
6543512	Fifth Wheel: ILS>40K air Hol FW33M836XL80 36 in. slide, 8 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,742	634#
6543513	Fifth Wheel: ILS>40K air Hol FW33M848XL00 48 in. slide, 8 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,427	669#
6543515	Fifth Wheel: ILS>40K air Hol FW33M912XL00 12 in. slide, 9 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,134	562#
6543517	Fifth Wheel: ILS>40K air Hol FW33M924XL00 24 in. slide, 9 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,915	600#
6543519	Fifth Wheel: ILS>40K air Hol FW33M948XL00 48 in. slide, 9 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,108	680#
6543521	Fifth Wheel: ILS>40K air Hol FW33M024XL00 24 in. slide, 10 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,369	606#
6543610	Fifth Wheel: ILS No-Tilt Air, Hol FW35N918YL00 18 in. slide, 9.00 in. height. No-tilt convertible w/ outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,905	629#
6543612	Fifth Wheel: ILS No-Tilt Air, Hol FW35N930YL00 30 in. slide, 9.00 in. height. No-tilt convertible w/ outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,072	605#
6543614	Fifth Wheel: ILS No-Tilt Air, Hol FW35N942YL00 42 in. slide, 9.00 in. height. No-tilt convertible w/ outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,139	697#
6543630	Fifth Wheel: Air, Holland FW35K324ZL00 24.0 in. slide, 13.2 in. height. Kompensator mechanism, inboard mounted, 55K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$6,619	992#

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Air-Sliding Fifth Wheels</b>			
6543633	Fifth Wheel: Air, Holland FW35K336ZL19 36.0 in. slide, 13.2 in. height. Kompensator with lockout feature, inboard mounted, 55K. Accomodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$6,338	1,055#
6543642	Fifth Wheel: ILS>40K air Hol FW33M724XL80 24 in. slide, 7 in. height. Air operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,473	596#
6543644	Fifth Wheel: ILS>40K air Hol FW33M936XL00 36 in. slide, 9 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,960	641#
6543645	Fifth Wheel: ILS>40K air Hol FW33M824XL00 24 in. slide, 8 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,936	596#
6543646	Fifth Wheel: ILS>40K air Hol FW33M848XL80 48 in. slide, 8 in. height. Air operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,578	681#
6543897	Fifth Wheel: ILS Air, Hol FW33L918XL00 18.0 in. slide, 9.11 in. height. Low lube, inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,273	538#
6543935	Fifth Wheel: ILS>40K air Hol FW35M712XL00 12 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,417	503#
6543936	Fifth Wheel: ILS>40K air Hol FW35M712XL80 12 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,937	517#
6543937	Fifth Wheel: ILS>40K air Hol FW35M718XL80 18 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,888	564#
6543938	Fifth Wheel: ILS>40K air Hol FW35M724XL00 24 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,574	561#
6543939	Fifth Wheel: ILS>40K air Hol FW35M724XL80 24 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,094	556#
6543940	Fifth Wheel: ILS>40K air Hol FW35M724XR00 24 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, RH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,572	562#
6543941	Fifth Wheel: ILS>40K air Hol FW35M736XL00 36 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,735	608#
6543942	Fifth Wheel: ILS>40K air Hol FW35M736XL80 36 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,255	613#



# T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Air-Sliding Fifth Wheels</b>			
6543943	Fifth Wheel: ILS>40K air Hol FW35M748XL00 48 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,885	657#
6543944	Fifth Wheel: ILS>40K air Hol FW35M748XL80 48 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,405	662#
6543945	Fifth Wheel: ILS>40K air Hol FW35M812XL00 12 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,420	517#
6543946	Fifth Wheel: ILS>40K air Hol FW35M812XL80 12 in. slide, 8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,940	522#
6543949	Fifth Wheel: ILS>40K air Hol FW35M824XL00 24 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,576	566#
6543951	Fifth Wheel: ILS>40K air Hol FW35M824XL80 24 in. slide, 8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,097	571#
6543952	Fifth Wheel: ILS>40K air Hol FW35M824XR24 24 in. slide, 8 in. height. Drilled and tapped for auto lube. Outboard mounting angles, 55K vertical rating, RH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,647	567#
6543953	Fifth Wheel: ILS>40K air Hol FW35M836XL00 36 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,738	613#
6543954	Fifth Wheel: ILS>40K air Hol FW35M836XL80 36 in. slide, 8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,258	618#
6543955	Fifth Wheel: ILS>40K air Hol FW35M848XL00 48 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,887	662#
6543956	Fifth Wheel: ILS>40K air Hol FW35M848XL80 48 in. slide, 8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,408	667#
6543957	Fifth Wheel: ILS>40K air Hol FW35M912XL00 12 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,422	521#
6543958	Fifth Wheel: ILS>40K air Hol FW35M912XL80 12 in. slide, 9 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,943	526#
6543961	Fifth Wheel: ILS>40K air Hol FW35M924XL00 24 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,579	570#



# T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Air-Sliding Fifth Wheels</b>			
6543963	Fifth Wheel: ILS>40K air Hol FW35M924XL24 24 in. slide, 9 in. height. Drilled and tapped for auto lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,649	570#
6543964	Fifth Wheel: ILS>40K air Hol FW35M924XL80 24 in. slide, 9 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,099	575#
6543965	Fifth Wheel: ILS>40K air Hol FW35M924XR24 24 in. slide, 9 in. height. Drilled and tapped for auto lube. Outboard mounting angles, 55K vertical rating, RH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,649	571#
6543966	Fifth Wheel: ILS>40K air Hol FW35M936XL00 36 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,740	617#
6543967	Fifth Wheel: ILS>40K air Hol FW35M936XL80 36 in. slide, 9 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,260	622#
6543968	Fifth Wheel: ILS>40K air Hol FW35M948XL00 48 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,890	666#
6543969	Fifth Wheel: ILS>40K air Hol FW35M948XL80 48 in. slide, 9 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,410	671#
6543975	Fifth Wheel: ILS>40K air Hol FW35M024XL00 24 in. slide, 10 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,675	592#
6543977	Fifth Wheel: ILS>40K air Hol FW35M036XL00 36 in. slide, 10 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,559	639#
6543979	Fifth Wheel: ILS>40K air Hol FW35M048XL00 48 in. slide, 10 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,670	688#
6544021	Fifth Wheel: ILS Air, Hol FW35L718XL00 18.0 in. slide, 7.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,632	554#
6544024	Fifth Wheel: ILS Air, Hol FW35L836XL00 36.0 in. slide, 8.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,901	587#
6544025	Fifth Wheel: ILS Air, Hol FW35L848XL00 48.0 in. slide, 8.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,931	629#
6544026	Fifth Wheel: ILS Air, Hol FW35L918XL00 18.0 in. slide, 9.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,637	564#



# T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Air-Sliding Fifth Wheels</b>			
6544027	Fifth Wheel: ILS Air, Hol FW35L924XL00 24.0 in. slide, 9.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,630	550#
6544030	Fifth Wheel: ILS Air, Hol FW35L018XL00 18.0 in. slide, 10.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,694	577#
6553760	Fifth Wheel: Air, Holland FW70S924XL00 24.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$4,943	847#
6553761	Fifth Wheel: Air, Holland FW70S948XL00 48.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$5,311	981#
6553764	Fifth Wheel: Air, Holland FW70S960XL00 60.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$5,985	1,048#
6553765	Fifth Wheel: Air, Holland FW70S848XL00 48.0 in. slide, 8.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$5,400	976#
6553766	Fifth Wheel: Air, Holland FW70S972XL00 72.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$6,430	1,115#
6553768	Fifth Wheel: Air, Holland FW70S824XL00 24.0 in. slide, 8.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$4,942	842#
6553773	Fifth Wheel: Air, Holland FW70S872XL00 72.0 in. slide, 8.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$6,520	1,110#
6560002	Fifth Wheel: Air, ILS Holland, FWALJ712XL00 12in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$4,404	397#
6560003	Fifth Wheel: Air, ILS Holland, FWALJ724XL00 24in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$4,519	444#
6560004	Fifth Wheel: Air, ILS Holland, FWALJ736XL00 36in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$4,862	492#
6560005	Fifth Wheel: Air, ILS Holland, FWALJ748XL00 48in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$5,012	540#
6560006	Fifth Wheel: Air, ILS Holland, FWALJ812XL00 12in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$4,456	402#
6560007	Fifth Wheel: Air, ILS Holland, FWALJ824XL00 24in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$4,914	449#



# T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Holland Air-Sliding Fifth Wheels</b>			
6560008	Fifth Wheel: Air, ILS Holland, FWALJ836XL00 36in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$4,898	497#
6560009	Fifth Wheel: Air, ILS Holland, FWALJ848XL00 48in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$5,209	545#
6560055	Fifth Wheel: Air, ILS Holland, FWALJ912XL00 12in. slide, 9.0in. height. Aluminum, outboard mounted.	\$4,460	406#
6560056	Fifth Wheel: Air, ILS Holland, FWALJ924XL00 24in. slide, 9.0in. height. Aluminum, outboard mounted.	\$4,527	453#
6560057	Fifth Wheel: Air, ILS Holland, FWALJ936XL00 36in. slide, 9.0in. height. Aluminum, outboard mounted.	\$4,787	501#
6560058	Fifth Wheel: Air, ILS Holland, FWALJ948XL00 48 in. slide, 9.0 in. height. Aluminum, outboard mounted.	\$5,020	549#
<b>Customer-Installed Fifth Wheels</b>			
6600201	Fifth Wheel: Fixed, Dealer & Customer-Installed	\$0	0#
6600202	Fifth Wheel: Slide, Dealer & Customer-Installed 12 inches.	\$0	0#
6600203	Fifth Wheel: Slide, Dealer & Customer-Installed 13 inches to 24 inches.	\$0	0#
6600204	Fifth Wheel: Slide, Dealer & Customer-Installed 25 inches to 36 inches.	\$0	0#
6600205	Fifth Wheel: Slide, Dealer & Customer-Installed over 36 inches.	\$0	0#
<b>Jost Air-Sliding Fifth Wheels</b>			
6593071	Fifth Wheel: Air, Jost JSK37USB-A8PX12 12.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,246	524#
6593072	Fifth Wheel: Air, Jost JSK37USB-A8PX16 16.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,288	537#
6593073	Fifth Wheel: Air, Jost JSK37USB-A8PX24 24.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,375	559#
6593074	Fifth Wheel: Air, Jost JSK37USB-A8PX36 36.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,515	597#
6593075	Fifth Wheel: Air, Jost JSK37USB-A8PX48 48.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,651	634#

Option	Description	Price	Weight
<b>Fifth Wheels</b>			
<b>Jost Air-Sliding Fifth Wheels</b>			
6593081	Fifth Wheel: Air, Jost JSK37USB-A9PX48 48.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,645	639#
6593082	Fifth Wheel: Air, Jost JSK37USB-A9PX24 24.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,385	566#
6593085	Fifth Wheel: Air, Jost JSK37USB-A9PX36 36.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,525	606#
6593087	Fifth Wheel: Air, Jost JSK37USB-A9PX12 12.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,247	531#
6593088	Fifth Wheel: Air, Jost JSK37USB-A9PX16 16.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,298	542#
6593090	Fifth Wheel: Air, Jost JSK37USB-A7PX12 12.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,242	520#
6593091	Fifth Wheel: Air, Jost JSK37USB-A7PX16 16.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,284	531#
6593092	Fifth Wheel: Air, Jost JSK37USB-A7PX24 24.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,390	555#
<b>Fixed Fifth Wheel Placement</b>			
6607023	Fifth Wheel: Fixed Angle Drilled for 4 Additional settings in 2 in. increments. Includes coded setting plus 2 settings ahead and 2 behind. Use with code 6670496-504 to determine the factory setting relative to the coded fixed setting.	\$695	0#
6607024	Fifth Wheel: Fixed Angle Drilled for 8 Additional settings in 2 in. increments. Includes coded setting plus 4 settings ahead and 4 behind. Use with code 6670494-508 to determine the factory setting relative to the coded fixed setting.	\$695	0#
6670494	Fix Fifth Wheel Placement at -6 in. from Coded rear or fixed setting for use with 6607024 angle drill. Determines factory setting for fixed fifth wheels only.	\$0	0#
6670495	Fix Fifth Wheel Placement at -8 in. from Coded rear or fixed setting for use with 6607024 angle drill. Determines factory setting for fixed fifth wheels only.	\$0	0#
6670496	Fix Fifth Wheel Placement at -4 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 4 inches behind the coded rear setting. That would allow for 4 optional settings ahead, each spaced 2 inches apart.	\$0	0#

Option	Description	Price	Weight
--------	-------------	-------	--------

## Fifth Wheels

### Fixed Fifth Wheel Placement

6670498	Fix Fifth Wheel Placement at -2 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 2 inches behind the coded rear setting. That would allow for 3 optional settings ahead and 1 optional setting behind, each spaced 2 inches apart.	\$0	0#
6670500	Fix Fifth Wheel Placement at 0 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel at the coded rear setting. That would allow for 2 optional settings ahead and two optional settings behind, each spaced 2 inches apart.	\$0	0#
6670502	Fix Fifth Wheel Placement at +2 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 2 inches ahead the coded rear setting. That would allow for 1 optional setting ahead and 3 optional settings behind, each spaced 2 inches apart.	\$0	0#
6670504	Fix Fifth Wheel Placement at +4 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 4 inches ahead the coded rear setting. That would allow for 4 optional settings behind, each spaced 2 inches apart.	\$0	0#
6670506	Fix Fifth Wheel Placement at +6 in. from Coded rear or fixed setting for use w/ 6607024 angle drill. Use to determine factory setting for fixed fifth wheels only.	\$0	0#
6670508	Fix Fifth Wheel Placement at +8 in. from Coded rear or fixed setting for use w/ 6607024 angle drill. Use to determine factory setting for fixed fifth wheels only.	\$0	0#

### Fifth Wheel Equipment

6600033	Aluminum Fifth Wheel Angles Replacing Steel on fixed or outboard mounted sliding fifth wheels.	\$262	-30#
6600052	Steel Angle for Customer-Installed Fifth Wheel. For outboard mounted fixed or up to 36.7in. slide fifth wheel w/ o plate drill.	\$572	77#
6600053	Steel Angle for Customer-Installed Fifth Wheel. For outboard mounted fifth wheel. Narrate fifth wheel model & slide; w/ plate drill.	\$806	77#
6602010	Fifth Wheel Ramps. Requires Standard or Short tractor taper bent and weld.	\$544	22#
6603011	Mounting Plate: Aluminum for Fixed Fifth Wheel replacing standard steel base plate. Adds 0.25 in. to height.	\$95	-35#

## Rear Frame Equipment

### Quarter Fenders

6734005	Quarter Fenders: Stainless Steel W/ Painted Steel brackets, single post mounted.	\$361	55#
6737120	Quarter Fenders: Black Polypropylene W/ Painted steel brackets, single post mounted, 21 in. white top flap with logo.	\$193	43#

### End-Of-Frame Configurations

#### Non-Towing Configuration

6741023	Square End-of-Frame W/ Bolted Crossmember, non-towing.	\$219	41#
---------	--	-------	-----



# T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

## Rear Frame Equipment

### End-Of-Frame Configurations

#### Non-Towing Configuration

6742009	Square End-of-Frame W/O Crossmember; Non-Towing.	STD	0#
6743109	Tractor Taper W/ Heavy-Duty Crossmember. Non-towing end-of-frame configuration.	\$217	63#
6743111	Tractor Taper W/ Crossmember. Non-Towing end-of-frame configuration.	\$142	29#
6744121	Tractor Taper W/O Crossmember. Non-Towing end-of-frame configuration.	\$45	0#
6744122	Short Tractor Taper W/O Crossmember. Non-Towing end-of-frame configuration.	\$35	0#
6744123	Short Tractor Taper Bent & Welded W/O Cross member. Non-towing end-of-frame configuration.	\$35	0#
6746131	Top Flange of Rear Frame Bent & Welded W/O crossmember. Non-towing end-of-frame configuration.	\$35	0#

#### Towing Configuration

6700005	Drop-Type Crossmember Below Frame Pintle Hook; square end-of-frame towing configuration. This crossmember limits hitch capacity to 68K.	\$1,540	155#
6741005	Straight Crossmember for Pintle Hook Mounting; square end-of-frame towing configuration. This crossmember limits hitch capacity to 78K.	\$689	135#

### Hooks & Chain Loops

6490044	2 Pro-Tech Chain Hangers 35-5950CP W/ Cable Pins and removable lids.	\$673	30#
6490144	1 Pro-Tech Chain Hanger, 35-5950CP LH Rail With removable lid & cable pin.	\$337	15#
6490145	1 Pro-Tech Chain Hanger, 35-5950CP RH Rail with removable lid & cable pin.	\$337	15#
6710029	Premier 370 Air-Operated Hook, rated 90,000 LB horizontal, 18,000 lb vertical.	\$1,920	45#
6710080	Two Rams Horn Open Rear Tow Hooks, Not for trailer towing.	\$122	17#
6710157	Holland: PH-30RP41 Pintle Hook Mounted on 15,000 lb rear suspension crossmember for use with Airglide suspensions. For yarding dollies, no trailers. 6,000lb vertical rating.	\$104	11#
6710158	Holland: PH-30RP41 Pintle Hook Mounted on 15,000 lb rear suspension crossmember for use with Reyco, Hendrickson HAS or Neway suspensions. For yarding dollies, no trailers. 6,000 lb vertical rating.	\$209	11#
6792810	Safety Chain Loops - Dual.	\$125	2#

### Pintle Hook Height

6712024	Maximum Unladen Rear Hook Height is 24 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
---------	---	-----	----

Option	Description	Price	Weight
<b>Rear Frame Equipment</b>			
<b>Pintle Hook Height</b>			
6712025	Maximum Unladen Rear Hook Height is 25 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712026	Maximum Unladen Rear Hook Height is 26 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712027	Maximum Unladen Rear Hook Height is 27 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712028	Maximum Unladen Rear Hook Height is 28 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712029	Maximum Unladen Rear Hook Height is 29 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712030	Maximum Unladen Rear Hook Height is 30 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712031	Maximum Unladen Rear Hook Height is 31 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712032	Maximum Unladen Rear Hook Height is 32 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712033	Maximum Unladen Rear Hook Height is 33 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712034	Maximum Unladen Rear Hook Height is 34 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712035	Maximum Unladen Rear Hook Height is 35 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#



# T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

## Rear Frame Equipment

### Pintle Hook Height

6712036	Maximum Unladen Rear Hook Height is 36 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712037	Maximum Unladen Rear Hook Height is 37 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712038	Maximum Unladen Rear Hook Height is 38 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712039	Maximum Unladen Rear Hook Height is 39 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712040	Maximum Unladen Rear Hook Height is 40 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#

### Rear Mudflap Equipment

#### Arms

6721100	Rear Mudflap Arms: Betts B-23 Spring Loop Type, straight.	\$19	5#
6721102	Rear Mudflap Arms: Betts B-25 Standard-Duty, straight. Includes B1732 mounting brackets as standard.	STD	0#
6721108	Rear Mudflap Arms: Betts B33, Spring Loop Type, angled.	\$30	19#
6721110	Rear Mudflap Arms: Betts B35, Shortened W/ 45 degree angle.	\$12	0#
6721125	Delete Mudflap Arms: Dealer/ Customer Responsible for installation of arms.	(\$33)	-12#
6721144	Rear Mudflap Arms: Fleetline FF30SS, Tapered spring loaded & stainless steel.	\$229	13#
6721163	Rear Mudflap Arms: Fleet Engineers, FB27 Shortie 033-04734. Conspicuity on extended flange. 45 degree angle, painted black RoadKote.	\$41	22#

#### Shields

6722000	Rear Mudflap Shields: White Plastic Antisail W/ Kenworth logo.	STD	0#
6722065	Rear Mudflap Shields: Black Rib Poly. Anti-Spray without logo.	\$23	-7#
6722094	Rear Mudflap Shields: Black Rubber Anti-Sail without logo. 28 in. wide, 0.25 in. thick.	\$44	9#
6723000	Delete Mudflap Shields-Dealer/Customer responsible for installation of shields.	\$0	-8#



# T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

## Rear Frame Equipment

### Rear Mudflap Equipment

#### Shields

6723287	Rear Mudflap Shields: Fleet Engineers AeroFlap. Black, polypropylene material. Without Kenworth logo. Not for use with Kenworth Aero Package.	\$34	0#
---------	---	------	----

#### Mudflap Equipment

6721030	Extra Set of Betts B-1732 Storage Brackets. mounted forward of drive axle(s).	\$31	3#
---------	---	------	----

6722150	Mounting Adapter: Fleet Engineers, Black Primer.	\$79	5#
---------	--	------	----

## Delivery Restriction Notifications

6679804	Do Not Drive: Marker Lights are Deleted. Unit may be decked. Transporter review delivery options. Requires code 9029025.	\$0	0#
---------	--	-----	----

6679806	Do Not Drive: Bumper is Deleted. Unit may be decked. Transporter review delivery options. Requires code 6309910 or 6309912.	\$0	0#
---------	---	-----	----

6679812	Speed Limited Tires: Less than 65MPH. Dealer to review delivery options w/transporter.	\$0	0#
---------	--	-----	----

6679823	Dealer to Review Delivery Restrictions W/ transporter. Units equipped with transfer case.	\$0	0#
---------	---	-----	----

6679828	Chassis too Long for Delivery in Standard 3 Way due to long cutoff. Dealer to review delivery options w/ transporter.	\$0	0#
---------	---	-----	----

6679836	Dealer Review Delivery Restrictions W/ transporter. Chassis lacking required safety equipment such as fenders, lighting, or bumpers & cannot be driven but may be decked.	\$0	0#
---------	---	-----	----

6679911	Component Restriction: Do Not Drive- Unit May be decked.	\$0	0#
---------	--	-----	----



# T480: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

## Round

### Hydraulic

#### Tank Location

7889803	Hydraulic Tank Location Right Side Behind Cab.	\$0	0#
7889804	Hydraulic Tank Location Left Side Behind Cab.	\$0	0#

#### Tank Fittings Location

7889810	2 Hydraulic Tank Fittings, Forward Top, Bottom.	\$0	0#
7889811	2 Hydraulic Tank Fittings, Rear Top, Bottom.	\$0	0#
7889812	2 Hydraulic Tank Fittings, 1 Forward Bottom, 1 rear bottom.	\$0	0#
7889819	4 Hydraulic Tank Fittings, 2 Forward Top/ bottom, 2 rear top/bottom.	\$284	0#

## Rectangular Steel

### Behind - Replace

7134545	Fuel Tank: 45 US Gallon Rectangular Steel Inframe replace. Mounted behind the rear axle. Includes auxiliary fuel supply tube. Single fuel tank fuel system.	\$2,182	5#
7134570	Fuel Tank: 70 US Gallon Rectangular Steel Inframe replace. Mounted behind the rear axle. Includes auxiliary fuel supply tube. Single fuel tank fuel system.	\$2,764	45#

## D-Shape Rectangular

### Aluminum Diesel

#### Under - Replace

7140050	50 US Gallon D-Shape Rectangular Aluminum Under fuel tank, replace. With non-slip step.	\$75	22#
7140060	60 US Gallon D-Shape Rectangular Aluminum Under fuel tank, replace. With non-slip step.	\$108	23#
7140070	70 US Gallon D-Shape Rectangular Aluminum Under fuel tank, replace. With non-slip step.	\$168	23#
7140080	80 US Gallon D-Shape Rectangular Aluminum Under fuel tank, replace. With non-slip step.	\$358	52#
7140100	100 US Gallon D-Shape Rectangular Aluminum Under fuel tank, replace. With non-slip step.	\$420	53#

#### Under - Add

7142050	50 US Gallon D-Shape Rectangular Aluminum Under fuel tank, additional. With non-slip step.	\$1,291	115#
7142060	60 US Gallon D-Shape Rectangular Aluminum Under fuel tank, additional. With non-slip step.	\$1,324	116#
7142070	70 US Gallon D-Shape Rectangular Aluminum Under fuel tank, additional. With non-slip step.	\$1,383	116#
7142080	80 US Gallon D-Shape Rectangular Aluminum Under fuel tank, additional. With non-slip step.	\$1,539	145#
7142100	100 US Gallon D-Shape Rectangular Aluminum Under fuel tank, additional. With non-slip step.	\$1,600	146#



# T480: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

## D-Shape Rectangular

### Aluminum Diesel

#### Behind - Replace

7144050	50 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, replace.	STD	0#
7144060	60 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, replace.	\$61	0#
7144070	70 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, replace.	\$94	0#
7144080	80 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, replace.	\$283	31#
7144100	100 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, replace.	\$345	32#

#### Behind - Add

7146050	50 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, additional.	\$1,216	93#
7146060	60 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, additional.	\$1,249	94#
7146070	70 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, additional.	\$1,310	94#
7146080	80 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, additional.	\$1,464	124#
7146100	100 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, additional.	\$1,526	125#

### Aluminum Hydraulic

#### Behind - Add

7746050	50 US Gallon D-Shape Rectangular Aluminum BOC hydraulic tank, additional.	\$1,482	108#
7746070	70 US Gallon D-Shape Rectangular Aluminum BOC hydraulic tank, additional.	\$1,568	108#

## Bright Finish

### Polished Aluminum

7840015	Polish Only One Aluminum Tank.	\$142	0#
7840029	Polish Only Two Aluminum Tanks.	\$285	0#

### Polished Stainless Steel

7889061	Polished Stainless Steel Tank Straps for 1 Tank.	\$95	0#
7889062	Polished Stainless Steel Tank Straps for 2 Tanks.	\$190	0#

## Fuel Tank Equipment

### Fuel Tank Steps

7839006	Polished Fuel Tank Steps.	\$29	0#
7839715	Ladder-Type Step Below Fuel Tank Under Cab - LH side.	\$221	9#



# T480: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

## Fuel Tank Equipment

### Fuel Tank Steps

7839716	Ladder-Type Step Below Fuel Tank Under Cab - RH side.	\$221	9#
---------	---	-------	----

### Tank Plumbing Equipment

7889368	Fuel Tank Drain Plug.	\$5	0#
---------	-----------------------	-----	----

### Tank Miscellaneous

7884051	CNG BOC, BOS Cabinet Height - Low. Measurement is less than or equal to low roof range.	\$0	0#
---------	---	-----	----

7884052	CNG BOC, BOS Cabinet Height - Mid. Measurement is greater than low roof but less than high roof range.	\$0	0#
---------	--	-----	----

7884053	CNG BOC, BOS Cabinet Height - High. Measurement is greater than or equal to high roof range.	\$0	0#
---------	--	-----	----

7884054	CNG/LNG Frame Rail Mounted Tank Only.	\$0	0#
---------	---------------------------------------	-----	----

7884055	CNG Body Mounted Cabinet Only.	\$0	0#
---------	--------------------------------	-----	----

7884056	CNG Body Mounted Cabinet with Frame Mounted Tank.	\$0	0#
---------	---	-----	----

7884057	CNG BOC, BOS Mounted Cabinet Only.	\$0	0#
---------	------------------------------------	-----	----

7884058	CNG BOC, BOS Mounted Cabinet with Frame Mounted Tank.	\$0	0#
---------	---	-----	----

7889006	Fuel Fill Forward Tank(s) BOC.	\$0	0#
---------	--------------------------------	-----	----

7889007	Fuel Fill: Center of Tank(s) BOC. Not available on fuel tanks with 3 supports or with full or partial chassis fairings.	\$0	0#
---------	---	-----	----

7889018	Fuel Fill: Rear, Tank(s) BOC	\$0	0#
---------	------------------------------	-----	----

7889021	Fuel Tank Locking Cap(s). Not Available W/ hydraulic tank. Tank lock does not match ignition/cab/sleeper locks.	\$37	0#
---------	---	------	----

7889245	Anti-Siphon Device in Fuel Tank Filler Neck. For any number of fuel tanks.	\$46	1#
---------	--	------	----

## Tank Location

7910050	Location: 50 gal fuel tank RH under cab.	\$0	0#
---------	--	-----	----

7910060	Location: 60 gal fuel tank RH under cab.	\$0	0#
---------	--	-----	----

7910070	Location: 70 gal fuel tank RH under cab.	\$0	0#
---------	--	-----	----

7910080	Location: 80 gal fuel tank RH under cab.	\$0	0#
---------	--	-----	----

7910100	Location: 100 gal fuel tank RH under cab.	\$0	0#
---------	---	-----	----

7920050	Location: 50 gal fuel tank LH under cab.	\$0	0#
---------	--	-----	----



# T480: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
<b>Tank Location</b>			
7920060	Location: 60 gal fuel tank LH under cab.	\$0	0#
7920070	Location: 70 gal fuel tank LH under cab	\$0	0#
7920080	Location: 80 gal fuel tank LH under cab.	\$0	0#
7920100	Location: 100 gal fuel tank LH under cab.	\$0	0#
7930050	Location: 50 gal fuel tank RH behind cab.	STD	0#
7930060	Location: 60 gal fuel tank RH behind cab.	\$0	0#
7930070	Location: 70 gal fuel tank RH behind cab	\$0	0#
7930080	Location: 80 gal fuel tank RH behind cab.	\$0	0#
7930100	Location: 100 gal fuel tank RH behind cab.	\$0	0#
7940000	Delete standard fuel tank location.	\$0	0#
7940050	Location: 50 gal fuel tank LH behind cab.	\$0	0#
7940060	Location: 60 gal fuel tank LH behind cab.	\$0	0#
7940070	Location: 70 gal fuel tank LH behind cab	\$0	0#
7940080	Location: 80 gal fuel tank LH behind cab.	\$0	0#
7940100	Location: 100 gal fuel tank LH behind cab.	\$0	0#
7952045	Location: 45 Gal Fuel Tank Inframe Behind Rear axle.	\$0	0#
7952070	Location: 70 Gal Fuel Tank Inframe Behind Rear axle.	\$0	0#

## DEF Tanks & Equipment

### Tanks

7722170	Small DEF Tank, 5.5 Gallons.	STD	0#
7722173	Large DEF Tank, 15 Gallons.	\$263	26#

### DEF Tank Miscellaneous

7840038	Polished Cover for 1 DEF Tank Any Size.	\$241	3#
7889203	DEF to Fuel Fill Ratio 2:1 or Greater.	\$0	0#
7889204	DEF to Fuel Fill Ratio Between 1:1 and 2:1.	STD	0#
7889206	Minimum Required DEF to Fuel Fill Ratio.	\$0	0#



## T480: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
<b>DEF Tanks &amp; Equipment</b>			
<b>DEF Tank Miscellaneous</b>			
7889208	DEF to fuel fill ratio between 1.25:1 and 2:1.	\$0	0#
<b>DEF Tank Location</b>			
7889606	DEF Tank Location is LH Under Cab.	\$0	0#
7889613	DEF Tank Location is RH BOC. For 2.1M Medium-Duty	\$0	0#
7889614	DEF Tank Location is LH BOC. For 2.1M Medium-Duty	STD	0#
<b>Tank Miscellaneous</b>			
7210000	Delete Standard Base Model Aluminum Fuel Tank. Hardware and plumbing are also deleted.	(\$881)	0#
7861010	CNG Prep Kit. Includes Pre-Wire Harness and regulator coolant loop.	\$867	5#



# T480: CAB EXTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

## Cabs

8024311	Cab: Stamped Aluminum with Curved Windshield LED markers. Requires seperate roof code.	STD	0#
---------	--	-----	----

## Windows

### Rear Cab

8871446	Rear Cab Stationary Window 19in x 36in	STD	0#
8871447	Rear Cab Stationary Window with Dark Tint 19in x 36in.	\$55	0#
8871448	Rear Cab Stationary Shatterproof Window 19in x 36in. Polycarbonate plastic window replacing standard glass window.	\$467	-6#
8871449	Rear Cab Stationary Shatterproof Window 19in x 36in with dark tint. Polycarbonate plastic window replacing standard glass window.	\$509	-6#
8873797	Rear Cab Sliding Window 19 in x 36 in	\$355	0#
8873798	Rear Cab Sliding Window with Dark Tint 19in x 36in	\$332	0#
8879922	Solid Rear Wall. Deletes Rear Cab Window.	\$0	-15#

### Corner & Rear Cab

8879917	Two Additional Outboard Windows 19in x 12in	\$149	10#
8879918	Two Additional Outboard Windows with Dark Tint 19in x 12in	\$169	10#
8879921	Two Additional Outboard Shatterproof Windows 19in x 12in. Polycarbonate plastic windows replacing standard glass windows.	\$380	2#
8879923	Two Additional Outboard Shatterproof Windows 19in x 12in. with dark tint. Polycarbonate plastic windows replacing standard glass windows.	\$405	2#

## Hoods, Fenders & Grilles

### Hoods, Fenders & Grilles

8090151	Hood: Short Aero w/ Dark Gray Crown In-Mold Color	STD	0#
8090152	Hood: Med Aero w/ Dark Gray Crown In-Mold Color	\$42	0#
8090153	Hood: Sloped Vocational w/ Stationary Grille w/ Chrome Crown	\$1,803	-24#
8090154	Hood: Short Aero w/ Chrome Crown	\$107	0#
8090155	Hood: Med Aero w/ Chrome Crown	\$95	0#

### Other

8890356	4 1/4" Molded Wheelwell Fender Extension.	\$225	0#
---------	---	-------	----



# T480: CAB EXTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

## Cab & Sleeper Aerodynamic Devices

### Airshield Roof Fairing

8823013	Roof Fairing: Cab Fairing W/O Cab Extenders. Drop Shipped/Supplier Painted.	\$1,744	38#
---------	---	---------	-----

### Other

8829616	Side Extenders: Daycab. Extends 19 inches from Back-of-cab. Panels extend 12 inches, and rubber trailing edge extends 7 inches.	\$762	0#
---------	---	-------	----

## Cab Structure Miscellaneous

8890874	Kenworth Cab Air Suspension.	\$133	0#
---------	------------------------------	-------	----

8890881	Direct Mount, Rubber Isolated Cab Suspension.	STD	0#
---------	---	-----	----

8890939	LH Loadlock Holder Brackets. Mounted on Back of cab or sleeper.	\$222	11#
---------	---	-------	-----

8890940	RH Loadlock Holder Brackets. Mounted on Back of cab or sleeper.	\$222	11#
---------	---	-------	-----

8891011	Roof: Raised Profile, Stamped Aluminum w/ Additional Head Room & Interior Overhead Storage	\$160	0#
---------	--	-------	----

8891012	Roof: Low Profile Stamped Steel	STD	0#
---------	---------------------------------	-----	----

## Cab Access

8800260	Long Grabhandle RH Side Mounted to Side-of-Cab exhaust.	\$31	2#
---------	---	------	----

8800261	Long Grabhandle RH Side Mounted to Side-of-Cab exhaust. NFPA Compliant.	\$69	0#
---------	---	------	----

8800272	Grabhandle: RH, Exterior, Side of Cab - Ergonomic Grab Handle Mounted To The Right Hand Exterior Of The Cab For Entry and Exit.	\$122	3#
---------	---	-------	----

8800372	Grabhandle: LH, Exterior, Side of Cab - Ergonomic Grab Handle Mounted To The Left Hand Exterior Of The Cab For Entry and Exit.	\$119	3#
---------	--	-------	----

8800380	Grabhandle: LH & RH SOC Non-Slip Ergonomic Grab Handles Mounted To The Left Hand and Right Hand Exterior Of The Cab For Entry and Exit. NFPA Compliant.	\$250	6#
---------	---	-------	----

8800382	Grabhandle: LH SOC Non-Slip Ergonomic Grab Handle Mounted To The Left Hand Exterior Of The Cab For Entry and Exit. NFPA Compliant.	\$138	3#
---------	--	-------	----

8800402	Dual Cab Interior Grabhandles: A Pillar Mounted Dash Wrap and B Pillar Mounted Grabhandles	STD	0#
---------	--	-----	----

8800403	Dual Cab Interior Grabhandles:Yellow,A Pillar Mtd Dash Wrap and B Pillar Mounted Grabhandles	\$57	0#
---------	--	------	----

## Horns

### Air Horns

8841411	Single Air Horn Under Cab.	STD	0#
---------	----------------------------	-----	----

8841641	Air Horn: Sing Round 26" LH Roof Incl Air Horn Cover	\$70	0#
---------	--	------	----



# T480: CAB EXTERIOR

Option	Description	Price	Weight
<b>Horns</b>			
<b>Air Horns</b>			
8841642	Air Horn: Dual Round 26" LH/RH Roof Incl Air Horn Cover	\$151	0#
8841643	Air Horn: Quad Round 23"/26" LH/RH Roof Incl Air Horn Cover	\$345	0#
<b>Other</b>			
8845106	Air Horn Valve, Pull Cord and Plumbing to the Firewall Bulkhead for C/I Air Horn. If the chassis has hydraulic brakes, it will require code 1000307 for Accessory air system for hydraulic brakes.	\$56	0#
<b>Mirrors &amp; Equipment</b>			
8850831	Mirror: RH Hood Mounted, Dual View, Round CX Chrome	\$104	4#
8850832	Mirror: LH Hood Mounted, Dual View, Round Chrome	\$104	4#
8850877	Mirror: RH Hood Mounted Black Rectangle Convex	\$126	0#
8850878	Mirror: LH Hood Mounted Black Rectangle Convex	\$126	0#
<b>Dual Rear View Mirrors</b>			
8850841	Mirror Shell: Dual Aero Chrome	\$148	0#
8850842	Mirror Shell: Dual Aero In-Mold Black	STD	0#
8860851	Mirror: Dual KW Aero Rear View Non-Motor, heated with Integral CX	\$99	0#
8860852	Mirror: Dual KW Aero Rear View Motor, heated with Integral CX.	\$66	0#
8860853	Mirror: Dual KW Aero Rear View Non-Motor, Non-Heated with Integral CX	STD	0#
<b>Diminishing Convex Mirror</b>			
<b>Rider Side</b>			
8850139	Look-Down, Pass. Door, Black 11x6	STD	0#
8850144	Delete Pass. Door Look-Down Mirror	\$0	-2#
<b>Hood Mounted</b>			
8850812	Mirror: LH Hood Mounted, Round Convex, Chrome	\$102	4#
8850813	Mirror: RH Hood Mounted, Round Convex, Chrome	\$102	4#
<b>Window Equipment</b>			
<b>Windshield &amp; Equipment</b>			
8890101	One-Piece Bonded-In Windshield With Curved Glass. Standard.	STD	0#



# T480: CAB EXTERIOR

Option	Description	Price	Weight
<b>Window Equipment</b>			
<b>Exterior Sunvisors</b>			
8890135	Exterior Stainless Steel Sunvisor.	\$761	11#
<b>Doors &amp; Equipment</b>			
<b>Doors</b>			
8832113	Kenworth Daylite Door With Standard LH/RH electric door locks and LH/RH electric window controls.	STD	0#
<b>Door Lock Options</b>			
8203056	Unspecified Tumbler P/N. All Chassis Keyed Alike Includes ignition, cab doors & if applicable, sleeper tool box door. 2.1m models, requires 2+ chassis. G key will not work on new P lock and ignition.	\$95	0#
8203060	5 Sets of Keys. Replaces Standard 2 Sets of Keys.	\$34	0#
8203191	Customer Specified Tumbler P/N. All Chassis keyed alike if applicable. Includes ignition, cab doors & if applicable, sleeper tool box door. 2.1m models. G key will not work on new P lock and ignition.	\$347	0#
<b>Other</b>			
8700188	Remote Keyless Entry	\$387	0#
8700283	LH and RH Trip Ledge Rain Deflectors	STD	0#



Option	Description	Price	Weight
--------	-------------	-------	--------

### Cabs & Sleepers

#### Interior

8330591	Interior Trim Package: 2.1M MD Gray Foam Backing/Cloth Headliner W/Gray Sunvisor & Seat Color Three Underdash Center Console Cupholders (Two If Allison Transmission Is Selected).	STD	0#
---------	--	-----	----

#### Interior Lights

8700161	Footwell Light: Red Lens & Switch	\$12	0#
---------	-----------------------------------	------	----

### Heaters & Air Conditioning

8108011	Cab HVAC - Day Cab and 40 in. Sleeper System With Defrost, A/C, and 48,000 BTU/hr Heater. Includes automatic temperature control with one touch defrost operation and dash mounted cab temperature and solar intensity sensors. Pleated fresh air filter and cabin recirculation air filter standard. The Kenworth HVAC system is designed to provide optimal heating and cooling in all operating environments without need for additional insulation. Cab HVAC without sleeper heater AC is available with 40in sleeper.	STD	0#
---------	--	-----	----

#### Miscellaneous

8108002	Fine Particulate Filter for Cabin Air HVAC system. To provide extra filtration in high dust applications. Cabin airflow is reduced with this additional filter. *Cannot be used with code 8108003.	\$35	0#
---------	--	------	----

8108003	Ember Filter For Cabin Air. Used to keep embers out of the HVAC filter element. Cannot be used with code 8108002.	\$34	2#
---------	---	------	----

8190564	Air Conditioning Excise Tax: Canadian Registry	\$175	0#
---------	--	-------	----

### Steering Wheels & Equipment

8201013	Steering Wheel: 18 in. 4-Spoke.	STD	0#
---------	---------------------------------	-----	----

8201047	Kenworth Smartwheel: 18 in. Non-Leather With Integrated Radio and Cruise Controls.	\$116	0#
---------	--	-------	----

8201053	Column Mtd Transmission Control W/O Retarder Control, RH Side. Use with Automated and Automated Manual Transmissions Only.	STD	0#
---------	--	-----	----

#### Other

8201200	Adjustable Telescoping Tilt Steering Column.	STD	0#
---------	--	-----	----

### Instruments & Controls

8240620	Canadian Instrument Package: KPH Speedometer replaces MPH.	\$0	0#
---------	--	-----	----

8282006	Odometer Units Locked to Match Speedometer Dial. Locks instrumentation to record the units of measure indicated by the primary scale. For instance, U.S. Domestic trucks would not be able to toggle from miles to kilometers on the trip odometer.	\$0	0#
---------	---	-----	----

8282024	Main Instrument Package: 7" Digital Display Cluster. Includes Physical (Analog): Speedometer, Tachometer, Oil Pressure, and Coolant Temp; and Digital: Fuel Level #1, DEF Level, DPF Filter Status, Fuel Economy, Volts Telltale, OAT and Primary Air Pressure, Secondary Air Pressure, and Air Application for air brake trucks.	STD	0#
---------	---	-----	----



# T480: CAB INTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

## Instruments & Controls

8282025	Main Instrument Package: Gas Engine 7" Digital Display Cluster. Includes Physical (Analog): Speedometer, Tachometer, Oil Pressure, and Coolant Temp; and Digital: Fuel Level #1, Volts Telltale, OAT and Primary Air Pressure, Secondary Air Pressure, and Air Application for air brake trucks.	\$0	0#
---------	--	-----	----

## Gauges

8220106	Gauge: Dash Mounted Air Filter Restriction Gauge.	\$122	0#
8220112	Virtual Gauge: NavPlus HD Air Filter Restriction Gauge.	\$98	0#
8221100	Gauge: 2 Air Suspension Pressure Gauges. For Use w/air suspension w/dual leveling valves.	\$228	0#
8221105	Gauge: Air Application Gauge.	\$46	0#
8221138	Gauge: Air Suspension Pressure Gauge. For dual leveling valves, not dual read.	\$255	0#
8221144	Gauge: Air Suspension Pressure Gauge.	\$110	0#
8221158	Virtual Gauge: NavPlus HD Air Suspension Pressure Gauge. For use with air suspension with dual leveling valves. Not Dual Read. An air suspension pressure monitoring gauge is available with request for an air suspension. This gauge is for use with dual leveling valves, air suspensions, or suspensions that have a single valve with request for optional dual leveling valves.	\$213	0#
8221159	Virtual Gauge: NavPlus HD Air Suspension Pressure Gauge. For use with a single leveling valve. An air suspension pressure monitoring gauge is available with request for an air suspension.	\$75	0#
8222115	Gauge: All Metric Gauges, Except Digital Display pressure gauges in psi.	\$0	0#
8222400	Gauge: DD Virtual Gauge - Air Suspension Pressure 1	\$72	0#
8222402	Gauge: DD Virtual Gauge - Trailer Reservoir	\$74	0#
8222403	Gauge: DD Virtual Gauge - Trailer Brake Application	\$55	0#
8222406	Gauge: DD Virtual Gauge - Ammeter	\$30	0#
8222407	Gauge: DD Virtual Gauge - Axle Temp Forward Rear Or Single Rear	\$95	0#
8222408	Gauge: DD Virtual Gauge - Axle Temp Rear Rear	\$91	0#
8222409	Gauge: DD Virtual Gauge - Air Filter Restriction	\$0	0#
8222410	Increased Air Filter Full Indication For Air Filter Restriction Gauge	\$0	0#
8222411	Gauge: DD Virtual Gauge - Eng Pto Hour	\$36	0#
8222412	Gauge: DD Virtual Gauge - Main Transmission Temp	\$50	0#
8222413	Gauge: DD Virtual Gauge - Manifold Pressure Boost	\$0	0#
8222414	Gauge: DD Virtual Gauge - Engine Percent Torque	\$0	0#

Option	Description	Price	Weight
--------	-------------	-------	--------

### Instruments & Controls

#### Gauges

8222418	Gauge: DD Virtual Gauge - Engine Hours Instrument Cluster	\$0	0#
8222419	Gauge: DD Virtual Gauge - Volts Instrument Cluster	\$0	0#
8222707	Delete DEF Gage, Must Use Fuel Gage W/O ULSD Text Replace DEF Gauge With Plug, ULSD is Ultra Low Sulfur Diesel Fuel	(\$20)	0#
8222712	Gauge: Fuel Filter Restriction Gauge.	\$130	0#
8222722	Gauge: Manifold Pressure Gauge. The NavPlus HD unit includes a virtual manifold pressure gauge.	\$26	0#
8224401	Gauge: Ammeter Gauge in Addition to Voltmeter. W/integral warning light.	\$81	0#
8224403	Virtual Gauge: NavPlus HD Ammeter Gauge In addition to voltmeter	\$30	0#
8225626	Gauge: Axle Oil Temperature Gauge. Single Drive axle or forward rear axle w/integral warning light.	\$145	0#
8225629	Virtual Gauge: NavPlus HD Axle Oil Temperature Gauge. Use with single drive axle or forward rear axle. When requesting this option with tandem rear axles, you will receive a single gauge with the sensor located in forward axle. A single gauge may be advantageous when dash space limits gauge count.	\$106	0#
8225658	Gauge: Axle Oil Temperature, Dual-Drive Axle. (2 gauges) w/integral warning light.	\$188	0#
8225661	Virtual Gauge: NavPlus HD - Axle Oil Temperature Gauge for tandem rear axle. One gauge for each axle of the tandem, for a total of 2 gauges	\$127	0#
8226667	Gauge: Oil Temperature Gauge Transmission. The NavPlus HD unit includes a virtual transmission oil temperature gauge.	\$49	0#
8282108	Modular Dash Options: RH Dash Storage Unit With two shelves. Reduces total gauge count; HD by 6 and MD by 4.	\$46	0#

#### Controls

8203044	Four Position Ignition Switch, Keyless. Available for fire truck service & EMT/emergency service only.	\$56	0#
8205038	Controls on Dash for Pintle Hook. Includes piping.	\$43	2#
8205067	Controls on Dash for Trailer Dump Gate. Includes piping & indicator light. * T680/T880 available with speed interlock (8208603)	\$60	0#
8205069	Dash Controls: Tailgate or Dump Gate, Includes Piping and Telltale	\$174	1#
8205076	Controls On Dash (Qty. 2) For Forward and Rear Trailer Dump Gates. For A Straight Truck. Includes Piping & Indicator Lights. Optional Speed Interlock Available With T680/T880. See Databook for Code.	\$131	0#
8205082	Controls on Dash for Trailer Air Suspension. Includes piping & indicator light. * Dash controls for trailer functions require that you add trailer connections to the order. * This trailer air suspension valve provides an air control. There is an option for trailer hotwire that provides an electric control wired to a dash switch. * Optional speed interlock available on T660/T680 models.	\$129	0#



Option	Description	Price	Weight
--------	-------------	-------	--------

Instruments & Controls

Controls

8205089	Park Brake Interlock for Air Suspension Dump. (Truck/Tractor). Parking brake interlock option for air suspensions other than Hendrickson HAS or Primaax. Air suspension will not dump unless park brakes are engaged. Trailer suspension dump interlock is available	\$129	0#
8205271	Dash Mounted - Compact Valve to Actuate Rear Service Brakes Non-Self-Returning.	\$333	0#
8205272	Dash Mounted - Compact Valve to Actuate Rear Service Brakes Self-Returning.	\$331	0#
8205273	Dash Mounted - Compact Valve to Actuate All Service Brakes Self-Returning.	\$361	0#

PTO Related

8205087	Auto Suspension Dump W/PTO Engagement Interlock. This feature automatically dumps air from the truck suspension when any PTO is engaged. The intent of this feature is to deflate the air suspension air bags while the load is raised to help alleviate any imbalance or instability that can occur with the air bags inflated.	\$59	2#
8205096	Information for Customer-Installed PTO Muncie 8-BOLT	\$0	0#
8205103	Information for Customer-Installed PTO Chelsea 8-bolt.	\$0	0#
8205135	Information for Customer-Installed PTO Muncie 10-bolt.	\$0	0#
8205157	Park Brake Interlock for First PTO PTO will not engage without park brakes set. Not for use with PTOs with air controls (8205053,8205054,8205057)	\$124	0#
8205222	Park Brake Interlock for Second PTO * PTO No. 2 will not engage without park brakes set.	\$97	0#
8205227	Park Brake Interlock for PTO Air Controls * Controls will not charge with air unless park brakes are set.	\$97	0#
8205291	Info for C/I PTO: Muncie 6 Bolt	\$0	0#
8205292	Info for C/I PTO: Chelsea 6 Bolt	\$0	0#

PTO Controls

8205052	PTO Air Control: On Dash W/ Indicator Light.	\$0	0#
8205053	PTO Air Control: Toolbox Mounted LH of Rider seat for customer-installed PTO. Park brake interlock to prevent PTO engagement unless brake is engaged is available on T680/T880	\$771	11#
8205055	PTO Air Control: On Dash W/Piping & Indicator Light For Customer-Installed Single-Speed PTO.	\$488	0#
8205164	Dash Switch: 1st Single-Acting Eaton or PACCAR Mounted PTO. Electric switch, wiring, software, air solenoids, and plumbing are factory-installed to control the 1st Eaton (single-acting) trans PTO.	\$99	0#
8205165	Dash Switch: 2nd Single-Acting Eaton-mntd PTO. Electric switch, wiring, software, air solenoids, and plumbing are factory-installed to control the 2nd Eaton (single-acting) trans PTO.	\$98	0#
8205168	Dash Switch: 1st Double-Acting Eaton or PACCAR Mounted PTO. Electric switch, wiring, software, air solenoids, inversion dump valve, amd plumbing are factory-installed to control the 1st Eaton (double-acting) trans PTO.	\$254	0#



Option	Description	Price	Weight
--------	-------------	-------	--------

Instruments & Controls

PTO Related

PTO Controls

8205171	Dash Switch: 2nd Double-Acting Eaton-mntd PTO. Electric switch, wiring, software, air solenoids, inversion dump valve, amd plumbing are factory-installed to control the 2nd Eaton (double-acting) trans PTO.	\$98	0#
8205173	Dash Switch: 1st Reversible/dbl Eaton-mntd PTO. Electric switch, wiring, software, air solenoids, inversion dump valve, amd plumbing are factory-installed to control the 1st Eaton (reversible) trans PTO.	\$167	0#
8205177	Dash Switch:1st Allison-Mounted PTO. Electric switch and wiring are factory-installed to control the 1st Allison Trans mounted PTO.	\$167	0#
8205283	Info for C/I PTO: Chelsea 10 Bolt	\$0	0#

Dash Switches

8202996	Manual Override Switch: For Fan Hub, W/O Warning lamp. For fire truck pumpers only. Option used to request fan on only. The engine may turn fan on and off on regardless of switch.	\$23	1#
8203161	Fan to Operate When Park Brake Set.	\$13	0#
8203196	Dash Mounted Compact Trailer Brake Valve. Self Returning.	\$0	0#
8203197	Dash Mounted Compact Trailer Brake Valve. Non-Self Returning.	\$47	0#
8205012	Off-Highway Dash Switch: For ABS System. Includes indicator light.	\$52	0#
8205158	Park Brake Interlock for First Spare Accessory Electric-Over-Air Switch. Prevents activation unless Park Brake is set.	\$115	0#
8205160	Dash SW: Bendix Work Brake Electric Over Air SW To Apply All Service Brakes	\$175	5#
8205221	Park Brake Interlock for Second Spare Accessory Electric-Over-Air Switch. Prevents activation unless Park Brake is set.	\$115	0#
8205228	One (1) Spare Accessory Electric-Over-Air Switch with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on, while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608.	\$95	0#
8205229	Two (2) Spare Accessory Electric-Over-Air Switches with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on, while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608.	\$160	0#
8205230	Three (3) Spare Accessory Electric-Over-Air Switches with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on ,while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608.	\$220	0#
8205231	Four (4) Spare Accessory Electric-Over-Air Switches with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on, while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608.	\$279	0#



Option Description	Price	Weight
<b>Instruments &amp; Controls</b>		
<b>Dash Switches</b>		
8208474 One Spare Switch: Wired to Power. BOC Wire termination.	\$45	0#
8208475 Two Spare Switches: Wired to Power. BOC Wire termination.	\$58	0#
8208476 Three Spare Switches: Wired to Power. BOC Wire termination.	\$71	0#
8208477 Four Spare Switches: Wired To Power. BOC Wire termination.	\$84	0#
8208478 Five Spare Switches: Wired to Power. BOC Wire termination.	\$97	0#
8208484 One Spare Switch: Wired to Power. EOF Wire termination.	\$50	0#
8208485 Two Spare Switches: Wired to Power. EOF Wire termination.	\$63	0#
8208486 Three Spare Switches: Wired to Power. EOF Wire termination.	\$76	0#
8208487 Four Spare Switches: Wired To Power. EOF Wire termination.	\$89	0#
8208488 Five Spare Switches: Wired to Power. EOF Wire termination.	\$102	0#
8208494 One Spare Switch: Wired to Power.	\$40	0#
8208495 Two Spare Switches: Wired to Power.	\$53	0#
8208496 Three Spare Switches: Wired to Power.	\$66	0#
8208497 Four Spare Switches: Wired to Power.	\$79	0#
8208498 Five Spare Switches: Wired to Power.	\$92	0#
8208524 Seven-Way Plug: Wired to Dash Switch. For Trailer floodlight. Includes indicator light. Center pin of standard 7-way connector (J560) will be wired to a switch for trailer floodlamps. Switch has an integral indicator lamp. Requires using a second ISO 3731.	\$30	0#
8208530 Seven-Way Plug: Wired to Dash Switch for Dumpgate Includes indicator light & guard. Center pin of standard 7-way connector (J560) will be wired to a switch for dumpgate (battery power). Includes a guard & integral indicator lamp.	\$31	0#
8208549 Seven-Way Plug: Wired to Dash Switch. For Trailer power. Includes indicator light. Center pin of standard 7-way connector (J560) will be wired to a switch for trailer hotline. Switch is wired to a battery circuit & has an integral indicator lamp.	\$33	0#
8208551 Seven-Way Plug: Wired to Dash Switch. For Trailer air suspension. Center pin of standard 7-way connector (J560) will be wired to a switch for trailer hotline. Switch has an integral indicator lamp & a guard.	\$33	0#
8208553 Seven-Way Plug: Wired Through Center Wire. For use w/overflow. Center pin of standard 7-way connector (J560) wired to a switch for overflow. Battery power for key off overflow operation. Switch includes integral indicator lamp. If ABS is required, must code for ABS through ISO 3731 connector.	\$30	0#



# T480: CAB INTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

## Instruments & Controls

### Dash Switches

8208559	Controls on Dash for Forward and Rear Trailer Belly Dump Gates: Includes indicator light, guard & approx 3 meters of coiled wire BOC in LH rail. Use separate codes to add ISO 3731 spare circuit wiring & IDs, if desired.	\$213	0#
8208601	Switch: W/Light & Guard For Trailer Dump Gate. Includes Approximately 3 Meters of Coiled Wire BOC in LH Rail.	\$133	0#
8208626	Lytx DriveCam SF300 System: Video Trigger Dash Switch	\$20	0#
8291002	Mute Backup Alarm W/ Buzzer in Cab.	\$165	0#

### Turn Signals

8700196	Turn Signal: Self-Cancelling	STD	0#
8700197	Turn Signal: Non-Self Cancelling	(\$14)	0#

### Other

8203052	Remove Stop Position from Regeneration Switch. Available only with the following applications:0093000 - Linehaul; 0091090 - General Freight; 0095120 - Dry Van; 0096080 - Dry Van	\$0	0#
8209999	Spare Power Wiring For Customer Installed Devices Behind Dash Cluster. Includes 2 batt, 2 ign, 1 acc, 1 LVD at 20A each.	\$89	2#
8229005	Methane Detection System For Natural Gas Required For LNG Fueled Vehicles Optional For CNG Fueled Vehicles	\$1,453	0#
8282109	Large Flat Panel on Dash For C/I Controls. Replaces Storage Bucket.	\$11	0#
8291011	Warning Light and Audible: Drivers Side Seatbelt A telltale and audible warning activates when vehicle speed > 10 mph and driver side seatbelt is not buckled.	\$58	0#
8702221	Tire Pressure Monitoring System Next Gen Requires 48990XX tire/wheel count code for sensors.	\$417	3#
8702224	Enable Increment Driving Condition Interlock (IDCI). Wiper level 4 is the default for this system.	\$0	0#

## Seats

### Driver Seats

8410101	Driver Seat: KW Air Seat IB Vinyl W/O Armrests /Susp Cover	STD	0#
8410102	Driver Seat: KW Air Seat HB Vinyl w/o Armrests w/ Susp Cover	\$76	0#
8410106	Driver Seat: KW Air Seat IB Tough Cloth w/o Armrests/Susp Cover	\$0	0#
8410107	Driver Seat : KW Air Seat HB Tough Cloth w/o Armrests w/ Susp Cover	\$99	0#
8410121	Driver Seat: KW Air Seat IB Vinyl w/ Dual Armrests/Susp Cover/Isolator Lever	\$181	0#
8410122	Driver Seat: KW Air Seat HB Vinyl w/ Dual Armrests/Susp Cover/Isolator Lever	\$191	0#



# T480: CAB INTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

## Seats

### Driver Seats

8410126	Driver Seat: KW Air Seat IB Tough Cloth w/ Dual Armrests/Susp Cover/Isolator Lever	\$181	0#
8410127	Driver Seat: KW Air Seat HB Tough Cloth w/ Dual Armrests/Susp Cover/Isolator Lever	\$220	0#
8410161	Driver Seat: KW Air Seat IB Vinyl w/o Armrests w/ Susp Cover/Isolator Lever/Seat Mounted Shifter	\$106	0#
8410162	Driver Seat: KW Air Seat HB Vinyl w/o Armrests w/ Susp Cover/Isolator Lever/Seat Mounted Shifter	\$115	0#
8410212	Driver Seat: KW Premium Air Seat HB Vinyl w/ Dual Armrests/Susp Cover/Isolator Lever/Seat Heater	\$768	0#
8410217	Driver Seat: KW Premium Air Seat HB Tough Cloth w/ Dual Armrests/Susp Cover/Isolator Lever/Seat Heater	\$808	0#
8410361	Driver Seat: NFPA Compliant KW Air Seat HB Vinyl No Armrests, w/ Susp Bellows Cover and Isolator.	\$124	0#
8410371	Driver Seat: Rolltek HB with Vinyl Material This seat incorporates a seatbelt tensioner, suspension cover, and side airbags. Includes dual folding armrests and headrest logo.	\$3,415	0#

### Rider Seats

8450101	Rider Seat: KW Battery Box Seat IB Vinyl w/o Armrests	(\$94)	0#
8450102	Rider Seat: KW Battery Box Seat HB Vinyl w/o Armrests	(\$86)	0#
8450111	Rider Seat: KW Battery Box Seat IB Vinyl w/ Dual Armrests	(\$51)	0#
8450112	Rider Seat: KW Battery Box Seat HB Vinyl w/ Dual Armrests	(\$29)	0#
8450126	Rider Seat: KW Battery Box Seat IB Tough Cloth w/ Dual Armrests/Occupancy Sensor	\$20	0#
8450127	Rider Seat: KW Battery Box Seat HB Tough Cloth w/ Dual Armrests/Occupancy Sensor	\$29	0#
8460101	Rider Seat: KW Air Seat IB Vinyl w/o Armrests/ Susp Cover	\$172	0#
8460102	Rider Seat: KW Air Seat IB Vinyl w/ Susp Cover/ Isolator Lever/Occupancy Sensor w/o Armrests	\$318	0#
8460103	Rider Seat: KW Air Seat HB Vinyl w/ Susp Cover/ Isolator Lever/Occupancy Sensor w/o Armrests	\$325	0#
8460106	Rider Seat: KW Air Seat IB Tough Cloth w/o Armrests/Susp Cover	\$172	0#
8460107	Rider Seat: KW Air Seat IB Tough Cloth w/ Susp Cover/Isolator Lever/Occupancy Sensor w/o Armrests	\$318	0#
8460108	Rider Seat: KW Air Seat HB Tough Cloth w/ Susp Cover/Isolator Lever/Occupancy Sensor w/o Armrests	\$378	0#
8460212	Rider Seat: KW Premium Air Seat HB Vinyl w/ Dual Armrests/Susp Cover/Isolator Lever/Seat Heater	\$754	0#
8460217	Rider Seat: KW Premium Air Seat HB Tough Cloth w/ Dual Armrests/Susp Cover/Isolator Lever/Seat Heater	\$754	0#



# T480: CAB INTERIOR

Option	Description	Price	Weight
<b>Seats</b>			
<b>Rider Seats</b>			
8460361	Rider Seat: NFPA Compliant KW Air Seat HB Vinyl No Armrests, w/ Susp Bellows Cover, Isolator and Occupancy Sensor.	\$479	0#
8478001	Rider Seat: KW Battery Box 2-Man Bench Vinyl	\$75	0#
8478016	Rider Seat: KW Battery Box 2-Man Bench Tough Cloth	\$75	0#
8478051	Rider Seat: KW Toolbox 2-Man Bench Vinyl	\$328	0#
8478056	Rider Seat: KW Toolbox 2-Man Bench Tough Cloth	\$328	0#
8480201	Rider Seat: KW Toolbox Seat IB Vinyl w/o Armrests	STD	0#
8480202	Rider Seat: KW Toolbox Seat HB Vinyl w/o Armrests	\$7	0#
8480206	Rider Seat: KW Toolbox Seat IB Tough Cloth w/o Armrests	\$14	0#
8480207	Rider Seat: KW Toolbox Seat HB Tough Cloth w/o Armrests	\$14	0#
8480221	Rider Seat: KW Toolbox Seat IB Vinyl w/ Dual Armrests	\$51	0#
8480227	Rider Seat: KW Toolbox Seat HB Tough Cloth w/ Dual Armrests	\$120	0#
8480231	Rider Seat: KW Toolbox Seat IB Vinyl w/ Dual Armrests/Record Holder/Occupancy Sensor	\$145	0#
8480232	Rider Seat: KW Toolbox Seat HB Vinyl w/ Dual Armrests/Record Holder/Occupancy Sensor	\$154	0#
8480236	Rider Seat: KW Toolbox Seat IB Tough Cloth w/ Dual Armrests/Record Holder/Occupancy Sensor	\$145	0#
8480237	Rider Seat: KW Toolbox Seat HB Tough Cloth w/ Dual Armrests/Record Holder/Occupancy Sensor	\$150	0#
<b>Seat Miscellaneous</b>			
8489912	NFPA Compliance Kit: 2.1 m Includes Seat occupancy sensors. Seat belt switches, VDR & seat sensor harness, reflective labels, and a second copy of operators manual.	\$700	5#
8490161	Seat Color: Black Replacing Standard Gray	\$0	0#
8496559	Driver and Rider Seat Belts: Orange Seat Belts. Replacing standard color.	\$11	0#
8496561	Driver/ Rider Seat Belts: Lime Green Seat Belts Replace standard color.	\$10	0#
8496569	Driver & Rider Seat Belts: Red, Replace Standard. NOT NFPA Compliant.	\$11	0#
8496575	Driver & Rider Seat Belts: Red, NFPA, Replaces Standard Seat Belts. (Available for NFPA RD Bench)	\$60	0#
8497005	Air Line Fitting: At Driver Seat. Customer-installed air chuck.	\$85	4#



# T480: CAB INTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

## Cab Accessories

### Storage

8570011	Low Profile Roof Interior Overhead Storage	\$167	0#
8570012	Low Profile Roof Interior LH Overhead Storage	\$90	0#
8700091	Ashtray Insert: W/ Cigar Lighter Located in center console. Deletes 1 12V outlet & 1 cupholder.	\$33	0#
8890038	3.5in x 11.5in Plastic Records Holder: Mounted On Rear Cab Panel. Not available With Sleeper Or 2 Person Bench Seat.	\$52	0#

### Cab Package

8891009	Thermal/Sound Insulation Package	\$265	0#
---------	----------------------------------	-------	----

### Other

8700152	Large Transmission Access Hole - Center Cab Floor	\$114	0#
8700158	Removable Plate For Direct REPTO Access Through Floor W/ Floormat/Carpet Cutout	\$87	0#
8700166	Cup Holder (Floor Mtd)	\$55	0#
8700501	Metal Int Door Panel Kick Plates	\$72	0#
8721405	Nameplates Shipped Loose: French. In Addition to standard or optional nameplates.	\$0	0#
8721455	Delete Shipped Loose French Nameplates. In addition to standard or optional nameplates.	\$0	0#
9090102	Anti-Theft System Installed	\$103	0#
9399996	Kenworth Operator Manual: Spanish.	\$0	0#
9399997	Kenworth Operator Manual: Delete French. Replace w/standard English.	\$0	0#
9399998	Kenworth Operator Manual: French Replacing English.	\$0	0#

## Sound Systems

### Kenworth Radios

8601429	Kenworth Radio DEA730 AM/FM/WB/USB, Bluetooth & Sirius-XM Satellite	\$540	0#
8601430	Kenworth Radio DEA700 AM/FM/WB	\$335	0#
8601431	Kenworth Radio DEA710 AM/FM/WB/USB, Phone Bluetooth Disabled	\$373	0#
8601432	Kenworth Radio DEA710 AM/FM/WB/USB, Bluetooth	\$394	0#
8601433	Kenworth Radio DEA730 AM/FM/WB/USB, Sirius-XM Satellite/Phone Bluetooth Disabled	\$513	0#
8601435	Kenworth Radio DEA707 AM/FM/WB/USB	\$378	0#

### Radios Miscellaneous

\*See PremierSpec for Applicable Restrictions



# T480: CAB INTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

## Sound Systems

### Radios Miscellaneous

8601495	Radio Mute When Lane Departure Detected. Required Bendix Fusion or Meritor OnAlert and Compatible Radio	\$0	0#
---------	---	-----	----

### Sound System Speakers

8698965	Speaker Package For Cab: (2) Speakers B-Pillar	\$51	0#
---------	--	------	----

### Sound System Equipment

8698970	No Radio Or Speakers Selected: No Prewire & No Antenna Wiring. Not w/ Smart Wheel.	STD	0#
---------	--	-----	----

8698971	Wiring & Antenna Only - No Radio/Speakers Provided	\$37	0#
---------	--	------	----

8699017	Telescoping Antenna: Mounted Behind LH Door. Replaces Top-of-Cab Antenna.	\$61	0#
---------	---	------	----

8699900	Metal Ground Plate: Two-Way Radio. For customer-installed antenna located in center of cab roof.	\$64	2#
---------	--	------	----

## CB & Equipment

### CB Radio

8601874	CB Radio: Cobra 29 W/Weatherband/ Single Ant. Transceiver/ Sound Tracker/ Illum Panel w/microphone clip mtd on side	\$476	0#
---------	---	-------	----

8601875	CB Radio: Cobra 29 W/Weatherband/DI Ant Transceiver/Sound Tracker/Illum Panel W/Microphone Clip Mtd On Side	\$525	0#
---------	---	-------	----

8601890	CB Radio: Bearcat 880. Includes Weatherband w/header mounted quick release. Includes transceiver & separate speaker remote-mounted in headliner & dual CB antennas. Includes sound tracker & illuminated panel.	\$457	0#
---------	---	-------	----

### CB Installation Kit

8699933	CB Installation Kit: C/I Center Mtd of Header w/ Dual Antenna on LH/RH mirrors. One Jumper Harness.	\$210	2#
---------	---	-------	----

8699934	CB Installation Kit: C/I Center Mtd of Header w/ Single Antenna on LH Mirror, low mount.	\$152	0#
---------	--	-------	----

## Information & Communication Systems

8700625	Single 1.5" Ram Ball Dash Mounted IPO Storage Bin W/ Pass thru	\$104	0#
---------	--	-------	----

8700626	Single 1" Ram Ball Dash Mounted IPO Storage Bin W/ Pass thru	\$98	0#
---------	--	------	----

8700627	Dual 1" Ram Ball Dash Mounted IPO Storage Bin W/ Pass thru	\$179	0#
---------	--	-------	----

8700628	Single 1.5" Ram Ball Dash Mounted RH Side of Radio Opening	\$34	0#
---------	--	------	----

8700629	Single 1" Ram Ball Dash Mounted RH Side of Radio Opening	\$29	0#
---------	--	------	----



## T480: CAB INTERIOR

Option	Description	Price	Weight
<b>Information &amp; Communication Systems</b>			
8700663	Kenworth TruckTech+: This system provides the World's Best reporting of engine and aftertreatment fault codes, as well as enhanced support for the truck owner through rapid communication of fault severity and recommended actions. This is standard on all Kenworth models with a PACCAR MX engine, Cummins X15 engine, PX engine or Natural Gas engine.	STD	0#
8700895	Exterior Initiation or Inhibition of Regen Thru J1939 BCan Communications.	\$35	0#
8700927	Lytix DriveCam SF300 System Pre-Wire	\$378	0#
8700941	Omnitracs IVG Wiring Harness	\$151	0#
8700966	Kenworth NavPlus HD Navigation System: Vantage, Splendor, APEX, Summit, or Pinnacle interior. System hardware includes: head unit that mounts in radio opening and 7in. high resolution touchscreen display mounted in dash area four. Includes: Truck specific navigation by ALK, Sirius and XM satellite radio receiver.	\$1,596	0#
9090154	Bendix Fusion Safety Direct SDP to Trucktech+	\$92	0#
9090157	Prewire: Bendix Fusion Safety Direct SDP to PeopleNet with the back wall mount.	\$183	0#
9212659	TruckTech+ RD - 3YR Sub PACCAR PX Engines	\$499	0#
9212660	TruckTech+ RD - 4YR Sub PACCAR PX Engines	\$649	0#
9212661	TruckTech+ RD - 5YR Sub PACCAR PX Engines	\$799	0#
9212662	TruckTech+ RD - 6YR Sub PACCAR PX Engines	\$949	0#
9212663	TruckTech+ RD - 7YR Sub PACCAR PX Engines	\$1,099	0#
9212664	TruckTech+ RD - 8YR Sub PACCAR PX Engines	\$1,249	0#
9212665	TruckTech+ RD - 9YR Sub PACCAR PX Engines	\$1,399	0#
9212666	TruckTech+ RD - 10YR Sub PACCAR PX Engines	\$1,549	0#



## T480: LIGHTS & SIGNALS

Option	Description	Price	Weight
<b>Headlamps</b>			
9010803	Headlamps: Single Halogen Complex Reflector w/ Turn Indicator, Reflector and DRL. Fender Mtd.	STD	0#
9010810	Headlamps: Sealed Beam Halogen Located in Bumper. Driven by Chassis Height.	\$116	0#
9010813	Headlamps: Single Halogen Complex Reflector w/ Turn Indicator, Reflector and w/o DRL. Fender Mtd.	\$0	0#
<b>Marker Lights</b>			
9022137	Marker Lights: Five, Rectangular, LED	STD	0#
9090039	Marker Lights: Interrupter Switch. Included in Turn Signal For All Models Except T3. The T3 Switch Is In The Dash.	\$7	0#
9090115	Reflectors: Two Midframe	\$23	0#
9090117	Marker Lights: Midframe & reflectors mounted standout. Required on tractors where overall length exceeds 30 feet.	\$180	22#
<b>Turn Signal Lights</b>			
9039014	Add Turn Signal Lamps Mounted BOC/BOS	\$207	2#
<b>Other</b>			
9030034	Wiring: Customer Installed Turn Signals, Mid Chassis.	\$938	0#
<b>Foglights</b>			
9042545	KW Fog Lights (2) Recessed in Bumper	\$275	2#
<b>Other</b>			
9049825	Customer-Installed Road/ Fog Lights Switch & wiring.	\$54	0#
<b>Spotlights</b>			
9060011	Halogen Spotlight: LH Mounted.	\$151	4#
9060055	Halogen Spotlight: LH & RH Mounted. T680 and T880 models include dash switch for RH spot lamp as standard.	\$268	11#
<b>Taillights</b>			
9030051	LED Stop,Turn,Tail: With One Non LED Backup Light and With An LED License Plate.	(\$12)	-3#
9030052	LED Stop,Turn,Tail: With Two LED Backup Lights and With An LED License Plate.	STD	0#
9030053	LED Stop,Turn,Tail: With One LED Backup Light With One LED Backup Light and With An LED License Plate	\$127	1#



# T480: LIGHTS & SIGNALS

Option	Description	Price	Weight
<b>Taillights</b>			
9030054	Stop,Turn,Taillight: Trucklite 44 Series 6 LED Red With Two LED Backup Lights. Flange Mounted. Taillights Come On When Fog Lights Are On. With An LED License Plate.	\$113	0#
9030055	Taillight,Stoplight:Trucklite Super 40 With 2 Backup lights and an LED License Plate	\$27	1#
9030056	Stop,Turn,Taillight: Trucklite 44 Series 6 LED red with two LED backup lights and LED License Plate. Grommet mounted. Taillights come on when fog lights are on.	\$121	3#
9030070	Delete Stop, Tail, Turn and Backup Lights: Only the lights and small jumper that connects the lights to the aft harness are deleted.	(\$97)	-8#
9070138	Combination Stop, Tail, Turn & Backup Lights RH & LH.	\$105	0#
<b>Miscellaneous</b>			
8240020	City Horn to Honk if Door Opens and Park Brake not set.	\$55	0#
9010951	Daytime Running Lights Located in Bumper. Driven by Chassis Height.	\$301	3#
9020101	14-Pin RP170 Body Lighting Connector.	STD	0#
9020103	Delete Standard 14-Pin RP170 Body Lighting Connector.	(\$57)	0#
9090007	Override Switch: For Daytime Running Lamps.	\$43	0#
9090011	Add. 4-Way Receptacle To BOC: Wired To Three Dash Switches. Spare Switch 1 Is Wired To Pin TM, Spare Switch 2 Is Wired To Pin S and Spare Switch 3 Is Wired To Pin A.	\$273	2#
9090012	Add. 4-Way Receptacle: To End-Of-Frame:Wired To 3 Dash Switches.	\$263	2#
9090027	Headlamps to Turn on When Wipers are Active.	\$0	0#
9090043	Add. 4-Way Receptacle to BOC: Wired To 2 Spare Dash Switches.	\$268	2#
9090046	Add. 4-Way Receptacle: To End-Of-Frame:Wired to 2 Spare Dash Switches	\$253	2#
9090049	Omit Brake Light with Engine Brake. Can only be selected when chassis also has engine brake. Cannot be used with options to delete engine brake.	\$0	0#
9090052	Brake Lights on when Engine Brake Active. Can only be selected when chassis also has engine brake. Cannot be used with options to delete engine brake.	\$0	0#
9090058	Switch & Wiring: For Customer-Installed Plow light. Includes circuit breaker.	\$183	0#
9090142	Wiring Only: For Customer-Installed Backup alarm.	\$56	0#

Option	Description	Price	Weight
<b>Miscellaneous</b>			
9090151	Wiring:Cust. Install Trlr Elec. Brake Controller. Class 8/T4 Content Includes Dash Signals: Ignition Power (20A), Ground, Stop Lamp and Electric Trailer Brake Controller Wired To EOF Junction Box. These Signals Are Located Near The NavPlus HD Area. No Need To Code For An Additional End of Frame Junction Box. EOF Junction Box Signals Are: Ground, Tail Lamp, Marker Lamp, Left Turn, Right Turn, Stop Lamp and Electric Trailer Brake Controller Wired To Dash. Medium Duty (not T4) Content Includes A MP 280 Series Connector In Dash Near Driver Door Connections With Signals: Battery Power (40A), Ground, Stop Lamp and Electric Trailer Brake Controller Wired To Chassis Connector. Medium Duty (not T4) 2 Way Deutsch Chassis Connector Located Near Back of Cab, With Signals: Ground and Electric Trailer Brake Controller Wired To Dash Connector.	\$159	4#
9090180	Backup Alarm: Tail Light Bracket Mounted Variable self-adjusting 82-102 DBA.	\$135	0#
9090221	Switch & Wiring: For Customer-Installed Sign lamp w/o insulators.	\$63	0#
9090301	Junction Box: Under Cab	\$140	1#
9090302	Junction Box: Mounted Behind Cab or Sleeper Not Mounted at End of Frame.	\$136	1#
9090312	Body Builder Lighting Harness Coiled End Of Frame For Additional Customer Installed Exterior Lighting. Harness Includes Circuits for Additional Customer Installed Tail Lamps, Turn Lamps, Stop Lamps, and Marker Lamps.	\$154	0#
9090316	Junction Box: End of Frame	\$239	1#
9090849	Polyswitches Replacing Fuses. Switch Will automatically reset after removal of excess load.	\$43	0#
<b>Beacon Lights</b>			
<b>Dual</b>			
9080125	Dual Rotating Roof Lights: Low-Profile LED Beacon lights w/ overhead switch.	\$783	7#
9080131	Dual Strobe Roof Lights: Low-Profile LED Beacon lights w/ overhead switch.	\$783	7#
<b>Customer-Installed</b>			
9080135	Stainless Steel Brackets, Switch & Wiring: Customer-installed dual beacon lights mounted over door of cab.	\$257	4#
9080206	Switch and Wiring:Cust. Installed Beacon Lights With Additional 20ft Jumper Harness Shipped Loose	\$203	1#
<b>Floodlights</b>			
<b>First Set</b>			
9052008	Floodlights: Dual LED Flush First Set	\$129	0#
9052011	Dual Flush Floodlights: First Set	\$119	2#
9056140	Dual Pedestal Floodlights: First Set	\$236	2#
<b>Switches for Customer-Installed</b>			
9058071	Switch, Wiring, and Indicator Light for Customer Installed Floodlights. 1st Set. Pigtail Routed Through Pass Thru Grommet. 10ft Jumper Harness Shipped Loose.	\$118	1#



# T480: LIGHTS & SIGNALS

Option Description	Price	Weight
--------------------	-------	--------

## Floodlights

### First Set

#### Switches for Customer-Installed

9058085	Switch,Wire,Indicator Light: C/I Flood 1st SW Thru Grommet Under Cab	\$129	0#
9058086	Switch,Wire,Indicator Light: C/I Flood 2nd SW Thru Grommet Under Cab	\$127	0#
9058087	Switch,Wire,Indicator Light: C/I Flood 3rd SW Thru Grommet Under Cab	\$127	0#

#### Location Codes

9059901	Floodlight Location: Located High - First Set. This Code To Be Used With Flush-Mount (9052011) or C/I (9058071) Codes Only.	\$0	0#
9059908	Floodlight Location:High Inboard of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.	\$0	0#
9059909	Floodlight Location:High Outbd of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.	\$0	0#
9059921	Floodlight Location: Located Low - First Set . This Code To Be Used With Flush-Mount (9052011) or C/I (9058071) Codes Only.	\$0	0#
9059927	Floodlight Location: Low Inboard of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.	\$0	0#
9059928	Floodlight Location:Low Outboard of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.	\$0	0#

#### Miscellaneous

9058081	Cust. Installed Floodlights1st Set:Add 30ft Wire. Additional 30ft Jumper Harness Shipped Loose.	\$31	1#
---------	---	------	----

### Second Set

9052012	Dual Flush Floodlights: Second Set	\$127	2#
9052016	Floodlights: Dual LED Flush Second Set	\$169	0#
9056141	Dual Pedestal Floodlights: Second Set	\$173	2#

#### Switches for Customer-Installed

9058072	Switch, Wiring, and Indicator Light for Customer Installed Floodlights. 2nd Set. Pigtail Routed Through Pass Thru Grommet. 10ft Jumper Harness Shipped Loose.	\$96	1#
---------	---	------	----

#### Location Codes

9059903	Floodlight Location: Located High - Second Set. This Code To Be Used With Flush-Mount (9052012) or C/I (9058072) Codes Only.	\$0	0#
9059919	Floodlight Location:High Inboard of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.	\$0	0#
9059920	Floodlight Location:High Outbd of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.	\$0	0#



# T480: LIGHTS & SIGNALS

Option	Description	Price	Weight
<b>Floodlights</b>			
<b>Second Set</b>			
<b>Location Codes</b>			
9059923	Floodlight Location: Located Low - Second Set . This Code To Be Used With Flush-Mount (9052012) or C/I (9058072) Codes Only.	\$0	0#
9059929	Floodlight Location:Low Inboard of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.	\$0	0#
9059930	Floodlight Location:Low Outboard of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.	\$0	0#
<b>Third Set</b>			
9052013	Dual Flush Floodlights: Third Set	\$113	2#
9052017	Floodlights: Dual LED Flush Third Set	\$169	0#
9056142	Floodlights: Dual Pedestal Third Set	\$196	0#
<b>Switches for Customer-Installed</b>			
9058073	Switch, Wiring, and Indicator Light for Customer Installed Floodlights. 3rd Set. Pigtail Routed Through Pass Thru Grommet. 10ft Jumper Harness Shipped Loose.	\$107	1#
<b>Location Codes</b>			
9059904	Floodlight Location: Located High - Third Set. This Code To Be Used With Flush-Mount (9052013) or C/I (9058073) Codes Only.	\$0	0#
9059924	Floodlight Location: Located Low - Third Set . This Code To Be Used With Flush-Mount (9052013) or C/I (9058073) Codes Only.	\$0	0#
9059938	Floodlight Location:High Inboard of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.	\$0	0#
9059939	Floodlight Location: High Outbd of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.	\$0	0#
9059949	Floodlight Location:Low Inboard of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.	\$0	0#
9059950	Floodlight Location:Low Outboard of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.	\$0	0#



# T480: AIR EQUIPMENT

Option	Description	Price	Weight
<b>Air Drying Equipment</b>			
<b>Moisture Ejection Valve</b>			
9102009	Moisture Ejection Valve: Midland Automatic Use with AD-IS or AD-HF.	\$99	0#
9102040	Moisture Ejection Valve: Two Bendix DV-2 Heated drain valves on service tanks. Use w/ AD-IS or AD-HF.	\$203	0#
9108001	Moisture Ejection Valve W/ Pull Cable Drain.	STD	0#
<b>Air Dryer</b>			
9101218	Air Dryer: Bendix AD-HF Puraguard Heated	STD	0#
9101219	Air Dryer: Bendix AD-HF Extended Purge Heated With Puraguard	\$31	0#
<b>Air System Miscellaneous</b>			
9140020	Nylon Air Tubing in Frame & Cab, Excluding Hoses subject to excessive heat or flexing.	STD	0#
9140085	Bendix LQ-5 Ratio Valve: for Kenworth-Installed pusher/tag. LQ-5 valve limits the amount of air applied to the pusher brakes. Helps prevent lockup in lightly loaded conditions.	\$147	0#
9140092	Schrader Valve to Charge Air System.	\$44	0#
9140236	Locate Air Dryer Outside LH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140238	Locate Air Dryer Outside RH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140248	Locate Air Dryer Under LH Rail BOC This code requires the use of a custom frame layout code.	\$0	0#
9140249	Locate Air Dryer Under RH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140252	Locate Air Dryer Inside LH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140254	Locate Air Dryer Inside RH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140267	Locate Air Dryer Inside RH Rail BOC	\$695	0#
9140268	Locate Air Dryer Inside LH Rail BOC	\$695	0#
9140269	Locate Air Dryer Outside LH Rail BOC	\$695	0#
9140270	Locate Air Dryer Outside RH Rail BOC	\$695	0#
9140271	Locate Air Dryer Under LH Rail BOC	\$695	0#
9140272	Locate Air Dryer Under RH Rail BOC	\$695	0#
<b>Air Tank Locations</b>			
9140251	Air Tanks: Clear of Left Side of Transmission area. Clear area - forward of transmission yoke C/L	\$1,737	4#

Option	Description	Price	Weight
<b>Air System Miscellaneous</b>			
<b>Air Tank Locations</b>			
9140253	Air Tanks: Clear of Right Side of Transmission area. Clear area - forward of transmission yoke C/L	\$1,737	4#
9140273	Air Tanks: Clear of Transmission Area Clear area - forward of transmission yoke C/L	\$1,737	4#
9140286	Air Tanks: Clear of Left Side of Transmission area. This code requires the use of a custom frame layout code.	\$0	0#
9140287	Air Tanks: Clear of Right Side of Transmission area. This code requires the use of a custom frame layout code.	\$0	0#
9140288	Air Tanks: Clear of Transmission Area. This code requires the use of a custom frame layout code.	\$0	0#
9140289	Air Tanks: Mounted Inside Frame Flanges where possible. This code requires the use of a custom frame layout code.	\$0	0#
9140290	Air Tanks: Mounted Inside Frame Flanges where possible.	\$1,737	0#

### Air Tank Options

9150170	Air Tanks: Aluminum Replacing Steel All Tanks. *Not air tanks on lift axles.	\$369	-44#
---------	--	-------	------

## Air & Electrical Supply Kits

### Tractor

9110037	Air & Electrical Supply Kits: Tractor BOC-Mounted kit w/ slidebar, spring hanger and composite gladhand/light plug holder mounted on back of cab/sleeper. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard.	\$607	19#
9110068	Air & Electrical Supply Kits: Tractor LH Frame- mounted kit w/ hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. Use code 9140177 for short hosetenna option, this is not available on the T3 series.	\$764	24#
9110071	Tractor Kit: Center Frame-Mounted W/ Hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard.	\$784	24#
9110072	Tractor Kit: LH Outboard Frame-Mounted W/ hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. Use code 9140177 for short hosetenna option.	\$716	24#
9110081	Tractor Kit: BOC-Mounted Kit W/ Slidebar, Spring hanger and composite gladhand/light plug holder mounted on back of extended daycab. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. Not available w/ dual independent exhaust.	\$836	19#



Option	Description	Price	Weight
--------	-------------	-------	--------

## Air & Electrical Supply Kits

### Full Truck

9110020	Full Truck Kit Gladhands mounted at end-of-frame. Seven-way female receptacle mounted at end-of-frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valves are standard.	\$938	15#
9110034	Full Truck/Tractor Kit Combined: Center Frame mounted. 7-way female receptacle and air connection gladhands are mounted BOC on center frame bracket & mounted at end-of-frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valve are standard.	\$1,048	15#

### Air & Light Line Options

9120010	Air & light line length: 10 feet, Straight lines	\$0	0#
9120012	Air & light line length: 12 feet, Straight lines	\$0	0#
9120014	Air & light line length: 14 feet, Straight lines	\$0	0#
9120015	Air & light line length: 15 feet, Straight lines	\$0	0#
9120016	Air & light line length: 16 feet, Straight lines	\$0	0#
9121008	Phillips 12 ft Coiled Light Line W/ Metal Plugs & 6 in. lead. Must code for tractor kit.	\$32	0#
9121043	Phillips 15 ft Coiled Light Line W/ Metal Plugs & 6 in. lead. Must code for tractor kit.	\$40	0#
9121047	Phillips 12 ft Straight Light Line W/ Metal Plugs & 12 in. lead. Must code for tractor kit.	\$15	0#
9121051	Philatron 15 ft Coiled Air Line. Must Code for tractor kit. use code 9121115	\$77	0#
9121112	Coiled Air & Light Lines Replacing Straight Lines . Included in tractor kit. 12ft working length.	\$32	0#
9121115	Coiled Air & Light Lines Replacing Straight Lines Included in tractor kit. 15ft working length.	\$33	0#
9121118	Phillips 11-5400 Air Lines. Requires Option: 9121115 Air/Light Lines: 15 feet Coiled. *The 11-5400 is a 15 ft. Polar Air pair with 40 in. leads.	\$5	0#
9140005	Straight Air & Light Lines: for Semitrailer application. Air lines detachable one end only; light line detachable both ends. Use w/ code 9110030. Note must code separately for straight air & light line lengths. Requires 12ft straight air & light.	\$214	0#

### Kit Accessories

9140188	Slide Bar: for Air & Light Lines, Cab/Sleeper mounted.	\$43	0#
9140193	Delete Hosetenna. Must Code for a Tractor Kit.	(\$20)	0#
9140196	Dual Ring Double Spring Hanger Replacing Single Ring Single Spring Hanger. Requires Trac Kit with Slide Bar.	\$32	0#
9140200	Delete Trailer Hand Valve. Must Code for Tractor kit.	(\$33)	0#



## T480: AIR EQUIPMENT

Option	Description	Price	Weight
<b>Air &amp; Electrical Supply Kits</b>			
<b>Trailer ABS Provisions</b>			
9140321	Additional 7-Way ISO 3731 Connector for Trailer ABS power One additional, w/ o light line, for full truck & tractor.	\$155	6#
9140322	Additional 7-Way ISO 3731 Connector for Trailer ABS power One additional, w/ 15ft coiled light line, for full truck & tractor w/ dual light plug holders.	\$284	8#
9140326	Additional 7-Way Electrical Receptacle Mounted end-of-frame.	\$875	2#
9140328	Trailer ABS Electric Supply Through SAE J560 7-pin connector per TMC RP137).	\$0	0#
9140329	Trailer ABS Malfunction Lamp for Use W/ Second ISO 3731 connector For non-PLC trailers.	\$42	0#
<b>Miscellaneous</b>			
9127026	Trailer Battery Charging Circuit W/ 125 amp Fuse w/ detach trailer charge line.	\$189	8#



# T480: SPECIAL EQUIPMENT

Option	Description	Price	Weight
<b>Safety Equipment</b>			
9490206	Warning Triangle Reflector Kit: Shipped Loose. Kit consists of 3 triangles in plastic carrying case. Not floor mounted.	\$58	4#
9490213	Warning Triangle Reflector Kit: Floor Mounted parallel to back wall between seats. Kit consists of 3 triangles in plastic carrying case. For day cab only.	\$59	12#
9490404	One 5 lb. Dry Chemical Type Fire Extinguisher mounted outboard of driver seat. Class ABC.	\$126	11#
9490408	One 5 lb. Dry Chemical Type Fire Extinguisher mounted inboard of rider seat. Class ABC.	\$123	11#
<b>Build Notes</b>			
6679893	Customer to Install Structural Crossmembers if removing the factory installed jackshaft crossmembers. Maximum spacing between structural centerframe crossmembers to be 51 in. (measured from the web of channel type crossmembers, or from the centerline of cast crossmembers). The customer is responsible for meeting minimum crossmember spacing requirements if the factory supplied jackshaft C/M's are removed.	\$0	0#
6679990	*** This Vehicle Does Not Have Adequate Swing/Dip clearance when coupled to the trailer referenced on this order. See narrative line for maximum forward fifth wheel setting for this vehicle/trailer combination.***	\$0	0#
9212000	PACCAR International Dealer. International support fee does not apply.	\$0	0#
9409850	GHG Secondary Manufacturer: American Reliance Industries	\$0	0#
9409852	GHG Secondary Manufacturer: Does Not Apply	\$0	0#
9409862	GHG Secondary Manufacturer: Agility - Fontana, CA	\$0	0#
9409863	GHG Secondary Manufacturer: Agility - Salisbury, NC	\$0	0#
9409866	GHG Secondary Manufacturer: Labrie - Levis, QC	\$0	0#
9409867	GHG Secondary Manufacturer: Labrie - San Luis, AZ	\$0	0#
9409874	GHG Secondary Manufacturer: McNeilus Natural Gas Fuel System	\$0	0#
9409875	GHG Secondary Manufacturer: Heil Natural Gas Fuel System	\$0	0#
9490003	Additional Lead Time Required for Off Highway & /or specialty component truck.	\$0	0#
9490012	U.S. Certification Decals for Canadian Trucks.	\$0	0#
9490645	Zinc Phosphate Frame Rail Paint Processing. Requires frame rail code. Code is for 1 pair of rails.	\$314	0#
9490647	Zinc Phosphate Frame Insert Paint Processing. Requires any 1st frame insert code. Code is for 1 pair of any frame inserts.	\$314	0#
9491659	VMUX Architecture	STD	0#
9999945	Charge Chassis in United States Dollars.	\$0	0#



# T480: SPECIAL EQUIPMENT

Option	Description	Price	Weight
<b>Build Notes</b>			
9999949	Do Not Drive.	\$1,000	0#
9999995	Cancel/ Reorder Chassis.	\$0	0#
<b>International Support Fee</b>			
9212001	International Support Fee, \$2700.	\$2,700	0#
9212002	International Support Fee, \$3531.	\$3,531	0#
9212003	International Support Fee, \$4355.	\$4,355	0#



# T480: EXTENDED WARRANTY

Option Description	Price	Weight
<b>Warranty</b>		
9200007 Base Warranty - PACCAR PX-7 Engine 36 months / Unlimited miles & km / Unlimited hours.	\$0	0#
9200008 Base Warranty - PACCAR PX-9 Engine 24 months / 250,000 miles / 402,336 km / 6250 hours.	STD	0#
9200022 Base Warranty - Standard Service Medium Duty 12 months / Unlimited miles & km	STD	0#
9200113 Severe Service Medium-Duty Warranty: 12 months/ 50,000 miles & km	\$0	0#
9220001 Base Warranty: Emissions 5YR/100K MI - EPA Engine	\$0	0#
9220006 Base Warranty: Emissions (CARB Operation) 5YR/150K MI - PX-9 Engine	\$1,866	0#
9220007 Base Warranty: Emissions (CARB Operation) 5YR/150K MI - PX-7 Engine	\$1,224	0#
9220008 Base Warranty: Emissions (CARB Operation) 5YR/100K MI - L9N Engine	\$0	0#
<b>U.S. Extended Warranty</b>		
9201813 EW: US Basic Vehicle 2 year/100,000 miles, United States Only.	\$245	0#
9201814 EW: US Basic Vehicle 2 year/200,000 miles, United States only.	\$605	0#
9201815 EW: US Basic Vehicle 2 year/300,000 miles, United States only.	\$1,470	0#
9201816 EW: US Basic Vehicle 2 year/400,000 miles, United States only.	\$1,990	0#
9201817 EW: US Basic Vehicle 2 year/500,000 miles, United States only.	\$2,625	0#
9201818 EW: US Basic Vehicle 3 year/100,000 miles, United States only.	\$450	0#
9201819 EW: US Basic Vehicle 3 year/200,000 miles, United States only.	\$805	0#
9201820 EW: US Basic Vehicle 3 year/300,000 miles, United States only.	\$1,765	0#
9201821 EW: US Basic Vehicle 3 year/400,000 miles, United States only.	\$2,215	0#
9201822 EW: US Basic Vehicle 3 year/500,000 miles, United States only.	\$2,890	0#
9201823 EW: US Basic Vehicle 4 year/100,000 miles, United States only.	\$690	0#
9201824 EW: US Basic Vehicle 4 year/200,000 miles, United States only.	\$1,095	0#
9201825 EW: US Basic Vehicle 4 year/300,000 miles, United States only.	\$2,060	0#
9201826 EW: US Basic Vehicle 4 year/400,000 miles, United States only.	\$2,420	0#
9201827 EW: US Basic Vehicle 4 year/500,000 miles, United States only.	\$3,105	0#
9201828 EW: US Basic Vehicle 5 year/100,000 miles, United States only.	\$1,150	0#
9201829 EW: US Basic Vehicle 5 year/200,000 miles, United States only.	\$1,585	0#

\*See PremierSpec for Applicable Restrictions



## T480: EXTENDED WARRANTY

Option Description	Price	Weight
<b>U.S. Extended Warranty</b>		
9201830 EW: US Basic Vehicle 5 year/300,000 miles, United States only.	\$2,500	0#
9201831 EW: US Basic Vehicle 5 year/400,000 miles, United States only.	\$2,975	0#
9201832 EW: US Basic Vehicle 5 year/500,000 miles, United States only.	\$3,485	0#
9201833 EW: US Basic Vehicle 6 year/100,000 miles, United States only.	\$1,235	0#
9201834 EW: US Basic Vehicle 6 year/200,000 miles, United States only.	\$1,630	0#
9201835 EW: US Basic Vehicle 6 year/300,000 miles, United States only.	\$2,755	0#
9201836 EW: US Basic Vehicle 6 year/400,000 miles, United States only.	\$3,430	0#
9201837 EW: US Basic Vehicle 6 year/600,000 miles - United States only.	\$4,125	0#
9201838 EW: US Basic Vehicle 7 year/200,000 miles, United States only.	\$1,710	0#
9201865 EW: US Radiator/CAAC 2 year/100,000 miles, United States only.	\$45	0#
9201866 EW: US Radiator/CAAC 2 year/200,000 miles, United States only.	\$125	0#
9201867 EW: US Radiator/CAAC 2 year/300,000 miles, United States only.	\$205	0#
9201868 EW: US Radiator/CAAC 2 year/400,000 miles, United States only.	\$285	0#
9201869 EW: US Radiator/CAAC 2 year/500,000 miles, United States only.	\$360	0#
9201870 EW: US Radiator/CAAC 3 year/100,000 miles, United States only.	\$85	0#
9201871 EW: US Radiator/CAAC 3 year/200,000 miles, United States only.	\$165	0#
9201872 EW: US Radiator/CAAC 3 year/300,000 miles, United States only.	\$245	0#
9201873 EW: US Radiator/CAAC 3 year/400,000 miles, United States only.	\$325	0#
9201874 EW: US Radiator/CAAC 3 year/500,000 miles, United States only.	\$405	0#
9201875 EW: US Radiator/CAAC 4 year/100,000 miles, United States only.	\$130	0#
9201876 EW: US Radiator/CAAC 4 year/200,000 miles, United States only.	\$205	0#
9201877 EW: US Radiator/CAAC 4 year/300,000 miles, United States only.	\$290	0#
9201878 EW: US Radiator/CAAC 4 year/400,000 miles, United States only.	\$365	0#
9201879 EW: US Radiator/CAAC 4 year/500,000 miles, United States only.	\$450	0#
9201880 EW: US Radiator/CAAC 5 year/100,000 miles, United States only.	\$160	0#
9201881 EW: US Radiator/CAAC 5 year/200,000 miles, United States only.	\$245	0#



## T480: EXTENDED WARRANTY

Option Description	Price	Weight
<b>U.S. Extended Warranty</b>		
9201882 EW: US Radiator/CAAC 5 year/300,000 miles, United States only.	\$320	0#
9201883 EW: US Radiator/CAAC 5 year/400,000 miles, United States only.	\$400	0#
9201884 EW: US Radiator/CAAC 5 year/500,000 miles, United States only.	\$470	0#
9201885 EW: US Radiator/CAAC 6 year/100,000 miles, United States only.	\$200	0#
9201886 EW: US Radiator/CAAC 6 year/200,000 miles, United States only.	\$285	0#
9201887 EW: US Radiator/CAAC 7 year/200,000 miles, United States only.	\$325	0#
9201911 EW: US Heater & Air Conditioner 2 year/100,000 miles, United States only.	\$85	0#
9201912 EW: US Heater & Air Conditioner 2 year/200,000 miles, United States only.	\$160	0#
9201913 EW: US Heater & Air Conditioner 2 year/300,000 miles, United States only.	\$285	0#
9201914 EW: US Heater & Air Conditioner 2 year/400,000 miles, United States only.	\$405	0#
9201915 EW: US Heater & Air Conditioner 2 year/500,000 miles, United States only.	\$480	0#
9201916 EW: US Heater & Air Conditioner 3 year/100,000 miles, United States only.	\$130	0#
9201917 EW: US Heater & Air Conditioner 3 year/200,000 miles, United States only.	\$205	0#
9201918 EW: US Heater & Air Conditioner 3 year/300,000 miles, United States only.	\$325	0#
9201919 EW: US Heater & Air Conditioner 3 year/400,000 miles, United States only.	\$450	0#
9201920 EW: US Heater & Air Conditioner 3 year/500,000 miles, United States only.	\$525	0#
9201921 EW: US Heater & Air Conditioner 4 year/100,000 miles, United States only.	\$165	0#
9201922 EW: US Heater & Air Conditioner 4 year/200,000 miles, United States only.	\$290	0#
9201923 EW: US Heater & Air Conditioner 4 year/300,000 miles, United States only.	\$410	0#
9201924 EW: US Heater & Air Conditioner 4 year/400,000 miles, United States only.	\$485	0#
9201925 EW: US Heater & Air Conditioner 4 year/500,000 miles, United States only.	\$570	0#
9201926 EW: US Heater & Air Conditioner 5 year/100,000 miles, United States only.	\$245	0#
9201927 EW: US Heater & Air Conditioner 5 year/200,000 miles, United States only.	\$320	0#
9201928 EW: US Heater & Air Conditioner 5 year/300,000 miles, United States only.	\$480	0#
9201929 EW: US Heater & Air Conditioner 5 year/400,000 miles, United States only.	\$560	0#
9201930 EW: US Heater & Air Conditioner 5 year/500,000 miles, United States only.	\$625	0#



# T480: EXTENDED WARRANTY

Option Description	Price	Weight
<b>U.S. Extended Warranty</b>		
9201931 EW: US Heater & Air Conditioner 6 year/100,000 miles, United States only.	\$285	0#
9201932 EW: US Heater & Air Conditioner 6 year/200,000 miles, United States only.	\$360	0#
9201933 EW: US Heater & Air Conditioner 7 year/200,000 miles, United States only.	\$410	0#
9201957 EW: US Starter & Alternator 2 year/200,000 miles, United States only.	\$85	0#
9201958 EW: US Starter & Alternator 2 year/300,000 miles, United States only.	\$160	0#
9201959 EW: US Starter & Alternator 3 year/300,000 miles, United States only.	\$245	0#
9201960 EW: US Starter & Alternator 3 year/400,000 miles, United States only.	\$405	0#
9201961 EW: US Starter & Alternator 4 year/500,000 miles, United States only.	\$595	0#
9201962 EW: US Starter & Alternator 5 year/500,000 miles, United States only.	\$785	0#
9201969 EW: US Towing For Warrantable Failures 1 year / Unlimited miles.	\$390	0#
9201970 EW: US Towing For Warrantable Failures 2 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$770	0#
9201971 EW: US Towing For Warrantable Failures 3 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,160	0#
9201972 EW: US Towing For Warrantable Failures 4 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,515	0#
9201973 EW: US Towing For Warrantable Failures 5 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$2,290	0#
9201974 EW: US Towing For Warrantable Failures 6 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$3,000	0#
9201975 EW: US Towing For Warrantable Failures 7 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$3,800	0#
9201983 EW: US Chassis/Frame Wiring 3 years/300,000 mile Per CA-014	\$520	0#
9201984 EW: US Chassis/Frame Wiring 4 years/400,000 miles Per CA-014	\$795	0#
9201985 EW: US Chassis/Frame Wiring 4 years/500,000 miles Per CA-014	\$1,160	0#
9201986 EW: US Chassis/Frame Wiring 5 years/500,000 miles Per CA-014	\$1,715	0#
9201987 EW: US Chassis/Frame Wiring 5 years/600,000 miles Per CA-014	\$1,925	0#
9201988 EW: US Chassis/Frame Wiring 6 years/600,000 miles Per CA-014	\$2,135	0#

\*See PremierSpec for Applicable Restrictions



## T480: EXTENDED WARRANTY

Option Description	Price	Weight
<b>Canada Extended Warranty</b>		
9201839 EW: Canada Basic Vehicle 2 year/160,000 km, Canada only.	\$445	0#
9201840 EW: Canada Basic Vehicle 2 year/320,000 km, Canada only.	\$1,035	0#
9201841 EW: Canada Basic Vehicle 2 year/480,000 km, Canada only.	\$1,630	0#
9201842 EW: Canada Basic Vehicle 2 year/640,000 km, Canada only.	\$2,540	0#
9201843 EW: Canada Basic Vehicle 2 year/800,000 km, Canada only.	\$3,060	0#
9201844 EW: Canada Basic Vehicle 3 year/160,000 km, Canada only.	\$565	0#
9201845 EW: Canada Basic Vehicle 3 year/320,000 km, Canada only.	\$1,165	0#
9201846 EW: Canada Basic Vehicle 3 year/480,000 km, Canada only.	\$1,810	0#
9201847 EW: Canada Basic Vehicle 3 year/640,000 km, Canada only.	\$2,695	0#
9201848 EW: Canada Basic Vehicle 3 year/800,000 km, Canada only.	\$3,250	0#
9201849 EW: Canada Basic Vehicle 4 year/160,000 km, Canada only.	\$1,335	0#
9201850 EW: Canada Basic Vehicle 4 year/320,000 km, Canada only.	\$1,980	0#
9201851 EW: Canada Basic Vehicle 4 year/480,000 km, Canada only.	\$2,625	0#
9201852 EW: Canada Basic Vehicle 4 year/640,000 km, Canada only.	\$3,430	0#
9201853 EW: Canada Basic Vehicle 4 year/800,000 km, Canada only.	\$3,995	0#
9201854 EW: Canada Basic Vehicle 5 year/160,000 km, Canada only.	\$1,945	0#
9201855 EW: Canada Basic Vehicle 5 year/320,000 km, Canada only.	\$2,620	0#
9201856 EW: Canada Basic Vehicle 5 year/480,000 km, Canada only.	\$3,330	0#
9201857 EW: Canada Basic Vehicle 5 year/640,000 km, Canada only.	\$4,160	0#
9201858 EW: Canada Basic Vehicle 5 year/800,000 km, Canada only.	\$4,520	0#
9201859 EW: Canada Basic Vehicle 6 year/160,000 km, Canada only.	\$1,990	0#
9201860 EW: Canada Basic Vehicle 6 year/320,000 km, Canada only.	\$2,665	0#
9201861 EW: Canada Basic Vehicle 6 year/480,000 km, Canada only.	\$3,670	0#
9201862 EW: Canada Basic Vehicle 6 year/640,000 km, Canada only.	\$4,795	0#
9201863 EW: Canada Basic Vehicle 6 year/960,000 km - Canada only.	\$5,605	0#
9201864 EW: Canada Basic Vehicle 7 year/320,000 km, Canada only.	\$2,760	0#



## T480: EXTENDED WARRANTY

Option Description	Price	Weight
<b>Canada Extended Warranty</b>		
9201888 EW: Canada Radiator/CAAC 2 year/160,000 km, Canada only.	\$125	0#
9201889 EW: Canada Radiator/CAAC 2 year/320,000 km, Canada only.	\$285	0#
9201890 EW: Canada Radiator/CAAC 2 year/480,000 km, Canada only.	\$360	0#
9201891 EW: Canada Radiator/CAAC 2 year/640,000 km, Canada only.	\$480	0#
9201892 EW: Canada Radiator/CAAC 2 year/800,000 km, Canada only.	\$635	0#
9201893 EW: Canada Radiator/CAAC 3 year/160,000 km, Canada only.	\$165	0#
9201894 EW: Canada Radiator/CAAC 3 year/320,000 km, Canada only.	\$325	0#
9201895 EW: Canada Radiator/CAAC 3 year/480,000 km, Canada only.	\$405	0#
9201896 EW: Canada Radiator/CAAC 3 year/640,000 km, Canada only.	\$525	0#
9201897 EW: Canada Radiator/CAAC 3 year/800,000 km, Canada only.	\$685	0#
9201898 EW: Canada Radiator/CAAC 4 year/160,000 km, Canada only.	\$250	0#
9201899 EW: Canada Radiator/CAAC 4 year/320,000 km, Canada only.	\$410	0#
9201900 EW: Canada Radiator/CAAC 4 year/480,000 km, Canada only.	\$530	0#
9201901 EW: Canada Radiator/CAAC 4 year/640,000 km, Canada only.	\$610	0#
9201902 EW: Canada Radiator/CAAC 4 year/800,000 km, Canada only.	\$775	0#
9201903 EW: Canada Radiator/CAAC 5 year/160,000 km, Canada only.	\$285	0#
9201904 EW: Canada Radiator/CAAC 5 year/320,000 km, Canada only.	\$445	0#
9201905 EW: Canada Radiator/CAAC 5 year/480,000 km, Canada only.	\$560	0#
9201906 EW: Canada Radiator/CAAC 5 year/640,000 km, Canada only.	\$635	0#
9201907 EW: Canada Radiator/CAAC 5 year/800,000 km, Canada only.	\$795	0#
9201908 EW: Canada Radiator/CAAC 6 year/160,000 km, Canada only.	\$320	0#
9201909 EW: Canada Radiator/CAAC 6 year/320,000 km, Canada only.	\$480	0#
9201910 EW: Canada Radiator/CAAC 7 year/320,000 km, Canada only.	\$530	0#
9201934 EW: Canada Heater & Air Conditioner 2 year/160,000km, Canada only.	\$125	0#
9201935 EW: Canada Heater & Air Conditioner 2 year/320,000km, Canada only.	\$285	0#
9201936 EW: Canada Heater & Air Conditioner 2 year/480,000km, Canada only.	\$405	0#



## T480: EXTENDED WARRANTY

Option Description	Price	Weight
<b>Canada Extended Warranty</b>		
9201937 EW: Canada Heater & Air Conditioner 2 year/640,000km, Canada only.	\$520	0#
9201938 EW: Canada Heater & Air Conditioner 2 year/800,000km, Canada only.	\$605	0#
9201939 EW: Canada Heater & Air Conditioner 3 year/160,000km, Canada only.	\$165	0#
9201940 EW: Canada Heater & Air Conditioner 3 year/320,000km, Canada only.	\$325	0#
9201941 EW: Canada Heater & Air Conditioner 3 year/480,000km, Canada only.	\$450	0#
9201942 EW: Canada Heater & Air Conditioner 3 year/640,000km, Canada only.	\$565	0#
9201943 EW: Canada Heater & Air Conditioner 3 year/800,000km, Canada only.	\$645	0#
9201944 EW: Canada Heater & Air Conditioner 4 year/160,000km, Canada only.	\$290	0#
9201945 EW: Canada Heater & Air Conditioner 4 year/320,000km, Canada only.	\$450	0#
9201946 EW: Canada Heater & Air Conditioner 4 year/480,000km, Canada only.	\$610	0#
9201947 EW: Canada Heater & Air Conditioner 4 year/640,000km, Canada only.	\$690	0#
9201948 EW: Canada Heater & Air Conditioner 4 year/800,000km, Canada only.	\$775	0#
9201949 EW: Canada Heater & Air Conditioner 5 year/160,000km, Canada only.	\$360	0#
9201950 EW: Canada Heater & Air Conditioner 5 year/320,000km, Canada only.	\$560	0#
9201951 EW: Canada Heater & Air Conditioner 5 year/480,000km, Canada only.	\$720	0#
9201952 EW: Canada Heater & Air Conditioner 5 year/640,000km, Canada only.	\$795	0#
9201953 EW: Canada Heater & Air Conditioner 5 year/800,000km, Canada only.	\$875	0#
9201954 EW: Canada Heater & Air Conditioner 6 year/160,000km, Canada only.	\$400	0#
9201955 EW: Canada Heater & Air Conditioner 6 year/320,000km, Canada only.	\$600	0#
9201956 EW: Canada Heater & Air Conditioner 7 year/320,000km, Canada only.	\$650	0#
9201963 EW: Canada Starter & Alternator 2 year/320,000km, Canada only.	\$245	0#
9201964 EW: Canada Starter & Alternator 2 year/480,000km, Canada only.	\$320	0#
9201965 EW: Canada Starter & Alternator 3 year/480,000km, Canada only.	\$565	0#
9201966 EW: Canada Starter & Alternator 3 year/640,000km, Canada only.	\$805	0#
9201967 EW: Canada Starter & Alternator 4 year/800,000km, Canada only.	\$995	0#
9201968 EW: Canada Starter & Alternator 5 year/800,000km, Canada only.	\$1,185	0#



# T480: EXTENDED WARRANTY

Option Description	Price	Weight
<b>Canada Extended Warranty</b>		
9201976 EW: CA Towing For Warrantable Failures 1 year / Unlimited km.	\$555	0#
9201977 EW: CA Towing For Warrantable Failures 2 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,100	0#
9201978 EW: CA Towing For Warrantable Failures 3 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,655	0#
9201979 EW: CA Towing For Warrantable Failures 4 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$2,165	0#
9201980 EW: CA Towing For Warrantable Failures 5 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$3,265	0#
9201981 EW: CA Towing For Warrantable Failures 6 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$4,265	0#
9201982 EW: CA Towing For Warrantable Failures 7 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$5,395	0#
9201989 EW: CA Chassis/Frame Wiring 3 years/480,000 KMs Per CA-014	\$1,200	0#
9201990 EW: CA Chassis/Frame Wiring 4 years/640,000 KMs Per CA-014	\$1,850	0#
9201991 EW: CA Chassis/Frame Wiring 4 years/800,000 KMs Per CA-014	\$2,735	0#
9201992 EW: CA Chassis/Frame Wiring 5 years/800,000 KMs Per CA-014	\$3,220	0#
9201993 EW: CA Chassis/Frame Wiring 5 years/960,000 KMs Per CA-014	\$3,590	0#
9201994 EW: CA Chassis/Frame Wiring 6 years/960,000 KMs Per CA-014	\$3,830	0#
<b>Cummins Engine Extended Coverage Plans</b>		
9203010 PACCAR EW: PX-7 Protect Plan 1 EPA24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,220	0#
9203011 PACCAR EW: PX-7 Protect Plan 1 EPA24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,370	0#
9203012 PACCAR EW: PX-7 Protect Plan 1 EPA24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,070	0#
9203013 PACCAR EW: PX-7 Protect Plan 1 EPA24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,320	0#
9203014 PACCAR EW: PX-7 Protect Plan 1 EPA24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,620	0#

\*See PremierSpec for Applicable Restrictions



# T480: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Cummins Engine Extended Coverage Plans</b>			
9203015	PACCAR EW: PX-7 Protect Plan 1 EPA24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,920	0#
9203016	PACCAR EW: PX-7 Protect Plan 1 EPA24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,970	0#
9203017	PACCAR EW: PX-7 Protect Plan 1 EPA24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,670	0#
9203018	PACCAR EW: PX-7 Protect Plan 1 EPA24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,070	0#
9203019	PACCAR EW: PX-7 Protect Plan 1 EPA24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,420	0#
9203020	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$740	0#
9203021	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$820	0#
9203022	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$740	0#
9203023	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$820	0#
9203024	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$935	0#
9203025	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,040	0#
9203026	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,120	0#
9203027	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$920	0#
9203028	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,105	0#



# T480: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Cummins Engine Extended Coverage Plans</b>			
9203029	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,215	0#
9203030	PACCAR EW: PX-9 Protect Plan 1 EPA24 3YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$870	0#
9203031	PACCAR EW: PX-9 Protect Plan 1 EPA24 3YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,120	0#
9203032	PACCAR EW: PX-9 Protect Plan 1 EPA24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,770	0#
9203033	PACCAR EW: PX-9 Protect Plan 1 EPA24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,570	0#
9203034	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,720	0#
9203035	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,160	0#
9203036	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,970	0#
9203037	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,970	0#
9203038	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,970	0#
9203039	PACCAR EW: PX-9 Protect Plan 1 EPA24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,720	0#
9203040	PACCAR EW: PX-9 Protect Plan 1 EPA24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,520	0#
9203041	PACCAR EW: PX-9 Protect Plan 1 EPA24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,520	0#
9203042	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 3YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$660	0#



# T480: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Cummins Engine Extended Coverage Plans</b>			
9203043	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 3YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$825	0#
9203044	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$920	0#
9203045	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,100	0#
9203046	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$920	0#
9203047	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,115	0#
9203048	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,285	0#
9203049	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,485	0#
9203050	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,760	0#
9203051	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,340	0#
9203052	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,515	0#
9203053	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,765	0#
9203054	PACCAR EW: PX-7 Protect Plan 1 CARB24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$550	0#
9203055	PACCAR EW: PX-7 Protect Plan 1 CARB24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$700	0#
9203056	PACCAR EW: PX-7 Protect Plan 1 CARB24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$525	0#



# T480: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Cummins Engine Extended Coverage Plans</b>			
9203057	PACCAR EW: PX-7 Protect Plan 1 CARB24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$575	0#
9203058	PACCAR EW: PX-7 Protect Plan 1 CARB24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$850	0#
9203059	PACCAR EW: PX-7 Protect Plan 1 CARB24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,150	0#
9203060	PACCAR EW: PX-7 Protect Plan 1 CARB24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,200	0#
9203061	PACCAR EW: PX-7 Protect Plan 1 CARB24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$900	0#
9203062	PACCAR EW: PX-7 Protect Plan 1 CARB24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,300	0#
9203063	PACCAR EW: PX-7 Protect Plan 1 CARB24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,650	0#
9203064	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$500	0#
9203065	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$530	0#
9203066	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$640	0#
9203067	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$695	0#
9203068	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$510	0#
9203069	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$705	0#
9203070	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$785	0#



# T480: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Cummins Engine Extended Coverage Plans</b>			
9203071	PACCAR EW: PX-9 Protect Plan 1 CARB24 3YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$525	0#
9203072	PACCAR EW: PX-9 Protect Plan 1 CARB24 3YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$575	0#
9203073	PACCAR EW: PX-9 Protect Plan 1 CARB24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$725	0#
9203074	PACCAR EW: PX-9 Protect Plan 1 CARB24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,525	0#
9203075	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$700	0#
9203076	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$800	0#
9203077	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,610	0#
9203078	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,610	0#
9203079	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,610	0#
9203080	PACCAR EW: PX-9 Protect Plan 1 CARB24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,360	0#
9203081	PACCAR EW: PX-9 Protect Plan 1 CARB24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,160	0#
9203082	PACCAR EW: PX-9 Protect Plan 1 CARB24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,160	0#
9203083	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$860	0#
9203084	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$940	0#



# T480: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>Cummins Engine Extended Coverage Plans</b>			
9203085	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,100	0#
9203086	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,370	0#
9203087	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$950	0#
9203088	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,130	0#
9203089	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,375	0#
<b>PACCAR Transmission Extended Warranty</b>			
9202978	EW: PACCAR TX-8 Trans 8AP560 5YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$355	0#
9202979	EW: PACCAR TX-8 Trans 8AP560 7YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$795	0#
9202980	EW: PACCAR TX-8 Trans 8AP560 5YR/Unlimited MI/KM - Standard Duty - PTO	\$635	0#
9202981	EW: PACCAR TX-8 Trans 8AP560 7YR/Unlimited MI/KM - Standard Duty - PTO	\$1,155	0#
9202982	EW: PACCAR TX-8 Trans 8AP560 5YR/Unlimited MI/KM - Severe Duty	\$1,130	0#
9202983	EW: PACCAR TX-8 Trans 8AP660 5YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$355	0#
9202984	EW: PACCAR TX-8 Trans 8AP660 7YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$795	0#
9202985	EW: PACCAR TX-8 Trans 8AP660 5YR/Unlimited MI/KM - Standard Duty - PTO	\$635	0#
9202986	EW: PACCAR TX-8 Trans 8AP660 7YR/Unlimited MI/KM - Standard Duty - PTO	\$1,155	0#
9202987	EW: PACCAR TX-8 Trans 8AP660 5YR/Unlimited MI/KM - Severe Duty	\$1,130	0#
9202988	EW: PACCAR TX-8 Trans 8AP760 5YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$385	0#
9202989	EW: PACCAR TX-8 Trans 8AP760 7YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$915	0#
9202990	EW: PACCAR TX-8 Trans 8AP760 5YR/Unlimited MI/KM - Standard Duty - PTO	\$675	0#
9202991	EW: PACCAR TX-8 Trans 8AP760 7YR/Unlimited MI/KM - Standard Duty - PTO	\$1,235	0#
9202992	EW: PACCAR TX-8 Trans 8AP760 5YR/Unlimited MI/KM - Severe Duty	\$1,425	0#
9202993	EW: PACCAR TX-8 Trans 8AP860 5YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$385	0#

\*See PremierSpec for Applicable Restrictions



## T480: EXTENDED WARRANTY

Option	Description	Price	Weight
<b>PACCAR Transmission Extended Warranty</b>			
9202994	EW: PACCAR TX-8 Trans 8AP860 5YR/Unlimited MI/KM - Standard Duty - PTO	\$675	0#
9202995	EW: PACCAR TX-8 Trans 8AP860 5YR/Unlimited MI/KM - Severe Duty	\$1,425	0#
9202996	EW: PACCAR TX-8 Trans 8AP1000 5YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$385	0#
9202997	EW: PACCAR TX-8 Trans 8AP1000 5YR/Unlimited MI/KM - Standard Duty - PTO	\$675	0#
9202998	EW: PACCAR TX-8 Trans 8AP1000 5YR/Unlimited MI/KM - Severe Duty	\$1,425	0#



# T480: PAINT

Option	Description	Price	Weight
9700000	Paint Color Number(s).	\$0	0#

## Paint Style

9944820	1 - Color Paint - Day Cab Color will be White if no other color is specified.	STD	0#
9944822	2 - Color Cust Design - Day Cab - Lo Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$3,105	0#
9944824	2 - Color Cust Design - Day Cab - Hi Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$5,302	0#

## Paint Type

9943048	Day Cab Bulk Paint	\$0	0#
9943049	Sleeper Bulk Paint	\$0	0#
9943050	Day Cab Standard Paint	STD	0#
9943051	Day Cab Premium Paint	\$621	0#
9943052	Day Cab Pearl Metallic Paint	\$827	0#
9965510	Base Coat/ Clear Coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	STD	0#

## Paint Options

9960009	Fleet Paint – Dealer ECO Required	\$0	0#
9960021	Paint Design Continued BOC/BOS -Includes Front of side extenders, but does not include back of side extenders.	\$778	0#

## Bumper Paint

9943001	Bumper Painted Color A	\$791	0#
9943002	Bumper Painted Other Than Color A: Specify Color	\$791	0#
9943004	Bumper Unpainted	\$0	0#



Option	Description	Price	Weight
--------	-------------	-------	--------

Paint Options

Bumper Paint

9943014	Steel Bumper Painted Frame Color	\$0	0#
9943016	Steel Bumper Painted Other Than Frame Color	\$0	0#

Fairing Paint

9943011	Roof Fairing Painted A Color	\$706	0#
9943012	Roof Fairing Painted Other Than A Color, Specify Color	\$796	0#

Frame Paint

9940044	Frame Paint Other Than Standard Black, Non-Metallic. Non-Metallic Only.	\$1,647	0#
9940056	Frame Paint Other Than Standard Black, Metallic . Metallic Paint, Imron Elite.	\$1,927	0#
9999944	Chassis has Frame Paint Color other than Black. Taillight brackets not included, bracket painted black.	\$0	0#

Paint Color

9960003	Non-Standard Paint Color.	\$295	0#
---------	---------------------------	-------	----

Hood Paint

9960083	Paint Hood Top Anti-Glare Top of Hood will be painted with Flat-Black Paint	\$0	0#
---------	---	-----	----

Paint Designs

9944839	Spectrum Design - Hood Top Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$1,812	0#
9944840	Spectrum Design - Fenders Only. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$1,914	0#
9944841	Spectrum Design – Day Cab – Roof and Fenders. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,337	0#



Option	Description	Price	Weight
<b>Paint Designs</b>			
9944843	Spectrum Design – Day Cab – Sunset. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,688	0#
9944845	Spectrum Design – Day Cab – Deception. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,683	0#
9944847	Spectrum Design - Day Cab - Roof Only. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,362	0#
9944849	Spectrum Design - Day Cab - 3 Color Sunset Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$5,926	0#