



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

**5000134302 TWO YEAR CONTRACT FOR A SUPPLY OF VARIOUS
ELECTRICAL SUPPLIES TO BE ORDERED ON AN AS NEEDED BASIS
FOR JEFFERSON PARISH DEPARTMENT OF PARKS & RECREATION
AND ALL JEFFERSON PARISH MUNICIPALITIES AND AGENCIES.
Jefferson Parish Government**

Project documents obtained from www.CentralBidding.com

28-Apr-2021 02:38:39 PM



Bid Number 50 - 00134302

**TWO YEAR CONTRACT FOR A SUPPLY OF VARIOUS ELECTRICAL
SUPPLIES TO BE ORDERED ON AN AS NEEDED BASIS FOR JEFFERSON
PARISH DEPARTMENT OF PARKS AND RECREATION AND ALL JEFFERSON
PARISH MUNICIPALITIES AND AGENCIES.**

MAY 11, 2021 at 2:00 pm

ATTENTION VENDORS!!!

**Please review all pages and respond accordingly, complying with all provisions
in the technical specifications and Jefferson Parish Instructions for Bidders and
General Terms and Conditions. All bids must be received on the Purchasing
Department's eProcurement site, www.jeffparishbids.net, by the bid due date
and time.**

**Donna Reamey
Dreamey@jeffparish.net
504-364-2684**

DATE: 4/21/2021

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

BID NO.: 50-00134302

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

BUYER: DREAMY@jeffparish.net

BIDS WILL BE RECEIVED ONLINE VIA WWW.JEFFPARISHBIDS.NET UNTIL 2:00 PM, 5/11/2021 AND PUBLICLY OPENED THEREAFTER IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053. At no charge, bidders are to submit via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN LSA - R.S. 9:2620(8) ARE ACCEPTABLE. SIGNATURE MUST BE A SECURED DIGITAL SIGNATURE.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647 as amended.

Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in Louisiana Revised Statutes Annotated, R.S. 42:1101, et seq. Vendor/Proposer by this submission, warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing via email to the buyer's email address as indicated above, no later than Five (5) working days prior to the bid opening. Bid numbers should be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

DATE: 4/21/2021

BID NO.: 50-00134302

Page: 2

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA - R.S. 38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and local taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online.

This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 as amended. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

10, 12, 13, 15

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid electronic envelope. Failure to comply will cause the bid to be rejected. When submitting the bid electronically, the license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precaution must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise stated in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Failure to comply with this instruction will result in bid rejection.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. All sureties must be in original format (no copies) When submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.

17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment."). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to JPCO 2-155.10(19). By signing this document, every corporation, partnership, or person contracting with PARISH, whether by cooperative endeavor, intergovernmental agreement, bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program, attests that it understands and will abide by all provisions of JPCO 2-155.10.

DATE: 4/21/2021

Page: 6

BID NO.: 50-00134302

BID FORM
Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO ☒

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____%

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF

5/11/2023

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

2 weeks

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable)

NA

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME:

ADDRESS:

CITY, STATE:

ZIP:

TELEPHONE:

FAX:

EMAIL ADDRESS:

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER:

NUMBER:

NUMBER:

NUMBER:

TOTAL PRICE OF ALL BID ITEMS: \$

AUTHORIZED

SIGNATURE:

TITLE:

139,369.⁹²

President

Quentin Walker

Printed Name

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			TWO YEAR CONTRACT FOR A SUPPLY OF VARIOUS ELECTRICAL SUPPLIES TO BE ORDERED ON AN AS NEEDED BASIS FOR JEFF PARISH PARKS & REC. & ALL JEFF PARISH MUNICIPALITIES AND AGENCIES.		
1	25.00	ROLL	0010 - TAPE, SPLICING - 3M 3/4 INCH X 30 FEET BRAND: 3M NO. 130C-3/4 <i>as specified</i>	\$11.80/ROLL	\$295.00
2	500.00	ROLL	0020 - TAPE, ELECTRICAL- NO. 33, 3M PLASTIC ELECTRICAL TAPE 3/4 INCH X 66 FEET BRAND: 3M NO. 33 <i>as specified</i>	\$3.9980/ROLL	\$1,999.00
3	500.00	ROLL	0030 - TAPE, ELECTRICAL- NO. 35 3M CODING ELECTRICAL TAPE 3/4 INCH X 66 FEET BRAND: 3M NO. 35 <i>as specified</i>	\$4.44/ROLL	\$2,220.00
4	750.00	BX	0040 - WIRE NUTS, GRAY 100 PER BOX BRAND: IDEAL NO. 30071 <i>as specified</i>	\$6.31/BX	\$4,732.50
5	100.00	BX	0050 - WIRE NUTS, SMALL BLUE 100 PER BOX BRAND: IDEAL NO. 30072 <i>as specified</i>	\$7.09/BX	\$709.00
6	100.00	BX	0060 - WIRE NUTS, ORANGE 100 PER BOX BRAND: IDEAL NO. 30073 <i>as specified</i>	\$8.33/BX	\$833.00
7	75.00	BX	0070 - WIRE NUTS, YELLOW 100 PER BOX BRAND: IDEAL NO. 30074 <i>as specified</i>	\$10.66/BX	\$799.50
8	50.00	BX	0080 - WIRE NUTS, RED 100 PER BOX <i>as specified</i>	\$14.16/BX	\$708.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
9	150.00	BX	BRAND: IDEAL NO. 30076 0090 - WIRE NUTS, GREEN 100 PER BOX	\$19.65/BX	\$2,947.50
10	50.00	JAR	BRAND: IDEAL NO. 30092 as specified 0100 - WIRE NUTS, TAN 500 PER JAR	\$49.5625/Jar	\$2,478.13
11	50.00	BX	BRAND: IDEAL NO. 30641 as specified 0110 - WIRE CONNECTORS, RED B-CAP 100 PER BOX	\$17.475/BX	\$873.50
12	25.00	BX	BRAND: IDEAL NO. B2-1 as specified 0120 - WIRE NUT COMBO, BIG BLUE/GRAY 50 PER BOX	\$14.84/BX	\$371.00
13	30.00	BX	BRAND: 3M NO. BG as specified 0130 - WIRE NUT COMBO, RED/YELLOW 100 PER BOX	\$13.06/BX	\$391.80
14	60.00	EA	BRAND: 3M NO. RY as specified 0140 - ANCHOR KIT NO. 10 SCREWS	No Quote	
15	2.00	EA	BRAND: BLACKBURN NO. 51212 0150 - ANCHOR KIT NO. 10 SCREWS	No Quote	
16	250.00	EA	BRAND: BLACKBURN NO. 51404 0160 - CLAMP, BEAM, 1/4-20 - MINER BRAND: MINERALLAC NO. 600	No Quote	
17	100.00	EA	0170 - UNISTRUT STRAP, EMT 1/2 INCH	No Quote	

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
18	75.00	EA	BRAND: B-LINE NO. B2001PAZN 0180 - UNISTRUT STRAP, RIGID 1-1/4 INCH	NO Quote	
19	2.00	EA	BRAND: B-LINE NO. B20011ZN 0190 - UNISTRUT STRAP, RIGID, 2 INCH BRAND: B-LINE NO. B2013PAZN		
20	2.00	EA	0200 - UNISTRUT STRAP, 3 INCH BRAND: B-LINE NO. B2015PAZN		
21	150.00	FT	0210 - UNISTRUT - PRE-GALVANIZED 1-5/8 INCH COMES IN 10 FOOT LENGTHS BRAND: B-LINE NO. B22GALV		
22	500.00	FT	0220 - UNISTRUT - HOT DIP GALVANIZED 1-5/8 INCH COMES IN 10 FOOT LENGTHS BRAND: B-LINE NO. B22HDG		
23	100.00	EA	0230 - SPRING NUT, 1/4 INCH BRAND: B-LINE NO. N224ZN		
24	250.00	EA	0240 - SPRING NUT, 3/8 INCH BRAND: B-LINE NO. N228ZN		
25	2.00	EA	0250 - CRIMP, BUTTSPLICE, 6 AWG BRAND: BURNDY NO. YS6CLBOX		
26	2.00	EA	0260 - CRIMP, BUTTSPLICE, 8 AWG BRAND: BURNDY NO. US8CLBOX		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
27	25.00	EA	0270 - COPPER SPLIT BOLT CONNECTORS NO. 8 AWG - NO. 6 AWG BRAND: BURNDY NO. KS17 <i>see PEN 36</i>	<i>\$1.30/ea</i>	<i>\$32.50</i>
28	25.00	EA	0280 - COPPER SPLIT BOLT CONNECTORS NO. 8 AWG - NO. 4 AWG BRAND: BURNDY NO. KS20 <i>see PEN 54</i>	<i>\$1.5750/ea</i>	<i>\$39.38</i>
29	10.00	EA	0290 - COPPER SPLIT BOLT CONNECTORS NO. 6 AWG - NO. 4 AWG BRAND: BURNDY NO. KS23 <i>see PEN 54</i>	<i>\$1.5750/ea</i>	<i>\$15.75</i>
30	10.00	EA	0300 - COOPER SPLIT BOLT CONNECTORS NO. 4 AWG - 1/0 AWG BRAND: BURNDY NO. KS25 <i>see PEN 51/0</i>	<i>\$2.7549</i>	<i>\$27.55</i>
31	10.00	EA	0310 - COOPER SPLIT BOLT CONNECTORS NO. 1 AWG - 3/0 AWG BRAND: BURNDY NO. KS27 <i>see PEN 53/0</i>	<i>\$8.3750/ea</i>	<i>\$83.75</i>
32	2.00	PK	0320 - CONNECTOR, COMPRESSION, R66 PACKAGE OF 50 BRAND: IDEAL NO. 92-650 <i>as specified</i>	<i>\$34.04/PK</i>	<i>\$68.07</i>
33	700.00	FT	0330 - CONDUIT, 1 INCH ALUMINUM COMES IN 10 FOOT LENGTHS NO. AL1 <i>as specified</i>	<i>\$1.75/ft</i>	<i>\$1,225.00</i>
34	700.00	FT	0340 - CONDUIT, 1/2 INCH ALUMINUM COMES IN 10 FOOT LENGTHS NO. AL1/2 <i>as specified</i>	<i>\$0.95/ft</i>	<i>\$665.00</i>
35	2.00	FT	0350 - CONDUIT, 1-1/2 INCH ALUMINUM COMES IN 10 FOOT LENGTHS No. AL1-1/2	<i>No Quote</i>	
36	2.00	FT	0360 - CONDUIT, 1-1/4 INCH ALUMINUM COMES IN 10 FOOT LENGTHS	<i>No Quote</i>	

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			No. AL1-1/4	\$3.75/ft	\$1,875. ⁰⁰
37	500.00	FT	0370 - CONDUIT, 2 INCH ALUMINUM COMES IN 10 FOOT LENGTHS		
			No. AL2 as specified	No Quote	
38	2.00	FT	0380 - CONDUIT, 2-1/2 INCH ALUMINUM COMES IN 10 FOOT LENGTHS		
			No. AL2-1/2	\$1.20/ft	\$1,800. ⁰⁰
39	1,500.00	FT	0390 - CONDUIT, 3/4 INCH ALUMINUM COMES IN 10 FOOT LENGTHS		
			No. AL3/4 as specified	\$1.2708/ft	\$635. ⁴⁰
40	500.00	FT	0400 - CONDUIT, 1 INCH EMT COMES IN 10 FOOT LENGTHS		
			No. EMT1 as specified	\$0.49/ft	\$245. ⁰⁰
41	500.00	FT	0410 - CONDUIT, 1/2 INCH EMT COMES IN 10 FOOT LENGTHS		
			No. EMT1/2 as specified	\$2.1785/ft	\$217. ⁸⁵
42	100.00	FT	0420 - CONDUIT, 1-1/2 INCH EMT COMES IN 10 FOOT LENGTHS		
			No. EMT1-1/2 as specified	\$0.6960/ft	\$1,044. ⁰⁰
43	1,500.00	FT	0430 - CONDUIT, 3/4 INCH EMT COMES IN 10 FOOT LENGTHS		
			No. EMT3/4 as specified	No Quote	
44	2.00	FT	0441 - CONDUIT, ELECTRICAL, ALUMINUM, 1-1/2 INCH, THREADED AND COUPLED		
			COMES IN 10 FOOT LENGTHS	\$2.08/ft	\$1,040. ⁰⁰
45	500.00	FT	0450 CONDUIT, 1-1/4 INCH EMT COMES IN 10 FOOT LENGTHS		
			as specified	\$9.75/ft	\$975. ⁰⁰
46	100.00	FT	0460 - CONDUIT, RIGID GALVANIZED, 2 INCH THREADED AND COUPLED		
			as specified	\$2.90/ft	\$290. ⁰⁰
47	100.00	FT	0470 - CONDUIT, 2 INCH EMT COMES IN 10 FOOT LENGTHS		
			as specified		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
48	2.00	FT	0480 - CONDUIT, RIGID GALVANIZED, 2-1/2 INCH, THREADED AND COUPLED. COMES IN 10 FOOT LENGTHS	No Quote	
49	100.00	FT	0490 CONDUIT, RIGID STEEL, 1/2 INCH COMES IN 10 FOOT LENGTHS		
50	2.00	FT	0500 CONDUIT, RIDGID STEEL, 3/4 INCH COMES IN 10 FOOT LENGTHS		
51	2.00	FT	0510 CONDUIT, RIDGID STEEL, 1 INCH COMES IN 10 FOOT LENGTHS		
52	2.00	FT	0520 CONDUIT, RIDGID STEEL, 1-1/4 INCH COMES IN 10 FOOT LENGTHS		
53	2.00	FT	0530 CONDUIT, RIDGID STEEL, 1-1/2 INCH COMES IN 10 FOOT LENGTHS		
54	2.00	FT	0540 CONDUIT, RIDGID STEEL, 2 INCH COMES IN 10 FOOT LENGTHS		
55	20.00	EA	0550 - CONNECTOR, 1/2 INCH CORD GRIP .250 - .370 Brand: Woodhead No. 5524	\$.89/ea	\$17.80
56	8.00	EA	0560 - SWITCH, HEAVY DUTY SAFETY 30A, 600V, FUSED NEMA 3R DISCONNECT Brand: Eaton No. DH361NRK	See NAW NPT-12 \$298.00/ea	\$2,384.00
57	500.00	EA	0570 - STRAP, 1/2 INCH EMT, 1 HOLE Brand: Mineralac No. 130	See SQD H361NRB \$.04/ea	\$20.00
58	500.00	EA	0580 - STRAP, 3/4 INCH EMT, 1 HOLE Brand: Mineralac See FECO 181S	\$.06/ea	\$30.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
59	50.00	EA	No. 145 0590 - STRAP, 1 INCH EMT, 1 HOLE Brand: Minerallac See PECO 182S	\$.1009/ea	\$5.05
60	50.00	EA	No. 155 0600 - STRAP, STAND OFF, 1 INCH Brand: Minerallac See CAD CD2B	\$.4178/ea	\$20.89
61	200.00	EA	No. 2B 0610 - STRAP, 1-1/4 INCH EMT, 1 HOLE Brand: Minerallac See PECO 183S	\$.1613/ea	\$32.26
62	50.00	EA	No. 165 0620 - STRAP, 1-1/2 INCH EMT, 1 HOLE Brand: Minerallac No MED75	No Quote	
63	50.00	EA	No. 230 0630 - STRAP, 1/2 INCH EMT, 2 HOLE Brand: Minerallac See PECO TH180S	\$.0335/ea	\$1.68
64	50.00	EA	No. 245 0640 - STRAP, 3/4 INCH EMT, 2 HOLE Brand: Minerallac See PECO TH181S	\$.0420/ea	\$2.10
65	50.00	EA	No. 290 0650 - STRAP, 2 INCH CONDUIT, 2 HOLE Brand: Minerallac See PECO TH185S	\$.2433/ea	\$12.17
66	500.00	EA	No. 896 0660 - BOX, HANDY, SUPPORT (F STRAPS) Brand: EGS See RAC 977	\$.3521	\$176.05
67	50.00	EA	No. 2510 0670 - BOX, HANDY, DUPLEX OUTLET COVER GALVANIZED ZINC, LENGTH 4 INCH, WIDTH 2-1/8 INCH, DEPTH 1-7/8 INCH, 1/2 INCH KNOCKOUTS Brand: EGS See RAC 864	\$.3672	\$18.36
68	200.00	EA	No. 2510 0680 - BOX, SWITCH, FOR EMT FLEXIBLE CONDUIT, 2-1/2 INCH D GANGABLE BOX WITH See RAC 500	\$1.1026	\$220.52

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
69	50.00	EA	MTD EARS Brand: EGS No. 222	\$.3710	\$ 18.55
70	50.00	EA	0690 - BOX, HANDY, SWITCH COVER GALVANIZED ZINC, LENGTH 4-3/16 INCH, WIDTH 2-5/16 INCH, RAISED 1/4 INCH Brand: EGS No. 2594 See RAC 865	\$.3901	\$ 19.51
71	20.00	EA	0700 - BOX, HANDY, BLANK COVER GALVANIZED ZINC, LENGTH 4-3/16 INCH, WIDTH 2-5/16 INCH, RAISED 1/4 INCH Brand: EGS No. 2540 See RAC 860	\$.8329	\$ 16.66
72	20.00	EA	0710 - COVER, INDUSTRIAL METAL WITH 1 SWITCH, GANG 4 INCH Brand: EGS No. 8361 See RAC 800C	NO Quote	
73	50.00	EA	0720 - COVER, INDUSTRIAL METAL FOR SINGLE GFCI OUTLET Brand: EGS No. 8364	NO Quote	
74	2.00	EA	0730 - COVER, OCTAGON, BLANK Brand: EGS No. 8413	\$ 2.1477	\$ 4.30
75	150.00	EA	0740 - COVER, INDUSTRIAL METAL, SWITCH WITH 2 SWITCHES, GANG 4 INCH Brand: EGS No. 8367 See RAC 803C	\$.2997	\$ 44.96
76	2.00	EA	0750 - COVER, 4 INCH, SQUARE, BLANK Brand: EGS No. 8465 See RAC 752	\$.5628	\$ 1.13
77	50.00	EA	0760 - COVER, BLANK, 4-11/16 INCH Brand: EGS No. 8487 See RAC 832	\$.7449	\$ 37.25
			0770 - BOX, HANDY, WITH 1/2 INCH HOLES Brand: EGS See RAC 660		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
78	150.00	EA	No. 4CS-1/2 0780 - BOX, 4 INCH SQUARE 2-1/8 INCH DEEP WITH 1/2 INCH AND 3/4 INCH COMBINATION KNOCKOUTS EGS 4SDSPL <i>see RAC 232</i>	<i>\$2.9009/ea</i>	<i>\$135.14</i>
79	75.00	EA	0790 - BOX, OCTAGON, 1-1/2 INCH DEEP WITH 1/2 INCH AND 3/4 INCH KNOCKOUTS Brand: EGS No. 4ODSPL <i>see RAC 127</i>	<i>\$1.1473/ea</i>	<i>\$86.05</i>
80	400.00	EA	0800 - BOX, OCTAGON, 2-1/8 INCH DEEP WITH 1/2 INCH AND 3/4 INCH COMBINATION KNOCKOUTS Brand: EGS No. DSPL <i>see RAC 167</i>	<i>\$1.09/ea</i>	<i>\$436.00</i>
81	200.00	EA	0810 - RING, EXTENSION, SQUARE, 4 INCH WITH 1/2 INCH KNOCKOUTS Brand: EGS No. 4SES	<i>\$1.30/ea</i>	<i>\$2.60</i>
82	2.00	EA	0820 - BOX, 4 SQUARE 2-1/8 INCH DEEP WITH 1 INCH KNOCKOUTS Brand: EGS No. 4SD1 <i>see RAC 233</i>		<i>NO Quote</i>
83	2.00	EA	0830 - RING, EXTENSION, 4-11/16 INCH, 2-1/8 INCH DEEP Brand: EGS No. 4SJDE1/2-3/4		<i>NO Quote</i>
84	2.00	EA	0840 - RING, EXTENSION, 4-11/16 INCH WITH 1/2 INCH AND 3/4 INCH KNOCKOUTS BOX Brand: EGS No. 4SJDEK		<i>NO Quote</i>
85	2.00	EA	0850 - RING, EXTENSION, HANDY BOX, 1/2 INCH Brand: EGS No. 4SSLE		
86	100.00	EA	0860 - BOX, SQUARE, 4 INCH, WITH 1-1/2 INCH DEEP WITH 1/2 INCH AND		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			3/4 INCH KNOCKOUTS Brand: EGS No. 4SSPLDR	\$.85/ea	\$ 17.00
87	20.00	EA	0870 - COVER, INDUSTRIAL, 4 INCH WITH 1 DUPLEX OUTLET Brand: EGS No. 8365N See RAC 902C	\$.81/ea	\$ 16.20
88	20.00	EA	0880 - COVER, INDUSTRIAL, 4 INCH FOR 2 DUPLEX OUTLET Brand: EGS No. 8371N See RAC 907C	\$.17/ea	\$ 17.00
89	100.00	EA	0890 - NIPPLE, CHASE, 1/2 INCH Brand: EGS No. CNN100 See PECO 332	\$.39/ea	\$ 19.50
90	50.00	EA	0900 - NIPPLES, CHASE, 3/4 INCH EGS CNN200 See PECO 333	\$.67/ea	\$ 1.34
91	2.00	EA	0910 - NIPPLES, CHASE, 1 INCH EGS CNN300 See PECO 334	\$ 1.05/ea	\$ 2.10
92	2.00	EA	0920 - NIPPLES, CHASE, 1-1/4 INCH EGS CNN400 See PECO 335	\$ 1.30/ea	\$ 2.60
93	2.00	EA	0930 - NIPPLES, CHASE, 1-1/2 INCH EGS CNN500 See PECO 336	\$ 2.28/ea	\$ 4.56
94	2.00	EA	0940 NIPPLES, CHASE, 2 INCH EGS CNN600 See PECO 337	\$ 8.79/ea	\$ 17.58
95	2.00	EA	0950 - CONNECTOR, THREADLESS, RIGID, 1-1/2 INCH Brand: OZ GEDNEY No. 31150 See PECO 964	\$ 1.58/ea	\$ 158.00
96	100.00	EA	0960 - CONNECTOR, COMPRESSION, THREADLESS, 1/2 INCH Brand: OZ GEDNEY See PECO 960		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
97	50.00	EA	No. 31-050 0970 - CONNECTOR, COMPRESSION, THREADLESS, 3/4 INCH Brand: OZ GEDNEY No. 31-075	\$2.1850/ea	\$109.25
98	50.00	EA	0980 - CONNECTOR, COMPRESSION, THREADLESS, 1 INCH Brand: OZ GEDNEY No. 31-100	\$3.50/ea	\$175.00
99	2.00	EA	0990 - CONNECTOR, COMPRESSION THREADLESS, 1-1/4 INCH Brand: OZ GEDNEY No. 31-125	\$5.22/ea	\$10.44
100	10.00	EA	1000 - CONNECTOR, COMPRESSION THREADLESS, 2 INCH Brand: OZ GEDNEY No. 31-200	\$18.75/ea	\$187.50
101	400.00	EA	1010 - CONNECTOR, 1/2 INCH EMT SET SCREW Brand: EGS No. TC501	\$0.14/ea	\$56.00
102	2.00	EA	1020 - CONNECTOR, 3/4 INCH EMT SET SCREW Brand: EGS No. TC502	\$0.23/ea	\$0.46
103	20.00	EA	1030 - CONNECTOR, 1 INCH EMT SET SCREW Brand: EGS No. TC503	\$0.43/ea	\$8.60
104	2.00	EA	1040 - COUPLING, 3/4 INCH EMT SET SCREW Brand: EGS No. TC512	\$0.25/ea	\$0.50
105	500.00	EA	1050 - CONNECTOR, COMPRESSION, EMT, 1/2 INCH Brand: EGS No. TC601	\$0.26/ea	\$130.00
106	150.00	EA	1060 - CONNECTOR, COMPRESSION, EMT 3/4 INCH	\$0.46/ea	\$69.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
107	50.00	EA	Brand: EGS No. TC602 1070 - CONNECTOR, COMPRESSION, EMT, 1 INCH	\$0.69	\$34.50
108	50.00	EA	Brand: EGS No. TC603 1080 - CONNECTOR, COMPRESSION, EMT 1-1/4 INCH	\$1.10/ea	\$55.00
109	2.00	EA	Brand: EGS No. TC604 1090 - CONNECTOR, COMPRESSION, EMT 1-1/2 INCH	\$2.81/ea	\$5.62
110	400.00	EA	Brand: EGS No. TC605 1100 - COUPLING, COMPRESSION, EMT 1/2 INCH	\$0.46/ea	\$184.00
111	2.00	EA	Brand: EGS No. TC611 1110 - COUPLING, COMPRESSION, EMT 3/4 INCH	\$0.58/ea	\$1.16
112	50.00	EA	Brand: EGS No. TC612 1120 - COUPLING, COMPRESSION, EMT 1 INCH	\$0.82/ea	\$41.00
113	50.00	EA	Brand: EGS No. TC613 1130 - COUPLING, COMPRESSION, EMT 1-1/4 INCH	\$1.47/ea	\$73.50
114	2.00	EA	Brand: EGS No. TC614 1140 - COUPLING, COMPRESSION, EMT 1-1/2 INCH	\$2.19/ea	\$4.38
115	20.00	EA	Brand: EGS 1150 - BUSHING, GROUNDING, 2 INCH Brand: EGS	\$2.84/ea	\$56.80

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
116	2.00	EA	No. GBL600 1160 - HUB MYERS, 1/2 INCH Brand: Thomas And Betts	\$2.97/ea	\$5.94
117	40.00	EA	No. H050TB See REM WH-1 1170 - HUB MYERS, 3/4 INCH Brand: Thomas And Betts	\$3.32/ea	\$132.80
118	2.00	EA	No. H075TB See REM WH-2 1180 - HUB MYERS, 1 INCH Brand: Thomas And Betts	\$5.22/ea	\$10.44
119	10.00	EA	No. H100TB See REM WH-3 1190 - HUB MYERS, 1-1/4 INCH Brand: Thomas And Betts	\$6.39/ea	\$63.90
120	20.00	EA	No. H125TB See REM WH-4 1200 - HUB MYERS, 1-1/2 INCH Brand: Thomas And Betts	\$8.31/ea	\$166.20
121	50.00	EA	No. H150TB See REM WH-5 1210 - HUB MYERS, 2 INCH Brand: Thomas And Betts	\$10.22/ea	\$511.00
122	200.00	EA	No. H200TB See REM WH-6 1220 - LOCKNUT, DIECAST, 1/2 INCH Brand: EGS	NO Quote	
123	50.00	EA	No. L100D 1230 - LOCKNUT, DIECAST, 2 INCH Brand: EGS	NO Quote	
124	50.00	EA	No. L600D 1240 - RING, MUD, 4 INCH SQUARE, 1 GANG, 1/2 INCH	\$5.60/ea	\$28.00
125	100.00	EA	Brand: EGS See RAC 772 No. 8468A 1250 - RING, MUD, 4 INCH SQUARE, 1 GANG, 5/8 INCH	\$3.90/ea	\$39.00
			See RAC 768		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
126	50.00	EA	Brand: EGS No. 8468C 1260 - RING, MUD, 4 INCH SQUARE, 2 GANG, 1/2 INCH	\$.74/ea	\$ 37.00
127	2.00	EA	Brand: EGS No. 8470A 1270 - RING, MUD, 4 INCH SQUARE, 2 GANG, 5/8 INCH	\$.65/ea	\$ 1.30
128	2.00	EA	Brand: EGS No. 8470C 1280 - RING, MUD, 4 INCH SQUARE, 1 GANG PVC, 1/2 INCH	NO Quote	
129	2.00	EA	Brand: CROUSE HINDS No. TP1013 1290 - RING, MUD, 4 INCH SQUARE, 1 GANG PVC, 5/8 INCH	NO Quote	
130	2.00	EA	Brand: Crouse-Hinds No. TP1014 1300 - RING, MUD, 4 INCH SQUARE, 2 GANG PVC, 1/2 INCH	NO Quote	
131	2.00	EA	Brand: Crouse-Hinds No. TP1023 1310 - RING, MUD, 4 INCH SQUARE, 2 GANG PVC, 5/8 INCH	NO Quote	
132	2.00	EA	Brand: Crouse-Hinds No. TP1024 1320 - BUSHING, PLASTIC, 1-1/4 INCH	\$.18/ea	\$.36
133	2.00	EA	Brand: EGS No. PB400D 1330 - BUSHING, PLASTIC, 3/4 INCH	\$.08/ea	\$.16
134	2.00	EA	Brand: EGS No. PB200D 1340 - BUSHING, PLASTIC, 1 INCH	\$.12/ea	\$.24
			Brand: EGS No. PB300D		

See RAC 778

See RAC 769

See PECO 504

See PECO 502

See PECO 503

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
135	2.00	EA	1350 - BUSHING, PLASTIC, 1-1/2 INCH Brand: EGS No. PB500D <i>See PECO 505</i>	<i>\$.24/ea</i>	<i>\$.48</i>
136	50.00	EA	1360 - BUSHING, PLASTIC, 2 INCH Brand: EGS No. PB600D <i>See PECO 506</i>	<i>\$.31/ea</i>	<i>\$ 15.50</i>
137	2.00	EA	1370 - BUSHING, REDUCER 1-1/2 INCH TO 1-1/4 INCH Brand: EGS <i>See PECO RB150-125</i> No. RB11	<i>\$ 1.80/ea</i>	<i>\$ 3.72</i>
138	10.00	EA	1380 - BUSHING, REDUCER 2 INCH TO 1-1/2 INCH Brand: EGS <i>See PECO RB200-150</i> No. RB16	<i>\$ 3.50/ea</i>	<i>\$ 35.00</i>
139	250.00	EA	1390 - BUSHING, REDUCER 3/4 INCH TO 1/2 INCH Brand: EGS <i>See PECO RB75-50</i> No. RB2	<i>\$.43/ea</i>	<i>\$ 107.50</i>
140	50.00	EA	1400 - CONNECTOR, SEALTITE, STRAIGHT, 2 INCH Brand: EGS <i>See PECO RB75-50</i> No. LMM61	<i>\$ 21.20/ea</i>	<i>\$ 1,060.00</i>
141	50.00	EA	1410 - BUSHING, REDUCER 1 INCH TO 3/4 INCH Brand: EGS <i>See PECO RB100-75</i> No. RB4	<i>\$.67/ea</i>	<i>\$ 33.50</i>
142	2.00	EA	1420 - BUSHING, REDUCER 1-1/4 INCH TO 1 INCH Brand: EGS <i>See PECO RB125-100</i> No. RB7	<i>\$ 1.42/ea</i>	<i>\$ 2.84</i>
143	250.00	EA	1430 - WASHER, REDUCER 3/4 INCH TO 1/2 INCH Brand: EGS <i>See PECO RW75-50</i> No. RWN503	<i>\$.07/ea</i>	<i>\$ 17.50</i>
144	50.00	EA	1440 - WASHER, REDUCER 1 INCH TO 1/2 INCH <i>See PECO RW100-50</i>	<i>\$.10/ea</i>	<i>\$ 5.00</i>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
145	50.00	EA	Brand: EGS No. RWN504 1450 - WASHER, REDUCER 1 INCH TO 3/4 INCH	<i>\$.10/ea</i>	<i>\$ 5.00</i>
146	2.00	EA	Brand: EGS No. RWN505 1460 - WASHER, REDUCER 1-1/4 INCH TO 3/4 INCH <i>See PECO RW100-75</i>	<i>\$.18/ea</i>	<i>\$.36</i>
147	2.00	EA	Brand: EGS No. RWN507 1470 - WASHER, REDUCER 1-1/4 INCH TO 1 INCH <i>See PECO RW125-75</i>	<i>\$.19/ea</i>	<i>\$.38</i>
148	2.00	EA	Brand: EGS No. RWN508 1480 - CONDULET, COMPLETE, LR FITTING 3/4 INCH <i>See PECO RW125-100</i>	<i>NO Quote</i>	
149	2.00	EA	Brand: OZ GEDNEY No. LR75A, SGN75, BS75A 1490 - WASHER, REDUCER 1-1/2 INCH TO 1 INCH	<i>\$.25/ea</i>	<i>\$.50</i>
150	2.00	EA	Brand: EGS No. RWN511 1500 - WASHER, REDUCER 1-1/2 INCH TO 1-1/4 <i>See PECO RW150-100</i>	<i>\$.25/ea</i>	<i>\$.50</i>
151	2.00	EA	Brand: EGS No. RWN512 1510 - WASHER, REDUCER 2 INCH TO 1-1/2 INCH <i>See PECO RW150-125</i>	<i>\$.36/ea</i>	<i>\$.72</i>
152	2.00	EA	Brand: EGS No. RWN517 1520 - WASHER, REDUCER 2-1/2 INCH TO 2 INCH <i>See PECO RW200-150</i>	<i>\$.62/ea</i>	<i>\$ 1.24</i>
153	100.00	EA	Brand: Steele City No. WA176 1530 - STRAP, STANDOFF, 3/4 INCH Brand: Minerallac <i>See PECO RW250-200</i> <i>See PECO HT5WB</i>	<i>\$.22/ea</i>	<i>\$ 22.00</i>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
154	50.00	EA	No. 1B 1540 - STRAP, STANDOFF, EMT 1-1/2 INCH Brand: Mineralac No. 3B	\$.32/ea	\$ 16.00
155	100.00	EA	See PECO H125WB 1550 - STRAP, STANDOFF, 1/2 INCH Brand: Mineralac No. 0B	\$.17/ea	\$ 17.00
156	50.00	EA	See PECO H50WB 1560 - ENCLOSURE 6 X 6 4 NEMA 3R Brand: B-Line No. 664RTSC	NO Quote	
157	2.00	EA	1570 - BOX, BELL, 2 GANG WITH 1/2 INCH HOLES Brand: EGS No. WDP250	\$ 2.13/ea	\$ 213.00
158	100.00	EA	1580 - BOX, BELL, 1/2 INCH, 3 HOLE WEATHER PROOF Brand: EGS No. WSM150	See RAC 5320-0 \$ 2.40/ea	\$ 120.00
159	50.00	EA	1590 - BOX, BELL, 3/4 INCH, 3 HOLE WEATHER PROOF Brand: EGS No. WSM175	See RAC 5324-0 \$ 2.68/ea	\$ 26.80
160	10.00	EA	1600 - BOX, BELL, 1/2 INCH, 5 HOLE WEATHER PROOF Brand: EGS No. WSP150	See RAC 5322-0 \$ 3.60/ea	\$ 180.00
161	50.00	EA	1610 - BOX, BELL, 3/4 INCH, 5 HOLE WEATHER PROOF Brand: EGS No. WSP175	See RAC 5331-0 NO Quote	
162	20.00	EA	1620 - WEATHERPROOF BOX, 10 INCH X 10 INCH X 4 INCH NEMA 3R		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
163	50.00	EA	BLINE 10104RTSC 1630 - BOX, JUNCTION 12 INCH X 12 INCH X 6 INCH NEMA 3R ENCLOSURE OUTDOOR, 16-GAUGE STEEL, REMOVABLE CONCENTRIC KNOCKOUTS BLINE 12126RTSC	NO Quote \$13.80/ea	\$276.00
164	20.00	EA	1640 - BOX, JUNCTION 6 INCH X 6 INCH X 4 INCH PVC NEMA 6P AND TYPE 4/4x RATING THERMOPLASTIC MATERIAL, WITH LID AND STAINLESS TEEL SCREWS JB664 (5133710) See PVC Box 6x6x4	\$26.77/ea	\$535.40
165	20.00	EA	1650 - BOX, JUNCTION 8 INCH X 8 INCH X 4 INCH NEMA TYPE 6P AND TYPE 4/4 RATINGS THERMOPLASTIC MATERIAL JB884 (5133712) See PVC Box 8x8x4	\$5.05/ea	\$10.10
166	2.00	EA	1660 - BOX, BELL, 1 INCH, 3 HOLE WEATHER PROOF Brand: EGS No. WSM110 See RAC 5387-0	\$5.05/ea	\$10.10
167	75.00	EA	1670 - COVER, BLANK, 1 GANG WEATHER PROOF Brand: EGS No. WCB1 See RAC 5173-0	\$11.00/ea	\$1100.00
168	100.00	EA	1680 - COVER, PLASTIC, 1 GANG IN USE Brand: Intermatic No. WP3100C See RAC MM410C	\$7.87	\$393.50
169	50.00	EA	1690 - COVER, GRAY, VERTICAL, GFCI, WEATHER PROOF Brand: EGS No. WVG1 See RAC 5028-0	\$3.19/ea	\$127.60
170	40.00	EA	1700 - COVER, RECEPTACLE, HORIZONTAL, GFCI, WEATHER PROOF Brand: EGS No. WHG1 See RAC 5101-0		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
171	200.00	EA	1710 - CORD, EXTENSION, 50 FOOT RED 14/3SJTW Brand: Coleman No. 02408-88-04	\$22.25 See CAR 03356.63.04 \$13.00/en	\$4,450.00 \$2,600.00
172	100.00	EA	1720 - CORD, EXTENSION, 100 FOOT YELLOW 12/3SJTW Brand: Coleman No. 02579-88-03	See CAR 03399.61.05 \$12.85/en	\$1,285.00
173	10.00	EA	1730 - CORD, EXTENSION, 25 FOOT ORANGE 14/3 Brand: Coleman No. PT#0528	See CAR 03328.63.04 \$12.15/en	\$121.50
174	100.00	EA	1740 - CORD, EXTENSION, 15 FOOT WHITE 3 OUTLET Brand: Coleman No. PT#09414	See CAR 00690.63.04 NO Quote	
175	2.00	EA	1750 - CORD, EXTENSION, 15 FOOT BROWN 3 OUTLET, 16/3 Brand: Coleman 03520-07	\$4.70/en	\$9.40
176	2.00	EA	1760 - ELBOW, 1-1/2 INCH EMT 45 DEGREE No. ELLEMT1-1/2-45D as specified	\$4.70/en	\$9.40
177	2.00	EA	1770 - ELBOW, 1-1/2 INCH EMT 90 DEGREE No. ELLEMT1-1/2-90D as specified	NO Quote	
178	2.00	EA	1780 - ELBOW, 1-1/4 INCH EMT 45 DEGREE No. ELLEMT1-1/4-45D	\$3.84/en	\$7.68
179	2.00	EA	1790 - ELBOW, 1-1/4 INCH EMT 90 DEGREE No. ELLEMT1-1/4-90D as specified	NO Quote	
180	20.00	EA	1800 - CONDULET, COMPLETE, LB FITTING 1 INCH Brand: OZ GEDNEY		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
181	10.00	EA	No. LB100A, SGN100, BS100A 1810 - CONDULET, COMPLETE, LB 1-1/2 INCH Brand: OZ GEDNEY No. LB150A, BS125A, SGN125	NO Quote	
182	10.00	EA	1820 - CONDULET, COMPLETE, LB FITTING 2 INCH Brand: OZ GEDNEY No. LB200A, SGN290, BS200A		
183	50.00	EA	1830 - CONDULET, COMPLETE, LB FITTING 1/2 INCH Brand: OZ GEDNEY No. LB50A, SGN50, BS50A		
184	50.00	EA	1840 - CONDULET, COMPLETE, LB FITTING 3/4 INCH Brand: OZ GEDNEY No. LB75A, SGN75, BS75A		
185	2.00	EA	1850 - CONDULET, COMPLETE, LL FITTING, 1/2 INCH Brand: OZ GEDNEY No. LL50A, SCN50, BS50A		
186	2.00	EA	1860 - CONDULET, COMPLETE, LL FITTING, 3/4 INCH Brand: OZ GEDNEY No. LL75A, SGN75, BS75A		
187	2.00	EA	1870 - CONDULET, COMPLETE, LR FITTING 1/2 INCH Brand: OZ GEDNEY No. LR50A, SGN50, BS50A		
188	2.00	EA	1880 - CONDULET, COMPLETE, LR FITTING 3/4 INCH Brand: OZ GEDNEY No. LR75A, SGN75, BS75A		
189	2.00	EA	1890 - NIPPLE, GALVANIZED 1/2 INCH X CLOSE		
as specified				\$.62/en	\$ 1.24

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
190	2.00	EA	No. NIPGALV-1/2XCL 1900 - NIPPLE, GALVANIZED 1-1/4 INCH X CLOSE <i>as specified</i>	\$ 1.53/ea	\$ 3.06
191	2.00	EA	No. NIPGALV1-1/4XCL 1910 - NIPPLE, GALVANIZED 2 INCH X CLOSE <i>as specified</i>	\$ 2.42/ea	\$ 4.84
192	2.00	EA	No. NIPGALV2XCL 1920 - NIPPLE, GALVANIZED 3/4 INCH X CLOSE <i>as specified</i>	\$.76/ea	\$ 1.52
193	2.00	EA	No. NIPGALV-3/4XCL 1930 - CONDULET, COMPLETE, TEE FITTING, 1/2 INCH Brand: OZ GEDNEY No. T50A, SGN50, BS50A	NO QUOTE	
194	2.00	EA	1940 - CONDULET, COMPLETE, TEE FITTING 3/4 INCH Brand: OZ GEDNEY No. T75A, SGN75, BS75A		
195	2.00	EA	1950 - FUSES - BUSSMAN 250V, 10A No. FNM10		
196	30.00	EA	1960 - FUSES - BUSSMAN 250V, 5A No. FNM5		
197	2.00	EA	1970 - FUSES - BUSSMAN 500V, 10A No. FNQ10		
198	2.00	EA	1980 - FUSES - BUSSMAN 500V, 2A No. FNQ2		
199	2.00	EA	1990 - FUSES - BUSSMAN 500V, 5A No. FNQ5		
200	2.00	EA	2000 - FUSES - BUSSMAN RK5 250V, 100A No. FRNR100		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
201	2.00	EA	2010 - FUSES - BUSSMAN RK5 250V, 15A No. FRNR15	No Quote	
202	2.00	EA	2020 - FUSES - BUSSMAN RK5 250V, 20A No. FRNR20		
203	50.00	EA	2030 - FUSES - BUSSMAN RK5 250V, 30A No. FRNR30		
204	2.00	EA	2040 - FUSES - BUSSMAN RK5 250V, 40A No. FRNR40		
205	50.00	EA	2050 - FUSES - BUSSMAN RK5 250V, 50A No. FRNR50		
206	50.00	EA	2060 - FUSES - BUSSMAN RK5 250V, 60A No. FRNR60		
207	2.00	EA	2070 - FUSES - BUSSMAN RK5 600V, 15A No. FRSR15		
208	50.00	EA	2080 - FUSES - BUSSMAN RK5 600V, 20A No. FRSR20		
209	50.00	EA	2090 - FUSES - BUSSMAN RK5 600V, 30 A TRS 30R 600V No. FRSR30		
210	2.00	EA	2100 - FUSES - BUSSMAN 600V, 20A No. KTK20		
211	75.00	EA	2110 - FUSES - BUSSMAN 600V, 10A No. KTKR10		
212	2.00	EA	2120 - FUSES - BUSSMAN 600V, 15A No. KTKR15		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
213	2.00	EA	2130 - FUSES - BUSSMAN 600V, 20A No. KTKR20	NO Quote	
214	100.00	EA	2140 - FUSES - BUSSMAN 600V, 5A No. KTKR5		
215	2.00	EA	2150 - CLAMP, WATER PIPE, 1/2 INCH - 1 INCH Brand: Burndy No. C5	\$1.40/ea	\$70.00
216	50.00	EA	2160 - CLAMP, GROUND ROD, 5/8 INCH Brand: Burndy No. GRC58 <i>see PECO 53B</i>	\$1.85/ea	\$9.25
217	5.00	EA	2170 - CLAMP, GROUND ROD, 3/4 INCH Brand: Burndy No. GRC34 <i>see PECO 54B</i>	\$12.60/ea	\$630.00
218	50.00	EA	2180 - ROD, GROUND, COPPER 5/8 INCH X 8 FOOT No. 615833 <i>as specified</i>	\$18.75/ea	\$37.50
219	2.00	EA	2190 - ROD, GROUND, COPPER 3/4 INCH X 10 FOOT <i>as specified</i>		
220	4.00	PK	2200 - HEX NUTS,ZINC, 10/24 NO. 10/24" NUTS Comes in packs of 100	NO Quote	
221	4.00	PK	2210 - HEX NUTS,ZINC, 10/32 NO. 10/32" NUTS Comes in packs of 100		
222	4.00	PK	2220 - HEX NUTS,ZINC, 6/32 NO. 6/32" NUTS Comes in packs of 100	\$2.28/PK	\$9.12
223	4.00	PK	2230 - HEX NUTS,ZINC, 8/32 NO. 8/32" NUTS <i>as specified</i>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
224	4.00	PK	Comes in packs of 100 2240 - HEX NUT, 1/4", GRADE 2 NO. HN14 <i>as specified</i>	<i>\$2.87/PK</i>	<i>\$11.48</i>
225	4.00	PK	Comes in packs of 100 2250 - HEX NUT 5/16", GRADE 2 NO. HN516	<i>NO Quote</i>	
226	10.00	PK	Comes in packs of 100 2260 - SCREW, MACHINE, ZINC 1/4-20X3/8 INCH <i>as specified</i>	<i>\$3.50/PK</i>	<i>\$35.00</i>
227	2.00	PK	Comes in packs of 100 Brand: Dottie No. RMC1438 2270 - SCREW, MACHINE, ZINC 10/24 X 2 INCH	<i>NO Quote</i>	
228	2.00	PK	Package of 100 2280 - SCREW, MACHINE, ZINC 10/32 X 2 INCH		
229	2.00	PK	Package of 100 2290 - SCREW, MACHINE, ZINC 6/32 X 2 INCH		
230	2.00	PK	Comes in packs of 100 2300 - SCREW, MACHINE, ZINC 6/32 X 6 INCH		
231	10.00	PK	Package of 100 2310 - SCREW, MACHINE, ZINC 8/32 X 2 INCH		
232	10.00	PK	Package of 100 2320 SCREW, MACHINE, LONG 8/32 X 6 INCH		
233	2.00	EA	2330 - LIGHT, FLOOD, 400 WATT, HPS, MT Brand: Cooper		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
234	2.00	EA	No. WS40 2340 - LIGHT, THERMOPLASTIC, EMERGENCY, LIGHTOLIER Brand: Cooper No. AA1	NO Quote \$25.44	\$2,035.20
235	80.00	EA	2350 - LIGHT, EMERGENCY, LIGHTOLIER WITH BATTERY BACK-UP 120/277 VOLT INPUT Brand: Cooper No. SEL17 as specified	NO Quote	
236	2.00	EA	2360 - BALLAST, EMERGENCY, 600 LUMENS 120/277 VOLT, 3.5 INPUT WATTS Brand: Cooper No. EBP700X	NO Quote	
237	2.00	EA	2370 - SIGN, EXIT, DUAL SIDED, BLACK THERMOPLASTIC LED EXIT SIGN 120/277V, 6 VOLT Brand: EXITRONICS No. VEX-U-BP-WB-BL	\$21.50/ea	\$430.00
238	20.00	EA	2380 - SIGN, EXIT, DUAL SIDES, WHITE THERMOPLASTIC LED EXIT SIGN 120/277V, 6 VOLT Brand: Cooper No. APX7R as specified	NO Quote	
239	2.00	EA	2390 - SIGN, EXIT, 2 CIRCUIT, WHITE THERMOPLASTIC LED EXIT SIGN Brand: EXITRONICS No. VEX-U-BP-LB-WH-2CI	NO Quote	
240	2.00	EA	2400 - FIXTURE, WIRE GUARD LIGHTOLIER Brand: Cooper No. WG1	\$45.00	\$2,250.00
241	60.00	EA	2410 - LIGHT, COMBO EMERGENCY/EXIT 120/277 VOLT INPUT BRAND: COOPER NO. APC7R as specified	NO Quote	
242	2.00	EA	2420 - FIXTURE, 8 FOOT, T8 STRIP Brand: Cooper		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
243	2.00	EA	No. SSF296UNVEB81U 2430 - FIXTURE, 4 FOOT T8 STRIP 2 LAMP 32 WATT ELECTRONIC BALLAST Brand: Cooper No. APSNS232	No Quote	
244	2.00	EA	2440 - FIXTURE, 2 LAMP, T8, 2 X 2 PARABOLIC TROFFER 9 CELL LIGHTOLIER Brand: Cooper No. 2EP3GAX-2-U6T8S33I-UNV-EB81U		
245	2.00	EA	2450 - FIXTURE, 3 LAMP T8 2 X 4 PARABOLIC TROFFER 18 CELL LIGHTOLIER Brand: Cooper No. 2EP3GAX-332S36I-UNV-EB81I		
246	2.00	EA	2460 - FIXTURE, 2 X 4 TROFFER 2 - T8 LAMPS WITH WHIPS Brand: Cooper No. 2GC-232A125-UNV-EB81-A3/8-2/18G-U		
247	2.00	EA	2470 - FIXTURE, 2 X 2 TROFFER 2 - T8 U-BEND WITH WHIPS Brand: Cooper No. 2GC-2U6T8A125-UNV-EB81-A3/8-2/18G-U		
248	2.00	EA	2480 - FIXTURE, 2 X 2 TROFFER 3 - T8 LAMPS Brand: Cooper No. 2GC-332A125-UNV-EB81		
249	2.00	EA	2490 - FIXTURE, 4 FOOT WRAP AROUND 2 LAMP T8 Brand: Cooper No. APWGPW232		
250	10.00	EA	2500 - FIXTURE, 4 FOOT WRAP AROUND 4 LAMP T8 Brand: Cooper No. APWGPW432		
251	10.00	EA	2510 - POWER OUTLET (panel) TEMPORARY POWER OUTLET SINGLE as specified	\$28.60/ea	\$286.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			RECEPTACLE Brand: Milbank No. P-54	NO Quote	
252	2.00	EA	2520 - ADAPTER, SINGLE TO TRIPLE OUTLET Brand: P & S No. 697-R1		
253	50.00	EA	2530 - PLATE, BLANK, 1 GANG, STAINLESS STEEL Brand: Hubbell No. SS13		
254	100.00	EA	2540 - PLATE, SWITCH, 1 GANG STAINLESS STEEL Brand: Hubbell No. SS1		
255	150.00	EA	2550 - PLATE, DUPLEX, 1 GANG STAINLESS STEEL Brand: Hubbell No. SS8		
256	50.00	EA	2560 - COVER, BLANK, 1 GANG, IVORY Brand: P & S No. TP13I		
257	50.00	EA	2570 - PLATE, SWITCH, 1 GANG, IVORY Brand: P & S No. TP1I		
258	2.00	EA	2580 - PLATE, SWITCH, 1 GANG, WHITE Brand: P & S No. TP1W		
259	2.00	EA	2590 - PLATE, GFCI, 1 GANG, IVORY Brand: P & S No. TP26I		
260	2.00	EA	2600 - PLATE, GFCI, 1 GANG, WHITE Brand: P & S No. TP26W		
261	2.00	EA	2610 - PLATE, SWITCH, 2 GANG, IVORY Brand: P & S		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			No. TP2I		
262	2.00	EA	2620 - PLATE, SWITCH, 2 GANG, WHITE Brand: P & S		
			No. TP2W		
263	2.00	EA	2630 - PLATE, SWITCH, 2 GANG, IVORY Brand: P & S		
			No. TP3I		
264	2.00	EA	2640 - PLATE, SWITCH, 3 GANG, WHITE Brand: P & S		
			No. TP3W		
265	2.00	EA	2650 - PLATE, SWITCH, 4 GANG, IVORY Brand: P & S		
			No. TP4I		
266	2.00	EA	2660 - PLATE, SWITCH, 4 GANG, WHITE Brand: P & S		
			No. TP4W		
267	10.00	EA	2670 - PLATE, OUTLET, 2 GANG, WHITE Brand: P & S		
			No. TP82W		
268	140.00	EA	2680 - PLATE, OUTLET, DUPLEX, 1 GANG, IVORY Brand: P & S No. TP8I		
269	20.00	EA	2690 - PLATE, OUTLET, 1 GANG, WHITE Brand: P & S No. TP8W		
270	10.00	EA	2700 - OUTLET, 4-WIRE, 50 AMP, 3 POLE Brand: P & S No. 3894		
271	2.00	EA	2710 - OUTLET, DUPLEX, 15 AMP, WHITE Brand: P & S		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
272	50.00	EA	No. 5252AW 2720 - OUTLET, DUPLEX, HOSPITAL GRADE 20A 125V, IVORY Brand: P & S No. 8300HI	NO Quote	
273	40.00	EA	2730 - OUTLET, DUPLEX, TAMPER PROOF, 15A, WHITE Brand: P & S No. 3232TRW	1	
274	100.00	EA	2740 - OUTLET, DUPLEX, TAMPER PROOF, 15A, IVORY Brand: P & S No. 2323TRI	\$1.37/ea	\$274.00
275	200.00	EA	2750 - OUTLET, DUPLEX, 20A, IVORY Brand: Hubbell No. CR20I as specified	NO Quote	
276	300.00	EA	2760 - OUTLET, DUPLEX, TAMPER PROOF 20 AMP, IVORY Brand: PSTR20I	1	
277	300.00	EA	2770 - OUTLET, DUPLEX, TAMPER PROOF, 20 AMP, WHITE Brand: PSTR20W	\$14.68/ea	\$4,037.00
278	275.00	EA	2780 - OUTLET, GFCI, IVORY 20A, 120V Brand: Hubbell No. GFRST20I as specified	\$14.68/ea	\$2,202.00
279	150.00	EA	2790 - OUTLET, GFCI, WHITE, 20A Brand: Hubbell No. GFRST20W as specified	NO Quote	
280	100.00	EA	2800 - OUTLET, DUPLEX, GFCI, WHITE, 20 AMP, ISOLATED GROUND, TAMPER PROOF Brand: P & S Number: 20971GHGTRRED	1	
281	20.00	EA	2810 - SOCKET, MOGUL Brand: P & S	1	

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
282	2.00	EA	No. 8694 2820 - SURGE STRIP WITH 6 OUTLETS Brand: Levington No. S1000PS	NO QUOTE \$2.56/ea	\$204.80
283	80.00	EA	2830 - SWITCH, SINGLE POLE, 20A, IVORY 120/277 Brand: Hubbell No. CS120I as specified	\$3.05/ea	\$61.00
284	20.00	EA	2840 - SWITCH, 3 WAY, 20A, IVORY Brand: Hubbell No. CS320I as specified	\$2.25/ea	\$45.00
285	20.00	EA	2850 - SWITCH, SINGLE POLE, 15A, WHITE Brand: Hubbell No. CS115W as specified	\$3.30/ea	\$66.00
286	20.00	EA	2860 - SWITCH, 3 WAY, 120/277, 20A, WHITE Brand: Hubbell No. CS320W as specified	\$2.55/ea	\$51.00
287	20.00	EA	2870 - SWITCH, WALL, SINGLE POLE, 20A, 120/277, WHITE Brand: Hubbell No. CS120W as specified	\$11.80/ea	\$236.00
288	20.00	EA	2880 - CEMENT, PVC, CLEAR, 1 QUART No. CEMENTCLR1QT as specified	NO QUOTE	
289	2.00	FT	2890 - CONDUIT, PVC, SCHEDULE 40 1-1/2 INCH COMES IN 10 FOOT LENGTHS No. COND1-1/2SCH40	\$71/ft	\$177.50
290	250.00	FT	2900 - CONDUIT, PVC, SCHEDULE 40 1-1/4 INCH COMES IN 10 FOOT LENGTHS No. COND1-1/4SCH40 as specified	\$1.08/ft	\$378.00
291	350.00	FT	2910 - CONDUIT, PVC, SCHEDULE 40, 1 INCH as specified		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			COMES IN 10 FOOT LENGTHS No. COND1SCH40		
292	500.00	FT	2920 - CONDUIT, PVC, SCHEDULE 40 2 INCH	NO Quote	
			COMES IN 10 FOOT LENGTHS No. COND2SCH40		
293	500.00	FT	2930 - CONDUIT, PVC, SCHEDULE 40 3/4 INCH	\$.70/ft	\$ 350. ⁰⁰
			COMES IN 10 FOOT LENGTHS No. COND-3/4SCH40 as specified		
294	30.00	EA	2940 - COUPLING, PVC, SCHEDULE 40, 1 INCH	\$.34/ea	\$ 10. ²⁰
			NO. CPL1 as specified		
295	2.00	EA	2950 - COUPLING, PVC, SCHEDULE 40 1/2 INCH	\$.16/ea	\$.32
			No. CPL-1/2 as specified		
296	2.00	EA	2960 - COUPLING, PVC, SCHEDULE 40, 1-1/2 INCH	\$.61/ea	\$ 1. ²²
			No. CPL1-1/2 as specified		
297	10.00	EA	2970 - COUPLING, PVC, SCHEDULE 40, 1-1/4 INCH	\$.70/ea	\$ 7. ⁰⁰
			No. CPL1-1/4 as specified		
298	10.00	EA	2980 - COUPLING, PVC, SCHEDULE 40, 2 INCH	\$.80/ea	\$ 8. ⁰⁰
			No. CPL2 as specified		
299	10.00	EA	2990 - COUPLING, PVC, SCHEDULE 40, 3/4 INCH	\$.35/ea	\$ 3. ⁵⁰
			No. CPL-3/4 as specified		
300	10.00	EA	3000 - ELBOW, PVC, 90 DEGREE, SCHEDULE 40, 1/2 INCH	\$.71/ea	\$ 7. ¹⁰
			No. ELL-1/2-90D as specified		
301	2.00	EA	3010 - ELBOW, PVC, 45 DEGREE, SCHEDULE 40, 1-1/2 INCH	\$ 2.20/ea	\$ 4. ⁴⁰
			as specified		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
302	40.00	EA	No. ELL1-1/2-45D 3020 - ELBOW, PVC, 90 DEGREE, SCHEDULE 40, 1-1/2 INCH	No Quote	
303	40.00	EA	No. ELL1-1/2-90D 3030 - ELBOW, PVC, 90 DEGREE, SCHEDULE 40, 1-1/4 INCH		
304	2.00	EA	No. ELL1-1/4-90D 3040 - ELBOW, PVC, 45 DEGREE, SCHEDULE 40, 1 INCH		
305	80.00	EA	No. ELL-1-45D 3050 - ELBOW, PVC, 90 DEGREE, SCHEDULE 40, 1 INCH		
306	40.00	EA	No. ELL1-90D 3060 - ELBOW, PVC, 90 DEGREE SCHEDULE 40, 2 INCH		
307	20.00	EA	No. ELL2-90D 3070 - ELBOW, PVC, 45 DEGREE, SCHEDULE 40, 3/4 INCH		
308	20.00	EA	No. ELL-3/4-45D 3080 - ELBOW, PVC, 90 DEGREE, SCHEDULE 40, 3/4 INCH		
309	2.00	EA	No. ELL-3/4-90D 3090 - EXPANSION JOINT, PVC, 1/2 INCH		
310	2.00	EA	- 3100 - EXPANSION JOINT, PVC, 3/4 INCH		
311	2.00	EA	- 3110 - EXPANSION JOINT, PVC, 1 INCH		
312	2.00	EA	- 3120 - EXPANSION JOINT, PVC, 1-1/4 INCH		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
313	2.00	EA	3130 - EXPANSION JOINT, PVC, 1-1/2 INCH	NO quote	
314	2.00	EA	3140 - EXPANSION JOINT, PVC, 2 INCH		
315	2.00	EA	3150 - ADAPTER, FEMALE, PVC, SCHEDULE 40 1 INCH No. FA1		
316	2.00	EA	3160 - ADAPTER, FEMALE, PVC, SCHEDULE 40 1/2 INCH No. FA-1/2		
317	2.00	EA	3170 - ADAPTER, FEMALE, PVC, SCHEDULE 40 1-1/2 INCH No. FA1-1/2		
318	2.00	EA	3180 - ADAPTER, FEMALE, PVC, SCHEDULE 40 1-1/4 INCH No. FA1-1/4		
319	2.00	EA	3190 - ADAPTER, FEMALE, PVC, SCHEDULE 40 3/4 INCH No. FA-3/4		
320	20.00	EA	3200 - ADAPTER, MALE, PVC, SCHEDULE 40, 1 INCH No. TA1		
321	2.00	EA	3210 - ADAPTER, MALE, PVC, SCHEDULE 40, 1/2 INCH No. TA-1/2		
322	2.00	EA	3220 - ADAPTER, MALE, PVC, SCHEDULE 40, 1-1/2 INCH No. TA1-1/2		
323	10.00	EA	3230 - ADAPTER, MALE, PVC, SCHEDULE 40, 1-1/4 INCH		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
324	200.00	EA	No. TA1-1/4 3240 - ADAPTER, MALE, PVC, SCHEDULE 40, 2 INCH	NO Quote	
325	20.00	EA	No. TA2 3250 - ADAPTER, MALE, PVC, SCHEDULE 40, 3/4 INCH	1	
326	50.00	EA	No. TA-3/4 3260 - CONNECTOR, SEALTITE, 90 DEGREE, 1/2 INCH	\$4.00/ea	\$200.00
327	80.00	EA	Brand: EGS No. LML11 <i>see REM LML-11</i> 3270 - CONNECTOR, SEALTITE, 90 DEGREE, 3/4 INCH	\$6.15/ea	\$492.00
328	80.00	EA	Brand: EGS No. LML21 <i>see REM LML-21</i> 3280 - CONNECTOR, SEALTITE, STRAIGHT, 1/2 INCH	\$2.60/ea	\$208.00
329	100.00	EA	Brand: EGS No. LMM11 <i>see REM LMM-11</i> 3290 - CONNECTOR, SEALTITE, STRAIGHT, 3/4 INCH	\$3.80/ea	\$380.00
330	2.00	EA	Brand: EGS No. LMM21 <i>see REM LMM-21</i> 3300 - CONNECTOR, SEALTITE, STRAIGHT, 2 INCH	\$24.25/ea	\$48.50
331	400.00	FT	Brand: EGS No. LMM61 <i>see REM LMM-61</i> 3310 - SEALTITE, 1/2 INCH Brand: Anaconda No. UAG-1/2	NO Quote	
332	200.00	FT	3320 - SEALTITE, 3/4 INCH Brand: Anaconda No. UAG-3/4		
333	200.00	FT	3330 - CONDUIT, COREFLEX, 1/2 INCH Brand: Anaconda		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			No. NMUAG-1/2		
334	200.00	FT	3340 - CONDUIT, COREFLEX, 3/4 INCH Brand: Anaconda		
			No. NMUAF-3/4		
335	20.00	EA	3350 - CONNECTOR, COREFLEX, STRAIGHT, 1/2 INCH Brand: Peco No. NMLT50	<i>as specified</i> \$.70/ea	\$ 14. ⁰⁰
336	2.00	EA	3360 - CONNECTOR, COREFLEX, STRAIGHT, 3/4 INCH Brand: Peco No. NLT75	<i>as specified</i> \$.83/ea	\$ 1.66
337	2.00	EA	3370 - CONNECTOR, COREFLEX, 90 DEGREE, 1/2 INCH Brand: Peco No. NMLT9050	<i>as specified</i> \$ 1.10/ea	\$ 2.20
338	2.00	EA	3380 - CONNECTOR, COREFLEX, 90 DEGREE, 3/4 INCH Brand: Peco No. NMLT9075	<i>as specified</i> \$ 1.66/ea	\$ 3.32
339	2.00	EA	3390 - BALLAST KIT 26W, 32W, 42W 2 LAMP 120V-277V (51843) Brand: Sylvania No. QTP2X26/32/42CF/UNV		
340	2.00	EA	3400 - BALLAST CFL 2 LAMP 120/277V (51843) Brand: Sylvania No. QTP2X26/32/42CF/UNV/DM		
341	2.00	PK	3410 - BALLAST DISCONNECT FEATURES 3-PORT PACKAGE OF 100 Brand: Ideal No. 30/353XJ		
342	2.00	PK	3420 - BALLAST DISCONNECT FEATURES 2-PORT		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
343	2.00	EA	Brand: Ideal No. 30-352J 3430 - BALLAST 120/277V 3 LAMP (49430) Brand: Sylvania No. QHE3X40DL/UNV/ICN-SC	NO Quote	
344	100.00	EA	3440 - BALLAST 2 LAMP 4 FOOT T8 120-277V .49 LINE AMPS (49906) Brand: Sylvania No. QTP2X32T8/UNVISN-SC	\$9.75/ea	\$975.00
345	40.00	EA	3450 - BALLAST 2 LAMP 4 FOOT T12 120-277V, .63 LINE AMPS (50314) Brand: Sylvania No. QTP2X40T12UNVRS-SC	NO Quote	
346	30.00	EA	3460 - BALLAST 2 LAMP T8 8 FOOT 120-277V (49590) Brand: Sylvania No. QTP2X59T8/UNVISN-SC		
347	2.00	EA	3470 - BALLAST 2 LAMP 8 FOOT T12 120-277V (75305) Brand: Sylvania No. QTP2X96T12UNVIS		
348	100.00	EA	3480 - BALLAST 3 LAMP 4 FOOT T8 120-277V (49907) Brand: Sylvania No. QTP3X32T8/UNVISN-SC		
349	100.00	EA	3490 - BALLAST 4 LAMP 4 FOOT T8 120-277V (49908) Brand: Sylvania No. QTP4X32T8/UNVISN-SC		
350	10.00	EA	3500 - BALLAST KIT 150W HPS, 480V ADVANCE ONLY NO. 71A8142001D NOTE: ADVANCE ONLY, FUNCTIONING EQUAL, HAS TO MATCH EXISTING FIXTURES.		
351	2.00	EA	3510 - CAPACITOR, 480V, 24 MFD RATING (47982)		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			NO. CAP24MFD480VAC		
352	2.00	EA	3520 - IGNITOR, LAMP TYPE HIGH PRESSURE SODIUM (47844) Brand: Sylvania No. HPS/200-420	NO Quote	
353	20.00	EA	3530 - BALLAST 100 HPS 120-277V (47316) Brand: Sylvania No. LU100/MULTI-KIT		
354	10.00	EA	3540 - BALLAST 1000W HPS 120-480V (47659) Brand: Sylvania No. LU1000/SUPER5-KIT		
355	25.00	EA	3550 - BALLAST 150W HPS 120-277V (47335) Brand: Sylvania No. LU150/MULTI-KIT		
356	10.00	EA	3560 - BALLAST 400W HPS 120-480V (47647) Brand: Sylvania No. LU400/SUPER5-KIT		
357	140.00	EA	3570 - BALLAST 1000W METAL HALIDE 120-480V (47427) <i>see UNI</i> Brand: Sylvania No. M1000/SUPER5-KIT <i>M1000ML5AC 5M500K</i>	\$94.25/ea	\$13,195.00
358	10.00	EA	3580 - BALLAST 1500W METAL HALIDE 480V (47095) <i>see UNI</i> Brand: Sylvania No. M1500/480/KIT <i>M150048TAC5M500K</i>	\$138.90/ea	\$1,389.00
359	20.00	EA	3590 - BALLAST 175W METAL HALIDE 120-480V (47243) Brand: Sylvania No. M175/SUPER5-KIT	NO Quote	
360	5.00	EA	3600 - BALLAST 250W METAL HALIDE 120-480V (47265)		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
361	10.00	EA	Brand: Sylvania No. M250/SUPER5-KIT 3610 - BALLAST 400 W METAL HALIDE 120V/277V	NO Quote	
362	40.00	EA	M400/MULTIKIT (47739) 3620 - BALLAST 400W METAL HALIDE 120-480V (47338)		
363	100.00	EA	Brand: Sylvania No. M400/SUPER5-KIT 3630 - LAMP 13W CFL MEDIUM BASE (29727)		
364	50.00	EA	Brand: Sylvania No. CF13EL/MICRO/827 3640 - LAMP 19W COMPACT FLUORESCENT MEDIUM BASE (26349)		
365	180.00	EA	Brand: Sylvania No. CF20EL/SPIRAL/830 3650 - LAMP 26W COMPACT FLUORESCENT DT DIMMABLE 3500K PLUG-IN (21115) Brand: Sylvania No. CR26DD/835/ECO		
366	40.00	EA	3660 - LAMP 26W COMPACT FLUORESCENT LAMP, DT DIMMABLE 4100K PLUG-IN (21114) Brand: Sylvania No. CF26DD/841/ECO		
367	1,000.00	EA	3670 - LAMP 26W DT CFL DIMMABLE 4-PIN 3500K SCREW-IN (20673) Brand: Sylvania No. CF26DD/E/835/ECO		
368	50.00	EA	3680 - LAMP 26W CFL TT DIMMABLE (20882) Brand: Sylvania		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
369	100.00	EA	No. CF26DT/E/IN/841 3690 - LAMP 42W TT CFL DIMMABLE 3500K (20871) Brand: Sylvania No. CF42DT/E/IN/835	NO Quote	
370	2,500.00	EA	3700 - LAMP 32W T8 FT FLUORESCENT (22437) Brand: Sylvania No. F032/V35/ECO		
371	500.00	EA	3710 - LAMP 34W T12 FLUORSCENT (24588) Brand: Sylvania No. F34/CWX/SS		
372	500.00	EA	3720 - LAMP 40W T12 FLUORSCENT (24441) Brand: Sylvania No. F40/CWX		
373	100.00	EA	3730 - LAMP 32W T8 U-BEND FLUORSCENT (21671) Brand: Sylvania No. FB032/841/6/ECO		
374	100.00	EA	3740 - LAMP 34W T12 U-BEND FLUORSCENT (24004) Brand: Sylvania No. FB40/CWX/6		
375	200.00	EA	3750 - LAMP 32W T8 U-BEND FLUORSCENT (22051) Brand: Sylvania No. FBO32/735/6/ECO		
376	1,000.00	EA	3760 - LAMP 32 W T8 FLUORSCENT 4100K (22438) Brand: Sylvania No. F032/V41/ECO		
377	4,000.00	EA	3770 - LAMP 32W T8 XP FLUORSCENT (21767)		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
378	100.00	EA	Brand: Sylvania No. FO32/841/XP/ECO 3780 - LAMP 59W T8 8 FOOT FLUORSCENT (22149)	NO Quote	
379	2.00	EA	Brand: Sylvania No. FO96/841/ECO 3790 - LAMP 24W T5 HO FLUORSCENT (20928)		
380	2.00	EA	Brand: Sylvania No. FP24/830/HO/ECO 3800 - LAMP 39W T5 HO FLUORSCENT (20932)		
381	2.00	EA	Brand: Sylvania No. FP39/830/HO/ECO 3810 - LAMP 54W T5 HO FLUORSCENT 3000K (20903)		
382	2.00	EA	Brand: Sylvania No. FP54/830/HO/ECO 3820 - LAMP 54W T5 HO FLUORSCENT 3500K (20904)		
383	50.00	EA	Brand: Sylvania No. FP54/835/HO/ECO 3830 - LAMP 100W HPS MEDIUM BASE (67506)		
384	40.00	EA	Brand: Sylvania No. LU100/MED/ECO 3840 - LAMP 1000W HPS MOGUL BASE (67307)		
385	100.00	EA	Brand: Sylvania No. LU1000/ECO 3850 - LAMP 250W HPS MOGUL BASE (67578)		
386	100.00	EA	Brand: Sylvania No. LU250/ECO 3860 - LAMP 400W HPS MOGUL BASE (67533)		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			Brand: Sylvania No. LU400/ECO	NO Quote	
387	10.00	EA	3870 - LAMP 50W HPS MEDIUM BASE (67502)		
			Brand: Sylvania No. LU50/MED		
388	100.00	EA	3880 - LAMP 75W RS (12586)		
			Brand: Sylvania No. 75A/RS/VS/130V		
389	2.00	EA	3890 - LAMP 2W G8F LED Brand: Sylvania		
			No. LE2WGBF		
390	2.00	EA	3900 - LAMP 11W LED A19 DIMMABLE (74436)		
			Brand: Sylvania No. LED9A19/DIM/O/827U		
391	2.00	EA	3910 - LAMP 14W R40 LED DIMMABLE Brand: Sylvania (79624)		
			No. LED13/BR40DIM85010YVRP2		
392	2.00	EA	3920 - LAMP 13W LED A19 DIMMABLE (74437)		
			Brand: Sylvania No. LED12A19/DIM/O/827U		
393	2.00	EA	3930 - LAMP 15W LED BR40 DIMMABLE (79175)		
			Brand: Sylvania No. LED15BR40/DIM/HO827/G4		
394	50.00	EA	3940 - LAMP 17W LED A21 DIMMABLE (74438)		
			Brand: Sylvania No. LED16A21DIMO827U		
395	50.00	EA	3950 - LAMP 17W LED PAR38 DIMMABLE (78464)		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
396	100.00	EA	Brand: Sylvania No. LED17PAR38/PRO/930NFL25/P3 3960 - LAMP 7W LED A19 DIMMABLE (74435)	No Quote	
397	400.00	EA	Brand: Sylvania No. LED5.5A19DIM0827U 3970 - LAMP 1000W MH MOGUL BASE (64468) <i>as specified</i>	\$19.80/ea	\$7,944.00
398	140.00	EA	Brand: Sylvania No. M1000/U 3980 - LAMP 1500W MH HOR BURN MOGUL (64431)	No Quote	
399	60.00	EA	Brand: Sylvania No. M1500/BU-HOR 3990 - LAMP 175W MH MOGUL BASE (64030)		
400	100.00	EA	Brand: Sylvania No. M175/U/ED28 4000 - LAMP 250W MH MOGUL BASE (64032)		
401	100.00	EA	Brand: Sylvania No. M250/U/ED28 4010 - LAMP 400W MH MOGUL BASE (64036)		
402	100.00	EA	Brand: Sylvania No. M400/U/ED37 4020 - LAMP 400W MH BT28 MOGUL (64034)		
403	400.00	EA	Brand: Sylvania No. M400/U/ED28 4030 - LAMP 3W120V MINIATURE BAYONET (34503)		
404	2,000.00	EA	Brand: Sylvania No. 120MB 4040 BULB, JAMES ZY-T81200B1XX FROSTED 4 FOOT T8 5000K 18 WATT CL		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			100-277V 180 BS 1930 LM DLC MUST HAVE INTERNAL DRIVER TO WORK WITHOUT BALLAST. BULB SHOULD ALSO BE ABLE TO WORK WITH T-8 BALLAST		
405	20.00	EA	4050 - TAPE, FISH, 100 FOOT Brand: Ideal No. 31056 <i>as specified</i> →	\$49.40/ea	\$988.00
406	2.00	EA	4060 - TAPE, FISH, 50 FOOT Brand: Ideal No. 31059		NO Quote
407	20.00	EA	4070 - PHOTOCONTROL, SPST 208/277V Brand: Tork No. 2104		
408	50.00	EA	4080 - PHOTOCONTROL, 2000W 120/277V Brand: Tork No. 2107		
409	50.00	EA	4090 - PHOTOCONTROL, SPST 120V Brand: Tork No. 3000 <i>as specified</i> →	\$8.48	\$424.00
410	2.00	EA	4100 - PHOTOCONTROL, SPST 277V W/P Brand: Tork No. 3002		NO Quote
411	20.00	EA	4110 - PHOTO CELL, TWIST LOCK 120-277V Brand: Tork No. 2007A		NO Quote
412	200.00	EA	4120 - PHOTOCELL, TWIST LOCK 480V, 1000W Brand: Tork Number: 2008B <i>as specified</i> →	\$28.40/ea	\$5,680.00
413	40.00	EA	4130 - MOUNTING BRACKET FOR PHOTOCELL 120-480V TLRCPTW/MTG Brand: Tork <i>as specified</i> →	\$12.19/ea	\$487.60

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			Number: 2421		
414	40.00	EA	4140 - TIMER, DPST 120V 40A NEMA 1 Brand: Tork	NO Quote	
			No. 1103		
415	20.00	EA	4150 - TIMER DPST 120V 40 AMP NEMA 3R ENCLOSURE	NO Quote	
			TORK 1103BPC		
416	50.00	EA	4160 - TIMER ELECTRONIC TIME CLOCK Brand: Tork	\$189.11/ea	\$9,455.50
			Number: EWZ201C <i>as specified</i>		
417	2.00	PK	4170 - TY-RAP, HD, 7 INCH INDOOR 100 PER PACKAGE	NO Quote	
			Brand: Thomas & Betts No. TY525M		
418	2.00	PK	4180 - TY-RAP, HD, 18 INCH INDOOR 50 PER PACKAGE		
			Brand: Thomas & Betts No. TY5275M		
419	2.00	PK	4190 - TY-RAP, HD, 14 INCH INDOOR 50 PER PACKAGE	\$30.08/PK	\$60.16
			Brand: Thomas & Betts <i>as specified</i> No. TY527M		
420	2.00	PK	4200 - TY-RAP, HD, 30 INCH INDOOR 50 PER PACKAGE		
			Brand: Thomas & Betts No. TY529M		
421	2,000.00	PK	4210 - TY-RAP, 14 INCH OUTDOOR 100 IN A PACK		
			Brand: Thomas & Betts No. L141200C		
422	2.00	PK	4220 - TY-RAP, 14 INCH INDOOR 100 IN A PACK		
			Brand: Thomas & Betts No. I141209C		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
423	2.00	PK	4230 - TY-RAP, 14 INCH INDOOR 100 PER PACKAGE Brand: Thomas & Betts No. L14509C	No Quote	
424	100.00	PK	4240 - TY-RAP, 4 INCH OUTDOOR 100 IN A PACKAGE Brand: Thomas & Betts No. L4180C		
425	2.00	PK	4250 - TY-RAP, 4 INCH INDOOR 100 IN A PACKAGE Brand: Thomas & Betts No. L4189C		
426	2.00	PK	4260 - TY-RAP, 48 INCH OUTDOOR 50 IN A PACKAGE Brand: Thomas & Betts No. L481750L		
427	2.00	PK	4270 - TY-RAP, 48 INCH INDOOR 50 IN A PACKAGE Brand: Thomas & Betts No. L481759L		
428	2.00	PK	4280 - TY-RAP, 6 INCH INDOOR 100 IN A PACKAGE Brand: Thomas & Betts No. L6189C		
429	6,000.00	PK	4290 - TY-RAP, 7-1/2 INCH OUTDOOR 100 IN A PACKAGE Brand: Thomas & Betts No. L7500C		
430	2.00	PK	4300 - TY-RAP, 7-1/2 INCH INDOOR 100 IN A PACKAGE Brand: Thomas & Betts No. L7509C		
431	20.00	PK	4310 - TY-RAP, 8 INCH OUTDOOR 100 IN A PACKAGE Brand: Thomas & Betts		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
432	2.00	PK	No. L81200C 4320 - TY-RAP, 8 INCH INDOOR 100 IN A PACKAGE Brand: Thomas & Betts No. L81209C	No Quote	
433	10.00	PK	4330 - TY-RAP, 8 INCH INDOOR 100 IN A PACKAGE Brand: Thomas & Betts No. L8189C		
434	2.00	PK	4340 - TY-RAP, CABLE TIE 7.80 IN LENGTH, NYLON GRADE 6/6, BLACK, 2% CARBON FOR OUTDOOR UV RESISTANTS, .184 WIDTH, 1.75 INCH DIA BUNDLE, 50LB TENSILE STRENGTH, 100 PER 100 PER PACKAGE Brand: Thomas & Betts No. TY535MX		
435	125.00	PK	4350 - TY-RAP, CABLE TIE 24 INCH LENGTH, HEAVY DUTY, BLACK OUTDOOR U.V. RESISTANT, 120 LB TENSILE STRENGTH 50 IN A PACKAGE Brand: Pico No. L24-120-0-L		
436	150.00	PK	4360 - TY-RAP, CABLE TIE 35 IN LENGTH, NYLON GRADE 6/6, BLACK, 2% CARBON FOR OUTDOOR UV RESISTANTS, STAINLESS STEEL LOCKING DEVICE, .320 WIDTH, 10IN DIA, 175LB TENSILE STRENGTH 50 IN A PACKAGE Brand: Thomas & Betts No. TY53510MX		
437	10.00	PK	4370 - BASE, MOUNTING, ADHESIVE BACKED, PRESSURE SENSITIVE USE WITH TIES .140" WIDE MAX SIZE: 3/4" SQUARE X 3/16" HIGH BASE MATERIAL: NYLON ADHESIVE: ACRYLIC BASED FOAM TYPE 100 IN A PACKAGE Brand: Thomas & Betts No. MPNY-750A-9-C		
438	20.00	PK	4380 - CRADLE, CABLE TIE MOUNTING, NATU- RAL NYLON, ADHESIVE/SCREW ATTACHMENT,		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			BASE 0285 IN H X 1.250 IN L X 1.000 IN W, SLOT 0.090 IN H X 0.300 IN W, PKG. 100 Brand: Thomas & Betts No. MCNY-1250-0-C	NO Quote	
439	2.00	EA	4390 - CEILING MOTION LIGHT AND CONTROL UNIT Brand: Hubbell No. ATU500C/CU300A		
440	10.00	EA	4400 - SENSOR, OCCUPANCY TIME DELAY SELF-ADJUSTING 120/277 VOLT, WATTS AT 120 V 1800, WATTS AT 277V 4000 VA Brand: Wattstopper No. PW-100-W		
441	10.00	EA	4410 - SWITCH, TIMER, PROGRAMMABLE Brand: Wattstopper No. TS-400-W		
442	1,000.00	FT	4420 - BARE 6 AWG SOLID COPPER No. BARE6SDSOL		
443	2,000.00	FT	4430 - BARE NO. 4 COPPER SOLID GROUND WIRE		
444	2.00	BG	4440 - BUSHINGS, 12/2 M/C CABLE RED DEVIL PECO 383		
445	2.00	EA	4450 - CONNECTOR, MC, 1/2 INCH, 90D Brand: EGS No. AC90		
446	1,000.00	EA	4460 - CONNECTOR, MC, 1/2 INCH, STR Brand: EGS No. C510		
447	7,000.00	FT	4470 - CABLE, 12/2 WITH GROUND MC No. MCAL 12/2WGRNG		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
448	1,000.00	FT	4480 - CABLE, 12/3 WITH GROUND MC No. MCAL 12/3WGRNG <i>as specified</i>	\$.86/ft \$.95/ft	\$ 860.00 \$ 95.00
449	100.00	FT	4490 - CABLE, 10/3 SOOW No. 10/3SO <i>as specified</i>	\$ 1.37/ft \$.95/ft	\$ 1,370.00 \$ 95.00
450	1,000.00	FT	4500 - CABLE, 10/4 SOOW No. 10/4SO <i>as specified</i>	\$.95/ft \$.90/ft	\$ 950.00 \$ 360.00
451	2,000.00	FT	4510 - CABLE, CORD 12/3 SOOW No. 12/3SO <i>as specified</i>	\$.57/ft \$.90/ft	\$ 1,140.00 \$ 360.00
452	400.00	FT	4520 - CABLE, 12/4 SOOW No. 12/4SO <i>as specified</i>	\$ 2.99/ft \$.57/ft	\$ 1,196.00 \$ 228.00
453	4,000.00	FT	4530 - CABLE, 14/3 SOOW No. 14/3SO <i>as specified</i>	\$ 1.71/ft \$ 2.99/ft	\$ 684.00 \$ 5,980.00
454	2,000.00	FT	4540 - CABLE, 6/4 SOOW No. 6/4SO <i>as specified</i>	\$ 1.71/ft \$ 1.05/SPL	\$ 855.00 \$ 5,250.00
455	500.00	FT	4550 - THHN 1/0 AWG COPPER No. THHN10STRBLACK <i>as specified</i>	\$ 100/SPL \$ 100/SPL	\$ 10,000.00 \$ 10,000.00
456	50.00	SPL	4560 - THHN 10 AWG COPPER 500 FOOT SPOOL <i>as specified</i> ALL COLORS ARE AVAILABLE No. thhn10str	\$ 60.00/SPL \$ 100/SPL	\$ 1200.00 \$ 10,000.00
457	100.00	SPL	4570 - THHN 12 AWG COPPER 500 FOOT SPOOL <i>as specified</i> ALL COLORS ARE AVAILABLE No. THHN12STR	\$ 60.00/SPL \$ 60.00/SPL	\$ 1200.00 \$ 1200.00
458	20.00	SPL	4580 - THHN 14 AWG COPPER 500 FOOT SPOOL ALL COLORS ARE AVAILABLE		

DATE: 4/21/2021

Page 55

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			No. THHN14STR	NO Quote	
459	100.00	FT	4590 - THHN 1 AWG COPPER No. THHN1STRBLACK		
460	300.00	FT	4600 - THHN 2/0 AWG COPPER No. THHN2/0STRBLACK		
461	1,000.00	FT	4610 - THHN 3/0 STRANDED WIRE, No. THHN3/0STRBLACK		
462	2,000.00	FT	4620 - THHN 2 AWG COPPER COLORS: BLACK, BLUE, RED, GREEN No. THHN2STR		
463	2.00	FT	4630 - THHN 300MCM AWG COPPER No. THHN300MCMSTRBLACK		
464	2,000.00	FT	4640 - THHN 3 AWG COPPER No. THHN3STRBLACK		
465	1,000.00	FT	4650 - THHN 4 AWG COPPER COLORS: BLACK, GREEN No. THHN4STR		
466	15,000.00	FT	4660 - THHN 6 AWG COPPER COLORS: BLACK, WHITE, GREEN, RED No. THHN6STR		
467	12,000.00	FT	4670 - THHN 8 AWG COPPER COLORS: BLACK, GREEN, RED, WHITE No. THHN8STR		
FRT Allowed on all items					

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF
Sunlock Electric, LLC
INCORPORATED.

AT THE MEETING OF DIRECTORS OF Sunlock Electric, LLC
INCORPORATED, DULY NOTICED AND HELD ON 5/11/21
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT Quentin Walker, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.

X [Signature]
SECRETARY-TREASURER

5/11/21

DATE

Non-Public Works Bid Affidavit Instructions

- **Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and parish laws.**
- **Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.**
- **Affidavit must be notarized or the affidavit will not be accepted.**
- **Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.**
- **Affiant MUST select either A or B when required or the affidavit will not be accepted.**
- **Affiants who select choice A must include an attachment or the affidavit will not be accepted.**
- **If both choice A and B are selected, the affidavit will not be accepted.**
- **Affidavit marked N/A will not be accepted.**
- **It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.**

Instruction sheet may be omitted when submitting the affidavit

Non-Public Works Bid

AFFIDAVIT

STATE OF Louisiana

PARISH/COUNTY OF Terrebonne

BEFORE ME, the undersigned authority, personally came and appeared: Quentin Walker (Affiant) who after being by me duly sworn, deposed and said that he/she is the fully authorized President of Scurlock Electric LLC (Entity), the party who submitted a bid in response to Bid Number 5000B4302, to the Parish of Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B ☒ there are NO campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A ☐ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.


Choice B ☒ There are NO debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.


Signature of Affiant

Quentin Walker
Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME
ON THE 1st DAY OF May, 2021.


Notary Public

Emily A. WALKER
Printed Name of Notary

Notary/Bar Roll Number

My commission expires _____

EMILY A. WALKER
NOTARY PUBLIC
ID NO. 133879 - BAR NO. 34416
MY COMMISSION IS FOR LIFE.

STANDARD INSURANCE REQUIREMENTS FOR BIDDING PURPOSES

All required insurance under this bid shall conform to Jefferson Parish Resolution No. 113646 or No. 113647, as applicable. Contractors may not commence any work under any ensuing contract unless and until all required insurance and associated evidentiary requirements thereto have been met, along with any additional specifications contained in the Invitation to Bid. Except as where otherwise precluded by law, the Parish Attorney or his designee, with the concurrence of the Director of Risk Management or his designee, may agree on a case-by-case basis, to deviate from Jefferson Parish's standard insurance requirements, as provided in this Section. Vendors requesting deviation therefrom shall submit such requests in writing, along with compelling substantiation, to the Purchasing Department prior to the bid's due date. Any changes to the insurance requirements will be reflected in the bid specifications and addenda. Prior to contract execution and at all times thereafter during the term of such contract, contractors must provide and continuously maintain all coverages as required by the foregoing Resolutions, and the contract documents. Failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

For bidding purposes, bidders must submit with bid submission a current (valid) insurance certificate evidencing the required coverages. Failure to comply will cause bid to be rejected. The current insurance certificate will be used for proof of insurance at time of evaluation. Thereafter, and prior to contract execution, the low bidder will be required to provide final insurance certificates to the Parish which shall name **the Jefferson Parish, its Districts Departments and Agencies under the direction of the Parish President and the Parish Council** as additional insureds regarding negligence by the contractor for the Commercial General Liability and the Comprehensive Automobile Liability policies. Additionally, said certificates should reflect the name of the Parish Department receiving goods and services and reference the respective Jefferson Parish bid number.

JEFFERSON PARISH REQUIRED STANDARD INSURANCE

☒ WORKER'S COMPENSATION INSURANCE

As required by Louisiana State Statute, exception; Employer's Liability, Section B shall be \$1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act, otherwise this limit shall be no less than \$500,000 per occurrence.

Note: If your company is not required by law to carry workmen's compensation insurance, i.e. not a Louisiana company, sole employee of the company, then bidders must request a workmen's compensation insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being

rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

☒ **COMMERCIAL GENERAL LIABILITY**

Shall provide limits not less than the following: \$1,000,000.00 Combined Single Limit per Occurrence for bodily injury and property damage.

☒ **COMPREHENSIVE AUTOMOBILE LIABILITY**

Bodily injury liability \$1,000,000.00 each person; \$1,000,000.00 each occurrence.
Property Damage Liability \$1,000,000.00 each occurrence.

Note: This category may be omitted if bidders do not/will not utilize company vehicles for the project or do not possess company vehicles. Bidder must request an automobile insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

DEDUCTIBLES - The Parish Attorney with concurrence of the Director of Risk Management have waived the deductible section of the Terms and Conditions for all Invitations to Bid, until further notice.

UMBRELLA LIABILITY COVERAGE

An umbrella policy or excess may be used to meet minimum requirements.

FOR CONSTRUCTION AND RENOVATION PROJECTS:

The following are required if selected below. Such insurance is due upon contract execution.

☐ **OWNER'S PROTECTIVE LIABILITY**

To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.

☐ **BUILDER'S RISK INSURANCE**

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.



JEFFERSON PARISH

DEPARTMENT OF PURCHASING

CYNTHIA LEE SHENG
PARISH PRESIDENT

RENNY SIMNO
DIRECTOR

September 2020

Changes to Jefferson Parish Bidding Information

The Jefferson Parish Purchasing Department would like to make vendors aware of the following changes:

Total Bid Price Must Include the Cost of Naming Jefferson Parish as Additional Insured:

Bidder acknowledges that Bidder recovered the cost of any required insurance in the contract price as required by La.R.S. 9:2780.1 and that Bidder recovered any such cost for the purposes of insuring an obligation to indemnify Jefferson Parish, defend Jefferson Parish, or hold Jefferson Parish harmless and that Bidder's indemnity liability is limited to the amount of the proceeds that are payable under the insurance policy or policies that Bidder has obtained.

Electronic Procurement: Beginning November 1, 2020, Jefferson Parish will no longer accept manual bid submissions; and will only accept bid submissions electronically via our e-Procurement system, Central Bidding. Central Bidding can be accessed by visiting either www.centralbidding.com or www.jeffparishbids.net. All bidders will be required to register with Central Bidding. Jefferson Parish vendors are able to register for free by accessing the following link:
<https://www.centraauctionhouse.com/registration.php>.

Probable Construction Cost: Per Jefferson Parish Administrative Policy, the probable construction cost is not revealed in the Jefferson Parish Bidding Documents. Jefferson Parish Administrative Policy has changed and a range of the probable construction cost will be stated in the Jefferson Parish bidding document, entitled Important Notice to All Bidders – Bid Requirements. Per Louisiana Public Bid Law, the probable construction cost will be read at the bid opening.

Insurance Requirement: All bidders must provide proof of valid insurance in the required amounts as stated in the Standard Insurance Requirements for bidding purposes. Failure to provide the proof of valid insurance in all of the required coverage amounts will result in bid rejection.

GENERAL GOVERNMENT BLDG. — 200 DERBIGNY ST., SUITE 4400, GRETNA, LA 70053
OFFICE 504.364.2678

JOSEPH S. YENNI BLDG. — 1221 ELMWOOD PARK BLVD., SUITE 404, JEFFERSON, LA 70123
OFFICE 504.364.2678

EMAIL: PURCHASING@JEFFPARISH.NET WEBSITE: WWW.JEFFPARISH.NET

Copper Alloy Split Bolt Connectors

Types S and SEL

- Manufactured from high strength copper alloy - highly resistant to corrosion and season cracking
- For use with a wide range of copper solid, compact, compressed, concentric, copperweld conductors, and rebar
- Approved for electrical power, grounding/bonding, and direct burial applications



Application/Use:


- **Type S** is for use with two conductors in electrical power applications; 2 conductors or conductor to rebar in grounding/bonding and direct burial applications in earth and concrete
- **Type SEL** is for use with two or three conductors in electrical power, grounding/bonding, and direct burial applications in earth and concrete
- DB permanently marked on head for conductor sizes up to 500 kcmil

High Quality Design:

- True hex design allows easy installation with standard tooling
- Under torque, this design provides high contact pressure between conductors or conductor to rebar
- Pressure bar design features give assurance of high "pull-out" and secure connection on all combinations of conductors
- Wide wire range
- Rated for copper conductors, 600 V, 90°C

Installation:

- Use with torque wrench, standard socket, box or open-end wrenches
- Reusable with proper installation practice



Type S - Two Conductors

CATALOG NUMBER	RANGE OF EQUAL RUN & TAP	MIN. TAP W/ ONE MAX. MAIN	MAX. CONDUCTOR COPPERWELD		UL ONLY REBAR W/ 6 OR 8 AWG	APPROXIMATE DIMENSIONS (IN.)				TORQUE (IN-LBS)
			STR.	TYPE A		L	W	B	A	
S-10*	16 Str. - 10 Str.	16 Str.	-	-	-	.72	.50	.34	.13	80
S-8*	16 Str. - 8 Str.	16 Str.	-	-	-	.84	.50	.38	.15	80
S-6*	10 Sol. - 6 Sol.	16 Sol.	-	-	-	1.05	.63	.50	.17	165
S-4*	8 Sol. - 4 Sol.	16 Sol.	3 No. 12	8A	-	1.05	.69	.56	.22	165
S-3*	6 Sol. - 2 Sol.	12 Sol.	3 No. 9	5A	-	1.32	.81	.69	.33	275
S-2*	6 Sol. - 2 Str.	14 Str.	3 No. 7	3A	-	1.32	.81	.69	.33	275
S-1/0*	4 Sol. - 1/0 Str.	14 Sol.	3 No. 6	2A	-	1.64	.88	.75	.38	385
S-2/0	2 Sol. - 2/0 Str.	14 Str.	3 No. 5	-	#3 (3/8)	1.82	1.00	.81	.42	385
S-3/0	2 Sol. - 3/0 Str.	12 Sol.	7 No. 7	-	-	2.00	1.13	.88	.47	500
S-4/0-250	1/0 Sol. - 250 kcmil	10 Sol.	7 No. 5	-	#4 (1/2)	2.08	1.31	1.00	.58	650
S-350+	4/0 Str. - 350 kcmil	8 Sol.	19 No. 7	-	#5 (5/8)	2.63	1.63	1.50	.75	650
S-500+	250 - 500 kcmil	8 Sol.	19 No. 6	-	#6 (3/4)	3.00	1.81	1.63	.83	825
S-750++	350 - 750 kcmil	8 Sol.	19 No. 5	-	-	3.75	2.13	1.94	1.03	1000
S-1000++	500 - 1000 kcmil	8 Sol.	-	-	-	4.00	2.50	2.25	1.22	1100

* UL Only Grounding, Bonding, Direct Burial (350 & 500)

++ Not Approved Grounding, Bonding, Direct Burial

* RUS REA Accepted


Type SEL - Two or Three Conductors

CATALOG NUMBER	RANGE OF EQUAL RUN & TAP	MIN. TAP W/ ONE MAX. MAIN	MAX. CONDUCTOR COPPERWELD		APPROXIMATE DIMENSIONS (IN.)				TORQUE (IN-LBS)
			STR.	TYPE A	L	W	B	A	
SEL-8*	16 Str. - 8 Str.	16 Str.	-	-	.84	.50	.38	.14	80
SEL-6*	10 Sol. - 6 Sol.	16 Sol.	-	-	1.09	.63	.50	.17	165
SEL-4*	8 Sol. - 4 Sol.	16 Sol.	3 No. 12	8A	1.27	.69	.56	.22	165
SEL-2*	6 Sol. - 2 Str.	14 Str.	3 No. 7	3A	1.55	.81	.69	.33	275

CONNECTOR TYPE	POWER	UL-467 GROUNDING			CSA C22.2 NO. 41 GROUNDING		
	UL 486A-B CSA 22.2 NO. 65 WIRE RANGE	UL GROUNDING MAX. WIRE	GROUNDING & BONDING	DIRECT BURIAL REBAR	CSA GROUNDING MAX. WIRE	GROUNDING & BONDING	DIRECT BURIAL
S SEL	16 Str. - 1000 kcmil	500 kcmil	Yes	Yes	250 kcmil	Yes	Yes

NPT CABLE GLAND

NAWA's NPT cable glands are water tight, provide excellent strain relief, easy assembly, and offer a wide cable range. All of NAWA's cable glands are IP68 certified, UL recognized and RoHS compliant.



NPT Gland Specs (mm)

	D1	D2	B1	L1	L2	L3	Cable Range	Units/Bag
NPT-14	12.2	8.3	6.3	9.5	23.2	14.6	3-6.5	50
NPT-38-S	16.5	11.1	6.3	11.9	22.7	14.6	2-6	50
NPT-38	16.5	11.8	10.6	15.2	23.7	16.8	5-10	50
NPT-12-S	20.5	15.7	12.1	12.8	26.1	17.8	6-12	50
NPT-12	20.5	15.7	13.3	14.4	30.4	18.1	10-14	50
NPT-34	28.4	19.6	18.8	16.0	30.4	22.5	13-18	50
NPT-1	32.5	26.6	25.8	14.5	33.9	25.4	18-25	25
NPT-114	41.0	32.5	25.8	19.0	34.0	25.4	22-32	10
NPT-112	47.3	39.4	31.1	16.1	42.1	30.5	22-32	5
NPT-2	59.6	51.0	44.9	15.1	41.9	33.2	37-44	5



Product data sheet

Characteristics


H361NRB

Safety switch, heavy duty, fusible, 30A, 3 poles,
20 hp, 20 hp, 600 VAC/DC, NEMA 3R, bolt-on
hub, neutral

Product availability : Stock - Normally stocked in distribution facility



Price* : 986.00 USD



Main

Product	Single Throw Safety Switch
Current Rating	30 A
Number of Poles	3
Voltage Rating	600 V AC/DC
Disconnect Type	Fusible disconnect
Short Circuit Current Rating	10 kA H or K 200 kA R, J or L
Mounting Type	Surface
Factory Installed Neutral	Neutral (factory installed)
Electrical Connection	Lugs
Duty Rating	Heavy duty
Certifications	UL listed file E2875
Enclosure Rating	NEMA 3R galvanized steel
Wire Size	AWG 12...AWG 6 aluminium AWG 14...AWG 6 copper

Complementary

Maximum Horse Power Rating	5 hp 480 V AC 50...60 Hz 3 phase NEC 240.6 15 hp 480 V AC 50...60 Hz 3 phase NEC 430.52 7.5 hp 600 V AC 50...60 Hz 3 phase NEC 240.6 20 hp 600 V AC 50...60 Hz 3 phase NEC 430.52 15 hp 600 V DC
Tightening torque	45 lbf.in (5.08 N.m) 0.02 in ² (13.3 mm ²) AWG 6) 40 lbf.in (4.52 N.m) 0.01 in ² (8.367 mm ²) AWG 8) 35 lbf.in (3.95 N.m) 0.00...0.01 in ² (2.06...5.261 mm ²) AWG 14...AWG 10)
Width	7.55 in (191.77 mm)

* Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

May 7, 2021

Leads: Schneider

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Height	14.88 in (377.95 mm)
Depth	4.86 in (123.44 mm)

Ordering and shipping details

Category	00009 - H&HU SW,2&3P,N3R,30-200A
Discount Schedule	DE1
GTIN	00785901122487
Nbr. of units in pkg.	1
Package weight(Lbs)	8.77 lb(US) (3.98 kg)
Returnability	Yes
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Package 1 Height	5.20 in (13.208 cm)
Package 1 width	7.70 in (19.558 cm)
Package 1 Length	16.20 in (41.148 cm)
Unit Type of Package 2	PAL
Number of Units in Package 2	120
Package 2 Weight	1086.00 lb(US) (492.601 kg)
Package 2 Height	45.50 in (115.57 cm)
Package 2 width	40.00 in (101.6 cm)
Package 2 Length	48.00 in (121.92 cm)

Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
Environmental Disclosure	Product Environmental Profile
PVC free	Yes

Contractual warranty

Warranty	18 months
----------	-----------

H361NRB

Technical drawing of a door assembly, showing front and side views with dimensions in inches and millimeters.

Front View Dimensions:

- Top width: 7.68 [195]
- Top width (inner): 6.63 [168]
- Top width (outer): 3.02 [77]
- Left height: 4.88 [124]
- Left height (inner): 11.24 [285]
- Bottom left height: 1.64 [42]
- Bottom left height (inner): 1.02 [26]
- Bottom left width: 1.14 [29]
- Bottom center width: 3.76 [95]
- Bottom right width: 1.00 [26]
- Bottom right width (outer): 1.40 [35]
- Right height: 1.88 [48]
- Right height (inner): 5.80 [147]

Side View Dimensions:

- Top width: 2.08 [53]
- Top width (inner): 2.08 [53]
- Bottom width: 4.26 [108]
- Bottom width (inner): 9.0 [23]
- Bottom width (outer): 1.40 [35]

Other Labels:


- AA: .12 DIA [3]
- .23 DIA [6]
- 50 [13]
- (1 HOLES)
- A.B.C. KNOCKOUT
- A.B.C. KNOCKOUT
- FROM VTC SURFACE



SYMBOL	CONDUIT SIZE		DIAMETER	
	N	MW	N	MW
A	50	13	98	22
B	75	19	113	29
C	100	25	138	35
D	125	32	175	44

Connections and Wiring Diagrams

CATALOG NUMBER	VOLTAGE RATINGS	AMPERAGE RATINGS	WIRING DIAG
H221NRB	240VAC, 250VDC	30	A
H321NRB	240VAC, 250VDC	30	B
H361NRB	600VAC, 600VDC	30	B
H361RB	600VAC, 600VDC	30	C
HU361RB	600VAC, 600VDC	30	D
HU361RBEI	600VAC, 600VDC	30	D
HU361NRB	600VAC, 600VDC	30	E



TERMINAL LUGS			
AMPERES	MAX WIRE	MIN WIRE	TYPE
30	#6 AWG	#14 AWG	AL OR CU

Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897

Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com[All Categories](#) > [Straps, Hangers & Supports](#) > [One Hole E.M.T. Straps](#) > [Item # 180-S](#)**Item # 180-S, One Hole E.M.T. Straps**[larger image](#)**Specifications**


Material	Steel
Description (Inch)	1/2
Unit Pkg.	100
Std.Pkg.	1000
Std. Pkg. Wt.	22
Dim. A (Inch)	1.66
Dim. B (Inch)	.75
Dim. C (Inch)	.57
Note	

[Print](#)[Back](#)


Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897

Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com[All Categories > Straps, Hangers & Supports > One Hole E.M.T. Straps > Item # 181-S](#)**Item # 181-S, One Hole E.M.T. Straps**[larger image](#)**Specifications**

Material	Steel
Description (Inch)	3/4
Unit Pkg.	100
Std.Pkg.	500
Std. Pkg. Wt.	15
Dim. A (Inch)	1.95
Dim. B (Inch)	.96
Dim. C (Inch)	.63
Note	



Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897

Tel: (845) 359-4900 Fax: (845) 359-4978


E-mail: info@pecoelect.com Web site: www.pecoelect.com[All Categories](#) > [Straps, Hangers & Supports](#) > [One Hole E.M.T. Straps](#) > [Item # 182-S](#)**Item # 182-S, One Hole E.M.T. Straps**[larger image](#)**Specifications**

Material	Steel
Description (Inch)	1
Unit Pkg.	50
Std.Pkg.	500
Std. Pkg. Wt.	18
Dim. A (Inch)	2.14
Dim. B (Inch)	1.10
Dim. C (Inch)	.72
Note	

[Print](#)[Back](#)

Site Search:
[Home](#) [About Us](#) [Products](#) [Price Lists](#) [Library](#) [ERICO Partners](#) [Software & Downloads](#) [Contact Us](#)

You are here: [ERICO International](#) : [Products](#) : [CADDY® Fasteners - Electrical](#) : [Conduit / Cable](#) : [CADDY® Conduit Clamps with Bolts](#) [Change Country](#)



► CADDY® Conduit Clamps with Bolts


[Where to buy](#) [Printer friendly](#)

Product Available In:
North America
Latin America

ERICO offers CADDY Conduit Clamps with Bolts.


Features

- Fast and easy installation – installs with screwdriver or nut driver
- Accommodates 1/2" thru 4" EMT or rigid conduit
- Mounting hole size CD0 thru CD3 for 1/4" bolt. CD4 thru CD9 for 5/16" bolt. Available in 3/8" mounting hole for 1/2"-2" pipe. To order add suffix 37 (ie. CD2B37).
- Retained bolt and built-in nut means there are less parts to handle or drop
- Bright zinc finish
- Also available in stainless steel 302 - contact factory for price and delivery, to order add suffix SS (ie. CD2B-SS). Stainless do not have nutless feature.


Applications

Can be used in all locations where EMT or rigid conduit is used.

More Information



Catalog No.	Fig No.	Rigid	Conduit Size EMT	Std Box Qty
CD0B*	1	1/2"	1/2"	100




CD1B*	1	3/4"	3/4"	100
CD2B*	1	1	1	100
CD2.5B*	1	–	1-1/4"	100
CD3B*	1	1-1/4"	1-1/2"	100
CD4B*	1	1-1/2"	–	50
CD5B*	1	2	2	50
CD6B	2	2-1/2"	2-1/2"	25
CD7B	2	3	3	25
CD8B	2	3-1/2"	3-1/2"	10
CD9B	2	4	4	10

* Manufactured with retained bolt and built-in nut

Producto Electric Corp.
 11 Kings Highway, Orangeburg, NY 10962-1897
 Tel: (845) 359-4900 Fax: (845) 359-4978
 E-mail: info@pecoelect.com Web site: www.pecoelect.com

[All Categories > Straps, Hangers & Supports > One Hole E.M.T. Straps > Item # 183-S](#)

Item # 183-S, One Hole E.M.T. Straps



[larger image](#)

Specifications

Material	Steel
Description (Inch)	1-1/4
Unit Pkg.	20
Std.Pkg.	100
Std. Pkg. Wt.	10
Dim. A (Inch)	3.20
Dim. B (Inch)	1.40
Dim. C (Inch)	.88
Note	


[Print](#)

[Back](#)


Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897

Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com[All Categories](#) > [Straps, Hangers & Supports](#) > [Two Hole E.M.T. Straps](#) > [Item # TH-180S](#)**Item # TH-180S, Two Hole E.M.T. Straps**[larger image](#)**Specifications**


Material	Galvanized Steel
Description (Inch)	1/2
Unit Pkg.	50
Std.Pkg.	500
Std. Pkg. Wt.	10
Dim. A (Inch)	2.20
Dim. B (Inch)	.75
Dim. C (Inch)	.57
Note	




Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897

Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com[All Categories](#) > [Straps, Hangers & Supports](#) > [Two Hole E.M.T. Straps](#) > Item # **TH-181S****Item # TH-181S, Two Hole E.M.T. Straps**[larger image](#)**Specifications**


Material	Galvanized Steel
Description (Inch)	3/4
Unit Pkg.	50
Std. Pkg.	500
Std. Pkg. Wt.	13
Dim. A (Inch)	2.72
Dim. B (Inch)	.95
Dim. C (Inch)	.64
Note	



Producto Electric Corp.
11 Kings Highway, Orangeburg, NY 10962-1897
Tel: (845) 359-4900 Fax: (845) 359-4978
E-mail: info@pecoelect.com Web site: www.pecoelect.com

[Home](#) > [Catalog](#) > [Hangers & Supports](#) > [Two Hole E.M.T. Straps](#) > [Item # TH-185S](#)



Item # TH-185S, Two Hole E.M.T. Straps



[larger image](#)

Specifications

Material	Galvanized Steel
Description (Inch)	2
Unit Pkg.	25
Std.Pkg.	25
Std. Pkg. Wt.	3
Dim. A (Inch)	4.87
Dim. B (Inch)	2.16
Dim. C (Inch)	1.00
Note	

**RACO**

www.hubbell.com

STEEL BOX ACCESSORIES**GRIP-LOK® "Old Work" Switch Box Support**

Supplied as a pair. Use pair to mount switch box with plaster ears in hollow wall, 1-7/8 in. long legs

A64**APPLICATIONS**

The GRIP-LOK support is designed to be used with any deep switch box that has plaster ears

PRODUCT FEATURES

Simply clip GRIP-LOK between box and wall, then bend tabs into the box

UL LISTED

File E195973

COMPLIANCES**MSDS**[http://www.hubbell.com/raco/data/enhanced/MSDS/MSDS for Steel Boxes and Covers.pdf](http://www.hubbell.com/raco/data/enhanced/MSDS/MSDS%20for%20Steel%20Boxes%20and%20Covers.pdf)**GENERAL PRODUCT INFORMATION****PRODUCT MEASUREMENTS**

Wt. Ea. (Lbs.):	0.060
Product Length (in.):	0.02
Product Width (in.):	3.44
Product Height (in.):	5.25

PACKAGING

Minimum Pack Qty.:	100
Shl. Pkg.:	100
Product UPC-A Labeled:	No
Weight (Lbs. Per Ctn):	6.00
Ship Carton Length (in.):	6.25
Ship Carton Width (in.):	2.88
Ship Carton Height (in.):	4.50
Ctn Weight (Lbs.):	5.95
Pallet Qty.:	30000
UPC Number:	050169909775
ISGS:	50050169909770

STEEL BOXES
COVERS
FITTINGS
ACCESSORIES



4 In. x 2 In. Handy Box Cover, Duplex

Catalog #:
864



FEATURE BENEFIT

Quality steel cover closes exposed Handy box.

PRODUCT FEATURES

- Handy Box covers are designed to match the contours of the box
- Cover corners are rounded
- All covers have captive screws
- Mounts one duplex receptacle

APPLICATIONS

- Handy box covers are used to close a Handy box
- Cover can also be used as a single gang wall plate

CERTIFICATIONS



PRODUCT SPECIFICATIONS

UPC Number:	050169008645
Ea Length/Depth (in.):	0.49
Ea Width (in.):	2.313
Ea Height (in.):	4.188
Wt. Ea. (Lbs.):	0.076
Package Type:	Loose
Product UPC-A Labeled:	No

PACKAGING

Case 12of5:	30050169008646
Standard Carton Qty:	25
Min Order Qty:	25



**COMMERCIAL
CONSTRUCTION**
A Division of Hubbell Incorporated (Delaware)


RACO
3902 W. Sample St.
South Bend, IN 46619
574-234-7151
www.hubbell.com/raco/en



Revision 1, March 2019

2-1/2 in. Deep Switch Boxes - Gangable with Conduit KO's Plaster Ears

A47



Catalog #: 500

APPLICATIONS

RACOS: Switch boxes are used to house wiring devices such as switches and outlets.

PRODUCT FEATURES

Gangable switch boxes offer the option of constructing a box to hold two or more devices. Plaster ears allow a box to be used in "old work" applications.

UNLISTED

File E195978

COMPLIANCES

All RACO® single gang, two gang, 4 in. square, and single gang gangable UL listed steel boxes are acceptable for use in 2-hour fire rated walls. For additional information, consult UL "Fire Resistance Directory" or the UL website at www.ul.com

MSDS

For a full list of products, please consult National-PACO MSDS for Steel Boxes and Covers and

FIRE RESISTANCE

Acceptable for use in 2-hour rated walls

GENERAL PRODUCT INFORMATION

Wiring System: _____ Conduit _____

CONFIGURATION

End Knockouts:	(2) 1/2 in.
Bus Cable:	--
Bracket Type:	No Bracket
Side Knockout(s):	(4) 1/2 in.
Bottom Knockout(s):	(2) 1/2 in.

DRAWING DIMENSIONS

Dimension A. 2-1/2 in.

PRODUCT MEASUREMENTS

Depth:	2-1/2 in.
Cubic Inches (cm3):	12.5 (204.8)
Wt. Ea. (Lbs.)	0.551
Product Length (in.):	2.50
Product Width (in.):	4.22
Product Height (in.):	2.00

PACKAGING

Minimum Pack Qty.:	50
Std. Pkg.:	50
Product UPC-A Labeled:	Na
Weight (Lbs. Per C):	55.10
Ship Carton Length (in.):	13.75
Ship Carton Width (in.):	8.25
Ship Carton Height (in.):	10.88
Ctn Weight (Lbs.):	27.55
Pallet Qty:	3260
UPC Number:	050169805005
12of5:	0050169805000

STEEL BOXES
COVERS
FITTINGS
ACCESSORIES



4 In. x 2 In. Handy Box Cover, Toggle Switch

Catalog #:
865



FEATURE BENEFIT

Quality steel cover closes exposed Handy box.

PRODUCT FEATURES

- Handy Box covers are designed to match the contours of the box
- Cover corners are rounded
- All covers have captive screws
- Pre-galvanized steel is unpainted
- No knockouts
- Mounts one toggle switch

APPLICATIONS

- Handy box covers are used to close a Handy box
- Cover can also be used as a single gang wall plate

CERTIFICATIONS



PRODUCT SPECIFICATIONS

UPC Number:	050169008652
Ea Length/Depth (in.):	0.49
Ea Width (in.):	2.313
Ea Height (in.):	4.188
Wt. Ea. (Lbs.):	0.102
Package Type:	Loose
Product UPC-A Labeled:	No

PACKAGING

Case 12of5:	300501690008653
Standard Carton Qty:	25
Min Order Qty:	25



**COMMERCIAL
CONSTRUCTION**
A Division of Hubbell Incorporated (Delaware)

RACO
3902 W. Sample St.
South Bend, IN 46619
574-234-7151
www.hubbell.com/raco/en



STEEL BOXES
COVERS
FITTINGS
ACCESSORIES



4 In. x 2 In. Handy Box Blank Cover

Catalog #:
860



FEATURE BENEFIT

Quality steel cover closes exposed Handy box.

PRODUCT FEATURES

- RACO® Handy Box covers are designed to match the contours of the box
- Cover corners are rounded
- All covers have captive screws
- Pregalvanized steel construction

APPLICATIONS

- Handy box covers are used to close a Handy box
- Cover can also be used as a single gang wall plate

CERTIFICATIONS




PRODUCT SPECIFICATIONS

UPC Number:	050169008607
Ea Length/Depth (in.):	0.490
Ea Width (in.):	2.313
Ea Height (in.):	4.188
Wt. Ea. (Lbs.):	0.104
Package Type:	Loose
Product UPC-A Labeled:	No

PACKAGING

Case (2 of 5):	30050169008608
Standard Carton Qty:	25
Min Order Qty:	25



**COMMERCIAL
CONSTRUCTION**
A Division of Hubbell Incorporated (Delaware)

RACO
3902 W. Sample St.
South Bend, IN 46619
574-234-7151
www.hubbell.com/raco/en





4 IN. SQUARE EXPOSED WORK COVERS

4 in. Square Exposed Work Covers - Raised 1/2 in.
1 Toggle Switch

A23



APPLICATIONS

RACO® surface covers are used to support switches or receptacles in areas where the box is surface mounted or positioned in exposed work applications.

PRODUCT FEATURES

RACO® exposed work covers include required hardware for mounting the receptacle(s).

RACO® exposed work covers meet the requirements of the 2014 NEC Article 250.146(A). No bonding jumper is required for covers with: (1) Crushed corners (2) Two or more device attachment screws (3) A lockwasher or equivalent.

Hardware and cover are packed in a poly-bag with printed catalog number, compliances and installation instructions.

UL LISTED

File E195978

COMPLIANCES

MSDS

[http://www.hubbell.com/hubbellRACO/MSDS/for Steel Boxes and Covers.pdf](http://www.hubbell.com/hubbellRACO/MSDS/for%20Steel%20Boxes%20and%20Covers.pdf)


GENERAL PRODUCT INFORMATION

PRODUCT MEASUREMENTS

Cubic Inches (cm3):	5.5 (106.5)
Wt. Ea. (Lbs.):	0.360
Product Length (in.):	0.50
Product Width (in.):	4.19
Product Height (in.):	4.19

PACKAGING

Minimum Pack Qty.:	10
Std. Pkg.:	10
Product UPC-A Labeled:	Yes
Weight (Lbs. Per Ctn):	36.00
Ship Carton Length (in.):	6.13
Ship Carton Width (in.):	4.63
Ship Carton Height (in.):	4.50
Ctn Weight (Lbs.):	3.80
Pallet Qty.:	3780
UPC Number:	050169998721
12-/15:	50050169998726

4 IN. SQUARE EXPOSED WORK COVERS**4 In. Square Exposed Work Covers - Raised 1/2 in.
2 Toggle Switches****A23****APPLICATIONS**

RACO® surface covers are used to support switches or receptacles in areas where the box is surface mounted or positioned in exposed work applications.

PRODUCT FEATURES

RACO® exposed work covers include required hardware for mounting the receptacle(s).

RACO® exposed work covers meet the requirements of the 2014 NEC Article 250.146(A). No bonding jumper is required for covers with: (1) Crushed corners (2) Two or more device attachment screws (3) A lockwasher or equivalent.

Hardware and cover are packed in a poly-bag with printed catalog number, compliances and installation instructions.

UL LISTED


File E195978

GENERAL PRODUCT INFORMATION**PRODUCT MEASUREMENTS**

Cubic Inches (cm ³):	6.5 (106.5)
Wt. Ea. (Lbs.):	0.422
Product Length (in.):	0.50
Product Width (in.):	4.19
Product Height (in.):	4.19

PACKAGING

Minimum Pack Qty.:	10
Std. Pkg.:	10
Product UPC-A Labeled:	Yes
Weight (Lbs. Per Cj):	42.20
Ship Carton Length (in.):	6.13
Ship Carton Width (in.):	4.63
Ship Carton Height (in.):	4.59
Gm Weight (Lbs.):	4.22
Pallet Qty:	3780
UPC Number:	050169999752
E206	50050169999757



4 IN. SQUARE FLAT AND SINGLE DEVICE COVERS

4 in. Square Flat Covers
Flat, Blank

A20

Catalog # 752

APPLICATIONS

RACO® covers are used to close an outlet box.

PRODUCT FEATURES

Angled mounting slots compensate up to 12 degrees for box misalignment.

UL LISTED

File E195978

CSA

File LR-1082

COMPLIANCES

MSDS

[http://www.hubbell.com/raco/pdf/raco/RACO® MSDS for Steel Boxes and Covers.pdf](http://www.hubbell.com/raco/pdf/raco/RACO%20MSDS%20for%20Steel%20Boxes%20and%20Covers.pdf)

GENERAL PRODUCT INFORMATION

CONFIGURATION

Raised (in.)	Flat
--------------	------

PRODUCT MEASUREMENTS

Cubic Inches (cm ³):	---
Wt. Ea. (Lbs.):	0.286
Product Length (in.):	0.06
Product Width (in.):	4.00
Product Height (in.):	4.00

PACKAGING

Minimum Pack Qty:	50
Std. Pkg.:	50
Product UPC-A Labeled:	No
Weight (Lbs. Per Ctn):	28.60
Ship Carton Length (in.):	5.75
Ship Carton Width (in.):	4.50
Ship Carton Height (in.):	5.75
Ctn Weight (Lbs.):	14.30
Pallet Qty:	5600
UPC Number:	050169907528
IZOL:	50050189907523

STEEL BOXES
COVERS
FITTINGS
ACCESSORIES



4-11/16 In. Square Cover, Flat, Blank

Catalog #:
832



FEATURE BENEFIT

Safely covers an open 4-11/16 In electrical box

PRODUCT FEATURES

- The key-hole allows for installation of cover without removing the box screws
- Blank cover
- Made of pre-galvanized steel

APPLICATIONS

- Covers are used to close an outlet box

CERTIFICATIONS



PRODUCT SPECIFICATIONS

UPC Number:	050169908327
Ea Length/Depth (in.):	0.063
Ea Width (in.):	4.688
Ea Height (in.):	4.688
Wt. Ea. (Lbs.):	0.399
Package Type:	Loose
Product UPC-A Labeled:	No

PACKAGING

Case I2of5:	50050169008329
Standard Carton Qty:	50
Min Order Qty:	50



**COMMERCIAL
CONSTRUCTION**
A Division of Hubbell Incorporated (Delaware)

RACO
3902 W. Sample St.
South Bend, IN 46619
574-234-7151
www.hubbell.com/raco/en


Revision 1, December 2018




SINGLE DEVICE HANDY BOXES & EXTENSION RINGS

4 in. x 2 in. Handy Boxes, 1-7/8 in. Deep - Drawn with Conduit KO's, Raised Ground

A44



Catalog #: 680



APPLICATIONS

RACO® Handy boxes, also called utility boxes, are used for convenience outlets, switch boxes or small junction boxes. They are popular for exposed work applications (surface mounted wiring). The NEC requires that surface-mounted wiring be enclosed with a protective covering such as EMT conduit.

PRODUCT FEATURES

N/A

UL LISTED

File E195978

COMPLIANCES

All RACO® single gang, two gang, 4 in. square, and single gang gangable UL listed steel boxes are acceptable for use in 2-hour fire rated walls. For additional information, consult UL "Fire Resistance Directory" or the UL website at www.ul.com

MSDS

www.hubbell.com/raco/raco.html RACO MSDS for Steel Boxes and Conduit

FIRE RESISTANCE

Acceptable for use in 2-hour rated walls

GENERAL PRODUCT INFORMATION

Wiring System: Conduit

CONFIGURATION

End Knockouts: (2) 1/2 in.
Bracket Type: No Bracket
Drawn or Welded: Drawn
Raised Ground: Yes
Side Knockout(s): (6) 1/2 in.
Bottom Knockouts(s): (2) 1/2 in.

DRAWING DIMENSIONS



Dimension A: 1-7/8 in.

PRODUCT MEASUREMENTS

Depth: 1-7/8 in.
Cubic Inches (in³): 13.0 (213.0)
Wt. Ea. (Lbs.): 0.460
Product Length (in.): 1.94
Product Width (in.): 4.00
Product Height (in.): 2.13

PACKAGING

Minimum Pack Qty.: 50
Std. Pkg.: 50
Product UPC-A Labeled: No
Weight (Lbs. Per C): 48.00
Ship Carton Length (in.): 11.13
Ship Carton Width (in.): 8.50
Ship Carton Height (in.): 10.00
Ctn Weight (Lbs.): 24.00
Pallet Qty.: 4000
UPC Number: 050169906606
DotS: 50050169906601



**Commercial, Industrial
and Residential Electrical Products**

4 In. Square Box, Welded, 2-1/8 In. Deep, Ten 1/2 In. KO's & Six TKO's, Raised Ground

Catalog #:
232



FEATURE BENEFIT

Welded 4 In. square box for installing receptacles, switches or fixtures in walls or ceilings

PRODUCT FEATURES

- Combination screw heads allow quick installation
- Welded construction
- Eight 1/2 In. knockouts and four TKO knockouts
- 30.3 Cu. In. capacity
- Raised ground
- Acceptable in 2-hour fire rated walls

APPLICATIONS

Square box is used where multiple conductor runs are split into two or more directions to bring power to a number of electrical devices inside walls or ceilings for lighting fixtures, switches or receptacles

CERTIFICATIONS



PRODUCT SPECIFICATIONS

UPC Number:	050169902325
Ea Length/Depth (in.):	4.00
Ea Width (in.):	4.00
Ea Height (in.):	2.20
Wt. Ea. (Lbs.):	0.850
Package Type:	Loose
Product UPC-A Labeled:	No

SHIPPING


Case 12of5:	50050169902320
Standard Carton Qty:	25
Min Order Qty:	25



All RACO single-gang, two-gang, 4 In. square, and single gang gangable U.L. listed steel boxes are acceptable for use in 2-hour fire rated walls. For additional information, consult U.L. "Fire Resistance Directory" or the U.L. website at www.ul.com

600V

Per UL 514-A, suitable for use without a bonding jumper in circuits up to 600 volts



**COMMERCIAL
CONSTRUCTION**
A Division of Hubbell Incorporated (054-000)

RACO
3902 W. Sample St.
South Bend, IN 46619
574-234-7151
www.hubbell.com/raco/en





**Commercial, Industrial
and Residential Electrical Products**

4 In. Octagon Box, Drawn, 1-1/2 In. Deep, Four 1/2 In. & Four 3/4 In. KO's, Raised Ground

Catalog #:
127



FEATURE BENEFIT

Octagon boxes are used in the installation of ceiling or wall lighting fixtures

PRODUCT FEATURES

- Drawn steel construction with raised ground screw area
- Supplied with four 1/2 In. and four 3/4 In. knockouts
- Combination Phillips/slotted screw heads
- 15.5 Cu. In. capacity

APPLICATIONS

Octagon boxes are used in the installation of ceiling or wall lighting fixtures

CERTIFICATIONS



PRODUCT SPECIFICATIONS

UPC Number:	050169001271
Ea Length/Depth (in.):	1.775
Ea Width (in.):	3.563
Ea Height (in.):	3.563
Wt. Ea. (Lbs.):	0.508
Package Type:	Loose
Product UPC-A Labeled:	Yes

PACKAGING

Case 12 of 5:	40050169001279
Standard Carton Qty:	25
Min Order Qty:	25




Revision 1, August 2020



**COMMERCIAL
CONSTRUCTION**
A Division of Hubbell Incorporated, Ontario, Canada

RACO
3902 W. Sample St.
South Bend, IN 46619
574-234-7151
www.hubbell.com/raco/en





**Commercial, Industrial
and Residential Electrical Products**

4 In. Octagon Box, Drawn, 2-1/8 In. Deep, Five 1/2 In. & Four 3/4 In. KO's

Catalog #:
167



FEATURE BENEFIT

RACO® Octagon Boxes are used in ceiling or wall for the installation of lighting fixtures

PRODUCT FEATURES

- Drawn steel construction
- Supplied with five 1/2 In. and four 3/4 In. knockouts
- Combination Phillips/slotted screw heads
- 21.5 Cu. In. capacity

APPLICATIONS

RACO® Octagon Boxes are used in ceiling or wall for the installation of lighting fixtures

CERTIFICATIONS



PRODUCT SPECIFICATIONS

UPC Number:	050169001677
Ea Length/Depth (in.):	2.188
Ea Width (in.):	4.000
Ea Height (in.):	4.000
Wt. Ea. (Lbs.):	0.624
Package Type:	Loose
Product UPC-A Labeled:	No




All RACO single-gang, two-gang, 4 in. square, and single gang gangable U.L. listed steel boxes are acceptable for use in 2-hour fire rated walls. For additional information, consult U.L. "Fire Resistance Directory" or the U.L. website at www.ul.com

SHIPPING

Case 12of5:	40050169001675
Standard Carton Qty:	25
Min Order Qty:	25


Revision 1, May 2020



**COMMERCIAL
CONSTRUCTION**
A Division of Hubbell Incorporated (Delaware)

RACO
3902 W. Sample St.
South Bend, IN 46619
574-234-7151
www.hubbell.com/raco/en






**Commercial, Industrial
and Residential Electrical Products**

4 In. Square Box, Welded, 2-1/8 In. Deep, Two 3/4 In., Two 1/2 In. & Eight 1 In. KO's

Catalog #:
233



FEATURE BENEFIT

Welded 4 In. square box for installing receptacles, switches or fixtures in walls or ceilings

PRODUCT FEATURES

- Combination screw heads allow quick installation
- Welded construction
- Eight 1 In., Two 3/4 In. and Two 1/2 In. KO's
- 30.3 Cu. In. capacity
- Raised ground
- Acceptable in 2-hour fire rated walls

APPLICATIONS

Designed to enclose electrical wiring, switches, receptacles or lighting fixtures. Constructed from 1/16 in. pre-galvanized steel. 8-32 cover mounting screws assembled.

CERTIFICATIONS



PRODUCT SPECIFICATIONS

UPC Number:	050169902332
Ea Length/Depth (in.):	2.50
Ea Width (in.):	4.00
Ea Height (in.):	4.00
Wt. Ea. (Lbs.):	0.890
Package Type:	Loose
Product UPC-A Labeled:	No

SHIPPING


Case 12of5:	50050169902337
Standard Carton Qty:	25
Min Order Qty:	25



All RACO single-gang, two-gang, 4 In. square, and single gang gangable U.L. listed steel boxes are acceptable for use in 2-hour fire rated walls. For additional information, consult U.L. "Fire Resistance Directory" or the U.L. website at www.ul.com

600V

Per UL 514-A, suitable for use without a bonding jumper in circuits up to 600 volts



**COMMERCIAL
CONSTRUCTION**
A Division of Hubbell Incorporated (Delaware)

RACO
3902 W. Sample St.
South Bend, IN 46619
574-234-7151
www.hubbell.com/raco/en



4 IN. SQUARE EXPOSED WORK COVERS**4 In. Square Exposed Work Covers - Raised 1/2 in.
1 Duplex Receptacle****A23****APPLICATIONS**

RACO® surface covers are used to support switches or receptacles in areas where the box is surface mounted or positioned in exposed work applications.

PRODUCT FEATURES

RACO® exposed work covers include required hardware for mounting the receptacle(s).

RACO® exposed work covers meet the requirements of the 2014 NEC Article 250.146(A). No bonding jumper is required for covers with: (1) Crushed corners (2) Two or more device attachment screws (3) A lockwasher or equivalent.

Hardware and cover are packed in a poly-bag with printed catalog number, compliances and installation instructions.

UL LISTED

File E 195078

COMPLIANCES

MSDS


www.hubbell.com/raco/pdf/MSDS/Hubbell-RACO-MSDS-for-Steel-Boxes-and-Covers.pdf

GENERAL PRODUCT INFORMATION**PRODUCT MEASUREMENTS**

Cubic Inches (cm ³):	6.5 (106.5)
Wt. Ea. (Lbs.):	0.352
Product Length (in.):	0.50
Product Width (in.):	4.19
Product Height (in.):	4.19

PACKAGING


Minimum Pack Qty:	10
Std. Pkg.:	10
Product UPC-A Labeled:	Yes
Weight (Lbs. Per Ctn):	35.20
Ship Carton Length (in.):	6.13
Ship Carton Width (in.):	4.63
Ship Carton Height (in.):	4.50
Ctn Weight (Lbs.):	3.62
Pallet Qty:	3780
UPC Number:	050169999950
12w/5:	50050169999955



4 IN. SQUARE EXPOSED WORK COVERS

4 in. Square Exposed Work Covers - Raised 1/2 in.
2 Duplex Receptacles

A23



APPLICATIONS

RACO® surface covers are used to support switches or receptacles in areas where the box is surface mounted or positioned in exposed work applications.

PRODUCT FEATURES

RACO® exposed work covers include required hardware for mounting the receptacle(s).

RACO® exposed work covers meet the requirements of the 2014 NEC Article 250.146(A). No bonding jumper is required for covers with: (1) Crushed corners (2) Two or more device attachment screws (3) A lockwasher or equivalent.

Hardware and cover are packed in a poly-bag with printed catalog number, compliances and installation instructions.

UL LISTED

File E195978

COMPLIANCES

MSDS

<http://www.hubbell.com/raco/pdf/MSDS%20for%20RACO%20MSDS%20for%20Steel%20Boxes%20and%20Covers.pdf>

GENERAL PRODUCT INFORMATION

PRODUCT MEASUREMENTS

Cube Inches (cm3):	6.5 (106.5)
Wt. Ea. (lbs.):	0.342
Product Length (in.):	0.50
Product Width (in.):	4.19
Product Height (in.):	4.19


PACKAGING

Minimum Pack Qty.:	10
Std. Pkg.:	10
Product UPC-A Labeled:	Yes
Weight (Lbs., Per C):	34.20
Ship Carton Length (in.):	6.13
Ship Carton Width (in.):	4.63
Ship Carton Height (in.):	4.50
Gtn Weight (Lbs.):	3.42
Pallet Qty.:	3750
UPC Number:	050169999974
12ufb:	50050169999979


Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897

Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com[Home](#) > [Product Categories](#) > [Conduit Fittings](#) > [Zinc](#) > [Conduit Nipples](#) > Item # 332**Item # 332, Conduit Nipples**[larger image](#)**Specifications**


Material	Zinc Die Cast
Description (Inch)	1/2
Unit Pkg.	100
Std.Pkg.	1000
Std. Pkg. Wt.	31
Dim. A	1.00
Dim. B	.70




Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897

Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com[Home](#) > [Zinc Die Cast Fittings](#) > [Zinc](#) > [Conduit Nipples](#) > [Item # 333](#)**Item # 333, Conduit Nipples**[larger image](#)**Specifications**


Material	Zinc Die Cast
Description (Inch)	3/4
Unit Pkg.	50
Std.Pkg.	500
Std. Pkg. Wt.	20
Dim. A	1.26
Dim. B	.65




Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897

Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com[Home](#) > [All Categories](#) > [Conduit Nipples](#) > [Zinc](#) > [Conduit Nipples](#) > [Item # 334](#)**Item # 334, Conduit Nipples**[larger image](#)**Specifications**

Material	Zinc Die Cast
Description (Inch)	1
Unit Pkg.	25
Std.Pkg.	250
Std. Pkg. Wt.	27
Dim. A	1.53
Dim. B	.68




Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897

Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com


Item # 335, Conduit Nipples



larger_image

Specifications


Material	Zinc Die Cast
Description (Inch)	1-1/4
Unit Pkg.	25
Std.Pkg.	250
Std. Pkg. Wt.	14
Dim. A	2.05
Dim. B	.90




Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897

Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com[Home](#) > [All Categories](#) > [Conduit Nipples](#) > [Zinc Die Cast](#) > [Conduit Nipples](#) > [Item # 336](#)**Item # 336, Conduit Nipples**[larger image](#)**Specifications**


Material	Zinc Die Cast
Description (Inch)	1-1/2
Unit Pkg.	25
Std. Pkg.	25
Std. Pkg. Wt.	7
Dim. A	2.41
Dim. B	1.13



Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897

Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com[Home](#) > [Product Categories](#) > [Fittings](#) > [Zinc](#) > [Conduit Nipples](#) > [Item # 337](#)**Item # 337, Conduit Nipples**[larger image](#)**Specifications**


Material	Zinc Die Cast
Description (Inch)	2
Unit Pkg.	10
Std.Pkg.	10
Std. Pkg. Wt.	4
Dim. A	2.88
Dim. B	1.41

PECO

Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897


Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com[Home](#) > [Rigid Conduit Fittings](#) > [Steel](#) > [Compression \(No Thread\) Connectors](#) > [Item # 964](#)**Item # 964, Compression (No Thread) Connectors**

For Rigid Conduit & IMC

[larger image](#)**Specifications**


Material	Steel
Size	1-1/2
Unit Pkg.	2
Std. Pkg.	10
Std. Pkg.Wt.	7
Dim. A	1.94
Dim. B	2.38



Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897


Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com[Home](#) [About](#) [Rigid Conduit Fittings](#) [Steel](#) [Compression \(No Thread\) Connectors](#) [Signal](#) [Y](#)**Item # 960, Compression (No Thread) Connectors**

For Rigid Conduit & IMC

[larger image](#)**Specifications**


Material	Steel
Size	1/2
Unit Pkg.	20
Std. Pkg.	100
Std. Pkg.Wt.	13
Dim. A	1.35
Dim. B	1.17



Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897

Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com[Home](#) [About Us](#) [Contact Us](#) [Product Categories](#) [Steel > Compression \(No Thread\) Connectors](#) [961](#)**Item # 961, Compression (No Thread) Connectors**

For Rigid Conduit & IMC


[larger image](#)**Specifications**

Material	Steel
Size	3/4
Unit Pkg.	25
Std. Pkg.	100
Std. Pkg.Wt.	20
Dim. A	1.48
Dim. B	1.43



Producto Electric Corp.
11 Kings Highway, Orangeburg, NY 10962-1897
Tel: (845) 359-4900 Fax: (845) 359-4978
E-mail: info@pecoelect.com Web site: www.pecoelect.com

[Home](#) > [Rigid Conduit Fittings](#) > [Steel](#) > [Compression \(No Thread\) Connectors](#) > [Item # 962](#)




Item # 962, Compression (No Thread) Connectors

For Rigid Conduit & IMC

[larger image](#)

Specifications


Material	Steel
Size	1
Unit Pkg.	5
Std. Pkg.	25
Std. Pkg.Wt.	9
Dim. A	1.58
Dim. B	1.75



Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897


Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com[Home](#) [About Us](#) [Contact Us](#) [Conduit Fittings > Steel > Compression \(No Thread\) Connectors](#) [Item # 963](#)**Item # 963, Compression (No Thread) Connectors**

For Rigid Conduit & IMC

[larger image](#)**Specifications**

Material	Steel
Size	1-1/4
Unit Pkg.	5
Std. Pkg.	25
Std. Pkg.Wt.	12
Dim. A	1.86
Dim. B	2.15




Search entire store here...

Tech Services

Home > Electrical > Conduit & Conduit Fittings > Product Details

2 Rig/Imc Compress No Thread Conn Steel

Coburn's Product #: PEC965



*Images are representative of products listed and may not be actual product.


Brand: Peco

Producto Electric Corp.
11 Kings Highway, Orangeburg, NY 10962-1897
Tel: (845) 359-4900 Fax: (845) 359-4978
E-mail: info@pecoelect.com Web site: www.pecoelect.com


[Home](#) [Product Connectors/Complings](#) [Zinc](#) [E.M.T. Set Screw Type Connectors](#) [Print Item](#)

Item # 300, E.M.T. Set Screw Type Connectors

Concrete Tight (If Taped)




[larger image](#)



[larger image](#)

Specifications	
Material	Zinc Die Cast
Description (Inch)	1/2
Unit Pkg.	50
Std. Pkg.	500
Std. Pkg. Wt.	27
Dim. A (Inch)	1.16
Dim. B (Inch)	.41





Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897

Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com
[Home](#) > [Products](#) > [E.M.T. Connectors/Couplings](#) > [Zinc Die Cast](#) > [E.M.T. Set Screw Type Connectors](#) > [Item # 301](#)
Item # 301, E.M.T. Set Screw Type Connectors

Concrete Tight (If Taped)

[larger image](#)[larger image](#)**Specifications**


Material	Zinc Die Cast
Description (Inch)	3/4
Unit Pkg.	25
Std. Pkg.	250
Std. Pkg. Wt.	22
Dim. A (Inch)	1.31
Dim. B (Inch)	.47

Producto Electric Corp.
11 Kings Highway, Orangeburg, NY 10962-1897
Tel: (845) 359-4900 Fax: (845) 359-4978
E-mail: info@pecoelect.com Web site: www.pecoelect.com


[Home](#) [Product Categories](#) [Transducers Couplings](#) [Zinc Die Cast E.M.T. Set Screw Type Connectors](#) [E.M.T. Set Screw Type Connectors](#) [E.M.T. Set Screw Type Connectors](#)

Item # 302, E.M.T. Set Screw Type Connectors

Concrete Tight (If Taped)



[larger image](#)



[larger image](#)

Specifications

Material	Zinc Die Cast
Description (Inch)	1
Unit Pkg.	50
Std. Pkg.	200
Std. Pkg. Wt.	27
Dim. A (Inch)	1.56
Dim. B (Inch)	.56

ITEM # 302



Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897


Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com
[Home](#) > [E.M.T. Connectors/Couplings](#) > [Zinc](#) > [E.M.T. Set Screw Type Couplings](#) > [Item # 311](#)
Item # 311, E.M.T. Set Screw Type Couplings

Concrete Tight (If Taped)

[larger image](#)[larger image](#)**Specifications**

Material	Zinc Die Cast
Description (Inch)	3/4
Unit Pkg.	25
Std. Pkg.	250
Std. Pkg. Wt.	25
Dim. A (Inch)	1.88
Dim. B (Inch)	1.16




Producto Electric Corp.
11 Kings Highway, Orangeburg, NY 10962-1897
Tel: (845) 359-4900 Fax: (845) 359-4978
E-mail: info@pecoelect.com Web site: www.pecoelect.com


Home > All Categories > Connectors/Couplings > Zinc > E.M.T. Compression Type Connectors > Item # 260

Item # 260, E.M.T. Compression Type Connectors

Concrete Tight, 1/2" to 2" Rain-Tight



[larger image](#)



[larger image](#)

Specifications

Material	Zinc Die Cast
Description (Inch)	1/2
Unit Pkg.	50
Std. Pkg.	500
Std. Pkg. Wt.	45
Dim. A (Inch)	1.20
Dim. B (Inch)	.40

PECO ELECTRIC CORP.



Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897


Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com[Home](#) > [E.M.T. Connectors/Couplings](#) > [Zinc](#) > [E.M.T. Compression Type Connectors](#) / Page 2/3**Item # 261, E.M.T. Compression Type Connectors**

Concrete Tight, 1/2" to 2" Rain-Tight

[larger image](#)[larger image](#)**Specifications**

Material	Zinc Die Cast
Description (Inch)	3/4
Unit Pkg.	25
Std. Pkg.	250
Std. Pkg. Wt.	29
Dim. A (Inch)	1.27
Dim. B (Inch)	.40




Producto Electric Corp.
11 Kings Highway, Orangeburg, NY 10962-1897
Tel: (845) 359-4900 Fax: (845) 359-4978
E-mail: info@pecoelect.com Web site: www.pecoelect.com


[Home](#) > [E.M.T. Connectors/Couplings](#) > [Zinc](#) > [E.M.T. Compression Type Connectors](#) > Item # 262

Item # 262, E.M.T. Compression Type Connectors

Concrete Tight, 1/2" to 2" Rain-Tight




[larger image](#)



[larger image](#)

Specifications

Material	Zinc Die Cast
Description (Inch)	1
Unit Pkg.	50
Std. Pkg.	200
Std. Pkg. Wt.	40
Dim. A (Inch)	1.48
Dim. B (Inch)	.50




Producto Electric Corp.
11 Kings Highway, Orangeburg, NY 10962-1897
Tel: (845) 359-4900 Fax: (845) 359-4978
E-mail: info@pecoelect.com Web site: www.pecoelect.com


[Home](#) > [Categories](#) > [EMT Connectors/Couplings](#) > [Zinc](#) > [E.M.T. Coupling Compression Type Connector 1/2" to 2" Rain-Tight](#)

Item # 263, E.M.T. Compression Type Connectors

Concrete Tight, 1/2" to 2" Rain-Tight




[larger image](#)



[larger image](#)

Specifications

Material	Zinc Die Cast
Description (Inch)	1-1/4
Unit Pkg.	25
Std. Pkg.	100
Std. Pkg. Wt.	36
Dim. A (Inch)	1.75
Dim. B (Inch)	.59



Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897


Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com


7119 Zinc > E. coli, Contraction Type Coupling, 1971, 10, 293

Item # 264, E.M.T. Compression Type Connectors

Concrete Tight, 1/2" to 2" Rain-Tight




[larger image](#)



[larger image](#)

Specifications

Material	Zinc Die Cast
Description (Inch)	1-1/2
Unit Pkg.	10
Std. Pkg.	40
Std. Pkg. Wt.	20
Dim. A (Inch)	1.91
Dim. B (Inch)	.62




Producto Electric Corp.
11 Kings Highway, Orangeburg, NY 10962-1897
Tel: (845) 359-4900 Fax: (845) 359-4978
E-mail: info@pecoelect.com Web site: www.pecoelect.com


[Home](#) > [E.M.T. Connections/Couplings](#) > [Zinc](#) > [E.M.T. Compression Type Couplings](#) > [Item # 320](#)

Item # 320, E.M.T. Compression Type Couplings

Rain Tight and Concrete Tight




[larger image](#)



[larger image](#)

Specifications	
Material	Zinc Die Cast
Description (Inch)	1/2
Unit Pkg.	50
Std. Pkg.	500
Std. Pkg. Wt.	54
Dim. A (Inch)	1.59
Dim. B (Inch)	1.09




Producto Electric Corp.
11 Kings Highway, Orangeburg, NY 10962-1897
Tel: (845) 359-4900 Fax: (845) 359-4978
E-mail: info@pecoelect.com Web site: www.pecoelect.com


[Home](#) / [E.M.T. Couplings/Couplings](#) > [Zinc](#) > [E.M.T. Compression Type Couplings](#) Item # 321

Item # 321, E.M.T. Compression Type Couplings

Rain Tight and Concrete Tight




[larger image](#)



[larger image](#)

Specifications	
Material	Zinc Die Cast
Description (Inch)	3/4
Unit Pkg.	25
Std. Pkg.	250
Std. Pkg. Wt.	40
Dim. A (Inch)	1.81
Dim. B (Inch)	1.28




Producto Electric Corp.
11 Kings Highway, Orangeburg, NY 10962-1897
Tel: (845) 359-4900 Fax: (845) 359-4978
E-mail: info@pecoelect.com Web site: www.pecoelect.com


[Home](#) [> All Categories/Couplings](#) [> Zinc](#) [> E.M.T. Compression Type Couplings](#) [> Item # 322](#)

Item # 322, E.M.T. Compression Type Couplings

Rain Tight and Concrete Tight



[larger image](#)



[larger image](#)

Specifications	
Material	Zinc Die Cast
Description (Inch)	1
Unit Pkg.	50
Std. Pkg.	200
Std. Pkg. Wt.	54
Dim. A (Inch)	1.82
Dim. B (Inch)	1.60





Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897

Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com
[Home](#) > [All Categories](#) > [Couplings](#) > [Zinc](#) > [E.M.T. Compression Type Couplings](#) > [Item # 323](#)
Item # 323, E.M.T. Compression Type Couplings

Rain Tight and Concrete Tight

[larger image](#)[larger image](#)**Specifications**

Material	Zinc Die Cast
Description (Inch)	1-1/4
Unit Pkg.	25
Std. Pkg.	100
Std. Pkg. Wt.	45
Dim. A (Inch)	2.07
Dim. B (Inch)	2.00


PRODUCT IMAGE

Producto Electric Corp.
11 Kings Highway, Orangeburg, NY 10962-1897
Tel: (845) 359-4900 Fax: (845) 359-4978
E-mail: info@pecoelect.com Web site: www.pecoelect.com


Categories: "E.M.T." Connectors/Couplings > Zinc > E.M.T. Compression Type Couplings > Item # 324

Item # 324, E.M.T. Compression Type Couplings

Rain Tight and Concrete Tight



[larger image](#)



[larger image](#)


Specifications	
Material	Zinc Die Cast
Description (Inch)	1-1/2
Unit Pkg.	10
Std. Pkg.	40
Std. Pkg. Wt.	23
Dim. A (Inch)	2.47
Dim. B (Inch)	2.29

10/20/2017 10:10:17 AM


Producto Electric Corp.
11 Kings Highway, Orangeburg, NY 10962-1897
Tel: (845) 359-4900 Fax: (845) 359-4978
E-mail: info@pecoelect.com Web site: www.pecoelect.com

Item # 325, E.M.T. Compression Type Couplings

Rain Tight and Concrete Tight



[larger image](#)




[larger image](#)

Specifications	
Material	Zinc Die Cast
Description (Inch)	2
Unit Pkg.	5
Std. Pkg.	20
Std. Pkg. Wt.	17
Dim. A (Inch)	2.56
Dim. B (Inch)	2.79






WH Series Watertight Conduit Hubs

Tuff-Seal WH Series Hubs features unique angled serrations that provide a reliable watertight seal even with a rough or oversized knock-out while providing both a larger and tighter surface. Designed with a simple two-piece construction, these hubs offer positive grounding, protective insulated throats and an embedded O-Ring. Hub sizes range from 1/2" to 4", and they are offered in both zinc die cast or chrome-plated. The WH Series Hubs are also available in a grounded style, and are suitable for use with rigid service entrance conduit.



Hub Size	Zinc Die Cast	Grounded	CHROME	A	B	Mtg. Hole (minimum)
1/2"	WH-1	WH-1-G	WH-1-CP	1.54	1.31	.84
3/4"	WH-2	WH-2-G	WH-2-CP	1.73	1.37	1.05
1"	WH-3	WH-3-G	WH-3-CP	2.04	1.59	1.31
1 1/4"	WH-4	WH-4-G	WH-4-CP	2.42	1.59	1.66
1 1/2"	WH-5	WH-5-G	WH-5-CP	2.79	1.59	1.90
2"	WH-6	WH-6-G	WH-6-CP	3.30	1.59	2.37
2 1/2"	WH-7	WH-7-G	WH-7-CP	3.70	2.47	2.88
3"	WH-8	WH-8-G	WH-8-CP	4.39	2.47	3.50
3 1/2"	WH-9		WH-9-CP	4.81	2.69	4.11
4"	WH-10			5.38	2.69	4.63



Suitable for the following locations:

Class I, Div.2

Class II, Div.1&2

Class III, Div.1&2

Per NEC 501-4(B), 502-4(A), 503-3(A)

UL File: E52002 (N)


E157356(N)

STEEL BOXES
COVERS
FITTINGS
ACCESSORIES



4 In. Square Cover, 1-Device

Catalog #:
772



FEATURE BENEFIT

Mount one device to a 4 in square box

PRODUCT FEATURES

- Angled mounting slots compensate up to 12 degrees for box misalignment
- 1/2 In. Raised

APPLICATIONS

- Raised device covers are used for mounting switches or receptacles

CERTIFICATIONS



PRODUCT SPECIFICATIONS

UPC Number:	050169907726
Ea Length/Depth (in.):	0.50
Ea Width (in.):	4.00
Ea Height (in.):	4.00
Wt. Ea. (Lbs.):	0.223
Package Type:	Loose
Product UPC-A Labeled:	No

PACKAGING

Case 12of5:	50050169907721
Standard Carton Qty:	100
Min Order Qty:	100



**COMMERCIAL
CONSTRUCTION**
A Division of Hubbell Incorporated (Delaware)

RACO
3902 W. Sample St.
South Bend, IN 46619
574-234-7151
www.hubbell.com/raco/en




STEEL BOXES
COVERS
FITTINGS
ACCESSORIES



4 In. Square Cover, 1-Device

Catalog #:
768



FEATURE BENEFIT

Mount one device to a 4 in square box

PRODUCT FEATURES

- Angled mounting slots compensate up to 12 degrees for box misalignment
- 5/8 In. Raised

APPLICATIONS

- Raised device covers are used for mounting switches or receptacles

CERTIFICATIONS




PRODUCT SPECIFICATIONS

UPC Number:	050169907689
Ea Length/Depth (in.):	0.625
Ea Width (in.):	4.00
Ea Height (in.):	4.00
Wt. Ea. (Lbs.):	0.255
Package Type:	Loose
Product UPC-A Labeled:	No

PACKAGING

Case 12of5:	500501690078681
Standard Carton Qty:	50
Min Order Qty:	50



**COMMERCIAL
CONSTRUCTION**
A Division of Hubbell Incorporated (Delaware)

RACO
3902 W. Sample St.
South Bend, IN 46619
574-234-7151
www.hubbell.com/raco/en




STEEL BOXES
COVERS
FITTINGS
ACCESSORIES



4 In. Square Cover, 2-Device, 1/2 In. Raised

Catalog #:
778



FEATURE BENEFIT

Raised device covers are used for mounting switches or receptacles to boxes.

PRODUCT FEATURES

- Angled mounting slots compensate up to 12 degrees for box misalignment.

APPLICATIONS

- Low voltage partitions may be added to conduit-type boxes to divide power from voice/data.

CERTIFICATIONS




PRODUCT SPECIFICATIONS

UPC Number:	050169907788
Ea Length/Depth (in.):	0.50
Ea Width (in.):	4.00
Ea Height (in.):	4.00
Wt. Ea. (Lbs.):	0.177
Package Type:	Loose
Product UPC-A Labeled:	No

PACKAGING

Case 12 of 5:	50050169007780
Standard Carton Qty:	50
Min Order Qty:	50



**COMMERCIAL
CONSTRUCTION**
A Division of Hubbell Incorporated (Delaware)

RACO
3902 W. Sample St.
South Bend, IN 46619
574-234-7151
www.hubbell.com/raco/en



STEEL BOXES
COVERS
FITTINGS
ACCESSORIES



4 In. Square Cover, 2-Device, 5/8 In. Raised

Catalog #:
769



FEATURE BENEFIT

Raised device covers are used for mounting switches or receptacles to boxes

PRODUCT FEATURES

- Angled mounting slots compensate up to 12 degrees for box misalignment

APPLICATIONS

- Low voltage partitions may be added to conduit-type boxes to divide power from voice/data

CERTIFICATIONS



PRODUCT SPECIFICATIONS

UPC Number:	050169907696
Ea Length/Depth (in.):	0.625
Ea Width (in.):	4.00
Ea Height (in.):	4.00
Wt. Ea. (Lbs.):	0.201
Package Type:	Loose
Product UPC-A Labeled:	No

PACKAGING

Case 12 of 5:	50050169007698
Standard Carton Qty:	50
Min Order Qty:	50



**COMMERCIAL
CONSTRUCTION**
A Division of Hubbell Incorporated (Delaware)

RACO
3902 W. Sample St.
South Bend, IN 46619
574-234-7151
www.hubbell.com/raco/en




Producto Electric Corp.
11 Kings Highway, Orangeburg, NY 10962-1897
Tel: (845) 359-4900 Fax: (845) 359-4978
E-mail: info@pecoelect.com Web site: www.pecoelect.com

[Home](#) [About Us](#) [Product Categories](#) [Right Circuit Fittings](#) [Steel](#) [Insulating](#) [Bushing](#) [Print Item](#) [Data](#)

Item # 504, Insulating Bushings


Heat Resistance to 105°C



[larger image](#)

Specifications

Material	Plastic
Description (Inch)	1-1/4
Unit Pkg.	25
Std.Pkg.	100
Std. Pkg. Wt.	2
Dim. A	2.08
Dim. B	.59




Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897


Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com[Insulating Bushings](#) [Steel Insulating Bushings](#) [Insulating Bushings](#) [Insulating Bushings](#)**Item # 502, Insulating Bushings**

Heat Resistance to 105°C

[larger image](#)**Specifications**


Material	Plastic
Description (Inch)	3/4
Unit Pkg.	100
Std.Pkg.	500
Std. Pkg. Wt.	6
Dim. A	1.33
Dim. B	.41



Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897


Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com[larger image](#)**Item # 503, Insulating Bushings**

Heat Resistance to 105°C

Specifications

Material	Plastic
Description (Inch)	1
Unit Pkg.	50
Std.Pkg.	250
Std. Pkg. Wt.	5
Dim. A	1.72
Dim. B	.59




Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897

Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com[Home](#) > [All Categories](#) > [Fittings](#) > [Sleeve](#) > [Insulating Bushings](#) > Item # 505**Item # 505, Insulating Bushings**

Heat Resistance to 105°C

[larger image](#)**Specifications**


Material	Plastic
Description (Inch)	1-1/2
Unit Pkg.	25
Std.Pkg.	100
Std. Pkg. Wt.	4
Dim. A	2.30
Dim. B	.59

ITEM # 505

Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897


Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com[larger image](#)**Item # 506, Insulating Bushings**

Heat Resistance to 105°C

Specifications

Material	Plastic
Description (Inch)	2
Unit Pkg.	10
Std.Pkg.	50
Std. Pkg. Wt.	2
Dim. A	2.86
Dim. B	.62




Producto Electric Corp.
11 Kings Highway, Orangeburg, NY 10962-1897
Tel: (845) 359-4900 Fax: (845) 359-4978
E-mail: info@pecoelect.com Web site: www.pecoelect.com

[Home](#) > [Rigid Conduit Fittings](#) > [Steel](#) > [Reducing Bushings](#) > [Item # RB150-125](#)

Item # RB150-125, Reducing Bushings

For Rigid Conduit & IMC



[larger image](#)

Specifications

Material	Steel
Description (Inch)	1-1/2 x 1-1/4
Unit Pkg.	25
Std.Pkg.	50
Std. Pkg. Wt.	6
Dim. A	.75

RB150-125 RB150-125

Producto Electric Corp.
11 Kings Highway, Orangeburg, NY 10962-1897
Tel: (845) 359-4900 Fax: (845) 359-4978
E-mail: info@pecoelect.com Web site: www.pecoelect.com

[All Categories](#) > [Fittings](#) > [Steel](#) > [Reducing Bushings](#) > [Item # RB200-150](#)

Item # RB200-150, Reducing Bushings

For Rigid Conduit & IMC



[larger image](#)

Specifications

Material	Steel
Description (Inch)	2 x 1-1/2
Unit Pkg.	10
Std.Pkg.	20
Std. Pkg. Wt.	5
Dim. A	.88

[Previous](#) [Next](#)


Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897

Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com[Home](#) [Rigid Conduit Fittings](#) [Steel](#) [Reducing Bushings](#) [Item # RB75-50](#)**Item # RB75-50, Reducing Bushings**

For Rigid Conduit & IMC

[larger image](#)**Specifications**

Material	Steel
Description (Inch)	3/4 x 1/2
Unit Pkg.	100
Std.Pkg.	500
Std. Pkg. Wt.	18
Dim. A	.60

[Product Images](#) [Product Data](#)

Straight, External Conduit Thread

Conduit Size	Catalog Numbers				Mesh Length
	Standard	Insulated Throat	With Mesh Grip	Insulated With Mesh Grip	
3/8"	LMM-01	LMM-02	LMM-01-E	LMM-02-E	2%
1/2"	LMM-11	LMM-12	LMM-11-E	LMM-12-E	3%
3/4"	LMM-21	LMM-22	LMM-21-E	LMM-22-E	4%
1"	LMM-31	LMM-32	LMM-31-E	LMM-32-E	5%
1 1/2"	LMM-41	LMM-42	LMM-41-E	LMM-42-E	5%
1 3/4"	LMM-51	LMM-52	LMM-51-E	LMM-52-E	5%
2"	LMM-61	LMM-62	LMM-61-E	LMM-62-E	7%

45°, External Conduit Thread

Conduit Size	Catalog Numbers				Mesh Length
	Standard	Insulated Throat	With Mesh Grip	Insulated With Mesh Grip	
3/8"	LMA-01	LMA-02	LMA-01-E	LMA-02-E	2%
1/2"	LMA-11	LMA-12	LMA-11-E	LMA-12-E	3%
3/4"	LMA-21	LMA-22	LMA-21-E	LMA-22-E	4%
1"	LMA-31	LMA-32	LMA-31-E	LMA-32-E	5%
1 1/2"	LMA-41	LMA-42	LMA-41-E	LMA-42-E	5%
1 3/4"	LMA-51	LMA-52	LMA-51-E	LMA-52-E	5%
2"	LMA-61	LMA-62	LMA-61-E	LMA-62-E	7%

90°, External Conduit Thread

Conduit Size	Catalog Numbers				Mesh Length
	Standard	Insulated Throat	With Mesh Grip	Insulated With Mesh Grip	
3/8"	LML-01	LML-02	LML-01-E	LML-02-E	2%
1/2"	LML-11	LML-12	LML-11-E	LML-12-E	3%
3/4"	LML-21	LML-22	LML-21-E	LML-22-E	4%
1"	LML-31	LML-32	LML-31-E	LML-32-E	5%
1 1/2"	LML-41	LML-42	LML-41-E	LML-42-E	5%
1 3/4"	LML-51	LML-52	LML-51-E	LML-52-E	5%
2"	LML-61	LML-62	LML-61-E	LML-62-E	7%

Liqua-Seal Connectors Dimension Table

Conduit Size	Hub Size	A	A*	B	C Flats	C Corners	D	E	F	G
3/8"	3/8"	1.47	4.47	.50	1.00	1.10	1.37	1.58	.84	1.26
1/2"	1/2"	1.47	4.97	.50	1.13	1.23	1.37	1.75	.87	1.47
3/4"	3/4"	1.54	5.54	.56	1.38	1.52	1.53	1.91	.95	1.55
1"	1"	1.96	6.96	.64	1.63	1.80	1.81	2.23	1.10	1.81
1 1/2"	1 1/2"	2.09	8.09	.72	2.25	2.41	2.05	2.33	1.35	1.84
1 3/4"	1 3/4"	2.09	8.84	.72	2.50	2.68	2.18	2.46	1.43	1.90
2"	2"	2.16	10.16	.78	3.00	3.21	2.51	2.73	1.53	2.00



Nominal Dimensions in Inches.

A* Dimension is overall length of connector with wire mesh grip.

Larger sizes are available. Contact factory.

L Series Liqua-Seal® Connectors


The Tuff-Seal family of Liqua-Seal Connectors feature heavy plating on the body, ferrule, locknut and clamp nut to prevent corrosion under the most adverse of conditions. Used with flexible metallic conduit, these connectors are available in straight, 90° and 45° body styles with external conduit threads, and they are also available with insulated throats, wire mesh grips and insulated wire mesh grips.



Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897


Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com[Home](#) [About Us](#) [Rigid Conduit & Fittings](#) [Steel & Reducing Bushings](#) [E-Shop](#) [Contact Us](#)[larger image](#)**Item # RB100-75, Reducing Bushings**

For Rigid Conduit & IMC

Specifications


Material	Steel
Description (Inch)	1 x 3/4
Unit Pkg.	50
Std.Pkg.	250
Std. Pkg. Wt.	15
Dim. A	.82



Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897


Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com[Home](#) [Rigid Conduit Fittings > Steel > Reducing Bushings](#) [1-1/4" x 1"](#)**Item # RB125-100, Reducing Bushings**

For Rigid Conduit & IMC

[larger image](#)**Specifications**

Material	Steel
Description (Inch)	1-1/4 x 1
Unit Pkg.	25
Std.Pkg.	100
Std. Pkg. Wt.	11
Dim. A	.75



Producto Electric Corp.
11 Kings Highway, Orangeburg, NY 10962-1897
Tel: (845) 359-4900 Fax: (845) 359-4978
E-mail: info@pecoelect.com Web site: www.pecoelect.com

[Home](#) [Products](#) [Tools & Accessories](#) [Reducing Washers](#) [Item # RW75-50](#)

Item # RW75-50, Reducing Washers


For joining Non-Gangable Boxes. Now comes with two Locknuts



[larger image](#)

Specifications

Material	Heavy Gauge Steel
Description (Inch)	3/4 x 1/2
Unit Pkg.	250
Std.Pkg.	1000
Std. Pkg. Wt.	13
Dim. A	.87
Dim. B	1.51



Producto Electric Corp.
11 Kings Highway, Orangeburg, NY 10962-1897
Tel: (845) 359-4900 Fax: (845) 359-4978
E-mail: info@pecoelect.com Web site: www.pecoelect.com


[Home](#) [Tools](#) [Accessories](#) [Reducing Washers](#) [Item # RW100-50](#)

Item # RW100-50, Reducing Washers

[larger image](#)

Specifications


Material	Heavy Gauge Steel
Description (Inch)	1 x 1/2
Unit Pkg.	250
Std.Pkg.	1000
Std. Pkg. Wt.	18
Dim. A	.87
Dim. B	1.75





Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897

Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com[Home](#) [Tools & Accessories](#) [Reducing Washers](#) [Item # RW100-75](#)**Item # RW100-75, Reducing Washers**
[larger image](#)**Specifications**


Material	Heavy Gauge Steel
Description (Inch)	1 x 3/4
Unit Pkg.	250
Std.Pkg.	1000
Std. Pkg. Wt.	18
Dim. A	1.06
Dim. B	1.75


Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897

Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com[Home](#) / [Tools & Accessories](#) / [Reducing Washers](#) / Item # RW125-75**Item # RW125-75, Reducing Washers**
[larger image](#)**Specifications**

Material	Heavy Gauge Steel
Description (Inch)	1-1/4 x 3/4
Unit Pkg.	100
Std.Pkg.	500
Std. Pkg. Wt.	13
Dim. A	1.06
Dim. B	2.23




Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897

Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com[Home](#) [About Us](#) [Accessories](#) [Reducing Washers](#) [View Cart](#) [Checkout](#)**Item # RW125-100, Reducing Washers**[larger image](#)**Specifications**

Material	Heavy Gauge Steel
Description (Inch)	1-1/4 x 1
Unit Pkg.	100
Std.Pkg.	500
Std. Pkg. Wt.	9
Dim. A	1.36
Dim. B	2.23



RACO



REINFORCED ALUMINUM CONDUIT ENCLOSURES

www.hubbell.com

SINGLE GANG BOXES - 2 IN. TO 4-5/8 IN. DEEP

2 in. Deep with Lugs - Three Threaded Outlets - 4-1/2 in. x 2-3/4 in.
N/A

D04



Catalog # 5320-0

APPLICATIONS

For use in branch circuit wiring in wet, damp, or dry locations
May be used as a weatherproof junction box, or as a housing for receptacles, switches, and GFCI's

PRODUCT FEATURES

- Reinforced connector outlets
- State-of-the-art powder coat finish provides maximum weatherability and scratch resistance
- Eight box mounting options with detachable lugs
- Two closure plugs included
- Hubs accept all threaded fittings and threaded conduit
- Ground screw installed
- Multi-lingual instructions in each package
- Includes gasket and mounting hardware
- N/A

UL LISTED

File E195978

CSA

C22.2 No. 16

NEMA

3R Rated

GENERAL PRODUCT INFORMATION

Color: Gray

CONFIGURATION

Number Of Outlets: 3
Gangs: 1

PRODUCT MEASUREMENTS

Depth: 2 in.
Outlet Size: 1/2 in.
Cubic Inches (cm3): 18.3 (299.9)
Wt. Ea. (lbs.): 0.608

PACKAGING

Package Type: Shrink
Std. Pkg.: 20
Product UPC-A Labeled: Yes
Ship Carton Length (in.): 18.19
Ship Carton Width (in.): 6.50
Ship Carton Height (in.): 8.50
Ctn. Weight (lbs.): 13.33
Pallet Qty: 1800.00
UPC Number: 050169532003
IQ#/5: 50050169532008





RACO

www.hubbell.com

SINGLE GANG BOXES - 2 IN. TO 2-7/8 IN. DEEP

2 in. Deep, with Lugs - Three Threaded Outlets - 4-1/2 in. x 2-3/4 in.
N/A

D04



Catalog #: 5324-0

APPLICATIONS

For use in branch circuit wiring in wet, damp, or dry locations
May be used as a weatherproof junction box, or as a housing for receptacles, switches, and GFCI's

PRODUCT FEATURES

- Reinforced connector outlets
- State-of-the-art powder coat finish provides maximum weatherability and scratch resistance
- Eight box mounting options with detachable lugs
- Two closure plugs included
- Hets accept all threaded fittings and threaded conduit
- Ground screw installed
- Multi-lingual instructions in each package
- Includes gasket and mounting hardware
- NA

UL LISTED

File E195978

CSA

C22.2 No. 18

NEMA

3R Rated

GENERAL PRODUCT INFORMATION

Color: Gray

CONFIGURATION

Number Of Outlets: 3
Gangs: 1

PRODUCT MEASUREMENTS

Depth: 2 in.
Outlet Size: 3/4 in.
Cubic Inches (cm3): 18.3 (299.9)
Wt. Ea. (Lbs.): 0.603


PACKAGING

Package Type: Shrink
Shk. Pkg.: 20
Product UPC-A Labeled: Yes
Ship Carton Length (in.): 16.19
Ship Carton Width (in.): 6.50
Ship Carton Height (in.): 8.50
Ctn Weight (Lbs.): 12.05
Pallet Qty: 1800.00
UPC Number: 050169532409
12915: 50050169532404

**RACO**

SINGLE GANG BOXES

www.hubbell.com

SINGLE GANG BOXES 2 IN. TO 4 5/8 IN. DEEP**2 in. Deep, with Lugs - Five Threaded Outlets - 4-1/2 in. x 2-3/4 in.**
N/A**D04**

Catalog #: 5322-0

APPLICATIONS

For use in branch circuit wiring in wet, damp, or dry locations
May be used as a weatherproof junction box, or as a housing for receptacles, switches, and GFCI's

PRODUCT FEATURES

- Reinforced connector outlets
- State-of-the-art powder coat finish provides maximum weatherability and scratch resistance
- Eight box mounting options with detachable lugs
- Two closure plugs included
- Hubs accept all threaded fittings and threaded conduit
- Ground screw installed
- Multi-lingual instructions in each package
- Includes gasket and mounting hardware

N/A**UL LISTED**

File E195978

CSA

C22.2 No. 16


NEMA

3R Rated

GENERAL PRODUCT INFORMATION

Color: Gray

CONFIGURATIONNumber Of Outlets: 5
Gangs: 1**PRODUCT MEASUREMENTS**Depth: 2 in.
Outlet Size: 1/2 in.
Cubic Inches (cm³): 18.3 (299.9)
Wt. Ea. (Lbs.): 0.661**PACKAGING**Package Type: Shrink
Std. Pkg.: 20
Product UPC-A Labeled: Yes
Ship Carton Length (in.): 16.19
Ship Carton Width (in.): 6.56
Ship Carton Height (in.): 8.50
Ctn Weight (Lbs.): 13.22
Pallet Qty: 1800.00
UPC Number: 050169532201
12615: 50050169532206



SINGLE GANG BOXES - 2 IN. TO 2-1/2 IN. DEEP

2 in. Deep, with Lugs - Five Threaded Outlets - 4-1/2 in. x 2-3/4 in.
N/A

D04



Catalog # 5331-0

APPLICATIONS

For use in branch circuit wiring in wet, damp, or dry locations
May be used as a weatherproof junction box, or as a housing for receptacles, switches, and GFCI's

PRODUCT FEATURES

- Reinforced connector outlets
- State-of-the-art powder coat finish provides maximum weatherability and scratch resistance
- Eight box mounting options with detachable lugs
- Two closure plugs included
- Hubs accept all threaded fittings and threaded conduit
- Ground screw installed
- Multi-lingual instructions in each package
- Includes gasket and mounting hardware

N/A

UL LISTED

File E195978

CSA

C22.2 No. 18

NEMA

3R Rated

GENERAL PRODUCT INFORMATION

Color: Gray

CONFIGURATION

Number Of Outlets: 5
Gangs: 1


PRODUCT MEASUREMENTS

Depth: 2 in.
Outlet Size: 3/4 in.
Cubic Inches (cm³): 18.3 (299.9)
Wt. Ea. (Lbs.): 0.628


PACKAGING

Package Type: Shrink
Std. Pkg.: 20
Product UPC-A Labeled: Yes
Ship Carton Length (in.): 16.19
Ship Carton Width (in.): 6.50
Ship Carton Height (in.): 8.50
Ctn. Weight (Lbs.): 12.55
Pallet Qty.: 1800.00
UPC Number: 050169533109
IQ of 5: 50050169533104

Junction Box



Molded Junction Box



Fabricated Junction Box
Larger than 12 inch Square



Part Number	Trade Size	Carton Qty.	Junction Box Base										Cover				Screws
			"A"	"B"	"C"	"D"	"E"	"F"	"G"	"H"	"J"	"K"	"A"	"B"	"C"	"D"	
5133705	4x4x2	10	2.000	2.150	5.375	4.400	4.400	4.000	4.000	.250	.125	.160	.240	.370	4.375	4.375	#8 x 1/2"
5133709	4x4x4	10	4.000	4.150	5.375	4.400	4.400	4.000	4.000	.250	.188	.160	.240	.700	4.375	4.375	#8 x 1/2"
5133707	4x4x6	10	6.000	6.150	5.375	4.400	4.400	4.000	4.000	.250	.188	.160	.240	.370	4.375	4.375	#8 x 1/2"
5133706	5x5x2	10	2.000	2.170	6.375	5.375	5.375	5.000	5.000	.250	.188	.170	.180	.267	5.375	5.375	#8 x 1/2"
5133710	6x6x4	10	4.000	4.200	7.375	6.438	6.438	6.000	6.000	.250	.188	.220	.180	.350	6.750	6.750	#8 x 1/2"
5133711	6x6x6	5	6.000	6.250	7.375	6.438	6.438	6.000	6.000	.250	.188	.220	.180	.350	6.750	6.750	#8 x 1/2"
5133712	8x8x4	5	4.000	4.250	9.375	8.625	8.625	8.000	8.000	.250	.188	.220	.180	.350	9.000	9.000	#10 x 3/4"
5133164	8x8x6	4	6.000	6.250	9.375	8.625	8.625	8.000	8.000	.250	.188	.220	.180	.350	9.000	9.000	#10 x 3/4"
5133708	8x8x7	4	7.000	7.250	9.375	8.625	8.625	8.000	8.000	.250	.188	.220	.180	.350	9.000	9.000	#10 x 3/4"
5133714	12x12x4	2	4.000	4.250	13.625	12.625	12.625	11.875	11.875	.250	.188	.220	.220	.437	13.000	13.000	#10 x 3/4"
5133713	12x12x6	2	6.000	6.250	13.750	12.625	12.625	11.875	11.875	.250	.188	.220	.220	.437	13.000	13.000	#10 x 3/4"
*5133163	16x14x6	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
*5133165	24x18x8	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
*5133161	24x18x12	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
*5133166	24x24x8	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
*5133173	36x24x8	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

* Not UL Listed


** UL Listed with only a Type 1 NEMA Rating

Dimensions are nominal

1. *Journal of the American Medical Association*, 1997; 277: 1033-1036.

2-5/8 in. Deep, with Lugs - Three Threaded Outlets - 4-1/2 in. x 2-3/4 in.
N/A

004



Catalog # 5387-0

APPLICATIONS

For use in branch circuit wiring in wet, damp, or dry locations.
May be used as a weatherproof junction box, or as a housing for receptacles, switches, and GFCI's.

PRODUCT FEATURES

- Reinforced connector outlets
- State-of-the-art powder coat finish provides maximum weatherability and scratch resistance
- Eight bay mounting options with detachable lugs
- Two closure plugs included
- Hets accept all threaded fittings and threaded conduit
- Ground screw installed
- Multi-lingual instructions in each package
- Includes gasket and mounting hardware
- N/A

UL LISTED

File E195978

CSA

C.2.2 ND 18

NEMA

၂၆၆ | အောင်

GENERAL PRODUCT INFORMATION

Color: Gray

CONFIGURATION

Number Of Outlets:	3
Garage:	1

PRODUCT MEASUREMENTS

Depth	2-5/8 in.
Outlet Size	1 in.
Cubic Inches (cm ³)	22.5 (366.7)
Vol. Ea. (Lbs.)	0.787


PACKAGING

Package Type:	Shrink
Std. Pkg.:	15
Product UPC-A Labeled:	Yes
Ship Carton Length (in.):	16.19
Ship Carton Width (in.):	6.50
Ship Carton Height (in.):	8.50
Glt. Weight (Lbs.):	11.60
Pallet Qty:	1350 00
UPC Number:	050169538708
Co#:	50050169538703

1, 2 & 3 GANG BLANK COVERS

One Gang Blank Covers - Device Mount Blank Cover

D20



Catalog # 5173-0

APPLICATIONS

For use whenever weatherproof protection is required for a weatherproof box.
1A

PRODUCT FEATURES

- Rugged die cast construction
- State-of-the-art powder coat finish provides maximum weatherability and scratch resistance
- Includes gasket and mounting hardware
- Multi-lingual instructions in each package

UL LISTED

File E195978

NEMA

NR Rated

NEC

2014 Compliant (article 406.9A)

GENERAL PRODUCT INFORMATION

Color: Gray

CONFIGURATION


Gangs: 1

PRODUCT MEASUREMENTS

Wt. Ea. (lbs.): 0.175

PACKAGING

Package Type:	Shrink
Std. Pkg.:	50
Product UPC-A Labeled:	Yes
Weight (Lbs. Per C):	17.50
Ship Carton Length (in.):	16.19
Ship Carton Width (in.):	4.25
Ship Carton Height (in.):	8.50
Ctn Weight (Lbs.):	8.75
Pallet Qty:	7500.00
UPC Number:	050169517307
Pack 5:	50050169517302



**Commercial, Industrial
and Residential Electrical Products**

1-Gang Weatherproof In-Use Cover, Horizontal/Vertical, 16-in-1, 2-3/4 In. Deep, Clear

Catalog #:
MM410C



FEATURE BENEFIT

The iconic bubble cover for in-use protection

PRODUCT FEATURES

- High-impact polycarbonate construction provides maximum durability
- Quick-Fit keyhole mounting system allows installation in under a minute
- Universal Fit Adapter System Technology (U-Fast) for 16-in-1 custom device configurations, comes pre-configured for GFCI
- Includes attached gasket and mounting hardware
- Lockable tab

APPLICATIONS

Designed to provide weatherproof protection while an outlet is in use

CERTIFICATIONS



NEMA 3R Rated

PRODUCT SPECIFICATIONS

UPC Number:	092326102117
Ea Length/Depth (in.):	3.25
Ea Width (in.):	4.00
Ea Height (in.):	5.50
Wt. Ea. (Lbs.):	0.425
Color:	Clear
Gangs:	1
Package Type:	Shrink
Package Contents:	1
Product UPC-A Labeled:	Yes

SHIPPING

I2of5:	60092326102119
Standard Carton Qty:	10
Min Order Qty:	1

▲ WARNING: Care and Precautions
Read www.hubbell.com

Revision 1, February 2020



**COMMERCIAL
CONSTRUCTION**
A Division of Hubbell Incorporated (Delaware)

TAYMAC
Tempe, AZ 85281
480-921-7552
www.hubbell.com/taymac/en



SINGLE GANG RAYNITE® FLIP COVERS

One Gang RAYNITE® Metal Flip Covers - Vertical Mount
GFCI

D12



Catalog # 5028-0

APPLICATIONS

For use whenever weatherproof protection is required for an outdoor receptacle.
N/A

PRODUCT FEATURES

Rugged die cast construction
State-of-the-art powder coat finish provides maximum weatherability and scratch resistance
Self closing lids assure weatherproof protection when the receptacle is not in use
Vertical mount covers padlockable
May be mounted to box or device
Includes gasket and mounting hardware
Multi-lingual instructions in each package

UL LISTED

File E195878

CSA

C22.2 No. 18

NEMA

3R Rated

NEC

2514 (compliant (article 406.9A))

GENERAL PRODUCT INFORMATION

Color: Gray

CONFIGURATION


Gangs: 1

PRODUCT MEASUREMENTS

Wt. (Lbs.) 0.417

PACKAGING

Package Type:	Shrink
Std. Pkg.	24
Product UPC-A Labeled:	Yes
Weight (Lbs., Per Ctn):	41.70
Ship Carton Length (in.):	16.19
Ship Carton Width (in.):	6.50
Ship Carton Height (in.):	8.50
Ctn Weight (Lbs.):	10.00
Pallet Qty:	2160.00
UPC Number:	050169502803
12d15:	50050169502803



RACO

www.hubbell.com

HORIZONTAL FLIP COVERS

One Gang Device Mount Flip Covers
GFCI

D14



Catalog # 5101-0

APPLICATIONS

For use whenever weatherproof protection is required for an outdoor receptacle.
N/A

PRODUCT FEATURES

Rugged die cast construction
State-of-the-art powder coat finish provides maximum weatherability and scratch resistance
Self closing lids assure weatherproof protection when the receptacle is not in use
Includes gasket and mounting hardware
Multi-lingual instructions in each package

UL LISTED

File E195978

NEMA

3R Rated

NEC

2014 Compliant (article 406.9A)

GENERAL PRODUCT INFORMATION

Color: Gray

CONFIGURATION

Gangs: 1

PRODUCT MEASUREMENTS

Wt. Ea. (Lbs.): 0.273

PACKAGING

Package Type: Shrink
Stk. Pkg.: 24
Product UPC-A Labeled: Yes
Weight (Lbs. Pkg.): 27.30
Ship Carton Length (in.): 15.50
Ship Carton Width (in.): 4.00
Ship Carton Height (in.): 8.00
Ctn Weight (Lbs.): 6.55
Pallet Qty: 4320.00
UPC Number: 050169510100
I2045 50050169510105

Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897

Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com**Item # RW150-100, Reducing Washers**[larger image](#)**Specifications**

Material	Heavy Gauge Steel
Description (Inch)	1-1/2 x 1
Unit Pkg.	100
Std. Pkg.	200
Std. Pkg. Wt.	7
Dim. A	1.36
Dim. B	2.62



Producto Electric Corp.
11 Kings Highway, Orangeburg, NY 10962-1897
Tel: (845) 359-4900 Fax: (845) 359-4978
E-mail: info@pecoelect.com Web site: www.pecoelect.com

[Home](#) > [Tools & Accessories](#) > [Reducing Washers](#) > [Item # RW150-125](#)

Item # RW150-125, Reducing Washers



[larger image](#)

Specifications


Material	Heavy Gauge Steel
Description (Inch)	1-1/2 x 1-1/4
Unit Pkg.	100
Std.Pkg.	200
Std. Pkg. Wt.	5
Dim. A	1.69
Dim. B	2.62

[Previous](#) [Next](#)

Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897

Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com[Home](#) / [Tools & Accessories](#) > [Reducing Washers](#) > [Item # RW200-150](#)**Item # RW200-150, Reducing Washers**
[larger image](#)**Specifications**

Material	Heavy Gauge Steel
Description (Inch)	2 x 1-1/2
Unit Pkg.	50
Std. Pkg.	100
Std. Pkg. Wt.	5
Dim. A	1.99
Dim. B	3.27



Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897

Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com



Producto Electric Corp. > Straps, Hangers & Supports > Hangers For Rigid Conduit, IMC and E.M.T. > Item # H75WB

Item # H75WB, Hangers For Rigid Conduit, IMC and E.M.T.

With Bolts (Assembled)

[larger image](#)**Specifications**

Material	Steel
Ref. No.	1
Conduit Size (Inch)	3/4
E.M.T. Size (Inch)	3/4
Unit Pkg.	50
Std.Pkg.	50
Std. Pkg. Wt.	3
Dim. A (Inch)	2.23
Dim. B (Inch)	.88





Producto Electric Corp.
11 Kings Highway, Orangeburg, NY 10962-1897
Tel: (845) 359-4900 Fax: (845) 359-4978
E-mail: info@pecoelect.com Web site: www.pecoelect.com

[Home](#) [Product Straps, Hangers & Supports](#) [Hangers For Rigid Conduit, IMC and E.M.T.](#) [About Us](#) [Contact Us](#)

Item # H50WB, Hangers For Rigid Conduit, IMC and E.M.T.


With Bolts (Assembled)



[larger image](#)

Specifications

Material	Steel
Ref. No.	0
Conduit Size (Inch)	1/2
E.M.T. Size (Inch)	1/2
Unit Pkg.	50
Std.Pkg.	500
Std. Pkg. Wt.	32
Dim. A (Inch)	1.87
Dim. B (Inch)	.75




Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897


Tel: (845) 359-4900 Fax: (845) 359-4978


E-mail: info@pecoelect.com Web site: www.pecoelect.com[Home](#) > [Straps, Hangers & Supports](#) > [Hangers For Rigid Conduit, IMC and E.M.T. On](#) > H125WB**Item # H125WB, Hangers For Rigid Conduit, IMC and E.M.T.**

With Bolts (Assembled)

[larger image](#)**Specifications**

Material	Steel
Ref. No.	3
Conduit Size (Inch)	1-1/4
E.M.T. Size (Inch)	1-1/2
Unit Pkg.	50
Std.Pkg.	50
Std. Pkg. Wt.	4
Dim. A (Inch)	3.23
Dim. B (Inch)	.88





UL Listed
 Marine Listed
 UL File # E205935 (QCUP)
 UL Control # 92CM
 Material is Rigid PVC
 132 cu in Volume (2163 cu cm)
 Screws are Zinc Plated Steel
 Gasket is neoprene







RANITEX
 INC.
 Fort Worth, TEXAS

Junction Box 6 x 6 x 4

Drawn By: O.M.

Date: 6/19/17

5133710



Lifetime Plus® Super Flex® Lighted Extension Cords

3-Conductor Grounded • Type SJTW • -50°C to 60°C • 300 Volts

CATALOG NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (FT)	COLOR OF JACKET	TYPE	POWER RATING			PKG. PER CTN.	WT./ UNIT LBS	WT./ CTN. LBS	UPC CODE
						VOLTS	AMPS	WATTS				
03387.63.05	3	16	25	Yellow	SJTW	125	13	1625	12	1.7	20	079407033874
03390.63.05	3	14	25	Yellow	SJTW	125	15	1875	12	2.5	30	079407033904
03391.63.05	3	14	50	Yellow	SJTW	125	15	1875	6	4.7	28	079407033911
03392.63.05	3	14	100	Yellow	SJTW	125	13	1625	4	9.2	37	079407033928
03397.61.05	3	12	25	Yellow	SJTW	125	15	1875	6	3.7	22	079407033973
03398.61.05	3	12	50	Yellow	SJTW	125	15	1875	4	7.0	28	079407033980
03399.61.05	3	12	100	Yellow	SJTW	125	15	1875	2	13.1	26	079407033997
03350.63.05	3	12	2	Yellow	SJTW	125	15	1875	6	1.0	6	079407033508
03351.61.05	3	12	25	Yellow	SJTW	125	15	1875	6	4.2	25	079407416592
03352.61.05	3	12	50	Yellow	SJTW	125	15	1875	4	7.5	30	079407416608
03353.61.05	3	12	100	Yellow	SJTW	125	15	1875	2	13.6	27	079407416615



Product Description:

Lifetime Plus® Super Flex® extension cords have a connector end that lights up to indicate the power is on. Twice as flexible as other extension cords, the high-visibility yellow cord resists moisture and will not crack in arctic cold or melt in desert heat. The super-tough jacket provides extra resistance to cracking and abrasion. The Lifetime Plus extension cords have a limited lifetime warranty and remain flexible to -40°C.

Product Construction:

Conductor:

- 16 AWG, 14 AWG or 12 AWG stranded bare copper per ASTM B174

Insulation:

- Premium-grade, color-coded PVC

Jacket:

- PVC; yellow
- Temperature range: -40°C to 60°C
- Voltage rating: 300 volts

NEMA Configuration:

- 5-15P/5-15R

Applications:

- Chain saws
- Wet/dry vacs
- Orbital sanders
- Other outdoor equipment

Features:

- Lights up with power
- Super-flexible
- Weather- and water-resistant
- Limited lifetime warranty
- 3-conductor grounded

Industry Approvals:

- UL Listed
- OSHA Acceptable




OSHA Acceptable
Occupational Safety and Health
Administration



Safety Orange® Extension Cords

3-Conductor Grounded • Type SJTW • -40°C to 60°C • 300 Volts



CATALOG NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (FT)	COLOR OF JACKET	POWER RATING			PKG. PER CTN.	WT./ UNIT LBS	WT./ CTN. LBS	UPC CODE
					VOLTS	AMPS	WATTS				
03318.63.04	3	16	10	Orange	125	13	1625	24	0.8	19	079407033188
03327.63.04	3	16	25	Orange	125	13	1625	24	1.8	43	079407033270
03354.63.04	3	16	50	Orange	125	13	1625	12	3.4	40	079407033546
03302.63.04	3	16	100	Orange	125	10	1250	4	6.6	26	079407033027
03328.63.04	3	14	25	Orange	125	15	1875	6	2.4	14	079407033287
03356.63.04	3	14	50	Orange	125	15	1875	4	4.6	18	079407033560
03304.63.04	3	14	100	Orange	125	13	1625	2	9.0	18	079407033041
06826.63.04	3	12	25	Orange	125	15	1875	4	3.4	14	079407068265
06853.63.04	3	12	50	Orange	125	15	1875	2	6.6	13	079407068531
06801.63.04	3	12	100	Orange	125	15	1875	2	13.0	26	079407068012

Product Construction:

Conductor:

- 16 AWG through 12 AWG stranded bare copper per ASTM B174

Insulation:

- Premium-grade, color-coded PVC

Jacket:

- PVC; orange
- Temperature range: -40°C to 60°C
- Voltage rating: 300 volts

NEMA Configuration:

- 5-15P/5-15R

Applications:

- General use indoor/outdoor cord
- Vacuum cleaners
- Floor polishers
- Sanders
- Other power equipment

Features:

- Indoor/outdoor use
- 3-conductor grounded

Industry Approvals:

- UL Listed
- OSHA Acceptable

Outdoor Powr-Center® Extension Cords

3-Conductor Grounded • Types STW, SJEOOW and SJTW • -40°C to 60°C • 300 and 600 Volts

CATALOG NUMBER	NO. OF COND.	AWG SIZE	LENGTH OF CORD (FT)	COLOR OF JACKET	POWER RATING			PKG. PER CTN.	WT./ UNIT LBS	WT./ CTN. LBS	UPC CODE
					VOLTS	AMPS	WATTS				
STW-600 V											
00594.63.04	3	12	2	Orange	125	15	1875	6	1.0	6	079407005949
00596.61.04	3	12	50	Orange	125	15	1875	2	11.1	22	079407005963
00597.61.04	3	12	100	Orange	125	15	1875	2	21.7	43	079407005970
SJTW-300 V											
00690.63.04	3	14	10	Orange	125	15	1875	12	1.2	15	079407006908
00691.63.04	3	14	25	Orange	125	15	1875	6	2.6	16	079407006915
00692.63.04	3	14	50	Orange	125	15	1875	4	4.7	19	079407006922
00694.63.04	3	12	10	Orange	125	15	1875	12	1.8	22	079407006946
00696.63.04	3	12	50	Orange	125	15	1875	2	7.0	14	079407006960
00697.63.04	3	12	100	Orange	125	15	1875	2	13.4	27	079407006977
ALL WEATHER HIGH VISIBILITY SJEOOW-300 V											
00790.63.07	3	14	10	Blue	125	15	1875	12	1.3	16	079407007905
00791.63.07	3	14	25	Blue	125	15	1875	6	2.7	16	079407007912
00792.63.07	3	14	50	Blue	125	15	1875	4	4.8	19	079407007929
00793.63.07	3	14	100	Blue	125	13	1625	2	9.0	18	079407007936
00787.63.05	3	12	50	Yellow	125	15	1875	2	6.5	13	079407007875
00788.63.05	3	12	100	Yellow	125	15	1875	2	13.0	26	079407007882

Product Construction:

Conductor:

- 14 AWG or 12 AWG stranded bare copper per ASTM B174

Insulation:

- Premium-grade, color-coded PVC

Jacket:

- PVC; orange, TPE; blue or yellow
- Temperature range: -40°C to 60°C
- Voltage rating: 300 and 600 volts

NEMA Configuration:

- 5-15P/5-15R

Applications:

- General use indoor/outdoor cord
- Chain saws
- Wet/dry vacs
- Orbital sanders
- Other power equipment

Features:

- Indoor/outdoor use
- 3 grounded outlets

Industry Approvals:

- UL Listed
- OSHA Acceptable




OSHA Acceptable
Occupational Safety and Health
Administration



Producto Electric Corp.

11 Kings Highway, Orangeburg, NY 10962-1897

Tel: (845) 359-4900 Fax: (845) 359-4978

E-mail: info@pecoelect.com Web site: www.pecoelect.com[Home](#) > [Grounding](#) > [Ground Rod Clamps](#) > [Item # 53B](#)**Item # 53B, Ground Rod Clamps**[larger image](#)[larger image](#)**Specifications**


Material	Brass
Description (Inch)	5/8" 8 SOL-1/0 Str.
Unit Pkg.	50
Std. Pkg.	100
Std. Pkg. Wt.	10
Dim. A (Inch)	1.40
Dim. B (Inch)	.64
Note	* With brass screw

[PDF](#)
[Excel](#)


Producto Electric Corp.
11 Kings Highway, Orangeburg, NY 10962-1897
Tel: (845) 359-4900 Fax: (845) 359-4978
E-mail: info@pecoelect.com Web site: www.pecoelect.com

[Home](#) > [Products](#) > [Grounding](#) > [Ground Rod Clamps](#) > [Item # 54B](#)

Item # 54B, Ground Rod Clamps




[larger image](#)



[larger image](#)

Specifications	
Material	Brass
Description (Inch)	3/4" 8 SOL-1/0 Str.
Unit Pkg.	50
Std. Pkg.	100
Std. Pkg. Wt.	11
Dim. A (Inch)	1.68
Dim. B (Inch)	.73
Note	* With brass screw



Straight, External Conduit Thread

Conduit Size	Catalog Numbers				Mesh Length
	Standard	Insulated Throat	With Mesh Grip	Insulated With Mesh Grip	
3/8"	LMM-01	LMM-02	LMM-01-E	LMM-02-E	2 3/4"
1/2"	LMM-11	LMM-12	LMM-11-E	LMM-12-E	3 3/4"
3/4"	LMM-21	LMM-22	LMM-21-E	LMM-22-E	4 3/4"
1"	LMM-31	LMM-32	LMM-31-E	LMM-32-E	5 3/4"
1 1/4"	LMM-41	LMM-42	LMM-41-E	LMM-42-E	5 3/4"
1 1/2"	LMM-51	LMM-52	LMM-51-E	LMM-52-E	5 3/4"
2"	LMM-61	LMM-62	LMM-61-E	LMM-62-E	7 1/4"

45°, External Conduit Thread

Conduit Size	Catalog Numbers				Mesh Length
	Standard	Insulated Throat	With Mesh Grip	Insulated With Mesh Grip	
3/8"	LMA-01	LMA-02	LMA-01-E	LMA-02-E	2 3/4"
1/2"	LMA-11	LMA-12	LMA-11-E	LMA-12-E	3 3/4"
3/4"	LMA-21	LMA-22	LMA-21-E	LMA-22-E	4 3/4"
1"	LMA-31	LMA-32	LMA-31-E	LMA-32-E	5 3/4"
1 1/4"	LMA-41	LMA-42	LMA-41-E	LMA-42-E	5 3/4"
1 1/2"	LMA-51	LMA-52	LMA-51-E	LMA-52-E	5 3/4"
2"	LMA-61	LMA-62	LMA-61-E	LMA-62-E	7 1/4"

90°, External Conduit Thread

Conduit Size	Catalog Numbers				Mesh Length
	Standard	Insulated Throat	With Mesh Grip	Insulated With Mesh Grip	
3/8"	LML-01	LML-02	LML-01-E	LML-02-E	2 3/4"
1/2"	LML-11	LML-12	LML-11-E	LML-12-E	3 3/4"
3/4"	LML-21	LML-22	LML-21-E	LML-22-E	4 3/4"
1"	LML-31	LML-32	LML-31-E	LML-32-E	5 3/4"
1 1/4"	LML-41	LML-42	LML-41-E	LML-42-E	5 3/4"
1 1/2"	LML-51	LML-52	LML-51-E	LML-52-E	5 3/4"
2"	LML-61	LML-62	LML-61-E	LML-62-E	7 1/4"

Liqua-Seal Connectors Dimension Table

Conduit Size	Hub Size	A	A*	B	C Flats	C Corners	D	E	F	G
3/8"	1/2"	1.47	4.47	.50	1.00	1.10	1.37	1.58	.84	1.26
1/2"	3/4"	1.47	4.97	.50	1.13	1.23	1.37	1.75	.87	1.47
3/4"	3/4"	1.54	5.54	.56	1.38	1.52	1.53	1.91	.95	1.55
1"	1"	1.96	6.96	.64	1.63	1.80	1.81	2.23	1.10	1.81
1 1/4"	1 1/4"	2.09	8.09	.72	2.25	2.41	2.05	2.33	1.35	1.84
1 1/2"	1 1/2"	2.09	8.84	.72	2.50	2.68	2.18	2.46	1.43	1.90
2"	2"	2.16	10.16	.78	3.00	3.21	2.51	2.73	1.53	2.00



Nominal Dimensions in Inches.

A* Dimension is overall length of connector with wire mesh grip.

Larger sizes are available. Contact factory.

L Series Liqua-Seal® Connectors

The Tuff-Seal family of Liqua-Seal Connectors feature heavy plating on the body, ferrule, locknut and clamp nut to prevent corrosion under the most adverse of conditions. Used with flexible metallic conduit, these connectors are available in straight, 90° and 45° body styles with external conduit threads, and they are also available with insulated throats, wire mesh grips and insulated wire mesh grips.



B232IUNVHP-N

APPLICATION and PERFORMANCE SPECIFICATION

Description: High frequency electronic ballast for (2/1) F32T8, (2/1) F32T8ES-30W, (2/1) F32T8ES-25W, (2/1) F28T8, (2/1) F25T8, (2/1) F17T8 and (1) F40T8. Also equivalent U-shaped lamps.

- Line Voltage: 108vac - 305vac, 50/60Hz
- Parallel Lamp Operation
- Instant Start
- Active Power Factor Correction

*60 Hz data

Lamp		Volts	Input Watts	Nominal Line Amps	Power Factor	Ballast Factor	Ballast Efficacy Factor	Harmonic Total	Crest Factor
Type	#								
F32T8	2	120	55	0.46	> .99	.88	1.60	< 10%	< 1.7
F32T8	2	277	53	0.19	> .99	.88	1.66	< 10%	< 1.7
F32T8	1	120	36	0.30	> .99	1.04	2.89	< 10%	< 1.7
F32T8	1	277	36	0.13	> .99	1.04	2.89	< 10%	< 1.7
F32T8ES (30W)	2	120	54	0.45	> .99	.88	1.63	< 10%	< 1.7
F32T8ES (30W)	2	277	52	0.19	> .99	.88	1.69	< 10%	< 1.7
F32T8ES (30W)	1	120	34	0.28	> .99	1.05	3.09	< 10%	< 1.7
F32T8ES (30W)	1	277	33	0.12	> .98	1.05	3.18	< 10%	< 1.7
F32T8ES (25W)	2	120	45	0.38	> .99	.89	1.98	< 10%	< 1.7
F32T8ES (25W)	2	277	44	0.16	> .99	.89	2.02	< 10%	< 1.7
F32T8ES (25W)	1	120	28	0.24	> .99	1.05	3.75	< 10%	< 1.7
F32T8ES (25W)	1	277	28	0.10	> .98	1.05	3.75	< 10%	< 1.7
F28T8	2	120	48	0.40	> .99	.88	1.83	< 10%	< 1.7
F28T8	2	277	47	0.17	> .99	.88	1.87	< 10%	< 1.7
F28T8	1	120	30	0.25	> .99	1.05	3.50	< 10%	< 1.7
F28T8	1	277	30	0.11	> .98	1.05	3.50	< 10%	< 1.7
F25T8	2	120	45	0.37	> .99	.90	2.00	< 10%	< 1.7
F25T8	2	277	44	0.16	> .99	.90	2.05	< 10%	< 1.7
F25T8	1	120	28	0.24	> .99	1.05	3.75	< 10%	< 1.7
F25T8	1	277	28	0.10	> .98	1.05	3.75	< 10%	< 1.7
F17T8	2	120	32	0.27	> .99	.91	2.84	< 10%	< 1.7
F17T8	2	277	32	0.12	> .98	.91	2.84	< 10%	< 1.7
F17T8	1	120	21	0.18	> .99	1.07	5.10	< 15%	< 1.7
F17T8	1	277	21	0.08	> .97	1.07	5.10	< 15%	< 1.7
F40T8	1	120	44	0.37	> .99	1.03	2.34	< 10%	< 1.7
F40T8	1	277	43	0.16	> .98	1.03	2.40	< 10%	< 1.7

Application and Performance Specification Information Subject to Change without Notification.

Performance:

- Meets ANSI Standard C82.11-1993
- Meets ANSI Standard C62.41-1991
- Meets FCC Part 18 (Class A) for EMI and RFI Non-Consumer Limits
- Meets CSA Standard 654 for Ballast Efficiency
- Anti-striation circuitry

Application:

- Minimum Starting Temperature: 0° F, -18° C
For ES & 28W Lamps: 60° F, 16° C
For F40T8: 32° F, 0° C
- Maximum Case Temperature: 167° F, 75° C
- Sound Rated: A
- Remote Mounting: 18 ft. max. lead length, 18 AWG
- No remote/tandem wiring for ES lamps

Safety:

- No PCB's
- cULus listed (Class P, Type 1 Outdoor, Type HL)



Physical Parameters

	Inches	Metric
• Mounting Length: (Center to Center)	8.9" +/- 0.01"	226 mm
• Overall Length:	9.5" +/- 0.01"	241.3 mm
• Width:	1.31" + 0.03"/- 0.02"	33.3 mm
• Height:	1.00" + 0.04"/- 0.01"	25.4 mm
• Carton Quantity:	10	
Lead Length:	Black, White 25" (+/-1")	
	Red 48" (+/-1")	
	Blue 31" (+/-1")	

Warranty:

Universal Lighting Technologies warrants to the purchaser that each electronic ballast will be free from defects in material or workmanship for a period of 5 years from date of manufacture when properly installed and under normal conditions of use. Call 1-800-BALLASTx800 for technical assistance.

Manufactured in North America



For one lamp application, individually cap blue leads, insulate to 600 volts

Ballast must be grounded in accordance with national and local electrical codes.

NEMA
Premium



M1000ML5AC5M


1000W M47

Metal Halide


60Hz CWA

Specification Sheet

Input Volts	120	208	240	277	480
Regulation					
Line Volts	±10%	±10%	±10%	±10%	±10%
Lamp Watts	±10%	±10%	±10%	±10%	±10%
Power Factor (min)	90%	90%	90%	90%	90%
Input Watts	1080 W	1080 W	1080 W	1080 W	1080 W
NOM. Open Circuit Voltage	420 V	420 V	420 V	420 V	420 V
Line Current (Amps)					
Operating	9.15	5.25	4.55	3.95	2.30
Open Circuit	6.60	3.80	3.30	2.85	1.65
Starting	5.45	3.15	2.70	2.35	1.35
Recommended Fuse (Amps)	20	15	10	10	6
Lamp Dropout Voltage (Line)	75 V	135 V	155 V	180 V	310 V
UL Temperature Ratings					
Insulation Class	H (180°C)	H (180°C)	H (180°C)	H (180°C)	H (180°C)
Temperature Code	F	E	E	E	E
MIN. Starting Temperature	-22°F -30°C	-22°F -30°C	-22°F -30°C	-22°F -30°C	-22°F -30°C
CAPACITOR Specifications					
Microfarads	24 uf	24 uf	24 uf	24 uf	24 uf
Volts (min.)	480 V	480 V	480 V	480 V	480 V
60Hz Test Procedures					
High Potential Test 1 Minute	2000 V	2000 V	2000 V	2000 V	2000 V
High Potential Test 1 Second	2500 V	2500 V	2500 V	2500 V	2500 V
Secondary Open Ckt Voltage (V)	375 - 460	375 - 460	375 - 460	375 - 460	375 - 460
Secondary Current Shorted (A)	4.90 - 6.00	4.90 - 6.00	4.90 - 6.00	4.90 - 6.00	4.00 - 6.00
Input Operating Current (A)	8.25 - 10.15	4.50 - 5.60	4.15 - 5.10	3.60 - 4.45	2.05 - 2.55
Input Open Circuit Current (A)	3.30 - 9.60	1.90 - 5.55	1.65 - 4.80	1.40 - 4.20	0.80 - 2.40
Input Short Circuit Current (A)	4.10 - 6.20	2.50 - 3.85	2.00 - 3.05	1.60 - 2.75	1.00 - 1.60
Core and Coil Specifications					
Dimension A	2.90 in	2.90 in	2.90 in	2.90 in	2.90 in
Dimension B	5.05 in	5.05 in	5.05 in	5.05 in	5.05 in
Weight	22.0 lbs	22.0 lbs	22.0 lbs	22.0 lbs	22.0 lbs
Lead Lengths (inches)	12-14	12-14	12-14	12-14	12-14
Coil Material (Pri. / Sec.):	Cu/Al/Cu	Cu/Al/Cu	Cu/Al/Cu	Cu/Al/Cu	Cu/Al/Cu



Optional 120V Standby Lamp 400 Watts Max.




Reference Drawing

Capacitor: 005-2779-MF

Ignitor: None

Temp Rating: 90 °C
Height: 3.90 in
Width / Diameter: 2.91 in



This Ballast does not require a ignitor

For alternate capacitor construction consult sales

Document #: 010-11037-03
Date: 2/18/2008
Status: Production
Replaces Catalog #: M1000ML5AC5M

Data is based upon tests performed by Universal Lighting Technologies in a controlled environment and is representative of relative performance. Actual performance may vary depending on operating conditions. Specifications are subject to change without notice.

Universal Lighting Technologies
26 Century Blvd. Suite 500 - Nashville, TN 37214
Phone 1-800-225-5278 Fax 1-800-206-0035
www.unvlt.com

2/13/2003



M150048TAC5M


1500W M48

Metal Halide


60Hz CWA

Specification Sheet

Input Volts	480				
Regulation					
Line Volts	±10%				
Lamp Watts	±10%				
Power Factor (min)	90%				
Input Watts	1620 W				
NOM. Open Circuit Voltage	445 V				
Line Current (Amps)					
Operating	3.5				
Open Circuit	2.30				
Starting	2.00				
Recommended Fuse (Amps)	10				
Lamp Dropout Voltage (Line)	300 V				
UL Temperature Ratings					
Insulation Class	H (180°C)				
Temperature Code	E				
MIN. Starting Temperature	-22°F -30°C				
CAPACITOR Specifications					
Microfarads	32 uf				
Volts (min.)	525 V				
60Hz Test Procedures					
High Potential Test 1 Minute	2000 V				
High Potential Test 1 Second	2500 V				
Secondary Open Ckt Voltage (V)	490 - 500				
Secondary Current Shorted (A)	7.35 - 9.00				
Input Operating Current (A)	3.15 - 4.00				
Input Open Circuit Current (A)	1.15 - 3.25				
Input Short Circuit Current (A)	1.10 - 2.00				
Core and Coil Specifications					
Dimension A	4.40 in				
Dimension B	6.40 in				
Weight	30 lbs				
Lead Lengths (inches)	12-14				
Coil Material (Pri. / Sec.):	Cu / Cu				



Wiring Diagram




Reference Drawing

Capacitor: 005-1474-MF

Ignitor: None

Temp Rating: 90 °C
Height: 3.88 in
Width / Diameter: 3.66 in



This Ballast does not require a Ignitor

For alternate capacitor construction consult sales

Document #: 010-11622-02
Date: 6/13/2008
Status: Production
Replaces Catalog #: New Design

Data is based upon tests performed by Universal Lighting Technologies in a controlled environment and is representative of relative performance. Actual performance may vary depending on operating conditions. Specifications are subject to change without notice.

Universal Lighting Technologies
26 Century Blvd. Suite 500 - Nashville, TN 37214
Phone 1-800-225-5278 Fax 1-800-206-0035
www.unvlt.com

5/12/2005