



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

**5000140915 Two (2) Year Contract to Provide Traffic Safety Cones,
Barrels and Barricades for the Jefferson Parish Department of
Engineering - Traffic Engineering Division**
Jefferson Parish Government

Project documents obtained from www.CentralBidding.com

20-Feb-2023 08:22:41 AM



Bid Number 50-00140915

Two (2) Year Contract to Provide Traffic Safety Cones, Barrels and Barricades for the Jefferson Parish Department of Engineering – Traffic Engineering Division

Bid Due: March 9, 2023 AT 2:00 PM

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received on the Purchasing Department's eProcurement site, www.jeffparishbids.net, by the bid due date and time. Late bids will not be accepted.

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Buyer Name: Mark Buttery
Buyer Email: MButtery@jeffparish.net
Buyer Phone: 504-364-2810**

DATE: 2/15/2023
BID NO.: 50-00140915

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

BUYER: MBUTTERY@jeffparish.net

BIDS WILL BE RECEIVED ONLINE VIA WWW.JEFFPARISHBIDS.NET UNTIL 2:00 PM, 3/09/2023 AND PUBLICLY OPENED THEREAFTER IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETN, LA 70053. At no charge, bidders are to submit via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN LSA - R.S. 9:2620(8) ARE ACCEPTABLE. SIGNATURE MUST BE A SECURED DIGITAL SIGNATURE.

**INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS
THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS**

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647 as amended.

Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in Louisiana Revised Statutes Annotated, R.S. 42:1101, et seq. Vendor/Proposer by this submission, warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing via email to the buyer's email address as indicated above, no later than Five (5) working days prior to the bid opening. Bid numbers should be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA – R.S. 38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and local taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online.

This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 as amended. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

10,12,13,15

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid electronic envelope. Failure to comply will cause the bid to be rejected. When submitting the bid electronically, the license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precaution must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Failure to comply with this instruction will result in bid rejection.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. All sureties must be in original format (no copies) When submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.

17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment."). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to JPCO 2-155.10(19). By signing this document, every corporation, partnership, or person contracting with PARISH, whether by cooperative endeavor, intergovernmental agreement, bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program, attests that it understands and will abide by all provisions of JPCO 2-155.10.

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES ☒ NO ☐MAXIMUM ESCALATION PERCENTAGE REQUESTED 10 %INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF 03/09/2024.

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISHINDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES 30 DaysLOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) n/a**THIS SECTION MUST BE COMPLETED BY BIDDER:**FIRM NAME: Blackstar Diversified EnterprisesADDRESS: 11131 Winchester Park DriveCITY, STATE: New Orleans, LA ZIP: 70128TELEPHONE: (504) 265-9919 FAX: (504) 265-9919EMAIL ADDRESS: chad@blackstardiversified.net

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: 1

NUMBER: _____

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ 86,650.00AUTHORIZED SIGNATURE: Chad RisherChad Risher

Printed Name

TITLE: VP of Sales

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00140915

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			Two (2) Year Contract to Provide Safety Traffic Cones, Barrels and Barricades for the Jefferson Parish Department of Engineering - Traffic Engineering Division		
1	1,500.00	EA	0010 28 INCH TRAFFIC CONE COMPLETE WITH COLLAR	\$ 20.00	\$ 30,000.00
2	150.00	EA	0020 36 INCH TRAFFIC CONE COMPLETE WITH COLLAR	\$ 25.00	\$ 3,750.00
3	500.00	EA	0030 COLLARS FOR 28 INCH CONE	\$ 7.00	\$ 3,500.00
4	500.00	EA	0040 COLLARS FOR 36 INCH CONE	\$ 7.00	\$ 3,500.00
5	100.00	EA	0050 COMPLETE TYPE III ASSEMBLY	\$ 210.00	\$ 21,000.00
6	100.00	EA	0060 SQUARE PLASTIC UPRIGHTS	\$ 24.00	\$ 2,400.00
7	100.00	EA	0070 HARDWARE	\$ 10.00	\$ 1,000.00
8	100.00	EA	0080 42 INCH LOOPER TRAFFIC CONES	\$ 19.00	\$ 1,900.00
9	150.00	EA	0090 BARREL - UPPER BODY	\$ 45.00	\$ 6,750.00
10	100.00	EA	0100 BARREL - BASE	\$ 10.00	\$ 1,000.00
11	100.00	EA	0110 TYPE III BARRICADE BOARD	\$ 37.00	\$ 3,700.00
12	50.00	EA	0120 BARRICADE FEET	\$ 34.00	\$ 1,700.00
13	100.00	EA	0130 QUICK RELEASE PINS	\$ 5.00	\$ 500.00

DATE: 2/15/2023

Page 8

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00140915

SEALED BID[illegible]

**Department of Engineering
Traffic Engineering Division**

Two (2) Year Contract to Traffic Cones, Barrels, and Barricades

Cones and Collars

- Cones: 28" size Orange Fluorescent Traffic Cone, complete with collar set, with approximately 15" x 15" orange fluorescent base, 7 lbs. total weight, approximately 11" Diameter cone at base, 3/4" in-molded flag top adapter, made with flexible polyvinyl chloride. (Must conform to requirements in the current edition of the Manual on Uniform Traffic Control Devices).
- Cones: 36" size Orange Fluorescent Traffic Cone, complete with collar set, with approximately 15" x 15" orange fluorescent base, 12 lbs. total weight, approximately 11" Diameter cone at base, 3/4" in-molded flag top adapter, made with flexible polyvinyl chloride. (Must conform to requirements in the current edition of the Manual on Uniform Traffic Control Devices).

Collars

- Traffic Cone Reflector Collar Set for 28" Cones as follows:
 - 2 retroreflective bands.
 - 1 each 6" White Reflective Band
 - 1 each 4" White Reflective Band to slip over above specification 28" Cone a minimum of 3" or a maximum of 4" from the top with a minimum of 2" between the bands for improved night visibility. Retro reflectivity shall conform to the current edition of the Manual on Uniform Traffic Control Devices.
- Traffic Cone Reflector Collar Set for 36" Cones as follows:
 - 2 retroreflective bands.
 - 1 each 6" White Reflective Band
 - 1 each 4" White Reflective Band to slip over above specification 28" Cone a minimum of 3" or a maximum of 4" from the top with a minimum of 2" between the bands for improved night visibility. Retro reflectivity shall conform to the current edition of the Manual on Uniform Traffic Control Devices.

Flags

- 24" x 24" Orange Fluorescent solid flags constructed of vinyl with reinforcing fibers, with 36" x 3/4" staff.
- Above equipment to conform to the current edition of the Manual on Uniform Traffic Control Devices.

Two (2) Piece Plastic Construction Barrel

This specification covers a stackable, non-metallic (high-density polyethylene), traffic orange channelizing device for use on construction and maintenance projects as per the current edition of the Manual on Uniform Traffic Control Devices. The physical properties, dimensions, and weights of the device are according to the following specifications:

Barrel Upper Body

- Material High Density Polyethylene with a density of 0.953 and a melt index of 20.
- Low temperature impact brittleness; greater than -50 degrees C.
- U.V. stabilized for 3-5 years South Florida exposure.
- Body weight 8-1/4 lbs.
- Minimum diameter 18-1/8" regardless of orientation.
- Light mounting handle will take repeated impacts in excess of 55 MPH without light separation when mounted using recommended bolt protector.
- Height of device 37-1/8".
- There are five (5) circumferential panels available to accept a six inch (6") high piece of reflective sheeting. The reflective sheeting shall be as noted below.
- Shape configuration at base attachment point only minimizes rolling.
- Barrel body has built in heavy duty dragging handle for in use movement thereby minimizing separation of body from base.

Barrel Base

- Base shall be 25 lb. recycled rubber tire sidewall
- Tire sidewall shall be 22.5" in diameter.

NOTE: Above specifications to be for Barrel, and to include reflective sheeting, four (4) – 6 inch bands, alternating colors from top to bottom: ORANGE WHITE, ORANGE, WHITE. Sheeting to be 3M high intensity Prismatic Flexible Reflective Sheeting, Series 3930 or approved equal for reboundable plastic substrate work zone traffic control devices. Sheeting shall comply with Jefferson Parish Traffic Engineering Division sheeting specification # TE-007-2005, which is available upon request by contacting the Purchasing Department.

Type III Barricades

One (1) complete Type III Barricade assembly shall consist of the following components:

1. 3 – High density polyethylene boards (1" x 8" x 96")
2. 2 – 1/75" square plastic uprights (6' height)
3. 2 – 14-gauge Perforated Steel Square Tubing (PSST) barricade feet with 6" welded uprights.
4. 2 – Quick Release pins
5. Required hardware (nuts, bolts, and washers) to mount boards to uprights

Each component shall be a separate bid item. Components shall be available for purchase separately and independently from the complete assembly.

Type III Plastic Barricade Board

- Barricade Board must meet requirements set forth in the current edition of the Manual on Uniform Traffic Control Devices.
- Barricade Replacement Board Size: 1" x 8" x 96"
- Boards shall be comprised of high-density polyethylene material to resist fading, chipping, and splintering
- Board surface shall be flat to display retroreflective sheeting, in compliance with current MUTCD requirements
- Board shall be hollow core extruded design
- Board internal walls shall provide lightweight strength and durability
- Board shall be useable in various generic Type III Barricade designs
- The Boards shall be supplied with 3M 3930 High Intensity Alternating Orange and White Prismatic Reflective Sheeting (or approved equal) on both sides of Board – 6" left sloping stripes

on one side – 6" right sloping stripes on other side. Sheeting must comply with Jefferson Parish Traffic Engineering Division specification #TE-007-2005, which is available upon request by contacting the Purchasing Department. Barricade Board must be formulated for Temperature range of -40 degrees to +120 degrees F.

Square Plastic Uprights

- Upright assemblies must meet current edition of the Manual on Uniform Traffic Control Devices.
- Upright assemblies shall be comprised of lightweight molded high impact resistant plastic.
- Upright assembly shall be 63" nominal height
- Assembly shall consist of 2 each uprights as described.

Barricade Feet

- Barricade feet shall be comprised of 14-gauge perforated steel square tubing
- Barricade feet shall be 5' total length
- Barricade feet shall contain a 6" welded upright (2" square)

Quick Release Pins

- Quick release pins shall secure the upright to the barricade feet.
- Each assembly shall include two pins (one per upright / leg combination)
- Quick release pins shall allow quick connection between upright and barricade feet without use of nuts, bolts, and wrenches.

Hardware

Hardware required to mount Barricade Boards to the Upright shall include:

- 12 Hex Nuts - 5/16"
- 12 Washers - 1 1/2" fender washers
- 12 Washers - 5/16"
- 12 Hex Bolts - 3" x 5/16"

Vertical Panel Channelizing Device

- Channelizing device body material shall be low density polyethylene
- Body Color – WHITE or ORANGE
- Body Weight - 4 pounds
- Plastic Body Height shall be 44 1/2"
- Plastic Body Dimensions - 8-5/8" x 1-1/8" top tapering to 12-1/2" x 6" at bottom with 9-1/4" x 17" flange for connection to rubber base.
- Vertical Panel Sheeting Dimensions – 8" x 36"
- Reflective Sheeting - Orange / White sheeting 8" x 36", 45° sloping right on one side, left on the other. Sheeting shall be 3M high intensity reflective sheeting, Series 3930 or approved equal
- Base Material - Recycled Black Rubber with molded-in carrying handles
- Base Size - 20" x 20" nominal dimension
- Base Weight - 20 pounds

42" Looper Traffic Cones

- Low-density polyethylene channelizing cone, UV stabilized highway orange to resist fading and discoloration; Five-tier telescopic design promotes ease of stacking; Fracture-resistant handle

also provides mounting for lights or signs; Anti-rotation ribs at bottom make for secure attachment to base, 3 lbs., 42" high, four 4-inch reflective bands, engineer grade reflectivity.

- Material: LDPE (linear low-density polyethylene)
- Color: UV stabilized highway orange
- Height: 42"
- Weight: 3.0lbs

16 Pound Hexagon Base Weight

- Material: recycled rubber with molded-in carrying handles
- Base Nominal Diameter: 17.5 inches
- Diameter of Inside Hole: 7.75 inches
- Base Thickness: 2 inches
- Color: Black

Barricade / Barrel Lights

- Lamp type shall be 4000-hour, LED lamp.
- Light shall include a 3-way switch to allow light to function in steady burn, flashing or off mode. The switch shall be vandal proof.
- Light shall include a Photocell to automatically turn on at dusk, and turn off at dawn.
- Light shall use 6-volt battery power source (lantern battery shall be included with purchase).
- Lenses shall be 7" diameter amber polycarbonate Fresnel design and have a 5/8" reflector ring.
- Housing shall be polyethylene yellow and shall have through-bolt mounting with tamper proof heads. (Mounting tools shall be supplied with each purchase). Mount type shall allow mounting on either type III barricades or barrels.
- Housing shall be sealed so as to provide a water proof enclosure and shall include a minimum two-year warranty against physical defects.
- LED circuitry shall provide 55 – 75 flashes per minute and shall meet all ITE and MUTCD standards for type A and type C barricade lights.
- Electronic circuitry shall be warranted for a minimum two-year period against defects in workmanship and material from the date of purchase. Return freight shall be prepaid by the distributor while the defective light is within the warranty period.

Minimum purchase quantity shall be ten (10) lights. Each shipment shall include one wrench (mounting tool), one switch pin (for light operation), and ten mounting bolts.

Sheeting Warranty Required

- (SHEETING ONLY): The manufacturer of the sheeting materials specified herein shall warrant and guarantee the sheeting materials for ten (10) years from the date of fabrication, three (3) years from the date of fabrication for orange sheeting, when the materials have been applied in accordance with the manufacturer's recommendations which successful bidder must supply upon departmental request, and in accordance with the provisions of this specification. The warranty shall hold the manufacturer responsible for replacement of materials which fail to meet the effective performance life requirements stated herein. Additionally, the manufacturer shall restore the sign surface to original effectiveness at no cost to Jefferson Parish for materials or labor during the first seven (7) years after fabrication, excluding orange sheeting.
- All other material specified herein shall come with a minimum 3-year manufacturer's warranty against fabrication defects.
- The above warranties will be required upon departmental request.

Non-Public Works Bid Affidavit Instructions

- **Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and parish laws.**
- **Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.**
- **Affidavit must be notarized or the affidavit will not be accepted.**
- **Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.**
- **Affiant MUST select either A or B when required or the affidavit will not be accepted.**
- **Affiants who select choice A must include an attachment or the affidavit will not be accepted.**
- **If both choice A and B are selected, the affidavit will not be accepted.**
- **Affidavit marked N/A will not be accepted.**
- **It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.**

Instruction sheet may be omitted when submitting the affidavit

Non-Public Works Bid

AFFIDAVIT

STATE OF Louisiana

PARISH/COUNTY OF Ascension

BEFORE ME, the undersigned authority, personally came and appeared: _____
Chad Risher, (Affiant) who after being by me duly sworn, deposed and said that
he/she is the fully authorized representative of Blackstar Diversified Enterprises (Entity),
the party who submitted a bid in response to Bid Number 5000140915, to the Parish of
Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____

Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B ✓

there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B ✓ There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

Chad Risher
Signature of Affiant

Chad Risher
Printed Name of Affiant


SWORN AND SUBSCRIBED TO BEFORE ME
ON THE 6th DAY OF March, 2023

Catherine J Hofmann
Notary Public

Catherine J Hofmann
Printed Name of Notary

87416
Notary/Bar Roll Number

My commission expires @ death



CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF
Blackstar Diversified Enterprises
INCORPORATED.

AT THE MEETING OF DIRECTORS OF **Blackstar Diversified Enterprises**
INCORPORATED, DULY NOTICED AND HELD ON **02/01/2023**,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT **Chad Risher**, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.

Hugh Blackwell

SECRETARY-TREASURER

02/20/2023

DATE

STANDARD INSURANCE REQUIREMENTS FOR BIDDING PURPOSES

All required insurance under this bid shall conform to Jefferson Parish Resolution No. 113646 or No. 113647, as applicable. Contractors may not commence any work under any ensuing contract unless and until all required insurance and associated evidentiary requirements thereto have been met, along with any additional specifications contained in the **Invitation to Bid**. Except as where otherwise precluded by law, the Parish Attorney or his designee, with the concurrence of the Director of Risk Management or his designee, may agree on a case-by-case basis, to deviate from Jefferson Parish's standard insurance requirements, as provided in this Section. Vendors requesting deviation therefrom shall submit such requests in writing, along with compelling substantiation, to the Purchasing Department prior to the bid's due date. Any changes to the insurance requirements will be reflected in the bid specifications and addenda. Prior to contract execution and at all times thereafter during the term of such contract, contractors must provide and continuously maintain all coverages as required by the foregoing Resolutions, and the contract documents. Failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

For bidding purposes, bidders must submit with bid submission a current (valid) insurance certificate evidencing the required coverages. Failure to comply will cause bid to be rejected. The current insurance certificate will be used for proof of insurance at time of evaluation. Thereafter, and prior to contract execution, the low bidder will be required to provide final insurance certificates to the Parish which shall name **the Jefferson Parish, its Districts Departments and Agencies under the direction of the Parish President and the Parish Council** as additional insureds regarding negligence by the contractor for the Commercial General Liability and the Comprehensive Automobile Liability policies. Additionally, said certificates should reflect the name of the Parish Department receiving goods and services and reference the respective Jefferson Parish bid number.

JEFFERSON PARISH REQUIRED STANDARD INSURANCE

☒ **WORKER'S COMPENSATION INSURANCE**

As required by Louisiana State Statute, exception; Employer's Liability, Section B shall be \$1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act, otherwise this limit shall be no less than \$500,000 per occurrence.

Note: If your company is not required by law to carry workmen's compensation insurance, i.e. not a Louisiana company, sole employee of the company, then bidders must request a workmen's compensation insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being

rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

☒ **COMMERCIAL GENERAL LIABILITY**

Shall provide limits not less than the following: \$1,000,000.00 Combined Single Limit per Occurrence for bodily injury and property damage.

☒ **COMPREHENSIVE AUTOMOBILE LIABILITY**

Bodily injury liability \$1,000,000.00 each person; \$1,000,000.00 each occurrence.
Property Damage Liability \$1,000,000.00 each occurrence.

Note: This category may be omitted if bidders do not/will not utilize company vehicles for the project or do not possess company vehicles. Bidder must request an automobile insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

DEDUCTIBLES - The Parish Attorney with concurrence of the Director of Risk Management have waived the deductible section of the Terms and Conditions for all Invitations to Bid, until further notice.

UMBRELLA LIABILITY COVERAGE

An umbrella policy or excess may be used to meet minimum requirements.

FOR CONSTRUCTION AND RENOVATION PROJECTS:

The following are required if selected below. Such insurance is due upon contract execution.

☐ **OWNER'S PROTECTIVE LIABILITY**

To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.

☐ **BUILDER'S RISK INSURANCE**

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
07/29/2022

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an **ADDITIONAL INSURED**, the policy(ies) must have **ADDITIONAL INSURED** provisions or be endorsed. If **SUBROGATION** IS **WAIVED**, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Next First Insurance Agency, Inc. PO Box 60787 Palo Alto, CA 94306	CONTACT NAME: PHONE (A/C, No, Ext): (855) 222-5919 FAX (A/C, No): E-MAIL ADDRESS: support@nextinsurance.com
INSURED Blackstar Diversified Enterprises 6801 Eastern Ave Ste 205 Baltimore, MD 21224	INSURER(S) AFFORDING COVERAGE INSURER A: Next Insurance US Company INSURER B: INSURER C: INSURER D: INSURER E: INSURER F:
	NAIC # 16285

COVERAGES

CERTIFICATE NUMBER: 834255622

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> GEN'L AGGREGATE LIMIT APPLIES PER: <input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC <input type="checkbox"/> OTHER:	X		NXT4GDLAIB-02-GL	07/24/2022	07/24/2023	EACH OCCURRENCE \$1,000,000.00
	DAMAGE TO RENTED PREMISES (Ea occurrence) \$100,000.00						
	MED EXP (Any one person) \$15,000.00						
	PERSONAL & ADV INJURY \$1,000,000.00						
							GENERAL AGGREGATE \$2,000,000.00
							PRODUCTS - COMP/OP AGG \$2,000,000.00
							\$
	AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> NON-OWNED AUTOS ONLY						COMBINED SINGLE LIMIT (Ea accident) \$
							BODILY INJURY (Per person) \$
							BODILY INJURY (Per accident) \$
							PROPERTY DAMAGE (Per accident) \$
							\$
	UMBRELLA LIAB <input type="checkbox"/> OCCUR EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE <input type="checkbox"/> DED <input type="checkbox"/> RETENTION \$						EACH OCCURRENCE \$
							AGGREGATE \$
							\$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? <input type="checkbox"/> Y / N <input checked="" type="checkbox"/> N / A (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below						PER STATUTE <input type="checkbox"/> OTH-ER <input type="checkbox"/>
							E.L. EACH ACCIDENT \$
							E.L. DISEASE - EA EMPLOYEE \$
							E.L. DISEASE - POLICY LIMIT \$

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Certificate Holder is an Additional Insured on the General Liability policy per the Additional Insured Automatic Status Endorsement. All Certificate Holder privileges apply only if required by written agreement between the Certificate Holder and the insured, and are subject to policy terms and conditions.

CERTIFICATE HOLDER

Jefferson Parish Government
200 Derbigny St Ste 4400
Gretna, LA 70053

LIVE CERTIFICATE



[Click or scan to view](#)

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

© 1988-2015 ACORD CORPORATION. All rights reserved.

TYPE III BARRICADES

Create Your Perfect Barricade

Power Post™ Uprights

- Use With Volcano Rubber Base, Steel Square Tube Feet, Angle Iron Feet
- Plastic polymer upright
- Lightweight but strong
 - 66% lighter than steel square tube posts
- Impact resistant
- No rust or corrosion
- Predrilled universal mounting holes
- MASH Accepted, Meets MUTCD Standards
- WZ-343 (rubber feet) & WZ-327 (steel square tube and angle iron feet)

Steel Square Tube Uprights


- Use With Steel Square Tube Feet or Angle Iron Feet
- Square shape provides superior wind load capabilities and inhibits warping
- 14 gauge, galvanized, hot rolled high carbon steel
- Prepunched universal mounting holes
- NCHRP-350 Accepted, Meets MUTCD Standards

Angle Iron Uprights


- Use With Steel Square Tube Feet or Angle Iron Feet
- 10 gauge, galvanized
- Predrilled universal mounting holes
- NCHRP-350 Accepted, Meets MUTCD Standards

ALL OPTIONS:

- Accept two flashing lights
- Sold as kits or as separate parts



Steel Square Tube, Angle Iron,
& Power Post™ Uprights



Steel Square Tube & Angle Iron Feet
both galvanized



Volcano™ Rubber Base




- use with Power Post uprights
- 43.25 lbs., holds posts up to 1.75" x 1.75"
- contains steel base plate for upright insertion
- two carry handles
- stacks for transportation and storage

PLASTICADE®

Plasticade.com

TYPE III BARRICADES



HOLES

Power Post
- 5/16" dia., 9/16" dia. for lamp

Steel Square Tube
- 7/16" dia., 9/16" dia. for lamp

Angle Iron Holes
- 11/32" dia. 9/16" dia. for lamp

Specs

Power Post	63"L x 1.75"W 3.25 lbs.
Steel Square Tube Upright	63"L x 1.75"W 9 lbs., 14 gauge galvanized
Steel Square Tube Feet	60"L x 1.75"W 6"H riser 9 lbs., 14 gauge galvanized
Angle Iron Upright	63"L x 1.5"W 7 lbs., 10 gauge galvanized
Angle Iron Feet	60"L x 1.5"W 6"H riser 7 lbs., 10 gauge galvanized
Volcano Rubber Base	30.25"L x 14"W recycled rubber 4.63"H steel base plate 43.25 lbs.
Plastic Boards	High Density Polyethylene
Available Board Sizes	1" x 8" x 4' 1" x 8" x 6' 1" x 8" x 8' 1" x 8" x 10' 1" x 8" x 12'
Reflective Sheeting	Available in all grades - in left, right, or chevron stripes - on one or both sides of boards



Power Post™

Durable plastic square tube



Plastic Boards

High density polyethylene material
resists fading, chipping, or splintering



Angle Iron Uprights & Feet



Steel Square Tube Uprights & Feet

PLASTICADE®

100 Howard Avenue
Des Plaines, IL 60018
phone (800) 772-0355
fax (847) 966-8074

Plasticade.com



Certificate of Compliance and Crashworthiness

Certificate Number PLAS-019

Plasticade Power Post™ Type III Barricade

Plasticade Products certifies that the Plasticade Power Post Type III Barricade meets or exceeds Part 6 of the Manual on Uniform Traffic Control Devices (MUTCD) 2009 Edition, Section 6F.

We also certify that the Plasticade Power Post Type III Barricade meets or exceeds the National Cooperative Highway Research Program (NCHRP) Report 350, Category II, issued by the Federal Highway Administration (FHWA) and AASHTO's Manual for Assessing Safety Hardware (MASH) and is deemed compliant as referred to in WZ-327. This includes the use of lights.


The Plasticade Power Post Type III Barricade is deemed to be "crash worthy" under the guidelines stated above.

This certificate shall not be reproduced except in full.

Date of Issue: 3/1/22


Henry A. Ross, Director of Government Relations

PLASTICADE® TYPE III BARRICADE BOARDS



Extruded Hollow Core Design
with Internal Walls for
Strength and Durability

- 1" x 8" plastic boards come in 4', 6', 8', 10', and 12' lengths
- High density polyethylene material resists fading, chipping, or splintering
- Flat surface displays retroreflective sheeting
 - complies with MUTCD requirements
- Hollow core extruded design
 - internal walls provide lightweight strength and durability
- Can be used in various generic Type III Barricade designs accepted by FHWA under NCHRP-350 (WZ-85)



PLASTICADE®

100 Howard Avenue
Des Plaines, IL 60018
phone (800) 772-0355
fax (847) 966-8074
Plasticade.com

MADE IN THE USA

TLL8S

6 Volt LED Barricade Light

FACT SHEET



Features:

- LED light source powered by heavy duty 6 volt battery.
- Exceeds ITE standards and MUTCD visibility specifications.
- Tested by a Coast Guard approved laboratory.
- Battery contacts made of corrosion resistant stainless steel.
- Three modes of operation: Flash(type A), Steady-Burn (type C), or Off.
- Equipped with a photo cell to automatically turn on at dusk and off at dawn.
- Each light supplied with mounting bolts, switch pins, and a wrench.
- Will operate on one or two 6 volt batteries (not included).
- Standard package: 10 lights per carton.
- Weight per carton: 17 lbs.



DICKE SAFETY PRODUCTS


Illinois - 1201 Warren Avenue • Downers Grove, IL 60515 • Ph: 630.969.0050 • Fax: 630.969.3973
Oregon - 1845 Anunsen Street, N.E. • Salem, OR 97301 • Ph: 800.333.5641 • Fax: 503.364.0340

DIMENSIONS

A	36.00"
B	2.0"
C	1.375" DIAMETER
D	4.0"
E	6.5"
F	2.0"
G	4.5"
H	2.25"
I	.625"
J	14.75"
K	.14" WALL THICKNESS
L	.17" WALL THICKNESS
M	11.25"


DETAIL "B"

N	.375" RECESS
O	.3125"
P	1.0"



SEE DETAIL "A" BELOW

H




Notes:

Injection molded PVC traffic cone

Conical section manufactured from 100% recyclable flourescent orange PVC

Base manufactured form 100% post industrial recycled black PVC

Base makes up 60% of the over all weight of cone so as to stablize cone in windy conditions.



36" TRAFFIC CONE WIDE BODY RS90055CT+3M64

JBC SAFETY PLASTIC INC.
16750 Chestnut St.
CITY OF INDUSTRY CA 91748
www.jbcsafety.com

Date 5/30/13

REVOLUTION SERIES


DWG. NO. RS90055CT+3M64

DIMENSIONS

A	28.00"
B	1.875"
C	1.25" DIAMETER
D	3.75"
E	6.5"
F	2.00"
G	4.5"
H	1.5"
I	.625"
J	13.875"
K	.13" WALL THICKNESS
L	.146" WALL THICKNESS
M	10.00"


DETAIL "B"

N	.250" RECESS
O	.3125"
P	.75"



SEE DETAIL "A" BELOW

H




CONE SIZE	BASE WEIGHT	TOTAL WEIGHT
28"		7.26 lbs

Notes:

Conical section manufactured from 100% recyclable flourescent orange PVC

Base manufactured form 100% post industrial recycled black PVC

Conical section and base are injection molded.



Circle Interlock System

DETAIL "A"



**28" TRAFFIC CONE
WIDE BODY
RS70032CT+3M64**

JBC SAFETY PLASTIC INC.
710 Nogales St
Industry Ca 91748

Date 5/30/13


REVOLUTION SERIES

DWG. NO. RS70032CT+3M64

GEMSTONETM VERTICAL PANEL

**The most space efficient
barricade on the street -
in transit and in storage!**

New Stronger Flange! Stands Up To Extreme Heat and Intensive Use



- New Thicker Flange!
- more plastic to hold onto base
- Increased rigidity from larger ribbing
- Eliminates splitting and cracking

- Designed to withstand repeated impacts with little or no damage to vehicles or unit
- Oversized handle with comfort grip
- can be picked up easily, even with light attached
- Stackable with or without base
- Recessed panel for reflective sheeting, 8" W x 36" H
- Gemstone sidewall provides strength & durability
- Flashing light mounting receptacle
- Available in orange and white
- Solid recycled rubber bases with carrying handles come in two sizes: 20 lbs. and 30 lbs.
- MASH Accepted WZ-300, Meets MUTCD Standards



High Visibility



Gemstone sidewall
design adds strength
& durability


PLASTICADE[®]

Plasticade.com

GEMSTONETM VERTICAL PANEL

Saves space in use, in transit and in storage!

The most visible and space efficient barricades available, Gemstones take up half the space of traditional barricades, which means less storage space taken and a minimal footprint during use.



Specs

Composition	Low Density Polyethylene
Dimensions	44.5"H x 14.75"W
Sheeting Area Dimension	8.1" x 36.1"
Color	Orange or White
Weight	4 lbs.
Reflective Sheeting	Available in all grades in these sizes: 8" x 24" 8" x 34" 8" x 36"

Bases



20 lb. base 30 lb. base

Black rubber bases with carrying handles are made from recycled tires

PLASTICADE®

100 Howard Avenue
Des Plaines, IL 60018
phone (800) 772-0355
fax (847) 966-8074

Plasticade.com

MADE IN THE USA

COMMANDER™ TRAFFIC DRUM

Engineered for
durability and performance

Enhanced Material Formulation for Superior Reboundability & Durability

- Available in high and low density polyethylene
- Five tier design
- MASH Accepted, Meets MUTCD Standards

Extended Usable Life

Power Dome

- Handle and Dome interfuse creating strength
- thicker wall
- resists denting



Customize Your Drums →
· Name or logo molded in at our factory

Comfort Grip Handle



20% More Per Truckload


- Tighter Stacking & Packing
- Maximizes transport and storage space



Improved Tire Interlock

Tire Locking Ring Design


- Inhibits movement of drum on road surface
- wedge fit created from skirt ramp and elliptical shaped bottom
- Textured skirt increases friction and grabs tire
- Anti-roll design, flat sections on two sides



Revolutionary Light Folding

Light Mounting Design


- Light easily turns for stacking



PLASTICADE®

Plasticade.com

COMMANDER™ TRAFFIC DRUM



Specs

Composition	High Density or Low Density Polyethylene
Weight	8 lbs.
Color	Orange
Retroreflective Sheeting	Available in Engineer, High Intensity Prismatic, or Diamond Grades
Stripes	4" W or 6" W
Tire Ring	22.5" inside diameter 24 lbs. Bundled in stacks of 35 ea.



PLASTICADE®

100 Howard Avenue
Des Plaines, IL 60018
phone (800) 772-0355
info@plasticade.com

Plasticade.com

US Patents
10,167,592
10,167,596

MADE IN THE USA

NAVICADE™

TRAFFIC CHANNELIZING CONES

Now Available
In Two Sizes
42" & 28"



- 42" (50" with handle) and 28" (35.5" with handle) channelizers
- Slim design
 - perfect for narrow roadways where space is an issue
- Very durable, designed to rebound after impact
- Oversized handle
 - easy to grab with gloved hand or light attached.
- Stackable with or without base for easy transport and storage
- 42" available with 4 bands of sheeting
 - choose 6" and/or 4" bands
- 28" available with 2 bands of sheeting
 - choose 6" and/or 4" bands
- Solid recycled rubber bases in three weights
 - 10 lbs., 16 lbs, and 30 lbs.
- Stenciling available
- Navicade 42" is MASH Accepted WZ-301, Meets MUTCD Standards
- Navicade 28 is MASH Accepted, Meets MUTCD Standards



Light can be used on the
42" Navicade only


Oversized handle allows
workers wearing gloves to easily
set up the Navicade even with
light attached.

PLASTICADE®

Plasticade.com

NAVICADE™

TRAFFIC CHANNELIZING CONES



Specs

Dimensions	
42" Navicade	50.4"H x 7.75"W
Navicade 28	35.5"H x 7.75"W
Color	Orange
Weight	
42" Navicade	3 lbs.
Navicade 28	2 lbs.
Reflective Sheeting	Available in all grades in white and orange, 4" and 6" bands

Bases

3 Sizes



10 lb. or
16 lb. base



30 lb. base

These snug fitting black rubber bases are made from recycled materials.

PLASTICADE®

100 Howard Avenue
Des Plaines, IL 60018
phone (800) 772-0355
Info@Plasticade.com

Plasticade.com



MADE IN THE USA