



Bid Number 50-00124604

**PURCHASE OF STREET SWEEPER FOR THE JEFFERSON PARISH
DEPARTMENT OF PARKWAYS**

BID DUE: NOVEMBER 27, 2018 AT 2:00 PM

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received in the Purchasing Department by the bid due date and time.

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Buyer Name: Misty A. Camardelle
Buyer Email: mcamardelle@jeffparish.net
Buyer Phone: 504-364-2683**



JEFFERSON PARISH

Department of Purchasing

Michael S. Yenni
Parish President

Renny Simno
Director

July 2018

CHANGES TO JEFFERSON PARISH BIDDING PROCEDURES

The East bank Office of Purchasing is now open! We are located in the Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Suite 404, Jefferson, LA 70123. Bidders may submit bid responses at this location, pending authorization in each bid package. **Bidders should carefully read and must respond accordingly per the requirements of the bid packages. NOTE: Bidders submitting bids on the day of bid opening, bidders must submit at the West Bank location only.**

Other Changes Continued:

- For all advertised sealed bids, written evidence of signature authority must be included with bid submission.
- Current W9 Forms and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, a current W-9 form must be supplied upon contract execution, should you be awarded a contract and/or issued a purchase order.
- **Proof of insurance in the form of a current certificate evidencing coverages is required with bid submission.** Bidders must read the insurance requirements attachment included in each bid package for specific instructions. Upon contract execution, successful bidder must produce final insurance certificates in accordance with Jefferson Parish insurance requirements.

Bidders should reference the "Additional Requirements" section of the bid instructions and/or the "Important Notice to Bidders" included in the bid package for specific requirements to respond accordingly.

For more information, please call Jefferson Parish Purchasing at 504-364-2678.

Joseph S. Yenni Building – 1221 Elmwood Park Blvd., Ste. 404, Jefferson, LA 70123
Office 504.364.2678

General Government Bldg. – 200 Derbigny St – Suite 4400 - Gretna, LA 70053
Office 504.364.2678

Email: Purchasing@jeffparish.net Website: www.jeffparish.net

JEFFERSON PARISH
DEPARTMENT OF FLEET MANAGEMENT

Vehicle-Equipment Specifications

SPECIFICATION NO.: 011-2018

A LOUISIANA'S STATE DEALER LICENSE IS REQUIRED IN ACCORDANCE WITH LA RS 32:1254 ET SEQ. VENDOR MUST PROVIDE A COPY OF THEIR VALID LOUISIANA DEALER'S LICENSE WITH BID SUBMISSION

NOTE:

THE USE OF CHECKS AND FAILURE TO PROVIDE DESCRIPTION ON ANY SPECIFICATION LISTED IN THIS BID DOCUMENT SHALL RESULT IN BID BEING FOUND NON-RESPONSIVE AND, THEREFORE, REJECTED.

**SPECIFICATIONS FOR SIX WHEEL, SINGLE ENGINE, DUAL
BROOM STREET SWEEPER WITH SQUEEGEE ELEVATOR**

It is the intent of this specification to provide for the purchase of one (1) new and unused street sweeper having a six wheel configuration, single engine for propulsion and sweeping, 4.5 cubic yard right side variable high dumping hopper, automatic transmission, dual steering and operator controls, squeegee flight elevator, left side and right side broom with variable down pressure and speed controlled from cab

Chassis

The chassis shall be a commercially available conventional cab type configuration. A purpose built chassis manufactured by the sweeper company will not be acceptable.

The wheelbase shall not exceed 136 inches and the cab-to-axle shall not exceed 70.45 inches.

The overall length shall not exceed 268 inches. The outside width in transport mode shall not exceed 8 feet and the overall height shall not exceed 11 inches.

The Gross Vehicle Weight Rating (GVWR) shall be not less than 33,000 pounds.

For safety, the chassis must meet or exceed all Federal Motor Vehicle Safety Standards (FMVSS).

Chassis shall be capable of safely carrying the sweeper, loaded to the maximum GVWR, under all normal sweeping and transport conditions.

Vehicle shall be rated for carrying a 12,000 lbs. load in the hopper at highway speed of 55 MPH and should not be speed restricted by tire limitations.

Manufacturer shall certify that pass-by noise level at 50 feet (per SAE J 1077) while sweeping does not exceed 79 dB(A).

Front axle shall be an I-beam type, 68" track, with a minimum capacity of 10,000 lbs. It shall have a taper-leaf spring suspension, a factory anti-sway bar and shock absorbers as standard equipment to avoid high stress areas and cracking of the chassis.

Rear axle shall have a minimum capacity of 23,000 lbs.

Rear suspension shall be provided through a Chalmers CSI 1023, 23,000lb. System, featuring a minimum capacity of 23,000 pounds coupled with rear shock absorbers.

Rear axle shall provide a full width, heavy duty, 80" track.

Two-speed rear axle shall have a 6.17/8.42:1 ratio.

Turning radius shall not exceed 18ft. 6in. curb to curb. Front axle steering cut shall be 50 degrees, minimum.

Brakes shall be full air type, front and rear. Wabco ABS brakes shall be supplied. Hydraulic brakes shall not be acceptable.

Air compressor shall be a Cummins 18.7 CFM and include a Wabco SS1200 Plus air dryer.

Parking brake shall be spring applied rear wheel drum and shoe.

Chassis shall include front frame mounted tow hooks.

ENGINE

Diesel engine shall be an electronic inline 6 cylinder, turbocharged, 6.7 Liter displacement, minimum. The engine shall supply power for propulsion and sweeper functions. The exhaust shall be on the RH side, installed with enhanced gutter broom visibility.

Horsepower rating shall be 260 HP @ 2300 RPM, minimum. Torque rating shall be 660 ft.-lbs. @ 1600 RPM, minimum.

Engine shall be supplied with a low oil pressure and high water temperature warning system integrated in the engine electronic system.

Engine shall be equipped with a Donaldson dry-type air cleaner and an Alliance fuel filter/water separator with heated bowl and primer pump.

Radiator fan shall utilize a Horton HT650 on/off engine fan clutch type drive.

Anti-freeze/water mixture shall be rated at -34F degrees.

Diesel fuel tank shall have a minimum capacity of 50 U.S. gallons.

Diesel emissions shall be EPA 2015, with on-board diagnostics and have a minimum capacity of 6 U.S. gallons diesel exhaust emissions fluid tank.

The 50 gallon fuel tank, 6 gallon DEF tank and RH exhaust system shall not extend more than 2 inches back-of-cab to facilitate installation of the gutter brooms.

TRANSMISSION

Automatic transmission shall have six forward speeds and one reverse (Allison_3500RDS or equal). Transmission shift pattern shall be illuminated for night operation. Shift operation shall be by push button in lieu of shift lever.

Transmission shall be equipped with a heavy-duty oil cooler and magnetic drain plugs.

Synthetic transmission fluid (TES-295 compliant) shall be provided.

CAB

The forward line of sight (distance from operating position to view of ground) shall be 16 feet, maximum.

Steering shall be full power with dual operator controls. Dual OEM dash mounted instrumentation, including speedometer, odometer, tachometer, hour meter, water temperature, oil pressure, voltmeter, fuel gauge and transmission temperature gauge shall be supplied.

Dual steering shall include right and left steering wheels, brake and throttle pedals, dual turn signal controls and tilt adjustment.

Console shall have Left / Right primary driver switch, which changes controls for the operator station and instrumentation from, left to right and back.

Heater with full width defrosters, fresh air ducts and two-speed fan shall be supplied.

Dual high back Bostrom Air Ride T910-seats with Mordura cloth covers shall be supplied.

Each seat shall have a 3-point seat belt with automatic retractors and inside armrests.

Sweeper shall include two (2) door mounted outside heated and remote adjustable west coast type mirrors with molded in 8-inch convex auxiliary mirrors and dual adjustable convex fender mirrors with 8" inch round heads.

Cab shall be full width aluminum cab with air cab mounts, steel safety doors and a one-piece fiberglass-tilting hood.

Hydraulic functions shall be controlled by a single rocker switch that activates the hydraulic power, which is supplied from the "HOT SHIFT" PTO on the transmission. The hydraulic system must be able to be disengaged in case of a hydraulic oil leak, thus allowing transport capability without draining the hydraulic oil tank. Full time live hydraulics will not be acceptable.

For safety during night sweeping, rocker switches shall be illuminated and clearly marked for easy identification. All sweeper controls shall be mounted between the two operator stations for easy reach and visibility.

Cab shall be supplied with an AM/FM/WB Radio with Bluetooth.

Dual electric horns shall be supplied.

Cab shall be outfitted with a fresh air heater / ventilator / defroster / air conditioning. It shall have full flow through ventilation.

Windshield wipers shall be two speeds with washer and shall have an intermittent feature.

Interior of cab shall have acoustical insulation, automotive type trim and center console.

Mechanical Truck Mounted Street Sweeper (ES351)

Dashboard shall be fully faced with soft molded plastic; two-cup holders shall be included.

Left and right hand interior and exterior grab handles shall be supplied to aid in operator entry and exit from the cab.

Sweeper shall have an automatic electronic back-up alarm.

Each operator station shall have an adjustable sun visor.

Doors and ignition shall be keyed alike with four keys.

All glass shall be tinted safety glass.

Side windows shall have a defogger.

Door windows and door locks shall be power operated.

Manufacturer must certify that cab noise level while operating does not exceed 82 dB (A) (per 1919 testing).

LIGHTING

All lighting shall meet DOT safety requirements.

Front, rear, left and right sides shall have clearance lights.

Front and rear directional lights with emergency flasher shall be provided.

Work lights for each gutter broom and the rear broom shall be provided.

Dash, all console switches and all gauges shall be illuminated.

An automatic back-up light and electric alarm shall be activated when transmission is placed into reverse.

License plate holder shall be illuminated.

Vehicle shall have two rear side combination light/reflectors.

ELECTRICAL SYSTEM

Chassis alternator shall not be less than 160 amperes.

The system shall be a 12-volt negative ground system with dual Alliance Model 1231, Group 31, 12 Volt Maintenance Free 2250 batteries.

Unit shall be supplied with a positive load disconnect control switch, with locking provision mounted outside the cab.

Mechanical Truck Mounted Street Sweeper (ES351)

WHEELS & TIRES

Front tires shall be first line quality tubeless radial tires, 11R X 22.5, 14-ply rating. Rear tires shall be first line quality tubeless lug radial tires, 11R X 22.5, 16-ply rating.

Tires shall be mounted on 10 hub piloted steel disc 22.5/8.25 rims.

Rear axle shall be equipped with dual tires for load capacity and stability. Rear mud flaps shall be supplied.

All wheels shall be interchangeable to allow for emergency change at the job site.

DEBRIS BODY

The entire hopper body shall be fabricated from (9) gauge high content chromium stainless steel. All seams shall be continuously welded. To permit longer life and lower the cost of operation, the entire debris hopper shall carry a LIFETIME WARRANTY as long as the customer owns the sweeper. The warranty shall include, but not be limited to, the floor, sides, roof and side door. The warranty shall cover rust, corrosion and abrasion perforation, including normal wear and tear. Vendors will be financially responsible for all repairs, 100% parts and labor with no pro-rating, including protective coatings for the life of the sweeper. Vendors shall supply with their bids, warranty statements from the manufacturer in complete compliance with the published warranty specifications. Failure to do so will deem your bid as non-responsive.

The hopper shall be right side dumping, allowing an operator to observe the dumping process at all times from the cab without the use of mirrors. All dump volumetric capacity shall be not less than 4.5 cubic yards. A large hopper inspection door shall be supplied.

Hopper shall dump at varying heights ranging from 38 inches through a height of 12.5 feet.

Dump angle shall be 52 degrees minimum.

The lift mechanism shall be a double stage, scissors lift system. Hopper lift cylinders to be 3.5" x 33.5" stroke, minimum and hopper dump cylinders to be 3.5" x 19.8" stroke, minimum.

Hopper load shall be visible at all times from the cab through a glass window and skylight.

Maximum time for dump cycle shall not exceed 70 seconds.

Lift capacity shall be not less than 12,000 lbs.

Units that require the use of outriggers to stabilize the chassis during the dumping procedure shall not be acceptable.

Gutter Broom – Right and Left Side

Brooms shall be driven by a hydraulic motor directly mounted to broom disc plate. They shall be "Leading Arm" digger type. Trailing arm designs shall not be considered.

To hold broom pattern, regardless of up and down motion, arm suspension design shall be the parallelogram type.

Broom rotation speed shall be constant governed by a load sensing hydraulic system, regardless of engine RPM or sweeper ground speed.

Broom down pressure and independent speed shall be adjustable by operator from the cab while moving.

Broom shall be five (5) plastic segments, filled with 26" long tempered wire. Discs shall be cross-drilled for 5 or 4 segment usage.

Broom diameter shall not be less than 4 inches with un-handed design.

Broom location shall be positioned to provide best sweep path in relation to the main broom.

Each broom shall have a work light for night operation.

Side brooms must be capable of extending from 110" (2794 mm) to 144" (3657 mm) with both side brooms activated.

MAIN BROOM

Broom shall be direct drive by a hydraulic motor and shall be not less than 34" diameter and not less than 58" long.

Broom rotation speed shall be constant, governed by a load sensing hydraulic system, regardless of engine RPM or ground speed.

Broom shall be full floating type and shall be prefab disposable type, filled with 26" long polypropylene.

Broom side plates shall be equipped with steel T-Plate designed drag shoes.

Sweeping path shall be not less than 8 feet wide with one side broom activated, and not less than 10 feet wide with both side brooms activated.

Main broom shall be shielded by a poly broom hood. Poly hoods are preferred because of their imperviousness to damage and reduced weight contribution.

Main broom shall have a work light.

Main broom shall be hydraulically raised and lowered and be capable of movement independent of the conveyor assembly. This independent movement also avoids damage to

the main broom or the conveyor assembly during sweeping

SQUEEGEE CONVEYOR

Conveyor shall be able to load hopper to 100% of rated useable capacity.

Conveyor rotation, forward or reverse shall be selectable without leaving the cab. Hydraulic conveyor speed shall be constant governed by load sensing hydraulic system, independent of engine RPM or groundspeed.

Conveyor shall be constructed of 12 rubber-edged flights driven by steel roller type chain on polyurethane sprockets (rubber chains with steel sprockets are not acceptable). The floor plate shall be a bolt in construction, four-piece design, manufactured of high chromium, low nickel abrasion resistant stainless steel.

Conveyor shall be reversible in direction. The main broom shall stop rotation while conveyor is reversed.

Conveyor shall be capable of effectively sweeping debris of varying sizes without the need to make any manual adjustments to the conveyor system. In cab conveyor height adjustment, independent of the main broom shall be supplied.

To provide proper clearance during variable sweeping conditions, the lower portion of the conveyor shall be capable of raising 3 inches while sweeping, independent of main broom height.

Conveyor width shall, as close as possible, match the width of the main broom, 58" inches, plus or minus 1.5 inches.

WATER SYSTEM

Tank capacity shall be 360 U.S. gallons, minimum.

Tank shall be baffled and constructed of a polyethylene material.

Hydraulically driven water pump shall be twin diaphragm, self-priming type capable of running dry without damage.

A water level indicator shall be located within the cab.

Sweeper shall be equipped with 12 spray nozzles for dust suppression (4 spray nozzles over each side broom and 4 spray nozzles to be located at the front mounted spray bar).

Water fill hose shall be not less than 25' in length, equipped with quick coupler.

Water to each area, side broom left or right and front spray bar shall be cab controlled.

An in-line water filter with shut off valve shall be in water system to prevent contaminants from entering the water system

Tank shall be equipped with an anti-siphon device.

PNEUMATIC SYSTEM

There shall be a standard air system pressure protection guard for the chassis air supply.

All pneumatic cylinders shall be interchangeable.

All pneumatic cylinders must be rated to 150 PSI and have a separate rod seal and wiper to prevent contamination entering the cylinder.

ELECTRICAL SYSTEM

Sweeper electrical system shall be integral to the chassis electrical system.

Sweeper shall have an electronic back-up alarm for additional warning and safety when chassis is in reverse.

Sweeper lighting shall include rear identification lights, side broom and rear clearance lights.

Sweeper wiring harnesses shall be color-coded.

For safety, all electrical circuits must be protected by circuit breakers or fuses.

HYDRAULIC SYSTEM

Reservoir shall have a capacity of 20 gallons, minimum, with outside level indicator.

A single, direct driven, variable displacement piston type pump with load sensing capabilities is to be provided. It must adjust flow based upon hydraulic oil demand in the sweeping gear to maximize efficiency and reduce heat for longevity of all the hydraulic systems. To prevent contamination of the reservoir during the dump cycle, the reservoir vent shall be equipped with a 40-micron breather filter.

To prevent the possibility of contamination and the resulting damage to the hydraulic system, return lines to have 10-micron filter with cab mounted restriction indicator.

All sweeper hydraulics are to be centrally located in a Systems Control Locker for ease of access.

For ease and accuracy of testing and maintenance, all hydraulic valves are to be fitted with light emitting diodes and manual overrides to signal function.

CONTROLS

All sweeper controls shall be mounted on a raised, adjustable central console located between the left and right operator's position and access. The controls shall include all sweep, hopper, elevator, and lighting functions and shall all be located on the raised operator control console.

The controls for sweep, spray water, and lighting functions shall be conventional rocker

INSTRUMENTS

Sweeper instruments shall include right and left side broom down pressure, hydraulic filter restriction indicator, hydraulic oil temperature warning light, spray water level indicator.

Oil cooler, hydraulic tank and electrical locker shall be located behind large access doors, protected from the elements.

Rear compartment features a large, roll-up style door, 40"x30", giving access to a large, 50x40x30" storage compartment for operator's tools and supplies.

PAINT

All visible exterior metallic surfaces shall be aluminum oxide beaded prior to the application of a corrosion resistant primer (60 micron nominal). The gloss top coat is to be a two-part epoxy (60 micron nominal).

Color shall be standard white.

All underslung sweep gear and bracketry is to be hot washed, zinc phosphate and powder coated painted dark grey for extreme protection in a sweeping environment.

WARRANTY SERVICE REPAIRS MUST BE INITIATED WITHIN TWO (2) HOURS OF NOTIFICATION.

THE BASIC TRUCK CHASSIS & DRIVE TRAIN SHALL BE WARRANTED BY THE MANUFACTURER FOR TWO (2) YEARS, UNLIMITED MILES, UNLESS OTHERWISE SPECIFIED. THE SWEEPER AUXILIARY ENGINE SHALL CARRY A TWO (2) YEAR WARRANTY, 100% PARTS AND LABOR MINIMUM. THE DEBRIS HOPPER SHALL CARRY A NON-PRORATED LIFETIME WARRANTY.

WARRANTY: 2 Year Bumper to Bumper; Lifetime on Debris Hopper

MANUALS: (2) PARTS, (2) SERVICE MANUALS, (2) WIRING DIAGRAMS IF MANUFACTURER STILL PROVIDES. IF NO MANUALS, CD'S WILL BE ACCEPTED

A SWEEPER PARTS MANUAL SHALL BE PROVIDED.

A SWEEPER OPERATION AND MAINTENANCE MANUAL SHALL BE PROVIDED. A TRUCK CHASSIS OWNER/OPERATOR MANUAL SHALL BE PROVIDED. ALL MANUALS SHALL BE ORIGINALS; PHOTOCOPIES SHALL NOT BE ACCEPTABLE. MECHANICAL TRUCK MOUNTED STREET SWEEPER (ES351)

SAFETY: MUST MEET OR EXCEED ALL FEDERAL AND STATE SAFETY STANDARD

DATE: 11/07/2018
BID NO.: 50-00124604

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

BUYER: MCamardelle@jeffparish.net

BIDS WILL BE RECEIVED IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053 UNTIL 2:00 PM, 11/27/2018 AND PUBLICLY OPENED THEREAFTER.

For convenience, bidders may also submit bids in the East Bank Purchasing Department, Suite 404, Jefferson Parish Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Jefferson LA 70123. However, if submitting bids on the day of bid opening, bidders must submit at the West Bank location only. All bids will be publicly opened at the West Bank location.

At no charge, bidders may also submit via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

Unless submitting via online (see Page 3), each bid must be submitted in a sealed envelope bearing on the outside; the name of the Bidder, his address, and the name of the project for which the bid is submitted and the bid number.

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647.

Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in Louisiana Revised Statutes Annotated, R.S. 42:1101, et seq. Vendor/Proposer by this submission, warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Further, a current W-9 form and respective Tax Identification number must be supplied upon contract execution, should you be awarded a contract and/or issued purchase order. Failure to do so may result in delay of payment.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing via email to the buyer's email address as indicated above, no later than Five (5) working days prior to the bid opening. Bid numbers should be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

DATE: 11/07/2018

BID NO.: 50-00124604

Page: 2

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submitted a bid in response to this solicitation may submit a protest in writing to the Director of the Purchasing within 48 hours of bid opening. The Purchasing Director will review it in connection with the Parish Attorney's Office which will then respond in writing as soon as possible.

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA - R.S. 38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and Parish taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are encouraged to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 dated 12/09/09. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

13, 15

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Prior to contract executions/purchase order issuance, the successful bidder will be required to provide final insurance certificates which shall name Jefferson Parish as an additional insured in accordance with the instructions in the aforementioned "Standard Insurance Requirements" sheet.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies) If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required in conformity with the provisions contained in LSA - RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.
17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owned on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

See Page 1 for Conflicts of Interest Statement

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO X

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____%

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF January 31, 2019

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

150 Days

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: Vacuum Truck Sales & Service, L.L.C.

ADDRESS: 9236 Ashland Rd

CITY, STATE: Gonzales, LA ZIP: 70737

TELEPHONE: (225) 744-2850 FAX: (225) 744-2852

EMAIL ADDRESS: dtaylor@vtsales.net

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
NUMBER: _____
NUMBER: _____
NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ _____

AUTHORIZED SIGNATURE: Davis Taylor

Davis Taylor

Printed Name

TITLE: Equipment Sales

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124604

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	1.00	ONLY	<p>PURCHASE OF STREET SWEEPER FOR THE JEFFERSON PARISH DEPARTMENT OF PARKWAYS</p> <p>0010 Street Sweeper with Squeegee Elevator, Six Wheel, Single Engine, Dual Broom</p> <p>See attached Specifications</p> <p><i>Two hundred seventy-four thousand, three hundred fifty & $\frac{100}{100}$. FOB Jefferson Parish</i></p>	<p><i>\$274,350.00</i></p>	<p><i>\$274,350.00</i></p>


CORPORATE RESOLUTION

MEMBERS
EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF
VACUUM TRUCK SALES & SERVICE, LLC
INCORPORATED.

MEMBERS
AT THE MEETING OF DIRECTORS OF VACUUM TRUCK SALES & SERVICE, LLC
INCORPORATED, DULY NOTICED AND HELD ON 11-12-2018,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT DAVIS TAYLOR, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE ~~CORPORATION~~ ^{COMPANY} WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS ~~CORPORATION~~ ^{COMPANY} IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
~~CORPORATION~~ ^{COMPANY} HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE ~~BOARD OF~~ ^{MEMBERS}
~~DIRECTORS~~ ^{COMPANY} OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.



SECRETARY-TREASURER

11/12/18

DATE

Non-Public Works Bid Affidavit Instructions

- **Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and parish laws.**
- **Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.**
- **Affidavit must be notarized or the affidavit will not be accepted.**
- **Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.**
- **Affiant MUST select either A or B when required or the affidavit will not be accepted.**
- **Affiants who select choice A must include an attachment or the affidavit will not be accepted.**
- **If both choice A and B are selected, the affidavit will not be accepted.**
- **Affidavit marked N/A will not be accepted.**
- **It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.**

Instruction sheet may be omitted when submitting the affidavit

Non-Public Works Bid

AFFIDAVIT

STATE OF MISSISSIPPI

PARISH/COUNTY OF RANKIN

BEFORE ME, the undersigned authority, personally came and appeared: DAVIS

TAYLOR, (Affiant) who after being by me duly sworn, deposed and said that he/she is the fully authorized AGENT of VACUUM TRUCK SALES & SERVICE, LLC (Entity)

the party who submitted a bid in response to Bid Number 50-00124604 to the Parish of Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B X there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B X There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

Davis Taylor

Signature of Affiant

Davis Taylor

Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME
ON THE 12TH DAY OF NOV, 2018.

Carolyn H. Berry

Notary Public

CAROLYN H. BERRY

Printed Name of Notary

78929

Notary/Bar Roll Number



My commission expires SEPT. 26, 2021

License No. SV-2018-00128
DPS Code: S VA

2018-2020

Not Transferable
Valid Only at Address Below

Louisiana Motor Vehicle Commission

This Certifies that

Vacuum Truck Sales & Service, LLC
9236 Ashland Road
Gonzales, LA 70737

is duly licensed as a
Specialty Vehicle Dealer

For the period ending May 31, 2020, unless license is sooner revoked.

In Witness whereof, LOUISIANA MOTOR VEHICLE COMMISSION, under and by virtue of the authority vested in it by the laws of the State of Louisiana, has caused this license to be issued with its seal imprinted hereon.

Dated August 1, 2018
Signed, Sealed and Attested


Executive Director


Chairman

LOUISIANA MOTOR VEHICLE COMMISSION



(To be prominently displayed in place of business)

License No. SV-2018-00063

2018-2020

Not Transferable

Louisiana Motor Vehicle Commission

This Certifies that

William Davis Taylor of Springfield, LA
has been licensed by this Commission as a
MOTOR VEHICLE SALESMAN, AUTHORIZED TO SELL SPECIALTY VEHICLES ONLY
Employed by Specialty Vehicle Dealer Licensee
SV-2018-00128
Vacuum Truck Sales & Service, LLC
9236 Ashland Road
Gonzales, LA 70737

pursuant to the laws of the State of Louisiana for the period ending May 31, 2020.

Louisiana Motor Vehicle Commission



Dated August 2, 2018

Executive Director

NOTE: This Certificate is to be retained by the Employer.
It is to be returned by the Employer to the Commission
Office at 3519 12th Street, Metairie, LA 70002, within ten
days of the termination of the Salesman's employment.

Termination Date:

Louisiana Motor Vehicle Commission

License No. SV-2018-00063

2018-2020

This is to Certify that
William Davis Taylor of Springfield, LA
has been duly licensed by this Commission as a
MOTOR VEHICLE SALESMAN,
AUTHORIZED TO SELL SPECIALTY VEHICLES ONLY
Employed by Specialty Vehicle Dealer Licensee
SV-2018-00128 Vacuum Truck Sales & Service, LLC
Gonzales, LA 70737

For the period ending 5/31/2020.
Louisiana Motor Vehicle Commission

Executive Director

(OVER)

Dated: 8/02/2018



LIMITED WARRANTY

Johnston North America Inc. ("Johnston") warrants to the original end user purchaser ("You" or "Your") that Johnston's product (the "Product") will be free from material defects in workmanship and materials under normal use and service during the **first two thousand (2,000) hours of operation or for a period of twenty-four (24) months from the date of purchase, whichever occurs first.** Johnston further warrants to You that with respect to Johnston-branded spare parts, each such spare part which is installed in a Product in connection with a valid warranty claim will be free from material defects in workmanship and materials under normal use and service for a period of twelve (12) months from the date of installation.

The following are additional terms applicable only to the particular Product or parts identified (and subject to all other terms in this Limited Warranty):

HOPPER WARRANTY STATEMENT - Truck Mounted V, R & ES - Range Sweepers

Johnston North America hereby certifies that the sweeper's Debris Hopper Body, excluding normal wear and tear and excluding inlet wear tubes, plates and screens, shall be warranted against rust perforation, corrosion perforation and any failure of the internal hopper protective coatings for the lifetime of the sweeper, provided the sweeper is continuously owned by the original purchaser, and provided the warranty is requested in the customer's bid specifications. Coverage includes parts and labor in accordance with the terms in the Limited Warranty. This additional limited warranty is not transferable.

IMPELLER/SUCTION FAN DRIVE SYSTEM WARRANTY STATEMENT - Truck Mounted V & R-Range Vacuum Sweepers

Johnston North America hereby certifies that the sweeper's impeller/suction fan drive system, excluding the auxiliary engine and suction fan, shall be warranted for five (5) years from the original date of purchase of the sweeper, provided the sweeper is continuously owned by the original purchaser and provided the warranty is requested in the customer's bid specifications. Coverage includes all components between the engine flywheel and the suction fan. The warranty shall also cover normal wear items such as belts, pulleys, bearings, shafts, fluid couplings, clutches and seals. Coverage includes parts and labor in accordance with the terms in the Limited Warranty. This additional limited warranty is not transferable.

There is NO WARRANTY in cases of damage in transit, negligence, abuse, abnormal usage, misuse, accidents, normal wear and tear, damage due to environmental or natural elements, failure to follow Johnston's instructions, or improper installation, storage or maintenance. This Limited Warranty does not cover chassis or engines, and Johnston's sole obligation with respect to such chassis and engines shall be limited to assigning or transferring to You any written warranty extended to Johnston by the manufacturer thereof, to the extent such warranty may reasonably be assigned or transferred. However, Johnston does not guarantee that the manufacturer will comply with any of the terms of its warranty. This Limited Warranty does not cover any of the following: (1) parts designated by Johnston as consumable items; (2) fuel, hydraulic fluid, antifreeze and other lubricants used in connection with maintenance or warranty work; or (3) downtime incurred in connection with maintenance or warranty work. Improper or incorrectly performed maintenance or repair that causes damage to the Product will void this Limited Warranty. This Limited Warranty applies only to original equipment supplied by Johnston and to genuine Johnston-branded spare parts. Without limiting any of the foregoing, there is NO WARRANTY for unauthorized parts or materials, or for any equipment failure caused by the use of such unauthorized parts or materials including, without limitation, non-OEM brooms, hoses and filters. Johnston must have received Your properly completed warranty registration card within fifteen (15) days of Your purchase of the Product or the Limited Warranty shall not apply and there shall be NO WARRANTY. This Limited Warranty is not transferrable.

The availability of relief under this Limited Warranty is conditioned on: (a) Your delivery of written notice (as described below) of the defect within thirty (30) days after Your discovery of the defect (or if the defect is discovered during delivery to You, within 24 hours after such delivery), which notice must include a detailed written report describing (i) the problem, (ii) the circumstances under which the problem was discovered, and (iii) any additional relevant information; and (b) defective part(s) being held by You until disposal or return has been authorized in writing by Johnston. For the avoidance of doubt, if any of the foregoing conditions are not met, then there is NO WARRANTY.

Johnston's sole and exclusive obligation under this Limited Warranty (and Your sole and exclusive remedy) shall be, upon prompt written notice by You to Your authorized North America Johnston dealer of any claim or breach during the

applicable warranty period, to either, at Johnston's option, repair or replace without charge, any Product or Johnston-branded part found by Johnston to be covered by and in breach of this Limited Warranty.

Notice of any warranty claim or request for warranty service should be sent to the Johnston-authorized dealer that sold the Product to You, or any other person authorized by Johnston in writing. It is Your responsibility to perform the recommended maintenance at the intervals outlined in the applicable Product manual or in accordance with other written instructions provided by Johnston. You will be responsible for transportation of the Product to and from an authorized dealer's place of business.

Any assistance Johnston provides to or procures for You outside the terms, limitations or exclusions of this warranty will not constitute a waiver of the terms, limitations or exclusions of this Limited Warranty, nor will such assistance extend or revive the warranty.

Johnston will not reimburse You for any expenses incurred in repairing or replacing any defective Products, except for those incurred with Johnston's prior written permission.

This warranty gives You specific legal rights, and You may also have other rights which vary from state to state.

THE EXPRESS WARRANTIES SET FORTH HEREIN ARE EXCLUSIVE AND IN LIEU OF ALL OTHER EXPRESS WARRANTIES. JOHNSTON HEREBY DISCLAIMS AND EXCLUDES ALL OTHER EXPRESS AND IMPLIED WARRANTIES INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow limitations on how long an implied warranty lasts, so the limitation in the prior sentence may not apply to You. Any oral or written description of the Products is for the sole purpose of identifying the Products and is not an express warranty. No person is authorized to make any other warranty or assume for Johnston any liability not strictly in accordance with this Limited Warranty. Prior to using or permitting use of the Products, You agree to determine the suitability of the Products for the intended use and further agree to assume all related risk and liability. You agree that Johnston has no post-sale duty to warn You or any other party about any matter.

YOU AGREE THAT JOHNSTON WILL NOT BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, INDIRECT OR SPECIAL DAMAGES. JOHNSTON'S AGGREGATE LIABILITY WITH RESPECT TO ANY PRODUCT AND THIS CONTRACT SHALL BE LIMITED TO THE MONIES RECEIVED BY JOHNSTON FOR THE PRODUCT(S) GIVING RISE TO THE CLAIM. Some states do not allow the exclusion or limitation of incidental and consequential damages, so the above limitation or exclusion may not apply to You.

Whenever possible, each provision of this Limited Warranty shall be interpreted in such manner as to be effective and valid under applicable law, but if any portion is deemed invalid or unenforceable, the remaining portions shall still be enforceable.



Freightliner (FTL)



Run Smart™

Freightliner Medium Truck

Coverage ¹		
Description	Time ²	Distance ²
Basic Vehicle	2 Years	Unlimited
Battery	1 Year	100,000 mi/161 000 km
Brightwork	6 Months	Unlimited
Cab Corrosion/Perforation	5 Years	Unlimited
Cab Structure	5 Years	Unlimited
Corrosion	6 Months	Unlimited
Crossmembers	5 Years	Unlimited
Diesel Emission 2010 ³	5 Years	100,000 mi/161 000 km
Frame Rails	5 Years	Unlimited
GHG14 ⁴ (Light Heavy Duty Trucks)	5 Years	50,000 mi/80 500 km
GHG14 ⁴ (Medium Heavy Duty to Heavy Heavy Duty Trucks)	5 Years	100,000 mi/161 000 km
GHG14 ⁴ (Medium Heavy Duty to Heavy Heavy Duty Tractors)	5 Years	100,000 mi/161 000 km
GHG14 ⁴ Tire	2 Years	24,000 mi/38 400 km
Hybrid Transmission – Eaton ⁵	3 Years	150,000 mi/240 000 km
Paint	1 Year	100,000 mi/161 000 km
Paint, Chassis	6 Months	Unlimited
Front Axle ⁶	2 Years	Unlimited
Rear Axle	2 Years	Unlimited
Transfer Case	2 Years	Unlimited
Transmission ⁵	2 Years	Unlimited
Detroit Front Axle ⁶ (File Direct)		
Post-Model Year 2011 ⁷	2 Years	Unlimited
Post-Model Year 2011 ⁸	4 Years	Unlimited
Detroit Rear Axle (File Direct)		
Post-Model Year 2011 ⁷	2 Years	Unlimited
Post-Model Year 2011 ⁸	4 Years	Unlimited
Detroit DT-12 Transmission ^{5,9} (File Direct)	5 Years	750,000 mi/1 200 000 km

¹Coverage may vary; check vehicle's actual warranty coverage online via OWL's Coverage Info/Check Coverage screen.

²Time or distance, whichever comes first

³Applies to vehicles equipped with EPA 2010 compliant diesel engines.

⁴Applies to models 2013 and later domiciled in the United States, check actual warranty online via OWL's Coverage Info/Check Coverage screen for coverage listed as GHG14...".

⁵Customers will have only one (1) type of transmission coverage, depending on how the vehicle is spec'd.

⁶Front axle coverage is also applicable to gliders.

⁷Medium Duty – General Service: Warranty coverage is determined by Gross Combination Weight Rating, road surface, and vocation. Please see www.ddcsn.com for specific coverage details.

⁸Medium Duty – General Service Plus: Warranty coverage is determined by Gross Combination Weight Rating, road surface, and vocation. Please see www.ddcsn.com for specific coverage details.

⁹Detroit Transmission: Warranty coverage is determined by Gross Combination Weight Rating, road surface, and vocation. Please see www.ddcsn.com for specific coverage details.

Warranty Statement & Warranty Coverage Descriptions follow on page two of this document.

The information provided in this document is for general information only and is not offered as customer's warranty.

This coverage may be superseded without notification.

Copyright © Daimler Trucks North America LLC. All rights reserved. Daimler Trucks North America LLC is a Daimler company.

Warranty Statement

1.1 New Vehicle Coverage

The following section outlines Company standard warranty coverages for all Company vehicles, apparatus or chassis or cabs sold by Daimler Trucks North America and domiciled in the USA (50 states and Washington, D.C.) and Canada. This information is also included in the Owner's Warranty Information Booklet.

See Warranty Coverage Descriptions for standard warranty coverages by make and model. Additional coverage may apply, verify actual coverages with your local dealership for specific vehicle warranty.

1.2 New Vehicle Limited Warranty

Under this New Vehicle Limited Warranty ("Warranty"), Company warrants that each new vehicle will be free from defects in material and workmanship that occur under normal use within the applicable warranty period, subject to certain limitations and exclusions as specified in this document.

This limited warranty applies only to new vehicles sold by an authorized Daimler Trucks North America (DTNA) dealer or ordered directly from DTNA; vehicles sold at auction or as a result of repossession retain the warranty coverage from the original in-service date or factory invoice date if the vehicle has not been warranty registered.

Daimler Trucks North America LLC reserves the right to reduce or remove coverage on vehicles in salvage condition.

This Warranty covers all components and parts unless specifically covered by other warranties or otherwise excluded by this document.

1.3 Limitations

This Warranty does not apply to vehicles that are sold or domiciled outside of the United States (50 states and Washington, D.C.) or Canada.

This Warranty does not apply to engines, Allison transmissions, tires, or other components or parts that are not manufactured by Company and that are warranted directly by their respective manufacturers. Progressive damage caused by these manufacturers' components to any other parts including, but not limited to, parts installed by Company is excluded from Company warranty coverage. With respect to the foregoing, Company makes no warranty whether express, implied, statutory or otherwise including, but not limited to, any warranty of merchantability or fitness for a particular purpose.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES OF ANY KIND WHETHER WRITTEN, ORAL, OR IMPLIED INCLUDING, BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THIS WARRANTY SPECIFICALLY EXCLUDES ANY OTHER

WARRANTIES OR CONDITIONS PROVIDED FOR BY LAW, WHETHER STATUTORY OR OTHERWISE.

COMPANY'S SOLE OBLIGATION UNDER THIS WARRANTY SHALL BE TO REPAIR OR REPLACE, IN COMPANY'S SOLE DISCRETION, ANY DEFECTIVE COMPONENT OR PART. SUCH REPAIR OR REPLACEMENT SHALL BE WITHOUT COST TO PURCHASER WHEN PERFORMED WITHIN THE APPLICABLE WARRANTY PERIOD (TIME, DISTANCE, OR HOUR LIMIT, WHICHEVER OCCURS FIRST).

Purchaser must notify Company within the applicable warranty period, of any failure of the vehicle to comply with this Warranty and Purchaser must, at Purchaser's expense, promptly return the vehicle to an Authorized Service Facility for inspection and repair or replacement of any defect in material or workmanship occurring within the applicable warranty period. During New Vehicle coverage, warranty reimbursement will not be paid on repairs performed by customers on their own vehicles without a current Customer Performed Warranty Agreement (CPWA).

The vehicle must be maintained and serviced according to the prescribed schedules outlined in the Driver's/Operator's and Maintenance Manuals. Receipted bills and other evidence that required maintenance and service have been performed are required by Company as a condition of this Warranty.

After the Company's obligations under this Warranty expire, all liabilities of Company to Purchaser under this Warranty shall terminate. Repairs made under this Warranty do not constitute an extension of the original Warranty period for the vehicle or for any specific component or part.

To the extent that any provision of this Warranty contravenes the law of any jurisdiction, such provision shall be inapplicable in such jurisdiction, and the remainder of the warranty shall not be affected.

1.4 Purchaser's Exclusive Remedy

THIS WARRANTY SHALL BE THE PURCHASER'S SOLE AND EXCLUSIVE REMEDY AGAINST COMPANY, WHETHER IN CONTRACT, UNDER STATUTE (INCLUDING STATUTORY PROVISIONS AS TO CONDITIONS AS TO QUALITY OR FITNESS FOR ANY PARTICULAR PURPOSE OF GOODS SUPPLIED PURSUANT TO THE CONTRACT OF SALE), WARRANTY, TORT, STRICT LIABILITY, OR ANY OTHER LEGAL THEORY.

1.5 Limitation of Liability

COMPANY'S LIABILITY UNDER THIS WARRANTY IS LIMITED TO THE COST TO REPAIR OR REPLACE, IN COMPANY'S SOLE DISCRETION, THE DEFECTIVE COMPONENT OR PART THAT IN NO EVENT SHALL EXCEED THE FAIR MARKET VALUE OF THE VEHICLE AT THE TIME THE DEFECT IS DISCOVERED.

IN NO EVENT SHALL COMPANY BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES INCLUDING, BUT NOT LIMITED TO, INJURIES TO PERSONS OR DAMAGE

TO PROPERTY, LOSS OF PROFITS OR ANTICIPATED PROFITS, OR LOSS OF VEHICLE USE.

1.6 Exclusions

The following components, parts, or conditions are specifically excluded from coverage under this Warranty.

AERODYNAMIC WHEEL COVERS

Aerodynamic wheel covers are excluded from coverage under this Warranty

AIR SPRINGS

Tolerance buildup can occur during the assembly process of the rear suspension and rear cab air springs, and can cause the springs to have the appearance of being crooked, misaligned or improperly installed. This tolerance buildup is not detrimental to the operation of the vehicle and will not have an effect on either the quality of the ride or the durability of the components or vehicle. Straightening of these springs is not covered under this Warranty.

ALIGNMENT OF AXLES/WHEELS/STEERING

Each DTNA vehicle manufacturing plant uses an integrated alignment system to align axles and wheels and to center the steering wheel to Daimler Trucks North America LLC specifications. Realignment or readjustment of these items, including steering stops and steering poppets, is not covered under warranty.

Any special alignment settings at the request of the Owner must be handled between the Dealer and Owner after delivery from factory. These special adjustments are not covered under Warranty.

AXLE BREATHER VENTS

During the vehicle manufacturing process, an oil run or drip stain may appear at the breather vent. Removing the vent, applying pipe sealant to the threaded vent fitting and re-installing the vent is unnecessary. Removing the axle breather vent and re-sealing the threaded fitting is not covered under this Warranty.

CAB INTERIOR COMPONENTS

The repair or replacement of cab interior components that are rendered unserviceable due to normal wear or abuse are not covered under this Warranty.

These components include, but are not limited to:

- Curtains
- Floor coverings (including floor mats)
- Painted trim components
- Steering wheel
- Steering wheel wrap
- Upholstery
- Window shades

CHROME SURFACES, ALUMINUM AND STAINLESS STEEL COMPONENTS

The following items ARE covered under this Warranty:

- Chrome peeling off in sheets
- Chrome cut at mounting bolts due to over-torque at the factory
- Bubbles in the chrome that are not caused by rock chips and/or general rust conditions
- Isolated rust along seams or welds

The following items are NOT covered under this Warranty:

- General rust, for example, rust on the unfinished backside of a bumper
- Dimpling at the mounting bolts
- Staining, bluing, and/or yellowing that can be cleaned with a quality cleaning-product
- Rust, pits, and/or nicks caused by road wash or road debris breaking the chrome surface
- Streaks/stains/corrosion caused by severe wash solutions or corrosive road salts/chemicals

Claims pertaining to failures of chrome surfaces, aluminum, and stainless steel components will not be processed unless a clear digital picture is provided that adequately shows the defect.

CLUTCH ADJUSTMENT

Clutch adjustments are normally required due to clutch wear and are considered normal maintenance. However, if the clutch adjustment is found to be outside of Company specifications during, or prior to, in-service of the vehicle, a warranty claim will be accepted on a one-time basis.

Claims for clutch adjustments will not be accepted unless the adjustment is found to be outside of Company specifications using the special clutch adjustment measuring tools provided by Company (e.g., adjusting the clutch to satisfy feel will not be accepted as warranty).

COMPETITION

Warranty will become void on any vehicle that is used in competition, including but not limited to:

- Racing
- Tractor pulls
- Other motor sports

CONSUMABLE PARTS

Parts that are subject to consumption during their normal service life and are routinely replaced during normal maintenance services are covered up to 15,000 miles (24 000km) for all Daimler Trucks North America LLC vehicles except for Thomas Built Bus (TBB) bodies and chassis. TBB consumable parts are covered up to 30 days from date of in-service.

These items are:

- Antennas
- Ashtrays
- Belts
- Brake Linings
- Cigarette lighter assembly
- Clutch brake
- Clutch linings
- Data logger batteries
- Desiccant cartridges
- Fire extinguishers
- Fluorescent ballast and tubes
- Fuses
- Gladhand
- Hosetennas
- Light bulbs
- Mattresses
- Mud flaps
- Mud flap mounting brackets
- Caps (including, but not limited to, DEF, fuel, radiator, surge tank)
- Receiver-dryer filter
- Trailer air hoses
- Trailer electrical cables

- Windshield washer nozzles
- Wiper arms and blades (TBB makes – wiper blades only)

Consumable parts NOT covered under this Warranty include, but are not limited to, the following:

- Antifreeze
- Filters (fuel, air, oil, water)
- Fluids (unless low due to a warrantable failure)
- Lubricant

CORROSION

A detailed list of exclusions for CORROSION is listed under Warranty Coverage Descriptions.

DAMAGE

The following are not covered under this Warranty:

- Damage caused by use of the vehicle in any application that is not approved or is inconsistent with build specifications
- Damage resulting from improper use or misuse or abuse, negligence, improper operation, improper or insufficient maintenance (including, but not limited to failure to maintain vehicle as outlined in the driver's/operator's and maintenance manuals), overloading, unauthorized modifications, accidents, or operation at excessive speeds
- Environmental damage, including airborne fallout (including chemicals, tree sap, etc.), or other atmospheric conditions, hailstones, or other acts of nature
- Damage caused by road salts/chemicals or cleaning solvents, detergents or compounds
- Storage deterioration including damage caused by improper or insufficient storage or maintenance
- Damage caused by road hazards or road conditions
- Damage caused during shipping/transport after initial delivery of vehicle
- Damages (including peeling or flaking) caused by high-pressure washing or steam-cleaning
- Damages occurring after in-service (e.g., from rock chips)
- Damages caused by customer-installed sealer in air conditioning systems
- Damages caused by engine horsepower/torque upgrades
- Damage due to vibration associated with misapplication or improper operation of drivetrain components
- Damage due to terrorist activities
- Damage due to acts of war

ENGINE

The engine, including all of its components as supplied by the engine manufacturer, is not covered under this Warranty, but is warranted separately by the manufacturer of the engine. For engine warranty or service, contact the engine manufacturer's authorized sales and service facility.

ENGINE BRAKES, AIR COMPRESSORS, AND OTHER PROPRIETARY ENGINE COMPONENTS

The engine manufacturer installs most air compressors and engine brakes. Any failure of a proprietary engine component or Jacob[®] Brake component must be filed directly to the engine manufacturer. Failures on non-proprietary engine components can be filed through DTNA.

EXHAUST SYSTEM CLAMPS

During the early life of the vehicle or when the engine is cold, many exhaust clamps exhibit a soot trace. This condition is self-correcting and does not require adjustment, tightening, or replacement of the clamp. Claims for adjusting or tightening will not be paid under warranty.

FIFTH WHEELS

Adjustment of the locking mechanism, bushings, slide locking plungers, and the repair or replacement of lock guards are considered routine maintenance and are not covered under this Warranty.

GLASS, MIRRORS, LENS

Glass, mirror, or lens breakage or chips or scratches of glass, mirrors, or lenses are not covered by this Warranty.

MISAPPLICATION OF VEHICLE

The warranty on any vehicle used inconsistent with its specified vocation/application will be downgraded to the warranty that is consistent with the vehicle use. Any and all claims associated with the misapplication of the vehicle will be subject to chargeback.

MISCELLANEOUS EXPENSES

Premium charges and work not directly related to the repair or replacement of a warranted part are not covered under this Warranty. Examples include, but are not limited to:

- Federal, state, provincial, and local taxes
- Travel expenses
- Loss of revenue
- Customer labor, including overtime labor
- Downtime
- Driver's expenses
- Cost of rental equipment
- Loss of cargo, including perishable cargo
- General housekeeping supplies (i.e., rags, solvents, sweeping compounds, coveralls, etc.)
- Communication charges
- Towing/road call assistance (unless coverage is specifically stated in the applicable warranty coverage table)
- Repair or replacement of optional items not sold or installed by company
- Removal or replacement of dealer, body builder, or customer installed equipment
- Environmental fees, cleanup, or other charges
- Cost of emergency services

MODIFICATIONS TO ORIGINAL EQUIPMENT

Company does not warrant vehicle component or chassis modifications, or equipment installations arranged by Dealers or Customers. In addition, the extra time necessary to remove body builder installed items and/or equipment to work on a warranted repair is not covered under this Warranty unless Company sells the complete chassis/body/equipment as a package.

If Dealers or Customers perform any vehicle modifications or equipment installations, to the extent these modifications or equipment installations adversely affect other vehicle components or vehicle performance, Company shall not accept any product liability or claims under the terms of the vehicle warranty. These claims become the sole responsibility of the person performing the modifications or equipment installations.

PAINT

The following exclusions to paint warranty include, but are not limited to:

- Complete chassis re-painting to repair paint damages
- Damages occurring after in-service (e.g., from rock chips)
- Peeling/flaking caused by high-pressure washing or steam cleaning
- Rusting of painted bumpers
- Removal and/or replacement of decals, striping, and/or lettering not applied by Company
- Specific areas of the vehicle are deliberately not painted or are not painted to any standard; paint repairs are not warrantable to such areas. These areas include:
- Underside of the hood, including the inside of the wheel wells
- Underside of the roof-mounted air fairings
- Underside of the exterior sun visor
- Inside of the side-mounted air fairings
- Inside of the bumper
- Aftertreatment devices

Gloss

Gloss Warranty claims pertaining to gloss issues on vehicles painted with low-gloss colors (identified in the Data Books) will not be covered under this Warranty.

SHIP LOOSE ITEMS AND COMPONENTS

During the manufacturing process, certain vehicle components are normally placed in the cab of the vehicle or strapped down to the chassis for security reasons. It is the Dealer's responsibility to mount these "ship loose" items in the correct location on the vehicle. Mounting of "ship loose" items will not be covered under warranty.

These items include, but may not be limited to, the following:

- Aerodynamic wheel covers
- Antennas
- Fire extinguishers
- Trailer air hoses
- Trailer electrical cables
- Winter fronts
- Tire inflation hoses
- Spare wheels/tires
- Chrome lug nut covers
- Driver's pouch
- Jacks

Daimler Trucks North America has established a Roof Fairing Removal program in order to reduce transport related damage. The Transporter will remove the fairing during the decking process and secure the fairing on the frame rail of the unit. Benefits for this program include fewer units towed in reverse and an overall improved delivery process.

Some units will continue to be received with the fairing collapsed. It is the Dealer's responsibility to mount these fairings correctly. Claims for mounting of these collapsed fairings will not be covered under warranty.

Those units received with the fairing removed, DTNA warranty will reimburse for the re-installation of the roof fairing prior to delivery to the end customer.

If vehicle is drop shipped directly to customer:

Transporter notifies customer that roof fairing has been removed for transport and arranges for re-installation prior to or at delivery.

- If customer has facilities for re-installation of roof fairings, then fairings will be re-installed at final delivery location.
- If customer does not have facilities to re-install fairings, transporter will arrange with nearest authorized DTNA dealership to have fairings re-installed and shuttle units to customer location at no additional cost to our customer.

TRANSMISSIONS

Allison transmissions and components are not covered under this Warranty, but are warranted separately by Allison. Information regarding Allison's warranty is provided for informational purposes only and is subject to change. For warranty or service information, contact Allison's authorized sales and service facility.

The Detroit DT-12 Transmission is not covered under this Warranty. Please see www.ddcsn.com for coverage details.

ROUTINE MAINTENANCE

Routing maintenance, servicing, and adjustment, as defined in the applicable Vehicle Maintenance Manual and Driver's Manual, are excluded from Warranty.

Periodic adjustment or re-torque of wheel bearings, wheel lug nuts, and suspension U-bolts are considered maintenance adjustments and are not covered under warranty.

Vibrations, squeaks, rattles, loose fittings/clamps, hose fitting leaks, loose nuts/bolts/screws, and loose electrical connections may develop during the initial trip(s) of the vehicle and these types of repairs/adjustments are covered under warranty one time during the following applicable initial operating periods unless excluded in the paragraphs below.

Reminder: After the following initial operating periods, these developments are the result of use and their repair/adjustment activities are considered routine maintenance and thus excluded from warranty.

INITIAL OPERATING PERIOD

The Initial Operating Period (IOP) for Daimler Trucks North America LLC vehicles is as follows:

Make	Initial Operating Period
Freightliner, Sterling, Western Star	Up to 15,000 miles/ 24 000 km
Freightliner Custom Chassis Corporation (FCCC)	Up to 25,000 miles/ 40 000 km
Thomas Bull Bus (TBB) bodies and TBB chassis ^a	Up to 6 months from date of in-service

^a TBB applications utilizing FCCC chassis retain the FCCC IOP separate from the TBB body.

See CONSUMABLE PARTS elsewhere in this section.

Exclusions from warranty during the IOP are:

- Cab, hood, and fender-mounted mirrors are adjusted at the factory but may be retracted by the transporter to prevent damage during transport. Subsequent adjustments and tightening of mirror

mounting hardware are considered part of the routine preparation of the vehicle before Customer delivery. Claims for adjusting the mirrors or tightening of the attaching hardware will not be paid under warranty during or after the initial operating period.

- Claims for re-routing of electrical wiring, hoses, or lines which meet Daimler Trucks North America's routing standards will not be paid under warranty during or after the initial operating period.
- Final preparation of the vehicle for Customer delivery to include cleaning/vacuuming interior of cab, washing windows, washing the exterior of the vehicle, polishing exterior chromed or painted surfaces are considered as ordering-Dealer responsibilities. Claims for these activities will not be paid under warranty during or after the initial operating period.

TEST VEHICLES

Any vehicles being used in testing or used to test specific components must be identified to the Warranty Department and accommodations must be made for claims that relate to the test item(s).

Any vehicles used in endurance testing, such as the Altoona Test, are void of all warranty, new or used.

TIRES AND TIRE BALANCING

The tires are not covered under this Warranty, but are warranted separately by the tire manufacturer. Tire balancing is not covered under warranty.

1.7 Transfer of Warranty

This Warranty is transferable to a subsequent Owner if it has not expired. To ensure the Owner receives proper warranty recognition, the ownership information should be updated in the Company system.

1.8 Change of Owner Address Information

To ensure Company's ability to reach the current Owner with Recall and Field Service campaign information, the Owner's information must be updated whenever there is a change to the Owner's name or address.

1.9 Product Improvement

Company reserves the right to make improvements or changes to the product at any time without incurring any obligation to make such changes or improvements to any other vehicle.

1.10 Owner's Responsibilities

It is the Owner's responsibility to ensure the vehicle is maintained as outlined in the Driver's/Operator's and Maintenance Manuals. It is important that the new Owner becomes familiar with the contents of the warranty information. When the Owner first receives the vehicle, Dealer should review the Owner's Warranty Information booklet with the Owner.

To initiate warranty, customer must complete and sign the Warranty Start Form (WAR275). Dealer must attach the Warranty Start Form to the Product Registration screen in OWL.

Coverage Descriptions

Axles

Coverage includes all factory-installed front axles; rear axles; steer axles; drive axles; tag axles; and pusher axles. Detroit axles are warranted directly through Detroit. *Excludes any axle installed by a dealer or body builder.*

Detroit Axle(s)

All warranty inquiries and claims are filed directly to Detroit Axles. Please see www.ddcsn.com for specific coverage details.

Drive Axle(s)

Coverage includes axle housing, carrier assembly, differential assembly, power divider, axle shafts, and gaskets and seals. *Excludes suspension and torque rod brackets, tie rod ends, wheel end equipment, wiring, yokes, and attaching hardware.*

Front Axle(s)

Coverage is for non-Detroit front axle(s) only. Coverage includes I-beam, steering knuckles, differential on drive steer axle, spindles, kingpin bearings, and steering arms. *Excludes tag axle(s), pusher axle(s), wheel end equipment, steering linkage components, driveline(s), U-joints, and kingpin bushings/kingpin seals.*

Pusher Axle

A pusher axle is a non-driven, weight-bearing axle that can be raised when not required to bear a portion of the load. Since the pusher axle can be of many different configurations, warranty coverage includes all components included in the individual build specification of each individual application.

Rear Axle(s)

Coverage is for non-Detroit rear axle(s) only. Coverage includes axle housing, carrier assembly, differential assembly, power divider, axle shafts, and gaskets and seals. *Excludes tag axle(s), pusher axle(s), suspension and torque rod brackets, wheel end equipment, wiring yokes, driveline(s), U-joints, and attaching hardware.*

Steer Axle(s)

Coverage includes I-beam, steering knuckles, differential on drive steer axle, spindles, kingpins, kingpin bearings and steering arms. *Excludes wheel end equipment, tie rod ends, steering linkage components, kingpin bushings, and king pin seals.*

Tag Axle

A tag axle is a non-driven, continuous weight-bearing axle. Since the tag axle can be of many different configurations, warranty coverage includes all components included in the individual build specification of each individual application.

Battery

Coverage includes Alliance Brand Batteries only; claims for all other brands must be submitted directly to the supplier. Includes starting battery assemblies and factory-installed APU battery assemblies. *Excludes non-*

Alliance Brand batteries, battery cables, battery mounting box and hardware.

Basic Chassis

Coverage includes all factory-installed components of the vehicle/chassis that are not excluded elsewhere in the warranty or by special agreement or described as having a different time, or distance or hours, or listed separately on each new vehicle warranty coverage chart.

Basic Vehicle

Coverage includes all factory-installed components of the vehicle/chassis that are not excluded elsewhere in the warranty, or by special agreement or described as having a different time or distance, or listed separately on each new vehicle warranty coverage chart.

Brightwork

Coverage includes all factory-installed components with chrome, polished aluminum, or polished stainless steel surfaces. *Excludes any damage backside of bumpers, and concealed or inner surfaces.*

Cab Corrosion/Perforation

Coverage is limited to rust-through or perforation of the cab and integral sleeper structure and sleeper box (if applicable) due to corrosion from within. *Excludes all conditions of rust or corrosion that have not resulted in rust-through or perforation as well as surface rust or corrosion caused by non-adhesion. Excludes any damage to the paint such as chips or scratches.*

Cab Structure

Coverage includes cab and integral sleeper structural components, structural components of factory-installed sleeper boxes (if applicable), sheet metal panels, doors, and hoods. *Excludes all bolt-on components including door and hood hinges, latches, guides, and other mounting hardware.*

Corrosion

Coverage provides warranty against corrosion to any metal or metal alloy part of the vehicle. Rust or corrosion to specific components and/or caused by certain conditions are excluded from all Company warranty coverage and will not be paid under Basic Vehicle, Cab Structure, Cab Corrosion, or Aftermarket Parts Warranty.

Exclusions to corrosion warranty include, but are not limited to, the following:

- *Corrosion caused by general rust (for example, rust on the unfinished backside of a bumper)*
- *Surface rust caused by chips or scratches in the paint or chrome surfaces*
- *Corrosion caused by high-pressure washing, severe wash solutions, cleaning solvents, detergents, compounds*
- *Corrosion caused by salinity in the environment or corrosive salts and/or chemicals used on the road surface.*

- *Corrosion caused by acid rain or other industrial fallout*
- *Corrosion due to improper prevention measures during storage or use*
- *Corrosion or rust on tone rings, rotors or drums (rotor exclusion does not apply to hydraulic discs with Magna-Coat Rotors)*
- *Corrosion due to environmental damage (including ocean spray); airborne fallout (includes chemicals, tree sap, etc.), or other atmospheric conditions or other acts of nature*
- *Corrosion due to improper use, misuse or abuse, negligence, including improper or insufficient maintenance*

Cowl Corrosion/Perforation

Coverage is limited to rust-through or perforation of the cowl due to corrosion from within. *Excludes all conditions of rust or corrosion that have not resulted in rust-through or perforation as well as surface rust or corrosion caused by non-adhesion. Excludes any damage to the paint such as chips or scratches.*

Cowl Structure

Coverage includes cowl structural components, sheet metal panels, and hood. *Excludes all bolt-on components including hood hinges, latches, guides, or other mounting hardware.*

Crossmembers

Coverage includes crossmembers, gussets, and huck-mounting bolts that attach gussets to crossmembers and gussets/crossmembers to frame rails. *Excludes any bolt-on item attached with either conventional or huck bolts.*

Driveline

Coverage includes driveshaft tubing, U-joints, yokes, support bearings, and splines.

Frame Rails

Coverage is limited to breaking or cracking of factory-installed frame rails, frame rail liners, frame rail extensions, and any item(s) factory welded to them. *Excludes all bolt-on items regardless if attached with conventional or huck bolts.*

GHG14*

Daimler Trucks North America LLC (DTNA) warrants that its vehicles are (1) designed, built and equipped so as to conform, at the time of sale, with requirements of vehicle manufacturers whose vehicles are designed to meet applicable 2014 and later U.S. Environmental Protection Agency and National Highway Traffic and Safety Administration Standards greenhouse gas and fuel efficiency standards, and (2) free from defects in material and workmanship which cause the vehicle to fail to conform with the vehicle manufacturer's requirements for all vehicle emission control items listed below.

*Coverage name/description may vary, check actual warranty online via OWL's Coverage Info/Check Coverage screen for coverage listed as "GHG14..."

GHG14 Tire*

Daimler Trucks North America LLC (DTNA) warrants that its vehicles are (1) designed, built and equipped with tires that conform, at the time of sale, with requirements of vehicle manufacturers whose vehicles are designed to meet applicable 2014 and later U.S. Environmental Protection Agency and National Highway Traffic and Safety Administration greenhouse gas and fuel efficiency standards, and (2) those tires are free from defects in material and workmanship which cause the vehicle to fail to conform with the vehicle manufacturer's requirements for a period of 2 years or 24,000 miles, whichever occurs first. Claims for failures under this coverage are filed directly to the tire manufacturer.

*Coverage name/description may vary, check actual warranty online via OWL's Coverage Info/Check Coverage screen for coverage listed as "GHG14..."

Glider

An incomplete vehicle which may be ordered with or without engine and/or major drivetrain components; warranty coverage includes all components as specified in the specific build specification.

Hybrid Transmission – Eaton

Eaton requires that only hybrid-authorized dealerships work on units equipped with Eaton hybrid parts. Pre-authorization is required prior for repair of these vehicles in order to obtain technical assistance and a pre-authorization number for replacement parts. Eaton hybrid parts will be shipped directly from Eaton and will not be stocked in the PDCs due to the short shelf life and low volume. The following hybrid parts are covered under this Warranty: power electronics carrier (PEC), motor generator, inverter, DC/DC converter, hybrid control module (HCM), transmission control module (TCM), clutch, and electronic clutch actuator (ECA). Coverage does NOT include oil cooler or cooling systems. Please reference Roadranger Warranty Guide TCWY0900 for more information on complete listing of limits and exclusions, as well as terms and conditions.

Off Road On-Site Assistance

Coverage is exclusively available for off road vehicles that are prohibited from use on public streets. If this coverage is provided, it will be specifically included in the coverage table as a separate category. Coverage includes on-site assistance and/or equipment transportation to the nearest authorized repairing location for a Daimler Trucks North America LLC warrantable repair.

Paint (Body, Cab, & Cowl)

Paint coverage *excludes lack-of gloss issues on vehicles painted with low gloss colors; the underside of hoods and roof and side mounted air fairings; and any damages to the paint or painted surface such as chips and scratches.*

Body Paint

Coverage includes all factory-painted exterior body surfaces. Warranted against orange peel; peeling/delaminating; cracking or checking; or loss of gloss due to cracking, checking or hazing.

Cab Paint

Coverage includes all factory-painted surfaces (except those included in chassis paint coverage). Warranted against orange peel; peeling or delaminating; cracking or checking; or loss of gloss due to cracking, checking or hazing.

Cowl Paint

Coverage includes all factory-painted exterior surfaces of cowl structure (except those included in chassis paint). Warranted against orange peel; peeling or delaminating; cracking or checking; or loss of gloss due to cracking, checking or hazing.

Paint, Chassis (Chassis Paint)

Coverage includes all factory painted surfaces on frame rails, crossmembers/gussets, front and rear bumpers, suspension components, power train components, drivelines, fuel tanks, air tanks, wheel end equipment, tool boxes, battery boxes, access steps, and attaching brackets and hardware. Warranted against peeling or non-adhesion. *Excludes U-joints and any damages to the paint or painted surface such as chips and scratches.*

Towing/Roadside Assistance

Coverage includes roadside assistance or towing (to the nearest authorized repair location) for a Daimler Trucks North America LLC warrantable repair in a vehicle-down situation that prevents the safe and lawful operation of the vehicle. If this coverage is provided, it will be specifically included in the coverage table as a separate category.

Transfer Case

Coverage includes housing and all internally lubricated parts. *Excludes broken synchronizer pins, PTOs, airlines, gauge, clutch assemblies, driveline(s), and U-joints.*

Transmission

Coverage does not include Allison transmissions, Detroit transmissions, or Eaton Hybrid transmissions. Coverage includes housing and all internally lubricated parts, electric/air shift/control units, valves, gaskets, and seals. *Excludes broken synchronizer pins, PTOs, airlines, gauge, gauge senders, yoke(s), clutch assemblies, clutch and clutch control components including clutch brake, driveline(s), and U-joints.*

Wheel End Equipment

Coverage includes brake components, wheels, hubs, drums, rotors, wheel seals/ bearings, slack adjusters, and attaching hardware.

ISB6.7 Base Warranty.

Cummins 6-cylinder ISB6.7 engine has coverage similar to that of the ISL9, except there is no mileage restriction. The ISB6.7 warranty is good for 2 years with unlimited mileage.

2-Year/Unlimited-Mileage Coverage

- 100 percent parts and labor on warrantable failures*
- Travel or towing when an engine is disabled by a warrantable failure (from date of delivery through the first year)
- Consumables not reusable due to covered failure
- No deductible
- Includes aftertreatment

*Warrantable failures are those due to defects in Cummins material or factory workmanship.

Extended Coverage Means Added Security.

A Cummins Protection Plan is the most important travel insurance you can buy. Not only will it protect your business from unexpected expenses, but it will also ensure that you'll always get quality Cummins parts and professional Cummins service. There are two plans to choose from for ISL9 and ISB6.7 engines.



Protection Plan 1

Security is knowing that you are protected by comprehensive protection, with options ranging from 3 to 5 years and 100,000 to 300,000 miles (160,934-482,803 km).

- Internal components and major engine systems including the turbocharger, water pump and fuel injectors and, new for 2013, the air compressor, fuel pump and select engine sensors
- Registered parts and labor on covered failures

Protection Plan 2

Cummins Internal Protection Plan 2 covers you against major repair costs down the road, with registered parts and labor on major components and your choice of long-term options from 3 to 7 years and 100,000 to 300,000 miles (160,934-482,803 km).

- Internal components and major engine systems
- Registered parts and labor on covered failures

Aftertreatment Extended Coverage†

Extended coverage is also available for your Cummins Aftertreatment System. Options range from 3 to 5 years and 100,000 to 300,000 miles (160,934-482,803 km).

The coverage includes Cummins-supplied aftertreatment components, including:

- Diesel Oxidation Catalyst (DOC), Diesel Particulate Filter (DPF) and Selective Catalytic Reduction (SCR) assemblies
- Diesel Exhaust Fluid (DEF) dosing system
- Aftertreatment controls
- Ammonia sensor

†Protection Plan 1 EPA 2013 of equal duration is required prior to the purchase of the Aftertreatment Extended Coverage.

NEW PRODUCT WARRANTY



**PARTICIPATING OEM SALES
DISTRIBUTOR SALES**

LIMITED WARRANTY ON NEW ALLISON AUTOMATIC TRANSMISSIONS USED IN ON-HIGHWAY TRUCK APPLICATIONS OTHER THAN AUTOMOTIVE FIRE APPARATUS APPLICATIONS

Allison Transmission, Inc. will provide for repairs or replacement, at its option, during the warranty period of each new Allison transmission listed below that is installed in an On-Highway Truck other than Automotive Fire Apparatus in accordance with the following terms, conditions, and limitations.

WHAT IS COVERED

- **WARRANTY APPLIES** — This warranty is for new Allison transmission models listed below installed in an On-Highway Truck other than Linc Haul and Automotive Fire Apparatus and is provided to the original and any subsequent owner(s) of the vehicle during the warranty period.
- **REPAIRS COVERED** — The warranty covers repairs or replacement, at Allison Transmission's option, to correct any transmission malfunction resulting from defects in material or workmanship occurring during the warranty period. Needed repairs or replacements will be performed using the method Allison Transmission determines most appropriate under the circumstances.
- **TOWING** — Towing is covered to the nearest Allison Transmission Distributor or authorized Dealer only when necessary to prevent further damage to your transmission.
- **PAYMENT TERMS** — Warranty repairs, including parts and labor, will be covered per the schedule shown in the chart contained in section "APPLICABLE MODELS, WARRANTY LIMITATIONS, AND ADJUSTMENT SCHEDULE."
- **OBTAINING REPAIRS** — To obtain warranty repairs, take the vehicle to any Allison Transmission Distributor or authorized Dealer within a reasonable amount of time and request the needed repairs. A reasonable amount of time must be allowed for the Distributor or Dealer to perform necessary repairs.
- **TRANSMISSION REMOVAL AND REINSTALLATION** — Labor costs for the removal and re-installation of the transmission, when necessary to make a warranty repair, are covered by this warranty.
- **WARRANTY PERIOD** — The warranty period for all coverages shall begin on the date the transmission is delivered to the first retail purchaser, with the following exception:
Demonstration Service - A transmission in a new truck or bus may be demonstrated to a total of 5000 miles (8000 kilometers). If the vehicle is within this limit when sold to a retail purchaser, the warranty start date is the date of purchase. Normal warranty services are applicable to the demonstrating Dealer. Should the truck or bus be sold to a retail purchaser after these limits are reached, the warranty period will begin on the date the vehicle was first placed in demonstration service and the purchaser will be entitled to the remaining warranty.

The warranty period for all coverages shall end at the expiration of the coverage set forth below:

APPLICABLE MODELS, WARRANTY LIMITATIONS, AND ADJUSTMENT SCHEDULE

APPLICABLE MODELS	WARRANTY LIMITATIONS (Whichever occurs first)		ADJUSTMENT CHARGE TO BE PAID BY THE CUSTOMER	
	Months	Transmission Miles Or Kilometers	Parts	Labor
MD, HD, 3000, 3200, 3500, 4000, 4500, 4700, 4800, 3000 HS, 4000 HS, 4500 HS, 3000 RDS, 3500 RDS, 4000 RDS, 4500 RDS, 4700 RDS	0-24*	No Limit	No Charge	No Charge
1000 Series, 2000 Series, 2400 Series, 1000, 2100, 2200, 2500, 1000 HS, 2100 HS, 2200 HS, 2350 HS, 2500 HS, 2550 HS, 1000 RDS, 2100 RDS, 2200 RDS, 2350 RDS, 2500 RDS, 2550 RDS, 3000 V, 3000 VR	0-36*	No Limit	No Charge	No Charge

* Effective July 2006, the Allison transmission in your vehicle may be covered by additional extended coverage, dependent on the Original Equipment Manufacturer (OEM) which manufactured your vehicle. **This additional coverage requires continued use of an Allison Approved TES 295 automatic transmission fluid and genuine Allison filters.** Please consult your OEM Dealer or authorized Allison Transmission Distributor or Dealer for specific information.

