



**CENTRALBIDDING**  
FROM CENTRAL AUCTION HOUSE

**5000118753 - A ONE-TIME PURCHASE OF SOLAR POWERED SCHOOL  
ZONE FLASHING BEACONS FOR THE JEFFERSON PARISH TRAFFIC  
ENGINEERING DIVISION**  
Jefferson Parish Government

Project documents obtained from [www.CentralBidding.com](http://www.CentralBidding.com)  
27-Jan-2017 07:46:38 AM



**Bid Number 50 - 00118753**

**A ONE-TIME PURCHASE OF SOLAR POWERED SCHOOL ZONE FLASHING  
BEACONS FOR THE JEFFERSON PARISH TRAFFIC ENGINEERING DIVISION**

**BID DUE: January 27, 2017 / 11:00 AM**

**ATTENTION VENDORS!!!**

**Please review all pages and respond accordingly, complying with all provisions  
in the technical specifications and Jefferson Parish Instructions for Bidders and  
General Terms and Conditions. All bids must be received in the Purchasing  
Department by the bid due date and time.**

**Jefferson Parish Purchasing Department  
200 Derbigny Street  
General Government Building, Suite 4400  
Gretna, LA 70053  
Buyer: Melissa Ovalle  
Buyer Email: [movalle@jeffparish.net](mailto:movalle@jeffparish.net)  
Buyer Phone #: 504-364-2687**



# JEFFERSON PARISH

## Department of Purchasing

Michael S. Yenni  
Parish President

Brenda J. Campos  
Director

### **CHANGES TO JEFFERSON PARISH BIDDING PROCEDURES**

The East bank Office of Purchasing is now open! We are located in the Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Suite 404, Jefferson, LA 70123. Bidders may submit bid responses at this location, pending authorization in each bid package. **Bidders should carefully read and must respond accordingly per the requirements of the bid packages. NOTE: Bidders submitting bids on the day of bid opening, bidders must submit at the West Bank location only.**

#### **Other Changes Continued:**

- Effective June 1, 2017, bidders may no longer send bid responses via facsimile, as some bid solicitations may provide. Vendors responding to bid solicitations may only submit via USPS, courier service, hand delivery or via online by registering free of charge at [www.jeffparishbids.net](http://www.jeffparishbids.net). For more information, please contact the Purchasing Department or visit [jeffparish.net](http://jeffparish.net).
- Affidavits (Non-Public Works Affidavit or Public Works Affidavit) – as you are aware, bidders are required to submit affidavits pursuant to LA public bid law and Jefferson Parish Code of Ordinances. Bidders must read each bid package to ensure compliance. Effective August 1, 2016, **affidavits are required with bid submission**. While copies are acceptable to include with bid submission, original affidavits are required upon contract execution. Original affidavits are encouraged with bid submission.
- Current W9 Forms and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, a current W-9 form must be supplied upon contract execution, should you be awarded a contract and/or issued a purchase order.
- Upon contract execution, successful bidder must continue producing final insurance certificates per standard Jefferson Parish insurance requirements. Proof of insurance is required for bidding purposes. Bidders must read the insurance requirements attachment included in each bid package for specific instructions.

**Bidders should reference the "Additional Requirements" section of the bid instructions and/or the "Important Notice to Bidders" included in the bid package for specific requirements to respond accordingly.**

For more information, please call Jefferson Parish Purchasing at 504-364-2678.



# JEFFERSON PARISH

Department of Purchasing

Michael S. Yenni  
Parish President

Brenda J. Campos  
Director

## **CHANGES TO JEFFERSON PARISH BIDDING PROCEDURES**

The East bank Office of Purchasing is now open! We are located in the Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Suite 404, Jefferson, LA 70123. Bidders may submit bid responses at this location, pending authorization in each bid package. **Bidders should carefully read and must respond accordingly per the requirements of the bid packages. NOTE: Bidders submitting bids on the day of bid opening, bidders must submit at the West Bank location only.**

### **Other Changes Continued:**

- Effective June 1, 2017, bidders may no longer send bid responses via facsimile, as some bid solicitations may provide. Vendors responding to bid solicitations may only submit via USPS, courier service, hand delivery or via online by registering free of charge at [www.jeffparishbids.net](http://www.jeffparishbids.net). For more information, please contact the Purchasing Department or visit [jeffparish.net](http://jeffparish.net).
- Affidavits (Non-Public Works Affidavit or Public Works Affidavit) – as you are aware, bidders are required to submit affidavits pursuant to LA public bid law and Jefferson Parish Code of Ordinances. Bidders must read each bid package to ensure compliance. Effective August 1, 2016, **affidavits are required with bid submission**. While copies are acceptable to include with bid submission, original affidavits are required upon contract execution. Original affidavits are encouraged with bid submission.
- Current W9 Forms and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, a current W-9 form must be supplied upon contract execution, should you be awarded a contract and/or issued a purchase order.
- Upon contract execution, successful bidder must continue producing final insurance certificates per standard Jefferson Parish insurance requirements. Proof of insurance is required for bidding purposes. Bidders must read the insurance requirements attachment included in each bid package for specific instructions.

**Bidders should reference the "Additional Requirements" section of the bid instructions and/or the "Important Notice to Bidders" included in the bid package for specific requirements to respond accordingly.**

For more information, please call Jefferson Parish Purchasing at 504-364-2678.

SPECIFICATIONS FOR A SOLAR POWERED, SCHOOL ZONE  
FLASHING BEACON  
(CAROL SUE)  
BID NUMBER: 50-00118753

---

**1. GENERAL**

- 1.1. This specification describes the material required for the purchase of two (2) Solar Powered School Zone Flashing Beacons. (Carmanah Technologies Corp. Model: R829-G Solar School Zone Flashing Beacon Assembly, or approved equal). Each unit shall consist of a solar panel with mount, control cabinet that houses the Energy Management System (EMS), battery, and third party time switch. The system shall be compatible with existing time switch software. Each unit shall include two 12" LED modules and signal housings. The system shall conform to all applicable provisions of the MUTCD, and shall have the capability of meeting ITE intensity requirements for vehicle traffic signals.
- 1.2. The beacons will be installed by Jefferson Parish Traffic Engineering. All required signs shall be furnished by Jefferson Parish Traffic Engineering Division.
- 1.3. Jefferson Parish Traffic Engineering shall determine the exact locations of the beacons.
- 1.4. The control cabinets shall be constructed from aluminum with a lockable industry standard #2 lock and tamper-proof hinged door. The EMS, batteries and third party time switch shall be mounted in the control cabinet. The control cabinet shall be vented to provide air circulation and cooling of the battery and electronic system. Venting shall be covered on the inside by wire mesh to prevent intrusion of insects.

The overall weight of the control cabinets shall not exceed 90lbs (41 kg) with the battery installed and shall have the approximate dimensions: 24" H x 16" W x 8" D (61cm H x 41cm W x 21 cm D).

**2. MOUNTING / INSTALLATION**

- 2.1. The control cabinets shall be furnished with two mounting brackets for either banding or U-bolt mounting to a 4.5" outer diameter round pole.
- 2.2. The beacon assemblies shall come equipped with material and hardware for mounting on a 4 ½" O.D. pedestal post.

SPECIFICATIONS FOR A SOLAR POWERED, SCHOOL ZONE  
FLASHING BEACON  
(CAROL SUE)  
BID NUMBER: 50-00118753

---

- 2.3. The assemblies will each require one (1) Medium Duty Foundation Anchor Assembly **for a total of two (2)**. (PELCO Part No. PB-5372-GLV or approved equal).
- 2.4. The anchor assemblies shall be Schedule 40 with ten inch to fifteen inch (10" - 15") bolt circle, four (4) one inch (1") – 8NC Grade 5 galvanized bolts.
- 2.5. The foundation anchors shall feature a top plate which enables the bolt head to be inserted after the anchor is in place.
- 2.6. The foundation anchor shafts shall include a two and three-eighths inch by twelve inch (2-3/8" x 12") hand hole for cable access.
- 2.7. The foundation anchors shall be hot dip galvanized per ASTM A123.

**3. CONFIGURATION**

- 3.1. The control cabinet shall house an on-board user interface with a 4-character LED display that provides on-site configuration adjustment, system status, fault notification, and built-in system test.

**4. SOLAR / BATTERY SYSTEM**

- 4.1. The system shall include one 20-watt solar panel supplied with mounting hardware. The control cabinet shall house one 75 Ah sealed lead-acid battery. Solar panel and battery system shall be 12 Volt DC (nominal).

**5. SIGNAL HOUSINGS**

- 5.1. All signal head housings, visors and fittings shall be dark green. The underside of all signal visors shall be finished in dull (non-reflective) black. Aluminum signal brackets and hardware shall be furnished with one coat of primer and two individual coats of dark green enamel. The top of the brackets shall be blank or fitted with a weatherproof plug cap unless otherwise specified. Cap visors shall be required on all signal housings.
- 5.2. The reflectors shall be removed to facilitate the installation of LED lenses.
- 5.3. Each signal face shall be provided with a terminal strip equipped with a spare connector for connecting to the individual lamp socket leads.

SPECIFICATIONS FOR A SOLAR POWERED, SCHOOL ZONE  
FLASHING BEACON  
(CAROL SUE)  
BID NUMBER: 50-00118753

---

- 5.4. All signal heads and mounting hardware shall use tri-stud or mono-stud connections. Studs shall be 5/16inch diameter with 18 threads per inch.
- 5.5. Mounting brackets shall be of one piece cast aluminum construction and shall provide for tri-stud connection to the signal sections.
- 5.6. All signal Heads shall be aluminum alloy construction. The housing doors shall be made of similar material and shall be held shut by a device operable with one hand without the use of tools and shall not be easily removable. The door, when open, shall provide complete access to the interior of the housing and a device shall be included to hold the door open while working inside the hanger if it will not remain open.
- 5.7. Signal heads shall be vertical unless otherwise specified.
- 5.8. Side mount heads shall be furnished for attaching brackets to vertical supports and straps as required for utility pole mounting. The bracket mounting hub shall accept 1-1/2inch conduit and provide for a wire opening equivalent to a 1-1/2inch conduit.
- 5.9. The signal housings shall meet the requirements of the: Equipment & Material Standards of the Institute of Transportation Engineers (ITE), Chapter 2.
- 5.10. The signal housings must be able to rotate independent from the bracket for lens alignment.
- 5.11. Each signal head shall contain twelve (12) polymer lens clips (GGI Quick Change Clips QCK-12-PAK, or approved equal) – four (4) per LED lens. The lens clip assembly shall be constructed of an engineered automotive grade polymer designed for all environmental conditions (-40° F to +176° F).
- 5.12. The lens clip assembly shall surpass ITE wind loads for traffic signals without damage to the lens clip assembly.
- 5.13. The lens clip assembly shall be designed such that it securely holds round lens diameters of nominal 8" and 12" as well as undersized LED modules. The lens clip assembly shall firmly hold lens / gasket combinations of varying thickness from rotation and vibration.
- 5.14. The lens clips shall come with a lifetime warranty from the manufacturer.



SPECIFICATIONS FOR A SOLAR POWERED, SCHOOL ZONE  
FLASHING BEACON  
(CAROL SUE)  
BID NUMBER: 50-00118753

---

**6. LED Signal Modules**

- 6.1. The LED signal module(s) shall conform to the mandatory specifications of: ITE Vehicle Traffic Control Signal Heads, Light Emitting Diode (LED) Circular Signal Supplement as required by the 2009 Manual on Uniform Traffic Control Devices (MUTCD) Chapter 4D.
- 6.2. All signal heads shall be equipped with 12" Yellow Ball DIALIGHT LED lenses (Part No. 433-3230-901XL) or approved equal.

**7. Operational Specifications**

- 7.1. The system shall conform to all applicable provisions of the MUTCD and shall provide configurable intensity settings up to and including the ITE VTCSH LED circular signal supplement requirement.
- 7.2. The system shall include a third party time switch, (Eltec NTC-17E-TX, or approved equal) and shall have the capacity to operate at an agency specified number of hours per day, and a specified number of days per week using the available solar radiation at the installation location.

**8. Activation**

- 8.1. The system shall be activated by an owner-approved third-party time switch with or without remote monitoring and/or control.

**9. Energy Balance, Array-to-Load Ratio (ALR) and Autonomy Calculations**

- 9.1. The manufacturer shall provide an energy balance report consisting of the following: Energy-In, Energy-Out, Array-to-Load Ratio (ALR) and System Autonomy calculations.
- 9.2. **Energy-In** is the net amount of energy available to charge the battery or run the system, accounting for:
- 9.2.1. The energy from the solar panel based on available solar radiation at the installation location for the solar panel's inclination angle. The insolation values used in calculations shall be for the worst-case month of the calendar year. The source of the insolation data shall be the NASA Atmospheric Data Center.



SPECIFICATIONS FOR A SOLAR POWERED, SCHOOL ZONE  
FLASHING BEACON  
(CAROL SUE)  
BID NUMBER: 50-00118753

---

9.2.2. Shading from nearby trees, buildings or other structures, unique to a particular location, are to be factored-in and the calculations shall clearly show and justify the reduction of available energy to the system.

9.2.3. All efficiency values within the energy chain, including battery charge acceptance, and adjustments for Maximum Power Point Tracking (MPPT) if applicable.

9.3. **Energy-Out** is the net amount of consumed energy, including the sum of all quiescent and operating loads in the system as per the prescribed operating schedule. These loads include the EMS, LED fixtures, third-party time switch, and remote communications – calculated over a 24-hour period.

**9.4. Array-to-Load Ratio (ALR)**

9.4.1. System ALR shall be calculated as: Energy-In divided by Energy-Out as defined above. System shall be designed or configured to achieve a minimum ALR of 1.2:1 or 1.2

**9.5. Autonomy**

9.5.1. Autonomy is defined as:

The number of days that a system is able to continue to operate in the prescribed manner without degradation in performance – if all solar charging is removed.

9.5.3. A system autonomy value shall be provided and shall be calculated using the following method which references the NASA Atmospheric Data Center's "no-sun days" values and considers the following:

9.5.4. The specific geographical location, and the calendar month that presents a worst-case scenario in terms of insolation vs. system load.

9.5.5. Autonomy calculation, defined as:  
(Temperature de-rated battery capacity minus battery capacity unavailable due to Low Voltage Disconnect) divided by Daily total energy consumption including all additional loads from third-party time switches with or without remote monitoring and/or control i.e. available battery capacity divided by 24-hour system load.

**Temperature and LVD Adjusted Battery Capacity = Number of Days of Autonomous Operation**

SPECIFICATIONS FOR A SOLAR POWERED, SCHOOL ZONE  
FLASHING BEACON  
(CAROL SUE)  
BID NUMBER: 50-00118753

---

**Total 24-Hour System Load**

**10. Qualifications**

- 10.1. The product shall be FCC certified to comply with all 47 CFR FCC Part 15 Subpart B Emission requirements.
- 10.2. The product shall be Buy American compliant.
- 10.3. Manufacturer shall provide a 5 Year Limited Warranty.
- 10.4. Manufacturer must be ISO 9001 certified.

**11. Compliance and Submittals**

- 11.1. Upon request prior to award, apparent low bidder must provide Jefferson Parish a Certification of Compliance from the manufacturer. The certificate shall certify that the radar speed sign, solar power system, batteries and solar controller complies with the requirements of these specifications.
- 11.2. Upon request prior to award, apparent low bidder must submit an equipment list, standard drawings, and standard specifications.
- 11.3. Successful bidder, must supply the following:
  - 11.3.1. Maintenance Manuals (2 required)
  - 11.3.2. Operation Manuals (3 required)
  - 11.3.3. Shop drawings showing mechanical sign support for the solar power system and the flashing beacon.
  - 11.3.4. Cabinet print showing all electrical connections (2 required)
  - 11.3.5. Warranty documentation

DATE: 1/20/2017

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 1

BID NO.: 50-00118753

**JEFFERSON PARISH**  
PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETN, LA. 70054-0009  
504-364-2678

VENDOR: RoadsNAP

BUYER: MOVALLE

Bids will be received until 11:00 AM, 1/27/2017 via fax: 504-364-2693 or via online at [www.jeffparishbids.net](http://www.jeffparishbids.net).

This site is free for all Jefferson Parish vendors. For additional information on registration or use of this free site, please see the text box highlighting electronic procurement.

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law, as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647. A copy of these resolutions may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at [purchasing.jeffparish.net](http://purchasing.jeffparish.net) and clicking on On-line forms.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Further, a current W-9 form and respective Tax Identification number must be supplied upon contract execution, should you be awarded a contract and/or issued purchase order. Failure to do so may result in delay of payment.

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Delivered, anywhere within the Parish as designated by the Purchasing Department. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications. JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit prices shall prevail.

JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in the quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum.

All formal Addenda require written acknowledgment on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected; JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

**USE OF BRAND NAMES AND STOCK NUMBERS:** Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A117.1-1961).

**INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS****IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS**

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are encouraged to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at [www.jeffparishbids.net](http://www.jeffparishbids.net) to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

**ADDITIONAL REQUIREMENTS FOR THIS BID**

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

13

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.



**INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS**

7. **PUBLIC WORKS BIDS:** All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS:** A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS:** A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. Unless otherwise stated in the bid specifications, the successful bidder will be required to procure standard insurance policies evidencing Parish-mandated insurance requirements as indicated on the attached "insurance requirements" sheet. All bidders must comply with the instructions in this sheet. Failure to comply will cause bid to be rejected.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies). If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required;** This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. **NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required** in conformity with the provisions contained in LSA - RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

DATE: 1/20/2017

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00118753

**JEFFERSON PARISH**

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETN, LA. 70054-0009  
504-364-2678

VENDOR: RoadSNAP

BUYER: MOVALLE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

**DELIVERY: FOB JEFFERSON PARISH**

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES \_\_\_\_\_

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK \_\_\_\_\_

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK \_\_\_\_\_

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) \_\_\_\_\_

**\*\*\* ALL BIDDERS MUST COMPLETE SECTION BELOW \*\*\***

FIRM NAME:

RoadSNAP

SIGNATURE:

(Must be signed here)

Jeffrey R. Doussan, Jr.

TITLE:

President

PRINT OR TYPE NAME:

Jeffrey R. Doussan, Jr.

ADDRESS:

4505 Canal St.

CITY, STATE:

New Orleans LA, 70119

ZIP:

TELEPHONE:

(504) 255-6917

FAX:

(504) 297-2356

EMAIL ADDRESS:

TOTAL PRICE OF ALL BID ITEMS: \$ 8,361.84

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00118753

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	2.00	EA	<p>A ONE-TIME PURCHASE OF SOLAR POWERED SCHOOL ZONE FLASHING BEACONS FOR THE JEFFERSON PARISH TRAFFIC ENGINEERING DIVISION</p> <p>0001 - SOLAR POWERED SCHOOL ZONE FLASHING BEACONS</p> <p>CARMANAH R829G DUAL SOLAR SCHOOL ZONE BEACON ASSEMBLY OR APPROVED EQUAL</p> <p>ASSEMBLIES REQUIRE ONE (1) MEDIUM DUTY FOUNDATION ANCHOR ASSEMBLY FOR A TOTAL OF TWO (2) PELCO PART NUMBER PB-5372-GLV OR APPROVED EQUAL</p> <p>THE BEACON TO BE INSTALLED BY THE JEFFERSON PARISH TRAFFIC ENGINEERING DIVISION</p> <p>SPECIFICATIONS ATTACHED</p>	<p>\$ 4,180.92</p>	<p>\$ 8,361.84</p>



## School Zone Beacon: 7400 Series

SZ-7408-P, SZ-7408-S, SZ-7412-P, SZ-7412-S







\* custom configuration/setup with cabinet



### Applications

-  **School Zones**  
Slow drivers down and keep them alert as they pass through school zones.
-  **Construction Zones**  
Alert drivers as they approach construction sites.
-  **Playground Zones**  
Remind drivers to slow down for playground zones.

### Benefits


- |   |   |
|---|---|
|  <b>High Quality</b>     | Proudly designed and manufactured in North America.   |
|  <b>Clean Technology</b> | Solar-powered and wireless to save on power bills and end roadway trenching.                  |
|  <b>Reliable</b>         | Energy management system to ensure operation under all environmental conditions.              |
|  <b>Simple</b>           | Installs in minutes to minimize traffic disruption and allow for relocation and re-purposing. |
|  <b>Flexible</b>         | Adjustable flash pattern and activation duration to control varying traffic conditions.       |
|  <b>Elegant</b>          | Self-contained, cabinet-free, discrete design to enhance streetscapes and inhibit vandalism.  |

### Introduction To School Zone Beacons

These beacons can be installed anywhere with 2G cell phone reception and places without (via direct connection). A preset flash schedule can be created using the JSF Tech School Zone Scheduler website and then be sent to the beacons wirelessly or in person. The scheduling website can accommodate multiple years of operation, including special events for extra use and days off. Spontaneous activations and commands can also be carried out with mobile devices.


Each School Zone set is made up of two beacon types. The "Primary Beacon" contains a 2G cell phone modem and stores the annual flash schedule. The "Secondary beacons" receive daily on/off signals from the primary beacon. Any number of secondary beacons can be associated to a primary beacon. When a primary beacon receives an instant activation command or encounters a scheduled activation period, the primary beacon relays the activation command to all secondary beacons.

## SZ-7408 Dual 8", vertical pole mounting.



Dimensions are in Inches  $\pm 1/16"$

## SZ-7412 Dual 12", vertical pole mounting.



Dimensions are in Inches  $\pm 1/16"$

## Specifications

### System Overview

Certification	CE and UL certified electrical components
Compliance	FHWA MUTCD compliant FCC EMC Class A verified
Operation	Adjustable computer schedule and Mobile device activation
Flash patterns	MUTCD (0.5 second on, 0.5 second off) or JSF Tech High Visibility Strobe Pattern
Variations	Synchronized or Wig-Wag (alternating)
Operating temperature	-40°F to +165°F (-40°C to +74°C)
Controller input voltage	12 V DC
Solar panel	32-40 W nominal 12 V, CE and TUV certified
Battery storage	AGM 12 V, 36 Ah, UL certified, field replaceable, Optional cold weather battery upgrade
Alternate power	AC / Solar hybrid available (hybrid includes "Battery Tender® 800"), AC-Only available

### Power Management

Rated usage	120 mins of activation per day (average)
Charged capacity	Up to 30 days at rated usage (without charging)
Auto brightness	6 stages of brightness for different light conditions and battery levels
Customizable	Automatic brightness disabled on request
Self monitoring	Visual notification of sub-optimal operation

### LED Module

Standard	ITE VTCSH-STD 2005
Lens	UV stabilized polycarbonate and Abrasion resistant
Size	8" or 12" diameter (200 mm or 300 mm)
LED color	Amber
Additional LEDs	Optional tell tale LED (amber, approx - 1" x 2") Optional additional signal head

### Communication—Inter-Beacon

Between beacons	ISM spread spectrum radio, 902-928 MHz
Range	Up to 0.5 miles (800 m) with line of sight
Network addresses	8 unique addresses to avoid interference between multiple crosswalk locations
Compatibility	All SZ family beacons

### Communication—Primary Beacons (-P)

Incoming commands	Cell phone communication (requires 2G cellular coverage) or via direct connection
-------------------	--

*A primary beacon receives preset schedules from the JSF Tech School Zone Scheduler website and receives instant activation messages from authorized cell phone users.*

### Communication—Secondary Beacons (-S)

Incoming commands	Relies on the primary beacon's commands
-------------------	---

*A secondary beacon relies on its primary beacon for all activation commands.*

### Physical Design

Configuration	Fully self-contained
Color	Black, green or yellow Custom colors also available
Solar engine	6061-T6 powder coated aluminum
Signal housing	Polycarbonate
Weight	Approx — 65–71 lbs. (29–32 kg)
Available mounting	Mid-pole side mount

### Warranty

5-year Limited Warranty for defects in workmanship and materials  
(excludes batteries and vandalism)

## Contact



JSF Technologies is backed by a select group of resellers. To find a representative in your region please contact us:  
+1.250.544.1640 +1.800.990.2454 [www.jsftech.com](http://www.jsftech.com)


Rev C.2 — March 23, 2016

\*Specifications subject to change without notice.

## Medium Foundation Anchor Assy, 6" Sch 40 10" to 15" Bolt Circle, 1"-8NC Hardware



PB-5372-GLV




Pelco's foundation anchors feature a top plate which enables the bolt head to be inserted after the anchor is in place. This eliminates the necessity of digging under the plate to install base bolts. Plate scrapers loosen the soil for easy bolt installation from top of the plate. The bolt is held by the plate scraper that prevents it from turning.

For residential lights, parking lots, etc. Typically for poles ranging from 20'-30' in height. (wt. 167 lbs)

## Heavy Duty Foundation Anchor Assy, 8" Sch 40 13" to 18" Bolt Circle, 1-1/4"-7NC Hardware



PB-5375-GLV



Pelco's foundation anchors feature a top plate which enables the bolt head to be inserted after the anchor is in place. This eliminates the necessity of digging under the plate to install base bolts. Plate scrapers loosen the soil for easy bolt installation from top of the plate. The square head bolt is held by the plate scraper that prevents it from turning.

For street and highway lighting. Typically for poles ranging from 30'-50' in height. (wt. 239 lbs)

- Note: 1. Foundation anchors are hot dip galvanized per ASTM A123.  
2. All assemblies are supplied with Grade 5 Galvanized Bolts.  
3. All assemblies with hardware are bagged in a nylon weatherproof bag.





**VERSILIS** INC

February 20, 2013

From:  
Marc-André Séguin  
Vice-President  
Versilis Inc.  
4295 St-Elzear Boulevard West  
Laval, QC Canada  
H7P 4J3

Re: Buy America Certification for SwiftGate™ Highway Lane Closure System

To Whom It May Concern-

I, Marc-André Séguin, certify that the following product is exempt from the Federal Highway Administration Buy America requirements as specified in Title 23 of the Federal Code of Regulations (CFR) Section 635.410, by virtue of the fact that the products are not manufactured predominantly of steel or iron (as this standard has been defined by the FHWA as products consisting of at least 90% steel or iron content when it is delivered to a job site for installation):

SwiftGate™ Lane Closure Module

If any of the above compliance statements change, we will immediately notify the appropriate parties.

Yours truly,

Marc-André Séguin  
Vice-President  
Versilis Inc.