



T440/T470 Data Book
1/1/2021



TABLE OF CONTENTS

Section	Pages
STANDARD SPECIFICATIONS	F
REQUIRED INFORMATION	H
ENGINES	I
ENGINE EQUIPMENT	J
TRANSMISSIONS	K
FRONT AXLE	L
REAR AXLE	M
REAR SUSPENSION	N
TIRES & WHEELS	O
FRAME & EQUIPMENT	P
FUEL TANKS & EQUIPMENT	Q
CAB EXTERIOR	R
CAB INTERIOR	S
LIGHTS & SIGNALS	T
AIR EQUIPMENT	U
SPECIAL EQUIPMENT	V
EXTENDED WARRANTY	W
PAINT	X



T440/T470: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
--------	-------------	-------	--------

BASE MODEL PRICE

0000410	T400 Series Conventional.	\$122,638	11,518#
---------	---------------------------	-----------	---------

ENGINES

PACCAR

0130200	PX-9 260 260@1600 860@1200, 2021 With Turbo Exhaust Brake (VGT Brake).	\$0	0#
---------	--	-----	----

ENGINE EQUIPMENT

Air Compressor

1002060	Air compressor: Cummins 18.7 CFM For Cummins And PACCAR PX engines.	\$0	0#
---------	---	-----	----

Air Intake System

1051092	Engine mount Powercore air cleaner. w/constant torque SS clamps, pop-up air restriction indicator. Pop-up indicator is standard.	\$0	0#
---------	--	-----	----

Cooling System

1122505	Cooling module: 1300 square inches. Includes aluminum radiator core, aluminum charge air cooler, translucent surge tank and washer bottle, silicone hoses, and extended life coolant. Drain valve is not available w/Allison transmissions.	\$0	0#
---------	---	-----	----

1105231	Fan Hub: Horton On/Off for PX-9 or ISLG	\$0	0#
---------	---	-----	----

Exhaust Systems

1247234	EXH: 2021 RH Under DPF/SCR with RH SOC Vertical tailpipe. Not 2.1m high roof sleepers	\$0	0#
---------	---	-----	----

Exhaust Accessories

1290136	Tailpipe: 5 in. single 36 in. 45 degree curved.	\$0	0#
---------	---	-----	----

Filters

1321145	Fuel Filter:Fleetguard FS1003 Fuel/Water Separator for PX-9	\$0	0#
---------	---	-----	----

1321200	Run Aid:None *For Fuel Filter	\$0	0#
---------	-------------------------------	-----	----

1321300	Start Aid:None *For Fuel Filter	\$0	0#
---------	---------------------------------	-----	----

Fuel Cooler

1500029	Kenworth Fuel Cooler Required for Cummins engines with a single fuel tank. Required for PACCAR MX-13 engine with a single fuel tank and stationary use: High RPM, low vehicle speed, sustained for longer than 1 hour. Optional for all other applications.	\$0	0#
---------	---	-----	----

Starting & Recharging

1816260	Alternator: PACCAR 160 amp, brush type	\$0	0#
---------	--	-----	----

1821220	Batteries: 2 PACCAR GP31 threaded post (700-730) 1400-1460 CCA dual purpose.	\$0	0#
---------	--	-----	----

1836106	Mitsubishi 105P55 12V Starter with Cummins and PX PACCAR 12 volt electrical system. W/ centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded. Only for Cummins or PX engines.	\$0	0#
---------	---	-----	----

TRANSMISSIONS

Eaton

2051122	Transmission: Fuller FSO8406A 6-speed synchro. *Torque Limit: 860 pound-feet.	\$0	0#
---------	---	-----	----

Clutch

2240035	Clutch: Eaton Fuller 14in. medium-duty manual adjustment 606-1000. Includes manual adjusting clutch cover, extended grease fitting for clutch bearing and cross shaft, and synthetic lubricant for the transmission.	\$0	0#
---------	--	-----	----



T440/T470: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
--------	-------------	-------	--------

Driveline

2401405	Driveline: 2 Dana standard-duty; 1 centerbearing. *Standard duty is 1710 series.	\$0	0#
---------	--	-----	----

FRONT AXLE

Front Axles

2512042	Meritor MFS12E PLUS 12.5K 3.5in. drop standard track	\$0	0#
---------	--	-----	----

Outer End Equipment

2607001	Front Brakes: 14.6K Bendix air disc brakes lube free.	\$0	0#
2690024	Splined rotor for front air disc brakes for use with aluminum hubs.	\$0	0#
2707050	Front Hub: 14,600 lbs. aluminum hub pilot 10-bolt, 11.25 in. bolt circle.	\$0	0#
2741970	ConMet PreSet Plus Hub package; front axle.	\$0	0#
2750001	Hubcap: front vented.	\$0	0#
2769000	Slack Adjusters included w/ front axle or brake. Also use w/ disc brakes.	\$0	0#

Front Springs

2863012	Front Springs: Taperleaf 12K w/ shock absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins except for C500 which has threaded pins. Not available on W900L.	\$0	0#
---------	---	-----	----

Power Steering

2895121	Single power steering gear: 13.2K Sheppard M100P.	\$0	0#
---------	---	-----	----

REAR AXLE

Single Drive Rear Axles

3031181	Single Dana Spicer S21-172 single reduction rear axle. Single rear axle rated at 21K.	\$0	0#
---------	---	-----	----

Single Axle Outer End Equipment

3330004	Single Rear Brakes 16-1/2x7 in. Bendix ES- extended service S-cam.	\$0	0#
3392007	Single Rear Brake Drums: cast.	\$0	0#
3401010	Single Rear Hubs: Aluminum hub pilot 23K; 11-1/4 in. bolt circle.	\$0	0#
3441971	ConMet PreSet Plus Hub package; single rear axle.	\$0	0#
3485007	Spring Brake: 3030 long stroke single 3 in. travel. Helps keep brakes in adjustment longer.	\$0	0#
3465001	Single Rear axle automatic slack adjusters.	\$0	0#

Anti-Lock Brake System

3495226	Bendix 4S/4M anti-lock brake system.	\$0	0#
---------	--------------------------------------	-----	----

REAR SUSPENSION

Single

3626478	Rear suspension: single Reyco 79KB taperleaf 21K. Unladen Height: 11.0 in. Laden Height: 9.4 in. Not available with shocks or swaybars.	\$0	0#
---------	---	-----	----

TIRES & WHEELS

Front & Rear Axle Tires

4070040	Front Tires: Bridgestone R284 Ecopia 295/75R22.5 14PR	\$0	0#
4270040	Rear Tires: Bridgestone R284 Ecopia 295/75R22.5 14PR	\$0	0#

Front & Rear Axle Wheels & Rims



T440/T470: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
5042289	Front Wheel: Accuride 51487 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible.	\$0	0#
5242389	Rear Wheel: Accuride 51487 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible. Code is priced per pair of wheels.	\$0	0#

FRAME & EQUIPMENT

Rails & Inserts

6054200	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 284 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80, RBM is 1,776,000 in.-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$0	0#
---------	---	-----	----

Bumpers

6302460	Bumper: Tapered painted steel channel. Requires a bumper setting code.	\$0	0#
---------	--	-----	----

Front Frame Miscellaneous

6390103	Front mudflaps.	\$0	0#
6390304	Brackets, Front Drive: Aluminum up to 15,999 lbs.	\$0	0#

Battery Boxes

6405048	Battery box module: Short length aluminum parallel under cab, aluminum diamond plate cover w/ step. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.	\$0	0#
---------	---	-----	----

DPF-SCR Covers

6451090	T470, C5, T6, T8 non-polished DPF/SCR or CNG cover diamond plate w/ step. For use w/ 2010 or later exhaust systems. For T8, use extended length non-polished battery box on opposite rail to match the length of under cab components. End plates will be painted standard black frame color.	\$0	0#
---------	---	-----	----

Rear Frame Equipment

6742009	Square end-of-frame w/o crossmember; non-towing.	\$0	0#
6721102	Rear mudflap arms: Betts B-25 standard-duty, straight. Includes B1732 mounting brackets as standard.	\$0	0#
6722000	Rear mudflap shields: White plastic antisail w/ Kenworth logo.	\$0	0#

FUEL TANKS & EQUIPMENT

Round

7014056	Fuel Tank: 56 US gallon 22in. aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$0	0#
---------	--	-----	----

DEF Tanks & Equipment

7722153	Small round DEF tank. The DEF tank will be located on the side you specified. If you have specific configuration or body builder concerns, please utilize the Custom Frame Layout option. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	\$0	0#
---------	---	-----	----

CAB EXTERIOR

Cabs

8024310	Cab: Curved Glass Conventional. Cab Includes aluminum & fiberglass fully hucked cab w/ all aluminum bulkhead doors & continuous stainless steel piano-style door hinges. Single electric horn standard. Incandescent exterior lights include diagnosable bulb detection and warning. Trailer cable on tractors includes integrity detection. Standard features include multiplex wiring for interior lights, automated pre-trip inspection (excluding T3 series), short and open check diagnostics. Warning alarm will sound when lights are left on.	\$0	0#
---------	---	-----	----

Windows

8871438	Rear Cab Stationary Window 17 in. x 36 in.	\$0	0#
---------	--	-----	----



T440/T470: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
Hoods, Fenders & Grilles			
8090450	Hood: Sloped Aerodynamic T440 Hood. Includes hood and mounted grille, split fenders w/ mudflaps, & separate bumper.	\$0	0#
Cab Access			
8800200	Cab access contoured grabhandles, LH/RH.	\$0	0#
8800400	Grabhandle: LH inside door frame above dash.	\$0	0#
8800401	Grabhandle: RH inside door frame above dash.	\$0	0#
Horns			
8841411	Single air horn under cab.	\$0	0#
Mirrors & Equipment			
8862101	Mirror: Dual Prutsman mirror 7 in. x 16 in. polished stainless steel, and non-heated.	\$0	0#
8869005	Mirror brackets 8-1/2 ft load width.	\$0	0#
8850300	Look-Down, Pass. Door, Stainless 8.5x4.4	\$0	0#
Window Equipment			
8879200	Manual LH & electric-powered RH door window. Switch located on door.	\$0	0#
8890100	One-piece windshield, w/ curved glass.	\$0	0#
Doors & Equipment			
8832115	Daylite Door: LH/RH includes RH peeper window	\$0	0#
8700186	Electric LH & RH door locks.	\$0	0#
CAB INTERIOR			
Cabs & Sleepers			
8331140	Cab Interior: Summit. T440/T470 Only. Includes smooth upholstered side & back panels w/stitched accent lines, upholstered door pads, full vinyl headliner, black dash panels & black rubber floor mats.	\$0	0#
8343304	Interior color: Slate Gray w/trim Dark Slate Gray	\$0	0#
Heaters & Air Conditioning			
8108010	Cab heater: W/integral defrosters & A/C 45,000 btu cab heater. No sleeper heater/AC. Includes 5 mode rotary control. T660 include filter media.	\$0	0#
Steering Wheels & Equipment			
8201013	Steering wheel: 18 in. 4-spoke.	\$0	0#
Instruments & Controls			
8282004	KW Driver Information Center: Includes fuel economy, RPM display, trip information, truck information, diagnostics, gear display, alarm clock.	\$0	0#
8282009	Instrument package: Includes speedometer, tachometer, fuel gauge, engine coolant temperature gauge, engine oil pressure, voltmeter. Class 8 also includes primary & secondary air reservoir gauges & an air application gauge. DEF level gauge and warning lamp are included with 2010+ engines. Engine hour meter and outside air temperature readouts are standard. Primary read out will be MPH. Add 8240620 to switch primary scale to KPH in Canada.	\$0	0#
8700168	Non-self cancelling turn signal: W/column-mounted headlight dimmer switch & intermittent wiper control.	\$0	0#
8282107	Large flat panel on dash For customer-installed controls. Reduces gauge count by 6.	\$0	0#

Seats



T440/T470: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
8410091	Driver seat: Kenworth Air cushion Plus HB cloth. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted and includes a map pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$0	0#
8480090	Rider seat: Kenworth Toolbox Plus HB cloth. Standard features include fixed base and backrest, tool box seat base w/ door, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted with a map pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$0	0#
8490110	Seat color: Dark Slate Gray.	\$0	0#

LIGHTS & SIGNALS

Headlamps

9010801	Headlamps: Halogen Projector Low Beam, Halogen Complex Reflector High Beam	\$0	0#
---------	--	-----	----

Marker Lights

9020164	Marker Lights: with small round base, Five cab roof mounted.	\$0	0#
9090039	Marker Lights: Interrupter Switch. Included in Turn Signal For All Models Except T3. The T3 Switch Is In The Dash.	\$0	0#

Turn Signal Lights

9030010	Turn Signal Lights: Mounted on fender	\$0	0#
---------	---------------------------------------	-----	----

Taillights

9070138	Combination Stop, Tail, Turn & Backup Lights RH & LH.	\$0	0#
---------	---	-----	----

AIR EQUIPMENT

Air Drying Equipment

9108001	Moisture ejection valve w/ pull cable drain.	\$0	0#
9101218	Air Dryer: Bendix AD-HF Puraguard Heated	\$0	0#

Air System Miscellaneous

9140020	Nylon air tubing in frame & cab, excluding hoses subject to excessive heat or flexing.	\$0	0#
---------	--	-----	----

EXTENDED WARRANTY

Warranty

9200022	Base Warranty - Standard Service Medium Duty 12 months / Unlimited miles & km	\$0	0#
---------	---	-----	----

PAINT

Paint Designs

9943050	Day Cab Standard Paint	\$0	0#
9944820	1 - Color Paint - Day Cab Color will be White if no other color is specified.	\$0	0#

Paint Options

9943001	Bumper Painted Color A	\$0	0#
9965510	Base coat/clear coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	\$0	0#



T440/T470: REQUIRED INFORMATION

Option	Description	Price	Weight
Intended Service			
0093000	Linehaul: Vehicles (trucks or tractors) used in over-the-road freight hauling. Pickup to delivery distance is typically over 300 miles, & annual mileage is typically over 60,000 miles per year. Operation is typically on-highway. Road usage: minimum 1% Class B, do not code for Class D.	\$0	0#
0093005	Local pickup & delivery: Vehicles which haul freight, typically operating within a 100-mile radius, on public streets & highways, & other paved surfaces, including limited Class C roads. Includes package & freight delivery, as well as fuel oil or petroleum distribution, etc. Road usage: minimum 3% Class B, do not code for Class D.	\$0	0#
0093007	Regional Haul: Vehicles used to haul freight on public roads consisting of a mixture of over the road, urban and/or suburban hauling. Pickup to delivery distance typically in the 100 to 300 miles range but some LTL applications may exceed 300 mile limit. Road usage: minimum 19% Class B, do not code for Class D.	\$0	0#
0093010	Logger: Vehicles which haul logs from the forest to the mill, or from mill to mill. Typically includes some operation off of paved roads. Road usage: any combination, which includes some Class C.	\$0	0#
0093015	Concrete ready mix: Vehicles which deliver Ready-Mix concrete from batch plant to job site. Typically includes some operation off of paved roads. Road usage: any combination, which includes minimum 5% Class B.	\$0	0#
0093025	Snowplow: Vehicles which are configured for mounting a snowplow to the front. May also have dump or other body. Typically includes some operation off of paved roads. Road usage: majority of Class A & B, do not code for Class D.	\$0	0#
0093030	Mining haulers: Vehicles used for hauling ore or overburden, either from the pit or face or from a stockpile. Generally used on private haul roads, rather than public highways. Typically includes some operation off of paved roads. Road usage: do not code for Class A, some Class C required.	\$0	0#
0093035	Mining service: Vehicles used to service earthmoving & mining equipment. Includes bodies such as mechanic's service bodies, tire hoists, fuel/lube, etc. Typically includes some operation off of paved roads. Road usage: any combination, which includes some Class C.	\$0	0#
0093071	Heavy equipment transport: Vehicles used to transport heavy, non-divisible loads, such as earthmoving equipment, electrical transformers, pressure vessels, etc. GCW can be from 80,000 lbs. to extremely heavy. Road usage: any combination, which includes some Class B.	\$0	0#
0093090	Utility vehicle: Used to service utility or communication equipment. Typically operates within 100 mile radius on public roads & may or may not have a man lift. Duty cycle includes long engine idle times. Road usage: any combination of A & B, may include some class C roads.	\$0	0#
0093091	Refuse hauler: Vehicles which haul refuse, recycled material, etc. Includes Roll-on/roll-off container movement, as well as hauling refuse from transfer stations to landfills. Typically includes operation in landfills, over rough, uneven surfaces. Road usage: any combination, which includes some Class B.	\$0	0#
0093095	Refuse packer: Vehicles which pick up refuse or recycled material from curbside containers in residential areas. Operation typically includes very frequent stops & starts. Unloading can be at transfer station or at landfill. Road usage: some Class B required, with maximum of 5% Class D.	\$0	0#
0093101	Oil field rig move: Vehicles used in the transport & erection of oil well equipment. Includes bed trucks, winch trucks, rig-up trucks, etc. Trucks typically move heavy loads over poorly-prepared surfaces, & do considerable maneuvering on the jobsite to place or pick up loads. Road usage: minimum 5% Class C, w/no Class A or B required.	\$0	0#



T440/T470: REQUIRED INFORMATION

Option	Description	Price	Weight
Intended Service			
0093105	Oil field well servicing: Vehicles which carry well servicing equipment, e.g., pumpers, blenders, cementers, data loggers, etc. Typically involve considerable hours of stationary operation, but low mileage. Typically operate on prepared (although often unpaved) roadways. Road usage: any combination, w/minimum 5% Class C.	\$0	0#
0093111	Wrecker service: Vehicles w/ recovery bodies used for recovering & towing stranded vehicles & equipment. Road usage: minimum 5% Class B & maximum 10% Class D.	\$0	0#
0093121	Fire truck service: Vehicles used in fighting fires. Typically have pumps, etc., mounted in the body. Road usage: minimum 5% Class B & maximum 5% Class D.	\$0	0#
0093122	EMT/rescue service: Vehicles used responding to emergencies & rescue operations. Typically configured for rapid response, & carry medical & other rescue equipment. Road usage: minimum 5% Class B & maximum 5% Class D.	\$0	0#
0093125	Crane/cherry picker: Vehicles equipped w/ cranes, man-lifts, hoists, cherry-pickers, bridge inspection units, etc. Road usage: any combination, w/minimum 5% Class B.	\$0	0#
0093130	Construction: Vehicles used in the construction industry, other than those listed above. Use typically involves operating on the jobsite, to pick up or deliver construction materials, or to position the vehicle for its intended use at the construction site. Includes such activities as delivery of precast concrete, concrete pumpers, flatbeds or roll-offs for delivery of construction materials or equipment, etc. Typically includes some operation off of paved roads. Road usage: any combination, which includes some Class C.	\$0	0#
0093135	Agriculture: Vehicles used in the agriculture industry, other than those listed above. Use typically involves transportation of agricultural & dairy products to/from/on/around farm sites, & includes operation off of improved surfaces while on the farm. Includes applications such as milk tankers for farm pickup, feed trucks, grain haulers which load in the field, etc. Can be trucks or tractors. Road usage: any combination, which includes both Class C & D.	\$0	0#
Commodity Hauled			
Building Materials			
0091010	Pre-cast concrete (blocks, pavers, etc.).	\$0	0#
0091020	Ready-mix concrete.	\$0	0#
0091030	Lumber.	\$0	0#
0091040	Other building materials.	\$0	0#
0091041	Asphalt.	\$0	0#
0091042	Gravel/crushed rock/sand.	\$0	0#
0091043	Topsoil/bark.	\$0	0#
Food-Farm Products			
0091130	Grain.	\$0	0#
0091135	Livestock feed.	\$0	0#



T440/T470: REQUIRED INFORMATION

Option	Description	Price	Weight
Commodity Hauled			
Food-Farm Products			
0091140	Hay.	\$0	0#
0091150	Livestock.	\$0	0#
0091160	Hanging meat.	\$0	0#
0091170	Other food/farm products.	\$0	0#
Bulk Goods			
0091050	Dry bulk goods.	\$0	0#
0091060	Dairy products - milk.	\$0	0#
0091070	Liquid petroleum products.	\$0	0#
0091080	Other bulk goods.	\$0	0#
0091115	Compressed gas.	\$0	0#
0091121	Water.	\$0	0#
0091122	Crude oil.	\$0	0#
0091123	Liquefied gas.	\$0	0#
0091125	Steel structural/coil.	\$0	0#
Forest Products			
0091180	Logs.	\$0	0#
0091190	Wood chips.	\$0	0#
0091200	Other forest products.	\$0	0#
Minerals			
0091210	Coal.	\$0	0#
0091220	Excavated earth.	\$0	0#
0091230	Rock.	\$0	0#
0091240	Other minerals.	\$0	0#
Dry Goods			
0091090	General freight.	\$0	0#
0091100	Heavy machinery.	\$0	0#



T440/T470: REQUIRED INFORMATION

Option	Description	Price	Weight
Commodity Hauled			
Dry Goods			
0091110	Oil field equipment.	\$0	0#
0091120	Other dry goods.	\$0	0#
0091124	Auto transporter.	\$0	0#
Miscellaneous			
0091250	Empty cans.	\$0	0#
0091260	Refuse/recycled material.	\$0	0#
0091270	Fire apparatus.	\$0	0#
0091271	EMT/rescue.	\$0	0#
Body Type			
0095010	End dump.	\$0	0#
0095015	Super dump with flying tag axle.	\$0	0#
0095030	Transfer dump.	\$0	0#
0095035	Stone slinger.	\$0	0#
0095040	Concrete mixer, non-booster-axle.	\$0	0#
0095050	Booster axle mixer w/ approved frame reinforcement.	\$0	0#
0095055	Concrete pump.	\$0	0#
0095056	Volumetric mixer.	\$0	0#
0095060	Roll on/roll off.	\$0	0#
0095065	Roll back flatbed.	\$0	0#
0095070	Refuse loader/packer.	\$0	0#
0095080	Refuse, other.	\$0	0#
0095084	Logger, single bunk.	\$0	0#
0095085	Logger, multiple bunks.	\$0	0#
0095090	Oil field rig-up.	\$0	0#
0095095	Beverage.	\$0	0#



T440/T470: REQUIRED INFORMATION

Option	Description	Price	Weight
Body Type			
0095099	Oil Field Winch/Equipment BOC for use w/Tractors.	\$0	0#
0095100	Oil well servicing equipment.	\$0	0#
0095102	Coil Tubing Unit.	\$0	0#
0095105	Drilling derrick.	\$0	0#
0095110	Tank.	\$0	0#
0095115	Dry bulk hopper.	\$0	0#
0095120	Van.	\$0	0#
0095125	Service body.	\$0	0#
0095130	Dromedary box or automobile rack.	\$0	0#
0095135	Cotton module.	\$0	0#
0095140	Flatbed.	\$0	0#
0095145	Flatbed with utility crane.	\$0	0#
0095146	Wrecker.	\$0	0#
0095151	Crane/boom.	\$0	0#
0095152	Block body.	\$0	0#
0095153	Logger, self-loading crane/boom. Dealer supplied drawing required.	\$0	0#
0095155	Fire truck-pumper.	\$0	0#
0095160	Other - Narrative Required	\$0	0#
0095165	Vacuum tank.	\$0	0#
0095175	Reefer van.	\$0	0#
Trailer Type			
0096010	Doubles.	\$0	0#
0096015	Triples.	\$0	0#
0096020	End dump.	\$0	0#
0096025	Side Dump	\$0	0#
0096030	Bottom dump.	\$0	0#



T440/T470: REQUIRED INFORMATION

Option	Description	Price	Weight
Trailer Type			
0096040	Flatbed.	\$0	0#
0096045	Beverage.	\$0	0#
0096050	Lowboy.	\$0	0#
0096055	Automobile/marine carrier.	\$0	0#
0096060	Reefer van.	\$0	0#
0096070	Tank.	\$0	0#
0096075	Oil Field Well Service	\$0	0#
0096080	Dry van beverage trailer, curtain trailer, chip trailer.	\$0	0#
0096085	Logger, single bunk or semi-trailer.	\$0	0#
0096090	Other - Narrative Required	\$0	0#

Special Requirements

Operating Area

0098010	California Registry	\$0	0#
0098015	Mexico registry.	\$0	0#
0098025	U.S. Domestic registry, 50-state.	\$0	0#
0098030	Export: Off-highway - exempt from US regulations.	\$0	0#
0098032	Export: On-highway chassis.	\$0	0#
0098033	On-highway chassis for use in off-shore.	\$0	0#
0098050	Canadian registry.	\$0	0#
0098060	Quebec registry.	\$0	0#

Export Destination

0098035	Russian compliant chassis.	\$0	0#
9481000	Export Destination: Chile.	\$0	0#
9481001	Export Destination: Colombia.	\$0	0#
9481002	Export Destination: Ecuador.	\$0	0#
9481003	Export Destination: Indonesia.	\$0	0#



T440/T470: REQUIRED INFORMATION

Option	Description	Price	Weight
Special Requirements			
Export Destination			
9481004	Export Destination: Peru.	\$0	0#
9481005	Export Destination: Puerto Rico.	\$0	0#
9481006	Export Destination: Thailand.	\$0	0#
9481007	Export Destination: U.S. Pacific Islands, Guam, Saipan, North Mariana Island, & American Samoa.	\$0	0#
9481008	Export Destination: U.S. Virgin Islands.	\$0	0#
9481010	Export Destination: Venezuela.	\$0	0#
9481011	Export Destination: Algeria.	\$0	0#
9481012	Export Destination: China.	\$0	0#
9481013	Export Destination: Dominican Republic.	\$0	0#
9481014	Export Destination: Guatemala.	\$0	0#
9481015	Export Destination: India.	\$0	0#
9481016	Export Destination: Libya.	\$0	0#
9481017	Export Destination: Oman.	\$0	0#
9481018	Export Destination: Panama.	\$0	0#
9481019	Export Destination: Saudi Arabia.	\$0	0#
9481022	Export Destination: United Arab Emirates.	\$0	0#
9481023	Export Destination: Iraq.	\$0	0#
9481024	Export Destination: Ghana.	\$0	0#
9481025	Export Destination: Kazakhstan.	\$0	0#
9481026	Export Destination: Nigeria.	\$0	0#
9481027	Export Destination: Egypt.	\$0	0#
9481028	Export Destination: Qatar.	\$0	0#
9481029	Export Destination: Pakistan.	\$0	0#
9481030	Export Destination: Kuwait.	\$0	0#
9481031	Export Destination: Argentina.	\$0	0#



T440/T470: REQUIRED INFORMATION

Option	Description	Price	Weight
Special Requirements			
Export Destination			
9481032	Export Destination: Bahamas.	\$0	0#
9481095	Export Destination: Jordan.	\$0	0#
9481196	Export Destination: Israel.	\$0	0#
9481197	Export Destination: Russia.	\$0	0#
9481198	Export Destination: Western Europe.	\$0	0#
9481199	Export Destination: country not specified. Export country not otherwise specified	\$0	0#
Stationary Application			
0072000	Chassis operation will not include a stationary application. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
0072001	Chassis operation will include stationary application used in lower 48 states [US only]. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
0072002	Chassis operation will include stationary application used in Canada or Alaska. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
0072003	Chassis operation will include export stationary application. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
Model Series			
0070036	T440 4x2 Med Duty with Cummins L9N Engine	\$0	0#
0070037	T440 6x4 Class 8 with Cummins L9N Engine	\$0	0#
0070038	T470 4x2 Med Duty with Cummins L9N Engine	\$0	0#
0070039	T470 6x4 Class 8 with Cummins L9N Engine	\$0	0#
0070069	T440 4x2 Medium Duty	\$0	0#
0070070	T440 6x4 Class 8	\$0	0#
0070071	T470 4x2 Medium Duty	\$0	0#
0070072	T470 6x4 Class 8	\$0	0#

Model Configurations



T440/T470: REQUIRED INFORMATION

Option	Description	Price	Weight
Model Configurations			
0090003	38 in. AeroCab Sleeper w/rear axle capacity less than 59K.	\$0	0#
0090061	T440 4x2 Medium Duty	\$0	0#
0090062	T440 6x4 Class 8	\$0	0#
0090063	T470 4x2 Medium Duty	\$0	0#
0090064	T470 6x4 Class 8	\$0	0#
0090115	T440 4x2 Med Duty with Cummins L9N Engine	\$0	0#
0090116	T440 6x4 Class 8 with Cummins L9N Engine	\$0	0#
0090117	T470 4x2 Med Duty with Cummins L9N Engine	\$0	0#
0090118	T470 6x4 Class 8 with Cummins L9N Engine	\$0	0#
0090234	42 in. Modular Sleeper & Dual Front Axle & Tridem rear axle.	\$0	0#



T440/T470: ENGINES

Option	Description	Price	Weight
CARB Emission Reduction Feature			
0080040	ISL-G CARB CA Registry only N/A 49 States.	\$0	0#
0080050	CARB Idle Emissions Reduction Feature for PX-7 and PX-9	\$93	0#
0080055	CARB Idle Emissions Reduction - Cummins	\$93	0#
0080070	CARB Exempt Application Emergency Vehicle Only.	\$0	0#
0080075	Dealer/Customer declines engine w/CARB Idle Emissions Reduction Feature.	\$0	0#
0080085	CARB Idle - Alternative fuel exempt from CARB anti-idle.	\$0	0#

PACCAR

PX-9

0130200	PX-9 260 260@1600 860@1200, 2021 With Turbo Exhaust Brake (VGT Brake).	STD	0#
0130201	PX-9 270 270@1650 860@1200, 2021 With Turbo Exhaust Brake (VGT Brake).	\$598	0#
0130202	PX-9 270EV 270@1650 860@1200, 2021 With Turbo Exhaust Brake (VGT Brake). Emergency Vehicle	\$1,511	0#
0130203	PX-9 300 300@1850 860@1200, 2021 With Turbo Exhaust Brake (VGT Brake).	\$2,539	0#
0130204	PX-9 300EV 300@1850 860@1200, 2021 With Turbo Exhaust Brake (VGT Brake). Emergency Vehicle	\$1,651	0#
0130205	PX-9 330 330@1750 1000@1200, 2021 With Turbo Exhaust Brake (VGT Brake).	\$1,964	0#
0130206	PX-9 330EV 330@1750 1000@1200, 2021 With Turbo Exhaust Brake (VGT Brake). Emergency Vehicle	\$2,313	0#
0130207	PX-9 360 360@1650 1150@1200, 2021 With Turbo Exhaust Brake (VGT Brake).	\$4,770	0#
0130208	PX-9 350 350@1750 1050@1200, 2021 With Turbo Exhaust Brake (VGT Brake).	\$4,630	0#
0130209	PX-9 360EV 360@1650 1150@1200, 2021 With Turbo Exhaust Brake (VGT Brake). Emergency Vehicle	\$3,871	0#
0130210	PX-9 370 370@1600 1250@1200, 2021 With Turbo Exhaust Brake (VGT Brake).	\$9,298	0#
0130211	PX-9 370EV 370@1900 1250@1200, 2021 With Turbo Exhaust Brake (VGT Brake). Emergency Vehicle	\$5,315	0#
0130212	PX-9 380 380@1600 1250@1200, 2021 With Turbo Exhaust Brake (VGT Brake).	\$9,784	0#
0130213	PX-9 380EV 380@1750 1150@1200, 2021 With Turbo Exhaust Brake (VGT Brake). Emergency Vehicle	\$4,569	0#
0130214	PX-9 400EV 400@1700 1250@1200, 2021 With Turbo Exhaust Brake (VGT Brake). Emergency Vehicle	\$10,437	0#



T440/T470: ENGINES

Option	Description	Price	Weight
PACCAR			
PX-9			
0130215	PX-9 450EV 450@2100 1250@1200, 2021 With Turbo Exhaust Brake (VGT Brake). Emergency Vehicle	\$11,697	0#
Cummins			
Natural Gas			
0128902	L9N 300 2018 300@2100 860@1300 GOV@2200	\$34,442	33#
0128922	L9N 320 2018 320@2000 1000@1300 GOV @2200	\$33,562	33#



T440/T470: ENGINE EQUIPMENT

Option	Description	Price	Weight
Engine Parameters			
Engine Idle Shutdown Timers			
1000856	Enable Most Fuel Efficient EIST	\$0	0#
1000857	Engine Idle Shutdown Timer Enabled	\$0	0#
1000858	Engine Idle Shutdown Timer Disabled	\$0	0#
1000859	Enable EIST Ambient Temp Override	\$0	0#
1000860	Enable EIST in PTO Mode Use only with MX and Cummins engines	\$0	0#
1000870	Eff EIST 0 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000871	Eff EIST 300000 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000873	Eff EIST 400000 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000875	Eff EIST 500000 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000877	Eff EIST 600000 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000879	Eff EIST 700000 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000881	Eff EIST 800000 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000883	Eff EIST 900000 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000885	Eff EIST 1000000 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000887	Eff EIST 1100000 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000889	Eff EIST 1200000 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000890	Eff EIST 1259000 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000891	Eff EIST NA Expiration Miles Use only with MX and Cummins engines	\$0	0#
1000892	Eff EIST 0 Expiration Miles (CAN) Use only with MX and Cummins engines	\$0	0#
1000893	Eff EIST 300000 Expiration Miles (CAN) Use only with MX and Cummins engines	\$0	0#
1000895	Eff EIST 400000 Expiration Miles (CAN) Use only with MX and Cummins engines	\$0	0#
1000897	Eff EIST 500000 Expiration Miles (CAN) Use only with MX and Cummins engines	\$0	0#
1000899	Eff EIST 600000 Expiration Miles (CAN) Use only with MX and Cummins engines	\$0	0#
1000901	Eff EIST 700000 Expiration Miles (CAN) Use only with MX and Cummins engines	\$0	0#
1000903	Eff EIST 800000 Expiration Miles (CAN) Use only with MX and Cummins engines	\$0	0#



T440/T470: ENGINE EQUIPMENT

Option	Description	Price	Weight
Engine Parameters			
Engine Idle Shutdown Timers			
1000905	Eff EIST 900000 Expiration Miles (CAN) Use only with MX and Cummins engines	\$0	0#
1000907	Eff EIST 1000000 Expiration Miles (CAN) Use only with MX and Cummins engines	\$0	0#
1000909	Eff EIST 1100000 Expiration Miles (CAN) Use only with MX and Cummins engines	\$0	0#
1000911	Eff EIST 1200000 Expiration Miles (CAN) Use only with MX and Cummins engines	\$0	0#
1000912	Eff EIST 1259000 Expiration Miles (CAN) Use only with MX and Cummins engines	\$0	0#
Vehicle Speed Limiters			
1000611	Highest Efficiency VSL Settings	\$0	0#
1000624	Effective VSL Setting 51-51.9 MPH (USA)	\$0	0#
1000625	Effective VSL Setting 52-52.9 MPH (USA)	\$0	0#
1000626	Effective VSL Setting 53-53.9 MPH (USA)	\$0	0#
1000627	Effective VSL Setting 54-54.9 MPH (USA)	\$0	0#
1000628	Effective VSL Setting 55-55.9 MPH (USA)	\$0	0#
1000629	Effective VSL Setting 56-56.9 MPH (USA)	\$0	0#
1000630	Effective VSL Setting 57-57.9 MPH (USA)	\$0	0#
1000631	Effective VSL Setting 58-58.9 MPH (USA)	\$0	0#
1000632	Effective VSL Setting 59-59.9 MPH (USA)	\$0	0#
1000633	Effective VSL Setting 60.0 MPH (USA)	\$0	0#
1000634	Effective VSL Setting 60.1 MPH (USA)	\$0	0#
1000635	Effective VSL Setting 60.2 MPH (USA)	\$0	0#
1000636	Effective VSL Setting 60.3 MPH (USA)	\$0	0#
1000637	Effective VSL Setting 60.4 MPH (USA)	\$0	0#
1000638	Effective VSL Setting 60.5 MPH (USA)	\$0	0#
1000639	Effective VSL Setting 60.6 MPH (USA)	\$0	0#
1000640	Effective VSL Setting 60.7 MPH (USA)	\$0	0#
1000641	Effective VSL Setting 60.8 MPH (USA)	\$0	0#



T440/T470: ENGINE EQUIPMENT

Option	Description	Price	Weight
Engine Parameters			
Vehicle Speed Limiters			
1000642	Effective VSL Setting 60.9 MPH (USA)	\$0	0#
1000643	Effective VSL Setting 61.0 MPH (USA)	\$0	0#
1000644	Effective VSL Setting 61.1 MPH (USA)	\$0	0#
1000645	Effective VSL Setting 61.2 MPH (USA)	\$0	0#
1000646	Effective VSL Setting 61.3 MPH (USA)	\$0	0#
1000647	Effective VSL Setting 61.4 MPH (USA)	\$0	0#
1000648	Effective VSL Setting 61.5 MPH (USA)	\$0	0#
1000649	Effective VSL Setting 61.6 MPH (USA)	\$0	0#
1000650	Effective VSL Setting 61.7 MPH (USA)	\$0	0#
1000651	Effective VSL Setting 61.8 MPH (USA)	\$0	0#
1000652	Effective VSL Setting 61.9 MPH (USA)	\$0	0#
1000653	Effective VSL Setting 62.0 MPH (USA)	\$0	0#
1000654	Effective VSL Setting 62.1 MPH (USA)	\$0	0#
1000655	Effective VSL Setting 62.2 MPH (USA)	\$0	0#
1000656	Effective VSL Setting 62.3 MPH (USA)	\$0	0#
1000657	Effective VSL Setting 62.4 MPH (USA)	\$0	0#
1000658	Effective VSL Setting 62.5 MPH (USA)	\$0	0#
1000659	Effective VSL Setting 62.6 MPH (USA)	\$0	0#
1000660	Effective VSL Setting 62.7 MPH (USA)	\$0	0#
1000661	Effective VSL Setting 62.8 MPH (USA)	\$0	0#
1000662	Effective VSL Setting 62.9 MPH (USA)	\$0	0#
1000663	Effective VSL Setting 63.0 MPH (USA)	\$0	0#
1000664	Effective VSL Setting 63.1 MPH (USA)	\$0	0#
1000665	Effective VSL Setting 63.2 MPH (USA)	\$0	0#
1000666	Effective VSL Setting 63.3 MPH (USA)	\$0	0#



T440/T470: ENGINE EQUIPMENT

Option	Description	Price	Weight
Engine Parameters			
Vehicle Speed Limiters			
1000667	Effective VSL Setting 63.4 MPH (USA)	\$0	0#
1000668	Effective VSL Setting 63.5 MPH (USA)	\$0	0#
1000669	Effective VSL Setting 63.6 MPH (USA)	\$0	0#
1000670	Effective VSL Setting 63.7 MPH (USA)	\$0	0#
1000671	Effective VSL Setting 63.8 MPH (USA)	\$0	0#
1000672	Effective VSL Setting 63.9 MPH (USA)	\$0	0#
1000673	Effective VSL Setting 64.0 MPH (USA)	\$0	0#
1000674	Effective VSL Setting 64.1 MPH (USA)	\$0	0#
1000675	Effective VSL Setting 64.2 MPH (USA)	\$0	0#
1000676	Effective VSL Setting 64.3 MPH (USA)	\$0	0#
1000677	Effective VSL Setting 64.4 MPH (USA)	\$0	0#
1000678	Effective VSL Setting 64.5 MPH (USA)	\$0	0#
1000679	Effective VSL Setting 64.6 MPH (USA)	\$0	0#
1000680	Effective VSL Setting 64.7 MPH (USA)	\$0	0#
1000681	Effective VSL Setting 64.8 MPH (USA)	\$0	0#
1000682	Effective VSL Setting 64.9 MPH (USA)	\$0	0#
1000683	Effective VSL Setting 65.0 MPH (USA)	\$0	0#
1000684	Effective VSL Setting NA	\$0	0#
1000685	Effective VSL Setting 51-51.9 MPH (CAN)	\$0	0#
1000686	Effective VSL Setting 52-52.9 MPH (CAN)	\$0	0#
1000687	Effective VSL Setting 53-53.9 MPH (CAN)	\$0	0#
1000688	Effective VSL Setting 54-54.9 MPH (CAN)	\$0	0#
1000689	Effective VSL Setting 55-55.9 MPH (CAN)	\$0	0#
1000690	Effective VSL Setting 56-56.9 MPH (CAN)	\$0	0#
1000691	Effective VSL Setting 57-57.9 MPH (CAN)	\$0	0#



T440/T470: ENGINE EQUIPMENT

Option	Description	Price	Weight
Engine Parameters			
Vehicle Speed Limiters			
1000692	Effective VSL Setting 58-58.9 MPH (CAN)	\$0	0#
1000693	Effective VSL Setting 59-59.9 MPH (CAN)	\$0	0#
1000694	Effective VSL Setting 60.0 MPH (CAN)	\$0	0#
1000695	Effective VSL Setting 60.1 MPH (CAN)	\$0	0#
1000696	Effective VSL Setting 60.2 MPH (CAN)	\$0	0#
1000697	Effective VSL Setting 60.3 MPH (CAN)	\$0	0#
1000698	Effective VSL Setting 60.4 MPH (CAN)	\$0	0#
1000699	Effective VSL Setting 60.5 MPH (CAN)	\$0	0#
1000700	Effective VSL Setting 60.6 MPH (CAN)	\$0	0#
1000701	Effective VSL Setting 60.7 MPH (CAN)	\$0	0#
1000702	Effective VSL Setting 60.8 MPH (CAN)	\$0	0#
1000703	Effective VSL Setting 60.9 MPH (CAN)	\$0	0#
1000704	Effective VSL Setting 61.0 MPH (CAN)	\$0	0#
1000705	Effective VSL Setting 61.1 MPH (CAN)	\$0	0#
1000706	Effective VSL Setting 61.2 MPH (CAN)	\$0	0#
1000707	Effective VSL Setting 61.3 MPH (CAN)	\$0	0#
1000708	Effective VSL Setting 61.4 MPH (CAN)	\$0	0#
1000709	Effective VSL Setting 61.5 MPH (CAN)	\$0	0#
1000710	Effective VSL Setting 61.6 MPH (CAN)	\$0	0#
1000711	Effective VSL Setting 61.7 MPH (CAN)	\$0	0#
1000712	Effective VSL Setting 61.8 MPH (CAN)	\$0	0#
1000713	Effective VSL Setting 61.9 MPH (CAN)	\$0	0#
1000714	Effective VSL Setting 62.0 MPH (CAN)	\$0	0#
1000715	Effective VSL Setting 62.1 MPH (CAN)	\$0	0#
1000716	Effective VSL Setting 62.2 MPH (CAN)	\$0	0#



T440/T470: ENGINE EQUIPMENT

Option	Description	Price	Weight
Engine Parameters			
Vehicle Speed Limiters			
1000717	Effective VSL Setting 62.3 MPH (CAN)	\$0	0#
1000718	Effective VSL Setting 62.4 MPH (CAN)	\$0	0#
1000719	Effective VSL Setting 62.5 MPH (CAN)	\$0	0#
1000720	Effective VSL Setting 62.6 MPH (CAN)	\$0	0#
1000721	Effective VSL Setting 62.7 MPH (CAN)	\$0	0#
1000722	Effective VSL Setting 62.8 MPH (CAN)	\$0	0#
1000723	Effective VSL Setting 62.9 MPH (CAN)	\$0	0#
1000724	Effective VSL Setting 63.0 MPH (CAN)	\$0	0#
1000725	Effective VSL Setting 63.1 MPH (CAN)	\$0	0#
1000726	Effective VSL Setting 63.2 MPH (CAN)	\$0	0#
1000727	Effective VSL Setting 63.3 MPH (CAN)	\$0	0#
1000728	Effective VSL Setting 63.4 MPH (CAN)	\$0	0#
1000729	Effective VSL Setting 63.5 MPH (CAN)	\$0	0#
1000730	Effective VSL Setting 63.6 MPH (CAN)	\$0	0#
1000731	Effective VSL Setting 63.7 MPH (CAN)	\$0	0#
1000732	Effective VSL Setting 63.8 MPH (CAN)	\$0	0#
1000733	Effective VSL Setting 63.9 MPH (CAN)	\$0	0#
1000734	Effective VSL Setting 64.0 MPH (CAN)	\$0	0#
1000735	Effective VSL Setting 64.1 MPH (CAN)	\$0	0#
1000736	Effective VSL Setting 64.2 MPH (CAN)	\$0	0#
1000737	Effective VSL Setting 64.3 MPH (CAN)	\$0	0#
1000738	Effective VSL Setting 64.4 MPH (CAN)	\$0	0#
1000739	Effective VSL Setting 64.5 MPH (CAN)	\$0	0#
1000740	Effective VSL Setting 64.6 MPH (CAN)	\$0	0#
1000741	Effective VSL Setting 64.7 MPH (CAN)	\$0	0#



T440/T470: ENGINE EQUIPMENT

Option	Description	Price	Weight
Engine Parameters			
Vehicle Speed Limiters			
1000742	Effective VSL Setting 64.8 MPH (CAN)	\$0	0#
1000743	Effective VSL Setting 64.9 MPH (CAN)	\$0	0#
1000744	Effective VSL Setting 65.0 MPH (CAN)	\$0	0#
Air Compressor			
1002060	Air compressor: Cummins 18.7 CFM For Cummins And PACCAR PX engines.	STD	0#
1002065	Air compressor: Cummins 30.4 CFM ISL, PX-8, PX-9 replacing 18.7.	\$2,158	30#
Air Intake System			
Air Cleaner			
Engine-Mounted			
1051092	Engine mount Powercore air cleaner. w/constant torque SS clamps, pop-up air restriction indicator. Pop-up indicator is standard.	STD	0#
Air Intake Equipment			
1093108	Inside/outside air intake: for Powercore engine mounted w/cowl inlet.	\$500	0#
1098005	Filter minder air restriction indicator mounted on air cleaner replacing standard pop-up indicator.	\$51	0#
Cooling System			
Cooling Module			
1121200	Cooling module: 1000 square inches T170/T270/T370/T470. Includes metal surge tank on T170/T270/T370.	(\$437)	0#
1121210	Cooling module: 1000 square inches. Clog resistant. Includes metal surge tank on T170/T270/T370.	(\$181)	0#
1122505	Cooling module: 1300 square inches. Includes aluminum radiator core, aluminum charge air cooler, translucent surge tank and washer bottle, silicone hoses, and extended life coolant. Drain valve is not available w/Allison transmissions.	STD	0#
2 Speed Fan Clutch			
1105230	Fan Hub: Horton 2-Speed for ISL9, ISL-G, PX-8 or PX-9	\$216	0#
On/Off Fan Clutch			
1105231	Fan Hub: Horton On/Off for PX-9 or ISLG	STD	0#
1107060	Fan Hub: Borg Warner On/Off for PX-9 or ISLG	(\$304)	0#



T440/T470: ENGINE EQUIPMENT

Option	Description	Price	Weight
Cooling System Equipment			
1160105	Radiator winterfront.	\$120	2#
1160205	Bug screen: Front of grille on C500 ,T800, T880, and W900. Behind grille on T680 and T300 (Medium Duty).	\$233	2#
1160728	Lower radiator drain valve Okay for use w/2010+ engine cooling modules, other than 1780 square inches.	\$16	0#
Exhaust Systems			
1247166	Exhaust: 2017 EPA RH Under DPF/SCR w/ RH side of cab vertical tailpipe w/ daycabs, extended daycabs, or modular sleepers.	(\$1,172)	0#
1247173	Exhaust: 2017 EPA RH Under Cab DPF/SCR w/ Single Vertical RH Back of Cab Tailpipe. Not Available w/ Sleepers.	\$117	13#
1247178	Exhaust: 2017 EPA RH Under Cab DPF/SCR w/ Single RH Sleeper Mounted Tailpipe. *N/A w/ FEPTO. *For use w/ AEROCAB Sleepers Only (modular sleepers use side of cab codes).	(\$16)	67#
1247192	Exhaust: 2017 EPA RH Under Cab DPF/SCR w/ RH Horizontal Tailpipe Below Rail.	(\$1,060)	-21#
1247229	EXH: 2021 RH Under DPF/SCR with RH Horizontal tailpipe below rail	(\$433)	0#
1247230	EXH: 2021 RH Under DPF/SCR with Single RH Sleeper Mounted tailpipe. Not FEPTO	\$740	0#
1247234	EXH: 2021 RH Under DPF/SCR with RH SOC Vertical tailpipe. Not 2.1m high roof sleepers	STD	0#
1247235	EXH: 2021 RH Under DPF/SCR with Single Vertical RH BOC tailpipe, Not Sleeper	\$21	0#
CNG			
LNG			
1227053	Exhaust: Single Independent CNG Catalyst, Right Hand With Back of Cab Vertical Mounted Muffler, 2018	\$16,148	0#
1247019	Exhaust: Single Horizontal CNG Catalyst With Single Horizontal Tailpipe, 2018	\$3,753	0#
1247033	Exhaust: L9N Single Right Hand Under Cab Catalyst With Single Vertical Tailpipe Right Hand Side of Cab	\$11,971	0#
Exhaust Accessories			
Single Tailpipes			
1290124	Tailpipe: 5 in. single 24 in. 45 degree curved.	(\$60)	-3#
1290130	Tailpipe: 5 in. single 30 in. 45 degree curved.	(\$27)	-1#
1290136	Tailpipe: 5 in. single 36 in. 45 degree curved.	STD	0#
1290142	Tailpipe: 5 in. single 42 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$23	2#
1290148	Tailpipe: 5 in. single 48 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$43	3#



T440/T470: ENGINE EQUIPMENT

Option	Description	Price	Weight
Exhaust Accessories			
Single Tailpipes			
1290154	Tailpipe: 5 in. single 54 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$66	5#
1290160	Tailpipe: 5 in. single 60 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$102	7#
1290336	Tailpipe: 7 in. single 36 in. 45 degree curved.	\$171	4#
1290342	Tailpipe: 7 in. single 42 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$198	6#
1290348	Tailpipe: 7 in. single 48 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$227	9#
1290354	Tailpipe: 7 in. single 54 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$252	11#
1290360	Tailpipe: 7 in. single 60 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$251	13#
Filters			
Fuel-Water Separator			
1321145	Fuel Filter:Fleetguard FS1003 Fuel/Water Separator for PX-9	STD	0#
1321155	Fuel Filter: Rail Mounted for Natural Gas Engines Fuel/Water Separator	\$0	0#
1321200	Run Aid:None *For Fuel Filter	STD	0#
1321300	Start Aid:None *For Fuel Filter	STD	0#
1321305	Start Aid:12V Heat *For Fuel Filter	\$68	1#
Heating & Starting Aids			
Block Heater			
1504002	Immersion block heater 120V 1000W w/plug under door on C500 and T800	\$126	0#
1504006	Block heater, PACCAR 750 watt 120V for PX-6 and PX-7, 1000 watt for PX-8 and PX-9 or ISL9 engines .	\$126	2#
Oil Pan Heater			
1506055	Engine oil pan heater 120V 300W w/plug under door on C500, T660, T800 & W900.	\$143	2#
In-tank Fuel Heater			
1509058	Fuel tank heater: single Arctic Fox w/thermostat.	\$489	6#
1509065	Fuel tank heater: dual Arctic Fox w/thermostat.	\$867	15#
Heater Accessories			
1507008	Block heater & oil pan heater wired to separate plugs.	\$0	0#
1509000	Shutoff valves for trailer heat w/a short loop of hose.	\$144	0#



T440/T470: ENGINE EQUIPMENT

Option	Description	Price	Weight
Fuel Cooler			
1500029	Kenworth Fuel Cooler Required for Cummins engines with a single fuel tank. Required for PACCAR MX-13 engine with a single fuel tank and stationary use: High RPM, low vehicle speed, sustained for longer than 1 hour. Optional for all other applications.	STD	0#
Front Engine PTO - FEPTO			
2429038	PTO adapter for front engine PTO.	\$374	8#
Rear Engine PTO - REPTO			
6340040	Rear Engine PTO PX-8, PX-9, ISL9 Torque Capacity 435 lb-ft continuous, Drive ratio 1.15:1. Includes access provision in toe board.	\$4,084	150#
Governors & Controls			
1405074	Ambient temperature sensor for idle shutdown for use with Cummins ISM, ISX12, X15, and PACCAR PX engines.	\$0	0#
Engine Equipment Miscellaneous			
0080020	Chassis to use LNG fuel system.	\$0	0#
0080021	Chassis to use CNG fuel system.	\$0	0#
1000170	Enable engine regeneration in PTO mode Cummins	\$0	0#
1000241	PT Optimization Analysis: Downsped Economy	\$0	0#
1000242	Gearing Analysis: Fuel Economy fuel efficiency results.	\$0	0#
1000243	Gearing Analysis: Performance power before economy results.	\$0	0#
1000244	Gearing Analysis: Balance power/economy blend results.	\$0	0#
1000245	Customer's Typical Operating Spd: 50 MPH.	\$0	0#
1000247	Customer's Typical Operating Spd: 40 MPH.	\$0	0#
1000248	Customer's Typical Operating Spd: 55 MPH.	\$0	0#
1000249	Customer's Typical Operating Spd: 52 MPH	\$0	0#
1000250	Customer's Typical Operating Spd: 58 MPH.	\$0	0#
1000251	Customer's Typical Operating Spd: 60 MPH.	\$0	0#
1000252	Customer's Typical Operating Spd: 62 MPH	\$0	0#
1000253	Customer's Typical Operating Spd: 63 MPH	\$0	0#



T440/T470: ENGINE EQUIPMENT

Option	Description	Price	Weight
Engine Equipment Miscellaneous			
1000254	Customer's Typical Operating Spd: 65 mph.	\$0	0#
1000255	Customer's Typical Operating Spd: 68 mph.	\$0	0#
1000256	Customer's Typical Operating Spd: 64 MPH	\$0	0#
1000257	Customer's Typical Operating Spd: 70 mph.	\$0	0#
1000275	Customer's Typical Operating Spd: 75 MPH	\$0	0#
1900082	Multi-function engine connector for body builder interface for Cummins.	\$58	0#
1900086	Connection between PTO switch & engine requires code 1900082 or 1900084. T680/T880: This feature is standard, no code required.	\$63	0#
1900089	Connect BTWN C/I PTO SW & Eng,Warn LMP use 1900086 W/PTO Cntrl, REQs 1900082 OR 84	\$149	0#
1900976	Body Builder Control Harness coiled EOF for customer installed remote throttle and remote PTO controls. Harness includes Remote PTO control and Remote Throttle controls. T680/T880 models do not require 12-way engine connector sales codes. All other models require (1900082 or 1900084).	\$79	2#
1901078	J1939 HARNESS EXTENSION UNDER HOOD AT FIREWALL, DRIVER SIDE	\$130	0#
1901084	Body Builder Battery Power Prewire	\$87	2#
Retarders			
1700149	Retarder Jacobs for PX-8/9 ISL w/ 3-way switch. Replaces the standard turbo brake for PX-8 engines.	\$2,505	57#
Starting & Recharging			
Alternator			
1812162	Alternator: 160 amp brushless with battery voltage sense. *This code replaced 1812160.	\$331	9#
1812451	Alternator: Delco 40SI 320 amp Brushless with battery voltage sense	\$1,183	14#
1816200	Alternator: SEG 200 amp, brush type Formerly Bosch.	\$215	0#
1816260	Alternator: PACCAR 160 amp, brush type	STD	0#
Battery			
1821210	Batteries: 3 PACCAR GP31 threaded post (700-730) 2100-2190 CCA dual purpose.	\$184	57#
1821215	Batteries: 4 PACCAR GP31 threaded post (700-730) 2800-2920 CCA dual purpose.	\$357	114#
1821220	Batteries: 2 PACCAR GP31 threaded post (700-730) 1400-1460 CCA dual purpose.	STD	0#
1821225	Batteries: 2 PACCAR GP31 threaded post (1000) 2000 CCA starting.	(\$1)	4#



T440/T470: ENGINE EQUIPMENT

Option	Description	Price	Weight
Starting & Recharging			
Battery			
1825612	Batteries: 2 Optima 31A Threaded post (900) 1800 CCA.	\$427	6#
1825623	Batteries: 3 Optima 31A Threaded post (900) 2700 CCA.	\$820	66#
Battery Equipment			
1840005	Battery disconnect switches 2, mounted on battery box.	\$265	2#
1840006	Battery disconnect switches 2, mounted in cab Requires battery box LH under.	\$401	0#
1840010	Steel battery holddowns standard w/3 batteries.	\$35	4#
1840061	Low voltage disconnect day cab or w/sleeper except 72 in., 75 in., & 86 in.	\$126	0#
1900996	Jump start terminals under hood.	\$192	12#
1901003	Jump start terminals frame mounted BOC or sleeper.	\$310	12#
Starter			
1836106	Mitsubishi 105P55 12V Starter with Cummins and PX PACCAR 12 volt electrical system. W/ centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded. Only for Cummins or PX engines.	STD	0#



T440/T470: TRANSMISSIONS

Option	Description	Price	Weight
2349006	Jackshaft Installation: Includes 2 Centerbearings and 2 Crossmembers to Support the Jackshaft.	\$2,796	100#

Eaton

6-Speed

2051122	Transmission: Fuller FSO8406A 6-speed synchro. *Torque Limit: 860 pound-feet.	STD	0#
2051123	Transmission: Fuller FS6406A 6-speed synchro. *Torque Limit: 660 pound-feet.	(\$857)	0#

9-Speed

2051302	Transmission: Fuller RT8709B 9-speed. *Torque Limit: 860 pound-feet.	(\$242)	182#
---------	--	---------	------

10-Speed

2051362	Transmission: Fuller RT8908LL 10-speed. *Torque Limit: 860 pound-feet.	\$1,451	292#
2052360	Transmission: Fuller FR9210B 10-speed. *Torque Limit: 950 pound-feet.	\$254	191#
2057360	Transmission: Fuller FRO14210C 10-speed Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1450 pound-feet.	\$1,693	0#
2057371	Transmission: Fuller RTO14908LL 10-speed. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1450 pound-feet.	\$3,960	345#
2057384	Transmission: Eaton FO14E308LL-VCS UltraShift Plus 10-speed w/Hill Start Aid feature. Standard with synthetic lubricant. This product has extended forward and reverse gear ratio coverage specifically designed for dump truck or other construction applications. *Torque Limit: 1450 pound-feet.	\$13,459	453#
2058422	Fuller Advantage Automated FAO-14810C-EA3 10SPD No Cooler w/ HSA *Use w/ 2250385 Only.	\$8,247	367#

11-Speed

2057420	Transmission: Eaton FO-14E309ALL-VMS UltraShift Plus 11-speed w/Hill Start Aid feature. Standard with synthetic lubricant. This product has a deep drive ratio intended for use in mixer applications, or where deep reduction is needed. *Torque Limit: 1450 pound-feet.	\$14,448	453#
2057422	Transmission: Fuller RTO14909ALL 11-speed. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1450 pound-feet.	\$4,647	326#

13-Speed

2058444	Transmission: Fuller RTLO16913A 13-speed w/oil cooler & pump. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1650 pound-feet.	\$4,668	375#
---------	--	---------	------

18-Speed

2058743	Transmission: Fuller RTLO16918B 18-speed w/oil cooler & pump. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1650 pound-feet.	\$5,197	383#
---------	--	---------	------



T440/T470: TRANSMISSIONS

Option	Description	Price	Weight
Allison			
5-Speed			
2011192	Transmission: Allison 3000HS 5-speed w/o PTO drive gear. 5th Gen Controls. Includes heat exchanger & oil level sensor. Highway Service only as defined by Allison. CTransynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$13,030	244#
2011203	Transmission: Allison 3000RDS 5-speed w/PTO drive gear. 5th Gen Controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions. Requires a push button shift control code. Oil temperature gauge is standard on class 8 models.	\$14,558	291#
2011228	Transmission: Allison 3500RDS 5-speed w/PTO drive gear. Limited to 860 lb.-ft. 5th Gen controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$15,250	291#
2012193	Transmission: Allison 3000EVS 5-speed w/PTO drive gear. 5th Gen controls. Includes heat exchanger & oil level sensor. Emergency Vehicle Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$16,967	291#
2016153	Transmission: Allison 4000RDS 5-speed w/o Retarder w/PTO provision 5th generation. For vocational applications. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$28,456	647#
2016156	Transmission: Allison 4500RDS 5-speed w/o Retarder w/PTO provision 5th generation. For vocational applications. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$30,246	647#
6-Speed			
2011194	Transmission: Allison 3000HS 6-speed w/o PTO drive gear. 5th Gen controls. Includes heat exchanger & oil level sensor. Highway Service only as defined by Allison. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$13,030	244#
2011205	Transmission: Allison 3000RDS 6-speed w/PTO drive gear. 5th Gen controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions. Requires a push button shift control code. Oil temperature gauge is standard on class 8 models.	\$14,558	291#
2011232	Transmission: Allison 3500RDS 6-speed w/PTO drive gear. 5th Gen Controls. Limited to 860 lb.-ft. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$15,250	291#
2012195	Transmission: Allison 3000EVS 6-speed w/PTO drive gear. 5th Gen controls. Includes heat exchanger & oil level sensor. Emergency Vehicle Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$16,967	291#
2012196	Transmission: Allison 3500EVS 6-speed w/PTO drive gear. 5th Gen controls. Includes heat exchanger & oil level sensor. Emergency Vehicle Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$18,074	291#
2016154	Transmission: Allison 4000RDS 6-speed w/o retarder, w/PTO provision. 5th generation. For vocational applications. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$28,456	641#



T440/T470: TRANSMISSIONS

Option	Description	Price	Weight
Allison			
6-Speed			
2016158	Transmission: Allison 4500RDS 6-speed w/o retarder, w/PTO provision. 5th generation. For vocational applications. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$30,246	647#
Transmission Equipment			
2410005	Optional neutral start switch.	\$55	0#
2410047	High Capacity Input Shaft Bearing for High PTO Duty Cycle	\$25	0#
2410151	Pushbutton control center console mounted. Class 8 with Allison Transmission.	\$0	0#
2410244	J1939 Park Brake Auto Neutral	\$0	0#
2450114	Add Transmission Filter: Eaton UltraShift Plus *Optional. Filter is installed on the transmission by Eaton.	\$218	0#
2480315	Severe Service rear transmission support spring(s).	\$81	15#
Allison Software			
2410204	Delete Allison Fuel Sense	\$0	0#
2410212	Allison Transmission Mobile PTO Operation - Change max output speed to 4500 RPM	\$0	0#
2410310	Allison Neutral at Stop Stand-Alone Not applicable with Allison Fuel Sense	\$440	0#
2410311	Decline Allison Neutral at Stop Stand-Alone	\$0	0#
2410320	Allison Fuel Sense 2.0: Basic	\$607	0#
2410321	Allison Fuel Sense 2.0: Plus	\$662	0#
2410322	Allison Fuel Sense 2.0: Max Base Economy	\$717	0#
2410323	Allison Fuel Sense 2.0: Max High Economy	\$717	0#
2410324	Allison Fuel Sense 2.0: Max Ultra Economy	\$717	0#
Eaton Software			
2038252	Eaton AMT LSM Package - Linehaul Config Low Speed Maneuverability, Rev=Blended Pedal, Drive=Urge to Move, Manual=Standard, Low=Blended Pedal Eaton AMT Low Speed Maneuverability parameters to utilize various Eaton low speed functions depending on transmission shift selection (Reverse, Drive, Manual, Low). Eaton service tool can be utilized to reconfigure parameters individually if customer desires something other than typical Linehaul or Vocational package options.	\$0	0#



T440/T470: TRANSMISSIONS

Option	Description	Price	Weight
Transmission Equipment			
Eaton Software			
2038253	Eaton AMT LSM Package - Vocational Config Low Speed Maneuverability, Rev=Blended Pedal, Drive=Urge to Move, Manual=Standard, Low=Blended Pedal Eaton AMT Low Speed Maneuverability parameters to utilize various Eaton low speed functions depending on transmission shift selection (Reverse, Drive, Manual, Low). Eaton service tool can be utilized to reconfigure parameters individually if customer desires something other than typical Linehaul or Vocational package options.	\$0	0#
Auxiliary Transmissions			
2154321	Aux: AT1202 2-speed electric over air shift 3-position rocker switch dash mounted and includes synthetic lubricant	\$18,242	522#
Split-Shaft PTO			
2329430	Fabco PTO-180 Split Shaft 873-0116-030	\$24,230	725#
2410073	Customer-installed split shaft PTO Informational only, nothing additional is provided.	\$0	0#
Clutch			
2250491	Clutch: Eaton 15-1/2 in. Advantage Self-Adjust to 1700 ft-lb, Ceramic, 4-Paddle	\$160	5#
2250501	Clutch: Eaton 15-1/2 in. Advantage Easy-Pedal to 1700 ft-lb, Ceramic, 4-Paddle	(\$82)	3#
Manually Adjusting			
2240012	Clutch: ceramic low inertia 606 to 860 lb-ft 14 in. Fuller required for export. Includes manual adjusting clutch cover, extended grease fitting for clutch bearing and cross shaft, and synthetic lubricant for the transmission.	(\$162)	0#
2240035	Clutch: Eaton Fuller 14in. medium-duty manual adjustment 606-1000. Includes manual adjusting clutch cover, extended grease fitting for clutch bearing and cross shaft, and synthetic lubricant for the transmission.	STD	0#
2250385	Clutch:UltraShift Plus Or Fuller Advantage Series Automated transmissions.	\$0	0#
Solo			
2240023	Clutch: Fuller 14 in. solo severe 606 to 860 lb-ft. For severe service. Includes adjustment free clutch cover, extended grease fitting for clutch bearing and cross shaft, and synthetic lubricant for the transmission.	(\$1)	0#
2240040	Clutch: Fuller 14 in. MD solo 606-1050 lb-ft. Includes adjustment free clutch cover, extended grease fitting for clutch bearing and cross shaft, and synthetic lubricant for the transmission.	\$106	0#
Miscellaneous			
2294004	Kenworth Air Assisted clutch booster for mechanical clutch linkage	\$644	0#
2294035	Grease bank for clutch & cross shaft.	\$381	11#



T440/T470: TRANSMISSIONS

Option	Description	Price	Weight
Clutch			
Torque Converter			
2410018	Torque converter included w/Allison Transmission.	\$0	0#
PTO			
PTO Misc			
2410044	Thru-shaft PTO provision (PTO not included) 10-speed RTO14908LL.	\$232	6#
2429065	PTO interlock for parking brakes.	\$130	2#
2429100	Chassis will be fitted with LH transmission PTO. (Prevents ECU From Interfering With PTO Only)	\$0	0#
2429101	Chassis will be fitted with RH transmission PTO. (Prevents ECU From Interfering With PTO Only)	\$0	0#
2429102	Chassis will not be fitted w/transmission PTO. (Prevents ECU F/Interfering w/ PTO Only).	\$0	0#
2429358	Rear transmission support springs for transmission PTO applications are required to ensure that engine flywheel housings are not overloaded when transmission PTO's are installed.	\$81	0#
Driveline			
Driveline Equipment			
2406005	45 degree yokes on interaxle drivelines.	\$429	11#
2410100	Two guards for dual drivelines.	\$332	8#
2410103	Guards: (3) for 3 drivelines.	\$798	0#
2410105	One guard for single driveline.	\$104	4#
Centerbearing Crossmembers			
2495016	Steel centerbearing crossmember installed with heavy-duty steel gussets replacing standard.	\$47	52#
2495017	Two steel centerbearing crossmembers installed with heavy-duty steel gussets replacing standard.	\$94	103#
2495022	Steel centerbearing crossmember installed with heavy-duty aluminum gussets replacing standard.	\$157	26#
2495023	Two steel centerbearing crossmembers installed with heavy-duty aluminum gussets replacing standard.	\$315	70#
Dana			
2401205	Driveline:1 Dana standard-duty; no centerbearing. *Standard duty is 1710 series.	(\$744)	-78#
2401405	Driveline: 2 Dana standard-duty; 1 centerbearing. *Standard duty is 1710 series.	STD	0#
2401605	Driveline: 2 Standard Duty; No Center Bearing Use w/ AUX Transmission	(\$287)	9#
2401905	Driveline: 3 Dana standard-duty; 2 centerbearing. *Standard duty is 1710 series.	\$746	78#



T440/T470: TRANSMISSIONS

Option	Description	Price	Weight
Driveline			
Dana			
2406605	Driveline:2 Dana 1810 heavy-duty no centerbearing for use w/auxiliary transmission or transfer case. *Heavy duty is 1810 series.	\$163	57#
2406204	Driveline: 1 SPL170XL no centerbearing requires 3500057 interaxle driveline.	(\$542)	-68#
2406205	Driveline: 1 Dana SPL250XL W/ no centerbearing requires 3500057 interaxle driveline. Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	(\$428)	-50#
2406240	Driveline 1 SPL140 no centerbearing	(\$670)	-79#
2406254	Driveline: 2 SPL250XL no centerbearing for use w/auxiliary transmission or transfer case. Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$344	64#
2406452	Driveline: 2 SPL170XL 1 centerbearing requires 3500057 interaxle driveline.	\$295	17#
2406453	Driveline: 2 Dana SPL250XL 1 centerbearing requires 3500057 interaxle driveline. Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$456	54#
2406454	Driveline: 4 Dana SPL250XL 3 centerbearing requires 3500057 interaxle driveline. Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$2,243	262#
2406455	Driveline: 2 SPL170XL; no centerbearing Medium-duty: for use w/auxiliary transmission.	\$116	28#
2406802	Driveline: 3 SPL170XL 2 centerbearing requires 3500057 interaxle driveline.	\$1,135	101#
2406803	Driveline: 3 Dana SPL250XL W/ 2 centerbearings Requires 3500057 interaxle driveline. Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$1,341	158#
2406820	Driveline: 4 SPL170XL 3 centerbearing requires 3500057 interaxle driveline.	\$1,991	185#
2406850	DRIVELINE:4 SPL140 3 CENTERBEARINGS	\$1,586	416#
Meritor			
2408201	Driveline: 1 Meritor RPL25; No Center Bearing Required 3500058 w/ Tandem Rear Axles	(\$445)	-41#
2408302	Driveline: 1 Meritor RPL25 SD; No Centerbearing Require 3500058 W/Tandem Rear Axles *Replaces code 2408301.	(\$385)	-29#
2408401	Driveline: 2 Meritor RPL25; 1 Centerbearing Require 3500058	\$276	62#
2408502	Driveline: 2 Meritor RPL25 SD; 1 Centerbearing Requires 3500058, Replaces code 2408501.	\$410	85#
2408602	Driveline: 3 Meritor RPL25; 2 Centerbearing Require 3500058	\$1,191	164#
2408703	Driveline: 3 Meritor RPL25 SD; 2 Centerbearing Require 3500058 *Replaces code 2408702.	\$1,116	200#



T440/T470: TRANSMISSIONS

Option	Description	Price	Weight
Driveline			
Interaxle Driveline			
3500037	Interaxle driveline:1 Dana 1710 Series	\$459	0#
3500057	Interaxle driveline 1 Dana SPL170XL	\$473	-4#
3500058	Driveline: 1 Meritor RPL20 Interaxle; Replacing I/A *Use W/ RPL(SD) 25 Main D/L	\$625	0#
3500062	Interaxle driveline: 1 Dana SPL170SF Not For Tridem Axles.	\$457	0#
3500068	Interaxle driveline: 1 Dana SPL250XL *Use with Tandem Axles Only	\$727	0#
Transmission Oil Cooler			
2460004	Eaton Fuller transmission oil filter. *Filter is frame mounted at Kenworth plant.	\$376	11#
2460015	Oil to air cooler for transfer case to 8500 lb-ft.	\$215	0#
2460021	Oil to water cooler for transfer case to 8500 lb-ft.	\$705	17#
2460024	Internal cooler for Fuller FR/FRO/FRLO series main transmission under 1550 lb-ft.	\$450	11#
2460042	14 in. Eaton Fuller high capacity oil to water cooler standard for transmission 1550-2250 lb-ft, 18-speed AutoShift.	\$0	0#
2460043	TDI OIL-TO-AIR AUXILIARY COOLER	\$1,291	22#
2460048	14 in. Eaton Fuller high capacity oil to water cooler optional for transmission under 1550 lb-ft pump included.	\$755	22#



T440/T470: FRONT AXLE

Option	Description	Price	Weight
Front Axles			
12K to 13.2K			
2502014	Dana Spicer D-1251IL Front Axle rated 12.5K 3-1/2in. drop. Not W9L/C5. Use With Air Disc Brakes Only	\$248	12#
2502015	Dana Spicer D-1251LW Front Axle rated 12.5K 3-1/2in. drop, wide track. Not W9L/C5. Use w/ Air Disc Brakes Only.	\$287	0#
2502016	Dana Spicer D-1301IL Front Axle rated 13K 3.5" drop. Use With Air Disc Brakes Only.	\$84	0#
2502017	Dana Spicer D-1321IL Front Axle rated 13.2K 3.5" drop. Use With Air Disc Brakes Only	\$157	2#
2502240	Dana Spicer E-1252IL Front Axle rated 12.5K 3-1/2in. drop. Not W9L/C5.	\$111	-24#
2502243	Dana Spicer E-1252LW Front Axle rated 12.5K 3-1/2in. drop, wide track. Not W9L/C5.	\$295	-17#
2502323	Dana Spicer E-1322I Front Axle rated 13.2K 5in. drop.	\$373	28#
2502335	Dana Spicer E-1322IL Front Axle rated 13.2K 3-1/2in. drop.	\$148	0#
2502336	Dana Spicer E-1322LW Front Axle rated 13.2K 3-1/2in. drop, wide track for better turning radius.	\$288	-8#
2502338	Dana Spicer E-1302IL Front Axle rated 13K 3-1/2in. drop.	\$312	27#
2505018	Dana Spicer D-1321LW Front Axle rated 13.2K 3.5" drop Wide Track Use W/ Air Disc Brakes Only	\$229	18#
2512042	Meritor MFS12E PLUS 12.5K 3.5in. drop standard track	STD	0#
2512043	Meritor MFS12E PLUS 12.5K 3.5in. drop wide track	\$107	19#
2512044	Meritor MFS12E PLUS 12.5K rated at 12K 3.5in. drop standard track.	\$0	0#
2512048	Meritor MFS13 PLUS 13.2K 3.5in. drop standard track.	\$173	0#
2512049	Meritor MFS13 PLUS 13.2K 3.5in. drop wide track.	\$224	15#
14.6K to 18K			
2503463	Dana Spicer E-1462I Front Axle rated 14.6K 3-1/2in. drop.	\$447	30#
2503466	Dana Spicer E-1462I Front Axle rated 14.6K 5 in. drop.	\$912	35#
2503467	Dana Spicer E-1462W Front Axle rated 14.6K 3-1/2in. drop, wide track for better turning radius.	\$639	50#
2503469	Dana Spicer E-1462W Front Axle rated 14.6K 5in. drop, wide track for better turning radius.	\$1,005	57#
2513010	Meritor MFS14 14.6K 3.74in. drop wide track.	\$628	68#
2513014	Meritor MFS14 14.6K 3.5in. drop standard track.	\$522	39#
20K & Over			
2506181	Dana Spicer D2000 Front Axle rated 20K standard track.	\$1,988	120#



T440/T470: FRONT AXLE

Option	Description	Price	Weight
Front Axles			
20K & Over			
2507182	Dana Spicer D2200 Front Axle rated 22K standard track.	\$2,604	120#
2516006	Meritor MFS20 20K 3.74in. drop wide track.	\$2,236	167#
2517020	Meritor MFS20 Front Axle rated 20K 3.5 in. drop, standard track.	\$1,936	150#
2536002	PACCAR Front Axle rated at 20K, standard track, 4 in. drop.	\$2,080	156#
2536004	PACCAR Front Axle rated at 20K, wide track 4 in. drop.	\$2,387	169#
2537002	PACCAR Front Axle rated at 22.8K, standard track, 4 in. drop.	\$2,207	156#
2537003	PACCAR Front Axle rated at 22.8K, wide track, 4 in. drop.	\$2,246	169#
Outer End Equipment			
Brakes			
12K to 13.2K			
2601605	Front Brakes: 13.2K Bendix RSD HP-ES S-Cam 16.5x5 in. drum brake.	(\$8)	-62#
2621190	Front Brakes: 13.2K Bendix ES S- cam 15x4in.	(\$519)	-86#
2640165	Front Brakes: 12K Meritor Q-Plus 15x4 in. brakes.	(\$320)	-64#
2640167	Front Brakes: 13.2K Meritor Q-Plus 15x4 in. brakes.	(\$320)	-64#
14K to 18K			
2601608	Front Brakes: 18K Bendix RSD HP-ES S-Cam 16.5x6 in. drum brake , Max GAWR 18K, with Cast Spider.	\$487	-44#
2607001	Front Brakes: 14.6K Bendix air disc brakes lube free.	STD	0#
2607011	Front Brakes: 14.6K Bendix RSD ADB22X Disc brake.	\$8	0#
2621310	Front Brakes: 14.6K Bendix ES s-cam 16.5x5 in.	(\$241)	-62#
2641113	Front Brakes: 14.6K Meritor Q+ RSD S-Cam 16.5x5 in. drum brake.	\$30	-44#
2641116	Front Brakes: 16K Meritor Q+ RSD S-Cam 16.5X6 in. drum brake.	\$399	-38#
2641141	Front Brakes: 14.6K Meritor Q-Plus 16.5x5 in. Not for fire truck/EMT/rescue service.	(\$34)	-44#
20K & Over			
2601609	Front Brakes: 22K Bendix RSD HP-ES S-Cam 16.5x7 in. drum brake.	\$576	-24#
2607002	Front Brakes: 14,601-22K Bendix air disc brakes.	\$466	10#
2621078	Front Brakes: 22K Bendix ES S-cam 16.5x6 in.	(\$29)	-46#



T440/T470: FRONT AXLE

Option	Description	Price	Weight
Outer End Equipment			
Brakes			
20K & Over			
2641137	Front Brakes: 20K Meritor Q-Plus 16.5x6 in.	\$220	-38#
Brake Drums			
12K to 13.2K			
2690012	Front Brake Drums: 13.2K Meritor X30 15x4 in. light weight.	(\$87)	8#
2690030	Front Brake Drums: 13.2K 15x4 in. cast.	(\$623)	0#
2690031	Front Brake Drum: Tru Turn Lite 16.5X5	(\$127)	56#
14.6K			
2690002	Front Brake Drums: 14.6K 16.5x5 in. cast.	(\$197)	78#
2690016	Front Brake Drums: 14.6K Meritor X30 16.5x5 in. light weight.	\$42	42#
2690032	Front Brake Drum: Tru Turn Lite 16.5X6	(\$103)	80#
20K & Over			
2690013	Front Brake Drum: 20,000 lbs. Meritor X30 light weight 16-1/2x6 in.	\$42	58#
2690017	Front Brake Drum: Cast 16.5x7 in., Max rating 22k.	(\$123)	94#
2690035	Front Brake Drum: 22,000 lbs. 16-1/2x6 in. Cast.	(\$132)	104#
Rotors			
2690024	Splined rotor for front air disc brakes for use with aluminum hubs.	STD	0#
2690025	Splined rotor for front air disc brakes for use with iron hubs.	(\$148)	0#
Hubs			
12K to 13.2K			
2701300	Front Hub: aluminum hub pilot 13,200 lbs. 10-Bolt, 11-1/4 in. bolt circle .	(\$24)	0#
14.6K to 16K			
2702500	Front Hub: iron hub pilot 14,600 lbs. 11-1/4 in. bolt circle. For use w/ air disc brakes. Consider wheelguards (5850002) w/ aluminum wheels.	(\$24)	48#
2707050	Front Hub: 14,600 lbs. aluminum hub pilot 10-bolt, 11.25 in. bolt circle.	STD	0#
18K & Over			
2701319	Front Hubs Aluminum hub pilot 20,000 lbs. 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle.	\$533	16#
2702018	Front Hubs Iron hub pilot 18,000 lbs. 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle. Consider Wheelguards (5850002) with aluminum wheels.	\$288	80#



T440/T470: FRONT AXLE

Option	Description	Price	Weight
Outer End Equipment			
Hubs			
18K & Over			
2702020	Front Hubs Iron hub pilot 20,000 lbs. 10 Bolt 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle. Consider Wheelguards (5850002) with aluminum wheels.	\$288	80#
2702022	Front Hubs Iron hub pilot 22,000 lbs. 10 Bolt 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle. Consider Wheelguards (5850002) with aluminum wheels.	\$288	80#
Oil Seals			
2741970	ConMet PreSet Plus Hub package; front axle.	STD	0#
Hubcaps			
2750001	Hubcap: front vented.	STD	0#
Miscellaneous			
2659047	Front dustshield: for drum brakes: all front axles.	\$76	6#
2659144	Front Meritor Platinum Shield Brakes Addon Platinum shield is only a shoe change	\$42	0#
2690028	Integral Knuckle for Air Disc Brake, for use on Meritor MFS PLUS Steer Axle	\$0	0#
2690029	Drum Brake Knuckle for use on Meritor MFS PLUS Steer Axle	\$0	20#
2690039	Integral Knuckle for Air Disc Brake, for use on PACCAR Steer Axle	\$0	-33#
2900916	Front Disc Brake Pad/Rotor Dust Shields Air Disc Brakes Only.	\$296	0#
Slack Adjusters			
2765001	Front Auto Slack Adjuster.	\$0	0#
2769000	Slack Adjusters included w/ front axle or brake. Also use w/ disc brakes.	STD	0#
Front Springs			
12K to 14.6K Capacity			
2863012	Front Springs: Taperleaf 12K w/ shock absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins except for C500 which has threaded pins. Not available on W900L.	STD	0#
2863020	Front Springs: Taperleaf Lightweight 12.5K w/ shock absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins.	\$96	-29#
2864008	Front Springs: Taperleaf Lightweight 13.2K w/ shock absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins.	\$157	-22#
2864012	Front Springs: Taperleaf 13.2K w/ shock absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins. Not available on W900L.	\$37	9#



T440/T470: FRONT AXLE

Option	Description	Price	Weight
Front Springs			
12K to 14.6K Capacity			
2864019	Front Springs: Taperleaf 14.6K w/shock absorbers 2-leaf. With maintenance-free elastomer spring pin bushings. Standard with rubber pins. Not available on W900L or W900S.	\$510	25#
15K & Over Capacity			
2864116	Front Springs: Taperleaf 16K w/shock absorbers w/ maintenance-free elastomer spring pin bushings. Two leaf. Standard with rubber pins. Not available on W900L.	\$605	99#
2865018	Front Springs: Taperleaf 18K w/shock absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins. Not available on W900L.	\$1,086	184#
2866020	Front Springs: Taperleaf 20K w/ shock absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins except for C500 which has threaded pins. Not available on W900L. W900B use 2866021.	\$1,111	241#
2867022	Front Springs: Taperleaf 22K w/shock absorbers. C500 standard with a single stage spring and threaded pins. T800/T880/T440/T470/W900B standard with a multi-stage spring and rubber pins. For T800/T880/T440/T470/W9B, this is a three stage spring. The spring rate increases when loaded closer to the full capacity of the spring. Not available on W900L or W900S.	\$2,195	426#
Front Spring Equipment			
2790017	Front End Lowered: 1.5in.	\$0	0#
2900020	Front Frame Raised: 1/2 in.	\$20	0#
2900024	Front Frame Raised: 1 in.	\$40	0#
2900615	Threaded bushings for taperleaf springs 12K - 14.6K replacing rubber: T6/T8, W900B, W990. W9L gets as standard: code not required. Not available with W9S. 13K - 14.6K for T370.	\$66	0#
2900616	Threaded Bushings for taperleaf spring 16K, 18/20K, 22K, 40K replacing rubber.	\$89	0#
Power Steering			
Single Gear			
2893651	Single power steering gear: 13.2K TRW TAS65.	\$102	-1#
2893881	Single power steering gear: 16K TRW TAS85 W900B/W990 available, but not available W900S, W900L or T3.	\$427	18#
2895121	Single power steering gear: 13.2K Sheppard M100P.	STD	0#
Dual Gear			
2893622	Dual power steering gears: 20K TRW TAS65.	\$1,413	60#
2893662	Dual power steering gears: 22K TRW TAS65.	\$1,413	60#
2895202	Dual power steering gears: 20K Sheppard M100P.	\$1,251	70#



T440/T470: FRONT AXLE

Option	Description	Price	Weight
Power Steering			
Miscellaneous			
2899336	Power Steering Cooler:Radiator Mounted Air-to-Oil	\$317	11#
Miscellaneous			
2790035	Maximum length wheel studs for hub pilot wheels only. Option is standard length w/ dual aluminum wheels, code not required.	\$13	2#



T440/T470: REAR AXLE

Option	Description	Price	Weight
Single Drive Rear Axles			
20K & Under			
3031180	Single Dana Spicer S21-172 single reduction rear axle. Single rear axle rated at 20K.	\$0	0#
21K to 23K			
3031094	Single Dana Spicer P22060S single reduction rear axle. T300/K300: use with/air brakes. Single rear axle 22K capacity rated at 21K.	(\$633)	-117#
3031181	Single Dana Spicer S21-172 single reduction rear axle. Single rear axle rated at 21K.	STD	0#
3041180	Single Dana Spicer S23-172 single reduction axle, single rear axle rated at 23K.	\$470	0#
3041181	Single Dana Spicer S23-172H single reduction axle single rear axle rated at 23K. Heavy wall.	\$1,588	35#
3041190	Single Dana Spicer S23-190 single reduction rear axle. Single rear axle rated at 23K.	\$713	138#
3042160	Single Meritor R23-160 rear axle rated at 23K.	\$125	67#
3042161	Single Rear Axle 23,000 lbs. Meritor RS23-161	\$330	91#
24K & Above			
3061190	Single Dana Spicer S26-190 rear axle; 26K capacity rated at 26K. Single rear axle.	\$1,508	208#
3081093	Single Dana Spicer S30-190 rear axle; 30K capacity rated at 30K. Single rear axle with 74in. track, outer ends included w/ axle.	\$6,763	202#
Tandem Drive Rear Axle			
40K & Under			
3103173	Meritor FUELite MA40-165 34K DualTrac; dead axle tandem; rear axle rated at 34K. with 12.7 mm heavy-wall housing. Use with 3511401 Driver Controlled Differential Lock (cross lock).	\$9,155	1,535#
3121180	Dual Dana Spicer D40-172 rear axle rated at 40K. (Super 40) w/ 11mm housing and 2.06in. shaft diameter. Tandem rear axles.	\$12,156	2,195#
3121181	Dual Dana Spicer D40-172P rear axle rated at 40K. (Super 40) w/ 11mm housing and 2.06in. shaft diameter. Includes pump. Tandem rear axles.	\$12,633	2,195#
3121444	Dual Dana Spicer DSH40 rear axle rated at 40K w/ 11mm housing. Tandem rear axles.	\$10,787	2,035#
3121446	Dual Dana Spicer DSH40P rear axle rated at 40K w/ 11mm housing and 1.81in. shaft diameter. Includes pump. Tandem rear axles.	\$10,726	2,053#
3122162	Dual Rear Axle 40,000 lbs. Meritor RT40-160	\$11,833	2,369#
3122164	Dual Rear Axle 40,000 lbs. Meritor RT40-160P	\$13,237	2,369#
3122245	Dual Meritor MT40-14X3 Hypoid rear axle rated at 40K. Tandem rear axle.	\$9,709	1,961#
3122246	Dual Meritor MT40-14X3 Hypoid DualTrac rear axle rated at 40K. Tandem rear axles.	\$10,014	1,993#



T440/T470: REAR AXLE

Option	Description	Price	Weight
Tandem Drive Rear Axle			
40K & Under			
3122247	Dual Meritor MT40-14x4 Hypoid rear axle rated at 40K, with heavy-wall housing. Tandem rear axles.	\$9,556	2,001#
3122248	Dual Meritor MT40-14x4 Hypoid DualTrac rear axle rated at 40K. w/heavy-wall housing. Tandem rear axles.	\$10,208	2,033#
3122250	Dual Meritor MP40-14x3 rear axle rated at 40K. Tandem rear axles with pump.	\$9,648	1,971#
3122251	Dual Meritor MP40-14x3 DualTrac rear axle rated at 40K. Tandem rear axles with pump.	\$10,302	2,003#
3122252	Dual Meritor MP40-14x4 rear axle rated at 40K. w/ heavy-wall housing with pump. Tandem rear axles.	\$9,712	2,011#
3122254	Dual Meritor MT40-14X3 Amboid rear axle rated at 40K. Tandem rear axle.	\$9,479	1,955#
3122255	Dual Meritor MT40-14X3 Amboid DualTrac rear axle rated at 40K. Tandem rear axles.	\$10,079	1,987#
3122257	Dual Meritor MT40-14x4 Amboid rear axle rated at 40K, with heavy-wall housing. Tandem rear axles.	\$9,556	1,995#
3122258	Dual Meritor MT40-14x4 Amboid DualTrac rear axle rated at 40K. w/heavy-wall housing. Tandem rear axles.	\$10,208	2,027#
3122265	Dual Meritor MT40-14X3HE rear axle rated at 40k 9.5 MM HSG	\$9,906	1,937#
3122266	Dual Meritor MT40-14X3HE 40K DualTrac rear axle rated at 40K. 9.5 MM HSG	\$10,495	1,957#
3122267	Dual Meritor MT40-14X4HE rear axle rated at 40k 11 MM HSG	\$9,941	1,977#
3122268	Dual Meritor MT40-14X4HE DualTrac rear axle rated at 40k 11 MM HSG	\$10,542	1,997#
3122269	Rear Axle: Meritor MT40-14X4 Plus 40K HYPOID DUAL 11 MM HSG	\$11,863	775#
3122270	Dual Meritor MT40-14x4 Plus Hypoid DualTrac Rear Axle Rated At 40k. W/ 11MM Housing. Tandem Rear Axles.	\$12,127	807#
3122271	Dual Meritor MP40-14x4 Plus Rear Axle Rated 40K W/ 11MM Housing, With Pump. Tandem Rear Axles.	\$12,006	785#
3122273	Dual Meritor MT40-14x4 Plus Amboid rear axle rated at 40K, with heavy-wall housing. Tandem rear axles.	\$11,574	759#
3122274	Dual Meritor MT40-14x4 Plus Amboid DualTrac Rear Axle Rated At 40K. W/ 11MM housing. Tandem rear axles.	\$12,127	791#
3123001	Dual PACCAR axle rated at 40K, standard track, 9.5 mm housing. Tandem rear axle.	\$9,733	1,878#
3123003	Dual PACCAR rear axle rated at 40K, mid track, 9.5 mm housing. Tandem rear axle.	\$10,062	1,898#
3124400	Dual Dana Spicer DSP40 rear axle rated at 40K. w/ 9.5mm housing and 1.88in. shaft diameter. Tandem rear axles.	\$9,669	1,960#
3124401	Dual Dana Spicer DSP40P rear axle rated at 40K. w/ 9.5mm housing and 1.88in. shaft diameter. Includes pump. Tandem rear axles.	\$9,692	1,978#

*See PremierSpec for Applicable Restrictions



T440/T470: REAR AXLE

Option	Description	Price	Weight
Tandem Drive Rear Axle			
40K & Under			
3124403	Dual Dana Spicer DSP41 rear axle rated at 40K. (DSP40 w/ heavy-wall housing) w/ 11mm housing and 1.88in. shaft diameter. Tandem rear axles.	\$9,430	1,991#
3124404	Dual Dana Spicer DSP41P rear axle rated at 40K. (DSP40P w/ heavy-wall housing) w/ 11mm housing and 1.88in. shaft diameter. Includes pump. Tandem rear axles.	\$9,859	2,009#
3124406	Dual Dana Spicer D40-145 Pro40 rear axle rated at 40K. w/ 9.5mm housing. Tandem rear axles.	\$9,540	1,892#
3124407	Dual Dana Spicer D40-145P Pro40 rear axle rated at 40K. w/ 9.5mm housing. Includes pump. Tandem rear axles.	\$9,845	1,910#
3124408	Dual Dana Spicer D40-145H Pro40 rear axle rated at 40K, w/ 11mm housing. Tandem rear axles.	\$9,599	1,909#
3124409	Dual Dana Spicer D40-145HP Pro40 rear axle rated at 40K, w/ 11mm housing. Includes pump. Tandem rear axles.	\$9,921	1,927#
3124410	Dual Dana Spicer D40-145HS Pro40 rear axle rated at 40K with SelectTrac w/ 11mm housing. Tandem rear axles.	\$10,535	1,923#
3124411	Dual Dana Spicer D40-145HPS Pro40 rear axle rated at 40K, w/ 11mm housing. Includes pump. Tandem rear axle	\$10,574	1,941#
3124416	Dual Dana Spicer D40-155 ADVANTEK40 rear axle rated at 40K. w/ 9.5mm housing. Tandem rear axles.	\$9,769	1,945#
3124417	Dual Dana Spicer D40-155P ADVANTEK40 rear axle rated at 40K w/ 9.5mm housing. Tandem rear axles.	\$10,024	1,963#
3124418	Dual Dana Spicer D40-155H ADVANTEK40 rear axle rated at 40K w/ 11mm housing. Tandem rear axles.	\$9,871	1,976#
3124419	Dual Dana Spicer D40-155S ADVANTEK40 rear axle rated at 40K w/ 9.5mm housing with SELECTRAC. Tandem rear axles.	\$10,422	1,962#
3124420	Dual Dana Spicer D40-155HP ADVANTEK 40 rear axle rated at 40K w/ 11mm housing with pump. Tandem rear axles.	\$10,176	1,994#
3124421	Dual Dana Spicer D40-155HS ADVANTEK40 rear axle rated at 40K w/ 11mm housing with SELECTRAC. Tandem rear axles.	\$10,524	1,993#
3124422	Dual Dana Spicer D40-155PS ADVANTEK40 rear axle rated at 40K w/ 9.5mm housing with pump/SELECTRAC. Tandem axles.	\$10,627	1,980#
3124423	Dual Dana Spicer D40-155HPS ADVANTEK40 rear axle rated at 40K w/ 11mm housing with pump/SELECTRAC. Tandem rear axles.	\$10,829	2,011#
44K			
3131446	Dual Dana Spicer DSH44P rear axle rated at 44K w/ 12.5mm housing and 1.88in. shaft diameter. Includes pump. Tandem rear axles.	\$11,156	2,085#
3131447	Dual Rear Axle 44,000 lbs. Dana Spicer DSH44P Wide Track	\$12,613	2,122#



T440/T470: REAR AXLE

Option	Description	Price	Weight
Tandem Drive Rear Axle			
44K			
3132246	Dual Meritor MT44-14x5 Plus Rear Axle Rated At 44K. W/ 12.7MM Housin. Tandem Rear Axles.	\$11,157	834#
3132251	Dual Meritor MP44-14x5 Plus Rear Axle Rated At 44k. 12.7MM Housing W/ Pump. Tandem Rear Axles.	\$12,203	843#
46K			
3142160	Dual Meritor RT46-160 rear axle rated at 46K. Tandem rear axles.	\$11,439	2,412#
3142161	Dual Meritor RT46-160P rear axle rated at 46K. Tandem rear axles.	\$11,616	2,442#
3142170	Dual Rear Axle 46,000 lbs. Meritor RT46-164EH Heavy wall housing	\$11,830	2,489#
3142171	Dual Meritor RT46-164PEH rear axle rated at 46K w/ heavy wall housing. Tandem rear axles.	\$13,466	2,519#
3142172	Dual Meritor RT46-164EH rear axle rated at 46K; wide track tandem rear axles w/ heavy wall housing.	\$13,049	2,635#
3142173	Dual Meritor RT46-164PEH rear axle rated at 46K. wide track tandem rear axles w/ heavy wall housing.	\$13,481	2,665#
3144180	Dual Dana Spicer D46-172 rear axle rated at 46K. Tandem rear axles. w/ 12.5mm housing and 2.06in. shaft diameter. Tandem rear axles.	\$11,430	2,215#
3144181	Dual Dana Spicer D46-172P rear axle rated at 46K. w/ 12.5mm housing and 2.06in. shaft diameter. Includes pump. Tandem rear axles.	\$11,748	2,254#
3144182	Dual Dana Spicer D46-172H rear axle rated at 46K. w/ 16mm housing and 2.06in. shaft diameter. Tandem rear axles.	\$11,727	2,254#
3144183	Dual Dana Spicer D46-172HP rear axle rated at 46K. w/ 16mm housing and 2.06in. shaft diameter. Includes pump. Tandem rear axles.	\$13,122	2,256#
3144185	Dual Dana Spicer D46-172HPW rear axle rated at 46K. Wide track tandem rear axles w/ pump. w/ 16mm housing and 2.06in. shaft diameter. Wide track tandem rear axle, includes pump.	\$13,819	2,304#
3144590	Dual Dana Spicer D46-590HP double reduction rear axle rated at 46k w/ 16mm housing and 2.25in. shaft diameter. Includes pump. Tandem rear axles.	\$22,405	2,780#
3147480	Dual Dana Spicer DT463P rear axle rated at 46K. dual range tandem axle w/ 14mm housing and 2.06in. shaft diameter. Includes pump.	\$17,402	2,586#
50K to 52K			
3154190	Dual Dana Spicer D52-190P rear axle rated at 52K. w/ 16mm housing and 2.25in. shaft diameter. Includes pump. Tandem rear axles.	\$21,391	1,383#
Single Axle Outer End Equipment			
Brakes			
3302001	Single rear Bendix air disc brakes for single rear axles to 23K capacity.	\$0	20#



T440/T470: REAR AXLE

Option	Description	Price	Weight
Single Axle Outer End Equipment			
Brakes			
3304010	Rear Brakes, Bendix RSD-Compliant HP-ES S-Cam 16.5x7 in. single axle drum brake, Max GAWR 23k.	(\$36)	10#
3306012	Rear Brakes, Bendix RSD-Compliant ADB22X Disc brake for single axle, Max GAWR 23k.	\$0	20#
3330004	Single Rear Brakes 16-1/2x7 in. Bendix ES- extended service S-cam.	STD	0#
3350007	Single Rear Brakes 16-1/2x7 in. Meritor Q-Plus extended service S-cam.	\$16	8#
3354022	Rear Brakes, Meritor RSD-Compliant S-Cam 16.5x 8.625 in., single axle drum brake, Max GAWR 21k.	\$20	24#
3354023	Rear Brakes, Meritor RSD-Compliant S-Cam 16.5x 7 in. single axle drum brake, Max GAWR 23k.	(\$16)	8#
Brake Drums			
3392001	Single rear heavy duty Brake Drums: cast. Use HD Gunitite Drum when single axle with GAWR over 23,000 lbs is selected.	\$126	0#
3392007	Single Rear Brake Drums: cast.	STD	0#
3392031	Rear Brake Drum: TruTurn Lite 16.5X8.6 Single	\$54	-4#
3392116	Single Rear Brake Drums Meritor X30 light weight. Contact Applications Engineering for maximum GAWR.	\$172	-32#
Rotors			
3392204	Splined rotor for single rear air disc brakes for use with aluminum hubs.	\$1,481	-104#
3392205	Splined rotor for single rear air disc brakes for use with iron hubs.	\$1,399	-104#
Hubs			
3401010	Single Rear Hubs: Aluminum hub pilot 23K; 11-1/4 in. bolt circle.	STD	0#
3403220	Single Rear Hubs: Iron hub pilot 11-1/4 in. bolt circle.	\$10	52#
Oil Seals			
3441971	ConMet PreSet Plus Hub package; single rear axle.	STD	0#
Spring Brakes & Parking Brakes			
3485004	Spring brakes included w/ single rear air disc brakes.	\$0	0#
3485007	Spring Brake: 3030 long stroke single 3 in. travel. Helps keep brakes in adjustment longer.	STD	0#
3485008	Spring Brake: 3036 single.	\$101	8#
3485214	Spring Brake: 3036 long stroke single 30 square inches; 36 square inches spring chamber.	\$124	0#



T440/T470: REAR AXLE

Option	Description	Price	Weight
Single Axle Outer End Equipment			
Slack Adjusters			
3465001	Single Rear axle automatic slack adjusters.	STD	0#
Wheel Differential Locks & Limited Slip			
3511080	Meritor driver controlled differential lock for single rear axle.	\$844	0#
3531000	Wheel Differential Lock for Dana Spicer Axle P22060S; changes S to D to the axle part number.	\$1,471	15#
3531001	Wheel Differential Lock for Dana Spicer Axles S21-170/172, S21-190, S23-170/172, S23-190, S26-190 & S30-190; adds D to the end of the axle part number.	\$1,236	28#
Miscellaneous			
3490901	Rear air disc brake dustshields for single axle; includes pads and rotor shields.	\$317	6#
Tandem Axle Outer End Equipment			
Brakes			
3304012	Rear Brake: Bendix RSD 16.5X7 Dual 46K Capacity Reduced Stopping Distance Tractor Only. RSD-Compliant HP-ES S-Cam, tandem axle drum brake.	\$12	24#
3304013	Rear Brake: Bendix RSD 16.5X7S Dual 46,001-52,000 Reduced Stopping Distance Tractor Only, RSD-Compliant HP-ES S-Cam, (Heavy Duty) tandem axle drum brake.	\$1,796	32#
3304016	Rear Brake: Bendix RSD 16.5X8.625 Dual 46K Capacity, Reduced Stopping Distance Tractor Only. RSD-Compliant HP-ES S-Cam, tandem axle drum brake.	\$241	32#
46K & Under			
3306001	Dual rear Bendix air disc brakes for dual rear axles to 46K capacity.	\$0	40#
3306014	Rear brakes, Bendix RSD-Compliant ADB22X Disc brake for tandem axle, Max GAWR 46k.	\$63	40#
3334004	Dual Rear Brakes 16-1/2x7 in. to 46K; Bendix ES-extended service S-cam.	\$0	0#
3334050	Dual Rear Brakes 16-1/2x8-5/8 in. to 44K; Bendix ES-extended service S-cam.	\$467	32#
3354004	Dual Rear Brakes 16-1/2x7 in. to 46K; Meritor Q-Plus S-cam stamped spider.	\$62	16#
3354007	Dual Rear Brakes 16-1/2x7 in. to 46K; Meritor Q- plus-extended service S-cam.	\$163	16#
3354046	Rear Brakes, Meritor Q+ RSD-Compliant S-Cam 16.5x8.625 in. tandem axle drum brake, Max GAWR 46k.	\$298	48#
52K			
3354050	Rear Brakes, Meritor Q+ RSD-Compliant S-Cam 16.5x7 in.tandem axle drum brake, Max GAWR	\$67	16#
3354052	Rear Brakes, Meritor Q+ Heavy Duty RSD-Compliant S-Cam 16.5x7 in. tandem axle drum brake, For GAWR 50,001 - 52k.	\$1,421	16#



T440/T470: REAR AXLE

Option	Description	Price	Weight
Tandem Axle Outer End Equipment			
Brake Drums			
3392002	Dual rear heavy duty Brake Drums: cast. Use HD Gunitite Drum when tandem axle with GAWR over 46,000 lbs is selected.	\$252	0#
3392005	Dual Rear Brake Drums: cast.	\$0	0#
3392010	Dual Rear Brake Drums: cast included w/ axle or brake.	\$0	0#
3392032	Rear Brake Drum: TruTurn Lite 16.5X8.6 Dual	\$108	-14#
3392130	Dual Rear Brake Drums Meritor X30 light weight. Use w/ 16-1/2x7 in. brakes. Limits GAWR to 46K maximum. Requires dual spring brakes. Not for spoke wheels	\$343	-64#
3392131	Dual Rear Brake Drums Meritor X30 light weight. Use w/ 16-1/2X8-5/8 in. brakes. Limits GAWR to 46K maximum. Requires dual spring brakes. Not for spoke wheels	\$518	-32#
Rotors			
3392604	Splined rotor for dual rear air disc brake for use with aluminum hubs.	\$3,497	-208#
3392605	Splined rotor for dual rear air disc brakes for use with iron hubs.	\$3,174	-208#
Hubs			
3403460	Dual Rear Hubs: Iron hub pilot 11-1/4 in. BC.	\$16	104#
3407050	Dual Rear Hubs: Aluminum hub pilot 46K 11-1/4 in. bolt circle.	\$0	0#
Oil Seals			
3441972	ConMet PreSet Plus Hub package; dual rear axle.	\$0	0#
Spring Brake & Service Chambers			
Single on Dual			
3485101	Spring Brake: 3030 long stroke single spring brake on dual axle. This option reduces rear tandem GAWR to 36,000 lbs.	\$5	-20#
3485103	Spring brakes included w/ rear air disc brakes single spring brake on dual axle installation. Derates tandem to 36,000 lbs.	\$16	-20#
Dual			
3485002	Spring brakes included w/ dual rear air disc brakes.	\$0	0#
3485207	Spring Brake: 3030 long stroke dual 30 square inches travel. Helps keep brakes in adjustment longer.	\$0	0#
3485208	Spring Brake: 3036 dual 30 square inches; 36 square inches spring chamber.	\$218	16#
3485209	Spring Brake: 3030 high output dual.	\$4	0#
3485213	Spring Brake: 3036 long stroke dual 30 square inches; 36 square inches spring chamber.	\$270	16#



T440/T470: REAR AXLE

Option	Description	Price	Weight
Tandem Axle Outer End Equipment			
Brake Equipment			
3500006	Inverted chambers for 16-1/2 x 7 in. brakes; Replaces standard mount w/ higher mount.	\$9	0#
3500012	Replace standard mount w/ high mount for rear rear axle brake chambers.	\$0	0#
3500021	Brake cam tube bracket required w/ wide base tires w/ Airglide 380, 400, 400L, 460, 690 & Primaax suspension.	\$0	4#
Differential Lock & Crosslock			
3511400	Driver Controlled Differential Lock (Crosslock) for Meritor Axles 40K to 52K forward rear axle. Under Speed Interlock is standard on T680.	\$1,237	19#
3511401	Driver Controlled Differential Lock (Crosslock) for FUELite MA40-165.	\$1,272	0#
3511410	Driver Controlled Differential Lock (Crosslock) for Meritor Axles 40K to 58K rear rear axle. Under Speed Interlock is standard on T680.	\$1,320	19#
3511420	Driver Controlled Differential Lock (Crosslock) for Meritor Axles 40K to 52K forward rear & rear rear axle. Under Speed Interlock is standard on T680.	\$2,285	39#
3511500	Driver Controlled Differential Lock (Crosslock) for Paccar Axles 40K rated, forward rear axle, with cab control.	\$1,204	19#
3532120	Wheel Differential Lock for Dana Spicer axles DSH40(P)/DSH44(P)/DSP40(P)/DSP41(P)/D40-145(P)(H)(S)/D40-155 forward rear axle. Under Speed Interlock is standard on T680.	\$1,238	22#
3532125	Wheel Differential Lock for Dana Spicer axles DSP40/DSP41(P)/DSH40(P)/DSH44(P)/D40-155 rear rear axle. Under Speed Interlock is standard on T680.	\$1,307	15#
3532130	Wheel Differential Lock for Dana Spicer axles DSP40/DSP41(P)/DSH40(P)/DSH44(P)/D40-155 forward rear axle & rear rear. Under Speed Interlock is standard on T680.	\$2,388	37#
3532190	Wheel Differential Lock for Dana Spicer axles D40-170/172(P)/D46-170/172(H)(P)(WT) forward rear axle. Under Speed Interlock is standard on T680.	\$1,271	55#
3532191	Wheel Differential Lock for Dana Spicer axles D52-190P or D46-590HP forward rear axle.	\$1,085	19#
3532192	Wheel Differential Lock for Dana Spicer axles D40-170/172(P)/D46-170/172(H)(P)(WT) rear rear axle. Under Speed Interlock is standard on T680.	\$1,261	55#
3532193	Wheel Differential Lock for Dana Spicer axles D52-190P or D46-590HP rear rear axle. Under Speed Interlock is standard on T680.	\$1,327	20#
3532194	Wheel Differential Lock for Dana Spicer axles D40-170(P)/D46-170(H)(P)(WT) forward rear axle & rear rear axle.	\$2,430	112#
3532195	Wheel Differential Lock for Dana Spicer axles D52-190P, D46-590HP or D52-590P forward rear axle & rear rear axle.	\$2,084	39#
Slack Adjusters			
3465002	Dual Rear axle automatic slack adjusters.	\$0	0#



T440/T470: REAR AXLE

Option	Description	Price	Weight
Tandem Axle Outer End Equipment			
Miscellaneous			
3490902	Rear air disc brake dustshields for tandem axles; includes pads and rotor shields.	\$633	12#
3500022	Brake cam tube bracket w/ dual tires	\$96	4#
Tridem Axle Outer End Equipment			
Brake Drums			
3392033	Rear Brake Drum: TruTurn Lite 16.5X8.6 Tridem	\$95	-24#
Oil Seals			
3441973	ConMet PreSet Plus Hub package; tridem rear axle	\$0	0#
Anti-Lock Brake System			
4-Channel			
3495226	Bendix 4S/4M anti-lock brake system.	STD	0#
3495228	Bendix 4S/4M anti-lock brake system w/ air traction control (ATC).	\$589	2#
3495229	Bendix 4S/4M anti-lock brake system w/ air traction control (ATC) & electronic stability program (ESP) for tractor.	\$2,106	11#
3495233	Bendix 4S/4M anti-lock brake system w/ air traction control (ATC) and electronic stability program (ESP) for full truck. Must code for additional body information.	\$2,104	0#
6-Channel			
3495227	Bendix 6S/6M anti-lock brake system.	\$736	5#
3495230	Bendix 6S/6M anti-lock brake system w/ air traction control (ATC).	\$1,073	6#
3495231	Bendix 6S/6M anti-lock brake system w/ air traction control (ATC) and electronic stability program (ESP) for tractor.	\$3,132	15#
3495232	Bendix 6S/6M anti-lock brake system w/ air traction control (ATC) and electronic stability program (ESP) for full truck. Must code for additional body information.	\$2,108	15#
Other			
3495242	Bendix eTrac traction enhancement	\$840	9#
Body Builder ESP Information			
3500070	20-33 cubic yard dump	\$0	0#
3500072	Tanker height less than 75 in. from top of frame rail	\$0	0#
3500073	Tanker height between 75 in. and 85 in. from top of frame rail.	\$0	0#
3500074	10.5-11 yard rear discharge non-bridge formula mixer.	\$0	0#



T440/T470: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Anti-Lock Brake System

Body Builder ESP Information

3500075	10.5-11 yard rear discharge bridge formula mixer.	\$0	0#
3500096	Flatbed top of deck not more than 20 in. above top of deck or frame rail. Guidelines associated with anti-lock brakes systems that include ESP for full truck chassis can be found in Kenworth TE1647 on DealerNet.	\$0	0#
3500097	Van body top of deck not more than 20 in. above top of rail-Guidelines associated with anti-lock brakes systems that include ESP for full truck chassis can be found in Kenworth TE1647 on DealerNet.	\$0	0#

Miscellaneous

3367001	Rear brake included w/ rear axle.	\$0	0#
3407026	Rear hub: included w/ axles 11-1/4 in. b.c. hub-pilot.	\$0	0#
3407046	Longer studs for aluminum wheels w/ steel hub pilot wheels.	\$20	6#
3440100	Oil seals included w/ axle.	\$0	0#
3465900	Rear slack adjusters included w/ axle or air disc brakes.	\$0	0#
3490047	Dustshields for drum brakes: all rear axles.	\$106	11#
3491495	Hubodometer.	\$232	3#
3495144	Rear Meritor Platinum Shield Brakes Addon Platinum shield is only a shoe change.	\$83	0#
3495225	FMVSS-136 Stability Control Schedule Review Chassis meets FMVSS-136 requirements and must be equipped with Electronic Stability Control. Reference Option code placed on order.	\$0	0#
3510000	Tapered axle shaft holes.	\$53	0#
3533000	Raised oil levels for rear rear axle for use on 12% or greater continuous grades.	\$64	20#
3573100	Xlock/differential lock plumbed to low side of low side of transmission (manual).	\$116	0#
3573101	Xlock/differential lock plumbed to low side of transmission (automatic); includes plumbing and wiring.	\$253	2#
3573110	Separate flip valve for dual axles: differential lock or crosslock.	\$56	0#

Pusher Axles

Non-Steerable Pushers

Suspensions

3808025	Non-steerable pusher axle: Watson-Chalin AL2200 23K Standard track.	\$12,871	2,296#
---------	---	----------	--------



T440/T470: REAR AXLE

Option	Description	Price	Weight
Pusher Axles			
Non-Steerable Pushers			
Brakes			
3820348	16.5x7 in. Bendix Non-RSD brakes for use with 21K or 23K non-steerable pusher assembly (included w/ axle).	\$0	0#
3820353	16.5x7 in. Bendix RSD brakes for use with 21K or 23K axle non-steerable pusher assembly.	\$118	0#
Brake Drums			
3820698	Cast brake drums 16.5x7 for non-steerable 21K or 23K pusher axle.	\$0	0#
Hubs			
3821703	Non-steerable pusher Hubs Iron hub pilot 10-hole 11.25 in. bolt circle for use with 21K or 23K axle.	\$0	0#
3821704	Non-steerable pusher Hubs Aluminum hub pilot 10-hole 11.25 in. bolt circle for use with 21K or 23K axle.	\$538	0#
Miscellaneous			
3825011	Non-steerable pusher: optional dustshields.	\$48	3#
Steerable Pushers			
Suspensions			
3808027	1 Steerable Pusher Watson Chalin Tru Track 23K SL2200 includes axle.	\$25,975	1,594#
3808109	1 Steerable Pusher: Watson Chalin 8K SL0893SSR Super Lite; includes axle.	\$11,277	969#
3808118	1 Steerable Pusher: Watson Chalin 10K SL1093SSR Super Lite; includes axle.	\$11,624	984#
3808119	1 Steerable Pusher Watson-Chalin Tru Track 13.5K SL1190SSR Alumilite; includes axle.	\$11,987	1,271#
3808802	1 Steerable Pusher Watson Chalin Tru Track 20K; SL2065	\$15,554	2,086#
Brakes			
3820027	1 Steerable Pusher Brakes: Non-RSD 325x100 Use with 8K OR 10K axle.	\$0	0#
3820036	1 Steerable Pusher Brakes: Bendix Non-RSD 15x4 Use with 13.5K axle.	\$0	0#
3820041	1 Steerable Pusher Brakes: Bendix RSD 16.5x5 in. Use with 13.5K axle.	\$49	0#
3820042	16.5x7 in. Bendix Non-RSD brakes for use with 23K 1 steerable pusher assembly (included w/ axle).	\$0	0#
3820044	16.5x7 in. Bendix RSD brakes for use with 23K 1 steerable pusher assembly (included w/ axle)	\$118	0#
3820048	1 Steerable Pusher Disc Brakes And Splined Rotor: Bendix RSD Use With 13.5K Axle	\$3,777	42#
3820050	1 Steerable Pusher Disc Brakes And Splined Rotor: Bendix Non-RSD Use With 13.5K Axle	\$3,777	42#
3820083	1 Steerable Pusher brakes: Bendix Non-RSD 16.5x6 in.; Use with 20K axle.	\$0	0#



T440/T470: REAR AXLE

Option	Description	Price	Weight
Pusher Axles			
Steerable Pushers			
Brakes			
3820087	1 Steerable Pusher Brakes: Bendix RSD 16.5x6 in. Use with 20K axle.	\$70	0#
Brake Drums			
3820500	1 Steerable Pusher cast brake drums. 16.5X7 in. for use with 23K axle.	\$0	0#
3820501	1 Steerable Pusher brake drums 325x100 included with 8K axle 205mm BC.	\$0	0#
3820511	1 Steerable Pusher brake drums 325x100 included with 10K axle 275mm BC.	\$0	0#
3820523	1 Steerable Pusher brake drum 15x4 for use with 13.5K axle.	\$0	0#
3820533	1 Steerable Pusher cast brake drums. 16.5X5 in. for use with 13.5K axle.	\$44	0#
3820562	1 Steerable Pusher cast brake drums. 16.5X6 in. for use with 20K axle.	\$0	0#
Hubs			
3821003	1 Steerable pusher iron hubs included for 10K axle.	\$0	0#
3821112	1 Steerable pusher iron hubs included for 8K axle.	\$0	0#
3821121	1 Steerable pusher hubs aluminum hub pilot for use with 13.5K axle.	\$0	0#
3821152	1 Steerable pusher hubs alum hub pilot 10-hole 11.25 in. bolt circle. For use with 20K axle.	\$459	0#
3821153	1 Steerable pusher hubs iron hub pilot 10-hole 11.25 in. bolt circle. For use with 20K axle.	\$216	78#
3821156	1 Steerable pusher hubs iron hub pilot 10-hole 11-.25 in. bolt circle. For use with 23K axle.	\$0	0#
3821157	1 Steerable pusher hubs alum hub pilot 10-hole 11.25 in. bolt circle. For use with 23K axle.	\$308	0#
Miscellaneous			
3825047	Steerable pusher: optional dustshields.	\$76	6#
Pusher Axle Locations			
3828370	Info for C/I controls for C/I pshr/tag: (Regulator installed inside of cab)	\$0	0#
3828371	Info for C/I controls for C/I pshr/tag: (Regulator installed outside of cab)	\$0	0#
3841043	1st pusher location: 43 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841044	1st pusher location: 44 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841045	1st Pusher location: 45 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841046	1st Pusher location: 46 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841047	1st Pusher location: 47 in. from c/l forward tandem axle or single rear axle.	\$0	0#



T440/T470: REAR AXLE

Option	Description	Price	Weight
Pusher Axles			
Pusher Axle Locations			
3841048	1st Pusher location: 48 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841049	1st Pusher location: 49 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841050	1st Pusher location: 50 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841051	1st Pusher location: 51 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841052	1st Pusher location: 52 in. from c/l Forward tandem axle or single rear axle.	\$0	0#
3841053	1st Pusher location: 53 in. from c/l Forward tandem axle or single rear axle.	\$0	0#
3841054	1st Pusher location: 54 in. from c/l Forward tandem axle or single rear axle.	\$0	0#
3841055	1st Pusher location: 55 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841056	1st Pusher location: 56 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841057	1st Pusher location: 57 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841058	1st Pusher location: 58 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841059	1st Pusher location: 59 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841060	1st Pusher location: 60 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841061	1st Pusher location: 61 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841062	1st Pusher location: 62 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841063	1st Pusher location: 63 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841064	1st Pusher location: 64 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841065	1st pusher location: 65 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841066	1st pusher location: 66 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841067	1st pusher location: 67 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841068	1st pusher location: 68 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841069	1st pusher location: 69 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841070	1st pusher location: 70 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841071	1st pusher location: 71 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841072	1st pusher location: 72 in. from c/l forward tandem axle or single rear axle.	\$0	0#



T440/T470: REAR AXLE

Option	Description	Price	Weight
Pusher Axles			
Pusher Axle Locations			
3841073	1st pusher location: 73 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841074	1st pusher location: 74 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841075	1st pusher location: 75 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841076	1st pusher location: 76 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841077	1st pusher location: 77 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841078	1st pusher location: 78 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841079	1st pusher location: 79 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841080	1st pusher location: 80 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841081	1st pusher location: 81 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841082	1st pusher location: 82 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841083	1st pusher location: 83 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841084	1st pusher location: 84 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841085	1st pusher location: 85 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841086	1st pusher location: 86 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841088	1st pusher location: 88 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841089	1st pusher location: 89 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841090	1st pusher location: 90 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841091	1st pusher location: 91 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841092	1st pusher location: 92 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841093	1st pusher location: 93 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841094	1st pusher location: 94 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841095	1st pusher location: 95 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841096	1st pusher location: 96 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841097	1st pusher location: 97 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841098	1st pusher location: 98 in. from c/l forward tandem axle or single rear axle.	\$0	0#



T440/T470: REAR AXLE

Option	Description	Price	Weight
Pusher Axles			
Pusher Axle Locations			
3841099	1st pusher location: 99 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841100	1st pusher location: 100 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841101	1st pusher location: 101 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841102	1st pusher location: 102 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841103	1st pusher location: 103 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841104	1st pusher location: 104 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841105	1st pusher location: 105 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841106	1st pusher location: 106 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841107	1st pusher location: 107 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841108	1st pusher location: 108 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841109	1st pusher location: 109 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841110	1st pusher location: 110 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841112	1st pusher location: 112 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841113	1st pusher location: 113 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841114	1st pusher location: 114 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841115	1st pusher location: 115 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841116	1st pusher location: 116 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841118	1st pusher location: 118in. From C/L Forward Rear/Single Rear Axle.	\$0	0#
3841119	1st pusher location: 119in. From C/L Forward Rear/Single Rear Axle.	\$0	0#
3841121	1st pusher location: 121 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841122	1st pusher location: 122 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841123	1st Pusher Location: 123in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841124	1st pusher location: 124 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841129	1st pusher location: 129 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841130	1st Pusher Location: 130in. from c/l forward tandem axle or single rear axle.	\$0	0#



T440/T470: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Pusher Axles

Pusher Axle Locations

3841136	1st Pusher Location: 136in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841137	1st Pusher Location: 137in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841147	1st Pusher Location: 147in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841148	1st Pusher Location: 149in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841154	1st Pusher Location: 154in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841156	1st pusher location: 156 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841165	1st Pusher Location: 165in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841202	1st Pusher location: 202 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841209	1st Pusher location: 209 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841235	1st pusher location: 235 in. from c/l forward tandem axle or single rear axle.	\$0	0#
3841240	1st Pusher location: 240 in. from c/l forward tandem axle or single rear axle.	\$0	0#

Tag Axles

Non-Steerable Tags

Suspensions

3818025	Non-steerable tag axle: Watson-Chalin AL2200 23K Standard track.	\$12,871	2,296#
---------	--	----------	--------

Brakes

3820349	16.5x7 in. Bendix Non-RSD brakes for use with 21K or 23K non-steerable tag assembly (included w/ axle).	\$0	0#
---------	---	-----	----

Brake Drums

3820699	Cast brake drums 16.5x7 for non-steerable 21K or 23K pusher axle.	\$0	0#
---------	---	-----	----

Hubs

3821708	Non-steerable tag Hubs Iron hub pilot 10-hole 11.25 in. bolt circle for use with 21K or 23K axle.	\$0	0#
3821709	Non-steerable tag Hubs Aluminum hub pilot 10-hole 11.25 in. bolt circle for use with 21K or 23K axle.	\$534	0#

Miscellaneous

3825009	Non-steerable tag: optional dustshields.	\$48	2#
---------	--	------	----

Steerable Tags

Suspensions

3818027	1 Steerable Tag Watson Chalin Tru Track 23K SL2200 includes axle.	\$25,590	1,594#
---------	---	----------	--------



T440/T470: REAR AXLE

Option	Description	Price	Weight
Tag Axles			
Steerable Tags			
Suspensions			
3818109	1 Steerable Tag: Watson Chalin 8K SL0893SSR Super Lite; includes axle.	\$11,804	969#
3818118	1 Steerable Tag: Watson Chalin 10K SL1093SSR Super Lite; includes axle.	\$11,991	984#
3818119	1 Steerable Tag Watson-Chalin Tru Track 13.5K SL1190SSR Alumilite; includes axle.	\$11,590	1,271#
3818802	1 Steerable Tag Watson Chalin Tru Track 20K; SL2065	\$15,021	2,083#
Brakes			
3820030	1 Steerable Tag Brakes: Non-RSD 325x100 Use with 8K OR 10K axle.	\$0	0#
3820039	1 Steerable Tag Brakes: Bendix Non-RSD15X4 Use with 13.5K axle.	\$0	0#
3820043	1 Steerable Tag Brakes: 16.5x7 in. Bendix Non-RSD brakes for use with 23K 1 steerable tag assembly (included w/ axle)	\$0	0#
3820053	1 Steerable Tag Disc Brakes And Splined Rotor: Bendix Non-RSD Use With 13.5K Axle	\$3,777	42#
3820084	1 Steerable Tag brakes: Bendix Non-RSD 16.5x6 in.; Use with 20K axle.	\$0	0#
Brake Drums			
3820504	1 Steerable Tag brake drums 325X100 included with 8K axle 205mm BC.	\$0	0#
3820508	1 Steerable Tag cast brake drums. 16.5X7 in. for use with 23K axle.	\$0	0#
3820514	1 Steerable Tag brake drums 325X100 included with 10K axle 275mm BC.	\$0	0#
3820526	1 Steerable Tag cast drum 15x4 for use with 13.5K axle.	\$0	0#
3820563	1 Steerable Tag brake drums. 16.5X6 in. for use with 20K axle.	\$0	0#
Hubs			
3821009	1 Steerable tag iron hubs included for 10K axle.	\$0	0#
3821116	1 Steerable tag iron hubs included for 8K axle.	\$0	0#
3821124	1 Steerable tag hubs aluminum hub pilot for use with 13.5K axle.	\$0	0#
3821154	1 Steerable tag hubs alum hub pilot 10-hole 11.25 in. bolt circle. For use with 20K axle.	\$515	0#
3821155	1 Steerable tag hubs iron hub pilot 10-hole 11.25 in. bolt circle. For use with 20K axle.	\$44	16#
3821158	1 Steerable tag hubs iron hub pilot 10-hole 11.25 in. bolt circle. For use with 23K axle.	\$0	0#
3821159	1 Steerable tag hubs alum hub pilot 10-hole 11.25 in. bolt circle. For use with 23K axle.	\$308	0#



T440/T470: REAR AXLE

Option	Description	Price	Weight
Tag Axles			
Steerable Tags			
Miscellaneous			
3825070	Steerable tag: optional dustshields.	\$74	6#
3827220	Locking tag kit: required w/ multiple axles.	\$548	30#
Tag Axle Locations			
3844052	Tag location: 52 in. from c/l of rearmost axle or single rear axle.	\$0	0#
3844053	Tag location: 53 in. from c/l of rearmost axle or single rear axle.	\$0	0#
3844054	Tag location: 54 in. from c/l of rearmost axle or single rear axle.	\$0	0#
3844055	Tag location: 55 in. from c/l of rearmost axle or single rear axle.	\$0	0#
3844056	Tag location: 56 in. from C/L of rearmost axle or single rear axle.	\$0	0#
3844057	Tag location: 57 in. from c/l of rearmost axle or single rear axle.	\$0	0#
3844058	Tag location: 58in. from c/l rear rear or single rear XL	\$0	0#
3844059	Tag location: 59 in. from c/l of rearmost axle or single rear axle.	\$0	0#
3844060	Tag location: 60 in. from c/l of rearmost axle or single rear axle.	\$0	0#
3844061	Tag location: 61 in. from C/L of rearmost axle single rear axle.	\$0	0#
3844062	Tag location: 62 in. from C/L of rearmost axle or single rear axle.	\$0	0#
3844063	Tag location: 63 in. from c/l of rearmost axle or single rear axle.	\$0	0#
3844064	Tag location: 64 in. from c/l of rearmost axle or single rear axle.	\$0	0#
3844065	Tag location: 65 in. from c/l of rearmost axle or single rear axle.	\$0	0#
3844066	Tag location: 66 in. from c/l of rearmost axle or single rear axle.	\$0	0#
3844067	Tag location: 67 in. from c/l of rearmost axle or single rear axle.	\$0	0#
3844068	Tag location: 68 in. from c/l of rearmost axle or single rear axle.	\$0	0#
3844069	Tag location: 69 in. from c/l of rearmost axle or single rear axle.	\$0	0#
3844070	Tag location: 70 in. from c/l of rearmost axle or single rear axle.	\$0	0#
3844071	Tag location: 71 in. from c/l of rearmost axle or single rear axle.	\$0	0#
3844072	Tag location: 72 in. from c/l of rearmost axle or single rear axle.	\$0	0#
3844073	Tag location: 73 in. from c/l of rearmost axle or single rear axle.	\$0	0#



T440/T470: REAR AXLE

Option	Description	Price	Weight
Tag Axles			
Tag Axle Locations			
3844074	Tag location: 74 in. from c/l of rearmost axle or single rear axle.	\$0	0#
3844075	Tag location: 75 in. from C/L of rearmost axle or single rear axle.	\$0	0#
3844076	Tag location: 76 in. from C/L of rearmost axle or single rear axle.	\$0	0#
3844077	Tag location: 77 in. from C/L of rearmost axle or single rear axle.	\$0	0#
3844080	Tag location: 80 in. from c/l rear rear or single rear axle.	\$0	0#
3844081	Tag location: 81 in. from c/l of rearmost axle or single rear axle.	\$0	0#
3844082	Tag location: 82 in. from c/l rear rear or single rear axle.	\$0	0#
3844083	Tag location: 83 in. from c/l rear rear or single rear axle.	\$0	0#
3844085	Tag location: 85 in. from c/l of rearmost axle or single rear axle.	\$0	0#
3844089	Tag location: 89 in. from c/l of rearmost axle or single rear axle.	\$0	0#
3844096	Tag location: 96 in. from c/l of rearmost axle or single rear axle.	\$0	0#
3844101	Tag location: 101 in. from c/l rear rear or single rear axle.	\$0	0#
3844109	Tag location: 109 in. from c/l of rearmost axle or single rear axle.	\$0	0#
3844132	Tag location: 132 in. from c/l of rearmost axle or single rear axle.	\$0	0#

Customer-Installed Lift Axles

Kenworth-Offered Lift Axles

Customer-Installed Information Codes

3840116	Customer-installed: Steerable pusher information. Watson Chalin 8K Tru Track Super Lite. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will not be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
3840126	Customer-installed: Steerable pusher information. Watson Chalin 20K Tru Track.	\$0	0#
3840127	Customer-installed: Steerable pusher information. Watson Chalin 23K SL2200. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
3840128	Customer-installed: Steerable tag information. Watson Chalin 23K SL2200. The rail will be drilled for the installation.	\$0	0#
3840132	Customer-installed: Steerable pusher information. Watson Chalin 13.2K Tru Track Alumilite. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will not be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#



T440/T470: REAR AXLE

Option	Description	Price	Weight
Customer-Installed Lift Axles			
Kenworth-Offered Lift Axles			
Customer-Installed Information Codes			
3840145	Customer-installed: Steerable pusher information. Hendrickson Paralift Ultra. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will not be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
3840210	Customer-installed: Non-steerable pusher information. Watson Chalin 2200AL. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will not be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
3840214	Customer-installed: Steerable tag information. Watson Chalin 1800.	\$0	0#
3840215	Customer-installed: Steerable tag information. Watson Chalin 2200AL.	\$0	0#
3840216	Customer-installed: Steerable pusher information. Watson Chalin SL0893SSR Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
3840217	Customer-installed: Steerable pusher information. Watson Chalin 13.5K SL1190SSR Tru Track Alumilite. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
3840218	Customer-installed: Steerable pusher information. Watson Chalin 20K SL2065. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
3840219	Customer-installed: Non-steerable pusher information. Watson Chalin AL2200. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
3840220	Customer-installed: Non-steerable tag information. Watson Chalin AL2200. The rail will be drilled for the installation.	\$0	0#
3840221	Customer-installed: Steerable pusher information. Watson Chalin SL1093SSR. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
Clear Frame Request			
3840005	Clear frame: For 1 customer-installed steerable Kenworth offered pusher axle. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will not be drilled for the installation. Clearances and design are based upon the Kenworth standard tire, the selected lift axle type, and a location code. Type and axle spacing required.	\$1,155	0#
3840020	Clear frame: For 1 customer-installed non-steerable Kenworth offered pusher axle. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will not be drilled for the installation. Clearances and design are based upon the Kenworth standard tire, the selected lift axle type, and a location code. Type and axle spacing required.	\$1,155	0#



T440/T470: REAR AXLE

Option	Description	Price	Weight
Customer-Installed Lift Axles			
Non-Kenworth-Offered Lift Axles			
Clear Frame Request			
3840300	Clear frame: For 1 customer-installed non-Kenworth offered steerable pusher. Kenworth will provide clear frame 34 inches ahead and 24 inches behind the coded location. Intermediate, centerbearing and forward suspension crossmembers may be located within the clear frame area. The driveline will be installed as if there were no lift axle on the truck. The lift axle installer must address any driveline clearance issues.	\$1,155	0#
3840350	Clear frame: For 1 customer-installed non steerable, non-Kenworth offered pusher. Kenworth will provide clear frame 29 inches ahead and 24 inches behind the coded location. Intermediate, centerbearing and forward suspension crossmembers may be located within the clear frame area. The driveline will be installed as if there were no lift axle on the truck. The lift axle installer must address any driveline clearance issues.	\$1,155	0#
3840400	Clear frame: For 1 customer-installed steerable non-Kenworth offered tag axle. Kenworth will provide clear frame 34 inches ahead and 24 inches behind the coded location. Intermediate and suspension crossmembers may be located within the clear frame area.	\$1,155	0#
3840411	Clear frame: For 1 customer-installed non-steerable, non-Kenworth offered tag axle. Kenworth will provide clear frame 29 inches ahead and 24 inches behind the coded location. Intermediate and suspension crossmembers may be located within the clear frame area.	\$1,155	0#
Air System For Customer-Installed Lift Axles			
3828801	Kenworth-installed: Air system & controls for 1 customer-installed lift axle. Must Code 38283XX Location.	\$1,138	68#
3828802	Kenworth-installed: Air system & controls for 2 customer-installed lift axles. Must Code 38283XX Location.	\$2,279	0#
3828803	Kenworth-installed: Air system & controls for 3 customer-installed lift axles. Must Code 38283XX Location.	\$3,413	0#
Lift Axle Capacity			
3840708	Customer-installed steerable tag information: maximum capacity 8K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840709	Customer-installed steerable tag information: Maximum capacity 9K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840710	Customer-installed steerable tag information: maximum capacity 10K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840712	Customer-installed steerable tag information: maximum capacity 12K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840713	Customer-installed steerable tag information: Maximum capacity 13.2K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#



T440/T470: REAR AXLE

Option	Description	Price	Weight
Customer-Installed Lift Axles			
Lift Axle Capacity			
3840718	Customer-installed steerable tag information: Maximum capacity 18K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840720	Customer-installed steerable tag information: maximum capacity 20K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840721	Customer-installed non-steerable tag information: maximum capacity 18K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840722	Customer-installed non-steerable tag information: maximum capacity 20K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840723	Customer-installed non-steerable tag information: maximum capacity 22K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3860608	Customer-installed steerable pusher information: maximum capacity 8K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860609	Customer-installed steerable pusher information: maximum capacity 9K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860610	Customer-installed steerable pusher information: maximum capacity 10K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860612	Customer-installed steerable pusher information: maximum capacity 12K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860613	Customer-installed steerable pusher information: maximum capacity 13.2K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860618	Customer-installed steerable pusher information: maximum capacity 18K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860620	Customer-installed steerable pusher information: maximum capacity 20K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860621	Customer-installed non-steerable pusher information: maximum capacity 18K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles, enter a capacity which represents a single pusher installation.	\$0	0#
3860622	Customer-installed non-steerable pusher information: maximum capacity 20K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#



T440/T470: REAR AXLE

Option	Description	Price	Weight
Customer-Installed Lift Axles			
Lift Axle Capacity			
3860623	Customer-installed non-steerable pusher information: maximum capacity 22K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
Lift Axle Control Locations			
3828300	Pusher or Tag: gauge/ flip valve and pressure regulator dash-mounted.	\$0	0#
3828310	Pusher or Tag: gauge/flip valve dash-mounted; additional gauge mounted left of driver; pressure regulator under cab.	(\$20)	0#
3828315	Pusher or Tag: gauge dash-mounted; flip valve and pressure regulator mounted BOC(S) lower LH side.	\$0	0#
3828320	Pusher or Tag: gauge/flip valve dash-mounted; gauge and pressure regulator mounted BOC(S) lower LH side.	\$0	0#
3828321	Pusher or Tag: gauge/flip valve dash-mounted; pressure regulator bundled and strapped to the frame.	\$0	0#



T440/T470: REAR SUSPENSION

Option	Description	Price	Weight
Single			
31K & Under			
3626478	Rear suspension: single Reyco 79KB taperleaf 21K. Unladen Height: 11.0 in. Laden Height: 9.4 in. Not available with shocks or swaybars.	STD	0#
3630023	Rear suspension: single Kenworth Airglide 230 23K 4-bag air suspension w/10.5 in. ride height. Includes shocks and torque rods. Includes air suspension dump valve.	\$2,161	113#
3632270	Rear suspension: single Hendrickson HAS230 23K. W/aluminum crossmembers & gussets. Air suspension w/10 in. height. Maximum torque is 1350 lb-ft. Includes air suspension dump valve.	\$682	-83#
3634030	Rear suspension: single Neway ADZ123 23K. Air suspension w/ 10 in. ride height & single leveling valve. Includes air suspension dump valve.	\$2,633	5#
3636480	Rear suspension: single Reyco 79KB taperleaf 23K. Steel crossmembers & gussets, Kenworth longlife spring w/helper. Unladen Height: 11.0 in. Laden Height: 9.3 in. Not available with shocks or swaybars.	\$170	68#
3646416	Rear suspension: single Reyco 79KB 26K. Steel crossmembers, gussets & multileaf spring w/helper. Unladen Height: 10.8 in. Laden Height: 8.1 in. Not available with shocks or swaybars.	\$520	120#
3654030	Rear suspension: single Neway ADZ126 26K. air suspension w/ 10 in. ride height. Includes air suspension dump valve, single leveling valve & cast brake spiders.	\$3,553	42#
3666434	Rear suspension: single Reyco 79KB multileaf 31K with 16 leaf springs. Not rear air disc brake compatible.	\$1,760	220#
3666435	Rear suspension: single Reyco 79KB multileaf 31K. 28K spring plus helper. Laden height 8.9 inches, unladen height 11.7 inches. Not available with shocks or swaybars. Not rear air disc brake compatible.	\$1,182	196#
Tandem			
40K & Under			
Kenworth			
3730026	Rear suspension: Tandem Kenworth Airglide 400L 40K. 54 in. axle spacing. Air suspension w/ 8.5 in. ride height. Includes single leveling valve. Includes air suspension dump valve.	\$2,849	258#
3730028	Rear suspension: Tandem Kenworth Airglide 400L 40K. 52 in. axle spacing. Air suspension w/ 8.5 in. ride height. Includes single leveling valve. Includes air suspension dump valve.	\$2,864	258#
3730030	Rear suspension: Tandem Kenworth Airglide 400 40K 52 in. axle spacing. Air suspension w/ 9 in. ride height. Includes air suspension dump valve.	\$5,120	230#
3730032	Rear suspension: Tandem Kenworth Airglide 400 40K 54 in. axle spacing. Air suspension w/ 9 in. ride height. Includes air suspension dump valve.	\$5,158	232#
3730053	Rear suspension: Tandem Kenworth Airglide 380 38K 52 in. axle spacing. Air suspension with 8.5 in. ride height. Includes single leveling valve and air suspension dump valve. Compatible with drum or air disc brakes.	\$3,846	155#
Reyco			
3726405	Rear suspension: Tandem Reyco 102 38K. 4-spring multileaf & 52 in. axle spacing. Steel crossmembers & gussets. Unladen Height: 10.8 in. Laden Height: 9.2 in.	\$2,195	482#



T440/T470: REAR SUSPENSION

Option	Description	Price	Weight
Tandem			
40K & Under			
Reyco			
3736418	Rear suspension: Tandem Reyco 102 40K. 4-spring multileaf & 52 in. axle spacing. Steel crossmembers & gussets. Unladen Height: 10.8 in. Laden Height: 9.2 in.	\$2,239	500#
Chalmers			
3739204	Rear suspension: Tandem Chalmers 854-40-H 40K. 54 in. axle spacing. Standard restrictor can.	\$6,281	463#
3739205	Rear suspension: Tandem Chalmers 854-40-L 40K. 54 in. axle spacing. Laden height 8.9 inches, unladen height 11.1 inches. Standard restrictor can.	\$6,276	463#
3739207	Rear suspension: Tandem Chalmers 854-40-H-HS 40K. 54 in. axle spacing. High center of gravity application. Unladen Height: 12.4 in. Laden Height: 10.9 in.	\$6,281	462#
3739208	Rear suspension: Tandem Chalmers 854-40-L-HS 40K. 54 in. axle spacing. High center of gravity application. Unladen Height: 11.1 in. Laden Height: 9.6 in.	\$6,269	462#
3739214	Rear suspension: Tandem Chalmers 854-40-H-SR 40K. 54 in. axle spacing. Soft ride restrictor can.	\$6,273	463#
3739217	Rear suspension: Tandem Chalmers 854-40-L-SR 40K. 54 in. axle spacing. Soft ride restrictor can.	\$6,514	463#
Hendrickson			
3732105	Rear suspension: Tandem Hendrickson HAS402 40K. 52 in. axle spacing. Aluminum crossmember & gussets w/shocks at 10 in. height. Includes air suspension dump valve.	\$4,572	467#
3732970	Tandem Hendrickson HAULMAAX (HMX) 400 40K. 54 in. axle spacing. With shocks and 16.5 in. saddle height. Unladen Height: 10.6 in. Laden Height: 9.5 in.	\$4,902	535#
3732972	Tandem Hendrickson HAULMAAX (HMX) 400 40K. 54 in. axle spacing. With shocks and 17.5 in. saddle height. Unladen Height: 11.6 in. Laden Height: 10.5 in.	\$5,045	541#
3737455	Rear suspension: Tandem Hendrickson RT403 40K. 52 in. axle spacing. 7.19 in. saddle height w/barpin bushing. Unladen Height: 10.7 in. Laden Height: 9.7 in. Advertised axle spacing for this rear suspension is a nominal value. Actual spacing may be up to two inches greater than noted. This is important in situations where the body is likely to be pre-built before the chassis is delivered. Tire to body or bracket to body interference may be encountered. Communicate clear space requirements on the sales order. DSP40/P rear axles are not for use with Hendrickson HAS 402, Hendrickson Primaax, or Hendrickson beam-type rear suspensions. Hendrickson RT403 rear suspension for use with tandem axles up to 46K on T8 series. Hendrickson RT403 rear suspension requires bronze center bushings when used in refuse loader or packer applications.	\$4,640	957#
44K to 52K			
Kenworth			
3740130	Rear suspension: Tandem Kenworth Airglide 460 46K 54 in. axle spacing. 10.5 in. ride height. Includes air suspension dump valve.	\$5,352	366#
3740132	Rear suspension: Tandem Kenworth Airglide 460 46K 60 in. axle spacing. 10.5 in. ride height. Includes air suspension dump valve.	\$6,478	482#
Chalmers			
3749201	Rear suspension: Tandem Chalmers 854-46-L 46K. 54 in. axle spacing. Unladen Height: 11.3 in. Laden Height: 8.9 in. Standard restrictor can.	\$7,312	592#



T440/T470: REAR SUSPENSION

Option	Description	Price	Weight
Tandem			
44K to 52K			
Chalmers			
3749203	Rear suspension: Tandem Chalmers 854-46-L-HS 46K. 54 in. axle spacing. High center of gravity application. Unladen Height: 11.3 in. Laden Height: 9.6 in.	\$7,312	592#
3749204	Rear suspension: Tandem Chalmers 854-46-H-HS 46K. 54 in. axle spacing. High center of gravity application. Unladen Height: 12.5 in. Laden Height: 10.9 in.	\$7,321	592#
3749209	Rear suspension: Tandem Chalmers 854-46-H 46K. 54 in. axle spacing. Unladen Height: 12.5 in. Laden Height: 10.1 in. Standard restrictor can.	\$7,321	592#
3749210	Rear suspension: Tandem Chalmers 854-50-H 50K. 54 in. axle spacing. Unladen Height: 12.5 in. Laden Height: 10.1 in. Standard restrictor can.	\$8,630	657#
3749214	Rear suspension: Tandem Chalmers 854-46-L-SR 46K. 54 in axle spacing. Soft ride restrictor can.	\$7,783	592#
3749217	Rear suspension: Tandem Chalmers 854-46-H-SR 46K. 54 in axle spacing. Soft ride restrictor can.	\$7,783	592#
3749267	Rear suspension: Tandem Chalmers 872-46-H-HS 46K. 72 in. axle spacing. High center of gravity application. Unladen Height: 12.5 in. Laden Height: 11 in.	\$10,235	712#
3749268	Rear suspension: Tandem Chalmers 860-46-H-HS 46K. 60 in. axle spacing. High center of gravity application. Unladen Height: 12.5 in. Laden Height: 10.9 in.	\$8,236	642#
3749271	Rear suspension: Tandem Chalmers 860-46-H 46K. 60 in. axle spacing. Unladen Height: 12.5 in. Laden Height: 10.1 in. Standard restrictor can.	\$8,236	642#
Hendrickson			
3742020	Rear suspension: Tandem Hendrickson Primaax EX462 46K. Steel crossmember & gussets. 54 in. axle spacing. 10 in. ride height.	\$7,276	569#
3742025	Rear suspension: Tandem Hendrickson Primaax EX462 46K. Steel crossmember & gussets. 60 in. axle spacing. 10 in. ride height.	\$7,274	569#
3742030	Rear suspension: Tandem Hendrickson Primaax EX462 46K. Steel crossmember & gussets. 72 in. axle spacing. 10 in. ride height.	\$7,514	569#
3742970	Tandem Hendrickson HAULMAAX (HMX) 460 46K. 54 in. axle spacing. With shocks, track rods, rubber bolster bushings and 16.5 in. saddle height. Unladen Height: 10.6 in. Laden Height: 9.5 in.	\$5,927	543#
3742972	Tandem Hendrickson HAULMAAX (HMX) 460 46K. 54 in. axle spacing. With shocks, track rods, rubber bolster bushings and 17.5 in. saddle height. Unladen Height: 11.6 in. Laden Height: 10.5 in.	\$6,076	549#
3742976	Tandem Hendrickson HAULMAAX (HMX) 460 46K. 54 in. axle spacing. With shocks, track rods, rubber bolster bushings and 18.5 in. saddle height. Unladen Height: 12.6 in. Laden Height: 11.5 in.	\$6,136	549#
3742977	Tandem Hendrickson HAULMAAX (HMX) 460 46K. 60 in. axle spacing. With shocks, track rods, rubber bolster bushings and 18.5 in. saddle height. Unladen Height: 12.6 in. Laden Height: 11.5 in.	\$6,936	549#
3742992	Rear suspension: Tandem Hendrickson ULTIMAAX 460 46K, 54 in. axle spacing, 17.50 in. saddle height. Includes shock absorbers.	\$9,130	937#



T440/T470: REAR SUSPENSION

Option	Description	Price	Weight
Tandem			
44K to 52K			
Hendrickson			
3742994	Rear suspension: Tandem Hendrickson ULTIMAAX 460 46K, 54 in. axle spacing, 18.25 in. saddle height. Includes shock absorbers.	\$9,198	937#
3742996	Rear suspension: Tandem Hendrickson ULTIMAAX 460 46K, 60 in. axle spacing, 17.50 in. saddle height. Includes shock absorbers.	\$9,330	937#
3742998	Rear suspension: Tandem Hendrickson ULTIMAAX 460 46K, 60 in. axle spacing, 18.25 in. saddle height. Includes shock absorbers.	\$9,399	937#
3747460	Rear suspension: Tandem Hendrickson RT463 46K. 54 in. axle spacing. Steel beams & barpin bushing. 6 in. saddle height. Unladen Height: 11.1 in. Laden Height: 10 in.	\$4,961	1,055#
3747461	Rear suspension: Tandem Hendrickson RT463 46K. 54 in. axle spacing. Steel beams & barpin bushing. 7.19 in. saddle height. Unladen Height: 12.5 in. Laden Height: 11.2 in.	\$5,000	1,055#
3747462	Rear suspension: Tandem Hendrickson RT463 46K. 54 in. axle spacing. 7.94 in. saddle height. Steel beams & barpin bushing. Unladen Height: 13.3 in. Laden Height: 11.9 in.	\$6,387	1,055#
3747465	Rear suspension: Tandem Hendrickson RT463 46K. 60 in. axle spacing. 6.0 in. saddle height. Steel beams & barpin bushing. Standard w/ track rods. Unladen Height: 11.1 in. Laden Height: 10 in.	\$5,161	1,203#
Neway			
3744150	Rear suspension: Tandem Neway ADZ246 46K. 54 in. axle spacing. Air suspension w/ 10 in. ride height. Includes air suspension dump valve, single leveling valve & cast brake spiders.	\$8,367	592#
3744152	Rear suspension: Tandem Neway ADZ246 46K. 60 in. axle spacing. Air suspension w/ 10 in. ride height. Includes air suspension dump valve, single leveling valve & cast brake spiders.	\$8,367	592#
3744156	Rear suspension: Tandem Neway ADZ246 46K. 54 in. axle spacing. Air suspension w/ 12 in. ride height. Includes air suspension dump valve, single leveling valve & cast brake spiders.	\$9,999	725#
3754153	Rear suspension: Tandem Neway ADZ252 52K. 54 in. axle spacing. Air suspension w/ 12 in. ride height & single leveling valve. Includes air suspension dump valve.	\$11,804	758#
3754154	Rear suspension: Tandem Neway ADZ252 52K. 60 in. axle spacing. Air suspension w/ 12 in. ride height & single leveling valve. Includes air suspension dump valve.	\$11,804	758#
Suspension Equipment			
3830502	Delete dash mounted control for air suspension dump valve. Only available with an air suspension.	\$0	0#
3830505	Dual leveling valves for single air suspension. Dual leveling valves on single rear suspensions on only available on Neway ADZ for class 8 or Hendrickson HAS for medium duty. Dual leveling valves will not be approved on any other suspensions on T3.	\$142	0#
3830510	Dual leveling valves for tandem air suspension.	\$180	2#
3832001	Torque rods for 46K PRIMAAX EX using disc brakes. Replacing standard.	\$451	23#
3832004	Heavy-duty track rods for Hendrickson beam suspensions rated up to 46K or Neway AD tandem suspensions.	\$168	0#



T440/T470: REAR SUSPENSION

Option	Description	Price	Weight
Suspension Equipment			
3832008	Heavy-duty torque rods for Hendrickson beam. 46K and under suspensions.	\$330	15#
3832018	Delete shock absorbers. Hendrickson HAULMAAX (HMX) suspension.	(\$225)	-30#
3832020	Edge kit for HAS single or tandem rear suspension	\$124	10#
3832021	Delete shock absorber for Hendrickson ULTIMAAX suspension.	(\$362)	-31#
3832026	Chalmers shock absorbers. 52K and under suspension.	\$486	35#
3832030	Bronze center bushings for Hendrickson 403.	\$124	6#
3832072	Transverse track rods for Hendrickson RT/RTE suspensions w/52 or 54 in. axle spacing.	\$505	108#
3832098	Track rods: heavy duty for Hendrickson Primaax EX tandem. Replaces standard duty track rods.	\$69	24#
3832161	Double Rebound Strap Kit: Hendrickson HAULMAAX rear suspension.	\$250	6#
3834100	Air retention kit for rear suspension for use w/ outriggers.	\$259	4#
3836500	Heavy-duty gussets for forward suspension crossmember on Airglide 400/460, Chalmers, or Hendrickson beam suspensions. This replaces the standard gussets.	\$73	12#
3839002	Air suspension over-inflation valve w/warning light to temporarily raise the frame.	\$254	0#
3839140	Chalmers 40K severe service upgrade. Use with Chalmers 8xx-40 series suspensions. Separate suspension code required.	\$474	16#
3839146	Chalmers 46K severe service upgrade. Use with Chalmers 8xx-46 series suspensions. Separate suspension code required.	\$806	30#
3839152	Chalmers 52K severe service upgrade. Use with Chalmers 8xx-52 series suspensions. Separate suspension code required.	\$2,538	87#
Suspension Miscellaneous			
3830152	Air Springs: Heavy-duty for Airglide 460. Replaces standard duty air springs.	\$50	28#
3839046	Heavy duty barpin brackets for tandem Hendrickson beam rear suspensions.	\$538	0#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
4030020	Front Tires: Goodyear Fuel Max RSA 295/75R22.5 16PR	\$41	4#
4030023	Front Tires: Goodyear Endurance RSA 11R22.5 14PR	(\$23)	23#
4030024	Front Tires: Goodyear Endurance RSA 11R22.5 16PR	\$22	15#
4038736	Front tires: Goodyear Fuel Max RSA 11R22.5 14PR	(\$12)	0#
4038737	Front Tires: Goodyear Fuel Max RSA 11R22.5 16PR	\$32	0#
4038806	Front tires: Goodyear G751 MSA 11R22.5 16PR 42.0in. diameter, all position. 19.6 SLR.	\$271	42#
4038810	Front tires: 2 Goodyear G751 MSA 12R22.5 16PR 43.2in. diameter. Steer/all position on/off highway tire. 20.3 SLR.	\$559	72#
4038816	Front tires: Goodyear Endurance LHS 11R22.5 14PR	(\$12)	0#
4038817	Front tires: 2 Goodyear G751 MSA 315/80R22.5 20PR	\$857	80#
4038820	Front tires: 2 Goodyear G751 MSA DuraSeaL 11R22.5 16PR. 42.0in. diameter. Steer/all position on/off highway tire. 19.6 SLR.	\$413	59#
4038823	Front tires: Goodyear Endurance LHS 11R22.5 16PR	\$20	0#
4038849	Front tires: Goodyear G731 MSA 12R22.5 16PR 43.2in. diameter. 20.3in SLR.	\$559	70#
4038860	Front tires: Goodyear Endurance RSA 12R22.5 16PR	\$205	56#
4083220	Front Tires: Yokohama 703ZL 11R22.5 14PR	(\$229)	46#
4083231	Front Tires: Yokohama MY507 11R22.5 16PR	\$34	30#
4083242	Front Tires: Yokohama RY023 11R22.5 16PR	(\$263)	6#
4083246	Front Tires: Yokohama RY023 11R22.5 14PR	(\$290)	6#
4083250	Front Tires: Yokohama TY517 MC2 11R22.5 14PR	(\$186)	18#
4083261	Front Tires: Yokohama 709ZL 11R22.5 14PR	(\$212)	32#
4083282	Front Tires: Yokohama RY617 11R22.5 14PR	(\$319)	2#
4230023	Rear Tires: Goodyear Endurance RSA 11R22.5 14PR	(\$23)	23#
4230024	Rear Tires: Goodyear Endurance RSA 11R22.5 16PR	\$22	15#
4238001	Rear Tires: Goodyear Armor Max Pro Grade MSD 11R22.5 16PR	\$224	64#
4238003	Rear Tires: Goodyear Armor Max Pro Grade MSD 12R22.5 16PR	\$494	84#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
4238004	Rear Tires: Goodyear Armor Max Pro Grade MSD DuraSeal 11R22.5 16PR	\$372	70#
4238684	Rear tires: Goodyear G182 RSD 12R22.5 16PR. 43.4 in. diameter, all position. 20.4 in. SLR. Code is priced per pair of tires.	\$1,025	72#
4238704	Rear tires: Goodyear G282 MSD 12R22.5 16PR. 43.4 in. diameter, drive. 20.4 in. SLR.	\$1,262	84#
4238725	Rear tires: Goodyear G282 MSD 11R24.5 16PR. 43.9 in. diameter, drive. 20.6 in. SLR.	\$915	62#
4238736	Rear tires: Goodyear Fuel Max RSA 11R22.5 14PR	(\$12)	0#
4238737	Rear tires: Goodyear Fuel Max RSA 11R22.5 16PR	\$32	0#
4238739	Rear tires: Goodyear Fuel Max RTD 11R22.5 14PR 42.1 in. diameter, all position. 19.6 in. SLR. Code is priced per pair of tires.	\$816	30#
4238740	Rear Tires: Goodyear Fuel Max RTD 11R22.5 16PR 42.1 in. diameter, all position. 19.6 in. SLR. Code is priced per pair of tires.	\$151	30#
4238806	Rear tires: Goodyear G751 MSA 11R22.5 16PR 42.0in. diameter, all position. 19.6 SLR.	\$271	42#
4238810	Rear tires: 2 Goodyear G751 MSA 12R22.5 16PR 43.2in. diameter. Steer/all position on/off highway tire. 20.3 SLR.	\$559	72#
4238816	Rear tires: Goodyear Endurance LHS 11R22.5 14PR	(\$25)	0#
4238817	Rear tires: 2 Goodyear G751 MSA 315/80R22.5 20PR	\$857	80#
4238820	Rear Tires: Goodyear G751 MSA DuraSeal 11R22.5 16PR. 42.0in. Diameter. Steer/All Position On/Off Highway Tire. 19.6 SLR.	\$559	59#
4238823	Rear Tires: Goodyear Endurance LHS 11R22.5 16PR	\$20	0#
4238849	Rear tires: Goodyear G731 MSA 12R22.5 16PR 43.2in. diameter. 20.3in SLR.	\$757	70#
4238856	Rear tires: Goodyear Endurance LHD 11R22.5 14PR	\$114	33#
4238860	Rear tires: Goodyear Endurance RSA 12R22.5 16PR	\$338	56#
4238866	Rear tires: Goodyear Endurance LHD 11R22.5 16PR	\$149	40#
4238867	Rear tires: Goodyear MSA G731 Duraseal 11R22.5 16PR	\$413	48#
4283220	Rear Tires: Yokohama 703ZL 11R22.5 14PR	(\$229)	46#
4283231	Rear Tires: Yokohama MY507 11R22.5 16PR	\$34	30#
4283242	Rear Tires: Yokohama RY023 11R22.5 16PR	(\$263)	6#
4283246	Rear Tires: Yokohama RY023 11R22.5 14PR	(\$290)	6#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
4283250	Rear Tires: Yokohama TY517 MC2 11R22.5 14PR	(\$186)	18#
4283261	Rear Tires: Yokohama 709ZL 11R22.5 14PR	(\$212)	32#
4283282	Rear Tires: Yokohama RY617 11R22.5 14PR	(\$319)	2#
Bridgestone Front			
4070010	Front Tires: Bridgestone R268 Ecopia 295/75R22.5	\$11	8#
4070036	Front Tires: Bridgestone R284 Ecopia 11R22.5 14PR	\$45	4#
4070040	Front Tires: Bridgestone R284 Ecopia 295/75R22.5 14PR	STD	0#
4070041	Front Tires: Bridgestone R284 Ecopia 295/75R22.5 16PR	\$89	0#
4070057	Front Tires: Bridgestone R284 Ecopia 11R22.5 16P	\$175	4#
4077413	Front tires: Bridgestone M843 11R22.5 16PR. 42.5 in. diameter, all position. On/off highway. 25/32 tread depth. 19.9 in. SLR.	\$254	40#
4077522	Front tires: Bridgestone M853 11R22.5 16PR. 41.8 in. diameter. 19.4 in. SLR.	\$205	44#
4077546	Front tires: Bridgestone M870 425/65R22.5 20PR 44.9in. diameter, all position. On/Off highway. Wide-base tire. 20.76in SLR.	\$1,228	156#
4079051	Front tires: Bridgestone R250ED 11R22.5 16PR. 41.4 in. diameter, all position. Side wall protector bar. 19.3 in. SLR.	\$17	3#
4079058	Front tires: Bridgestone R268 Ecopia 11R22.5 14PR. 41.5 in. diameter, all position. F-side wall protector bar. 19.3 in. SLR. Smartway certified.	(\$125)	16#
4079059	Front tires: Bridgestone R268 Ecopia 11R22.5 16PR. 41.5 in. diameter, all position. F-side wall protector bar. 19.5 in. SLR.	\$49	18#
Bridgestone Rear			
4270010	Rear Tires: Bridgestone R268 Ecopia 295/75R22.5 16PR	\$11	8#
4270036	Rear Tires: Bridgestone R284 Ecopia 11R22.5 14PR	\$45	4#
4270040	Rear Tires: Bridgestone R284 Ecopia 295/75R22.5 14PR	STD	0#
4270041	Rear Tires: Bridgestone 284 Ecopia 295/75R22.5 16PR	\$89	0#
4270057	Rear Tires: Bridgestone R284 Ecopia 11R22.5 16PR	\$175	4#
4277382	Rear tires: Bridgestone M843 11R22.5 14PR. 25/32 tread depth all position. On/off highway. 42.5 in. diameter. 19.9 in. SLR. Code is priced per pair of tires.	\$163	0#
4277413	Rear tires: Bridgestone M843 11R22.5 16PR. 42.5 in. diameter, all position. On/off highway. 25/32 tread depth. 19.9 in. SLR. Code is priced per pair of tires.	\$254	40#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Bridgestone Rear			
4277444	Rear tires: Bridgestone M726ELA 11R22.5 14PR	\$406	38#
4277487	Rear tires: Bridgestone M799 11R22.5 16PR. 42 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	\$175	20#
4277488	Rear tires: Bridgestone M770 11R22.5 14PR. 42.2 in. diameter, drive. 19.6 in. SLR. Code is priced per pair of tires.	\$257	32#
4277495	Rear tires: Bridgestone M770 11R22.5 16PR. 42.2 in. diameter, drive. 19.6 in. SLR. Code is priced per pair of tires.	\$322	34#
4277513	Rear tires: Bridgestone M760 Ecopia 11R22.5 14PR. 42.2 in. diameter, drive. 19.6 in. SLR. Smartway certified. Code is priced per pair of tires.	\$46	42#
4277522	Rear tires: Bridgestone M853 11R22.5 16PR. 41.8 in. diameter. 19.4 in. SLR. Code is priced per pair of tires.	\$205	48#
4277527	Rear tires: Bridgestone Greatec M853 455/55R22.5 22PR 2-4	\$225	204#
4277545	Rear Tires: Bridgestone M713 Ecopia 11R22.5 14PR. Code is priced per pair of tires.	\$32	14#
4278111	Rear tires: Bridgestone L320 11R22.5 16PR. 42.5 in. diameter, all position. 19.8 in. SLR. Code is priced per pair of tires.	\$700	69#
4279051	Rear Tires: Bridgestone R250ED 11R22.5 16PR 41.4in diameter, all position. 19.3in SLR. Side wall protector bar.	\$17	0#
4279058	Rear Tires: Bridgestone R268 Ecopia 11R22.5 14PR 41.5 in. diameter, all position. F-side wall protector bar. 19.3 in. SLR. Smartway certified. Code is priced per pair of tires.	(\$125)	16#
4279059	Rear Tires: Bridgestone R268 Ecopia 11R22.5 16PR 41.5 in. diameter, all position. F-side wall protector bar. 19.5 in. SLR.	\$49	18#
Michelin Front			
4010002	Front Tires: Michelin X Works Z 11R22.5 16PR	\$353	42#
4010004	Front Tires: Michelin X Works Z 12R22.5 16PR	\$642	64#
4010136	Front Tires: Michelin X Line Energy Z 11R22.5 14P	\$148	9#
4010137	Front Tires: Michelin X Line Energy Z 11R22.5 16P	\$168	7#
4010140	Front Tires: Michelin X Line Energy Z 275/80R22.5 14PR	\$73	-3#
4010141	Front Tires: Michelin X Line Energy Z 275/80R22.5 16PR	\$131	9#
4010144	Front Tires: Michelin X Multi Energy Z 11R22.5 16PR	\$228	8#
4010145	FR MICHELIN X MULTI ENERGY Z 275/80R22.5 16PR	\$171	6#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Michelin Front			
4010340	Front tires: Michelin XZE 12R22.5 16PR 42.6 in. diameter, all position. 19.8 in. SLR.	\$665	52#
4017099	Front Tires: Michelin XZE2 11R22.5 14PR. 41.3 in. Diameter, All Position. 19.2 in. SLR.	\$72	10#
4017154	Front Tires: Michelin XZE2 11R22.5 16PR. 41.4 in. Diameter, All Position. 19.2 in. SLR.	\$158	24#
Michelin Rear			
4210002	Rear Tires: Michelin X Works Z 11R22.5 16PR	\$353	42#
4210004	Rear Tires: Michelin X Works Z 12R22.5 16PR	\$642	64#
4210136	Rear Tires: Michelin X Line Energy Z 11R22.5 14PR	\$148	9#
4210137	Rear Tires: Michelin X Line Energy Z 11R22.5 16PR	\$168	7#
4210140	Rear Tires: Michelin X Line Energy Z 275/80R22.5	\$73	-3#
4210141	Rear Tires: Michelin X Line Energy Z 275/80R22.5	\$131	2#
4210340	Rear Tires: Michelin XZE 12R22.5 16PR 42.6 in. diameter, all position. 19.8 in. SLR. Code is priced per pair of tires.	\$665	52#
4211001	Rear tires: Michelin X Multi Energy Z 11R22.5 16PR	\$228	0#
4211341	Rear tires: Michelin X Multi D 11R22.5 14PR	\$403	26#
4211342	Rear tires: Michelin X MULTI D 11R22.5 16PR	\$407	28#
4217094	Rear tires: Michelin XDN2 11R22.5 16PR. 41.7 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	\$454	38#
4217099	Rear tires: Michelin XZE2 11R22.5 14PR. 41.3 in. diameter, all position. 19.2 in. SLR. Code is priced per pair of tires.	\$72	10#
4217124	Rear tires: Michelin XDN2 11R22.5 14PR. 41.7 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	\$513	36#
4217125	Rear tires: Michelin XDN2 12R22.5 16PR. 42.9in. Diameter. drive tire. 20 in. SLR. Code is priced per pair of tires.	\$549	68#
4217154	Rear tires: Michelin XZE2 11R22.5 16PR. 41.4 in. diameter, all position. 19.2 in SLR. Code is priced per pair of tires.	\$158	34#
4217218	Rear Tires: Michelin XWorks XDY 11R22.5 16PR 41.9 in. diameter, drive. in. 19.7 SLR. Code is priced per pair of tires	\$358	42#
4217225	Rear tires: Michelin XMultiEnergyD 11R22.5 14PR 41.3 in. diameter, drive. 19.3 in. SLR. Smartway certified. Code is priced per pair of tires.	\$186	34#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Michelin Rear			
4217228	Rear tires: Michelin XLineEnergyD 11R22.5 14PR 41.2 in. diameter. 19.3 in. SLR. Smartway certified. Code is priced per pair of tires.	\$141	32#
4217402	Rear tires: Michelin XDS2 11R22.5 16PR 41.8 in. diameter, drive. 19.5 in. SLR.DR. Code is priced per pair of tires.	\$743	46#
4217406	Rear tires: Michelin XDA5+ 11R22.5 14PR. Drive tire. 41.7 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	\$603	42#
Tubeless Type Standard Profile 24.5			
4038661	Front tires: Goodyear Endurance RSA 11R24.5 14PR 43.9in. diameter, all positions, 20.6SLR.	\$314	32#
4038662	Front tires: Goodyear Endurance RSA 11R24.5 16PR 43.9in. diameter, all positions, 20.6SLR.	\$209	34#
4038807	Front tires: 2 Goodyear G751 MSA 11R24.5 16PR 44.0in. diameter. Steer/all position on/off highway tire. 20.7 SLR.	\$386	60#
4038811	Front tires: Goodyear G751 MSA 12R24.5 16PR 45.1in. diameter. 21in. SLR.	\$759	82#
4038826	Front tires: Goodyear Endurance LHS 11R24.5 14PR	\$80	16#
4038827	Front tires: Goodyear Endurance LHS 11R24.5 16PR	\$129	16#
4083230	Front Tires: Yokohama MY507 11R24.5 16PR	\$115	48#
4083241	Front Tires: Yokohama RY023 11R24.5 16PR	(\$142)	22#
4083244	Front Tires: Yokohama RY023 11R24.5 14PR	(\$177)	22#
4083283	Front Tires: Yokohama RY617 11R24.5 14PR	(\$254)	18#
4230022	Rear Tires: Goodyear Fuel Max RSA 11R24.5 16PR	\$123	32#
4238002	Rear Tires: Goodyear Armor Max Pro Grade MSD 11R24.5 16PR	\$437	82#
4238675	Rear tires: Goodyear Endurance RSA 11R24.5 16PR 43.9in. diameter, all positions, 20.6SLR.	\$209	34#
4238683	Rear tires: Goodyear G182 RSD 11R24.5 14PR. 44.1 in. diameter. drive tire. 20.8 in. SLR. Code is priced per pair of tires	\$1,184	58#
4238700	Rear tires: Goodyear G182 RSD 11R24.5 16PR. 44.1 in. diameter. drive tire. 20.8 in. SLR. Code is priced per pair of tires	\$833	68#
4238710	Rear tires: Goodyear Endurance RSA 11R24.5 14PR 43.9in. diameter, all positions, 20.6SLR.	\$314	32#
4238807	Rear Tires: 2 Goodyear G751 MSA 11R24.5 16PR 44.0in. Diameter. Steer/All Position On/Off Highway Tire. 20.7 SLR.	\$386	60#
4238811	Rear tires: Goodyear G751 MSA 12R24.5 16PR 45.1in. diameter. 21in. SLR.	\$759	82#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 24.5			
4238826	Rear tires: Goodyear Endurance LHS 11R24.5 14PR	\$80	16#
4238827	Rear tires: Goodyear Endurance LHS 11R24.5 16PR	\$129	16#
4238857	Rear tires: Goodyear Endurance LHD 11R24.5 14PR	\$205	55#
4238858	Rear tires: Goodyear Endurance LHD 11R24.5 16PR	\$265	57#
4283230	Rear Tires: Yokohama MY507 11R24.5 16PR	\$115	30#
4283241	Rear Tires: Yokohama RY023 11R24.5 16PR	(\$142)	22#
4283244	Rear Tires: Yokohama RY023 11R24.5 14PR	(\$177)	22#
4283262	Rear Tires: Yokohama 709ZL 11R24.5 14PR	(\$187)	46#
4283283	Rear Tires: Yokohama RY617 11R24.5 14PR	(\$254)	18#
Bridgestone Front			
4070635	Front Tires: Bridgestone R284 Ecopia 11R24.5 16PR	\$169	20#
4071024	Front Tires: Bridgestone R284 Ecopia 285/75R24.5 14PR	\$78	8#
4071025	Front Tires: Bridgestone R284 Ecopia 285/75R24.5 16PR	\$156	8#
4071633	Front Tires: Bridgestone R284 Ecopia 11R24.5 14PR	\$100	20#
4077386	Front tires: Bridgestone M843 11R24.5 16PR. 44.4 in. diameter, all position. on/off highway. 25/32 tread depth. 20.9 in. SLR.	\$384	60#
4077524	Front tires: Bridgestone M853 11R24.5 16PR. 43.9 in. diameter. 20.5 in. SLR.	\$266	66#
4079060	Front tires: Bridgestone R268 Ecopia 11R24.5 14PR. 43.5 in. diameter all position. Side wall protector bar. 20.3 in. SLR.	\$64	34#
4079062	Front tires: Bridgestone R268 Ecopia 11R24.5 16PR. 43.5 in. diameter all position. Side wall protector bar. 20.3 in. SLR.	\$132	36#
Bridgestone Rear			
4230020	Rear Tires: Goodyear Fuel Max RSA 295/75R22.5 16P	\$41	4#
4270635	Rear Tires: Bridgestone R284 Ecopia 11R24.5 16PR	\$169	20#
4271024	Rear Tires: Bridgestone R284 Ecopia 285/75R24.5 14PR	\$78	8#
4271025	Rear Tires: Bridgestone R284 Ecopia 285/75R24.5 16PR	\$156	8#
4271633	Rear Tires: Bridgestone R284 Ecopia 11R24.5 14PR	\$100	20#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 24.5			
Bridgestone Rear			
4277386	Rear tires: Bridgestone M843 11R24.5 16PR. 44.4 in. diameter, all position. On/off highway. 25/32 tread depth. 20.9 in. SLR. Code is priced per pair of tires.	\$384	72#
4277449	Rear tires: Bridgestone M726ELA 11R24.5 16PR 44.2 in. diameter, highway drive tire. 20.6 in. SLR. Code is priced per pair of tires.	\$234	62#
4277456	Rear tires: Bridgestone M726ELA 11R24.5 14PR. 44.2 in. diameter. Long haul or P & D drive tire. 20.6 in. SLR. Code is priced per pair of tires.	\$268	53#
4277491	Rear tires: Bridgestone M799 11R24.5 16PR. 44 in. diameter, all position. 20.5 in. SLR. Code is priced per pair of tires.	\$258	50#
4277493	Rear tires: Bridgestone M770 11R24.5 14PR. 44.2 in. diameter, all position. 20.6 in. SLR. Code is priced per pair of tires.	\$209	52#
4277524	Rear tires: Bridgestone M853 11R24.5 16PR. 43.9 in. diameter. 20.5 in. SLR. Code is priced per pair of tires.	\$266	66#
4277538	Rear Tires: Bridgestone M713 Ecopia 11R24.5 14PR. Code is priced per pair of tires.	\$111	32#
4277542	Rear Tires: Bridgestone M713 Ecopia 285/75R24.5 14PR. Code is priced per pair of tires.	\$89	22#
4278133	Rear tires: Bridgestone L320 11R24.5 16PR. 44.4 in. diameter, drive. 20.7 in. SLR. Code is priced per pair of tires.	\$547	82#
4279060	Rear Tires: Bridgestone R268 Ecopia 11R24.5 14PR 43.3 in. diameter all position. Side wall protector bar. 20.3 in. SLR. Code is priced per pair of tires.	\$64	34#
4279062	Rear Tires: Bridgestone R268 Ecopia 11R24.5 16PR 43.3 in. diameter all position. Side wall protector bar. 20.3 in. SLR.	\$132	36#
Michelin Front			
4010003	Front Tires: Michelin X Works Z 11R24.5 16PR	\$523	54#
4010139	Front Tires: Michelin X Line Energy Z 11R24.5 16P	\$357	27#
4010143	Front Tires: Michelin X Line Energy Z 275/80R24.5 16PR	\$241	7#
4017157	Front Tires: Michelin XZE2 11R24.5 14PR. 43.5 in. Diameter, All Position. 20.3 in. SLR.	\$185	26#
4017158	Front Tires: Michelin XZE2 11R24.5 16PR. 43.5 in. Diameter, All Position. 20.3 in. SLR.	\$369	34#
Michelin Rear			
4210003	Rear Tires: Michelin X Works Z 11R24.5 16PR	\$523	54#
4210139	Rear Tires: Michelin X Line Energy Z 11R24.5 16PR	\$357	27#
4210143	Rear Tires: Michelin X Line Energy Z 275/80R24.5	\$241	7#
4213764	Rear tires: Michelin X MULTI D 11R24.5 16PR	\$505	46#

*See PremierSpec for Applicable Restrictions



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 24.5			
Michelin Rear			
4217157	Rear tires: Michelin XZE2 11R24.5 14PR. 43.5 in. diameter, all position. 20.3 in. SLR. Code is priced per pair of tires.	\$185	26#
4217158	Rear tires: Michelin XZE2 11R24.5 16PR. 43.5 in. diameter, all position. 20.3 in. SLR. Code is priced per pair of tires.	\$369	0#
4217219	Rear Tires: Michelin XWorks XDY 11R24.5 16PR 44 in. diameter, drive. 20.7 in. SLR. Code is priced per pair of tires	\$521	76#
4217226	Rear tires: Michelin XMultiEnergyD 11R24.5 16PR 43.4 in. diameter, drive. 20.4 in. SLR. Smartway certified. Code is priced per pair of tires.	\$377	58#
4217231	Rear Tires: Michelin X Works Grip D 11R24.5 16PR Drive Tire	\$1,262	70#
4217404	Rear tires: Michelin XDS2 11R24.5 16PR 43.9 in. diameter, drive. 20.5 SLR. Code is priced per pair of tires.	\$805	54#
4217411	Rear tires: Michelin XDA5+ 11R24.5 16PR. 43.8 in. diameter, drive. 20.6 in. SLR. Code is priced per pair of tires.	\$774	63#
Tubeless Type Low Profile 19.5			
Bridgestone Rear			
4277457	Rear Tires: Bridgestone M864 445/65R22.5 22PR 2-4; All Position. On/Off Highway. Wide-base Tire.SLR	(\$279)	-18#
Tubeless Type Low Profile 22.5			
4017197	Front Tires:Michelin X Works XDY 315/80R22.5 20PR 43 in. Diameter. 20.0 in SLR.	\$1,062	114#
4017199	Front Tires: Michelin X Line Energy Z 315/80R22.5 20PR	\$778	51#
4030012	Front Tires: Goodyear Endurance WHA 315/80R22.5 20PR.	\$683	62#
4030013	Front Tires: GoodYear Endurance WHA Duraseal 315/80R22. 20PR.	\$921	62#
4030019	Front Tires Goodyear Fuel Max RSA 295/75R22.5 14P	(\$28)	0#
4030022	Front Tires: Goodyear Fuel Max RSA 11R24.5 16PR	\$123	32#
4030265	Front tires: Goodyear Endurance RSA 295/75R22.5 14PR. 40.6 in. diameter, all position. 19.0 in. SLR.	(\$33)	14#
4038263	Front tires: Goodyear G291 315/80R22.5 20PR. 42.3 in. diameter, all position. 19.7 in. SLR.	\$471	0#
4038673	Front tires: Goodyear G296 MSA 385/65R22.5 18PR. 42.5 in diameter, all position. 19.8 in SLR. On/Off highway. Wide-base tire. in. SLR.	\$527	110#
4038675	Front tires: Goodyear G296 MSA 425/65R22.5 20PR. 44.4 in. diameter 20.6 in. SLR. all position. On/Off highway. Wide-base tire.	\$780	148#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 22.5			
4038677	Front tires: Goodyear G291 315/80R22.5 18PR. 42.3 in. diameter, all position. 19.7 in. SLR.	\$334	162#
4038678	Front tires: Goodyear G289 WHA 315/80R22.5 20PR. All position. 43.1 in. diameter. 20 in. SLR.	\$596	78#
4038699	Front tires: Goodyear G289 WHA DURASEAL 315/80R 22.5 20 PR. 43.1 in. diameter. 20 in. SLR.	\$825	102#
4038716	Front tires: Goodyear G296 MSA 445/65R22.5 20PR 45.5in. diameter. On/Off highway. 20.9in. SLR. Wide base.	\$946	176#
4038722	Front tires: Goodyear G296 MSA DuraSeal 425/65R22.5 20PR. 44.4 in. diameter 20.6 in. SLR. all position. On/Off highway. Wide-base tire.	\$932	148#
4038822	Front tires: Goodyear Endurance LHS 295/75R22.5 16PR	\$19	-4#
4039945	Front tires: Goodyear Edurance LHS 295/75R 22.5 14PR	(\$38)	-8#
4083245	Front Tires: Yokohama RY023 295/75R22.5 14PR	(\$291)	0#
4083247	Front Tires: Yokohama RY023 295/75R22.5 16PR	(\$264)	0#
4083280	Front Tires: Yokohama RY617 295/75R22.5 14PR	(\$328)	-8#
4183280	Front Tires: Yokohama RY617 295/75R22.5 14PR 4-4	(\$656)	-16#
4210380	Rear Tires: Michelin X Line Energy D/X Line Energy T. 275/80R22.5 14PR. With rear dead axle X Line Energy T 275/80R22.5 14PR for Dead Axle Tandem Only.	\$122	10#
4210390	Rear Tires: Michelin X Multi Energy D/X Line Energy T. 275/80R22.5 14PR. With rear dead axle X Line Energy T 275/80R22.5 14PR for Dead Axle Tandem Only.	\$122	11#
4211040	Rear tires: Michelin XONE XZY3 455/55R22.5 22PR 2-4. 41.9 in. diameter. 17.8 in. SLR.	\$97	-50#
4217197	Rear tires: Michelin X Works XDY 315/80R22.5 20PR 43 in. diameter, drive. 20.0 in. SLR. Code is priced per pair of tires.	\$1,062	114#
4217217	Rear tires: Michelin XZUS2 315/80R22.5 20PR AP. 42.8 in. diameter, all position.. 19.8 in. SLR. Code is priced per pair of tires.	\$993	98#
4230012	Rear Tires: Goodyear Endurance WHA 315/80R22.5 20PR.	\$683	62#
4230013	Rear Tires: Goodyear Endurance WHA DuraSeal 315/80R22.5 20PR.	\$921	62#
4230019	Rear Tires: Goodyear Fuel Max RSA 295/75R22.5 14P	(\$28)	0#
4237795	Rear Tires: Goodyear G572 1AD Fuel Max/G316 LHT F Max. 295/75R22.5 14PR. With Rear Dead Axle G316 LHT Fuel Max 295/75R22.5 14PR For Dead Axle Tandem Only.	(\$66)	-6#
4237889	Rear Tires: Goodyear Fuel Max SSDDURASEAL 445/50R 22.5 20PR/FUEL MAX SST 445/50R22.5 20PR DEADAXLE 2-4	(\$97)	24#
4238263	Rear tires: Goodyear G291 315/80R22.5 20PR. 42.3 in. diameter, all position. 19.7 in. SLR	\$471	34#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 22.5			
4238265	Rear Tires: Goodyear Endurance RSA 295/75R22.5 14PR 40.6 in. diameter, all position. 19.0 in. SLR.	(\$33)	14#
4238641	Rear tires: Goodyear G572 1AD FuelMax 295/75R 22.5 14PR. 40.7 in. diameter. drive tire. 19.0 in. SLR. Smartway certified. Code is priced per pair of tires.	\$74	38#
4238674	Rear tires: Goodyear G296 MSA 385/65R22.5 18PR. 2-4. 42.5 in diameter, all position. 19.8 in SLR. On/Off highway. Wide-base tire. Code is priced per pair of tires.	(\$952)	-118#
4238676	Rear tires: Goodyear G296 MSA 425/65R22.5 20PR. 2-4. 44.4 in. diameter, all position. 20.6 in. SLR. On/Off highway. Wide-base tire. Code is priced per pair of tires.	(\$700)	-80#
4238677	Rear tires: Goodyear G291 315/80R22.5 18PR. 42.3 in. diameter, all position. 19.7 in. SLR. Code is priced per pair of tires.	\$334	162#
4238678	Rear tires: Goodyear G289 WHA 315/80R22.5 20PR. All position. 43.1 in. diameter. 20 in. SLR. Code is priced per pair of tires.	\$596	78#
4238699	Rear tires:Goodyear G289 WHA DuraSeal 315/80R 22.5 20 PR. 43.1 in. diameter. 20 in. SLR.	\$825	102#
4238707	Rear Tires: Goodyear Endurance RSA 255/70R22.5 16PR. 36.7in. Diameter, all positions, 17.3 SLR.	(\$148)	-40#
4238716	Rear tires: Goodyear G296 MSA 445/65R22.5 20PR. 2-4. 45.5 in. diameter 20.9 in. SLR. all position. On/Off highway. Wide-base tire.	(\$452)	-52#
4238717	Rear tires: Goodyear G288 MSA 255/70R22.5 16PR 36.9in diameter. 17.3 SLP	(\$6)	-50#
4238718	Rear tires: Goodyear G278 MSD 445/65R22.5 20PR 46.2 in. diameter, all position. 21.1 in. SLR. On/Off highway. Wide-base tire 2 replacing 4. Code is priced per pair of tires.	\$174	-12#
4238720	Rear tires: Goodyear G278 MSD 425/65R22.5 20PR Wide-base tire 2 replacing 4. Code is priced per pair of tires.	(\$224)	-50#
4238738	Rear tires: Fuel Max SSD Duraseal 445/50R 22.5 20PR 2-4	\$52	152#
4238741	Rear tires:Goodyear Fuel Max RTD 295/75R22.5 14PR 40.8 in. diameter, all position. 19.0 in. SLR. Code is priced per pair of tires.	\$634	16#
4238742	Rear tires:Goodyear Fuel Max RTD 255/70R22.5 16PR	\$581	-32#
4238822	Rear tires: Goodyear Endurance LHS 295/75R22.5 16PR	\$19	-8#
4238859	Rear tire:Goodyear Endurance LHD 295/75R22.5 14PR	\$99	34#
4239945	Rear tires: Goodyear Endurance LHS 295/75R 22.5 14PR	(\$38)	-8#
4277815	Rear Tires: Bridgestone Greatec M835A/R197 Ecopia 445/50R22.5 20PR 2-4	(\$30)	-262#
4283221	Rear Tires: Yokohama 703ZL 295/75R22.5 14PR	(\$258)	32#
4283245	Rear Tires: Yokohama RY023 295/75R22.5 14PR	(\$291)	0#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 22.5			
4283247	Rear Tires: Yokohama RY023 295/75R22.5 16PR	(\$264)	0#
4283251	Rear Tires: Yokohama TY517 MC2 295/75R22.5 14PR	(\$221)	8#
4283260	Rear Tires: Yokohama 709ZL 295/75R22.5 14PR	(\$248)	26#
4283280	Rear Tires: Yokohama RY617 295/75R22.5 14PR	(\$328)	-8#
Bridgestone Front			
4070008	Front tires: Bridgestone R268 ECOPIA 295/80R22.5 16PR	\$354	8#
4070009	Front Tires: Bridgestone R249 315/80R 22.5 20PR	\$780	26#
4077406	Front tires: Bridgestone M864 385/65R22.5 18PR All position. On/Off highway. Wide-base tire.	\$735	122#
4077457	Front tires: Bridgestone M864 445/65R22.5 22PR All Position. On/Off highway. Wide-base tire. SLR	\$1,200	210#
4077533	Front tires: Bridgestone M864 425/65R22.5 20PR All Position, On/Off Highway, Wide-base tire.	\$1,091	156#
4077537	Front tires: Bridgestone M870 315/80R22.5 20PR All Position	\$629	94#
4079044	Front tires: Bridgestone R250ED 255/70R22.5 16PR. 36.7 in. diameter, all position. 17.2 in. SLR.	(\$53)	-38#
4079054	Front tires: Bridgestone R268 Ecopia 295/75R22.5 14PR. 40.3 in. diameter, all position. Side wall protector bar. 18.8 in. SLR. Smartway certified.	(\$168)	8#
Bridgestone Rear			
4270008	Rear Tires: Bridgestone R268 Ecopia 295/80R22.5 16PR	\$354	8#
4270009	Rear Tires: Bridgestone R249 315/80R22.5 20PR	\$780	18#
4270729	Rear Tires: Bridgestone M726ELA 295/75R22.5 14PR	\$340	20#
4277408	Rear tires: Bridgestone M760 Ecopia 295/75R22.5 14PR 40.7in. diameter. 27 tread depth. 19.0in. SLR. EPA SmartWay verified.	(\$19)	18#
4277446	Rear tires: Bridgestone L315 445/65R22.5 20PR 46.4 in. diameter, all position. On/Off highway. Wide-base tire 2 replacing 4. Code is priced per pair of tires.	(\$13)	0#
4277489	Rear tires: Bridgestone M770 295/75R22.5 14PR 41 in. diameter, drive. 19.1 in. SLR. Code is priced per pair of tires.	\$184	30#
4277498	Rear Tires: Bridgestone M713 Ecopia 295/75R22.5 14PR. ***40.6 in. diameter, drive. 18.9 in. SLR. Smartway certified. (Double check this info)*** Code is priced per pair of tires.	(\$36)	8#
4277515	Rear Tires: Bridgestone Greatec M835A Ecopia 445/ 50R22.5 20PR 2-4	(\$102)	-110#
4277537	Rear tires: Bridgestone M870 315/80R22.5 20PR All Position	\$629	94#
4277543	Rear Tires: Bridgestone M864 425/65R22.5 20PR 2-4, All Position, On/Off Highway, Wide-Base	(\$389)	156#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 22.5			
Bridgestone Rear			
4277705	Rear tires: Bridgestone M726 255/70R22.5 16PR 37.3 in. diameter, drive tire, 17.4 in. SLR. Code is priced per pair of tires.	(\$96)	0#
4279044	Rear tires: Bridgestone R250ED 255/70R22.5 16PR 36.7 in. diameter, all position. 17.2 in. SLR. Code is priced per pair of tires.	(\$53)	-38#
4279054	Rear Tires: Bridgestone R268 Ecopia 295/75R22.5 14PR. 40.3 in. diameter, all position. Side wall protector bar. 18.8 in. SLR. Smartway certified. Code is priced per pair of tires.	(\$168)	8#
Michelin Front			
4010006	Front Tires: Michelin X Works Z 315/80R22.5 20PR	\$821	96#
4010116	Front tires: Michelin XFE 425/65R22.5 20PR 20.6 in. SLR.	\$1,334	170#
4011025	Front Tires: Michelin XZL 445/65R22.5 20PR All Position Super Singles. 46in. Diameter. SLR 21.2 in. Maximum 60MPH	\$1,967	258#
4017072	Front Tires: Michelin XZE 255/70R22.5 16PR 36.7 in. Diameter. 17.2 in. SLR. All Position.	(\$78)	-40#
4017148	Front Tires: Michelin XZA2 Energy 295/80R 22.5 16PR. 41.3 in. Diameter, All Position. 19.1 in. SLR. Smartway Certified.	\$479	24#
4017156	Front Tires: Michelin XZE2 275/80R22.5 14PR. 40.2 in. Diameter, All Position. 18.6 in. SLR.	\$33	0#
4017181	Front Tires: Michelin XZY3 385/65R22.5 18PR 42.4 in. Diameter, All Position. 19.6 in. SLR.	\$791	130#
4017183	Front Tires: Michelin XZY3 425/65R22.5 20PR 44.7 in. Diameter, All Position. 20.6in. SLR.	\$1,377	190#
4017217	Front Tires: Michelin XZUS2 315/80R22.5 20PR 42.8 in. Diameter, All Position.. 19.8 in. SLR.	\$993	98#
4038660	Front tires: Goodyear Endurance RSA 255/70R22.5 16PR. 36.7in. Diameter, all positions, 17.3 SLR.	(\$148)	-40#
Michelin Rear			
4210006	Rear Tires: Michelin X Works Z 315/80R22.5 20PR	\$821	88#
4210386	Rear Tire: Michelin X One Line Grip D 445/50R22.5 20PR 2-4	\$45	0#
4210387	Rear Tires: Michelin X One Line Grip D 455/55R22.5 20 PR 2-4	\$278	182#
4211038	Rear tires: Michelin XONEXZUS 455/55R22.5 22PR 2-4. 42.2 in. diameter, all position. 19.4 in. SLR. Code is priced per pair of tires.	\$351	-50#
4217072	Rear tires: Michelin XZE 255/70R22.5 16PR 36.7 in. diameter. 17.2 in. SLR. All position. Code is priced per pair of tires.	(\$78)	-40#
4217127	Rear tires: Michelin XDN2 275/80R22.5 14PR Drive tire. 40.6 in. diameter, drive. 18.9 in. SLR. Code is priced per pair of tires.	\$343	24#
4217152	Rear tires: Michelin XDN2 GRIP 315/80R22.5 20 PR. 43.1 in. diameter, drive. 20.0 in. SLR. Code is priced per pair of tires.	\$1,353	118#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 22.5			
Michelin Rear			
4217156	Rear tires: Michelin XZE2 275/80R22.5 14PR. 40.2 in. diameter, all position. 18.6 in. SLR. Code is priced per pair of tires.	\$33	0#
4217169	Rear Tires: Michelin X Line Energy Z 315/80R22.5 20PR	\$778	46#
4217182	Rear tires: Michelin XZY3 385/65R22.5 18PR 42.4 in. diameter, all position, 2-4 mounting. 19.6 in. SLR. Code is priced per pair of tires.	(\$688)	-98#
4217184	Rear tires: Michelin XZY3 425/65R22.5 20PR 44.7 in. diameter, all position, 2-4 mounting. 20.6 in. SLR. Code is priced per pair of tires.	(\$102)	-38#
4217209	Rear tires: Michelin XDA ENERGY+ 275/80R22.5 14PR	\$78	14#
4217227	Rear tires: Michelin XMultiEnergyD 275/80R22.5 14PR. 40.1 in. diameter, drive. 18.8 in. SLR. Smartway certified. Code is priced per pair of tires.	\$85	22#
4217230	Rear tires: Michelin XLineEnergyD 275/80R22.5 14PR. 40.1 in. diameter. 18.8 in. SLR. Smartway certified. Code is priced per pair of tires.	\$85	20#
4217240	Rear tires: Michelin X One Line Energy D 445/50R 22.5 20PR, 2-4 super single drive tire. 40.1 in. diameter. 18.6 in. SLR. Smartway certified. Not for use on single rear axles. Code is priced per pair of tires.	(\$10)	-94#
4217408	Rear tires: Michelin XDA5+ 275/80R22.5 14PR. Drive tire. 40.6 in. diameter, drive. 19.0 in. SLR. Code is priced per pair of tires.	\$558	34#
Tubeless Type Low Profile 24.5			
4030021	Front Tires: Goodyear Fuel Max RSA 11R24.5 14PR	\$73	20#
4038824	Front tires: Goodyear Endurance LHS 285/75R24.5 14PR	\$30	-4#
4083213	Front Tires: Yokohama 101ZL 285/75R24.5 14PR	(\$197)	12#
4083240	Front Tires: Yokohama RY023 285/75R24.5 14PR	(\$219)	6#
4083281	Front Tires: Yokohama RY617 285/75R24.5 14PR	(\$295)	-4#
4230021	Rear Tires: Goodyear Fuel Max RSA 11R24.5 14PR	\$73	20#
4238824	Rear tires: Goodyear Endurance LHS 285/75R24.5 14PR	\$30	-4#
4238861	Rear tire: Goodyear Endurance LHD 285/75R24.5 14PR	\$209	49#
4283211	Rear Tires: Yokohama 101ZL 285/75R24.5 14PR	(\$197)	8#
4283240	Rear Tires: Yokohama RY023 285/75R24.5 14PR	(\$219)	6#
4283252	Rear Tires: Yokohama TY517 MC2 285/75R24.5 14PR	(\$146)	18#
4283263	Rear Tires: Yokohama 709ZL 285/75R24.5 14PR	(\$211)	30#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 24.5			
4283281	Rear Tires: Yokohama RY617 285/75R24.5 14PR	(\$295)	-4#
Bridgestone Front			
4079056	Front tires: Bridgestone R268 Ecopia 285/75R24.5 14PR. 41.5 in. diameter, all position. Side wall protector bar. 19.5 in. SLR.	(\$39)	16#
4270730	Rear Tires: Bridgestone M726ELA 285/75R24.5 14PR	\$395	34#
Bridgestone Rear			
4277490	Rear tires: Bridgestone M770 285/75R24.5 14PR 42.2 in. diameter, drive. 19.8 in. SLR. Code is priced per pair of tires.	\$238	42#
4279056	Rear Tires: Bridgestone R268 Ecopia 285/75R24.5 14PR. 41.5 in. diameter, all position. Side wall protector bar. 19.5 in. SLR. Code is priced per pair of tires.	(\$39)	16#
Michelin Rear			
4217232	Rear tires: Michelin XLineEnergyD 275/80R24.5 14PR. 41.4 in. diameter. 19.5 in. SLR. Smartway certified. Code is priced per pair of tires.	\$141	32#
Tubeless Type Other Size			
4277034	Rear Tire: Bridgestone M760 Ecopia 285/75R24.5 14PR	\$100	18#
Pusher Axle Tires			
Steerable Pushers			
4781002	1 Steerable Pusher: 2 Bridgestone R238 215/75R 17.5 16PR	(\$265)	0#
4781015	1 Steerable Pusher: 2 Bridgestone R238 265/ 70R19.5 14PR	(\$175)	0#
4781019	1 Steerable Pusher: Bridgestone R238A BR R249 315 20PR	\$780	26#
4781024	1 Steerable Pusher: 2 Bridgestone R284 Ecopia 285/75R24.5 14PR	\$78	8#
4781026	1 Steerable Pusher: 2 Bridgestone R238 245/ 70R19.5 16PR	(\$289)	-6#
4781036	1 Steerable Pusher: 2 Bridgestone R284 Ecopia 11R22.5 14PR	\$45	4#
4781040	1 Steerable Pusher: 2 Bridgestone R284 Ecopia 295/75R22.5 14PR	\$0	0#
4781041	1 Steerable Pusher: 2 Bridgestone R284 Ecopia 295/75R22.5 16PR	\$89	0#
4781057	1 Steerable Pusher: 2 Bridgestone R234 Ecopia 11R22.5 16PR	\$175	4#
4781103	1 Steerable Pusher: 2 Michelin X WORKS Z 11R24.5 16PR	\$523	54#
4781132	1 Steerable Pusher: 2 Michelin X Line Energy Z 11R22.5 14PR	\$148	9#
4781133	1 Steerable Pusher: 2 Michelin X Line Energy Z 11R22.5 16PR	\$168	7#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Tires			
Steerable Pushers			
4781150	1 Steerable Pusher: 2 Michelin XZA2 Energy 295/ 80R 22.5 16PR. 41.3 in. diameter. 19.1 in. SLR. Smartway certified.	\$479	24#
4781159	1 Steerable Pusher: Michelin XZE2 275/80R22.5 14P 40.2 in. diameter. 18.6 in. SLR.	\$33	0#
4781182	1 Steerable Pusher: Michelin X Multi Z 215/75R17.5 14PR	(\$662)	-30#
4781199	1 Steerable Pusher: 2 Michelin X Line Energy Z 315/80R22.5 20PR	\$778	0#
4781326	1 Steerable Pusher: 2 Goodyear G114 LHT 215/ 75R17.5 16PR	(\$484)	-54#
4781332	1 Steerable Pusher: 2 Goodyear Endurance WHA 315/ 80R22.5 20PR.	\$683	62#
4781359	1 Steerable Pusher: 2 Goodyear Endurance RSA 255/70R22.5 16PR. 36.7 in. Diameter, all positions, 17.3 SLR.	(\$148)	-40#
4781511	1 Steerable Pusher: 2 Yokohama 101ZL 285/75R24.5 14PR	(\$197)	8#
4781533	1 Steerable Pusher: 2 Bridgestone M864 425/65R 22.5 20PR All Position, On/Off Highway. Wide-base Tire.	\$1,091	156#
4781537	1 Steerable Pusher: 2 Bridgestone M870 315/80R22.5, 20PR, All Position	\$629	94#
4781542	1 Steerable Pusher: 2 Yokohama RY023 11R22.5 16PR	(\$263)	6#
4781544	1 Steerable Pusher: 2 Yokohama RY023 11R24.5 14PR	(\$177)	22#
4781545	1 Steerable Pusher: 2 Yokohama RY023 295/75R22.5 14PR	(\$291)	0#
4781555	1 Steerable Pusher: 4 Yokohama RY023 295/75R22.5 14PR. 4-4.	(\$582)	0#
4781556	1 Steerable Pusher: 2 Yokohama RY023 11R22.5 14PR	(\$290)	6#
4781633	1 Steerable Pusher: 2 Bridgestone R284 Ecopia 11R24.5 14PR	\$100	20#
4781635	1 Steerable Pusher: 2 Bridgestone R284 Ecopia 11R24.5 16PR	\$169	20#
4781772	1 Steerable Pusher: 2 Michelin XZE 255/70R22.5 16PR. 36.7 in. diameter, all position. AKA PXZE. 17.2 in. SLR.	(\$78)	-40#
4781796	1 steerable pusher: 2 Bridgestone R250ED 255/70R22.5, 16PR; 2-4. 36.7 in. diameter, all position. 17.2 in. SLR.	(\$53)	-38#
4781802	1 Steerable Pusher: Bridgestone R268 Ecopia 295/ 80R22.5 16PR	\$354	8#
4781816	1 Steerable Pusher: 2 Goodyear Endurance LHS 11R 22.5 14PR	(\$12)	0#
4781854	1 Steerable Pusher: 2 Bridgestone R268 Ecopia 295/75R22.5 14PR. 40.3 in. diameter, all position. Side wall protector bar. 18.8 in. SLR.	(\$168)	8#
4781885	1 Steerable Pusher: 2 Yokohama RY617 11R22.5 14PR	(\$319)	2#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Tires			
Steerable Pushers			
4781886	1 Steerable Pusher: 2 Yokohama RY617 11R24.5 14PR	(\$254)	18#
4781889	1 Steerable Pusher: 2 Yokohama RY617 295/75R22.5 14PR	(\$328)	-8#
4785714	2 Steerable Pusher: 4 Bridgestone R238 265/ 70R19.5 14PR	(\$350)	0#
4785840	2 Steerable Pusher: 4 Bridgestone R284 Ecopia 295/75R22.5 14PR	\$0	0#
4787754	1 Steerable Pusher: 4 Bridgestone R268 Ecopia 295 /75R22.5 14PR. 40.3 in. diameter, all position. Side wall protector bar. 18.8 in. SLR.	(\$336)	16#
4787840	1 Steerable Pusher: 4 Bridgestone R284 Ecopia 295/75R22.5 14PR, For SL2200 Lift Axle Only	\$0	0#
4787880	1 Steerable Pusher: 4 Yokohama RY617 295/75R22.5 14PR. 4-4. For SL2200 Lift Axle Only.	(\$656)	-16#
Non-Steerable Pushers 2-4			
4782009	1 Non-Steerable Pusher: Bridgestone R249 315/ 80R22.5 20PR 2-4.	(\$699)	-202#
4782359	1 Non-Steerable Pusher: 2 Goodyear Endurance RSA 255/70R22.5 16PR. 36.7in. Diameter, all positions, 17.3 SLR.	(\$1,627)	-40#
4782375	1 Non-Steerable Pusher: 2 Goodyear G296 MSA 425/65R22.5, 20PR; 2-4. 44.4 in. diameter 20.6 in. SLR. all position. On/Off highway. Wide-base tire.	(\$700)	-80#
4782406	1 Non-Steerable Pusher: 2 Bridgestone M864 385/65R22.5, 18PR; 2-4, all position. On/Off highway. Wide-base tire.	(\$744)	-106#
4782533	1 Non-Steerable Pusher: 2 Bridgestone M864 425/65R22.5, 20PR; 2-4, All Position. On/Off Highway. Wide-base tire.	(\$389)	156#
4782635	1 Non-Steerable Pusher: 2 Bridgestone R284 Ecopia 11R24.5 16PR 2-4	(\$1,310)	-20#
4782737	1 Non-Steerable Pusher: 2 Bridgestone M870 315/80R22.5, 20PR; 2-4, All Position	(\$850)	188#
4782744	1 Non-Steerable Pusher: 2 Bridgestone R250ED 255/70R22.5, 16PR; 2-4. 36.7 in. diameter, all position. 17.2 in. SLR.	(\$1,532)	-266#
4782840	1 Non-Steerable Pusher: 2 Bridgestone R284 Ecopia 295/75R22.5 14PR 2-4	(\$1,479)	0#
4782846	Non-Steerable Pusher: Yokohama RY023 11R22.5 14PR 2-4	(\$1,770)	-222#
4782880	1 Non-Steerable Pusher: 2 Yokohama RY617 295/75R 22.5 14PR 2-4.	(\$1,807)	-236#
4783312	1 Non-Steerable Pusher: Goodyear Endurance WHA 315/80R22.5 20PR 2-4.	(\$797)	-166#
Non-Steerable Pushers 4-4			
4783024	1 Non-Steerable Pusher: 4 Bridgestone R284 Ecopia 285/75R24.5 14PR 4-4.	\$156	16#
4783026	1 Non-Steerable Pusher: 4 Bridgestone R284 Ecopia 11R22.5 14PR 4-4	\$89	8#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Tires			
Non-Steerable Pushers 4-4			
4783057	1 Non-Steerable Pusher: 4 Bridgestone R284 Ecopia 11R22.5 16PR 4-4	\$390	8#
4783102	1 Non-Steerable Pusher: 4 Michelin X Works Z 11R24.5 16PR 4-4	\$1,047	128#
4783159	1 Non-Steerable Pusher: Michelin XZE2 275/ 80R22.5 14PR 4-4	\$67	0#
4783350	1 Non-Steerable Pusher: 4 Goodyear Endurance RSA 255/70R22.5 16PR. 36.7in. Diameter, all positions, 17.3 SLR.	(\$296)	-40#
4783365	1 Non-Steerable Pusher: 4 Goodyear Endurance RSA 295/75R22.5 14PR 4-4. 40.6 in. diameter, all position. 19.0 in. SLR.	(\$65)	30#
4783413	1 Non-Steerable Pusher: 4 Bridgestone M843 11R22.5, 16PR; 4-4. 42.5 in. diameter, all position. 19.9 in. SLR.	\$509	79#
4783633	1 Non-Steerable Pusher: 4 Bridgestone R284 Ecopia 11R24.5 14PR 4-4	\$199	40#
4783635	1 Non-Steerable Pusher: 4 Bridgestone R284 Ecopia 11R24.5 16PR 4-4	\$338	40#
4783656	1 Non-Steerable Pusher: 4 Goodyear Endurance RSA 11R24.5 16PR. 43.9in. diameter, all positions, 20.6SLR.	\$418	34#
4783708	1 Non-Steerable Pusher: 4 Bridgestone R268 Ecopia 295/80R22.5 16PR. 4-4.	\$709	16#
4783744	1 Non-Steerable Pusher: 4 Bridgestone R250ED 255/70R22.5, 16PR; 4-4. 36.7 in. diameter, all position. 17.2 in. SLR.	(\$105)	-76#
4783803	1 Non-Steerable Pusher: 4 Yokohama 101ZL 285/75R R24.5 14PR	(\$394)	24#
4783820	1 Non-Steerable Pusher: Yokohama 703ZL 11R22.5 14PR 4-4.	(\$459)	92#
4783830	1 Non-Steerable Pusher: 4 Bridgestone R284 Ecopia 295/75R22.5 14PR 4-4	\$0	0#
4783831	1 Non-Steerable Pusher: 4 Yokohama MY507 11R22.5 16PR. 4-4.	\$67	96#
4783842	1 Non-Steerable Pusher: Yokohama RY023 11R22.5 16PR 4-4	(\$526)	12#
4783845	1 Non-Steerable Pusher: 4 Yokohama RY023 295/75R 22.5 14PR. 4-4.	(\$582)	0#
4783846	1 Non-Steerable Pusher: 4 Yokohama RY023 11R22.5 Yokohama RY023 11R22.5 14PR. 4-4.	(\$580)	12#
4783854	1 Non-Steerable Pusher: 4 Bridgestone R268 Ecopia 295/75R22.5 14PR. 40.3 in. diameter, all position. Side wall protector bar. 18.8 in. SLR.	(\$336)	16#
4783858	1 Non-Steerable Pusher: 4 Bridgestone R268 Ecopia 11R22.5 14PR 4-4. 41.5 in. diameter, all position. F=side wall protector bar. 19.3 in. SLR.	(\$251)	32#
4783880	1 Non-Steerable Pusher: 4 Yokohama RY617 295/75R 22.5 14PR 4-4.	(\$656)	-16#
4783882	1 Non-Steerable Pusher: 4 Yokohama RY617 285/75R 24.5 14PR 4-4.	(\$590)	-8#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Tires			
Non-Steerable Pushers 4-4			
4783885	1 Non-Steerable Pusher: 4 Yokohama RY617 11R 22.5 14PR 4-4.	(\$638)	4#
4783886	1 Non-Steerable Pusher: 4 Yokohama RY617 11R 24.5 14PR 4-4.	(\$508)	36#
Tag Axle Tires			
Steerable Tags			
4784002	1 Steerable Tag: 2 Bridgestone R238 215/75R17.5 16PR	(\$265)	0#
4784009	1 Steerable Tag: 2 Bridgestone R249 315/80R22.5 20PR	\$780	26#
4784026	1 Steerable Tag: 2 Bridgestone R238 245/70R19.5 16PR	(\$289)	-6#
4784036	1 Steerable Tag: 2 Bridgestone R284 Ecopia 11R22.5 14PR	\$45	4#
4784312	1 Steerable Tag: 2 Goodyear Endurance WHA 315/ 80R22.5 20PR	\$683	62#
4784326	1 Steerable Tag: 2 Goodyear G114 LHT 215/75R17.5 16PR	(\$484)	-54#
4784359	1 Steerable Tag: Goodyear Endurance RSA 255/70R22.5 16PR. 36.7in. Diameter, all positions, 17.3 SLR.	(\$148)	-40#
4784365	1 Steerable Tag: Goodyear Endurance RSA 295/ 75R22.5 14PR	(\$33)	17#
4784437	1 Steerable Tag: 2 Bridgestone M870	\$629	94#
4784533	1 Steerable Tag: 2 Bridgestone M864 425/65R 22.5 20PR, All Position. On/Off Highway. Wide-base tire.	\$1,091	156#
4784744	1 Steerable Tag: 2 Bridgestone R250ED 255/70R22.5, 16PR; 36.7 in. diameter, all position. 17.2 in. SLR.	(\$53)	-38#
4784840	1 Steerable Tag: 2 Bridgestone R284 Ecopia 295/ 75R22.5 14PR	\$0	0#
4784842	1 Steerable Tag: 2 Yokohama RY023 11R22.5 16PR	(\$263)	0#
4784845	1 Steerable Tag: 2 Yokohama RY023 295/75R22.5 14PR	(\$291)	0#
4784880	1 Steerable Tag: 2 Yokohama RY617 295/75R22.5 14PR.	(\$328)	-8#
4784885	1 Steerable Tag: 2 Yokohama RY617 11R22.5 14PR	(\$319)	2#
5788548	1 Steerable Tag Wheel: Alcoa Ult39 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400lb maximum rating. Air Disc Brake compatible.	\$412	-51#
Non-Steerable Tags 2-4			
4788830	1 Non-Steerable Tag: 2 Bridgestone R284 Ecopia 295/75R22.5 14PR 2-4	(\$1,479)	-228#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

Tag Axle Tires

Non-Steerable Tags 2-4

4789406	1 Non-Steerable Tag: 2 Bridgestone M864 385/65R22.5, 18PR; 2-4. All Position. On/Off Highway. Wide-base tire	(\$744)	122#
4789744	1 Non-Steerable Tag: 2 Bridgestone R250ED 255/70R22.5 16PR; 2-4. 36.7 in. diameter, all position. 17.2 in. SLR.	(\$1,532)	-266#
4789845	1 Non-Steerable Tag: 2 Yokohama RY023 295/75R22.5 14PR. 2-4.	(\$1,770)	-228#
4789846	1 Non-Steerable Tag: 2 Yokohama RY023 11R22.5 14PR. 2-4.	(\$1,770)	-222#
4789880	1 Non-Steerable Tag: 2 Yokohama RY617 295/75R 22.5 14PR 2-4.	(\$1,807)	-236#

Non-Steerable Tags 4-4

4788009	1 Non-Steerable Tag: 4 Bridgestone R249 315/ 80R22.5 20PR 4-4.	\$1,561	52#
4788635	1 Non-Steerable Tag: 4 Bridgestone R284 Ecopia 11R24.5 16PR 4-4	\$338	40#
4788746	1 Non-Steerable Tag: 4 Bridgestone R284 Ecopia 11R22.5 14PR 4-4	\$89	8#
4788820	1 Non-Steerable Tag: Yokohama 703ZL 11R22.5 14PR 4-4.	(\$459)	-182#
4788840	1 Non-Steerable Tag: 4 Bridgestone R284 Ecopia 295/75R22.5 14PR 4-4	\$0	0#
4788845	1 Non-Steerable Tag: 4 Yokohama RY023 295/75R22.5 14PR	(\$582)	0#
4788846	1 Non-Steerable Tag: 4 Yokohama RY023 11R22.5 14PR 4-4	(\$580)	12#
4788854	1 Non-Steerable Tag: 4 Bridgestone R268 Ecopia 295/75R22.5 14PR 4-4. 40.3 in. diameter, all position. Side wall protector bar. 18.8 in. SLR.	(\$336)	0#
4788880	1 Non-Steerable Tag: 4 Yokohama RY617 295/75R 22.5 14PR 4-4.	(\$656)	-16#
4788882	1 Non-Steerable Tag: 4 Yokohama RY617 11R 22.5 14PLY 4-4	(\$638)	4#

Front & Rear Axle Wheels & Rims

Tubeless Type Aluminum 22.5

Front

5042367	Front Wheel: Accuride 29300 22.5x9 steel Steel Armor[TM] powder coat, hub-pilot mount. 10000lb. maximum rating. 5-hand holes. Not air disc brake compatible.	\$451	79#
5043363	Front Wheel: Alcoa 88267 22.5x8.25 aluminum with Lvl One [TM] finish, hub-pilot mount. 7,400 lb. maximum rating. Air disc brake compatible.	\$468	-46#
5043549	Front Wheel: Alcoa Ult39 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400lb maximum rating. Air Disc Brake compatible.	\$441	-51#
5045190	Front Wheel: Alcoa 83462 22.5x13 aluminum hub-pilot mount 11000lb. maximum rating. Aluminum with Lvl One [TM] finish, hub Level 1 finish.	\$797	8#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Wheels & Rims			
Tubeless Type Aluminum 22.5			
Front			
5045216	Front Wheel: Alcoa 82362 22.5x12.25 aluminum, with Lvl One [TM] finish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.	\$779	-10#
5045218	Front Wheel: Alcoa 82462 22.5x12.25 aluminum, with Lvl One [TM] finish, hub-pilot mount. 11000lb. maximum rating. 5.80 in. offset. Air disc brake compatible.	\$797	-3#
5045263	Front Wheel: Alcoa 88565 22.5x8.25 aluminum, with Lvl One [TM] finish, hub-pilot mount. 8000lb. maximum rating. Severe service. Air disc brake compatible.	\$518	-36#
5045268	Front Wheel: Alcoa 89U63 22.5X9 AL Ultra ONE Wheel.	\$531	-39#
5045280	Front Wheel: Alcoa 89U64 22.5X9 AL Ultra ONE Wheel.	\$540	-24#
5045283	Front Wheel: Kenworth 7-spoke 88U68 22.5x8.25 aluminum with Lvl One [TM] finish, hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.	\$467	-40#
5045295	Front Wheel: Kenworth 10-spoke 88u69 22.5x8.25 aluminum with Lvl One [TM] finish, hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.	\$553	-40#
Rear			
5243363	Rear Wheel: Alcoa 88267 22.5x8.25 aluminum with Level One [TM] finish, hub-pilot mount. 7400 lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels.	\$436	-46#
5243549	Rear Wheel: Alcoa Ult39 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400lb maximum rating. Air Disc Brake compatible.	\$441	-51#
5245215	Rear Wheel: Alcoa 82262 22.5x12.25 2-4; aluminum, with Lvl One [TM] finish, hub-pilot mount. 12300 lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels.	\$453	-148#
5245263	Rear Wheel: Alcoa 88565 22.5x8.25 aluminum, with Lvl One [TM] finish, hub-pilot mount. 8000lb. maximum rating. Severe service. Air disc brake compatible. Code is priced per pair of wheels.	\$518	-36#
5245278	Rear Wheel: Alcoa 84U60 22.5X14.00 AL 2-4 Hub Pilot Mount. Ultra ONE Wheel. Level 1 Finish	\$587	-169#
5245279	Rear Wheel: Alcoa 84U62 22.5X14.00 AL 2-4 Ultra ONE Wheel.	\$526	-169#
5245280	Rear Wheel: Alcoa 89U64 22.5X9 AL Ultra ONE Wheel.	\$540	-24#
5245284	Rear Wheel: Kenworth 7-spoke 88U68/ Accuride 50344 heavy-duty 22.5x8.25, aluminum outside with Lvl One [TM] finish/s/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$264	-6#
5245287	Rear Wheel: Alcoa 88267/Acc 50344 heavy-duty 22.5x8.25, aluminum outside with Lvl One[TM] finish/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$284	-10#
5245295	Rear Wheel: Kenworth 10-spoke 88U69	\$553	-36#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Wheels & Rims			
Tubeless Type Aluminum 22.5			
Rear			
5245296	Rear Wheel: Alcoa 88267/Accuride 51487 22.5x8.25, aluminum outside with Lvl One[TM] finish/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$211	-23#
5781549	1 Steerable Pusher Wheel: 2 Alcoa Ult39 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400lb maximum rating. Air Disc Brake compatible.	\$432	-51#
Tubeless Type Steel 22.5			
5242375	Rear Wheel: Accuride 51408 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible. Code is priced per pair of wheels.	\$1	-12#
5245285	Rear Wheel: Kenworth 7-spoke Alcoa alum 88U68/ Accuride 51487 22.5x8.25. Aluminum with Lvl One[TM] finish outside/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. 5-hand hole. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$216	-18#
Front			
5042258	Front Wheel: Accuride 50291 22.5X8.25 steel heavy-duty 22.5x8.25; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible.	\$128	22#
5042275	Front Wheel: Accuride 51408 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible.	\$5	0#
5042285	Front Wheel: Accuride 50344 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount.heavy-duty 5 hand-hole hub pilot mount.	\$96	20#
5042289	Front Wheel: Accuride 51487 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible.	STD	0#
5042310	Front Wheel: Accuride 28827 24.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand hole.	\$95	36#
5042311	Front Wheel: Accuride 29039 22.5X9 steel Steel Armor[TM] powder coat, hub-pilot mount. 10000lb. maximum rating. 5-hand holes.	\$387	70#
5042312	Front Wheel: Accuride 29806 22.5x12.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 11500lb. maximum rating. 5-hand holes.	\$859	102#
5042314	Front Wheel: Accuride 29807 22.5x12.25 steel white, Steel Armor[TM] powder coat, hub-pilot mount. 11500lb. maximum rating. 5-hand holes.	\$858	102#
Rear			
5242258	Rear Wheel: Accuride 50291 white 22.5X8.25 heavy-duty 22.5x8.25; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible. Code is priced per pair of wheels.	\$128	22#
5242285	Rear Wheel: Accuride 50344 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. Heavy-duty 5 hand-hole hub pilot mount. Code is priced per pair of wheels.	\$96	20#
5242367	Rear Wheel: Accuride 29300 22.5x9 steel Steel Armor[TM] powder coat, hub-pilot mount. 10000lb. maximum rating. 5-hand holes. Not air disc brake compatible. Code is priced per pair of wheels.	\$451	79#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Wheels & Rims			
Tubeless Type Steel 22.5			
Rear			
5242389	Rear Wheel: Accuride 51487 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible. Code is priced per pair of wheels.	STD	0#
5245283	Rear Wheel: Kenworth 7-spoke 88u68 22.5x8.25 aluminum with Lvl One [TM] finish, hub-pilot mount. 7300 lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels. Level 1 finish.	\$467	-40#
Tubeless Type Aluminum 24.5			
Front			
5042147	Front Wheel: Kenworth 10-spoke 98U69 24.5x8.25 aluminum with Lvl One [TM] finish, hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.	\$583	-21#
5042291	Front Wheel: Accuride 41362 24.5x8.25 aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating.	\$383	-28#
5044193	Front Wheel: Kenworth 7-spoke 98U68 24.5x8.25 aluminum with Lvl One [TM] finish, hub-pilot mount. 7300lb. maximum rating. Air disc brake compatible. Level 1 finish.	\$504	-21#
5045265	Front Wheel: Alcoa 98565 24.5x8.25 aluminum, with Lvl One [TM] finish, hub-pilot mount. 8000lb. maximum rating. Severe service. Air disc brake compatible.	\$567	-12#
5045275	Front Wheel: Alcoa 98U63 24.5X8.25 AL Ultra ONE Wheel.	\$428	-34#
Rear			
5242291	Rear Wheel: Accuride 41362 24.5x8.25 aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating. Code is priced per pair of wheels.	\$383	-28#
5242310	Rear Wheel: Accuride 28827 24.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand hole. Code is priced per pair of wheels.	\$95	35#
5242317	Rear Wheel: Accuride 41362/50409 24.5x8.25 aluminum outside with Standard polish/ACCU-LTE Steel Armor powder coat inside, hub-pilot mount 7400lb. maximum rating. Includes wheel guards. Air disc brake compatible.	\$215	20#
5243147	Rear Wheel: Kenworth 10-spoke 98U69 24.5x8.25 aluminum with Lvl One [TM] finish, hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible. Code is priced per pair of wheels.	\$583	-21#
5244193	Rear Wheel: Kenworth 7-spoke 98U68 24.5x8.25 aluminum with Lvl One [TM] finish, hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible. Code is priced per pair of wheels.	\$504	-21#
5244194	Rear Wheel: Kenworth 98U68 7-Spoke/Accuride 50409 Steel 24.5x8.25, aluminum with Lvl One [TM] finish outside/ACCU-LTE Steel Armor[TM] powder coat inside, hub pilot mount. 7300 lb. maximum rating. Includes wheel guards.	\$275	3#
5245265	Rear Wheel: Alcoa 98565 24.5x8.25 aluminum, with Lvl One [TM] finish, hub-pilot mount. 8000lb. maximum rating. Severe service. Code is priced per pair of wheels. Air disc brake compatible.	\$567	-12#
5245275	Rear Wheel: Alcoa 98U63 24.5X8.25 AL Ultra ONE Wheel.	\$428	-34#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Wheels & Rims			
Tubeless Type Aluminum 24.5			
Rear			
5245276	Rear Wheel: Alcoa 98U63 Out/ACC 50409 INS 24.5X8. AL/STL.	\$237	0#
Tubeless Type Steel 24.5			
Front			
5042315	Front Wheel:Accuride 50641 24.5X8.25 Stl ACCU-LTE Steel Armor(TM) powder coat, hub pilot mount. 7400lb. maximum rating. 5-hand holes.	\$46	16#
5042330	Front Wheel: Accuride 50409 24.5X8.25 steel ACCU-LTE. Steel Armor(TM) powder coat, hub-pilot mount. 7400lb. maximum rating.	\$47	20#
Rear			
5242315	Rear Wheel: Accuride 50641 24.5X8.25 steel ACCU-LTE. Steel Armor(TM) powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole.	\$46	16#
5242330	Rear-Wheel: Accuride 50409 24.5X8.25 steel ACCU-LITE. Steel Armor(TM) powder coat, hub-pilot mount. 7400lb. maximum rating.	\$47	20#
5245277	Rear Wheel: Alcoa 98U63 Out/ACC 28827 INS 24.5X8. AL/STL.	\$261	1#
Pusher Axle Wheels			
Steerable Pushers			
5781147	1 Steerable Pusher Wheel: 2 Kenworth 10-spoke 98U69 24.5x8.25; aluminum with Lvl One [TM] finish. Hub-pilot mount. 7300lb. maximum rating. Level 1 finish.	\$583	-21#
5781175	1 Steerable Pusher Wheel: 2 Accuride 51408 steel 22.5x8.25. Steel Armor(TM) powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	\$1	0#
5781185	1 Steerable Pusher Wheel: 2 Accuride 50344 22.5x8.25. Steel Armor(TM) powder coat, hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	\$96	20#
5781189	1 Steerable Pusher Wheel: 2 Accuride 51487 steel 22.5x8.25. Steel Armor(TM) powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$0	0#
5781190	1 Steerable Pusher Wheel: 2 Alcoa 83462 22.5x13 aluminum, hub-pilot mount 11000lb. maximum rating. Aluminum with Lvl One [TM] finish, hub Level 1 finish.	\$797	8#
5781210	1 Steerable Pusher Wheel: 2 Accuride 28827 steel 24.5X8.25. Steel Armor(TM) powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes.	\$95	36#
5781229	1 Steerable Pusher Wheel: 2 Accuride 50409 steel 24.5X8.25. ACCU-LTE. Steel Armor(TM) powder coat, hub-pilot mount. 7400lb. maximum rating.	\$47	20#
5781258	1 Steerable Pusher Wheel: 2 Accuride 50291 22.5X8.25 heavy-duty 22.5x8.25; Steel Armor(TM) powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible.	\$128	22#
5781263	1 Steerable Pusher: 2 Alcoa 88565 22.5X8.25 AL with Lvl One [TM] finish, hub-pilot mount. 8000lb. maximum rating. Severe service.	\$518	-36#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Wheels			
Steerable Pushers			
5781281	1 steerable pusher wheel:2 Alcoa77349 19.5x7 50RW aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K pusher.	\$142	-60#
5781291	1 Steerable Pusher: 2 Accuride 41362 24.5X8.25 aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating.	\$344	-28#
5781363	1 Steerable Pusher Wheel: 2 Alcoa 88267 22.5X8.25; aluminum with Lvl One [TM] finish. Hub-pilot mount. 7400lb. maximum rating.	\$413	-46#
5781372	1 steerable pusher wheel:2 Alcoa 76542 19.5X6.75 aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K pusher.	\$477	0#
5781383	1 Steerale Pusher:2 Kenworth 7-spoke 88U68 22.5x8.25 aluminum, hub pilot mount. 7300lb max rating. Level 1 finish.	\$467	-40#
5781516	1 Steerable Pusher Wheel: 2 Alcoa 82362 22.5x12.25; aluminum, with Lvl One [TM] finish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102in. w/ 425 tires. Air disc brake compatible.	\$779	-10#
5781518	1 Steerable Pusher Wheel: 2 Alcoa 82462 22.5X12.25; aluminum with Lvl One [TM] finish, hub-pilot mount. 11000lb. maximum rating. 5.80in. offset. Air disc brake compatible.	\$797	-3#
5781568	1 Steerable Pusher Wheel: 2 Alcoa 89U63 22.5X9 AL Ultra ONE Wheel.	\$531	-39#
5781575	1 Steerable Pusher: 2 Alcoa 98U63 24.5X8.25 AL Ultra ONE Wheel.	\$428	-20#
5781580	1 Steerable Pusher: Alcoa 89U64 22.5X9 AL Ultra ONE Wheel.	\$540	-24#
5781774	1 steerable pusher wheel: 2 Alcoa 66480 17.5x6 aluminum, hub pilot mount. For use with 8K Super Lite pushers.	\$176	0#
5785289	1 Steerable Pusher Wheel: 4 Accuride 51487 22.5x8.25, 4-4 SL2200 only. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole.	\$0	0#
5785363	Steerable Pusher Wheel: 4 Alcoa 88267 22.5x8.25, 4-4; New Generation hub-pilot mount disc brake compatible	\$885	-46#
Non-Steerable Pushers 2-4			
5782285	Non-Steerable Pusher Wheel: Accuride 50344 heavy-duty 22.5 x8.25, 2-4; Steel Armor[TM] powder coat, hub-pilot moun. 8000lb. maximum rating. 5-hand hole.	(\$230)	-104#
5782289	Non-Steerable Pusher Wheel: Accuride 51487 22.5x 8.25, 2-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole.	(\$326)	-133#
5782515	Non-Steerable Pusher: Alcoa 82262 22.5x12.25 2-4; aluminum with Lvl One [TM] finish, hub-pilot mount. 12300 lb. maximum rating. Not air disc compatible. Code is priced per pair of wheels.	\$453	-148#
5782516	Non-Steerable Pusher Wheel: Alcoa 82362 22.5x12.25, 2-4; aluminum with Lvl One [TM] finish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102in. w/ 425 tires. Air disc brake compatible.	\$453	-146#
5782568	Non-Steerable Pusher Wheel: Alcoa 89U63 22.5X9 AL 2-4. Ultra ONE Wheel.	\$205	-175#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

Pusher Axle Wheels

Non-Steerable Pushers 2-4

5782575	Non-Steerable Pusher Wheel: Alcoa 98U63 24.5X8.25 aluminum 2-4. Ultra ONE Wheel.	\$102	-170#
5782579	Non-Steerable Pusher Wheel: Alcoa 84U62 22.5X14.0 aluminum 2-4. Ultra ONE Wheel.	\$568	-169#
5782580	Non-Steerable Pusher Wheel: Alcoa 89U64 22.5X9 AL 2-4. Ultra ONE Wheel.	\$214	-160#
5783267	Non-Steerable Pusher Wheel: Accuride 29300 STL 22.5x9, 2-4; Steel Armor[TM] powder coat. Hub-pilot mount. 10000lb. maximum rating. 5-hand holes. Not air disc brake compatible.	\$125	-56#
5786289	Non-Steerable Tag Wheel: Accuride 51487 22.5x 8.25, 2-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	(\$326)	-133#

Non-Steerable Pushers 4-4

5783175	Non-Steerable Pusher Wheel: Accuride 51408 STL 22.5x8.25, 4-4; Steel Armor[TM] powder coat. Hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	\$10	0#
5783185	Non-Steerable Pusher Wheel: Accuride 50344 STL heavy-duty 22.5 x8.25, 4-4; Steel Armor[TM] powder coat. Hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	\$191	40#
5783229	Non-Steerable Pusher Wheel: Accuride 50409 24.5X8.25, 4-4; ACCU-LTE. Steel Armor[TM]. Hub-pilot mount. 7400lb. maximum rating.	\$93	40#
5783258	Non-Steerable Pusher Wheel: Accuride 50291 22.5X8.25 heavy-duty, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes.	\$257	44#
5783289	Non-Steerable Pusher Wheel: Accuride 51487 22.5x 8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$0	0#
5783291	Non-Steerable Pusher Wheel: Accuride 41362 24.5X 8.25 4-4; aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating.	\$766	-56#
5783347	Non-Steerable Pusher Wheel: Kenworth 10-spoke 98U69 24.5x8.25, 4-4; aluminum with Lvl One [TM] finish. Hub-pilot mount. 7300lb. maximum rating. Level 1 finish.	\$1,166	-42#
5783363	Non-Steerable Pusher Wheel: Alcoa 88267 22.5x8.25, 4-4; aluminum with Lvl One [TM] finish. Hub-pilot mount. 7400lb. maximum rating.	\$875	-92#
5783575	Non-Steerable Pusher Wheel: Alcoa 98U63 24.5X8.25 aluminum 4-4. Ultra ONE Wheel.	\$855	-67#
5783581	Non-Steerable Pusher Wheel: Alcoa 89U64 22.5X9 AL 4-4. Ultra ONE Wheel.	\$1,081	-47#
5783583	Non-Steerable Pusher Wheels: Kenworth 7-spoke 88U68 22.5X8.25, 4-4; aluminum, hub-pilot mount. 7300lb. maximum rating. Level 1 finish.	\$924	-80#

Tag Axle Wheels

Steerable Tags

5788258	1 Steerable Tag Wheel: 2 Accuride 50291 22.5X8.25 STL, HD 22.5x8.25; Steel Armor[TM] powder coat. Hub-pilot mount. 8000lb maximum rating. 2-hand holes.	\$128	22#
---------	---	-------	-----



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Tag Axle Wheels			
Steerable Tags			
5788272	1 steerable tag wheel: 2 Alcoa 76542 19.5X6.75 aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K pusher.	\$477	0#
5788275	1 Steerable Tag Wheel: 2 Accuride 51408 STL 22.5x8.25; Steel Armor[TM] powder coat. Hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	\$1	0#
5788281	1 steerable tag wheel: 2 Alcoa 77349 19.5x7.50RW aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K tag.	\$531	-60#
5788285	1 Steerable Tag Wheel: 2 Accuride 50344 HD steel 22.5x8.25; Steel Armor[TM] powder coat. Hub-pilot mount. 8000lb maximum rating. 5-hand holes.	\$96	20#
5788289	1 Steerable Tag Wheel: 2 Accuride 51487 22.5x8.25. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$0	0#
5788363	1 Steerable Tag Wheel: 2 Alcoa 88267 22.5X8.25; aluminum with Lvl One [TM] finish. Hub-pilot mount. 7400lb. maximum rating.	\$437	-46#
5788568	1 Steerable Tag Wheel: 2 Alcoa 89U63 22.5X9 aluminum. Ultra ONE Wheel.	\$531	-39#
5788774	1 steerable tag wheel: 2 Alcoa 66480 17.5x6 aluminum. Hub pilot mount. For use with 8K Super Lite tags.	\$554	0#
Non-Steerable Tags 2-4			
5785275	Non-Steerable Tag Wheel: Accuride 51408 ST 22.5x8.25, 2-4; Steel Armor[TM] powder coat. Hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	(\$325)	0#
5786258	Non-Steerable Tag Wheel: Accuride 50291 STL heavy-duty 22.5x8.25, 2-4; Steel Armor[TM] powder coat. Hub-pilot mount. 8000lb. maximum rating. 2-hand holes.	(\$197)	-114#
5786285	Non-Steerable Tag Wheel: Accuride 50344 STL heavy-duty 22.5 x8.25, 2-4; Steel Armor[TM] powder coat. Hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	(\$230)	-116#
5786516	Non-Steerable Tag Wheel: Alcoa 82362 22.5x12.25, 2-4; aluminum with Lvl One [TM] finish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102in. w/ 425 tires. Air disc brake compatible.	\$453	-146#
Non-Steerable Tags 4-4			
5784258	Non-Steerable Tag Wheel: Accuride 50291 22.5X8.25 heavy-duty, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes.	\$257	44#
5784275	Non-Steerable Tag Wheel: Accuride 51408 STL 22.5x8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	\$2	0#
5784285	Non-Steerable Tag Wheel: Accuride 50344 heavy-duty 22.5 x8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	\$191	40#
5784289	Non-Steerable Tag Wheel: Accuride 51487 22.5x 8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$0	0#
5784291	Non-Steerable Tag Wheel: Accuride 41362 24.5X8.25 4-4; aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating.	\$723	-56#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

Tag Axle Wheels

Non-Steerable Tags 4-4

5784575	Non Steerable Tag: Alcoa 98U63 24.5X8.25 AL 4-4 Ultra ONE Wheel.	\$855	-67#
5786363	Non-Steerable Tag Wheel: Alcoa 88267 22.5x8.25, 4-4; aluminum with Lvl One [TM] finish. Hub-pilot mount. 7400lb. maximum rating.	\$789	-92#

Miscellaneous Tires & Wheels

Tire Miscellaneous

4880000	Tires selected limit top vehicle speed delivery requirements may apply see TE-1127/1045. Speed restricted tires.	\$0	0#
---------	--	-----	----

Wheel Equipment

5800004	Rear wheels mounted inboard. Mounted same as front axle (mounted inset).	\$0	0#
5856048	Dual Rear Accuride-Finish: Accu-Sheild Both Surfaces 8 Wheels, aluminum Only	\$1,097	0#

Wheelguards

5850040	Wheelguards: all axles.	\$74	2#
---------	-------------------------	------	----

Wheel Treatments

5853906	Powder coat white steel wheel. Use in conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5853907	Powder coat gray steel wheel. Use in conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5853908	Powder coat blacksteel wheel. Use in conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5853909	Powder coat red steel wheel. Use in conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5854010	Single Front Axle: 2 Polished wheels. Polished outboard surface of aluminum wheels.	\$150	0#
5854011	Single Rear Axle: 2 Polished wheels. Polished outboard surface of outer dual or single aluminum wheels.	\$194	0#
5854012	Dual Rear Axle: 4 Polished wheels. Polished outboard surface of outer dual or single aluminum wheels.	\$369	0#
5854031	1 Pusher: 2 Polished wheels. Polished outboard surface of outboard wheels mounted same as front axle. For use on 1 steerable or 1 non-steerable pusher axle with single wheel.	\$150	0#
5854034	1 Tag: 2 Polished wheels. Polished outboard surface of outboard wheels mounted same as front axle. For use on 1 steerable or 1 non-steerable tag axle with single wheel.	\$150	0#
5854041	1 Pusher: 2 Polished wheels. Polished outboard surface of outboard wheels. For use on 1 non-steerable pusher axle with single or dual wheel.	\$194	0#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Miscellaneous Tires & Wheels			
Wheel Equipment			
Wheel Treatments			
5854044	1 Tag: 2 Polished wheels. Polished outboard surface of outboard wheels. For use on 1 non-steerable tag axle with single or dual wheel.	\$194	0#
5854045	Single Front Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only	\$86	0#
5854047	Single Rear Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum quantity 2	\$86	0#
5854048	Dual Rear Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only Quantity 4	\$172	0#
5854051	1 Pusher Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only	\$86	0#
5854052	2 Pusher Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only	\$172	0#
5854054	1 Tag Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only	\$86	0#
5856010	Single Front Axle: Dura-Bright Brushed (QTY 2) -0DB (Satin) Long Leadtime	\$245	0#
5856012	Dual Rear Axle: Dura-Bright Brushed (QTY 4) -0DB (Satin) Long Leadtime	\$521	0#
5856045	Single Front Accuride-Finish: Accu-Sheild Both Surfaces 2 Wheels, aluminum Only	\$274	0#
5856047	Dual Rear Accuride-Finish: Accu-Sheild Both Surfaces 4 Wheels, aluminum Only	\$549	0#
5856050	1 Pusher Accuride-Finish:Accu-Shield Both Surfaces. 2 Wheels, aluminum Only (Steerable or Non-Steerable)	\$274	0#
5856051	2 Pusher Accuride-Finish: Accu-Shield Both Surfaces. 4 Wheels, aluminum Only (Steerable or Non-Steerable)	\$549	0#
5856053	1 Tag Accuride-Finish: Accu-Shield Both Surfaces 2 Wheels, aluminum Only (Steerable or Non-Steerable)	\$274	0#
5858009	Dual Rear Axle: Dura-Flange (quantity 4) -DF. For super single 2-4 wheels. Not available with Dura-Bright, except 88367.	\$495	0#
5858010	Single Front Axle: 2 wheels Dura-Flange	\$241	0#
5858011	Single Rear Axle: Dura-Flange (quantity 4) -DF. Not available with polished or Dura-Bright except 88367.	\$495	0#
5858012	Dual Rear Axle: Dura-Flange (quantity 8) -DF	\$968	0#
5858013	Tridem Rear Axle: Dura-Flange (quantity 12) -DF. Not available with Dura-Bright except 88367.	\$1,452	0#
5858014	1 Tag Dura-Flange; steerable or Non-steerable tag N/A with super singles (quantity 2) -DF.	\$242	0#
5858015	1 Tag Dura-Flange; Non-steerable tag without super singles (quantity 4) -DF.	\$484	0#
5858017	2 Pusher Dura-Flange; steerable or non-steerable pusher with super singles (quantity 4) -DF.	\$484	0#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Miscellaneous Tires & Wheels			
Wheel Equipment			
Wheel Treatments			
5858018	1 Pusher Dura-Flange; steerable or non-steerable pusher with super singles (quantity 2) -DF.	\$242	0#
5858019	1 Pusher Dura-Flange; non-steerable pusher without super singles (quantity 4) -DF. Not available with Dura-Bright.	\$484	0#
5858020	3 Pusher Dura-Flange; steerable or non-steerable pusher with super singles (quantity 6) -DF.	\$726	0#
5858300	Single Front Accuride: Accu-Flange 2 Wheels aluminum only	\$273	0#
5858302	Single Rear Accuride: Accu-Flange 2 Wheels aluminum Only	\$273	0#
5858303	Single Rear Accuride: Accu-Flange 4 Wheels aluminum Only	\$546	0#
5858304	Dual Rear Accuride: Accu-Flange 8 Wheels aluminum Only	\$1,091	0#
5858306	1 Pusher Accuride: Accu-Flange 2 Wheels Only (Steerable or Non-Steerable).	\$273	0#
5858307	2 Pusher Accuride: Accu-Flange 4 Wheels, aluminum Only (Steerable or Non-Steerable).	\$546	0#
5858309	1 Tag Accuride: Accu-Flange 2 Wheels, aluminum Only (Steerable or Non-Steerable).	\$273	0#
5859006	Tridem Rear Axle Wheels: Dura-Bright Buffed inboard surface of inner dual aluminum wheels.	\$988	0#
5859007	Tridem Rear Axle Wheels: 6 Dura-Bright Buffed. Dura-Bright outboard surface of outer dual or single aluminum wheels.	\$1,058	0#
5859010	Single Front Axle: 2 wheels Dura-Bright Buffed. Dura-Bright outboard surface of aluminum wheels.	\$264	0#
5859011	Single Rear Axle Wheels: 2 wheels Dura-Bright Buffed. Dura-Bright outboard surface of outer dual or single aluminum wheels.	\$396	0#
5859012	Dual Rear Axle Wheels: 4 wheels Dura-Bright Buffed. Dura-Bright outboard surface of outer dual or single aluminum wheels.	\$812	0#
5859013	Single Rear: Dura-Bright Inboard Surface Of Inner Wheels (2)-2DB, Required Wheel Grades, Use With 5859011	\$659	0#
5859014	Single Front Axle Wheels: Dura-Bright Buffed both outboard & inboard surfaces of aluminum wheels.	\$396	0#
5859015	Dual Rear Axle Wheels: Dura-Bright Buffed both outboard & inboard surfaces of outboard dual or single aluminum wheels.	\$843	0#
5859016	Dual Rear Axle Wheels: Dura-Bright Buffed inboard surface of inner dual aluminum wheels.	\$702	0#
5859017	Dual Rear Axle Wheels: Dura-Bright Buffed both inboard and outboard surface of inner dual aluminum wheels.	\$792	0#
5859024	Tridem Rear Axle Wheels: Dura-Bright Buffed both outboard & inboard surfaces of outboard dual or single aluminum wheels.	\$1,188	0#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Miscellaneous Tires & Wheels			
Wheel Equipment			
Wheel Treatments			
5859025	2 Pusher or Tag wheels: Dura-Bright Buffed outboard surface of outboard wheels mounted same as rear axle. For use on 2 non-steerable lift axles.	\$616	0#
5859027	Dual Rear Axle: Dura-Bright Buffed wide base singles, outboard surface (quantity 4) -1DB.	\$581	0#
5859028	Single Rear Axle: Dura-Bright Buffed wide base singles, outboard surface (quantity 2) -1DB.	\$264	0#
5859031	1 Pusher: 2 Wheels Dura-Bright Buffed. Dura-Bright outboard surface of outboard wheels mounted same as front axle. For use on 1 steerable or 1 non-steerable pusher axles w/ single wheel.	\$264	0#
5859033	3 Pushers: 3 Wheels Dura-Bright Buffed. Dura-Bright outboard surface of outboard wheels mounted same as front axle. For use on 3 steerable or 3 non-steerable pusher axle w/ single wheel.	\$792	0#
5859034	1 Tag: 2 Wheels Dura-Bright Buffed. Dura-Bright outboard surface of outboard wheels mounted same as front axle. For use on 1 steerable or 1 non-steerable tag axles w/ single wheel.	\$264	0#
5859040	1 Non-Steerable: Dura-Bright Buffed Inner Wheels - Non-steerable (quantity 2) -1DB.	\$264	0#
5859041	1 Pusher: 2 Wheels Dura-Bright Buffed. Dura-Bright surface of outboard wheels. For use on 1 non-steerable pusher axle with single or dual wheel.	\$308	0#
5859042	2 Pushers: 4 Wheels Dura-Bright Buffed. Dura-Bright outboard surface of outboard wheels. For use 2 non-steerable pusher axle with single or dual wheel.	\$616	0#
5859044	1 Tag: 2 Wheels Dura-Bright Buffed. Dura-Bright outboard surface of outboard wheels. For use on 1 non-steerable tag axle with single or dual wheel.	\$308	0#
5859045	1 Pusher Wheel: Dura-Bright Buffed both surfaces of outer - Non-steerable (quantity 2) -3DB.	\$792	0#
5859046	1 Pusher Wheel: Dura-Bright Buffed both surfaces of inner - Non-steerable (quantity 2) -3DB.	\$792	0#
5859065	Single Front Axle: Dura-Black Both Surfaces (QTY 2)	\$504	0#
5859066	Single Rear Axle: Dura-Black Both Surfaces (Qty 4)	\$1,008	0#
5859067	Dual Rear Axle: Dura-Black Both Surfaces (Qty 8)	\$2,016	0#
5859068	Tridem Rear Axle Wheels: Dura-Black Both Surfaces (Qty 12)	\$3,024	0#
5859069	1 Steerable: Dura-Black Both Surfaces Tag or Pusher (Qty 2)	\$493	0#
5859070	1 Non-Steerable: Dura-Black Both Surfaces Tag or Pusher (Qty 4)	\$1,008	0#
5859073	Non-Steerable: 2 Wheels Dura-Black Both Surfaces. For use on 1 non-steerable tag or 1 non-steerable pusher with super single wheels.	\$493	0#
Wheel Miscellaneous			
5800000	Pusher or Tag Wheels Mounted Inboard 2-4 Only. Mounted Same As Front Axle.	\$0	0#
5800001	Pusher Or Tag Wheels Mounted Outboard, 2-4 Only. Mounted Same As Drive Axle.	\$0	0#



T440/T470: TIRES & WHEELS

Option	Description	Price	Weight
Miscellaneous Tires & Wheels			
Wheel Equipment			
Wheel Miscellaneous			
5880000	Wheels selected limit top vehicle speed. Wheels are speed restricted, special delivery requirements may apply.	\$0	0#
5890000	V2B double seal cap valves.	\$62	0#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rails & Inserts			
Rail Material			
10.625 x 3.5 x 0.3125 Steel Frame			
6054200	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 284 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80, RBM is 1,776,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	STD	0#
6054400	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 285 in. to 336 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80, RBM is 1,776,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$203	0#
6054600	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 337 in. to 416 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80, RBM is 1,776,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$491	0#
6054602	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 417 in. to 480 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80, RBM is 1,776,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$850	0#
10.75 x 3.5 x 0.375 Steel Frame			
6056200	Frame Rails: 10-3/4 x 3-1/2 x 3/8 in. Steel to 284 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$213	0#
6056400	Frame Rails: 10-3/4 x 3-1/2 x 3/8 in. Steel 285 in. to 336 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$428	0#
6056600	Frame Rails: 10-3/4 x 3-1/2 x 3/8 in. Steel 337 in. to 416 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$743	0#
6056680	Frame Rails: 10-3/4 x 3-1/2 x 3/8 in. Steel 417 in. to 480 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$1,107	0#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rails & Inserts			
Rail Material			
10.6875 x 3.5 x 0.5 Steel Frame			
6056705	Frame Rails: 10-11/16 x 3-1/2 x 1/2 in. Steel to 336 in. Truck frame weight is 4.70 lb.-in. per pair of rails. Section modulus is 22.35, RBM is 2,683,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$4,910	0#
6056707	Frame Rails: 10-11/16 x 3-1/2 x 1/2 in. Steel 337 in. to 416 in. Truck frame weight is 4.70 lb.-in. per pair of rails. Section modulus is 22.35, RBM is 2,683,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$4,960	0#
6056709	Frame Rails: 10-11/16 x 3-1/2 x 1/2 in. Steel 417 in. to 455 in. Truck frame weight is 4.70 lb.-in. per pair of rails. Section modulus is 22.35, RBM is 2,683,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$5,060	0#
11.625 x 3.875 x 0.375 Steel Frame			
6057600	Frame Rails: 11-5/8 x 3-7/8 x 3/8 in. Steel to 447 in. Truck frame weight is 3.80 lb.-in. per pair of rails. Section modulus is 21.43, RBM is 2,572,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$1,540	0#
6057680	Frame Rails: 11-5/8 x 3-7/8 x 3/8 in. Steel 448 in. to 480 in. Truck frame weight is 3.80 lb.-in. per pair of rails. Section modulus is 21.43, RBM is 2,572,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$1,714	0#
Full Frame Inserts			
9.875 x 2.875 x 0.25 Steel Insert			
6141200	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel to 284 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 lb.-in. to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model: T660, T680, T800, T880 = 21.26 in.; C500B = bumper setting minus 0.79 in.; W900B = 5.27 in., W900L = 1.50 in., W900S = 3.27 in.; T440/T470 50 in. bumper setting = 21.26 in., T470 73 in. bumper setting = 72.3 in.	\$1,575	0#
6141400	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel 285 in. to 336 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model: T660, T680, T800, T880 = 21.26 in.; C500B = bumper setting minus 0.79 in.; W900B = 5.27 in., W900L = 1.50 in., W900S = 3.27 in.; T440/T470 50 in. bumper setting = 21.26 in., T470 73 in. bumper setting = 72.3 in.	\$1,833	0#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rails & Inserts			
Full Frame Inserts			
9.875 x 2.875 x 0.25 Steel Insert			
6141600	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel 337 in. to 416 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model: T660, T680, T800, T880 = 21.26 in.; C500B = bumper setting minus 0.79 in.; W900B = 5.27 in., W900L = 1.50 in., W900S = 3.27 in.; T440/T470 50 in. bumper setting = 21.26 in., T470 73 in. bumper setting = 72.3 in.	\$2,037	0#
6141615	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel 417 in. to 480 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model: T660, T680, T800, T880 = 21.26 in.; C500B = bumper setting minus 0.79 in.; W900B = 5.27 in., W900L = 1.50 in., W900S = 3.27 in.; T440/T470 50 in. bumper setting = 21.26 in., T470 73 in. bumper setting = 72.3 in.	\$2,257	0#
10.75 x 3.5 x 0.375 Steel Insert			
6144615	Full Steel Insert: for 11-5/8 in. steel rail to 480 in. Adds 2,132,000 in-lb to main rail RBM. 120K PSI. 11-5/8 in. primary insert RBM 4,704,000 in-lbs, section modulus is 39.20. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model: T800, T880 = 21.26 in.; C500B = bumper setting minus 0.79 in.; W900B = 5.27 in., W900L = 1.50 in., W900S = 3.27 in.; T440/T470 50 in. bumper setting = 21.26 in., T470 73 in. bumper setting = 72.3 in.	\$3,239	0#
Partial Frame Inserts			
Inserts for 10.625 or 10.75 Main Rail			
6279310	Partial Steel Insert: 10-5/8 in. or 10-3/4 in. Steel to 10 ft or partial 2nd insert for 11-5/8 in. steel rail.	\$1,025	227#
6289325	Partial Steel Insert: 10-5/8 in. or 10-3/4 in. main rail. Insert length is 10 - 25 ft. Adds 1,149,000 in-lb to main rail RBM. Insert weight is 2.05 lb.-in. per pair of rails.	\$1,679	570#
Inserts for 11.625 Main Rail			
6289400	Partial Steel Insert: for 11-5/8 in. steel rail to 10 ft.	\$2,259	253#
6289425	Partial Steel Insert: for 11-5/8 in. steel rail over 10 ft to 25 ft.	\$3,309	630#
Partial Frame Insert Location			
6279000	Locate Partial Frame Inserts under cab to BOC.	\$0	0#
6279001	Locate Partial Frame Inserts over bogie.	\$0	0#
6279003	Locate Partial Frame Inserts under cab to over bogie.	\$0	0#
6279005	Locate Partial Frame Inserts under cab to end-of-frame.	\$0	0#
Bumpers			
Bumper Style			
Contoured			
6308660	Bumper: T440 contoured 3-piece, aluminum/fiberglass. Painted cab base color A.	\$180	-50#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Bumpers			
Bumper Style			
Aluminum Channel			
6309360	Bumper: 3-piece. Natural aluminum finish on ends, & a painted steel center section. For T470. Requires 73 in. bumper setting code.	\$881	-55#
Steel Channel			
6302460	Bumper: Tapered painted steel channel. Requires a bumper setting code.	STD	0#
6302461	Bumper: Tapered chrome steel channel. Requires a bumper setting code.	\$705	5#
6309460	Bumper: For T470. 3-piece off-set. Painted steel. Requires 73 in. bumper setting code.	\$422	-15#
Other Bumper Style			
6309910	Delete bumper: Requires a bumper setting code.	(\$319)	-94#
Bumper Setting			
6319050	50 in. Bumper setting. Requires a bumper code.	\$0	0#
6319073	73 in. Bumper setting. Requires a bumper code.	\$0	0#
6319505	50.5in. Bumper setting. Requires a bumper code.	\$0	0#
Bumper Equipment			
6321005	Removable Front Tow Hooks: 2.	\$272	15#
6324025	Front tow hook: Center mounted, cast. Requires iron front drive brackets.	\$257	28#
6482102	Customer installed Braden winch: includes frame drill. Braden winch installation will add 1153 lbs. to the chassis at 60 inches ahead of the front axle C/L. Use the 'Additional Payload' feature of Prospector's weight distribution workscreen to observe the effect of this additional weight on axle loads. (Enter 1153 lbs. at -60 from the front axle C/L.).	\$214	-6#
Front Frame Miscellaneous			
6390021	Iron shackle brackets. Code is not required with front springs greater than or equal to 16,000 lbs.	\$122	11#
6390033	T470 W/ extended front frame rail. Must code for rail separately.	\$0	0#
6390103	Front mudflaps.	STD	0#
6390110	Mudflaps, Front: Extra wide for use w/ tires that are wide base singles.	\$61	6#
6390304	Brackets, Front Drive: Aluminum up to 15,999 lbs.	STD	0#
6390312	Brackets: Iron front spring drive. Included with front spring capacity of 16,000 lbs or greater; code not required.	\$67	47#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Mixer Equipment			
6340110	Side plate on chassis rail for mixer boost-a-load	\$170	46#
6350105	Front engine skid protector. Painted bumper color. C500B requires 56.5 in. bumper setting.	\$576	79#
Battery Boxes			
Parallel			
6403678	Battery box: Aluminum parallel BOC w/ ABS cover.	\$1,579	22#
6404207	Battery box: Steel parallel BOC w/ ABS cover.	\$198	11#
6405002	Battery box: Aluminum parallel module BOC w/ step, aluminum diamond plate cover. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$274	44#
6405048	Battery box module: Short length aluminum parallel under cab, aluminum diamond plate cover w/ step. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.	STD	0#
6405080	T8 parallel non-polished aluminum battery box module w/ integral step. Extended length for use w/ 2010 and later SCR style exhaust. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.	\$68	72#
6405102	Short length steel parallel battery box module under cab, aluminum integral step, diamond plate cover. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.	(\$44)	53#
6405103	Steel parallel battery box module: BOC w/ aluminum diamond plate cover w/step. Up to 2 air tanks may be mounted to bottom of box. Batteries oriented perpendicular.	\$358	92#
6405180	T8 parallel non-polished steel battery box module w/ integral step. Extended length for use w/ 2010 and later SCR style exhaust. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.	\$237	125#
Cantilever			
6400634	Battery box cantilever aluminum BOC with painted smooth aluminum cover.	\$372	10#
6400636	Battery box cantilever aluminum BOC with fiberglass cover.	\$109	8#
6400641	Battery box cantilever aluminum BOC with polished smooth aluminum cover.	\$460	10#
6401200	Battery box cantilever steel BOC w/ fiberglass cover.	\$324	24#
6401233	Steel cantilever battery box BOC w/ smooth aluminum cover. Vocational Style.	\$591	39#
6401235	Steel cantilever battery box BOC w/ smooth polished aluminum cover. Vocational Style.	\$622	39#
Across or Between Rails BOC			
6400500	Battery box: Aluminum between the rails BOC w/ FMCSR cover.	\$783	11#
6400508	Battery box: Aluminum between the rails BOC w/ aluminum cover.	\$481	-8#
6400631	Battery box: Temporary across the rails.	\$174	-110#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Battery Boxes			
Across or Between Rails BOC			
6400633	Battery box: Temporary across the rails. Includes maximum cable length available.	\$228	-110#
In-Cab			
6405000	In-cab steel battery box: under rider seat or in stand alone box. Requires appropriate AGM battery code, which varies by model, and appropriate rider seat code be selected prior to entering the workscreen. Includes 1 battery disconnect switch.	\$2,061	-9#
Battery Box Locations			
6409901	Battery box location: LH Side.	\$0	0#
6409902	Battery box location: RH Side.	\$99	15#
6409903	Battery box location: BOC between the rails.	\$0	0#
6409906	In-Cab battery box location: Under rider seat.	\$0	0#
6409908	Battery box location: BOC across the rails.	\$0	0#
Battery Box Equipment			
6409136	Insulate battery box w/ acid-resistant & cross-linked polyolefin foam sheets.	\$106	2#
Center Frame Equipment			
Frame Access			
Grabhandles			
6410010	Frame access grabhandle(s) LH mounted. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$54	0#
6410011	Frame access grabhandle(s) RH mounted. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$52	0#
6410028	Frame access grabhandle, additional LH mounted in side extender. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$114	2#
6410029	Frame access grabhandle, additional RH mounted on side extender. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$114	2#
6418508	Ladder step access handle LH mounted to battery box /toolbox. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$238	8#
6418509	Ladder step access handle: RH mounted to battery box/toolbox. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$238	8#
6418510	Ladder step access handle: LH mounted to frame step. Narrate location. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$173	8#
6418512	Ladder step access handle: RH mounted to frame step. Narrate location. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$173	8#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Equipment			
Frame Access			
Deckplate			
6414002	Short aluminum frame access deck plate, 24 in. unless only 12 in. fits.	\$126	10#
6414003	Medium aluminum frame access deck plate, 36 in.	\$206	15#
6414006	Full aluminum frame access deck plate. Provides up to 72 in. of deck plate filling the space from hoses to fifth wheel.	\$298	24#
Steps			
6417007	Frame access steps: 2 ladder-type, RH mount. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.	\$150	15#
6417009	Frame access steps: 2 for fuel/hydraulic tank BOC, RH mount. Available when rear of tank under extends more than 14 in. behind rear of cab, sleeper, or side extender. For tanks located totally behind a cab or sleeper the front of the tank must be within 14 in. from the rear of cab, sleeper, or side extender.	\$168	6#
6418006	Frame access steps: 2 ladder-type, LH mount. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.	\$150	15#
6418008	Frame access steps: 2 for fuel/hydraulic tank BOC, LH mount. Available when rear of tank under extends more than 14 in. behind rear of cab, sleeper, or side extender. For tanks located totally behind a cab or sleeper the front of the tank must be within 14 in. from the rear of cab, sleeper, or side extender.	\$168	6#
6418020	Extended frame access step: LH mounted, 2 ladder-type steps. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.	\$376	28#
6418021	Extended frame access steps: RH mounted, 2 ladder-type steps. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.	\$376	28#
Box Step Options			
6451072	Battery box module step: Raised 3 in. aluminum under or BOC.	\$19	0#
6451082	Module battery box: Raised 2 in. for box under cab. Not for W900L.	\$38	0#
Toolboxes			
6473637	Aluminum parallel toolbox: BOC w/ABS cover w/o step, w/o lock. Up to 2 air tanks may be mounted to bottom of box.	\$2,021	90#
6475201	Short length aluminum toolbox module: Under cab, aluminum diamond plate cover w/step & lock. Up to 2 air tanks may be mounted to bottom of box.	\$774	108#
6475204	2nd Short length aluminum toolbox module: Under cab, aluminum diamond plate cover w/step & lock. Up to 2 air tanks may be mounted to bottom of box.	\$774	108#
6475335	Short length steel toolbox module: Under, aluminum diamond plate cover w/step & lock. Up to 2 air tanks may be mounted to bottom of box.	\$725	149#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Toolboxes			
6475349	Short length steel toolbox module: Under cab, step, w/o hinged cover, w/o lock. Up to 2 air tanks may be located on the bottom. hinged cover, w/o lock. Up to 2 air tanks may be mounted to bottom of box.	\$695	147#
6475638	Short length aluminum parallel toolbox module: BOC, aluminum diamond plate cover w/step & lock. Up to 2 air tanks may be mounted to bottom of box.	\$826	108#
Toolbox Locations			
6479901	Toolbox location: LH side.	\$0	0#
6479902	Toolbox location: RH side.	\$0	0#
6479905	Second toolbox location: LH side.	\$0	0#
6479915	Second toolbox location: RH side.	\$0	0#
DPF-SCR Covers			
6451090	T470,C5, T6, T8 non-polished DPF/SCR or CNG cover diamond plate w/ step. For use w/ 2010 or later exhaust systems. For T8, use extended length non-polished battery box on opposite rail to match the length of under cab components. End plates will be painted standard black frame color.	STD	0#
6451094	T470, C5, T6, T8 polished DPF/SCR or CNG cover with step. For use w/ 2010 or later exhaust systems. For T8, use extended length polished battery box on opposite rail to match the length of under cab components.	\$408	0#
6451112	T470,C5, T6, T8 non-polished DPF/SCR or CNG cover, diamond plate with cab access step and polished end plates. For use with 2017 or later RH under exhaust systems. For T8, use extended length non-polished battery box on opposite rail to match the length of under cab components. For use with frame paint color other than standard black. The cover will be unpolished diamond-plate and the end plates will be polished.	\$151	0#
Frame Crossmembers & Upgrades			
6390002	Two aluminum intermediate crossmembers with heavy-duty aluminum gussets. Includes one forward and one rear intermediate crossmember.	\$156	19#
6421050	Steel intermediate frame crossmembers & gussets. Does not include suspension crossmembers.	\$223	44#
6490012	Two steel intermediate crossmembers with heavy-duty aluminum gussets. Includes one forward and one rear intermediate crossmember.	\$235	52#
6490018	Steel forward intermediate crossmember: One with heavy-duty aluminum gussets, replacing standard.	\$118	17#
6490028	Aluminum rear intermediate crossmember: One with heavy-duty aluminum gussets, replacing standard.	\$78	9#
6490033	Aluminum forward intermediate crossmember: One additional with standard-duty aluminum gussets.	\$221	29#
6490034	Aluminum rear intermediate crossmember: One additional with standard-duty aluminum gussets.	\$224	29#
6490086	Steel forward intermediate crossmember: One additional with standard-duty steel gussets.	\$275	60#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Frame Crossmembers & Upgrades			
6490088	Steel rear intermediate crossmember: One additional with standard-duty steel gussets.	\$275	60#
6490089	Steel forward intermediate crossmember: One additional with heavy-duty aluminum gussets.	\$333	81#
6490090	Aluminum forward intermediate crossmember: One additional with heavy-duty aluminum gussets.	\$279	38#
6490091	Aluminum rear intermediate crossmember: One additional with heavy-duty aluminum gussets.	\$279	38#
6490092	Aluminum forward intermediate crossmember: One with heavy-duty aluminum gussets, replacing standard.	\$78	9#
6490095	Steel rear intermediate crossmember: One with heavy-duty aluminum gussets, replacing standard.	\$118	17#
6490120	Invert rear intermediate crossmember. A separate sales code is required for one of the following: an additional crossmember; steel crossmember; and if crossmember is not standard aluminum gussets on non-severe service.	\$0	0#
6490416	Heavy-duty rear cab supports: W/steel crossmembers & aluminum gussets.	\$105	26#
6490440	Heavy-duty BOC crossmember assembly.	\$179	23#
Center Frame Clear Space			
6491011	One clear frame space area without custom frame layout. Use with first clear frame space area code or customer-installed APU code when not using a custom frame layout code.	\$385	0#
6491012	Two clear frame space areas without custom frame layout. Use with first and second clear frame space area codes or customer-installed APU code when not using a custom frame layout code.	\$770	0#
6497020	First clear frame space dimensioned from back of cab.	\$0	0#
6497030	Second clear frame space dimensioned from back of cab.	\$0	0#
First Request Area			
6497101	First - LH outside rail only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497102	First - RH outside rail only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497103	First - LH below rail only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497104	First - RH below rail only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Clear Space			
First Request Area			
6497105	First - LH outside and LH below rail only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497106	First - RH outside and RH below rail only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497107	First - between rails only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497108	First - between and below rails only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
First Request Length			
6497310	First - 10 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497312	First - 12 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497314	First - 14 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497316	First - 16 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497318	First - 18 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497320	First - 20 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497322	First - 22 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497324	First - 24 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497326	First - 26 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497328	First - 28 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497330	First - 30 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#

Option	Description	Price	Weight
Center Frame Clear Space			
First Request Length			
6497332	First - 32 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497334	First - 34 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497336	First - 36 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497338	First - 38 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497340	First - 40 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497341	First - 41 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497350	First - 50 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497360	First - 60 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
First Request Location			
6497200	Directly behind the under fuel/hydraulic tank. First clear frame space location.	\$0	0#
6497201	Directly behind the BOC fuel/hydraulic tank. First clear frame space location.	\$0	0#
6497202	Directly forward of the rearmost fuel/hydraulic tank. First clear frame space location.	\$0	0#
6497203	Directly behind DEF tank. First clear frame space location.	\$0	0#
6497204	Directly behind the battery box. First clear frame space location.	\$0	0#
6497205	Directly behind the DPF/SCR box. First clear frame space location.	\$0	0#
6497206	Directly behind the toolbox or temporary cab entry step for use with natural gas engines. First clear frame space location.	\$0	0#
6497207	Directly forward of the rear suspension/quarter fender. First clear frame space location.	\$0	0#
6497209	Directly behind the under cab component. First clear frame space location.	\$0	0#
6497210	Directly behind BOC1 fuel/hydraulic tank or box. First clear frame space location.	\$0	0#
6497211	Directly behind BOC2 fuel/hydraulic tank or box. First clear frame space location.	\$0	0#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Clear Space			
Second Request Area			
6497109	Second - LH outside rail only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497110	Second - RH outside rail only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497111	Second - LH below rail only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497112	Second - RH below rail only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497113	Second - LH outside and LH below rail only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497114	Second - RH outside and RH below rail only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497115	Second - between rails only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497116	Second - between and below rails only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
Second Request Length			
6497510	Second - 10 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497512	Second - 12 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497514	Second - 14 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497516	Second - 16 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497518	Second - 18 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Clear Space			
Second Request Length			
6497520	Second - 20 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497522	Second - 22 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497524	Second - 24 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497526	Second - 26 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497528	Second - 28 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497530	Second - 30 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497532	Second - 32 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497534	Second - 34 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497536	Second - 36 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497538	Second - 38 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497540	Second - 40 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497541	Second - 41 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497550	Second - 50 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497560	Second - 60 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
Second Request Location			
6497230	Directly behind the under fuel/hydraulic tank. Second clear frame space location.	\$0	0#
6497231	Directly behind the BOC fuel/hydraulic tank. Second clear frame space location.	\$0	0#
6497232	Directly forward of the rearmost fuel/hydraulic tank. Second clear frame space location.	\$0	0#
6497233	Directly behind DEF tank. Second clear frame space location.	\$0	0#
6497234	Directly behind the battery box. Second clear frame space location.	\$0	0#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Clear Space			
Second Request Location			
6497235	Directly behind the DPF/SCR box. Second clear frame space location.	\$0	0#
6497236	Directly behind the toolbox or temporary cab entry step for use with natural gas engines. Second clear frame space location.	\$0	0#
6497237	Directly forward of the rear suspension/quarter fender. Second clear frame space location.	\$0	0#
6497239	Directly behind the under cab component. Second clear frame space location.	\$0	0#
6497240	Directly behind BOC1 fuel/hydraulic tank or box. Second clear frame space location.	\$0	0#
6497241	Directly behind BOC2 fuel/hydraulic tank or box. Second clear frame space location.	\$0	0#
Miscellaneous Center Frame Equipment			
6390501	Steel underbell housing crossmember.	\$23	22#
6397001	Huck bolts throughout frame, where possible.	\$267	0#
6679904	Fifth wheel setting is outside standard range. Required when fifth wheel setting is more than 30 in. from bogie.	\$770	0#
Body Builder Requirements			
6390091	Frame layout picture to dealer prior to build date. Information only, no changes. This provides basic frame layout illustration in a PDF file. Adobe Reader or other software capable of viewing PDF files is required on your computer. A copy of the frame layout can be obtained once the engineering work has been completed. This drawing will help the body builder define clearance requirements for the chassis.	\$770	0#
6390097	DXF frame layout to dealer prior to build date. Information only, no changes. This provides a frame layout in a .DXF format data file suitable for use w/ many CAD programs.	\$770	0#
6391201	Custom Frame Layout: one chassis	\$1,380	0#
6391202	Custom Frame Layout: two chassis	\$690	0#
6391203	Custom Frame Layout: 3-4 chassis	\$375	0#
6391205	Custom Frame Layout: 5-9 chassis	\$200	0#
6391210	Custom Frame Layout: 10-24 chassis	\$100	0#
6391225	Custom Frame Layout: 25-49 chassis	\$40	0#
6391250	Custom Frame Layout: 50 or more chassis	\$30	0#
6670120	C-Channel or I-Beam is Supplied By Body Builder and adds 1 to 999,999 lbs. RBM.	\$0	0#
6670121	C-Channel or I-Beam is Supplied By Body Builder and adds minimum 1MIL lbs. RBM.	\$0	0#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Body Builder Requirements			
6670122	C-Channel or I-Beam is Supplied By Body Builder and adds minimum 2MIL lbs. RBM.	\$0	0#
6670123	C-Channel or I-Beam is Supplied By Body Builder and adds minimum 3MIL lbs. RBM.	\$0	0#
6670124	C-Channel or I-Beam is Supplied By Body Builder and adds minimum 4MIL lbs. RBM.	\$0	0#
6670125	C-Channel or I-Beam is Supplied By Body Builder and adds minimum 5MIL lbs. RBM.	\$0	0#
6670440	Bodybuilder to install approved crossmember w/in 18 in. BOC prior to unit going into service. Specifications available from applications tech support.	\$0	0#
6679850	Dealer acknowledges self loading crane or boom will be located behind the cab.	\$0	0#
6679852	Dealer acknowledges self loading crane or boom will be located at the end-of-frame.	\$0	0#
6679856	Final end-of-frame cut-off dimension will be modified to less than or equal to 45 in.	\$0	0#
6679857	Final end-of-frame cut-off dimension will be modified to 46 in. to 50 in.	\$0	0#
6679858	Final end-of-frame cut-off dimension will be modified to 51 in. to 55 in.	\$0	0#
6679859	Final end-of-frame cut-off dimension will be modified to 56 in. to 60 in.	\$0	0#
6679860	Final end-of-frame cut-off dimension will be modified to 61 in. to 65 in.	\$0	0#
6679862	Final end-of-frame cut-off dimension will be modified to 66 in. to 74 in.	\$0	0#
6679864	Final end-of-frame cut-off dimension will be modified to greater than or equal to 75 in.	\$0	0#
6679901	Hydraulic end of tank is difficult to fill.	\$0	0#
6679914	Any changes to rear cab/sleeper area must comply w/FMCSR 399.	\$0	0#
6679915	Customer-installed bulkhead and/or headache rack.	\$0	0#
6679995	Customer will install structural end-of-frame crossmember before vehicle is placed in service.	\$0	0#
6790003	Special frame drill: dealer to provide drawing with dimensions and revision level. Acceptable hole diameters range from 10.2 mm to 40.4 mm. Preferred file format is .pdf. Not for use for rear suspension, fifth wheel or other published frame drilling code. Does not replace clear frame space requests or custom frame layout.	\$1,540	0#

Fifth Wheels

Holland Fixed Fifth Wheels

6541104	Fifth Wheel: Fixed, Holland FW31Y600XL00 6.0 in. height. No lube, outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,067	356#
6541232	Fifth Wheel: Fixed, Holland FW17Y700XL00 7.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,519	378#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Fixed Fifth Wheels			
6541234	Fifth Wheel: Fixed, Holland FW17Y800XL00 8.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,520	383#
6541236	Fifth Wheel: Fixed, Holland FW17Y900XL00 9.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,545	388#
6541272	Fifth Wheel: Fixed, Holland FW17Z600XL00 5.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,443	333#
6541273	Fifth Wheel: Fixed, Holland FW17Z700XL00 6.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,444	341#
6541275	Fifth Wheel: Fixed, Holland FW17Z800XL00 7.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,444	351#
6541276	Fifth Wheel: Fixed, Holland FW17Z900XL00 8.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,444	343#
6541548	Fifth Wheel: Fixed, Holland FW35-S10268-XL 8.5 in. Inboard w/ .5in. angles 55K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,314	381#
6541551	Fifth Wheel: Fixed, Holland FW35-07690-1 9.5 in. Outboard mounting angles, heavy-duty mounting plate, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,383	351#
6541570	Fifth Wheel: Fixed, Holland FW35-7727XL 11.76 in. height and Kompensator mechanism. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,687	721#
6541572	Fifth Wheel: Fixed, Holland FW35-7727XL19 11.76 in. height. Kompensator with lockout feature. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,758	736#
6541573	Fifth Wheel: Fixed, Holland FW35-7729XL19 9.76 in. height. Kompensator with lockout feature. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,592	672#
6541670	Fifth Wheel: Fixed, Holland FW35Y600XL00 6.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,623	396#
6541672	Fifth Wheel: Fixed, Holland FW35Y700XL00 7.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,623	355#
6541673	Fifth Wheel: Fixed, Holland FW35Y700XR00 7.00 in. height. Outboard mounting angles, 55K vertical rating, RH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,623	402#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Fixed Fifth Wheels			
6541675	Fifth Wheel: Fixed, Holland FW35Y800XL00 8.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,623	401#
6541678	Fifth Wheel: Fixed, Holland FW35Y900XL00 9.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,623	412#
6541685	Fifth Wheel: Fixed, Holland FW35Z600XL00 5.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,545	370#
6541687	Fifth Wheel: Fixed, Holland FW35Z700XL00 6.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,545	363#
6541689	Fifth Wheel: Fixed, Holland FW35Z800XL00 7.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,545	363#
6541690	Fifth Wheel: Fixed, Holland FW35Z800XR00 7.62 in. height. Outboard mounting angles, 55K vertical rating, RH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,588	363#
6541691	Fifth Wheel: Fixed, Holland FW35Z800XL02 7.62 in. height. Manual secondary lock. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,523	383#
6541692	Fifth Wheel: Fixed, Holland FW35Z800XL80 7.62 in. height. Air operated KP release. Outboard mounting angles, 55K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,015	388#
6541693	Fifth Wheel: Fixed, Holland FW35Z900XL00 8.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,545	375#
6541694	Fifth Wheel: Fixed, Holland FW35Z900XL02 8.62 in. height. Manual secondary lock. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,611	367#
6541695	Fifth Wheel: Fixed, Holland FW35Z900XR00 8.62 in. height. Outboard mounting angles, 55K vertical rating, RH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,611	381#
6541696	Fifth Wheel: Fixed, Holland FW35Z900XR48 8.62 in. height. Includes drills and taps for auto lube. Manual secondary lock. Outboard mounting angles, 55K vertical rating, RH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,638	364#
6541752	Fifth Wheel: No-Tilt Fixed, Holland FW35N800YL00 8.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,007	489#
6541753	Fifth Wheel: No-Tilt Fixed, Holland FW35N900YL00 9.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,007	489#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Fixed Fifth Wheels			
6551060	Fifth Wheel: Fixed, Holland FW0070-7601XL03 9.50 in. height & 3-1/2in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.	\$2,886	604#
6551061	Fifth Wheel: Fixed, Holland FW0070-7603XL 7.50 in. height & 2in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.	\$2,886	593#
6551320	Fifth Wheel: Fixed, Holland FW0070-7601XL 9.50 in. height & 2in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.	\$2,886	604#
6551322	Fifth Wheel: Fixed, Holland FW0070-7602XL 8.50in. height & 2in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.	\$2,886	597#
6561554	Fifth Wheel: Aluminum Fixed, Holland FWALZ600XL00 6.3 in. height, plate mount.	\$3,674	278#
6561556	Fifth Wheel: Aluminum Fixed, Holland FWALZ700XL00 7.3 in height, plate mount.	\$3,680	286#
6561558	Fifth Wheel: Aluminum Fixed, Holland FWALZ800XL00 8.3 in. height, plate mount.	\$3,681	293#
6561560	Fifth Wheel: Aluminum Fixed, Holland FWALZ900XL00 9.3 in. height, plate mount.	\$3,681	289#
Jost Fixed Fifth Wheels			
6591006	Fifth Wheel: Fixed, Jost JSK37UWB-PM7X 7.16 in. height. Low lube, outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,600	432#
6591007	Fifth Wheel: Fixed, Jost JSK37UWB-PM9X 9.16 in. height. Low lube, outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,596	440#
6591008	Fifth Wheel: Fixed, Jost JSK37UWB-PM8X 8.16 in. height. Low lube, outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,662	434#
6591036	Fifth Wheel: No-Tilt Fixed, Jost JSK37USLN-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,545	385#
6591043	Fifth Wheel: Fixed, Jost JSK37USB-PM7X 7.16 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,401	427#
6591045	Fifth Wheel: Fixed, Jost JSK37USB-PM8X 8.16 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,400	438#
6591046	Fifth Wheel: Fixed, Jost JSK37USB-PM9X 9.16 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,399	438#
6591059	Fifth Wheel: Fixed, Jost JSK37USB-DB6X 5.85 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,208	359#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Jost Fixed Fifth Wheels			
6591060	Fifth Wheel: Fixed, Jost JSK37USB-DB7X 6.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,206	361#
6591061	Fifth Wheel: Fixed, Jost JSK37USB-DB8X 7.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,247	365#
6591062	Fifth Wheel: Fixed, Jost JSK37USB-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,240	372#
6591135	Fifth Wheel: No-Tilt Fixed, Jost JSK37UWLN-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, w/ low lube, no-tilt. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,755	385#
6591175	Fifth Wheel: Fixed, Jost JSK37USA-DB7X 6.85 in. height. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,744	365#
6591176	Fifth Wheel: Fixed, Jost JSK37USA-DB8X 7.85 in. height. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,638	368#
6591610	Fifth Wheel: Fixed, Jost JSK36NSL-DB6X 5.85 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,155	329#
6591611	Fifth Wheel: Fixed, Jost JSK36NSL-DB7X 6.85 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,153	331#
6591612	Fifth Wheel: Fixed, Jost JSK36NSL-DB8X 7.85 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,152	335#
6591613	Fifth Wheel: Fixed, Jost JSK36NSL-DB9X 8.85 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,150	342#
Holland Air-Sliding Fifth Wheels			
6543021	Fifth Wheel: ILS<=40K air Hol FW35J712XL00 12 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$1,956	466#
6543040	Fifth Wheel: ILS<=40K air Hol FW35J712XL80 12 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,479	471#
6543046	Fifth Wheel: ILS<=40K air Hol FW17J912XL00 12 in. slide, 8.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$1,714	449#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543047	Fifth Wheel: ILS<=40K air Hol FW17J812XL00 12 in. slide, 7.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$1,714	445#
6543052	Fifth Wheel: ILS<=40K air Hol FW35J836XL00 36 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,269	566#
6543054	Fifth Wheel: ILS<=40K air Hol FW35J924XL00 24 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,089	522#
6543083	Fifth Wheel: ILS<=40K air Hol FW35J824XL80 24 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,668	523#
6543086	Fifth Wheel: ILS<=40K air Hol FW31J812XL00 12 in. slide, 8.1 in. height. No lube. Outboard mounting angles, 55K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,281	496#
6543207	Fifth Wheel: ILS<=40K air Hol FW35J718XL80 18 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,705	538#
6543210	Fifth Wheel: ILS<=40K air Hol FW35J724XL00 24 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,088	521#
6543213	Fifth Wheel: ILS<=40K air Hol FW35J724XL80 24 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,684	518#
6543214	Fifth Wheel: ILS<=40K air Hol FW35J736XL00 36 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,222	561#
6543217	Fifth Wheel: ILS<=40K air Hol FW35J736XL80 36 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,784	546#
6543218	Fifth Wheel: ILS<=40K air Hol FW35J748XL00 48 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,671	609#
6543221	Fifth Wheel: ILS<=40K air Hol FW35J748XL80 48 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,419	614#
6543222	Fifth Wheel: ILS<=40K air Hol FW35J812XL00 12 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$1,961	471#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543225	Fifth Wheel: ILS<=40K air Hol FW35J812XL80 12 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,529	476#
6543226	Fifth Wheel: ILS<=40K air Hol FW35J824XL00 24 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,089	518#
6543227	Fifth Wheel: ILS<=40K air Hol FW35J824XL02 24 in. slide, 7.8 in. height. Manual secondary lock. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,188	518#
6543235	Fifth Wheel: ILS<=40K air Hol FW35J836XL80 36 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,851	571#
6543236	Fifth Wheel: ILS<=40K air Hol FW35J848XL00 48 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,807	614#
6543239	Fifth Wheel: ILS<=40K air Hol FW35J848XL80 48 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,352	619#
6543240	Fifth Wheel: ILS<=40K air Hol FW35J912XL00 12 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,026	475#
6543243	Fifth Wheel: ILS<=40K air Hol FW35J912XL80 12 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,636	480#
6543246	Fifth Wheel: ILS<=40K air Hol FW35J924XL24 24 in. slide, 8.8 in. height. Includes drills and taps for auto lube. Outboard, 55K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,311	522#
6543247	Fifth Wheel: ILS<=40K air Hol FW35J924XL80 24 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,664	527#
6543248	Fifth Wheel: ILS<=40K air Hol FW35J936XL00 36 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,356	570#
6543251	Fifth Wheel: ILS<=40K air Hol FW35J936XL80 36 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,001	575#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543252	Fifth Wheel: ILS<=40K air Hol FW35J948XL00 48 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,788	618#
6543255	Fifth Wheel: ILS<=40K air Hol FW35J948XL80 48 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,342	623#
6543260	Fifth Wheel: ILS<=40K air Hol FW35J024XL00 24 in. slide, 10 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions.	\$2,335	539#
6543262	Fifth Wheel: ILS<=40K air Hol FW35J024XL02 24 in. slide, 9.8 in. height. Manual secondary lock. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions.	\$2,239	547#
6543263	Fifth Wheel: ILS<=40K air Hol FW35J036XL00 36 in. slide, 9.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,416	596#
6543267	Fifth Wheel: ILS<=40K air Hol FW35J048XL00 48 in. slide, 9.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,924	643#
6543300	Fifth Wheel: ILS<=40K air Hol FW31J712XL00 12 in. slide, 7.1 in. height. No lube w/ outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,450	491#
6543302	Fifth Wheel: ILS<=40K air Hol FW31J712XL80 12 in. slide, 7.1 in. height. Air operated king pin release. No lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,957	496#
6543303	Fifth Wheel: ILS<=40K air Hol FW31J724XL00 24 in. slide, 7.1 in. height. No lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,337	538#
6543305	Fifth Wheel: ILS<=40K air Hol FW31J724XL80 24 in. slide, 7.1 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,010	543#
6543306	Fifth Wheel: ILS<=40K air Hol FW31J736XL00 36 in. slide, 7.1 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,587	586#
6543308	Fifth Wheel: ILS<=40K air Hol FW31J736XL80 36 in. slide, 7.1 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,283	591#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543309	Fifth Wheel: ILS<=40K air Hol FW31J748XL00 48 in. slide, 7.1 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,032	634#
6543311	Fifth Wheel: ILS<=40K air Hol FW31J748XL80 48 in. slider, 7.1 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,735	639#
6543314	Fifth Wheel: ILS<=40K air Hol FW31J812XL80 12 in. slide, 8.1 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,765	501#
6543315	Fifth Wheel: ILS<=40K air Hol FW31J824XL00 24 in. slider, 8.1 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,337	543#
6543317	Fifth Wheel: ILS<=40K air Hol FW31J824XL80 24 in. slide, 8.1 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,095	548#
6543318	Fifth Wheel: ILS<=40K air Hol FW31J836XL00 36 in. slide, 8.1 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,615	591#
6543319	Fifth Wheel: ILS<=40K air Hol FW31J836XL02 36 in. slide, 8.1 in. height. Manual secondary lock. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,683	591#
6543320	Fifth Wheel: ILS<=40K air Hol FW31J836XL80 36 in. slide, 8.1 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,233	596#
6543321	Fifth Wheel: ILS<=40K air Hol FW31J848XL00 48 in. slide, 8.1 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,087	639#
6543323	Fifth Wheel: ILS<=40K air Hol FW31J848XL80 48 in. slide, 8.1 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,649	644#
6543324	Fifth Wheel: ILS<=40K air Hol FW31J912XL00 12 in. slide, 9.1 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,302	500#
6543326	Fifth Wheel: ILS<=40K air Hol FW31J912XL80 12 in. slide, 9.1 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,918	505#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543327	Fifth Wheel: ILS<=40K air Hol FW31J924XL00 24 in. slide, 9.1 in. height. No lube, outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,514	547#
6543329	Fifth Wheel: ILS<=40K air Hol FW31J924XL80 24 in. slide, 9.1 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,095	552#
6543330	Fifth Wheel: ILS<=40K air Hol FW31J936XL00 36 in. slide, 9.1 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,812	595#
6543332	Fifth Wheel: ILS<=40K air Hol FW31J936XL80 36 in. slide, 9.1 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,339	601#
6543333	Fifth Wheel: ILS<=40K air Hol FW31J948XL00 48 in. slide, 9.1 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,204	643#
6543335	Fifth Wheel: ILS<=40K air Hol FW31J948XL80 48 in. slide, 9.1 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,735	648#
6543338	Fifth Wheel: ILS<=40K air Hol FW31J024XL00 24 in. slide, 10.1 in. height. No lube, outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,534	548#
6543400	Fifth Wheel: ILS<=40K air Hol FW17J712XL00 12 in. slide, 6.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$1,730	441#
6543402	Fifth Wheel: ILS<=40K air Hol FW17J712XL80 12 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,347	446#
6543403	Fifth Wheel: ILS<=40K air Hol FW17J724XL00 24 in. slide, 6.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,025	488#
6543405	Fifth Wheel: ILS<=40K air Hol FW17J724XL80 24 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,473	493#
6543414	Fifth Wheel: ILS<=40K air Hol FW17J812XL80 12 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,540	450#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543415	Fifth Wheel: ILS<=40K air Hol FW17J824XL00 24 in. slider, 7.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Limited to use with 40K & under suspensions. Not available with lift axles.	\$1,864	493#
6543417	Fifth Wheel: ILS<=40K air Hol FW17J824XL80 24 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,474	498#
6543426	Fifth Wheel: ILS<=40K air Hol FW17J912XL80 12 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,372	454#
6543427	Fifth Wheel: ILS<=40K air Hol FW17J924XL00 24 in. slider, 8.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$1,865	497#
6543429	Fifth Wheel: ILS<=40K air Hol FW17J924XL80 24 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,465	502#
6543610	Fifth Wheel: ILS No-Tilt Air, Hol FW35N918YL00 18 in. slide, 9.00 in. height. No-tilt convertible w/ outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,801	572#
6543612	Fifth Wheel: ILS No-Tilt Air, Hol FW35N930YL00 30 in. slide, 9.00 in. height. No-tilt convertible w/ outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,972	605#
6543614	Fifth Wheel: ILS No-Tilt Air, Hol FW35N942YL00 42 in. slide, 9.00 in. height. No-tilt convertible w/ outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,164	697#
6543630	Fifth Wheel: Air, Holland FW35K324ZL00 24.0 in. slide, 13.2 in. height. Kompensator mechanism, inboard mounted, 55K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$6,044	992#
6543633	Fifth Wheel: Air, Holland FW35K336ZL19 36.0 in. slide, 13.2 in. height. Kompensator with lockout feature, inboard mounted, 55K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$5,594	1,055#
6543640	Fifth Wheel: Air, Holland FW35N960ZL00 60.0 in. slide, 9.4 in. height. No-tilt convertible with inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,463	936#
6543780	Fifth Wheel: Air, Holland FW35R760XL00 60.0 in. slide, 7.6 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$5,565	981#
6543781	Fifth Wheel: Air, Holland FW35R860XL00 60.0 in. slide, 8.1 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,770	986#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543782	Fifth Wheel: Air, Holland FW35R960XL00 60.0 in. slide, 9.1 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,040	991#
6543783	Fifth Wheel: Air, Holland FW35R972XL00 72.0 in. slide, 9.1 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$5,635	1,056#
6543784	Fifth Wheel: Air, Holland FW35R924XL00 24.0 in. slide, 9.1 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,461	799#
6543785	Fifth Wheel: Air, Holland FW35S760XL00 60.0 in. slide, 7.9 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,261	883#
6543786	Fifth Wheel: Air, Holland FW35S772XL00 72.0 in. slide, 7.9 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,552	936#
6543787	Fifth Wheel: Air, Holland FW35S848XL00 48.0 in. slide, 8.4 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,339	875#
6543788	Fifth Wheel: Air, Holland FW35S860XL00 60.0 in. slide, 8.4 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,558	888#
6543789	Fifth Wheel: Air, Holland FW35S860XL80 60.0 in. slide, 8.4 in. height. Air-operated king pin release. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,814	895#
6543790	Fifth Wheel: Air, Holland FW35S872XL00 72.0 in. slide, 8.4 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,898	941#
6543791	Fifth Wheel: Air, Holland FW35S872XL80 72.0 in. slide, 8.4 in. height. Air-operated king pin release. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,142	946#
6543792	Fifth Wheel: Air, Holland FW35S924XL00 24.0 in. slide, 9.4 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,802	768#
6543793	Fifth Wheel: Air, Holland FW35S960XL00 60.0 in. slide, 9.4 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,561	942#
6543794	Fifth Wheel: Air, Holland FW35S936XL00 36.0 in. slide, 9.4 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,035	826#
6543795	Fifth Wheel: Air, Holland FW35S836XL00 36.0 in. slide, 8.4 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,013	789#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543796	Fifth Wheel: Air, Holland FW35R936XL00 36.0 in. slide, 9.1 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,815	800#
6543797	Fifth Wheel: Air, Holland FW35R872XL00 72.0 in. slide, 8.1 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,218	1,053#
6543798	Fifth Wheel: Air, Holland FW35S972XL00 72.0 in. slide, 9.4 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,951	965#
6543805	Fifth Wheel: Air, Holland FW35S048XL00 48.0 in. slide, 10.4 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,242	908#
6543807	Fifth Wheel: Air, Holland FW35S160XL00 60.0 in. slide, 11.4 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,958	985#
6543894	Fifth Wheel: ILS Air, Hol FW31L918XL00 18.0 in. slide, 9.11 in. height. No lube, inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,099	538#
6543901	Fifth Wheel: ILS>40K air Hol FW31M712XL00 12 in. slide, 7 in. height. No lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,499	528#
6543902	Fifth Wheel: ILS>40K air Hol FW31M712XL80 12 in. slide, 7 in. height. Air operated king pin release. No lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,109	533#
6543904	Fifth Wheel: ILS>40K air Hol FW31M724XL00 24 in. slide, 7 in. height. No lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,523	576#
6543905	Fifth Wheel: ILS>40K air Hol FW31M724XL80 24 in. slide, 7 in. height. Air operated king pin release. No lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,133	581#
6543906	Fifth Wheel: ILS>40K air Hol FW31M736XL00 36 in. slide, 7 in. height. No lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,668	624#
6543907	Fifth Wheel: ILS>40K air Hol FW31M736XL80 36 in. slide, 7 in. height. Air operated king pin release. No lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,282	629#
6543908	Fifth Wheel: ILS>40K air Hol FW31M748XL00 48 in. slide, 7 in. height. No lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,016	672#
6543909	Fifth Wheel: ILS>40K air Hol FW31M748XL80 48 in. slide, 7 in. height. Air operated king pin release. No lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,630	677#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543910	Fifth Wheel: ILS>40K air Hol FW31M812XL00 12 in. slide, 8 in. height. No lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,499	533#
6543911	Fifth Wheel: ILS>40K air Hol FW31M812XL80 12 in. slide, 8 in. height. Air operated king pin release. No lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,109	538#
6543913	Fifth Wheel: ILS>40K air Hol FW31M824XL00 24 in. slide, 8 in. height. No lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,523	581#
6543914	Fifth Wheel: ILS>40K air Hol FW31M824XL80 24 in. slide, 8 in. height. Air operated king pin release. No lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,133	586#
6543915	Fifth Wheel: ILS>40K air Hol FW31M836XL00 36 in. slide, 8 in. height. No lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,668	629#
6543916	Fifth Wheel: ILS>40K air Hol FW31M836XL02 36 in. slide, 8 in. height. No lube. Manual secondary lock. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,732	629#
6543917	Fifth Wheel: ILS>40K air Hol FW31M836XL80 36 in. slide, 8 in. height. Air operated king pin release. No lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,283	634#
6543918	Fifth Wheel: ILS>40K air Hol FW31M848XL00 48 in. slide, 8 in. height. No lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,016	676#
6543919	Fifth Wheel: ILS>40K air Hol FW31M848XL80 48 in. slide, 8 in. height. Air operated king pin release. No lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,631	681#
6543920	Fifth Wheel: ILS>40K air Hol FW31M912XL00 12 in. slide, 9 in. height. No lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,500	537#
6543921	Fifth Wheel: ILS>40K air Hol FW31M912XL80 12 in. slide, 9 in. height. Air operated king pin release. No lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,110	542#
6543922	Fifth Wheel: ILS>40K air Hol FW31M924XL00 24 in. slide, 9 in. height. No lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,523	585#
6543923	Fifth Wheel: ILS>40K air Hol FW31M924XL80 24 in. slide, 9 in. height. Air operated king pin release. No lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,133	590#
6543924	Fifth Wheel: ILS>40K air Hol FW31M936XL00 36 in. slide, 9 in. height. No lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,668	633#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543925	Fifth Wheel: ILS>40K air Hol FW31M936XL80 36 in. slide, 9 in. height. Air operated king pin release. No lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,283	638#
6543926	Fifth Wheel: ILS>40K air Hol FW31M948XL00 48 in. slide, 9 in. height. No lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,016	680#
6543927	Fifth Wheel: ILS>40K air Hol FW31M948XL80 48 in. slide, 9 in. height. Air operated king pin release. No lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,631	685#
6543930	Fifth Wheel: ILS>40K air Hol FW31M024XL00 24 in. slide, 10 in. height. No lube, outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,428	592#
6543935	Fifth Wheel: ILS>40K air Hol FW35M712XL00 12 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,154	503#
6543936	Fifth Wheel: ILS>40K air Hol FW35M712XL80 12 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,764	517#
6543937	Fifth Wheel: ILS>40K air Hol FW35M718XL80 18 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,557	564#
6543938	Fifth Wheel: ILS>40K air Hol FW35M724XL00 24 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,178	561#
6543939	Fifth Wheel: ILS>40K air Hol FW35M724XL80 24 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,787	556#
6543940	Fifth Wheel: ILS>40K air Hol FW35M724XR00 24 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, RH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,178	562#
6543941	Fifth Wheel: ILS>40K air Hol FW35M736XL00 36 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,323	608#
6543942	Fifth Wheel: ILS>40K air Hol FW35M736XL80 36 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,937	613#
6543943	Fifth Wheel: ILS>40K air Hol FW35M748XL00 48 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,671	657#
6543944	Fifth Wheel: ILS>40K air Hol FW35M748XL80 48 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,285	662#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543945	Fifth Wheel: ILS>40K air Hol FW35M812XL00 12 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,154	517#
6543946	Fifth Wheel: ILS>40K air Hol FW35M812XL80 12 in. slide, 8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,764	522#
6543949	Fifth Wheel: ILS>40K air Hol FW35M824XL00 24 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,178	566#
6543950	Fifth Wheel: ILS>40K air Hol FW35M824XL02 24 in. slide, 8 in. height. Manual secondary lock. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,242	566#
6543951	Fifth Wheel: ILS>40K air Hol FW35M824XL80 24 in. slide, 8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,788	571#
6543952	Fifth Wheel: ILS>40K air Hol FW35M824XR24 24 in. slide, 8 in. height. Drilled and tapped for auto lube. Outboard mounting angles, 55K vertical rating, RH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,253	567#
6543953	Fifth Wheel: ILS>40K air Hol FW35M836XL00 36 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,323	613#
6543954	Fifth Wheel: ILS>40K air Hol FW35M836XL80 36 in. slide, 8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,937	618#
6543955	Fifth Wheel: ILS>40K air Hol FW35M848XL00 48 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,671	662#
6543956	Fifth Wheel: ILS>40K air Hol FW35M848XL80 48 in. slide, 8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,285	667#
6543957	Fifth Wheel: ILS>40K air Hol FW35M912XL00 12 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,154	521#
6543958	Fifth Wheel: ILS>40K air Hol FW35M912XL80 12 in. slide, 9 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,764	526#
6543961	Fifth Wheel: ILS>40K air Hol FW35M924XL00 24 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,178	570#
6543962	Fifth Wheel: ILS>40K air Hol FW35M924XL02 24 in. slide, 9 in. height. Manual secondary lock. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,242	570#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543963	Fifth Wheel: ILS>40K air Hol FW35M924XL24 24 in. slide, 9 in. height. Drilled and tapped for auto lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,253	570#
6543964	Fifth Wheel: ILS>40K air Hol FW35M924XL80 24 in. slide, 9 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,788	575#
6543965	Fifth Wheel: ILS>40K air Hol FW35M924XR24 24 in. slide, 9 in. height. Drilled and tapped for auto lube. Outboard mounting angles, 55K vertical rating, RH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,253	571#
6543966	Fifth Wheel: ILS>40K air Hol FW35M936XL00 36 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,323	617#
6543967	Fifth Wheel: ILS>40K air Hol FW35M936XL80 36 in. slide, 9 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,938	622#
6543968	Fifth Wheel: ILS>40K air Hol FW35M948XL00 48 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,671	666#
6543969	Fifth Wheel: ILS>40K air Hol FW35M948XL80 48 in. slide, 9 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,286	671#
6543975	Fifth Wheel: ILS>40K air Hol FW35M024XL00 24 in. slide, 10 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,219	592#
6543977	Fifth Wheel: ILS>40K air Hol FW35M036XL00 36 in. slide, 10 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,167	639#
6543979	Fifth Wheel: ILS>40K air Hol FW35M048XL00 48 in. slide, 10 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,477	688#
6543981	Fifth Wheel: ILS>40K air Hol FW35M024XL02 24 in. slide, 10 in. height. Manual secondary lock. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,216	592#
6544021	Fifth Wheel: ILS Air, Hol FW35L718XL00 18.0 in. slide, 7.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,519	554#
6544024	Fifth Wheel: ILS Air, Hol FW35L836XL00 36.0 in. slide, 8.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,597	587#
6544025	Fifth Wheel: ILS Air, Hol FW35L848XL00 48.0 in. slide, 8.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,901	629#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6544026	Fifth Wheel: ILS Air, Hol FW35L918XL00 18.0 in. slide, 9.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,519	564#
6544027	Fifth Wheel: ILS Air, Hol FW35L924XL00 24.0 in. slide, 9.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,518	550#
6544030	Fifth Wheel: ILS Air, Hol FW35L018XL00 18.0 in. slide, 10.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,543	577#
6553425	Fifth Wheel: Air, Holland FW70N948YL00 48.0 in. slide, 9.3 in. height. Outboard mounting angles, no tilt, manual secondary lock, 70K vertical rating, LH release.	\$4,854	1,134#
6553757	Fifth Wheel: Air, Holland FW70S924XL03 24.0 in. slide, 9.3 in. height, 3.5 in. kingpin. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type A lock. Weight savings with manual secondary lock. Air slide control valve standard in dash.	\$4,519	842#
6553760	Fifth Wheel: Air, Holland FW70S924XL00 24.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$4,478	847#
6553761	Fifth Wheel: Air, Holland FW70S948XL00 48.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$4,923	981#
6553762	Fifth Wheel: Air, Holland FW70S948XL03 48.0 in. slide, 9.3 in. height, 3.5 in. kingpin. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type A lock. Weight savings with manual secondary lock. Air slide control valve standard in dash.	\$4,699	976#
6553763	Fifth Wheel: Air, Holland FW70S824XL24 24 in. slide, 8.3 in. height. Includes drills and taps for auto lube. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Air slide control valve standard in dash.	\$4,756	844#
6553764	Fifth Wheel: Air, Holland FW70S960XL00 60.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$5,113	1,048#
6553765	Fifth Wheel: Air, Holland FW70S848XL00 48.0 in. slide, 8.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$5,019	976#
6553766	Fifth Wheel: Air, Holland FW70S972XL00 72.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$5,700	1,115#
6553767	Fifth Wheel: Air, Holland FW70S848XL03 48.0 in. slide, 8.3 in. height, 3.5 in. kingpin. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$4,266	971#
6553768	Fifth Wheel: Air, Holland FW70S824XL00 24.0 in. slide, 8.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$4,477	842#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6553769	Fifth Wheel: Air, Holland FW70S160XL00 60 in. slide, 11.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$6,856	1,123#
6553770	Fifth Wheel: Air, Holland FW70N924ZL00 24.0 in. slide, 9.3 in. height. Inboard mounting angles, no tilt, manual secondary lock, 70K vertical rating, LH release.	\$4,503	1,001#
6553771	Fifth Wheel: Air, Holland FW70N948ZL00 48.0 in. slide, 9.3 in. height. Inboard mounting angles, no tilt, manual secondary lock, 70K vertical rating, LH release.	\$4,892	953#
6553773	Fifth Wheel: Air, Holland FW70S872XL00 72.0 in. slide, 8.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$5,791	1,110#
6553774	Fifth Wheel: Air, Holland FW70S860XL00 60.0 in. slide, 8.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$4,883	1,066#
6553776	Fifth Wheel: Air, Holland FW70N960ZL00 60.0 in. slide, 9.3 in. height. Inboard mounting angles, no tilt, manual secondary lock, 70K vertical rating, LH release.	\$6,168	1,121#
6553777	Fifth Wheel: Air, Holland FW70S936XL00 36.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$4,578	982#
6553778	Fifth Wheel: Air, Holland FW70S048XL00 48.0 in. slide, 10.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$4,493	1,052#
6553780	Fifth Wheel: Air, Holland FW70R124XL00 24.0 in. slide, 11.0 in. height. Outboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$4,523	969#
6553782	Fifth Wheel: Air, Holland FW70R148XL00 48.0 in. slide, 11.0 in. height. Outboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$4,904	1,099#
6553783	Fifth Wheel: Air, Holland FW70R160XL03 60.0 in. slide, 11 in. height, 3.5 in. kingpin. Outboard mounting angles, 70K vertical rating, LH release. Extra capacity type A lock. Air slide control valve standard in dash.	\$5,497	1,181#
6553784	Fifth Wheel: Air, Holland FW70S836XL00 36.0 in. slide, 8.4 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$4,577	977#
6553786	Fifth Wheel: Air, Holland FW70R872XL00 72.0 in. slide, 8.3 in. height. Outboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Includes manual secondary lock. Air slide control valve standard in dash.	\$5,787	1,110#
6553787	Fifth Wheel: Air, Holland FW70R960XL00 60.0 in. slide, 9.1 in. height. Outboard mounting angles, 70K vertical rating, LH release, with standard manual secondary lock. Extra capacity type A lock. Air slide control valve standard in dash.	\$5,443	1,112#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6553788	Fifth Wheel: Air, Holland FW70R860XL00 60.0 in. slide, 8.0 in. height. Outboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$5,443	1,100#
6553789	Fifth Wheel: Air, Holland FW70R924XL00 24.0 in. slide, 9.1 in. height. Outboard mounting angles, 70K vertical rating, LH release, with standard manual secondary lock. Extra capacity type A lock. Air slide control valve standard in dash.	\$5,007	911#
6560002	Fifth Wheel: Air, ILS Holland, FWALJ712XL00 12in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$4,235	397#
6560003	Fifth Wheel: Air, ILS Holland, FWALJ724XL00 24in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$4,305	444#
6560004	Fifth Wheel: Air, ILS Holland, FWALJ736XL00 36in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$4,680	492#
6560005	Fifth Wheel: Air, ILS Holland, FWALJ748XL00 48in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$5,148	540#
6560006	Fifth Wheel: Air, ILS Holland, FWALJ812XL00 12in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$4,287	402#
6560007	Fifth Wheel: Air, ILS Holland, FWALJ824XL00 24in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$4,722	449#
6560008	Fifth Wheel: Air, ILS Holland, FWALJ836XL00 36in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$4,715	497#
6560009	Fifth Wheel: Air, ILS Holland, FWALJ848XL00 48in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$5,354	545#
6560055	Fifth Wheel: Air, ILS Holland, FWALJ912XL00 12in. slide, 9.0in. height. Aluminum, outboard mounted.	\$4,288	406#
6560056	Fifth Wheel: Air, ILS Holland, FWALJ924XL00 24in. slide, 9.0in. height. Aluminum, outboard mounted.	\$4,306	453#
6560057	Fifth Wheel: Air, ILS Holland, FWALJ936XL00 36in. slide, 9.0in. height. Aluminum, outboard mounted.	\$4,593	501#
6560058	Fifth Wheel: Air, ILS Holland, FWALJ948XL00 48 in. slide, 9.0 in. height. Aluminum, outboard mounted.	\$5,150	549#
Customer-Installed Fifth Wheels			
6600201	Fifth Wheel: Fixed, Dealer & Customer-Installed	\$0	500#
6600202	Fifth Wheel: Slide, Dealer & Customer-Installed 12 inches.	\$0	500#
6600203	Fifth Wheel: Slide, Dealer & Customer-Installed 13 inches to 24 inches.	\$0	500#
6600204	Fifth Wheel: Slide, Dealer & Customer-Installed 25 inches to 36 inches.	\$0	500#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Customer-Installed Fifth Wheels			
6600205	Fifth Wheel: Slide, Dealer & Customer-Installed over 36 inches.	\$0	500#
Jost Air-Sliding Fifth Wheels			
6593071	Fifth Wheel: Air, Jost JSK37USB-A8PX12 12.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,723	524#
6593073	Fifth Wheel: Air, Jost JSK37USB-A8PX24 24.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,874	559#
6593074	Fifth Wheel: Air, Jost JSK37USB-A8PX36 36.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,022	597#
6593075	Fifth Wheel: Air, Jost JSK37USB-A8PX48 48.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,434	634#
6593082	Fifth Wheel: Air, Jost JSK37USB-A9PX24 24.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,872	566#
6593088	Fifth Wheel: Air, Jost JSK37USB-A9PX16 16.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,883	542#
6593091	Fifth Wheel: Air, Jost JSK37USB-A7PX16 16.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,817	531#
6593703	Fifth Wheel: Air, Jost JSK36NSL-A8PX12 12.0 in. slide, 7.75 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,436	494#
6593704	Fifth Wheel: Air, Jost JSK36NSL-A9PX12 12.0 in. slide, 8.75 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,566	501#
6593706	Fifth Wheel: Air, Jost JSK36NSL-A8PX16 16.0 in. slide, 7.75 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,572	507#
6593707	Fifth Wheel: Air, Jost JSK36NSL-A9PX16 16.0 in. slide, 8.75 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,570	512#
6593709	Fifth Wheel: Air, Jost JSK36NSL-A8PX24 24.0 in. slide, 7.75 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,690	529#
6593710	Fifth Wheel: Air, Jost JSK36NSL-A9PX24 24.0 in. slide, 8.75 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,688	536#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Jost Air-Sliding Fifth Wheels			
6593712	Fifth Wheel: Air, Jost JSK36NSL-A8PX36 36.0 in. slide, 7.75 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,022	567#
6593713	Fifth Wheel: Air, Jost JSK36NSL-A9PX36 36.0 in. slide, 8.75 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,020	576#
6593715	Fifth Wheel: Air, Jost JSK36NSL-A8PX48 48.0 in. slide, 7.75 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,498	604#
6593716	Fifth Wheel: Air, Jost JSK36NSL-A9PX48 48.0 in. slide, 8.75 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,496	609#
Fixed Fifth Wheel Placement			
6607023	Fifth Wheel: Fixed angle drilled for 4 additional settings in 2 in. increments. Includes coded setting plus 2 settings ahead and 2 behind. Use with code 6670496-504 to determine the factory setting relative to the coded fixed setting.	\$770	0#
6607024	Fifth Wheel: Fixed angle drilled for 8 additional settings in 2 in. increments. Includes coded setting plus 4 settings ahead and 4 behind. Use with code 6670494-508 to determine the factory setting relative to the coded fixed setting.	\$770	0#
6670494	Fix fifth wheel placement at -6 in. from coded rear or fixed setting for use with 6607024 angle drill. Determines factory setting for fixed fifth wheels only.	\$0	0#
6670495	Fix fifth wheel placement at -8 in. from coded rear or fixed setting for use with 6607024 angle drill. Determines factory setting for fixed fifth wheels only.	\$0	0#
6670496	Fix fifth wheel placement at -4 in. from coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 4 inches behind the coded rear setting. That would allow for 4 optional settings ahead, each spaced 2 inches apart.	\$0	0#
6670498	Fix fifth wheel placement at -2 in. from coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 2 inches behind the coded rear setting. That would allow for 3 optional settings ahead and 1 optional setting behind, each spaced 2 inches apart.	\$0	0#
6670500	Fix fifth wheel placement at 0 in. from coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel at the coded rear setting. That would allow for 2 optional settings ahead and two optional settings behind, each spaced 2 inches apart.	\$0	0#
6670502	Fix fifth wheel placement at +2 in. from coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 2 inches ahead the coded rear setting. That would allow for 1 optional setting ahead and 3 optional settings behind, each spaced 2 inches apart.	\$0	0#
6670504	Fix fifth wheel placement at +4 in. from coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 4 inches ahead the coded rear setting. That would allow for 4 optional settings behind, each spaced 2 inches apart.	\$0	0#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Fixed Fifth Wheel Placement			
6670506	Fix Fifth Wheel Placement at +6 in. from coded rear or fixed setting for use w/ 6607024 angle drill. Use to determine factory setting for fixed fifth wheels only.	\$0	0#
6670508	Fix Fifth Wheel Placement at +8 in. from coded rear or fixed setting for adjustable plate mount only. For use w/ 6607024 angle drill. Determines factory setting for fixed fifth wheels only.	\$0	0#
Fifth Wheel Equipment			
6600033	Aluminum Fifth Wheel Angles Replacing Steel on fixed or outboard mounted sliding fifth wheels.	\$187	-30#
6600052	Steel Angle for Customer-Installed Fifth Wheel. For outboard mounted fixed or up to 36.7in. slide fifth wheel w/ o plate drill.	\$410	77#
6600053	Steel Angle for Customer-Installed Fifth Wheel. For outboard mounted fifth wheel. Narrate fifth wheel model & slide; w/ plate drill.	\$878	77#
6602010	Fifth Wheel Ramps. Requires standard or short tractor taper bent and weld.	\$591	22#
6603011	Mounting Plate: Aluminum for fixed fifth wheel replacing standard steel base plate. Adds 0.25 in. to height.	\$115	-35#
Rear Frame Equipment			
Quarter Fenders			
6734005	Quarter Fenders: Stainless Steel w/ Painted Steel brackets, single post mounted.	\$333	55#
6734008	Quarter Fenders: Stainless Steel Hogebuilt 30in. Nu Style w/ brackets, frame mounted.	\$1,020	63#
6734016	Quarter Fenders: Stainless Steel Hogebuilt 30in. Nu Style w/ brackets, 30in. single post mount.	\$857	48#
6737120	Quarter Fenders: Black Polypropylene w/ painted steel brackets, single post mounted, 21 in. white top flap with logo.	\$190	43#
6738107	Quarter Fenders: Brackets Painted Steel For customer-installed fenders.	\$39	11#
End-Of-Frame Configurations			
Non-Towing Configuration			
6741011	Square end-of-frame w/ crossmember; non-towing.	\$213	30#
6742009	Square end-of-frame w/o crossmember; non-towing.	STD	0#
6743109	Tractor Taper w/ heavy-duty crossmember. Non-towing end-of-frame configuration.	\$232	61#
6743111	Tractor Taper w/ crossmember. Non-towing end-of-frame configuration.	\$117	13#
6743116	Tractor Taper bent & welded w/ heavy-duty cross member. Non-towing end-of-frame configuration.	\$259	68#
6744001	Long Tractor Taper top flange bent & welded w/o crossmember. Taper is 4in. longer than standard. Non-towing end-of-frame configuration.	\$35	-2#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rear Frame Equipment			
End-Of-Frame Configurations			
Non-Towing Configuration			
6744002	Long Tractor Taper top flange bent & welded w/ crossmember. Taper is 4in. longer than standard. Non-towing end-of-frame configuration.	\$117	17#
6744121	Tractor Taper w/o crossmember. Non-towing end-of-frame configuration.	\$45	-6#
6744122	Short Tractor Taper w/o crossmember. Non-towing end-of-frame configuration.	\$35	-4#
6744123	Short Tractor Taper bent & welded w/o cross member. Non-towing end-of-frame configuration.	\$35	-2#
6745270	Top Flange of Rear Frame bent & welded w/ crossmember. Non-towing end-of-frame configuration.	\$104	17#
6746131	Top Flange of Rear Frame bent & welded w/o crossmember. Non-towing end-of-frame configuration.	\$35	-2#
6747000	Shortest end-of-frame cutoff with specified end-of-frame configuration. Selecting this code will override the overhang dimension found in the Vocational Analysis of Prospector.	\$0	0#
Towing Configuration			
6700005	Drop-type crossmember below frame pintle hook; square end-of-frame towing configuration. This crossmember limits hitch capacity to 68K.	\$1,006	155#
6741005	Straight crossmember for pintle hook mounting; square end-of-frame towing configuration. This crossmember limits hitch capacity to 78K.	\$796	135#
Hooks & Chain Loops			
6490044	2 Pro-Tech chain hangers 35-5950CP w/cable pins and removable lids.	\$473	30#
6490144	1 Pro-Tech chain hanger, 35-5950CP LH rail with removable lid & cable pin.	\$236	15#
6490145	1 Pro-Tech chain hanger, 35-5950CP RH rail with removable lid & cable pin.	\$236	15#
6710029	Premier 370 air-operated hook, rated 90,000 lb horizontal, 18,000 lb vertical.	\$1,437	45#
6710080	Two rams horn open rear tow hooks, not for trailer towing.	\$107	17#
6710157	Holland: PH-30RP41 pintle hook mounted on 15,000 lb rear suspension crossmember for use with Airglide suspensions. For yarding dollies, no trailers. 6,000lb vertical rating.	\$173	11#
6710158	Holland: PH-30RP41 pintle hook mounted on 15,000 lb rear suspension crossmember for use with Reyco, Hendrickson HAS or Neway suspensions. For yarding dollies, no trailers. 6,000lb vertical rating.	\$187	11#
6792810	Safety chain loops - Dual.	\$125	2#
Pintle Hook Height			
6712024	Maximum Unladen Rear Hook Height is 24 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rear Frame Equipment			
Pintle Hook Height			
6712025	Maximum Unladen Rear Hook Height is 25 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712026	Maximum Unladen Rear Hook Height is 26 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712027	Maximum Unladen Rear Hook Height is 27 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712028	Maximum Unladen Rear Hook Height is 28 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712029	Maximum Unladen Rear Hook Height is 29 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712030	Maximum Unladen Rear Hook Height is 30 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712031	Maximum Unladen Rear Hook Height is 31 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712032	Maximum Unladen Rear Hook Height is 32 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712033	Maximum Unladen Rear Hook Height is 33 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712034	Maximum Unladen Rear Hook Height is 34 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712035	Maximum Unladen Rear Hook Height is 35 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rear Frame Equipment			
Pintle Hook Height			
6712036	Maximum Unladen Rear Hook Height is 36 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712037	Maximum Unladen Rear Hook Height is 37 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712038	Maximum Unladen Rear Hook Height is 38 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712039	Maximum Unladen Rear Hook Height is 39 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712040	Maximum Unladen Rear Hook Height is 40 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
Rear Mudflap Equipment			
Arms			
6721100	Rear mudflap arms: Betts B-23 spring loop type, straight.	\$17	5#
6721102	Rear mudflap arms: Betts B-25 standard-duty, straight. Includes B1732 mounting brackets as standard.	STD	0#
6721108	Rear mudflap arms: Betts B33, spring loop type, angled.	\$35	19#
6721110	Rear mudflap arms: Betts B35, shortened w/45 degree angle.	\$17	0#
6721118	Rear mudflap arms: Betts B84, heavy-duty w/45 degree angle. Kit includes B700 mounting brackets.	\$45	10#
6721125	Delete Mudflap Arms: dealer/customer responsible for installation of arms.	(\$42)	-12#
6721127	Rear mudflap arms: Betts A603025WTBR/L. Conspicuity reflector included. Spring loaded bent 45 degree angle. No mounting brackets required. Powder coat black.	\$43	-1#
6721142	Rear mudflap arms: Fleetline FF30P, steel spring loaded & painted.	\$39	13#
6721144	Rear mudflap arms: Fleetline FF30SS, tapered spring loaded & stainless steel.	\$234	13#
6721162	Rear mudflap arms: Fleet Engineers, FB27 shortie 033-00864. 45 degree angle, painted black RoadKote.	\$59	6#
6721163	Rear mudflap arms: Fleet Engineers, FB27 shortie 033-04734. Conspicuity on extended flange. 45 degree angle, painted black RoadKote.	\$63	10#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Rear Frame Equipment

Rear Mudflap Equipment

Arms

6721164	Rear mudflap arms: Fleet Engineers, FB27 shortie 033-00865. 45 degree angle, polished stainless steel.	\$143	6#
---------	--	-------	----

Shields

6722000	Rear mudflap shields: White plastic antisail w/ Kenworth logo.	STD	0#
6722020	Rear mudflap shields: White Symplastic Spray- guard w/o Kenworth logo.	\$38	4#
6722065	Rear mudflap shields: Fleetline black rib poly. Antispray w/o logo 24 in.X27 in.	\$28	-7#
6722094	Rear mudflap shields: Black rubber anti-sail w/o logo. 28 in. x 30 in., 25 in. thickness.	\$60	9#
6723000	Delete Mudflap Shields-Dealer/Customer responsible for installation of shields.	\$0	-8#
6723287	Rear mudflap shields: Fleet Engineers AeroFlap. Black, polypropylene material. Without Kenworth logo. Not for use with Kenworth Aero Package.	\$50	0#

Mudflap Equipment

6721030	Extra set of Betts B-1732 storage brackets. mounted forward of drive axle(s).	\$31	3#
6722104	Mounting brackets: Betts B-850 rear mudflap, replacing Betts B700.	\$6	0#
6722150	Mounting adapter: Fleet Engineers, black primer.	\$84	5#
6722200	Rear mudflaps: Moved back from standard location; 70 in. from bogie C/L, 95 in. from tridem.	\$0	0#

Rear Frame Miscellaneous

6791025	Flat plate steel shield: Protect Anchor tee valve mounted below rear pintle hook crossmember.	\$22	5#
---------	---	------	----

Delivery Restriction Notifications

6679806	Do not drive: Bumper is deleted. Unit may be decked. Transporter review delivery options. Requires code 6309910 or 6309912.	\$0	0#
6679810	Do Not Drive: Tires Are Not DOT Approved. Dealer to arrange delivery.	\$0	0#
6679812	Speed limited tires: Less than 65MPH. Dealer to review delivery options w/transporter.	\$0	0#
6679818	Do Not Drive: Input Torque To Split Shaft PTO exceeds manufacturers limit. Dealer to review delivery options w/transporter.	\$0	0#
6679822	Dealer to review delivery restrictions w/ transporter. Units w/hub reduction axles cannot be decked, but may be driven.	\$0	0#
6679823	Dealer to review delivery restrictions w/ transporter. Units equipped with transfer case.	\$0	0#
6679824	Width across front tires exceeds 102 inches. Dealer to review delivery constraints w/transporter.	\$0	0#



T440/T470: FRAME & EQUIPMENT

Option	Description	Price	Weight
Delivery Restriction Notifications			
6679828	Chassis too long for delivery in standard 3 way due to long cutoff. Dealer to review delivery options w/ transporter.	\$0	0#
6679830	Chassis cannot be decked in standard 3 way, due to long cutoff & drop type crossmember.	\$0	0#
6679834	Width across rear tires exceeds 102 in. due to combination of wide track rear axles & dual tires. Dealer to review delivery constraints w/transporter.	\$0	0#
6679836	Dealer Review Delivery Restrictions w/ transporter. Chassis lacking required safety equipment such as fenders, lighting, or bumpers & cannot be driven but may be decked.	\$0	0#
6679911	Component Restriction: Do Not Drive- Unit may be decked.	\$0	0#
6679912	Component Restriction: Do Not Drive - Lowboy Delivery only.	\$0	0#
6679913	Potential Vehicle Over Width and/or Over Length Condition. Transporter to review.	\$0	0#
6679954	Dealer Acknowledges Truck Width is >102 in.	\$0	0#



T440/T470: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Round			
Aluminum Diesel			
22"			
Under - Replace			
7010056	Fuel Tank: 56 US gallon 22in. aluminum under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$146	0#
7010075	Fuel Tank: 75 US gallon 22in. aluminum under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$193	8#
7010100	Fuel Tank: 100 US gallon 22in. aluminum under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$243	18#
7010120	Fuel Tank: 120 US gallon 22in. aluminum under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$457	41#
Under - Add			
7012056	Fuel Tank: 56 US gallon 22in. aluminum under add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,598	99#
7012075	Fuel Tank: 75 US gallon 22in. aluminum under add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,644	104#
7012100	Fuel Tank: 100 US gallon 22in. aluminum under add Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,694	119#
7012120	Fuel Tank: 120 US gallon 22in. aluminum under add Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,857	139#
Behind - Replace			
7014056	Fuel Tank: 56 US gallon 22in. aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	STD	0#
7014075	Fuel Tank: 75 US gallon 22in. aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	(\$15)	7#
7014100	Fuel Tank: 100 US gallon 22in. aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$15	18#
7014120	Fuel Tank: 120 US gallon 22in. aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$141	25#
Behind - Add			
7016056	Fuel Tank: 56 US gallon 22in. aluminum BOC add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,642	72#



T440/T470: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Round			
Aluminum Diesel			
22"			
Behind - Add			
7016075	Fuel Tank: 75 US gallon 22in. aluminum BOC add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,693	104#
7016100	Fuel Tank: 100 US gallon 22in. aluminum BOC add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,693	119#
7016120	Fuel Tank: 120 US gallon 22in. aluminum BOC add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,799	138#
24.5"			
Under - Replace			
7210060	Fuel Tank: 60 US gallon 24.5in. aluminum under replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$212	-39#
7210075	Fuel Tank: 75 US gallon 24.5in. aluminum under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.	\$234	-33#
7210090	Fuel Tank: 90 US gallon 24.5in. aluminum under replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$254	-28#
7210100	Fuel Tank: 100 US gallon 24.5in. aluminum under replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$262	-23#
7210110	Fuel Tank: 110 US gallon 24.5in. aluminum under replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$276	-21#
7210120	Fuel Tank: 120 US gallon 24.5in. aluminum under replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$291	-17#
7210135	Fuel Tank: 135 US gallon 24.5in. aluminum under replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$445	33#
7210150	Fuel Tank: 150 US gallon 24.5in. aluminum under replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$473	40#
Under - Add			
7212060	Fuel Tank: 60 US gallon 24.5in. aluminum under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,558	98#



T440/T470: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Round			
Aluminum Diesel			
24.5"			
Under - Add			
7212075	Fuel Tank: 75 US gallon 24.5in. aluminum under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,580	104#
7212090	Fuel Tank: 90 US gallon 24.5in. aluminum under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,599	109#
7212100	Fuel Tank: 100 US gallon 24.5in. aluminum under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,608	114#
7212110	Fuel Tank: 110 US gallon 24.5in. aluminum under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,621	116#
7212120	Fuel Tank: 120 US gallon 24.5in. aluminum under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,637	120#
7212135	Fuel Tank: 135 US gallon 24.5in. aluminum under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$1,791	170#
7212150	Fuel Tank: 150 US gallon 24.5in. aluminum under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$1,815	177#
Behind - Replace			
7214045	Fuel Tank: 45 US gallon 24.5in. aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	(\$29)	-46#
7214060	Fuel Tank: 60 US gallon 24.5in. aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	(\$29)	-39#
7214075	Fuel Tank: 75 US gallon 24.5in. aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	(\$7)	-33#
7214090	Fuel Tank: 90 US gallon 24.5in. aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$16	-28#
7214100	Fuel Tank: 100 US gallon 24.5in. aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$25	19#



T440/T470: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Round			
Aluminum Diesel			
24.5"			
Behind - Replace			
7214110	Fuel Tank: 110 US gallon 24.5in. aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$38	25#
7214120	Fuel Tank: 120 US gallon 24.5in. aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$54	25#
7214135	Fuel Tank: 135 US gallon 24.5in. aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$227	100#
7214150	Fuel Tank: 150 US gallon 24.5in. aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$251	100#
Behind - Add			
7216045	Fuel Tank: 45 US gallon 24.5in. aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,604	92#
7216060	Fuel Tank: 60 US gallon 24.5in. aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,432	97#
7216075	Fuel Tank: 75 US gallon 24.5in. aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,454	103#
7216090	Fuel Tank: 90 US gallon 24.5in. aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,478	108#
7216100	Fuel Tank: 100 US gallon 24.5in. aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,486	114#
7216110	Fuel Tank: 110 US gallon 24.5in. aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,500	116#
7216120	Fuel Tank: 120 US gallon 24.5in. aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,515	119#



T440/T470: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Round			
Aluminum Diesel			
24.5"			
Behind - Add			
7216135	Fuel Tank: 135 US gallon 24.5in. aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$1,763	169#
7216150	Fuel Tank: 150 US gallon 24.5in. aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$1,788	176#
28.5"			
Under - Replace			
7510090	Fuel Tank: 90 US gallon 28.5in. aluminum under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$378	0#
7510120	Fuel Tank: 120 US gallon 28.5in. aluminum under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$454	72#
Aluminum Split Diesel Fuel-Hydraulic			
Under - Add			
7212152	Fuel hydraulic 150 US gallon 24.5in. aluminum under add. Split fuel 100 gallon, hydraulic 50 gallon. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$2,333	189#
Hydraulic Tanks			
7701056	Hydraulic Tank: 56 US gallon 22in. aluminum add.	\$1,516	99#
7721060	Hydraulic Tank: 60 US gallon 24.5in. Aluminum add.	\$874	94#
Tank Location			
7889801	Hydraulic tank location right side under cab.	\$0	0#
7889802	Hydraulic tank location left side under cab.	\$0	0#
7889803	Hydraulic tank location right side behind cab.	\$0	0#
7889804	Hydraulic tank location left side behind cab.	\$0	0#
7889807	Hydraulic tank location rearmost right side behind cab.	\$0	0#
7889808	Hydraulic tank location rearmost left side behind cab.	\$0	0#



T440/T470: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Round			
Hydraulic			
Tank Fittings Location			
7889810	2 hydraulic tank fittings, forward top, bottom.	\$0	0#
7889811	2 hydraulic tank fittings, rear top, bottom.	\$0	0#
7889812	2 hydraulic tank fittings, 1 forward bottom, 1 rear bottom.	\$0	0#
7889819	4 Hydraulic tank fittings, 2 forward top/ bottom, 2 rear top/bottom.	\$61	0#
Bright Finish			
Polished Aluminum			
7840015	Polish only one aluminum tank.	\$427	0#
7840029	Polish only two aluminum tanks.	\$755	0#
Polished Stainless Steel			
7889061	Polished stainless steel tank straps for 1 tank.	\$82	0#
7889062	Polished stainless steel tank straps for 2 tanks.	\$163	0#
7889081	Polish only 7in. stainless steel straps for one 24.5in. tank; 2 straps per tank.	\$142	0#
7889082	Polish only 7in. stainless steel straps for two 24.5in. tanks; 2 straps per tank.	\$284	0#
7889083	Polish only 7in. stainless steel straps for three 24.5in. tanks; 2 straps per tank.	\$427	0#
Fuel Tank Equipment			
Fuel Tank Steps			
7831006	6 in. wide lower fuel tank step, for one 22 in. or 24.5 in. or T300 rectangular tank RH.	\$55	2#
7831007	6 in. wide lower fuel tank step, for two 22 in. or 24.5 in. tanks.	\$110	4#
7831008	6 in. wide lower fuel tank step, for one 22 in. or 24.5 in. tank LH.	\$55	2#
7831030	Fuel Tank Steps: 6in. wide upper & lower F/1 RH under round tank 22in. NFPA Compliant.	\$182	8#
7831032	Fuel Tank Steps: 6in. wide upper & lower F/1 LH under round tank 22in. NFPA Compliant.	\$182	8#
7831034	Fuel Tank Steps: 6in. wide upper & lower 1RH/1LH under round tank 22in. Only NFPA Compliant.	\$364	16#
7831040	Fuel Tank Steps: 6in. wide upper & lower F/1 RH under round tank 24.5in. NFPA Compliant. Includes fuel tank crossbrace.	\$175	8#
7831042	Fuel Tank Steps: 6in. wide upper & lower F/1 LH under round tank 24.5in. NFPA Compliant. Includes fuel tank crossbrace.	\$175	8#



T440/T470: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Fuel Tank Equipment			
Fuel Tank Steps			
7831044	Fuel Tank Steps: 6in.wide upper & lower 1RH/1LH under round tank 24.5in. NFPA Compliant. Includes fuel tank crossbrace.	\$350	16#
7839400	Extended steps on fuel tank LH under for access; 2 steps, 1 tank.	\$45	2#
7839405	Extended steps on fuel tank RH under for access; 2 steps, 1 tank.	\$45	2#
Tank Plumbing Equipment			
7882104	Insulated fuel draw lines.	\$119	0#
Tank Supports			
7814005	Steel raised tank supports 2.7 in. BOC for 22in. fuel, hydraulic tanks.	\$568	0#
7821100	Heavy-duty 7in. steel supports/straps for one 24.5 in tank. Two supports per tank.	\$310	18#
7821300	Heavy-duty 7in. steel supports/straps for two 24.5in. tanks. Two supports per tank.	\$621	36#
Tank Miscellaneous			
7880009	Mechanical anti-roll channel for one tank.	\$39	6#
7880010	Mechanical anti-roll channel for two tanks.	\$78	13#
7881300	Welded-in fitting w/ gasket & cover plate for mounting customer-installed fuel tank heater.	\$45	0#
7883701	Heavy-duty tank strap anchors. Only available with 28.5 in. fuel tanks.	\$43	4#
7884051	CNG BOC, BOS Cabinet Height - Low. Measurement is less than or equal to low roof range.	\$0	0#
7884052	CNG BOC, BOS Cabinet Height - Mid. Measurement is greater than low roof but less than high roof range.	\$0	0#
7884053	CNG BOC, BOS Cabinet Height - High. Measurement is greater than or equal to high roof range.	\$0	0#
7884054	CNG/LNG Frame Rail Mounted Tank Only.	\$0	0#
7884055	CNG Body Mounted Cabinet Only.	\$0	0#
7884056	CNG Body Mounted Cabinet with Frame Mounted Tank.	\$0	0#
7884057	CNG BOC, BOS Mounted Cabinet Only.	\$0	0#
7884058	CNG BOC, BOS Mounted Cabinet with Frame Mounted Tank.	\$0	0#
7889003	Fuel fill rear tank(s) under.	\$0	0#
7889006	Fuel fill forward tank(s) BOC.	\$0	0#



T440/T470: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Fuel Tank Equipment			
Tank Miscellaneous			
7889021	Fuel tank locking cap(s). Not available w/ hydraulic tank. Tank lock does not match ignition/cab/sleeper locks.	\$84	0#
7889227	Fuel tank caps for a fleet keyed alike. Use w/ locking fuel tank cap code 7889021.	\$25	0#
7889245	Anti-siphon device in fuel tank filler neck. For any number of fuel tanks.	\$54	1#
Tank Location			
7910056	Location: 56 gal fuel tank RH under cab.	\$0	0#
7910060	Location: 60 gal fuel tank RH under cab.	\$0	0#
7910075	Location: 75 gal fuel tank RH under cab.	\$0	0#
7910090	Location: 90 gal fuel tank RH under cab.	\$0	0#
7910100	Location: 100 gal fuel tank RH under cab.	\$0	0#
7910101	Location: 100 gal split tank RH und cab.	\$0	0#
7910105	Location: 105 gal fuel tank RH under cab.	\$0	0#
7910110	Location: 110 gal fuel tank RH under cab.	\$0	0#
7910120	Location: 120 gal fuel tank RH under cab.	\$0	0#
7910121	Location: 120 gal split tank RH und cab.	\$0	0#
7910135	Location: 135 gal fuel tank RH under cab.	\$0	0#
7910150	Location: 150 gal fuel tank RH under cab.	\$0	0#
7910152	Location: 150 gal split tank RH under cab.	\$0	0#
7910177	Location: 177 gal fuel tank RH under cab.	\$0	0#
7920056	Location: 56 gal fuel tank LH under cab.	\$0	0#
7920060	Location: 60 gal fuel tank LH under cab.	\$0	0#
7920075	Location: 75 gal fuel tank LH under cab.	\$0	0#
7920090	Location: 90 gal fuel tank LH under cab.	\$0	0#
7920100	Location: 100 gal fuel tank LH under cab.	\$0	0#
7920101	Location: 100 gal splittank LH und cab.	\$0	0#
7920105	Location: 105 gal fuel tank LH under cab.	\$0	0#



T440/T470: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Tank Location			
7920110	Location: 110 gal fuel tank LH under cab.	\$0	0#
7920120	Location: 120 gal fuel tank LH under cab.	\$0	0#
7920121	Location: 120 gal split tank LH und cab.	\$0	0#
7920135	Location: 135 gal fuel tank LH under cab.	\$0	0#
7920150	Location: 150 gal fuel tank LH under cab.	\$0	0#
7920152	Location: 150 gal split tank LH under cab.	\$0	0#
7920177	Location: 177 gal fuel tank LH under cab.	\$0	0#
7930040	Location: 40 gal fuel tank RH behind cab.	\$0	0#
7930045	Location: 45 gal fuel tank RH behind cab.	\$0	0#
7930056	Location: 56 gal fuel tank RH behind cab.	\$0	0#
7930060	Location: 60 gal fuel tank RH behind cab.	\$0	0#
7930075	Location: 75 gal fuel tank RH behind cab.	\$0	0#
7930090	Location: 90 gal fuel tank RH behind cab.	\$0	0#
7930100	Location: 100 gal fuel tank RH behind cab.	\$0	0#
7930101	Location: 100 gal split tank RH behind cab.	\$0	0#
7930105	Location: 105 gal fuel tank RH behind cab.	\$0	0#
7930110	Location: 110 gal fuel tank RH behind cab.	\$0	0#
7930120	Location: 120 gal fuel tank RH behind cab.	\$0	0#
7930121	Location: 120 gal split tank RH behind cab.	\$0	0#
7930135	Location: 135 gal fuel tank RH behind cab.	\$0	0#
7930150	Location: 150 gal fuel tank RH behind cab.	\$0	0#
7930152	Location: 150 gal split tank RH behind cab.	\$0	0#
7930177	Location: 177 gal fuel tank RH behind cab.	\$0	0#
7940000	Delete standard fuel tank location.	\$0	0#
7940040	Location: 40 gal fuel tank LH behind cab.	\$0	0#
7940045	Location: 45 gal fuel tank LH behind cab.	\$0	0#



T440/T470: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Tank Location			
7940056	Location: 56 gal fuel tank LH behind cab.	\$0	0#
7940060	Location: 60 gal fuel tank LH behind cab.	\$0	0#
7940075	Location: 75 gal fuel tank LH behind cab.	\$0	0#
7940090	Location: 90 gal fuel tank LH behind cab.	\$0	0#
7940100	Location: 100 gal fuel tank LH behind cab.	\$0	0#
7940101	Location: 100 gal split tank LH behind cab.	\$0	0#
7940105	Location: 105 gal fuel tank LH behind cab.	\$0	0#
7940110	Location: 110 gal fuel tank LH behind cab.	\$0	0#
7940120	Location: 120 gal fuel tank LH behind cab.	\$0	0#
7940121	Location: 120 gal split tank LH behind cab.	\$0	0#
7940135	Location: 135 gal fuel tank LH behind cab.	\$0	0#
7940150	Location: 150 gal fuel tank LH behind cab.	\$0	0#
7940152	Location: 150 gal split tank LH behind cab.	\$0	0#
7940177	Location: 177 gal fuel tank LH behind cab.	\$0	0#
7950045	Location: 45 gal fuel tank RH behind cab in rear-most position.	\$0	0#
7950056	Location: 56 gal fuel tank RH behind cab in rear-most position.	\$0	0#
7950060	Location: 60 gal fuel tank RH behind cab in rear-most position.	\$0	0#
7950075	Location: 75 gal fuel tank RH behind cab in rear-most position.	\$0	0#
7950090	Location: 90 gal fuel tank RH behind cab in rear-most position.	\$0	0#
7950100	Location: 100 gal fuel tank RH behind cab in rear-most position.	\$0	0#
7950105	Location: 105 gal fuel tank RH behind cab in rear-most position.	\$0	0#
7950110	Location: 110 gal fuel tank RH behind cab in rear-most position.	\$0	0#
7950120	Location: 120 gal fuel tank RH behind cab in rear-most position.	\$0	0#
7950135	Location: 135 gal fuel tank RH behind cab in rear-most position.	\$0	0#
7950150	Location: 150 gal fuel tank RH behind cab in rear-most position.	\$0	0#
7960045	Location: 45 gal fuel tank LH behind cab in rear-most position.	\$0	0#



T440/T470: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Tank Location			
7960050	Location: 50 gal fuel tank LH behind cab in rear-most position.	\$0	0#
7960056	Location: 56 gal fuel tank LH behind cab in rear-most position.	\$0	0#
7960060	Location: 60 gal fuel tank LH behind cab in rear-most position.	\$0	0#
7960070	Location: 70 gal fuel tank LH behind cab in rear-most position.	\$0	0#
7960075	Location: 75 gal fuel tank LH behind cab in rear-most position.	\$0	0#
7960090	Location: 90 gal fuel tank LH behind cab in rear-most position.	\$0	0#
7960100	Location: 100 gal fuel tank LH behind cab in rear-most position.	\$0	0#
7960105	Location: 105 gal fuel tank LH behind cab in rear-most position.	\$0	0#
7960110	Location: 110 gal fuel tank LH behind cab in rear-most position.	\$0	0#
7960120	Location: 120 gal fuel tank LH behind cab in rear-most position.	\$0	0#
7960135	Location: 135 gal fuel tank LH behind cab in rear-most position.	\$0	0#
7960150	Location: 150 gal fuel tank LH behind cab in rear-most position.	\$0	0#
7971001	Location 1 RH fuel tank BOC moved back.	\$0	0#
7971002	Location 1 LH fuel tank BOC moved back.	\$0	0#

DEF Tanks & Equipment

Tanks

7722062	Medium round DEF tank. 20.7 gallons of useable volume. Euro 4 or 5 engines only.	\$1,399	33#
7722064	Large round DEF tank. 31.1 gallons of useable volume. Euro 4 or 5 engines only.	\$1,560	40#
7722150	DEF tank clear BOC (CBOC), requires LH under cab fuel tank. The tank will be located inboard of the LH under cab fuel tank. There is no frame space required to locate this tank. Not for use on sleeper chassis. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204. Not for use with 2.1m models.	\$85	-19#
7722153	Small round DEF tank. The DEF tank will be located on the side you specified. If you have specific configuration or body builder concerns, please utilize the Custom Frame Layout option. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	STD	0#
7722154	Medium round DEF tank. The DEF tank will be located on the side you specified. If you have specific configuration or body builder concerns, please utilize the Custom Frame Layout option. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	\$152	15#



T440/T470: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
DEF Tanks & Equipment			
Tanks			
7722155	Large round DEF tank. The DEF tank will be located on the side you specified. If you have specific configuration or body builder concerns, please utilize the Custom Frame Layout option. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	\$308	22#
DEF Tank Miscellaneous			
7840038	Polished cover for 1 DEF tank any size.	\$294	3#
7889098	Polished straps for 1 DEF Tank any size.	\$66	0#
7889203	DEF to fuel fill ratio 2:1 or greater.	\$0	0#
7889204	DEF to fuel fill ratio between 1:1 and 2:1.	\$0	0#
DEF Tank Location			
7889603	DEF tank location is RH.	\$0	0#
7889604	DEF tank location is LH.	\$0	0#
Tank Miscellaneous			
7210000	Delete base model gallon aluminum fuel tank. Hardware and plumbing deleted.	(\$1,151)	-81#
7861010	CNG Prep Kit. Includes pre-wire harness and regulator coolant loop.	\$871	5#



T440/T470: CAB EXTERIOR

Option	Description	Price	Weight
Cabs			
8024310	Cab: Curved Glass Conventional. Cab Includes aluminum & fiberglass fully hucked cab w/ all aluminum bulkhead doors & continuous stainless steel piano-style door hinges. Single electric horn standard. Incandescent exterior lights include diagnosable bulb detection and warning. Trailer cable on tractors includes integrity detection. Standard features include multiplex wiring for interior lights, automated pre-trip inspection (excluding T3 series), short and open check diagnostics. Warning alarm will sound when lights are left on.	STD	0#
8025300	Cab: AeroCab Curved Glass Conventional. AeroCab includes aluminum & fiberglass fully hucked cab w/ all aluminum bulkhead doors & continuous stainless steel piano-style door hinge & pins. Available only w/ AeroCab sleepers. Not for use on W900 w/ set forward axle. C500B: 123 in. BBC. 74 in. FA to BOC. T660B: 122 in. BBC. 74 in. FA to BOC. T800B: 121 in. BBC. 74 in. FA to BOC. W900B: 120 in. BBC. 90 in. FA to BOC. W900L: 130 in. BBC. 100 in. FA to BOC. Incandescent exterior lights include diagnosable bulb detection and warning. Trailer cable on tractors includes integrity detection. Standard features include multiplex wiring for interior lights, automated pre-trip inspection, short and open check diagnostics, and programmable daytime running lights. Warning alarm will sound when lights are left on.	\$0	0#
8049001	Cab: Extended Day Cab w/ Curved Glass. Includes aluminum & fiberglass fully hucked cab w/ all aluminum bulkhead doors & continuous stainless steel piano-style door hinge & pins. C500B: 129 in. BBC. 80 in. FA to BOC. T660B: 128 in. BBC. 80 in. FA to BOC. T800B: 127 in. BBC. 80 in. FA to BOC. W900B: 126 in. BBC. 96 in. FA to BOC. W900L: 136 in. BBC. 106 in. FA to BOC. Incandescent exterior lights include diagnosable bulb detection and warning. Trailer cable on tractors includes integrity detection. Standard features include multiplex wiring for interior lights, automated pre-trip inspection, short and open check diagnostics, and programmable daytime running lights. Warning alarm will sound when lights are left on.	\$4,120	174#
Sleepers			
8077538	Sleeper: 38 in. AeroCab FlatTop sleeper.	\$11,489	544#
Windows			
Rear Cab			
8871438	Rear Cab Stationary Window 17 in. x 36 in.	STD	0#
8871445	Rear cab stationary window 17 in. x 36 in. dark tint.	\$32	0#
8873795	Rear cab sliding window 17 in. x 36 in.	\$143	2#
8873796	Rear cab sliding window 17 in. x 36 in. dark tint.	\$140	2#
8879922	Solid rear wall. Deletes rear cab window.	\$0	-8#
Corner & Rear Cab			
8879911	Two corner & one rear cab stationary windows 17.5 in. x 16 in. (two) & 17 in. x 36 in. (one).	\$549	15#
8879913	Two corner & one rear cab sliding windows 17.5 in. x 16 in. (two) & 17 in. x 36 in. (one).	\$693	17#
Rear Sleeper			
8873729	Rear Sleeper Sliding Window 17 in. x 28 in. tinted, w/ curtains.	\$485	19#
8873750	Rear sleeper stationary window 17 in. x 28 in. dark tint, w/ curtains.	\$380	19#



T440/T470: CAB EXTERIOR

Option	Description	Price	Weight
Windows			
RH Peeper Door			
8879590	Fresnel lens for peeper window, RH door 10-1/8 in. X 11-1/8 in. Replaces standard peeper window.	\$60	0#
Hoods, Fenders & Grilles			
Hoods, Fenders & Grilles			
8090410	Hood: T470 Sloped Hood for straight rail. Includes radiator mounted grille, split fenders, mudflaps, & separate bumper.	\$700	0#
8090450	Hood: Sloped Aerodynamic T440 Hood. Includes hood and mounted grille, split fenders w/ mudflaps, & separate bumper.	STD	0#
Other			
8890351	2 in. rubber wheelwell fender extension.	\$96	8#
8890353	4 1/2 in. rubber wheelwell fender extension.	\$275	11#
Cab & Sleeper Aerodynamic Devices			
8829612	Side Extenders: 19 Inch Wide W/Rubber Edges. Rubber Edges Are 7 Inches Wide. Actual Dimension Are 19.25 Inches For Daycabs and 19.75 Inches For Sleepers.	\$509	52#
VARASHIELD Wind Deflector			
8820221	Varashield wind deflector w/ manual angle control.	\$1,347	61#
Airshield Roof Fairing			
8823001	One piece Cab roof fairing with side trim tabs and ship loose 7 inch rubber extender. Roof fairing and trim tabs are shipped to dealer from supplier for paint and installation. Use with 19 inch side extender code 8829612. *Replaces Code 8823000.	\$1,647	92#
8823010	One piece roof fairing without side trim tabs. Brackets are painted and installed at plant. Roof fairing is shipped to dealer from supplier for paint and installation. *No rubber extender included.	\$1,049	88#
Other			
8821916	Brackets only for One-piece roof fairing. *Dealer to source roof fairing.	\$196	11#
Cab Structure Miscellaneous			
8080137	Cab door bearing blocks, top & bottom.	\$32	0#
8800439	Grabhandle: RH 36 in. BOC.	\$77	2#
8800440	Grabhandle: LH 36 in. BOC.	\$77	2#
8890869	Severe service reinforcements for aluminum cab sill.	\$161	17#
8890872	Kenworth cab/sleeper air suspension for use w/ 38/62/72/86 in. AeroCabs only.	\$0	0#



T440/T470: CAB EXTERIOR

Option	Description	Price	Weight
Cab Structure Miscellaneous			
8890898	Link Cabmate suspension.	\$628	22#
8890939	LH Loadlock holder brackets. Mounted on back of cab or sleeper.	\$204	11#
8890940	RH Loadlock holder brackets. Mounted on back of cab or sleeper.	\$204	11#
Stainless Steel Miscellaneous			
8700405	Stainless steel permit panels on cab.	\$113	13#
Cab Access			
8800200	Cab access contoured grabhandles, LH/RH.	STD	0#
8800377	LH & RH NFPA Compliant Grabhandles	\$286	2#
8800400	Grabhandle: LH inside door frame above dash.	STD	0#
8800401	Grabhandle: RH inside door frame above dash.	STD	0#
8800733	Grabhandle: LH w/ short extension over door.	\$65	4#
8800734	Grabhandle: RH w/ short extension over door.	\$65	2#
Horns			
8845101	Delete standard air horn.	(\$65)	0#
Air Horns			
8841303	Single Rectangular Air Horn 23 in. LH Top of Roof Includes Air Horn Cover.	\$80	0#
8841411	Single air horn under cab.	STD	0#
8841618	Dual rectangular air horn 23 in. LH & RH top of roof. Includes air horn covers.	\$208	4#
Mirrors & Equipment			
Dual Rear View Mirrors			
8862101	Mirror: Dual Prutsman mirror 7 in. x 16 in. polished stainless steel, and non-heated.	STD	0#
8865000	Mirror: Dual Kenworth aerodynamic heated motorized 7 in. x 13 in. mirrors. Mirror shell painted cab color, mirror arms black. LH/RH convex mirrors 5 in. x 7 in. heated. Mirror brackets set for 8-1/2 ft load width. Switch located on door pad.	\$750	26#
8865001	Mirror: Dual Kenworth aerodynamic heated motorized 7 in. x 13 in. mirror w/ chrome shell. LH/RH convex mirrors 5 in. x 7 in. heated. Mirror brackets set for 8 1/2 ft load width. Switch located on door pad.	\$846	26#
8866100	Mirror: Dual Prutsman fixed heated mirrors 7 in. x 16 in. includes 7-1/2 in. convex mirror, RH.	\$43	0#



T440/T470: CAB EXTERIOR

Option	Description	Price	Weight
Mirrors & Equipment			
Dual Rear View Mirrors			
8866101	Mirror: Dual Prutsman mirror 7 in. x 16 in. polished stainless steel, thermostatically controlled. switch located on door pad.	\$47	0#
8866102	Mirror: Dual Prutsman Lighted Mirrors 7 in. x 16 in. Polished Stainless Steel, Thermostatically Controlled & Lighted. Switch Located On Door Pad.	\$56	0#
8867200	Mirror: Dual Moto Heated Mirrors 7 in. x 16 in. LH Fixed, RH Remote Controlled. Switch Located On Door Pad.	\$504	4#
8867202	Mirror: Dual Moto heated mirrors 7 in. x 16 in. LH & RH remote controlled. Switch located on door pad.	\$568	4#
Mirror Brackets			
8869005	Mirror brackets 8-1/2 ft load width.	STD	0#
8869010	Mirror brackets 10 ft load width.	\$252	24#
Diminishing Convex Mirror			
Rider Side			
8850300	Look-Down, Pass. Door, Stainless 8.5x4.4	STD	0#
Bracket Mounted Below Regular Mirror			
8850235	Dual convex mirror 8.5 inch w/ offset mounting below regular mirror, and non-heated.	\$51	8#
8863570	Dual convex heated mirror 8.5 inch w/ offset mounting below regular mirror.	\$82	11#
Fender Mounted			
8850134	Mirror: RH Fender Mounted, Round Convex, Heated	\$280	2#
8850717	Mirror: RH Fender Mounted, Round Convex	\$97	8#
8850720	Mirror: LH Fender Mounted, Round Convex, Heated	\$266	2#
8850817	Mirror: Dual Fender Mounted, Round Convex	\$175	15#
Hood Mounted			
8850131	Mirror: RH Hood Mounted, Dual View, Convex, K-10	\$169	4#
8850141	Mirror: LH Hood Mounted, Dual View, Convex, K-10	\$169	4#
Window Equipment			
Door Window Lifts			
8879200	Manual LH & electric-powered RH door window. Switch located on door.	STD	0#
8879213	Electric-powered LH & RH door window lifts. Switch located on door.	\$395	0#



T440/T470: CAB EXTERIOR

Option	Description	Price	Weight
Window Equipment			
Windshield & Equipment			
8890100	One-piece windshield, w/ curved glass.	STD	0#
8890105	Two-Piece Roped-In Windshield, W/ Curved Glass.	\$151	2#
Exterior Sunvisors			
8890134	Exterior aerodynamic sunvisor w/ integral marker lights.	\$285	0#
8890135	Exterior stainless steel sunvisor.	\$600	11#
Doors & Equipment			
Doors			
8832115	Daylite Door: LH/RH includes RH peeper window	STD	0#
Door Lock Options			
8203060	5 sets of keys. Replaces standard 2 sets of keys.	\$29	0#
8203088	All chassis on this order keyed alike. Only includes ignition & doors.	\$110	0#
8203190	Key Lock: Customer Specified Tumbler Part Number. Only Includes Ignition and Doors.	\$385	0#
Other			
8700186	Electric LH & RH door locks.	STD	0#
8700188	Remote Keyless Entry	\$391	0#



T440/T470: CAB INTERIOR

Option	Description	Price	Weight
Cabs & Sleepers			
Interior			
8331140	Cab Interior: Summit. T440/T470 Only. Includes smooth upholstered side & back panels w/stitched accent lines, upholstered door pads, full vinyl headliner, black dash panels & black rubber floor mats.	STD	0#
8332040	Interior: Cab/38 in. sleeper Summit. T440/T470 only. Includes smooth upholstered side & back panels w/stitched accent lines, upholstered door pads, full vinyl headliner, black dash panels & black rubber floor mat. Sleeper includes cab door & windshield privacy curtain, rolled & pleated upholstered wall panels w/accent lines, full vinyl headliner, black rubber floor mat in sleeper & tool compartments.	\$0	0#
Interior Color			
8343304	Interior color: Slate Gray w/trim Dark Slate Gray	STD	0#
8343305	Interior color: Jet Black w/Dark Slate Gray.	\$0	0#
Interior Lights			
8700118	Dome lamp in sleeper for 38 inch AeroCab. *Lamp is standard on 62 inch, 72 inch, 75 inch, and 86 inch sleepers (this code not required).	\$110	0#
Heaters & Air Conditioning			
8104004	Cab heater: W/integral defrosters. 5 mode rotary control in dash. 45,000 btu cab heater w/o AC. No sleeper heater/AC. Includes 5 mode rotary control.	(\$586)	-68#
8108010	Cab heater: W/integral defrosters & A/C 45,000 btu cab heater. No sleeper heater/AC. Includes 5 mode rotary control. T660 include filter media.	STD	0#
Miscellaneous			
8109472	Roof mounted condenser for air conditioning.	\$1,082	90#
8190564	Air Conditioning Excise Tax: Canadian Registry	\$175	0#
Steering Wheels & Equipment			
8201013	Steering wheel: 18 in. 4-spoke.	STD	0#
8201041	Steering wheel: 18 in. 4-spoke leather. Smartwheel multiplex steering wheel controls.	\$663	2#
Other			
8201200	Adjustable telescoping tilt steering column.	\$379	10#
Instruments & Controls			
8240620	Canadian instrument package: KPH speedometer replaces MPH.	\$0	0#
8282004	KW Driver Information Center: Includes fuel economy, RPM display, trip information, truck information, diagnostics, gear display, alarm clock.	STD	0#



T440/T470: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
8282006	Odometer units locked to match speedometer dial. Locks instrumentation to record the units of measure indicated by the primary scale. For instance, U.S. Domestic trucks would not be able to toggle from miles to kilometers on the trip odometer.	\$15	0#
8282009	Instrument package: Includes speedometer, tachometer, fuel gauge, engine coolant temperature gauge, engine oil pressure, voltmeter. Class 8 also includes primary & secondary air reservoir gauges & an air application gauge. DEF level gauge and warning lamp are included with 2010+ engines. Engine hour meter and outside air temperature readouts are standard. Primary read out will be MPH. Add 8240620 to switch primary scale to KPH in Canada.	STD	0#
Gauges			
8220106	Gauge: Dash mounted air filter restriction gauge.	\$135	0#
8221100	Gauge: 2 air suspension pressure gauges. For use w/air suspension w/dual leveling valves.	\$270	0#
8221136	Gauge: Trailer reservoir air pressure gauge.	\$66	0#
8221137	Gauge: Trailer air application gauge.	\$49	0#
8221138	Gauge: Air suspension pressure gauge. For dual leveling valves, not dual read.	\$250	0#
8221144	Gauge: Air suspension pressure gauge.	\$95	0#
8222115	Gauge: All metric gauges.	\$0	0#
8222707	Delete DEF Gage, Must Use Fuel Gage W/O ULSD Text Replace DEF Gauge With Plug, ULSD is Ultra Low Sulfur Diesel Fuel	\$0	0#
8222708	Delete fuel & DEF tank gauges replace w/plugs. Only for CNG engine only.	(\$62)	0#
8222712	Gauge: Fuel filter restriction gauge.	\$135	0#
8222722	Gauge: Manifold Pressure Gauge. The NavPlus HD unit includes a virtual manifold pressure gauge.	\$29	0#
8222794	Hour meter mounted in dash for PTO.	\$63	0#
8224401	Gauge: Ammeter gauge in addition to voltmeter. W/integral warning light.	\$84	0#
8225626	Gauge: Axle oil temperature gauge. Single drive axle or forward rear axle w/integral warning light.	\$186	0#
8225658	Gauge: Axle oil temperature, dual-drive axle. (2 gauges) w/integral warning light.	\$226	0#
8226667	Gauge: Oil Temperature Gauge Transmission. The NavPlus HD unit includes a virtual transmission oil temperature gauge.	\$35	0#
Controls			
8203044	Four position ignition switch, keyless. Available for fire truck service & EMT/emergency service only.	\$52	0#
8203072	Flip Valve/LT/Piping To End-of-Frame Air Accessory. Dash Mounted	\$116	0#
8204998	Hand valve & piping for winch w/trailer connection. Not self-returning.	\$263	0#



T440/T470: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
Controls			
8205015	Hand valve on steering column to actuate rear service brake. Not self-returning to off position.	\$351	6#
8205018	Hand valve on steering column to actuate rear service brake. Self-returning to off position.	\$350	11#
8205038	Controls on dash for pintle hook. Includes piping.	\$54	2#
8205067	Controls on dash for trailer dump gate. Includes piping & indicator light. * T680/T880 available with speed interlock (8208603)	\$96	0#
8205069	Dash Controls:Tailgate or Dump Gate, Includes Piping and Telltale	\$49	1#
8205076	Controls On Dash (Qty. 2) For Forward and Rear Trailer Dump Gates. For A Straight Truck. Includes Piping & Indicator Lights. Optional Speed Interlock Available With T680/T880. See Databook for Code.	\$143	0#
8205082	Controls on dash for trailer air suspension. Includes piping & indicator light. * Dash controls for trailer functions require that you add trailer connections to the order. * This trailer air suspension valve provides an air control. There is an option for trailer hotwire that provides an electric control wired to a dash switch. * Optional speed interlock available on T660/T680 models.	\$130	0#
8205089	Park brake interlock for air suspension dump. (Truck/Tractor). Parking brake interlock option for air suspensions other than Hendrickson HAS or Primaax. Air suspension will not dump unless park brakes are engaged. Trailer suspension dump interlock is available	\$135	0#
8205151	Flip Valve/Piping: Bendix Work Brake. Small Flip Valve To Apply All Service Brakes. Not intended for use with over the road applications like Linehaul, Regional Haul or P&D.	\$342	0#
PTO Related			
8205087	Auto Suspension Dump W/PTO Engagement Interlock. This feature automatically dumps air from the truck suspension when any PTO is engaged. The intent of this feature is to deflate the air suspension air bags while the load is raised to help alleviate any imbalance or instability that can occur with the air bags inflated.	\$59	2#
8205092	Information for customer-installed PTO Chelsea 100/221/260/381/410/420/440 6-bolt.	\$51	0#
8205093	Information for customer-installed PTO Chelsea 880. 8-bolt. N/A w/ Allison 1000/2000 series transmissions.	\$51	0#
8205094	Information for customer-installed PTO Chelsea 340/351 6-bolt.	\$51	0#
8205095	Information for customer-installed PTO Chelsea 510/540 Thrushaft/multi speed.	\$51	0#
8205096	Information for customer-installed PTO Muncie non-838 8-bolt.	\$51	0#
8205097	Information for customer-installed PTO Muncie 838 top mount on auxiliary.	\$51	0#
8205098	Information for customer-installed PTO Chelsea 321/322 8-bolt.	\$51	0#
8205102	Information for customer-installed PTO Muncie non-838 6-bolt.	\$51	0#
8205103	Information for customer-installed PTO Chelsea 488/489/680/812 8-bolt.	\$51	0#



T440/T470: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
PTO Related			
8205118	Information for customer-installed PTO Chelsea 277. 10-bolt. Available only with Allison 3000/4000 series transmissions.	\$51	0#
PTO Controls			
8205044	Flip Valve/(Small)Piping/LT: Two. For Two Customer-Installed PTO. Single Speed. Dash Mounted. Includes Guard.	\$410	0#
8205045	Flip Valve: On Dash For Single Speed PTO. Customer-Installed. Includes Indicator Light & Piping.	\$401	2#
8205052	PTO air control: On dash w/indicator light.	\$0	0#
8205053	PTO air control: Toolbox mounted LH of rider seat for customer-installed PTO. Park brake interlock to prevent PTO engagement unless brake is engaged is available on T680/T880	\$824	11#
8205054	PTO Air Control: Floor Mounted LH of Driver seat for customer installed PTO. Park brake interlock to prevent PTO engagement unless brake is engaged. Available on T680 and T880.	\$456	2#
8205055	PTO Air Control: On Dash W/Piping & Indicator Light For Customer-Installed Single-Speed PTO.	\$444	0#
8205057	PTO Air Control: Floor mounted LH of driver seat. For KW installed PTO. Park brake interlock to prevent PTO engagement unless brake is engaged. Available on T680 and T880.	\$302	2#
8205079	Flip valve: On dash w/indicator light & piping. Must code for factory installed PTO.	\$199	2#
8205123	Switch & Wiring for Customer-Installed PTO. Electric over hydraulic PTO. Includes switch guard. Wiring is routed to LH frame for connection to the customer installed PTO. No air controls are provided with this code.	\$274	0#
Dash Switches			
8203110	Delete fan clutch manual override switch in cab.	\$0	0#
8203161	Fan to operate when park brake set.	\$21	0#
8203162	Switch To Operate Fan When Parking Brake Is Set & Air Conditioner Is On.	\$34	0#
8205012	Off-highway dash switch: For ABS system. Includes indicator light.	\$52	0#
8208494	One spare switch: Wired to power.	\$56	0#
8208495	Two spare switches: Wired to power.	\$85	0#
8208498	Five spare switches: Wired to power.	\$166	0#
8208524	Seven-way plug: Wired to dash switch. For trailer floodlight. Includes indicator light. Center pin of standard 7-way connector (J560) will be wired to a switch for trailer floodlamps. Switch has an integral indicator lamp. Requires using a second ISO 3731.	\$32	0#
8208530	Seven-way plug: Wired to dash switch for dumpgate Includes indicator light & guard. Center pin of standard 7-way connector (J560) will be wired to a switch for dumpgate (battery power). Includes a guard & integral indicator lamp.	\$36	0#



T440/T470: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
Dash Switches			
8208549	Seven-way plug: Wired to dash switch. For trailer power. Includes indicator light. Center pin of standard 7-way connector (J560) will be wired to a switch for trailer hotline. Switch is wired to a battery circuit & has an integral indicator lamp.	\$35	0#
8208551	Seven-way plug: Wired to dash switch. For trailer air suspension. Center pin of standard 7-way connector (J560) will be wired to a switch for trailer hotline. Switch has an integral indicator lamp & a guard.	\$36	0#
8208553	Seven-way plug: Wired through center wire. For use w/overfill. Center pin of standard 7-way connector (J560) wired to a switch for overfill. Battery power for key off overfill operation. Switch includes integral indicator lamp. If ABS is required, must code for ABS through ISO 3731 connector.	\$33	0#
8208555	Switch: Trailer 3rd Axle Lift. Includes indicator light. This option connects the center pin of the standard 7-way light line to switched battery power. This pin cannot be used for ABS. If ABS is required, must code for ABS through ISO 3731 connector.	\$36	0#
8208582	ISO 3731 Spare circuit switch 1 ID: For trailer floodlight. Includes indicator light. Provides a switch connected to one spare circuit in the ISO 3731 connector labeled for trailer floodlights w/an integral indicator light.	\$32	0#
8208583	ISO 3731 Spare circuit switch 1 ID: For dumpgate. Provides a switch connected to one spare circuit in the ISO 3731 connector labeled for dumpgate w/a guard & an integral indicator light. Requires either code 9140341 or 9140342.	\$53	0#
8208586	ISO 3731 Spare circuit switch 1 ID: For trailer air suspension. Provides a switch connected to one spare circuit in the ISO 3731 connector labeled for trailer air suspension w/a guard & an integral indicator light.	\$40	0#
8208597	ISO 3731 Spare circuit switch 1 ID: For trailer hotline. Includes indicator light & guard.	\$42	0#
8208598	ISO 3731 Spare circuit switch 2 ID: For trailer hotline. Includes indicator light & guard.	\$42	0#
8291002	Mute backup alarm w/buzzer in cab.	\$172	0#
Turn Signals			
8700168	Non-self cancelling turn signal: W/column-mounted headlight dimmer switch & intermittent wiper control.	STD	0#
Other			
8208580	30 Amp Power Lead With Ground. Wired Through Accessory To Behind Rider Seat.	\$84	0#
8224444	Dash mounted analog electronic clock.	\$66	0#
8228423	Custom Dash Layout	\$1,540	0#
8229005	Methane Detection System For Natural Gas Required For LNG Fueled Vehicles Optional For CNG Fueled Vehicles	\$1,593	0#
8240014	Additional Speedo Sensor Wire In Cab	\$76	1#
8282107	Large flat panel on dash For customer-installed controls. Reduces gauge count by 6.	STD	0#



T440/T470: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
Other			
8291021	Oilfield Warning Lights: Crane or Winch	\$38	0#
8291040	Warning Light: Transmission Temperature. Includes Buzzer. Does Not Include Transmission Temperature Gauge. Warning Comes On When Transmission Temperature Reaches A Pre-Determined Temperature, Which Varies W/Transmission Type.	\$64	0#
Seats			
Driver Seats			
Kenworth AIR-CUSHION Plus			
8410091	Driver seat: Kenworth Air cushion Plus HB cloth. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted and includes a map pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	STD	0#
8410181	Driver seat: Kenworth Air cushion Plus IB vinyl. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$85	-6#
8410191	Driver seat: Kenworth Air cushion Plus HB vinyl. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted and includes a map pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$113	0#
8410471	Driver seat: Kenworth Air cushion Plus LB Mordura Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$159	-8#
8410481	Driver seat: Kenworth Air cushion Plus IB Mordura Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$197	-6#
8410491	Driver seat: Kenworth Air cushion Plus HB Mordura Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted and includes a map pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$151	0#



T440/T470: CAB INTERIOR

Option	Description	Price	Weight
Seats			
Driver Seats			
Kenworth AIR-CUSHION Premium Plus			
8410092	Driver seat: Kenworth Air cushion Premium Plus HB cloth. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-58 degree recline, air suspension w/ cover, dual armrests, and triple chamber air lumbar support. Cushion and back include air adjustment. Seat cushion is 20 inches wide w/ 2-position tilt and 6-position front cushion support. Seat material has a horizontal stitch pattern and is 2-tone in color. Standard storage includes a side bolster pocket and a hanging pocket. Seat back is carpeted, and high back seats include a storage pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$252	0#
8410093	Driver seat: Kenworth Air cushion Premium Plus HB cloth. Heated. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-58 degree recline, air suspension w/ cover, dual armrests, and triple chamber air lumbar support. Cushion and back include air adjustment. Seat cushion is 20 inches wide w/ 2-position tilt and 6-position front cushion support. Seat material has a horizontal stitch pattern and is 2-tone in color. Standard storage includes a side bolster pocket and a hanging pocket. Seat back is carpeted, and high back seats include a storage pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$340	0#
8410492	Driver Seat: Kenworth Air Cushion Premium Plus HB Mordura. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-58 degree recline, air suspension w/ cover, dual armrests, and triple chamber air lumbar support. Cushion and back include air adjustment. Seat cushion is 20 inches wide w/ 2-position tilt and 6-position front cushion support. Seat material has a horizontal stitch pattern and is 2-tone in color. Standard storage includes a side bolster pocket and a hanging pocket. Seat back is carpeted, and high back seats include a storage pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$436	0#
8410893	Driver Seat: Kenworth Air Cushion Premium Plus HB leather. Heated. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-58 degree recline, air suspension w/ cover, dual armrests, and triple chamber air lumbar support. Cushion and back include air adjustment. Seat cushion is 20 inches wide w/ 2-position tilt and 6-position front cushion support. Seat material has a horizontal stitch pattern and is 2-tone in color. Standard storage includes a side bolster pocket and a hanging pocket. Seat back is carpeted, and high back seats include a storage pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$926	0#
Sears			
8412092	Driver seat: Sears Mfg Series 70 IB Mordura. Standard features includes 9 in. fore and aft slide adjustment w/isolator, 60 degree recline, inboard armrest, and adjustable air lumbar support. Seat cushion is 22 inches wide Seat back is carpeted. Includes a suspension cover. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$209	25#
8412482	Driver Seat: Sears Atlas 70 Series HB Mordura. Standard features includes 9 in. fore and aft slide adjustment w/isolator, 60 degree recline, inboard armrest, and adjustable air lumbar support. Seat cushion is 22 inches wide Seat back is carpeted. Includes a suspension cover. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$214	25#
8412792	Driver Seat: Sears Atlas 80 Series HB ultraleather. Standard features includes 9 in. fore and aft slide adjustment w/isolator, 60 degree recline, inboard armrest, and adjustable air lumbar support. Seat cushion is 22 inches wide Seat back is carpeted. Includes a suspension cover. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$491	27#
8412793	Driver Seat: Sears Atlas Series 70 IB Fabriform Standard features include 9 in. fore and aft slide adjustment w/isolator, 12 degree recline for day cabs and 22 degree recline for all other cabs, inboard armrest, and adjustable air lumbar support. Seat cushion is 22 inches wide & Seat back is carpeted. Includes a suspension cover. Includes retractable 3-point matching seat belts. Seat belts will be black for T3, T4, and gray for all other models. Deleting standard armrests is not available with Sears driver seats. Note: For material color matching, recommend selecting either Mordura or Fabriform for the passenger seat when the drivers seat is Fabriform.	\$216	15#



T440/T470: CAB INTERIOR

Option	Description	Price	Weight
Seats			
Driver Seats			
Sears			
8412795	Driver Seat: Sears Atlas Series 70 HB Fabriform Standard features include 9 in. fore and aft slide adjustment w/isolator, 12 degree recline for day cabs and 22 degree recline for all other cabs, inboard armrest, and adjustable air lumbar support. Seat cushion is 22 inches wide & Seat back is carpeted. Includes a suspension cover. Includes retractable 3-point matching seat belts. Seat belts will be black for T3, T4, and gray for all other models. Deleting standard armrests is not available with Sears driver seats. Note: For material color matching, recommend selecting either Mordura or Fabriform for the passenger seat when the drivers seat is Fabriform.	\$226	17#
Rider Seats			
Kenworth Steel Toolbox Plus			
8480090	Rider seat: Kenworth Toolbox Plus HB cloth. Standard features include fixed base and backrest, tool box seat base w/ door, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted with a map pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	STD	0#
8480170	Rider seat: Kenworth Toolbox Plus LB vinyl. Standard features include fixed base and backrest, tool box seat base w/ door, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$104	-4#
8480180	Rider seat: Kenworth Toolbox Plus IB vinyl. W/dual armrests.	\$64	-4#
8480190	Rider seat: Kenworth Toolbox Plus HB vinyl. Standard features include fixed base and backrest, tool box seat base w/ door, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted with a map pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$123	0#
8480470	Rider Seat: Kenworth Toolbox Plus LB Mordura. Standard features include fixed base and backrest, tool box seat base w/ door, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts. This seat is recommended when corner windows are specified.	\$137	-4#
8480480	Rider seat: Kenworth Toolbox Plus IB Mordura. Standard features include fixed base and backrest, tool box seat base w/ door, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$155	-4#
8480490	Rider seat: Kenworth Toolbox Plus HB Mordura. Standard features include fixed base and backrest, tool box seat base w/ door, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$199	0#
Kenworth In-Cab Battery Box			
8450090	Rider seat: Kenworth Plus battery box HB cloth. Standard features include fixed base and backrest, fixed seat base and backrest, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted with a map pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$125	-35#



T440/T470: CAB INTERIOR

Option	Description	Price	Weight
Seats			
Rider Seats			
Kenworth In-Cab Battery Box			
8450170	Rider seat: Kenworth Plus battery box LB vinyl. Standard features include fixed base and backrest, fixed seat base and backrest, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts. This seat is recommended when corner windows are specified.	(\$46)	-39#
8450180	Rider seat: Kenworth Plus battery box IB vinyl. Standard features include fixed base and backrest, fixed seat base and backrest, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	(\$13)	-37#
8450190	Rider seat: Kenworth Plus battery box HB vinyl. Standard features include fixed base and backrest, fixed seat base and backrest, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted with a map pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$32	-35#
8450470	Rider seat: Kenworth Plus battery box LB Mordura Standard features include fixed base and backrest, fixed seat base and backrest, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	(\$81)	-39#
8450480	Rider seat: Kenworth Plus battery box IB Mordura. Standard features include fixed base and backrest, fixed seat base and backrest, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	(\$1)	-37#
8450490	Rider seat: Kenworth Plus battery box HB Mordura. Standard features include fixed base and backrest, fixed seat base and backrest, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$185	-35#
Kenworth AIR-CUSHION Plus			
8460091	Rider seat: Kenworth Air cushion Plus HB cloth. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$366	17#
8480181	Rider seat: Kenworth Air cushion Plus IB vinyl. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$366	15#
8480191	Rider seat: Kenworth Air cushion Plus HB vinyl. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$380	17#



T440/T470: CAB INTERIOR

Option	Description	Price	Weight
Seats			
Rider Seats			
Kenworth AIR-CUSHION Plus			
8480471	Rider seat: Kenworth Air cushion Plus LB Mordura. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$413	15#
8480481	Rider seat: Kenworth Air cushion Plus IB Mordura. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$409	15#
8480491	Rider seat: Kenworth Air cushion Plus HB Mordura. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$471	17#
Kenworth AIR-CUSHION Premium Plus			
8460092	Rider seat: Kenworth Air cushion Premium Plus HB cloth. W/dual armrests.	\$608	19#
8460093	Rider seat: Kenworth Air cushion Premium Plus HB cloth. Heated w/dual armrests.	\$782	19#
Sears			
8462482	Rider seat: Sears Atlas 70 Series HB Mordura. Standard features include 13 degree recline, static seat position, and inboard armrest. Seat cushion is 19.5 inches wide. Seat back is carpeted. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$393	25#
8462792	Rider seat: Sears Atlas 80 Series HB Ultraleather Standard features include 13 degree recline, static seat position, and inboard armrest. Seat cushion is 22 inches wide. Seat back is carpeted. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$698	27#
8462793	Rider Seat: Sears Atlas Series 70 IB Fabriform Standard features include 9 in. fore and aft slide adjustment w/isolator, 12 degree recline for day cabs and 22 degree recline for all other cabs, inboard armrest, and adjustable air lumbar support. Seat cushion is 22 inches wide & Seat back is carpeted. Includes a suspension cover. Includes retractable 3-point matching seat belts. Seat belts will be black for T3, T4, and gray for all other models. Deleting standard armrests is not available with Sears driver seats. Note: For material color matching, recommend selecting either Mordura or Fabriform for the passenger seat when the drivers seat is Fabriform.	\$420	64#
8462795	Rider Seat: Sears Atlas Series 70 HB Fabriform Standard features include 9 in. fore and aft slide adjustment w/isolator, 12 degree recline for day cabs and 22 degree recline for all other cabs, inboard armrest, and adjustable air lumbar support. Seat cushion is 22 inches wide & Seat back is carpeted. Includes a suspension cover. Includes retractable 3-point matching seat belts. Seat belts will be black for T3, T4, and gray for all other models. Deleting standard armrests is not available with Sears driver seats. Note: For material color matching, recommend selecting either Mordura or Fabriform for the passenger seat when the drivers seat is Fabriform.	\$498	66#
8462982	Rider seat: Sears Atlas 70 Series IB Mordura. Standard features include 13 degree recline, static seat position, and inboard armrest. Seat cushion is 19.5 inches wide. Seat back is carpeted. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$423	25#



T440/T470: CAB INTERIOR

Option	Description	Price	Weight
Seats			
Rider Seats			
Rider Seat Other			
8478328	Rider seat: 2 man bench Mordura. Standard features include 34.5 in. wide 2-tone seat cushion w/ fixed base. Armrests are not available. Seat back is carpeted. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$1,010	22#
8478330	Rider seat: 2 man bench vinyl. Standard features include 34.5 in. wide 2-tone seat cushion w/ fixed base. Armrests are not available. Seat back is carpeted. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$524	22#
8480060	Rider seat: 2 man bench cloth. Standard features include 34.5 in. wide 2-tone seat cushion w/ fixed base. Armrests are not available. Seat back is carpeted. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$468	22#
8481007	Rider Seat: Fixed 911 SCBA HB Vinyl, Cordura, ICBB Includes deletion of 4 in. fore and aft seat adjust.	\$330	11#
8489979	Delete standard Rider seat.	(\$375)	-70#
Seat Miscellaneous			
8489899	Driver air seat height limited: NFPA compliant.	\$0	0#
8489901	Rider air seat height limited: NFPA compliant.	\$0	0#
8489910	NFPA Compliance Kit: Includes seat occupancy sensors. Seat belt switches, VDR & seat sensor harness, reflective labels, and a second copy of operators manual.	\$1,023	60#
8489911	Vehicle data recorder (VDR) Pre-wire Alternative Fire Research VDR harness replacing Weldon harness. Requires code 8489910.	\$0	0#
8490110	Seat color: Dark Slate Gray.	STD	0#
8490150	Seat color: Jet Black.	\$0	0#
8490170	Seat color: All Jet Black.	\$0	0#
8496559	Driver and Rider Seat Belts: Orange Seat Belts. Replacing standard color.	\$29	0#
8496562	Driver/Rider Seat Belts: Red, Replace Standard. Extended Length. Not NFPA Compliant.	\$56	0#
8496575	Driver & Rider Seat Belts: Red, NFPA, Replaces Standard Seat Belts. (Available for NFPA RD Bench)	\$16	0#
8497005	Air line fitting: At driver seat. Customer-installed air chuck.	\$43	4#
8498452	Delete dual DR seat armrests. Not available on GT703 series seats.	\$0	-6#
8498453	Dual KW driver seat armrests: Stowable inboard & folding outboard.	\$127	2#
8498454	Sears driver seat stowable armrest: Inboard Only.	\$87	2#
8498552	Delete dual rider armrests.	\$0	-6#



T440/T470: CAB INTERIOR

Option	Description	Price	Weight
Seats			
Seat Miscellaneous			
8498553	Dual rider seat armrests: Stowable inboard & folding outboard.	\$143	2#
8498554	Sears Rider seat: Stowable armrest inboard only.	\$87	2#
Cab Accessories			
Storage			
8700044	Beverage holder between seats.	\$111	0#
8700049	Logbook holder under dash.	\$39	0#
8700091	Ashtray insert: W/cigar lighter located in center console. Deletes 1 12V outlet & 1 cupholder.	\$34	0#
8700092	Workstation between seats: Includes cupholder, 2 accessory power outlets, hanging file space & writing surface.	\$721	19#
8700101	Black dash: Replacing trim color dash. W/Diamond trim the dash top, area by the glovebox & lower dash will be black. The trim around the main dash area, above the glove box, the header spear & trim on the doors will be woodgrain.	\$31	0#
8700108	Under dash center console: Includes one cupholder & two 12V outlets. For use w/Autoshift, Ultrashift, & Allison Gen IV only.	\$26	0#
8700109	Ashtray insert: W/cigar lighter located in center console. Deletes 1 12V outlet.	\$15	0#
8716000	Two holders: For 2 removable front tow hooks. Rider seat must be toolbox style seat.	\$102	0#
8890003	1.5in x 11.5in Plastic Records Holder Mounted On Rear Cab Panel	\$37	2#
8890017	Aluminum records holder: Mounted on toolbox seat base.	\$31	0#
Cab Package			
8891000	Quiet Cab Package: For Non-VIT Interiors. Includes Firewall Insulation & Floor Covering w/ Sound Deadening Materials and Cowl Blanket	\$186	77#
Inside Window Equipment			
8879438	Cab door & windshield window cover. *Code for 38 in. Aerocab only.	\$0	0#
Other			
8699169	Additional accessory power supply wiring. In header.	\$16	0#
8721405	Nameplates shipped loose: French. In addition to standard or optional nameplates.	\$0	0#
8721410	Spanish nameplates.	\$282	0#
8721455	Delete shipped loose French nameplates. In addition to standard or optional nameplates.	\$0	0#
9399996	Kenworth operator manual: Spanish.	\$0	0#



T440/T470: CAB INTERIOR

Option	Description	Price	Weight
Cab Accessories			
Other			
9399997	Kenworth operator manual: Delete French. Replace w/standard English.	\$0	0#
9399998	Kenworth operator manual: French replacing English.	\$0	0#
Sleeper Accessories			
Lower Bunk & Sofabed			
8520038	Liftable lower bunk: 38 in. AeroCab standard.	\$0	0#
Mattress			
8520141	Premium pocket innerspring mattress on lower bunk.	\$0	0#
Sound Systems			
Kenworth Radios			
8601429	Kenworth Radio DEA730 AM/FM/WB/USB, Bluetooth & Sirius-XM Satellite	\$723	0#
8601430	Kenworth Radio DEA700 AM/FM/WB	\$353	0#
8601431	Kenworth Radio DEA710 AM/FM/WB/USB, Phone Bluetooth Disabled	\$465	0#
8601432	Kenworth Radio DEA710 AM/FM/WB/USB, Bluetooth	\$465	0#
8601433	Kenworth Radio DEA730 AM/FM/WB/USB, Sirius-XM Satellite/Phone Bluetooth Disabled	\$723	0#
8601435	Kenworth Radio DEA707 AM/FM/WB/USB	\$302	0#
Sound System Speakers			
Options for Customer-Installed Radios			
Two-Way Speakers			
8699502	Speakers: Two 4 in. x 6 in. high performance. For customer-installed radio. Located in cab header.	\$55	0#
8699504	Speakers: Four 4 in. x 6 in. high performance. For customer-installed radio. Located in cab header & rear cab corners.	\$101	0#
Options for Kenworth Radios			
8699514	Speakers: Four 4 in. x 6 in. high performance. Adds 2 speakers to the Panasonic standard 2. Located in cab header & rear cab corners.	\$109	0#
Sound System Equipment			
8699017	Telescoping Antenna: Mounted Behind LH Door. Replaces Top-of-Cab Antenna.	\$71	0#
8699042	Constant Power Supply To Sound System: For Use W/Battery Disconnect.	\$30	0#



T440/T470: CAB INTERIOR

Option	Description	Price	Weight
Sound System Equipment			
8699109	Antenna, wiring, radio cut-out & bracket: For din-mounted radio.	\$77	2#
8699147	Solid post antenna: Mounted on LH cowl. Replaces top-of-cab antenna. Recommended for dump trucks, loggers, & where overcab clearance is limited.	\$25	0#
8699900	Metal ground plate: Two-way radio. For customer-installed antenna located in center of cab roof.	\$115	0#
CB & Equipment			
CB Radio			
8601880	CB Radio: Cobra 29. Includes weatherband w/header mounted quick release. Includes transceiver & separate speaker remote-mounted in headliner & dual CB antennas. Includes sound tracker & illuminated panel.	\$500	11#
8601881	CB Radio: Cobra 29. W/header mounted quick release. Includes transceiver & separate speaker remote-mounted in headliner & dual CB antennas. Includes sound tracker & illuminated panel.	\$500	11#
CB Installation Kit			
8699926	CB installation kit: Center mounted of header. W/header mounted quick release CB mount. One red power post & one black ground post. Includes dual antenna leads located on the mirror brackets. Includes dual antenna & separate speaker.	\$261	0#
8699927	CB installation kit: Center mounted of header. W/header mounted quick release CB mount. One red power post & one black ground post. Single antenna lead located on the mirror bracket. Includes single antenna & separate speaker.	\$207	0#
CB Binding Posts			
8699149	CB binding posts: Located above cupholder console. Includes one red power post & one black ground post. Wiring protected for 10 amps.	\$30	0#
Location Codes			
8699111	Locate CB antenna: LH.	\$0	0#
8699112	Locate CB antenna: RH.	\$0	0#
Information & Communication Systems			
8700663	Kenworth TruckTech+ The Kenworth Remote Diagnostics system provides the Worlds Best reporting of engine and aftertreatment fault codes, as well as enhanced support for the truck owner through rapid communication of fault severity and recommended actions. This option is Standard on all Heavy Duty Kenworths with a PACCAR MX engine, Cummins X15 engine, PX engine or Natural Gas engine. Optional on Medium Duty Kenworths.	\$1,394	0#
8700666	Prewire: PeopleNet Fleet Manage. With TruckTech+ Pre-wire for PeopleNet Fleet Management Services on vehicles with TruckTech+. Includes wiring harness for connecting PeopleNet display. No antenna bracket required. For addition of Trailer Tracking functionality, use 8700667.	\$958	1#
8700667	Prewire:Peoplenet,TRLR Tracking,TruckTech+ Prewire for PeopleNet Fleet Management Services with additional functionality for Trailer Tracking on vehicles with TruckTech Plus. Includes wiring harness for connecting PeopleNet display. No antenna bracket required.	\$1,018	1#



T440/T470: CAB INTERIOR

Option	Description	Price	Weight
Information & Communication Systems			
8700766	Wiring only for Qualcomm MCP110T or MCP200T. Pre-Wiring for Qualcomm MCP110T or MCP200T. Pre-Wire with Cellular Service only. Includes wiring only. Use 8700896 for mounting bracket.	\$916	7#
8700767	Wiring Only for Qualcomm MCP200 Pre-Wiring for Qualcomm MCP200T. Pre-Wire with Both Cellular and Terrestrial Service. Includes wiring only. Use 8700896 and 8700897 for mounting brackets.	\$1,173	10#
8700774	Mounting bracket: On sleeper roof. For customer-installed Qualcomm antenna.	\$235	4#
8700787	Mounting bracket: For customer-installed Qualcomm antenna. Located Back-of Sleeper wall *OR* Center Rear of Daycab roof. Not for T680.	\$177	4#
8700789	Mounting bracket: For customer-installed Qualcomm antenna. On cab roof.	\$102	4#
8700793	Message waiting light: For Qualcomm.	\$20	0#
8700870	Mounting brackets: two for customer-installed Qualcomm MCP200 system antennae on cab.	\$324	0#
8700895	Exterior Initiation or Inhibition of Regen Thru J1939 BCan Communications.	\$35	0#
8700896	Mounting Bracket: C/I Qualcomm Terrestrial Antenna. Provision for mounting antenna with customer installed Qualcomm tracking system. For use with cellular antenna (WIB). DayCab Location: Top of roof, BOC. Sleeper Location: Left Hand, BOS (NOT with dual BOS Exhaust). Requires 8700766. Aerocab Restrictions: NA with Dual BOS exhaust. Daycabs and Extended Daycabs Restrictions: NA with Single beacon lamp roof mounted at rear on centerline (sales codes 9080026 or 9080027), NA with Roof Condenser, NA with Sunroof, NA with Inboard Air Horns, NA with Varashield, NA with Collapsible 2 piece Airshield on Daycabs (OK on Extended Daycabs).	\$132	4#
8700897	Mounting Bracket: C/I Qualcomm Satellite Antenna. Provision for mounting antenna for customer installed Qualcomm tracking system. For use with satellite antenna (SDM). DayCab Location: Top of roof, BOC. Sleeper Location: Left Hand, BOS (NOT with dual BOS Exhaust). Requires 8700766 or 8700767. Aerocab Restrictions: NA with Dual BOS exhaust. Warning for Aerocabs: Satellite Antenna bracket may interfere with Customer Installed LH BOS Loadlock Holders; recommend to change LoadLock Holders brackets to RH. Daycabs and Extended Daycabs Restrictions: NA with Single beacon lamp roof mtd at rear on Centerline (S/C 9080026 or 9080027), NA with Roof Condenser, NA with Sunroof, NA with Inboard Air Horns, NA with Varashield, NA with Collapsible 2 piece Airshield on Daycabs (OK on Extended Daycabs).	\$171	5#
8700966	Kenworth NavPlus HD Navigation System: Vantage, Splendor, APEX, Summit, or Pinnacle interior. System hardware includes: head unit that mounts in radio opening and 7in. high resolution touchscreen display mounted in dash area four. Includes: Truck specific navigation by ALK, Sirius and XM satellite radio receiver.	\$2,190	0#
9212611	24 Month TruckTech+ Subscription for Cummins Engines	\$0	0#
9212612	30 Month TruckTech+ Subscription for Cummins Engines	\$100	0#
9212613	36 Month TruckTech+ Subscription for Cummins Engines	\$175	0#
9212614	42 Month TruckTech+ Subscription for Cummins Engines	\$250	0#
9212615	48 Month TruckTech+ Subscription for Cummins Engines	\$325	0#
9212616	54 Month TruckTech+ Subscription for Cummins Engines	\$400	0#



T440/T470: CAB INTERIOR

Option	Description	Price	Weight
Information & Communication Systems			
9212617	60 Month TruckTech+ Subscription for Cummins Engines	\$475	0#
9212621	24 Month TruckTech+ Subscription for PACCAR PX Engines	\$0	0#
9212622	30 Month TruckTech+ Subscription for PACCAR PX Engines	\$100	0#
9212623	36 Month TruckTech+ Subscription for PACCAR PX Engines	\$175	0#
9212624	42 Month TruckTech+ Subscription for PACCAR PX Engines	\$250	0#
9212625	48 Month TruckTech+ Subscription for PACCAR PX Engines	\$325	0#
9212626	54 Month TruckTech+ Subscription for PACCAR PX Engines	\$400	0#
9212627	60 Month TruckTech+ Subscription for PACCAR PX Engines	\$475	0#



T440/T470: LIGHTS & SIGNALS

Option	Description	Price	Weight
Headlamps			
9010401	Headlamps: High Intensity Discharge (Xenon) Projector Module Low Beam, Halogen Complex Reflector High Beam.	\$396	0#
9010801	Headlamps: Halogen Projector Low Beam, Halogen Complex Reflector High Beam	STD	0#
Marker Lights			
9020164	Marker Lights: with small round base, Five cab roof mounted.	STD	0#
9022135	Marker Lights: Five rectangular.	\$22	0#
9022137	Marker Lights: Five, rectangular, LED	\$106	0#
9026200	Marker Lights: Five aerodynamic mounted in sunvisor.	(\$7)	0#
9026205	Marker Lights: Five aerodynamic, LED mounted in sunvisor.	\$17	0#
9090037	Trailer Marker Lights w/ Separate Switch	\$37	0#
9090039	Marker Lights: Interrupter Switch. Included in Turn Signal For All Models Except T3. The T3 Switch Is In The Dash.	STD	0#
9090115	Reflectors: Two Midframe	\$22	0#
Turn Signal Lights			
9030010	Turn Signal Lights: Mounted on fender	STD	0#
Foglights			
Other			
9049825	Customer-installed road/fog lights switch & wiring.	\$30	0#
9049826	Switch & Wiring: For second foglights.	\$93	2#
Spotlights			
9060011	Halogen Spotlight: LH mounted.	\$172	4#
9060055	Halogen Spotlight: LH & RH mounted. T680 and T880 models include dash switch for RH spot lamp as standard.	\$278	11#
9060093	Spotlight: RH wired to dash switch; LH standard wiring.	\$30	0#
Taillights			
9030051	LED Stop,Turn,Tail: With One Non LED Backup Light and With An LED License Plate.	\$42	-3#
9030052	LED Stop,Turn,Tail: With Two LED Backup Lights and With An LED License Plate.	\$33	2#



T440/T470: LIGHTS & SIGNALS

Option	Description	Price	Weight
Taillights			
9030053	LED Stop,Turn,Tail: With One LED Backup Light With One LED Backup Light and With An LED License Plate	\$167	-3#
9030054	Stop,Turn,Taillight: Trucklite 44 Series 6 LED Red With Two LED Backup Lights. Flange Mounted. Taillights Come On When Fog Lights Are On. With An LED License Plate.	\$129	2#
9030056	Stop,Turn,Taillight: Trucklite 44 Series 6 LED red with two LED backup lights and LED License Plate. Grommet mounted. Taillights come on when fog lights are on.	\$146	3#
9070138	Combination Stop, Tail, Turn & Backup Lights RH & LH.	STD	0#
9070144	Additional 6ft Taillamp Harness: In frame	\$67	0#
Miscellaneous			
8240019	Exterior Audible Alarm: Park Brake Not Set With Door Open	\$294	0#
9090000	Daytime Running Lamps.	\$148	0#
9090007	Override Switch: For daytime running lamps.	\$45	0#
9090027	Headlamps to turn on when wipers are active.	\$0	0#
9090049	Omit Brake Light with Engine Brake. Can only be selected when chassis also has engine brake. Cannot be used with options to delete engine brake.	\$0	0#
9090052	Brake Lights on when Engine Brake Active. Can only be selected when chassis also has engine brake. Cannot be used with options to delete engine brake.	\$0	0#
9090058	Switch & Wiring: For customer-installed plow light. Includes circuit breaker.	\$204	0#
9090060	LH Courtesy Lamp: On upper skirt to light up step.	\$92	0#
9090126	Electric Backup Alarm: Meets SAE J994 & OSHA requirements.	\$138	4#
9090142	Wiring Only: For customer-installed backup alarm.	\$52	0#
9090148	Prewire: Exterior Notification of Regen Prewire leftside of firewall for Customer Installed beacon lamp to notify operator of Regen. Fused to 10A.	\$54	1#
9090151	Wiring:Cust. Install Trlr Elec. Brake Controller. Class 8/T4 Content Includes Dash Signals: Ignition Power (20A), Ground, Stop Lamp and Electric Trailer Brake Controller Wired To EOF Junction Box. These Signals Are Located Near The NavPlus HD Area. No Need To Code For An Additional End of Frame Junction Box. EOF Junction Box Signals Are: Ground, Tail Lamp, Marker Lamp, Left Turn, Right Turn, Stop Lamp and Electric Trailer Brake Controller Wired To Dash. Medium Duty (not T4) Content Includes A MP 280 Series Connector In Dash Near Driver Door Connections With Signals: Battery Power (40A), Ground, Stop Lamp and Electric Trailer Brake Controller Wired To Chassis Connector. Medium Duty (not T4) 2 Way Deutsch Chassis Connector Located Near Back of Cab, With Signals: Ground and Electric Trailer Brake Controller Wired To Dash Connector.	\$174	4#
9090301	Junction Box: Under cab	\$164	1#
9090302	Junction Box: Mounted Behind Cab or Sleeper Not Mounted at End of Frame.	\$134	1#



T440/T470: LIGHTS & SIGNALS

Option	Description	Price	Weight
Miscellaneous			
9090316	Junction Box: End of Frame	\$183	1#
9090845	Circuit Breakers: Replacing fuses. Does not apply to any 5-amp fuse box position. Brakers include stop/brake/turn, tail lamp, high & low beams, marker/clearance lamps, horn, fuel heat, gauges, air dryer, HVAC controls, panel lamps. Some circuits will remain fuses.	\$40	0#
Beacon Lights			
Dual			
9080128	Dual Revolving Amber Roof Lights: Centered over cab door w/ stainless steel bracket.	\$692	15#
Customer-Installed			
9080200	Switch & Wiring: Customer-installed beacon lights w/ additional coiled wire to 20ft. coiled BOC.	\$193	0#
9080201	Switch & Wiring: Customer-installed beacon lights mounted on non-Aerodynamic mirrors.	\$153	0#
9080202	Switch & Wiring: Customer-installed dual beacon lights w/o insulators. Coiled wire behind dash.	\$103	1#
9080205	Stainless Steel Brackets, Switch & Wiring: Customer-installed dual beacon lights mounted over door of cab with insulators.	\$269	4#
Floodlights			
First Set			
9052011	Dual Flush Floodlights: First Set	\$131	2#
9056140	Dual Pedestal Floodlights: First Set	\$256	2#
Switches for Customer-Installed			
9058037	Switch & Wiring for Customer-Installed Floodlight W/O Electrical Pass-Through - 1st Set. Wire Coiled BOC/BOS.	\$81	0#
Location Codes			
9059901	Floodlight Location: Located High - First Set. This Code To Be Used With Flush-Mount (9052011) or C/I (9058071) Codes Only.	\$0	0#
9059905	Floodlight Location: Located High Stanchion - First Set.	\$0	0#
9059909	Floodlight Location:High Outbd of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.	\$0	0#
9059911	Floodlight Location: Located Mid - First Set	\$0	0#
Miscellaneous			
9058020	Coiled Wire BOC/BOS: Additional 30ft. For Customer-Installed Floodlights - 1st Set.	\$24	0#
9058030	Dual Floodlights:Top-Mirror Mounted - First Set	\$353	4#



T440/T470: LIGHTS & SIGNALS

Option	Description	Price	Weight
Floodlights			
Second Set			
Switches for Customer-Installed			
9058052	Switch & Wiring for Customer-Installed Floodlight : W/O Electrical Pass-Through - 2nd Set. Wire Coiled BOC/BOS.	\$100	0#
Third Set			
Switches for Customer-Installed			
9058056	Switch & Wiring for Customer-Installed Floodlight : W/O Electrical Pass-Through - 3rd Set. Wire Coiled BOC/BOS.	\$133	0#



T440/T470: AIR EQUIPMENT

Option	Description	Price	Weight
Air Drying Equipment			
Moisture Ejection Valve			
9102009	Moisture ejection valve: Midland automatic use w/ AD-IS only.	\$112	2#
9102040	Moisture ejection valve: Two Bendix DV-2 drain valves on service tanks use w/ AD-IS only. Heated.	\$248	0#
9108001	Moisture ejection valve w/ pull cable drain.	STD	0#
Air Dryer			
9101218	Air Dryer: Bendix AD-HF Puraguard Heated	STD	0#
9101219	Air Dryer: Bendix AD-HF Extended Purge Heated With Puraguard	\$113	0#
9101245	Air Dryer: Bendix Dual AD-IS Everflow heated. PuraGuard	\$1,175	46#
Air System Miscellaneous			
9140020	Nylon air tubing in frame & cab, excluding hoses subject to excessive heat or flexing.	STD	0#
9140060	Air oil & fuel hose to -60 degree F.	\$3,173	60#
9140084	Byp. Air Sys:For Wet Bulk Trailer Unload(7)Gauges	\$1,036	12#
9140085	Bendix LQ-5 ratio valve:for Kenworth-installed pusher/tag. LQ-5 valve limits the amount of air applied to the pusher brakes. Helps prevent lockup in lightly loaded conditions.	\$151	2#
9140092	Schrader valve to charge air system.	\$107	2#
9140101	Charging gladhand: Frame bracket & air line to wet tank.	\$141	2#
9140236	Locate air dryer outside LH rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140238	Locate air dryer outside RH rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140248	Locate air dryer under LH rail BOC This code requires the use of a custom frame layout code.	\$0	0#
9140249	Locate air dryer under RH rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140252	Locate air dryer inside LH rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140254	Locate air dryer inside RH rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140267	Locate air dryer inside RH rail BOC	\$770	0#
9140268	Locate air dryer inside LH rail BOC	\$770	0#
9140269	Locate air dryer outside LH rail BOC	\$770	0#
9140270	Locate air dryer outside RH rail BOC	\$770	0#
9140271	Locate air dryer under LH rail BOC	\$770	0#



T440/T470: AIR EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Air System Miscellaneous

9140272	Locate air dryer under RH rail BOC	\$770	0#
---------	------------------------------------	-------	----

Air Tank Locations

9140251	Air tanks: clear of left side of transmission area. Clear area - forward of transmission yoke C/L	\$1,925	4#
9140253	Air tanks: clear of right side of transmission area. Clear area - forward of transmission yoke C/L	\$1,925	4#
9140273	Air tanks: clear of transmission area Clear area - forward of transmission yoke C/L	\$1,925	4#
9140286	Air tanks: clear of left side of transmission area. This code requires the use of a custom frame layout code.	\$0	0#
9140287	Air tanks: clear of right side of transmission area. This code requires the use of a custom frame layout code.	\$0	0#
9140288	Air tanks: clear of transmission area. This code requires the use of a custom frame layout code.	\$0	0#
9140289	Air tanks: mounted inside frame flanges where possible. This code requires the use of a custom frame layout code.	\$0	0#
9140290	Air tanks: mounted inside frame flanges where possible.	\$1,925	0#

Air Tank Options

9150170	Air tanks: aluminum replacing steel all tanks. *Not air tanks on lift axles.	\$400	-44#
9150210	Straps for mounting air tank module under box. For steel air tanks only. Straps on all air tanks.	\$90	2#

Air & Electrical Supply Kits

Tractor

9110037	Air & Electrical Supply Kits: Tractor BOC-mounted kit w/ slidebar, spring hanger and composite gladhand/light plug holder mounted on back of cab/sleeper. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard.	\$925	19#
9110063	Air & Electrical Supply Kits: Tractor BOC mounted kit at beltline w/ air and light lines, w/o slidebar, w/ composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard.	\$1,158	19#
9110068	Air & Electrical Supply Kits: Tractor LH frame- mounted kit w/ hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. Use code 9140177 for short hosetenna option, this is not available on the T3 series.	\$793	24#

Option	Description	Price	Weight
Air & Electrical Supply Kits			
Tractor			
9110071	Tractor kit: Center frame-mounted w/ hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard.	\$817	24#
9110072	Tractor kit: LH outboard frame-mounted w/ hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. Use code 9140177 for short hosetenna option.	\$745	24#
9110081	Tractor kit: BOC-mounted kit w/ slidebar, spring hanger and composite gladhand/light plug holder mounted on back of extended daycab. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. Not available w/ dual independent exhaust.	\$867	19#
Full Truck			
9110020	Full truck kit: Gladhands mounted at end-of- frame. Seven-way female receptacle mounted at end-of-frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valves are standard.	\$636	15#
9110034	Full truck/tractor kit combined: Center frame mounted. 7-way female receptacle and air connection gladhands are mounted BOC on center frame bracket & mounted at end-of-frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valve are standard.	\$527	15#
Air & Light Line Options			
9120010	Air & light line length: 10 feet, Straight lines	\$0	0#
9120012	Air & light line length: 12 feet, Straight lines	\$0	0#
9120014	Air & light line length: 14 feet, Straight lines	\$0	0#
9120015	Air & light line length: 15 feet, Straight lines	\$0	0#
9120016	Air & light line length: 16 feet, Straight lines	\$0	0#
9121008	Phillips 12ft coiled light line w/ metal plugs & 6 in. lead. Must code for tractor kit.	\$33	2#
9121043	Phillips 15ft coiled light line w/ metal plugs & 6 in. lead. Must code for tractor kit.	\$65	4#
9121047	Phillips 12ft straight light line w/ metal plugs & 12 in. lead. Must code for tractor kit.	\$15	0#
9121051	Philatron 15 ft Coiled Air Line. Must code for tractor kit. use code 9121115	\$100	4#
9121112	Coiled air & light lines replacing straight lines . Included in tractor kit. 12ft working length.	\$50	0#
9121115	Coiled air & light lines replacing straight lines Included in tractor kit. 15ft working length.	\$70	2#



T440/T470: AIR EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Air & Electrical Supply Kits

Air & Light Line Options

9121118	Phillips 11-5400 air lines. Requires Option: 9121115 Air/Light Lines: 15 feet Coiled. *The 11-5400 is a 15 ft. Polar Air pair with 40 in. leads.	\$38	0#
9140005	Straight air & light lines: for semitrailer application. Air lines detachable one end only; light line detachable both ends. Use w/ code 9110030. Note must code separately for straight air & light line lengths. Requires 12ft straight air & light.	\$210	8#

Kit Accessories

9121057	Additional 7-way electrical receptacle w/ tractor kit wired to 3 dash switches & back-up lamp switch. *Spare Switch 1 is wired to Pin YEL, Spare Switch 2 is wired to Pin GRN, Spare Switch 3 is wired to Pin BRN and Backup Lamp Switch is wired to pin BLK.	\$318	0#
9127022	Indicator light for trailer battery charge circuit wired thru key switch, use w/ 9127021.	\$81	0#
9140177	Short Hosetenna: for use w/ code 9110068, 9110071 9110072 or 9110090	\$13	0#
9140188	Slide bar: for air & light lines, cab/sleeper mounted.	\$45	2#
9140193	Delete hosetenna. Must code for a tractor kit.	(\$41)	-8#
9140196	Double spring replacing single spring hanger. *Must code for Trac Kit w/Slide Bar.	\$35	2#
9140200	Delete trailer hand valve. Must code for tractor kit.	(\$68)	0#
9140225	Bendix trailer hand valve: spring loaded/self- returning, replacing standard.	\$0	0#
9140245	BPR-1 relay valve: replacing R12.	\$0	0#
9140361	Phillips 15' Straight Air/Light Lines Spiral Wrap 30-21712KW Req. Trct Kit	\$243	3#

Optional Hosetenna Bracket Location

9140700	Standard hosetenna Bracket Location. Hosetenna bracket will be located plus or minus six inches from standard location of eight inches.	\$0	0#
9140701	Optional Hosetenna Bracket Location 1ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$15	0#
9140702	Optional Hosetenna Bracket Location 2ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$15	0#
9140703	Optional Hosetenna Bracket Location 3ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$15	0#
9140704	Optional Hosetenna Bracket Location 4ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$15	0#
9140705	Optional Hosetenna Bracket Location 5ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$15	0#
9140706	Optional Hosetenna Bracket Location 6ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$15	0#



T440/T470: AIR EQUIPMENT

Option	Description	Price	Weight
Air & Electrical Supply Kits			
Optional Hosetenna Bracket Location			
9140707	Optional Hosetenna Bracket Location 7ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$15	0#
9140708	Optional Hosetenna Bracket Location 8ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$15	0#
9140709	Optional Hosetenna Bracket Location 9ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$30	0#
9140710	Optional Hosetenna Bracket Location 10ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$30	0#
9140712	Hosetenna bracket: 12ft BOC. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$30	0#
9140714	Hosetenna bracket: 14ft BOC. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$45	0#
9140716	Hosetenna bracket: 16ft BOC. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$45	0#
Trailer ABS Provisions			
9140321	Additional 7-way ISO 3731 connector for trailer ABS power One additional, w/ o light line, for full truck & tractor.	\$186	6#
9140322	Additional 7-way ISO 3731 connector for trailer ABS power One additional, w/ 15ft coiled light line, for full truck & tractor w/ dual light plug holders.	\$327	8#
9140326	Additional 7-way electrical receptacle mounted end-of-frame.	\$527	2#
9140328	Trailer ABS electric supply through SAE J560 7-pin connector per TMC RP137).	\$0	0#
9140329	Trailer ABS malfunction lamp for use w/ second ISO 3731 connector For non-PLC trailers.	\$41	0#
9140333	Two spare circuits through trailer ABS ISO 3731 connector Requires sales code 9140321 or 9140322.	(\$1)	0#
9140339	7-way electrical receptacle wired to battery circuit, center pin requires additional ISO 3731 connector.	(\$21)	0#
9140341	Two spare circuits through trailer ABS ISO 3731 connector, one spare circuit wired to one dash switch . Requires sales code 9140321, 9140322 or 9140336. Spare Switch 1 is wired to Pin 4, Spare Switch 2 is wired to Pin 5	\$49	0#
9140342	Two spare circuits through trailer ABS ISO 3731 connector, spare circuits wired to two dash switch es. Requires sales code 9140321 or 9140322. Spare Switch 1 is wired to Pin 4, Spare Switch 2 is wired to Pin 5	\$48	0#
9140343	Two spare circuits through trailer ABS ISO 3731 connector wired to standard spare switch es. Requires sales code 9140321 or 9140322. Spare Switch 1 is wired to Pin 4, Spare Switch 2 is wired to Pin 5	\$48	0#



T440/T470: AIR EQUIPMENT

Option	Description	Price	Weight
Miscellaneous			
9127026	Trailer battery charging circuit w/ 125 amp fuse w/ detach trailer charge line.	\$201	8#



T440/T470: SPECIAL EQUIPMENT

Option	Description	Price	Weight
Severe Service Packages			
9462002	Domestic severe service package. Domestic severe service is required on any chassis operating within the 50 United States and Canada where the application includes class C road service 10% or more of the operation, or when vehicle will operate predominately on privately maintained, unimproved, or roughly prepared road surfaces. Specific vocations include, but are not limited to, oilfield service and Canadian logging service.	\$620	180#
Safety Equipment			
9490206	Warning triangle reflector kit: Shipped loose. Kit consists of 3 triangles in plastic carrying case. Not floor mounted.	\$45	4#
9490213	Warning triangle reflector kit: Floor mounted parallel to back wall between seats. Kit consists of 3 triangles in plastic carrying case. For day cab only.	\$50	12#
9490217	Warning triangle reflector kit: Floor mounted parallel to passenger seat.	\$50	13#
9490404	One 5 lb. dry chemical type fire extinguisher mounted outboard of driver seat. Class ABC.	\$129	11#
9490406	One 5 lb. dry chemical type fire extinguisher mounted outboard of rider seat. Class ABC.	\$129	11#
9490408	One 5 lb. dry chemical type fire extinguisher mounted inboard of rider seat. Class ABC.	\$129	11#
Build Notes			
6679975	Frame access package recommended. Dealer contact declines.	\$0	0#
6679990	*** This vehicle does not have adequate swing/dip clearance when coupled to the trailer referenced on this order. See narrative line for maximum forward fifth wheel setting for this vehicle/trailer combination.***	\$0	0#
9409850	GHG Secondary Manufacturer: American Reliance Industries	\$0	0#
9409852	GHG Secondary Manufacturer: Does Not Apply	\$0	0#
9409853	GHG Secondary Manufacturer: Indiana Custom Trucks	\$0	0#
9409854	GHG Secondary Manufacturer: Gracie Industries or Bolt Custom Trucks	\$0	0#
9409855	GHG Secondary Manufacturer: Palmer Trucks	\$0	0#
9409856	GHG Secondary Manufacturer: Concept Vehicle Technologies	\$0	0#
9490003	Additional lead time required for off highway & /or specialty component truck.	\$0	0#
9490645	Zinc Phosphate frame rail paint processing. Requires frame rail code. Code is for 1 pair of rails.	\$342	0#
9490647	Zinc Phosphate frame insert paint processing. Requires any 1st frame insert code. Code is for 1 pair of any frame inserts.	\$342	0#
9999945	Charge chassis in United States dollars.	\$0	0#
9999949	Do not drive.	\$1,000	0#



T440/T470: SPECIAL EQUIPMENT

Option	Description	Price	Weight
Build Notes			
9999995	Cancel/reorder chassis.	\$0	0#
International Support Fee			
9212002	International support fee.	\$3,531	0#



T440/T470: EXTENDED WARRANTY

Option	Description	Price	Weight
Warranty			
9200002	Base Warranty - Severe Service 12 months / 50,000 miles / 80,000 km.	\$0	0#
9200008	Base Warranty - PACCAR PX-9 Engine 24 months / 250,000 miles / 402,336 km / 6250 hours.	\$0	0#
9200021	Base Warranty - Standard Service Heavy Duty 12 months / 100,000 miles / 160,000 km.	\$0	0#
9200022	Base Warranty - Standard Service Medium Duty 12 months / Unlimited miles & km	STD	0#
9200113	Severe Service Medium-duty Warranty: 1-year/ 50,000 miles.	\$0	0#
U.S. Extended Warranty			
9202122	EW: US Heater & Air Conditioner 2 year/200,000 miles, United States only.	\$250	0#
9202123	EW: US Heater & Air Conditioner 2 year/300,000 miles, United States only.	\$450	0#
9202133	EW: US Heater & Air Conditioner 3 year/300,000 miles, United States only.	\$500	0#
9202134	EW: US Heater & Air Conditioner 3 year/400,000 miles, United States only.	\$675	0#
9202322	EW: US Radiator/CAAC, 2 year/200,000 miles, United States only.	\$175	0#
9202323	EW: US Radiator/CAAC 2 year/300,000 miles, United States only.	\$225	0#
9202333	EW: US Radiator/CAAC 3 year/300,000 miles, United States only.	\$250	0#
9202334	EW: US Radiator/CAAC 3 year/400,000 miles. United States only.	\$300	0#
9202622	EW: US Basic Vehicle 2 year/200,000 miles, United States only.	\$950	0#
9202623	EW: US Basic Vehicle 2 year/300,000 miles, United States only.	\$2,325	0#
9202633	EW: US Basic Vehicle 3 year/300,000 miles, United States only.	\$2,725	0#
9202634	EW: US Basic Vehicle 3 year/400,000 miles, United States only.	\$3,425	0#
9202759	EW: US Heater & Air Conditioner 2 year/100,000 miles, United States only.	\$100	0#
9202760	EW: US Heater & Air Conditioner 2 year/400,000 miles, United States only.	\$625	0#
9202761	EW: US Heater & Air Conditioner 2 year/500,000 miles, United States only.	\$700	0#
9202762	EW: US Heater & Air Conditioner 3 year/100,000 miles, United States only.	\$150	0#
9202763	EW: US Heater & Air Conditioner 3 year/200,000 miles, United States only.	\$325	0#
9202764	EW: US Heater & Air Conditioner 3 year/500,000 miles, United States only.	\$775	0#
9202765	EW: US Heater & Air Conditioner 4 year/100,000 miles, United States only.	\$225	0#
9202766	EW: US Heater & Air Conditioner 4 year/200,000 miles, United States only.	\$400	0#

*See PremierSpec for Applicable Restrictions



T440/T470: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9202767	EW: US Heater & Air Conditioner 4 year/300,000 miles, United States only.	\$600	0#
9202768	EW: US Heater & Air Conditioner 4 year/400,000 miles, United States only.	\$750	0#
9202769	EW: US Heater & Air Conditioner 4 year/500,000 miles, United States only.	\$825	0#
9202770	EW: US Heater & Air Conditioner 5 year/100,000 miles, United States only.	\$325	0#
9202771	EW: US Heater & Air Conditioner 5 year/200,000 miles, United States only.	\$500	0#
9202772	EW: US Heater & Air Conditioner 5 year/300,000 miles, United States only.	\$700	0#
9202773	EW: US Heater & Air Conditioner 5 year/400,000 miles, United States only.	\$875	0#
9202774	EW: US Heater & Air Conditioner 5 year/500,000 miles, United States only.	\$925	0#
9202775	EW: US Heater & Air Conditioner 6 year/100,000 miles, United States only.	\$350	0#
9202776	EW: US Heater & Air Conditioner 6 year/200,000 miles, United States only.	\$525	0#
9202777	EW: US Heater & Air Conditioner 7 year/200,000 miles, United States only.	\$550	0#
9202778	EW: US Radiator/CAAC, 2 year/100,000 miles, United States only.	\$50	0#
9202779	EW: US Radiator/CAAC, 2 year/400,000 miles, United States only.	\$275	0#
9202780	EW: US Radiator/CAAC, 2 year/500,000 miles, United States only.	\$325	0#
9202781	EW: US Radiator/CAAC, 3 year/100,000 miles, United States only.	\$75	0#
9202782	EW: US Radiator/CAAC, 3 year/200,000 miles, United States only.	\$200	0#
9202783	EW: US Radiator/CAAC, 3 year/500,000 miles, United States only.	\$350	0#
9202784	EW: US Radiator/CAAC, 4 year/100,000 miles, United States only.	\$100	0#
9202785	EW: US Radiator/CAAC, 4 year/200,000 miles, United States only.	\$225	0#
9202786	EW: US Radiator/CAAC, 4 year/300,000 miles, United States only.	\$275	0#
9202787	EW: US Radiator/CAAC, 4 year/400,000 miles, United States only.	\$325	0#
9202788	EW: US Radiator/CAAC, 4 year/500,000 miles, United States only.	\$375	0#
9202789	EW: US Radiator/CAAC, 5 year/100,000 miles, United States only.	\$125	0#
9202790	EW: US Radiator/CAAC, 5 year/200,000 miles, United States only.	\$250	0#
9202791	EW: US Radiator/CAAC, 5 year/300,000 miles, United States only.	\$300	0#
9202792	EW: US Radiator/CAAC, 5 year/400,000 miles, United States only.	\$350	0#



T440/T470: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9202793	EW: US Radiator/CAAC, 5 year/500,000 miles, United States only.	\$400	0#
9202794	EW: US Radiator/CAAC, 6 year/100,000 miles, United States only.	\$150	0#
9202795	EW: US Radiator/CAAC, 6 year/200,000 miles, United States only.	\$275	0#
9202796	EW: US Radiator/CAAC, 7 year/200,000 miles, United States only.	\$300	0#
9202797	EW: US Basic Vehicle 2 year/100,000 miles, United States only.	\$350	0#
9202798	EW: US Basic Vehicle 2 year/400,000 miles, United States only.	\$3,075	0#
9202799	EW: US Basic Vehicle 2 year/500,000 miles, United States only.	\$4,100	0#
9202800	EW: US Basic Vehicle 3 year/100,000 miles, United States only.	\$650	0#
9202801	EW: US Basic Vehicle 3 year/200,000 miles, United States only.	\$1,250	0#
9202802	EW: US Basic Vehicle 3 year/500,000 miles, United States only.	\$4,450	0#
9202803	EW: US Basic Vehicle 4 year/100,000 miles, United States only.	\$1,025	0#
9202804	EW: US Basic Vehicle 4 year/200,000 miles, United States only.	\$1,675	0#
9202805	EW: US Basic Vehicle 4 year/300,000 miles, United States only.	\$3,150	0#
9202806	EW: US Basic Vehicle 4 year/400,000 miles, United States only.	\$3,750	0#
9202807	EW: US Basic Vehicle 4 year/500,000 miles, United States only.	\$4,800	0#
9202808	EW: US Basic Vehicle 5 year/100,000 miles, United States only.	\$1,775	0#
9202809	EW: US Basic Vehicle 5 year/200,000 miles, United States only.	\$2,450	0#
9202810	EW: US Basic Vehicle 5 year/300,000 miles, United States only.	\$3,950	0#
9202811	EW: US Basic Vehicle 5 year/400,000 miles, United States only.	\$4,650	0#
9202812	EW: US Basic Vehicle 5 year/500,000 miles, United States only.	\$5,500	0#
9202813	EW: US Basic Vehicle 6 year/100,000 miles, United States only.	\$1,900	0#
9202814	EW: US Basic Vehicle 6 year/200,000 miles, United States only.	\$2,575	0#
9202815	EW: US Basic Vehicle 7 year/200,000 miles, United States only.	\$2,600	0#
9202874	EW: US Towing For Warrantable Failures 1 year / Unlimited miles.	\$240	0#
9202875	EW: US Towing For Warrantable Failures 2 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$480	0#



T440/T470: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9202876	EW: US Towing For Warrantable Failures 3 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$720	0#
9202877	EW: US Towing For Warrantable Failures 4 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$935	0#
9202878	EW: US Towing For Warrantable Failures 5 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,440	0#
Canada Extended Warranty			
9202816	EW: Canada Heater & Air Conditioner 2 year/160,000km, Canada only.	\$175	0#
9202817	EW: Canada Heater & Air Conditioner 2 year/640,000km, Canada only.	\$800	0#
9202818	EW: Canada Heater & Air Conditioner 2 year/800,000km, Canada only.	\$900	0#
9202819	EW: Canada Heater & Air Conditioner 3 year/160,000km, Canada only.	\$200	0#
9202820	EW: Canada Heater & Air Conditioner 3 year/320,000km, Canada only.	\$450	0#
9202821	EW: Canada Heater & Air Conditioner 3 year/800,000km, Canada only.	\$950	0#
9202822	EW: Canada Heater & Air Conditioner 4 year/160,000km, Canada only.	\$425	0#
9202823	EW: Canada Heater & Air Conditioner 4 year/320,000km, Canada only.	\$700	0#
9202824	EW: Canada Heater & Air Conditioner 4 year/480,000km, Canada only.	\$925	0#
9202825	EW: Canada Heater & Air Conditioner 4 year/640,000km, Canada only.	\$1,050	0#
9202826	EW: Canada Heater & Air Conditioner 4 year/800,000km, Canada only.	\$1,150	0#
9202827	EW: Canada Heater & Air Conditioner 5 year/160,000km, Canada only.	\$550	0#
9202828	EW: Canada Heater & Air Conditioner 5 year/320,000km, Canada only.	\$825	0#
9202829	EW: Canada Heater & Air Conditioner 5 year/480,000km, Canada only.	\$1,075	0#
9202830	EW: Canada Heater & Air Conditioner 5 year/640,000km, Canada only.	\$1,225	0#
9202831	EW: Canada Heater & Air Conditioner 5 year/800,000km, Canada only.	\$1,275	0#
9202832	EW: Canada Heater & Air Conditioner 6 year/160,000km, Canada only.	\$575	0#
9202833	EW: Canada Heater & Air Conditioner 6 year/320,000km, Canada only.	\$850	0#
9202834	EW: Canada Heater & Air Conditioner 7 year/320,000km, Canada only.	\$875	0#
9202835	EW: Canada Radiator/CAAC 2 year/160,000 km, Canada only.	\$150	0#



T440/T470: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9202836	EW: Canada Radiator/CAAC 2 year/640,000 km, Canada only.	\$700	0#
9202837	EW: Canada Radiator/CAAC 2 year/800,000 km, Canada only.	\$925	0#
9202838	EW: Canada Radiator/CAAC 3 year/160,000 km, Canada only.	\$200	0#
9202839	EW: Canada Radiator/CAAC 3 year/320,000 km, Canada only.	\$450	0#
9202840	EW: Canada Radiator/CAAC 3 year/800,000 km, Canada only.	\$1,000	0#
9202841	EW: Canada Radiator/CAAC 4 year/160,000 km, Canada only.	\$375	0#
9202842	EW: Canada Radiator/CAAC 4 year/320,000 km, Canada only.	\$625	0#
9202843	EW: Canada Radiator/CAAC 4 year/480,000 km, Canada only.	\$750	0#
9202844	EW: Canada Radiator/CAAC 4 year/640,000 km, Canada only.	\$925	0#
9202845	EW: Canada Radiator/CAAC 4 year/800,000 km, Canada only.	\$1,150	0#
9202846	EW: Canada Radiator/CAAC 5 year/160,000 km, Canada only.	\$400	0#
9202847	EW: Canada Radiator/CAAC 5 year/320,000 km, Canada only.	\$650	0#
9202848	EW: Canada Radiator/CAAC 5 year/480,000 km, Canada only.	\$800	0#
9202849	EW: Canada Radiator/CAAC 5 year/640,000 km, Canada only.	\$975	0#
9202850	EW: Canada Radiator/CAAC 5 year/800,000 km, Canada only.	\$1,175	0#
9202851	EW: Canada Radiator/CAAC 6 year/160,000 km, Canada only.	\$425	0#
9202852	EW: Canada Radiator/CAAC 6 year/320,000 km, Canada only.	\$675	0#
9202853	EW: Canada Radiator/CAAC 7 year/320,000 km, Canada only.	\$700	0#
9202854	EW: Canada Basic Vehicle 2 year/160,000 km, Canada only.	\$650	0#
9202855	EW: Canada Basic Vehicle 2 year/640,000 km, Canada only.	\$3,950	0#
9202856	EW: Canada Basic Vehicle 2 year/800,000 km, Canada only.	\$4,775	0#
9202857	EW: Canada Basic Vehicle 3 year/160,000 km, Canada only.	\$875	0#
9202858	EW: Canada Basic Vehicle 3 year/320,000 km, Canada only.	\$1,800	0#
9202859	EW: Canada Basic Vehicle 3 year/800,000 km, Canada only.	\$5,025	0#
9202860	EW: Canada Basic Vehicle 4 year/160,000 km, Canada only.	\$2,025	0#
9202861	EW: Canada Basic Vehicle 4 year/320,000 km, Canada only.	\$3,025	0#



T440/T470: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9202862	EW: Canada Basic Vehicle 4 year/480,000 km, Canada only.	\$4,025	0#
9202863	EW: Canada Basic Vehicle 4 year/640,000 km, Canada only.	\$5,275	0#
9202864	EW: Canada Basic Vehicle 4 year/800,000 km, Canada only.	\$6,200	0#
9202865	EW: Canada Basic Vehicle 5 year/160,000 km, Canada only.	\$3,075	0#
9202866	EW: Canada Basic Vehicle 5 year/320,000 km, Canada only.	\$4,125	0#
9202867	EW: Canada Basic Vehicle 5 year/480,000 km, Canada only.	\$5,200	0#
9202868	EW: Canada Basic Vehicle 5 year/640,000 km, Canada only.	\$6,525	0#
9202869	EW: Canada Basic Vehicle 5 year/800,000 km, Canada only.	\$7,125	0#
9202870	EW: Canada Basic Vehicle 6 year/160,000 km, Canada only.	\$3,100	0#
9202871	EW: Canada Basic Vehicle 6 year/320,000 km, Canada only.	\$4,150	0#
9202872	EW: Canada Basic Vehicle 7 year/320,000 km, Canada only.	\$4,175	0#
9202879	EW: CA Towing For Warrantable Failures 1 year / Unlimited km.	\$345	0#
9202880	EW: CA Towing For Warrantable Failures 2 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$690	0#
9202881	EW: CA Towing For Warrantable Failures 3 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,030	0#
9202882	EW: CA Towing For Warrantable Failures 4 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,340	0#
9202883	EW: CA Towing For Warrantable Failures 5 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$2,060	0#
9203122	EW: Canada Heater & Air Conditioner 2 year/320,000km, Canada only.	\$425	0#
9203123	EW: Canada Heater & Air Conditioner 2 year/480,000km, Canada only.	\$625	0#
9203133	EW: Canada Heater & Air Conditioner 3 year/480,000km, Canada only.	\$675	0#
9203134	EW: Canada Heater & Air Conditioner 3 year/640,000km, Canada only.	\$850	0#
9203322	EW: Canada Radiator/CAAC 2 year/320,000 km, Canada only.	\$400	0#
9203323	EW: Canada Radiator/CAAC 2 year/480,000 km, Canada only.	\$500	0#
9203333	EW: Canada Radiator/CAAC 3 year/480,000 km, Canada only.	\$575	0#
9203334	EW: Canada Radiator/CAAC 3 year/640,000 km, Canada only.	\$775	0#



T440/T470: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9203622	EW: Canada Basic Vehicle 2 year/320,000 km, Canada only.	\$1,575	0#
9203623	EW: Canada Basic Vehicle 2 year/480,000 km, Canada only.	\$2,550	0#
9203633	EW: Canada Basic Vehicle 3 year/480,000 km, Canada only.	\$2,775	0#
9203634	EW: Canada Basic Vehicle 3 year/640,000 km, Canada only.	\$4,200	0#
Cummins Engine Extended Coverage Plans			
9207735	Cummins EW: Protection Plan 1, L9N 3 Year/100,000 mi (160,935 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,300	0#
9207736	Cummins EW: Protection Plan 1, L9N 3 Year/150,000 mi (241,402 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,800	0#
9207737	Cummins EW: Protection Plan 1, L9N 4 Year/150,000 mi (241,402 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,050	0#
9207738	Cummins EW: Protection Plan 1, L9N 4 Year/200,000 mi (321,869 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$3,050	0#
9207739	Cummins EW: Protection Plan 1, L9N 5 Year/150,000 mi (241,402 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,600	0#
9207740	Cummins EW: Protection Plan 1, L9N 5 Year/200,000 mi (321,869 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$3,300	0#
9207741	Cummins EW: Protection Plan 1, L9N 5 Year/250,000 mi (402,336 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$4,300	0#
9207742	Cummins EW: Protection Plan 1, L9N 5 Year/300,000 mi (482,804 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$5,800	0#
9207743	Cummins EW: Protection Plan 2, L9N 3 Year/100,000 mi (160,935 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,025	0#
9207744	Cummins EW: Protection Plan 2, L9N 3 Year/150,000 mi (241,402 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,300	0#
9207745	Cummins EW: Protection Plan 2, L9N 4 Year/150,000 mi (241,402 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,600	0#



T440/T470: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9207746	Cummins EW: Protection Plan 2, L9N 4 Year/200,000 mi (321,869 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,225	0#
9207747	Cummins EW: Protection Plan 2, L9N 5 Year/150,000 mi (241,402 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,000	0#
9207748	Cummins EW: Protection Plan 2, L9N 5 Year/200,000 mi (321,869 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,700	0#
9207749	Cummins EW: Protection Plan 2, L9N 5 Year/250,000 mi (402,336 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$3,500	0#
9207750	Cummins EW: Protection Plan 2, L9N 5 Year/300,000 mi (482,804 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$4,400	0#
9207751	Cummins EW: Protection Plan 2, L9N 6 Year/250,000 mi (402,336 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$3,900	0#
9207752	Cummins EW: Protection Plan 2, L9N 7 Year/250,000 mi (402,336 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$4,625	0#
9207753	Cummins EW: Major Components, L9N 6 Year/300,000 mi (482,804 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$900	0#
9207754	Cummins EW: Protect Plan 1, ISX12N 3 Year/300,000 mi (482,804 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,800	0#
9207755	Cummins EW: Protect Plan 1, ISX12N 3 Year/350,000 mi (563,271 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,400	0#
9207756	Cummins EW: Protect Plan 1, ISX12N 3 Year/400,000 mi (643,738 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$3,100	0#
9207757	Cummins EW: Protect Plan 1, ISX12N 4 Year/400,000 mi (643,738 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$4,300	0#
9207758	Cummins EW: Protect Plan 1, ISX12N 4 Year/450,000 mi (724,205 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$5,150	0#
9207759	Cummins EW: Protect Plan 1, ISX12N 4 Year/500,000 mi (804,672 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$6,300	0#



T440/T470: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9207760	Cummins EW: Protect Plan 1, ISX12N 5 Year/150,000 mi (241,402 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,200	0#
9207761	Cummins EW: Protect Plan 1, ISX12N 5 Year/200,000 mi (321,869 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,400	0#
9207762	Cummins EW: Protect Plan 1, ISX12N 5 Year/300,000 mi (482,804 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$3,550	0#
9207763	Cummins EW: Protect Plan 1, ISX12N 5 Year/400,000 mi (643,738 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$5,350	0#
9207764	Cummins EW: Protect Plan 2, ISX12N 3 Year/300,000 mi (482,804 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,400	0#
9207765	Cummins EW: Protect Plan 2, ISX12N 3 Year/350,000 mi (563,271 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,600	0#
9207766	Cummins EW: Protect Plan 2, ISX12N 3 Year/400,000 mi (643,738 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,050	0#
9207767	Cummins EW: Protect Plan 2, ISX12N 4 Year/400,000 mi (643,738 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$3,000	0#
9207768	Cummins EW: Protect Plan 2, ISX12N 4 Year/450,000 mi (724,205 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$3,700	0#
9207769	Cummins EW: Protect Plan 2, ISX12N 4 Year/500,000 mi (804,672 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$4,350	0#
9207770	Cummins EW: Protect Plan 2, ISX12N 5 Year/150,000 mi (241,402 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,400	0#
9207771	Cummins EW: Protect Plan 2, ISX12N 5 Year/200,000 mi (321,869 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,550	0#
9207772	Cummins EW: Protect Plan 2, ISX12N 5 Year/300,000 mi (482,804 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,400	0#
9207773	Cummins EW: Protect Plan 2, ISX12N 5 Year/400,000 mi (643,738 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$3,400	0#



T440/T470: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9207774	Cummins EW: Protect Plan 2, ISX12N 5 Year/500,000 mi (804,672 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$4,800	0#
9207775	Cummins EW: Major Components, ISX12N 5 Year/500,000 mi (804,672 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,000	0#
9207776	Cummins EW: Major Components, ISX12N 6 Year/600,000 mi (965,607 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,135	0#
9207777	Cummins EW: Major Components, ISX12N 7 Year/700,000 mi (1,126,541 KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,300	0#
9207875	PACCAR EW: PX-9 Protect Plan 1 EPA17 3 Year/100,000 mi (160,935 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$900	0#
9207876	PACCAR EW: PX-9 Protect Plan 1 EPA17 3 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,150	0#
9207877	PACCAR EW: PX-9 Protect Plan 1 EPA17 4 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,800	0#
9207878	PACCAR EW: PX-9 Protect Plan 1 EPA17 4 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,600	0#
9207879	PACCAR EW: PX-9 Protect Plan 1 EPA17 5 Year/100,000 mi (160,935 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,750	0#
9207880	PACCAR EW: PX-9 Protect Plan 1 EPA17 5 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,190	0#
9207881	PACCAR EW: PX-9 Protect Plan 1 EPA17 5 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$3,000	0#
9207882	PACCAR EW: PX-9 Protect Plan 1 EPA17 5 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$4,000	0#
9207883	PACCAR EW: PX-9 Protect Plan 1 EPA17 5 Year/300,000 mi (482,804 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$5,000	0#
9207884	PACCAR EW: PX-9 Protect Plan 1 EPA17 6 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,750	0#



T440/T470: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9207885	PACCAR EW: PX-9 Protect Plan 1 EPA17 6 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$3,550	0#
9207886	PACCAR EW: PX-9 Protect Plan 1 EPA17 6 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$4,550	0#
9207887	PACCAR EW: PX-9 Protect Plan 2 EPA17 3 Year/100,000 mi (160,935 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$750	0#
9207888	PACCAR EW: PX-9 Protect Plan 2 EPA17 3 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$825	0#
9207889	PACCAR EW: PX-9 Protect Plan 2 EPA17 4 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,300	0#
9207890	PACCAR EW: PX-9 Protect Plan 2 EPA17 4 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,550	0#
9207891	PACCAR EW: PX-9 Protect Plan 2 EPA17 5 Year/100,000 mi (160,935 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,200	0#
9207892	PACCAR EW: PX-9 Protect Plan 2 EPA17 5 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,400	0#
9207893	PACCAR EW: PX-9 Protect Plan 2 EPA17 5 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,650	0#
9207894	PACCAR EW: PX-9 Protect Plan 2 EPA17 5 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,900	0#
9207895	PACCAR EW: PX-9 Protect Plan 2 EPA17 5 Year/300,000 mi (482,804 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,150	0#
9207896	PACCAR EW: PX-9 Protect Plan 2 EPA17 6 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,000	0#
9207897	PACCAR EW: PX-9 Protect Plan 2 EPA17 7 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,250	0#
9207908	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA17 3 Year/100,000 mi (160,935 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$500	0#



T440/T470: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9207909	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA17 3 Year/150,000 mi (241,402 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$650	0#
9207910	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA17 4 Year/150,000 mi (241,402 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$740	0#
9207911	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA17 4 Year/200,000 mi (321,869 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$900	0#
9207912	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA17 5 Year/100,000 mi (160,935 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$740	0#
9207913	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA17 5 Year/150,000 mi (241,402 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$910	0#
9207914	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA17 5 Year/200,000 mi (321,869 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,070	0#
9207915	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA17 5 Year/250,000 mi (402,336 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,250	0#
9207916	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA17 5 Year/300,000 mi (482,804 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,500	0#
9207917	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA17 6 Year/150,000 mi (241,402 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,115	0#
9207918	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA17 6 Year/200,000 mi (321,869 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,280	0#
9207919	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA17 6 Year/250,000 mi (402,336 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,502	0#



T440/T470: PAINT

Option	Description	Price	Weight
Paint Designs			
9943050	Day Cab Standard Paint	STD	0#
9943051	Day Cab Premium Paint	\$200	0#
9943052	Day Cab Pearl Metallic Paint	\$300	0#
9943053	Sleeper Standard Paint	\$0	0#
9943054	Sleeper Premium Paint	\$400	0#
9943055	Sleeper Pearl/Metallic Paint	\$600	0#
9944820	1 - Color Paint - Day Cab Color will be White if no other color is specified.	STD	0#
9944821	1 - Color Paint - Sleeper Color will be White if no other color is specified.	\$0	0#
9944822	2 - Color Cust Design – Day Cab – Lo Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,606	0#
9944823	2 - Color Cust Design – Sleeper – Lo Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$4,397	0#
9944824	2 - Color Cust Design – Day Cab – Hi Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$3,406	0#
9944825	2 - Color Cust Design - Sleeper - Hi Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$5,197	0#



T440/T470: PAINT

Option	Description	Price	Weight
Paint Designs			
9944826	3 - Color Cust Design - Day Cab Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$4,610	0#
9944827	3 - Color Cust Design - Sleeper Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$6,459	0#
9944840	Spectrum Design - Fenders Only. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$1,794	0#
9944841	Spectrum Design – Day Cab – Roof and Fenders. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,306	0#
9944842	Spectrum Design – Sleeper – Roof and Fenders. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$4,097	0#
9944843	Spectrum Design – Day Cab – Sunset. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,306	0#
9944844	Spectrum Design – Sleeper – Sunset Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$4,097	0#



T440/T470: PAINT

Option	Description	Price	Weight
Paint Designs			
9944845	Spectrum Design – Day Cab – Deception. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,306	0#
9944846	Spectrum Design – Sleeper – Deception. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$4,097	0#
9944847	Spectrum Design - Day Cab - Roof Only. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$1,906	0#
9944848	Spectrum Design - Sleeper - Roof Only Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$3,375	0#
9944849	Spectrum Design - Day Cab - 3 Color Sunset Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$4,209	0#
9944850	Spectrum Design - Sleeper - 3 Color Sunset Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$6,058	0#
Paint Options			
9700000	Paint color number(s).	\$0	0#
9940044	Frame Paint Other Than Standard Black, Non-Metallic. Non-Metallic Only.	\$683	0#
9940056	Frame Paint Other Than Standard Black, Metallic . Metallic Paint, Imron Elite.	\$936	0#
9943001	Bumper Painted Color A	STD	0#
9943002	Bumper Painted Other Than Color A: Specify Color	\$784	0#
9943004	Bumper Unpainted	(\$84)	0#
9943011	Roof Fairing Painted A Color	\$375	0#



T440/T470: PAINT

Option	Description	Price	Weight
Paint Options			
9943012	Roof Fairing Painted Other Than A Color, Specify Color	\$400	0#
9943014	Steel Bumper Painted Frame Color	\$0	0#
9960003	Non-standard paint color.	\$295	0#
9960009	Fleet Paint – Dealer ECO Required	\$0	0#
9960021	Paint design continued BOC/BOS -includes front of side extenders, but does not include back of side extenders.	\$478	0#
9960081	Paint Hood Top Color Other Than A-Color. Top of Hood will be Painted W/ Specified Base Coat Clear Coat (High Gloss) Color.	\$1,794	0#
9960082	Paint Hood Top Anti-Glare. Top of Hood will be Painted W/ Specified Flat Color. If No Color is Specified, a Standard Flat-Black Paint will be Applied (DuPont 373P27678).	\$1,794	0#
9965510	Base coat/clear coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	STD	0#
9999944	Chassis has frame paint color other than black. Taillight brackets not included, bracket painted black.	\$0	0#