

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO ✓

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____ %

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF _____

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

7-10 Bus. days

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: KNS LLC

ADDRESS: 4033 Amherst Ave.

CITY, STATE: Dallas TX ZIP: 75225

TELEPHONE: (214) 923-5476 FAX: ()

EMAIL ADDRESS: Kelly@aquaphaet-kns.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

na

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ 259,920

AUTHORIZED SIGNATURE: Kelly Waterman

Kelly Waterman

Printed Name

TITLE: Owner

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00138397

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	342,000.00	LB	<p>TWO (2) YEAR CONTRACT FOR THE SUPPLY OF HIGH PERFORMANCE COLD PATCH ASPHALT FOR THE JEFFERSON PARISH DEPARTMENT OF STREETS</p> <p>0010 COLD PATCH, ASPHALT HIGH PERFORMANCE COLD PATCH MATERIAL IN PLASTIC OR PAPER BAGS. PAPER BAGS MUST HAVE POLYCOATED LINER. PRODUCT MUST BE SUPPLIED IN 50 LB OR 60 LB PLASTIC OR PLASTIC LINED BAGS. MUST BE DELIVERED ON PALLETS.</p> <p>TWO (2) YEAR CONTRACT FOR THE SUPPLY OF HIGH PERFORMANCE COLD PATCH FOR THE JEFFERSON PARISH DEPARTMENT OF STREETS</p>	<p>0.76/lb.</p> <hr/> <p>Aquaphalt Cold Patch 6.0</p>	<p>\$259,920</p>

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF

INCORPORATED.

AT THE MEETING OF DIRECTORS OF RNS LLC
INCORPORATED, DULY NOTICED AND HELD ON NOV. 7, 2002,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT Kelly Waterman, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.

Kelly Waterman

SECRETARY-TREASURER

June 1, 2022

DATE

STANDARD INSURANCE REQUIREMENTS FOR BIDDING PURPOSES

All required insurance under this bid shall conform to Jefferson Parish Resolution No. 113646 or No. 113647, as applicable. Contractors may not commence any work under any ensuing contract unless and until all required insurance and associated evidentiary requirements thereto have been met, along with any additional specifications contained in the **Invitation to Bid**. Except as where otherwise precluded by law, the Parish Attorney or his designee, with the concurrence of the Director of Risk Management or his designee, may agree on a case-by-case basis, to deviate from Jefferson Parish's standard insurance requirements, as provided in this Section. Vendors requesting deviation therefrom shall submit such requests in writing, along with compelling substantiation, to the Purchasing Department prior to the bid's due date. Any changes to the insurance requirements will be reflected in the bid specifications and addenda. Prior to contract execution and at all times thereafter during the term of such contract, contractors must provide and continuously maintain all coverages as required by the foregoing Resolutions, and the contract documents. Failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

For bidding purposes, bidders must submit with bid submission a current (valid) insurance certificate evidencing the required coverages. Failure to comply will cause bid to be rejected. The current insurance certificate will be used for proof of insurance at time of evaluation. Thereafter, and prior to contract execution, the low bidder will be required to provide final insurance certificates to the Parish which shall name **the Jefferson Parish, its Districts Departments and Agencies under the direction of the Parish President and the Parish Council** as additional insureds regarding negligence by the contractor for the Commercial General Liability and the Comprehensive Automobile Liability policies. Additionally, said certificates should reflect the name of the Parish Department receiving goods and services and reference the respective Jefferson Parish bid number.

JEFFERSON PARISH REQUIRED STANDARD INSURANCE

WORKER'S COMPENSATION INSURANCE

As required by Louisiana State Statute, exception; Employer's Liability, Section B shall be \$1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act, otherwise this limit shall be no less than \$500,000 per occurrence.

Note: If your company is not required by law to carry workmen's compensation insurance, i.e. not a Louisiana company, sole employee of the company, then bidders must request a workmen's compensation insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being

rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

COMMERCIAL GENERAL LIABILITY

Shall provide limits not less than the following: \$1,000,000.00 Combined Single Limit per Occurrence for bodily injury and property damage.

COMPREHENSIVE AUTOMOBILE LIABILITY

Bodily injury liability \$1,000,000.00 each person; \$1,000,000.00 each occurrence.
Property Damage Liability \$1,000,000.00 each occurrence.

Note: This category may be omitted if bidders do not/will not utilize company vehicles for the project or do not possess company vehicles. Bidder must request an automobile insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

DEDUCTIBLES - The Parish Attorney with concurrence of the Director of Risk Management have waived the deductible section of the Terms and Conditions for all Invitations to Bid, until further notice.

UMBRELLA LIABILITY COVERAGE

An umbrella policy or excess may be used to meet minimum requirements.

FOR CONSTRUCTION AND RENOVATION PROJECTS:

The following are required if selected below. Such insurance is due upon contract execution.

OWNER'S PROTECTIVE LIABILITY

To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.

BUILDER'S RISK INSURANCE

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.

Non-Public Works Bid

AFFIDAVIT

STATE OF Texas

PARISH/COUNTY OF Dallas

BEFORE ME, the undersigned authority, personally came and appeared: Kelly
Waterman, (Affiant) who after being by me duly sworn, deposed and said that
he/she is the fully authorized President of KNS LLC (Entity),
the party who submitted a bid in response to Bid Number _____, to the Parish of
Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B ✓ There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

Kelly Waterman

Signature of Affiant

Kelly Waterman

Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE 31st DAY OF May, 2022.

Daniel Maldonado


Notary Public

Daniel Maldonado

Printed Name of Notary

132162504

Notary/Bar Roll Number



My commission expires 09/06/2023.

AQUAPHALT: YOUR EASY ONCE & DONE SOLUTION

Keep Aquaphalt as your go to maintenance tool at your truck yard for potholes and any other asphalt and concrete repair needs.



Trucks can cause extensive damage to asphalt and concrete in truck yards, costing businesses money and time let alone aggravating drivers.

AQUAPHALT:

- Ideal for high-traffic truck yards
- Originally created for the Autobahn
- Made of crushed granite and a plant-based binder so it's extremely durable and eco-friendly
- Applicable YEAR-ROUND and ALL-WEATHER (sun, heat, rain, shine, snow, ice)
- Can be applied by one person, no expensive crews needed
- Begins curing immediately so can be driven on as soon as it's laid
- Comes in easy-to-store and handle 3.5 gal buckets
- Ranked #1 by Consumer Reports
- Successfully tested and reviewed by the US Army Corp of Engineers
- Endorsed by the National Center for Asphalt Technology
- Case studies and more info at www.Aquaphalt-KNS.com



D I S T R I B U T O R

KNS LLC Woman-Owned Distributor

Kelly Waterman
kelly@aquaphalt-kns.com
214-923-5476
www.Aquaphalt-KNS.com

WBENC Certified | WOSB | WBE | DBE | SBE | Texas HUB Certified

Aquaphalt Premium Safety Data Sheet

SECTION 1: PRODUCT AND COMPANY INFORMATION

GHS product identifier: Cold Asphalt Mix
Trade Name: **Aquaphalt Premium 0/4.0, 0/6.0, 0/9.0, 0/12.0**
Recommended use: Reactively curing, cold applied asphalt mix, free of solvents
Emergency phone number

Distributor / Supplier:

Reactive Asphalt Distribution LLC &
S.L. Williamson Company, Inc.
661 Ashanti Farm Rd. / 1230 River Road
Gordonsville, VA 22942 / Charlottesville, VA 22901

EMERGENCY CONTACT 24 hours:
CHEMTREC 1-800-424-9300
INFORMATION CONTACT: 540-832-0609
(Monday-Friday, 8:00 a.m. – 6:00 p.m. EST)

Manufacturer
RoadStone Production LLC
1230 River Road
Charlottesville, VA 22901

Revision Issue Date: January, 2015
Supersedes Date: January, 2014

SECTION 2: HAZARDS IDENTIFICATION

Signal Word: Warning



Physical Hazards: Not Classified
Health Hazards: The product is classified as not acute toxic, not sub-acute respectively chronically toxic, and classified as not irritating or sensitizing. Causes mild/moderate eye irritation (tears, blurred vision and redness), prolonged exposure may cause moderate skin irritation. May cause drying/defatting of the skin. Not likely to be toxic if ingested, but may cause irritation of the mouth, throat and stomach. See Section 11 for more information

Pictogram: Not Applicable
Precautionary Statements:
Environmental Hazards: Not Classified

Chemical family: Bitumen Asphalt without Solvent

ROADSTONE PRODUCTION, LLC.
1230 RIVER ROAD, CHARLOTTESVILLE, VA 22901
866-784-5031 www.aquaphalt.com

Safety Data Sheet AQUAPHALT PREMIUM 0/4.0, 0/6.0, 0/9.0, 0/12.0,

This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP. While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.

Potential Environmental Effects: See Section 12 for more information

SECTION 3: COMPOSITION, INFORMATION ON INGREDIENTS

Component	CAS #	% by Wt.
Mineral aggregates	_not applicable_	92 – 94%
OMV Bitumen 106/220	8052-42-4	6-8%

HAZARDS DISCLOSURE: This product contains no known hazardous materials as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200.

SECTION 4: FIRST AID MEASURES

Eye contact: Rinse opened eye for several minutes under running water; consult a physician.
 Skin contact: Remove contaminated clothing and wash before reuse. Wash skin with soap and water. Get medical attention if irritation develops.
 Inhalation: Not relevant.
 Ingestion: Do NOT induce vomiting. Do NOT administer anything by mouth to unconscious person. Offer water to drink. Get medical attention.

Note to Physicians: Not relevant.

SECTION 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Foam, powder, water spray
 Unsuitable Extinguishing Media: Water stream
 Products of Combustion: Not applicable
 Specific firefighting methods: No specific methods required
 Specific protective devices: Self-contained breathing apparatus
 Specific hazards: No specific hazards known
 Protection of Firefighters: Firefighters should wear self-contained breathing apparatus and full fire-fighting turnout gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautionary measures: No special measures required.
 Environmental precautionary measures: Observe usual precautions.
 Methods for cleaning up: Collect mechanically.
 Other Information: Spills of this material do not need to be reported to the National Response Center.

SECTION 7: HANDLING AND STORAGE

Handling

Keep away from heat, sparks and flame - do not smoke - Do not get in eyes. Do not breathe vapor. Avoid prolonged contact with skin.

Storage

Safety Data Sheet AQUAPHALT PREMIUM 0/4.0, 0/6.0, 0/9.0, 0/12.0,

Requirements on storage rooms and containers: Store in weather / sun protected area! Keep container well closed, material cures by exposure to air. Product residue may remain in empty containers. Observe all label precautions until container is cleaned, reconditioned or destroyed.

Information about storage in a common storage facility:	Not relevant
Further information about storage conditions:	Store in weather / sun protected area
Storage class according to VCI:	Not relevant.
Appropriate application(s):	For patching up asphalt and concrete

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Component 1: Not established.

Component 2: Not established.

Engineering measures: No special requirement.

Components with critical values that require inspection at the place of work: The product does not contain any relevant quantities of material with critical values, which have to be monitored at a work place.

Eye/face protection: Not required

Skin protection: Wear suitable work gloves.-

Respiratory protection: Not required

General Hygiene Considerations: Wash thoroughly after handling. Have eye-wash facilities immediately available. Do not eat, drink and smoke while working.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: black, solid
 Odor: characteristic
 Odor threshold: Not available
 Physical state: mineral – binder - mix
 pH - value: not relevant
 Freezing point: not relevant
 Boiling point: not relevant
 Flash point: not relevant
 Flammability: not relevant
 Upper Flammability Limit: not relevant
 Lower Flammability Limit: not relevant
 Vapor pressure at 20 °C/68 °F [mmHg]: not relevant
 Vapor Density at 25° C [g/ cm³]: 2-2.5
 Solubility in water at 20°C/68 °F: not relevant
 Solubility in fat at 20 °C/68 °F: not relevant
 Auto-ignition Temperature: Not available.
 Dynamic viscosity at 20° C/68 °F [mPas]: not relevant
 Percent Volatile, wt. %: 0
 Volatile Organic Compound (VOC) content, wt. %: 0
 Fire promoting properties [°C]: product is not oxidizing
 Danger of explosion [°C]: product is not explosive

SECTION 10: STABILITY AND REACTIVITY

Safety Data Sheet AQUAPHALT PREMIUM 0/4.0, 0/6.0, 0/9.0, 0/12.0,

Stability:	Stable.
Conditions to avoid:	Keep away from heat, sparks and flames.
Incompatible Materials:	not relevant
Possibility of Hazardous Reactions:	Will not occur.
Hazardous Decomposition Products:	Not relevant

SECTION 11: TOXICOLOGICAL INFORMATION

No adverse effects are expected if this product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that arise when the product is mishandled or overexposure occurs are:

ACUTE EFFECTS:

The product is classified as not acute toxic.

CHRONIC EFFECTS:

The product is classified as not sub-acute respectively chronically toxic.

Corrosive or irritant effect or sensitization:

The product is classified as not irritating or sensitizing.

Likely Routes of Exposure:	Eye contact, skin contact.
Eye:	Causes mild/moderate irritation (tears, blurred vision and redness).
Skin:	Prolonged exposure may cause moderate skin irritation. May cause drying/defatting of the skin.
Ingestion:	Not likely to be toxic but may cause irritation of the mouth, throat and stomach.
Inhalation:	Not relevant

Medical Conditions Aggravated By Exposure:

May cause more significant skin irritation in people with pre-existing skin conditions.

SECTION 12: ECOLOGICAL INFORMATION

Mobility in Environment: Not relevant.

Persistence/ Degradability: Not relevant.

Bioaccumulation/ Accumulation: Not relevant.

Further negative effects: There are no negative effects known.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal:	Dispose of in accordance with federal, state and local regulations.	*
Packaging:	Packaging can be reused or recycled after cleaning. Note local restrictions.	*

SECTION 14: TRANSPORT INFORMATION

UN number	Not applicable
UN Proper shipping name	Not applicable
Transport Hazard class(es)	Not applicable
Packing group, if applicable	Not applicable
Marine pollutant (Y/N)	Not available
Special precautions:	Not available

US DOT (ground)

Proper Shipping Description: This product is not regulated for shipping by US DOT.

Safety Data Sheet AQUAPHALT PREMIUM 0/4.0, 0/6.0, 0/9.0, 0/12.0,

Canadian TDG (ground)
Proper Shipping Description: See US DOT

ICAO (air)
Proper Shipping Description: See US DOT

IMDG (water)
Proper Shipping Description: See US DOT

ADR/ RID
Proper Shipping Description: See US DOT

ADN/ ADNR
Proper Shipping Description: See US DOT

SECTION 15: REGULATORY INFORMATION

OSHA PROCESS SAFETY (29CFR1910.119): Not regulated.

Inventory Status
United States (TSCA): All ingredients are on the inventory or exempt from listing.

SECTION 16: OTHER INFORMATION

NFPA 704: National Fire Protection Association
Health – 0 Fire – 0 Reactivity – 1
0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

The above SDS complies with OSHA hazard communication standard 29 CFR 1910.1200(g), as revised in 2012.

To the best of our belief, information and knowledge, we believe the information contained in this MSDS to be accurate and reliable as of the date of this Material Safety Data Sheet. The above information is based on information received from raw material suppliers and other sources and references the products as currently formulated. We make no expressed or implied warranty regarding the accuracy or reliability of the data or results obtained from the use of the product and assume no responsibility or liability for personal injury or property damage incurred by the use of these materials due to the fact that the conditions of handling, use, and storage of these materials are beyond our control. Any and all materials should be used with caution and may present unknown hazards. The information and recommendations in this material safety data sheet are offered for the users' consideration and examination. It is each user's responsibility to determine if the information and data contained herein is suitable and to comply with all applicable international, federal, state, and local laws and regulations.

Modifications compared to a prior version are marked with the star symbol * on the right margin.

Prepared by **Reactive Asphalt Distribution LLC (revised by OHK Environmental Consulting, LLC, July 2015)**



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

04/06/2022

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER		CONTACT NAME:	
Liberty Mutual Insurance		PHONE (A/C, No, Ext): 800-962-7132	FAX (A/C, No): 800-845-3666
PO Box 188065		E-MAIL ADDRESS: BusinessService@LibertyMutual.com	
Fairfield OH 45018		INSURER(S) AFFORDING COVERAGE	
		INSURER A: Ohio Security Insurance Company	NAIC # 24082
INSURED		INSURER B:	
Kelly Waterman DbA Kns Llc		INSURER C:	
4033 Amherst Ave		INSURER D:	
Dallas TX 75225		INSURER E:	
		INSURER F:	

COVERAGES

CERTIFICATE NUMBER: 0406758688

REVISION NUMBER: 2016-03

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY			BLS61185431	03/24/2022	03/24/2023	EACH OCCURRENCE \$ 1000000
	<input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR						DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 1000000
	GEN'L AGGREGATE LIMIT APPLIES PER:						MED EXP (Any one person) \$ 15000
	<input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PROJECT <input type="checkbox"/> LOC						PERSONAL & ADV INJURY \$ 1000000
	OTHER:						GENERAL AGGREGATE \$ 2000000
							PRODUCTS - COMP/OP AGG \$ 2000000
							\$
	AUTOMOBILE LIABILITY						COMBINED SINGLE LIMIT (Ea accident) \$
	<input type="checkbox"/> ANY AUTO						BODILY INJURY (Per person) \$
	<input type="checkbox"/> OWNED AUTOS ONLY	<input type="checkbox"/> SCHEDULED AUTOS					BODILY INJURY (Per accident) \$
	<input type="checkbox"/> HIRED AUTOS ONLY	<input type="checkbox"/> NON-OWNED AUTOS ONLY					PROPERTY DAMAGE (Per accident) \$
							\$
	UMBRELLA LIAB						EACH OCCURRENCE \$
	<input type="checkbox"/> EXCESS LIAB	<input type="checkbox"/> OCCUR					AGGREGATE \$
	<input type="checkbox"/> DED	<input type="checkbox"/> CLAIMS-MADE					\$
	<input type="checkbox"/> RETENTION \$						\$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY						PER STATUTE OTH-ER
	ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH)	<input type="checkbox"/> Y <input type="checkbox"/> N					E.L. EACH ACCIDENT \$
	If yes, describe under DESCRIPTION OF OPERATIONS below	<input type="checkbox"/> N/A					E.L. DISEASE - EA EMPLOYEE \$
							E.L. DISEASE - POLICY LIMIT \$

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Proof of Insurance

CERTIFICATE HOLDER**CANCELLATION**

Kelly Waterman DbA Kns Llc
4033 Amherst Ave

Dallas

TX 75225

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

© 1988-2015 ACORD CORPORATION. All rights reserved.



WWW.AQUAPHALT-KNS.COM

CAPABILITY STATEMENT

KNS LLC is a certified Woman-Owned Small Business located in Dallas, Texas. We are the distributor of Aquaphalt, a cutting-edge, eco-friendly answer to asphalt and concrete repairs. Aquaphalt is a permanent cold patch repair product made of crushed granite and a proprietary plant-based binder with no petroleum or VOCs. Aquaphalt can be applied in freezing and searing hot temperatures, rain, sun, ice and snow. The repair takes three easy steps and can be driven on immediately. Rated #1 by Consumer Reports, endorsed by the National Center for Asphalt Technology, evaluated by the US Army Corps of Engineers, used by DOTs, municipalities, government agencies and contractors all over the country.

CORE COMPETENCIES

- Product made to order
- Production and delivery in less than one week
- Only asphalt repair product with Unlimited Curing Guarantee
- Three-year product warranty — best in the industry
- Rated #1 by Consumer Reports
- National Center for Asphalt Technology endorsement
- All-weather, year-round application
- Eco-friendly, NO VOCs
- Territory US and Canada

PAST PERFORMANCE

Fort Sam Houston National Cemetery
 Dallas ISD
 Fort Worth ISD
 Dallas Love Field
 El Paso Airport
 Mississippi DOT
 City of Pearland
 Able Machinery
 Fireman's Paving Contractors
 Ferrovial
 Tarrant County College District
 Texas Tech University
 Greater Orlando Airport Authority

WOMEN'S BUSINESS COUNCIL SOUTHWEST - MEMBER
 US WOMEN'S CHAMBER OF COMMERCE - MEMBER

COMPANY SNAPSHOT

CAGE CODE: 8AWQ9
 DUNS NUMBER: 011298022
 TX CMBL VID#1710906716900
 Government Business POC: Kelly Waterman
 Email: Kelly@aquaphalt-kns.com
 Phone: 214-923-5476
 Address: 4033 Amherst Ave., Dallas, TX 75225
 Website: www.Aquaphalt-KNS.com
 All Credit Cards accepted

SOCIO-ECONOMIC STATUS


Small Business Enterprise Cert. - Exp. 06/30/23
 Disadvantaged Business Entity - Exp. 06/30/23
 Woman-Owned Entity Certification - Exp./6/30/23
 HUB Texas Certification - Exp. 6/24/23
 WBENC - Exp. 5/14/23
 WOSB - Exp. 5/14/23



NAICS CODES

237310 — Highway, Street and Bridge Construction
 423320 — Brick, Stone and Related Construction
 Material Merchant Wholesalers
 424120 — Wholesale Trade Agents & Brokers
 745-65 — NIGP





FREQUENTLY ASKED QUESTIONS:



- **WHAT IS THE COVERAGE RATE OF 1 BUCKET?** 5 sq. feet at 1" thick.
- **HOW MUCH WATER DO I USE?** We recommend 1/2 gallon of water per bucket of Aquaphalt, but you cannot add too much. If water already exists in the pothole, that's great. Just clear the hole of any loose debris.
- **CAN I INSTALL AQUAPHALT ON TOP OF A FAILING SUB-GRADE?** No, you need to remove asphalt and compact your sub-grade before installing Aquaphalt.
- **WHAT DO I DO WHEN IT'S BELOW FREEZING?** Simply add something to your water to keep it from freezing. Mix in RV anti-freeze or salt brine in your water and pour that mixture on top of your Aquaphalt patch then tamp. We recommend mixing 4 parts water to 1 part eco-friendly antifreeze.
- **WHY SHOULD I USE AQUAPHALT WHEN COLD PATCH IS CHEAPER?** Cold patch could be free, but if it doesn't work it is costing you more money. Aquaphalt can be installed in any weather condition, any time of year and will give you a permanent patch. All you need is a hand tamper and water.
- **HOW MANY BUCKETS TO PALLET?** 36
- **WHAT IS THE BUCKET SIZE?** 3.5 gallon. 50 lbs.
- **WHAT IS THE WARRANTY?** 3-year warranty if installed at least 1" thick. AND Unlimited Curing Guarantee.
- **SHELF LIFE?** 12 months. Please store correctly indoors out of the elements.
- **CAN I SAVE ANY UNUSED AQUAPHALT LEFT IN THE BUCKET?** Yes, just reseal and try to use within 30 days.
- **HOW LONG DOES IT TAKE TO CURE?** The curing process begins as soon as you apply the water to activate the binder. Depending on the weather, it will be cured within 2-12 hours. It can be driving on immediately.
- **CAN I SEAL OR STRIPE IT?** Yes, you can. We suggest you wait 24 hours.
- **SUGGESTIONS FOR FILLING A DEEP POTHOLE?** For deep potholes, apply Aquaphalt in 2" layers. Apply, water, tamp then repeat. This gives you a real solid repair.
- **WHAT ARE THE DIFFERENT SIZES?** Aquaphalt 4.0 is a finer aggregate ideally for utility cuts and more shallow areas. Aquaphalt 6.0 is the medium aggregate, typically used for standard pothole repair. Aquaphalt 9.0 is a larger aggregate for deeper repairs. Aquaphalt 4.0 costs slightly more due to the milling process.

