

DATE: 3/17/2017

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00119293

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: _____

BUYER: SFOLSE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

DELIVERY: FOB JEFFERSON PARISH	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	<u>2-3 weeks</u>
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	_____
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	_____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
 NUMBER: _____
 NUMBER: _____
 NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: BASIC SUPPLY, LLC	
SIGNATURE: (Must be signed here)	TITLE: MANAGER
PRINT OR TYPE NAME: JOHN ATKINSON	
ADDRESS: P.O. BOX 63066	
CITY, STATE: LAFAYETTE, LA	ZIP: 70596
TELEPHONE: () 337-232-1733	FAX: () 337-232-2045
EMAIL ADDRESS: charlotte@basicsupply.com	

TOTAL PRICE OF ALL BID ITEMS: \$ 1605.66

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00119293

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			STOCK SUPPLIES FOR THE JEFFERSON PARISH EASTBANK SEWERAGE WAREHOUSE		
1	84.00	EA	0001 - Shackle, anchor, 1/4 in, forged 316 stainless steel, 1000 (.5T) WLL oversize screw pin, Fastenal no 74655 (0271050)		
2	36.00	EA	0002 - Shackle, anchor, 5/8 in opening, screw pin, 316 stainless steel, 3000 pound working load, Cooper no. 640-2110 (0271110)	3.	
3	125.00	EA	0003 - Clamp, cable, 3/8 in, grade 316 stainless steel, Fastenal no. 74611 (0271350) <i>National Hardware N830-313</i>	1.29	161.25
4	36.00	EA	0004 - Bolt, eye, 5/16 in-18, 4-1/4 in long shank, forged galvanized, with nut, 800 pound working load limit, Crosby G-291 no. 1043294 (0271620) <i>National Hdwe 24511B</i>	4 3.33	119.88
5	24.00	EA	0005 - Bolt, eye, 3/8 in x 4-1/2 in long galvanized with nut, 1550 pound working load limit, Crosby G-291 no. 1043338 (0271640) <i>National Hdwe 245134</i>	5. 3.73	89.52
6	48.00	EA	0006 - Bolt, eye, 1/2 in - 13, 3-1/4 in long shank, forged galvanized, with nut, 2200 pound working load limit, without shoulder, Crosby G-291 no. 1043374 (0271660) <i>National Hdwe 245159</i>	6. 4.53	217.44
7	60.00	EA	0007 - Bushing, galvanized, 3/8 inch x 1/4 inch, schedule 40 (0289960)	7. 2.75	165.00
8	24.00	EA	0008 - Bushing, hex, 3/4 inch x 1/2 inch grade no. 316 stainless steel, 150 pound threaded fittings, merit brand (029005A) <i>Missouri Pipe Fitting</i>	8. 4.27	102.48
9	4.00	EA	0009 - Elbow, 45 degree, galvanized, 4 inch, schedule 40	9. 86.25	345.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00119293

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
10	12.00	EA	(0291720) 0010 - Plug, 1/8 inch, galvanized, schedule 40, square head, solid	10 1.60	19.20
11	12.00	EA	(0292340) 0011 - Plug, galvanized, 2 inch, schedule 40, square head, solid	" 5.38	64.56
12	12.00	EA	(0292700) 0012 - Nipple, 1-1/4 in x 2 in long, grade no. 316 stainless steel, Merit brand (029715A) <i>Missouri Pipe Fittings</i>	12 11.00	132.00
13	600.00	LF	0013 - Tubing, poly-flo, 3/8 in od, Imperial-Eastman no. 66-P-3/8, natural color (0304340)	NB	
14	20.00	PK	0014 - Tubing, polyethylene, 1/4 inch od, type 1, grade E5, black, 120 PSI working pressure, 100 feet per package, Parker brand part no. EB-43-0100 (0304360)	NB	
15	12.00	EA	0015 - Bushing, hex, 2 inch x 3/4 inch, brass, 150 pound, Merit no. 114 or equal (0371240) <i>Missouri Pipe Fittings</i>	15. 15.8	189.6
16	2.00	ROLL	0016 - Cable, stainless steel, 3/8 inch diameter, grade 304, 7 x 19 construction, 12,000 pound breaking strength, 1000 feet per reel, Wireco brand or equal (0487510)	NB	
17	60.00	EA	0017 - Elbow, PVC, schedule 80, 90 degree, 1/2 in, female socket x female socket, electrical fittings are not acceptable, Fastenal no. 0470926 (0690040)	NB	
18	36.00	EA	0018 - Elbow, 90 degree, schedule 80 PVC, 3/4 in. female thread x female	NB	

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00119293

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
19	96.00	EA	socket, electrical conduit is not acceptable (0690070) 0019 - Elbow, PVC, schedule 80, 90 degree, 1 in, female socket x female	19 NB	
20	48.00	EA	socket, (electrical fittings are not acceptable) (0690080) 0020 - Elbow, schedule 80 PVC, 90 degree, 3 inch socket x socket,	20 NB	
21	12.00	EA	electrical conduit is not acceptable, Fastenal no. 047399 (0690160) 0021 - Elbow, PVC, schedule 80, 90 degree, 4 in, female socket x female	21 NB	
22	60.00	EA	socket, electrical fitting are not acceptable (0690180) 0022 - Coupling, PVC, schedule 80, 1/2 in, socket x socket, (electrical	22 NB	
23	12.00	EA	fittings are not acceptable) (0690200) 0023 - Tee, PVC, schedule 80, 1/2 in, female pipe thread x female pipe x	23 NB	
24	6.00	EA	female pipe thread, electrical fittings are not acceptable (0690370) 0024 - Union, pipe, schedule 80 PVC, 1-1/4 inch, female socket x female	24 NB	
25	48.00	EA	socket, must have Viton o-ring seat (0690580) 0025 - Adapter, PVC, schedule 80, male, 1/2 in, female socket x male thread,	25 NB	
26	36.00	EA	electrical conduit is not acceptable (0690690) 0026 - Adapter, male, PVC, schedule 80, 1 in, female socket x male pipe thread	26 NB	

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00119293

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
27	24.00	EA	(electrical conduit fittings are not acceptable) (0690920) 0027 - Adapter, male, schedule 80 PVC, 2 inch, socket x male thread, must be	27 NB	
28	6.00	EA	constructed as one piece, electrical conduit is not acceptable, Fastenal no. 0470498 (0690930) 0028 - Adapter, female, schedule 80 PVC, 3 inch female socket x female thread,	28 NB	
29	400.00	LF	constructed as one piece, electrical conduit is not acceptable, Fastenal no. 0470491 (0690940) 0029 - Pipe, PVC, schedule 80, 1-1/2 in x 20 FT, plain ends,	29 NB	
30	6.00	EA	electrical conduit is not acceptable, Fastenal no. 0472015 (0691080) 0030 - Cap, PVC, schedule 80, 4 inch, socket, electrical conduit is not	30 NB	
31	24.00	EA	acceptable, 5 per case, Fastenal no. 0470597 (0691770) 0031 - Valve, ball, schedule 80 PVC, true union, 1 inch, to include female	31 NB	
32	4.00	EA	socket ends and FPT ends (0692020) 0032 - Nipple, PVC, schedule 80, 4 inch x close, male thread x male	32 NB	
33	18.00	EA	thread (electrical conduit fittings are not acceptable) (0692650) 0033 - Coupling, airhose, 1/2 in female N.P.T. ends, quick-acting, cadmium	33 NB	
34	60.00	EA	plated, Airking no. AM-3 (0301730) 0034 - Elbow, 90 degree, 3/4 in, schedule 80 PVC, socket x socket,	34 NB	

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00119293

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
35	12.00	EA	electrical conduit is not acceptable (0690060) 0035 - Union, pipe, schedule 80 PVC, 3/4 inch, female pipe thread x female pipe thread, must have Viton o-ring seat. (0691520)	35 NB	
36	24.00	EA	0036 - Union, pipe, schedule 80 PVC, 1 inch, female pipe thread x female pipe thread, must have Viton o-ring seat (0691530)	36 NB	



Print

#3

CABLE CLAMPS


CABLE CLAMPS 3/16IN SS

ORGILL SKU#: 7183247 Y
VENDOR: NATIONAL HARDWARE
MODEL NUMBER: N830-313
RETAIL UPC: 886780010176
INVOICE DESC: N830-313 4230BC 3/16 WR CBL CL

AVAILABLE IN:

Tifton Yes
 Inwood Yes
 Hurricane Yes
 Kilgore **Yes**
 Sikeston Yes
 Post Falls O/S

BENCHMARK RETAIL: USD 2.18 /EA
SHELF PACK: 12
MINIMUM PURCHASE: 1
ITEM QTY:



Catalog Page #:

Note:

Any prices are subject to change without notice. We will bill you at current prices prevailing at the time of shipment.

Product Details

Designed for forming an eye or loop on wire rope. Meets torque value of Federal Specifications FF-C-450D, Type 1, Class 2. Anchoring point for webbing or strap. Steel U-bolt and nuts. Malleable iron saddle. Always follow requirements for number of clamps per loop according to wire rope thickness

- STAINLESS STEEL
- Size In : 3/16

Descripción español: ABRAZADERA PARA CABLES 0,47 CM (N830-313 4230BC)



4

Select Printing Options: Basic Version | Detailed Version

Print

EYE BOLTS**EYE BOLT W/NUT 5/16X4-1/4 GALV**

ORGILL SKU#: 9217787 Y
VENDOR: NATIONAL HARDWARE
MODEL NUMBER: 245118
RETAIL UPC: 038613245112
INVOICE DESC: 245118 FORGD EYE BLT 5/16X4.25

AVAILABLE IN:

Tifton	Yes
Inwood	Yes
Hurricane	O/S
Kilgore	Yes
Sikeston	Yes
Post Falls	Yes

BENCHMARK RETAIL: USD 7.06/EA
SHELF PACK: 5
MINIMUM PURCHASE: 1
ITEM QTY:



Catalog Page #: D06080

Note:

Any prices are subject to change without notice. We will bill you at current prices prevailing at the time of shipment.

Product Details

General purpose eye bolt used where high strength is required. Ideal for marine and agricultural applications. Has shoulder so bolt can be tightened in place. Forged steel for superior strength. Galvanized for corrosion resistance. With hex nut.

- STEEL - WITH SHOULDER
- Galvanized - Boxed
- Dia x Lgth In : 5/16 x 4-1/4

Description du français: BLON IL +ECROU 5/16X4-1/4 GALV

Descripción español: PERNO FORJADO GALVANIZADO DE 0,79 X 10,79 CM. CON OJO



Print

EYE BOLTS

EYE BOLT W/NUT 3/8X4.5 IN GALV

\$5

ORGILL SKU#: 4142337 Y
VENDOR: NATIONAL HARDWARE
MODEL NUMBER: 245134
RETAIL UPC: 038613245136
INVOICE DESC: 245134 FORGED EYE BOLT 3/8X4.5

AVAILABLE IN:

Tifton Yes
 Inwood Yes
 Hurricane Yes
 Kilgore **Yes**
 Sikeston Yes
 Post Falls O/S

BENCHMARK RETAIL: USD 7.89 /EA
SHELF PACK: 5
MINIMUM PURCHASE: 1
ITEM QTY:



Catalog Page #: D06080

Note:

Any prices are subject to change without notice. We will bill you at current prices prevailing at the time of shipment.

Product Details

General purpose eye bolt used where high strength is required. Ideal for marine and agricultural applications. Has shoulder so bolt can be tightened in place. Forged steel for superior strength. Galvanized for corrosion resistance. With hex nut.

- STEEL - WITH SHOULDER
- Galvanized - Boxed
- Dia x Lgth In : 3/8 x 4-1/2

Description du français: BLON IL +ECROU 3/8X4,5 PO GALV

Descripción español: PERNO FORJADO GALVANIZADO DE 0,95 X 11,43 CM. CON OJO



EYE BOLTS

EYE BOLT W/NUT 1/2X3.25IN GALV


ORGILL SKU#: 4673091 Y
VENDOR: NATIONAL HARDWARE
MODEL NUMBER: 245159
RETAIL UPC: 038613245150
INVOICE DESC: 245159 FORGD EYE BOLT 1/2X3.25

#4

AVAILABLE IN:

Tifton Yes
 Inwood Yes
 Hurricane Yes
 Kilgore **Yes**
 Sikeston Yes
 Post Falls O/S

BENCHMARK RETAIL: USD 7.47 /EA
SHELF PACK: 5
MINIMUM PURCHASE: 1
ITEM QTY:



Catalog Page #: D06080

Note:

Any prices are subject to change without notice. We will bill you at current prices prevailing at the time of shipment.

Product Details

General purpose eye bolt used where high strength is required. Ideal for marine and agricultural applications. Has shoulder so bolt can be tightened in place. Forged steel for superior strength. Galvanized for corrosion resistance. With hex nut.

- STEEL - WITH SHOULDER
- Galvanized - Boxed
- Dia x Lgth In : 1/2 x 3-1/4

Description du français: BLON IL +ECROU 1/2X3,25 PO GALV
Descripción español: PERNO FORJADO GALVANIZADO DE 1,27 X 8,25 CM. CON OJO