



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

**5000147794 Purchase of Storage Tank for Jefferson Parish Water
Department**
Jefferson Parish Government

Project documents obtained from www.CentralBidding.com
05-Jun-2025 11:07:34 AM



Bid Number 50-00147794

Purchase of Storage Tank for Jefferson Parish Water Department

BID DUE: June 10, 2025 AT 11:00 AM

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received on the Purchasing Department's eProcurement site, www.jeffparishbids.net, by the bid due date and time. Late bids will not be accepted.

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Purchasing Specialist: Daphne Nelson
Email: daphne.nelson@jeffparish.gov
Phone: 504-364-2650**

Manufacturing Specification for Double Wall Vertical Storage Tank

PART 1.0

SCOPE

Furnish one (1) high density cross-linked polyethylene double wall storage tank manufactured by Assmann Corporation of America, Garrett, IN or approved equal, in accordance with the definitions given in ASTM D 1998 (polyethylene upright storage Tank). This specification covers polyethylene Tank manufactured in one-piece construction by rotational molding at our facility in Garrett, IN or Marshall, TX. The Tank within this specification are for above ground installation and can contain contents at atmospheric pressure and temperature. Cross-linked Tank should not exceed 150 F during normal service. Tank capacity and model shall be listed within this specification. Tank used for DADM. Tank capacity shall be 6,550 Gallons and shall fit on a 12'X12' existing slab. Tank larger shall not be allowed.

PART 2.0

MATERIALS

2.1 Plastics

The Tank shall be molded from crosslinked polyethylene with a verifiable uniform wall thickness. Tank that do not meet this requirement will not be accepted. The resin used for molding shall be Schulink XL350, as manufactured by A. Schulman, or approved equal. The plastic shall contain no fillers. All plastic shall contain a minimum of 0.3% U.V. stabilizers compound by the resin manufacturer. Pigments may be added as desired by the customer or as designated by the tank manufacturer, not to exceed 0.5%-dry blended and 0.2%-compounded in, of the total weight. The mechanical properties of the polyethylene shall include ESCR, condition A F50 results for 100% Igepal as defined in ASTM D1593 as well as the results using a 10% Igepal solution. Both test results must exceed 1000 hours of exposure without failure. The tank manufacturer must supply a copy of the mechanical property table as provided by the resin manufacturer for the resin used to manufacture the specified polyethylene tank.

PART 3.0

TANK CONSTRUCTION

3.1 Design Parameters

Tank designed and molded with verifiable **uniform wall thickness** equal to or greater than the minimum thickness requirement per the Barlow Formula shown in this specification will be accepted. The Tank shall be designed with a hoop stress value no greater than 600 PSI at 100 degrees F, with a safety factor of no less than 2. The Barlow Formula shall be used to calculate the wall thickness at the bottom sidewall or at the area of the tank that experiences the greatest head pressure. The manufacture shall produce the crosslinked polyethylene tank with verifiable uniform wall thickness throughout the entire surface area of vessel. The cross-linked tank shall have a minimum of 70% crosslinking throughout, and Gel Test results shall be provided by the manufacturer using the test method as defined in ASTM D 1998. The sample used for the test shall come from the lowest point possible on the sidewalk of the tank. The vessel shall be air-cooled to ensure a consistent cure throughout the thickness of the part and reduce the stress caused by shrinkage.

3.2 Appearance

The finished surface shall be as free as commercially practical from visual defects such as foreign inclusions, air bubbles, pinholes, and craters. All edges where openings are cut into Tank shall be trimmed smooth.

3.3 Dimensions and Tolerances

The tank diameter shall be measured externally. The tolerance on the outside diameter shall be plus or minus 3%. The measurement shall be taken with the tank in the vertical position. All Tank shall have a minimum 2" knuckle radius.

PART 4.0

DESCRIPTION OF VESSEL

4.1 Tank Design

The design of the vessel shall be vertical, flat bottom, closed top, and seamless in construction. The dome of the primary tank shall be larger in diameter than the diameter of the straight shell sidewall. The diameter of the secondary tank shall be the same as the diameter of the dome on the primary tank. The dome of the primary tank sitting inside the secondary tank shall provide a weather shield for the secondary tank restricting the elements from entering.

The outer tank shall be vertical, flat bottom, open top, and seamless in construction and shall have a minimum of four flats on the bottom sidewall that extend towards the center of the vessel providing a means to center the primary tank. The flats should also provide an area for the placement of bottom discharge fittings. The flats shall also provide stability for the primary tank for installations that require seismic restraint systems.

The two vessels shall be fastened together with stainless steel hardware for shipping and handling and shall provide lifting devices for tank placement.

Wall thickness for both primary and secondary vessels will be uniform throughout and verifiable via wall thickness testing procedures. No exceptions. The thickness of the top sidewall will be consistent with the bottom sidewall.

Part 5.0

Accessories

5.1 Side Wall Fittings

Fitting shall pass through the sidewalk of both the primary and secondary tank on the flats provided by the secondary tank. 1 each 2" fitting shall pass through the sidewall of the primary and the secondary tank. The fitting shall be a metallic double male bolted style fitting. The metallic fitting shall be constructed out of material compatible with the tank contents. Fitting shall be constructed to an ANSI 150 LB flange bolt hole pattern. A single gasket shall be placed between the metallic fitting and the inside of the primary tank wall. A second gasket shall be installed between the outside of the primary tank and the inside of the secondary tank. All mounting hardware shall be compatible with the tank contents. The sidewall fitting shall be constructed in a manner so as not to expose cross sections of walls as might otherwise result by installation of the fitting. Fitting shall be located on the lower sidewall of the storage tank on the recessed fitting placement flat. Tank shall be shipped with discharge nozzle installed. No additional fitting installation will be required onsite.

5.2 Dome Fittings

Tank shall be equipped with three (3) molded in fitting placement flats. Molded in flats shall be at 90-degree increments from tank manway. The flats should be 14" x 14" square. All dome connections shall be PVC bulkhead fittings with Viton elastomers, manufactured by Hayward Industries. The use of Hayward Self-aligning dome fittings is permissible if the tank nozzle must be located off a molded in flat. Fabricated self-aligning dome fittings are acceptable on sizes larger than 3". All dome fittings shall be fume tight.

5.3 Manway Covers

The standard manway shall be a 16" diameter opening molded integrally with the primary tank. The design shall be such that the polyethylene cover for the standard opening snaps over the molded lip and is secured with a nylon lever-lock. The optional manway covers shall be either 22" bolted and gasketed with a ½" thick polyethylene plate, ½" thick XLPE gasket and PVC threaded bolts, or a 22" diameter hinged and weighted manway to allow for additional venting. The optional manway covers shall be mounted on a raised flat molded integrally with the primary dome for structural support.

5.4 Vents

The vent size shall be directly related to the size of piping specified for discharge and filling. The size of vents shall also take into consideration product flow and air pressure experienced in normal filling and discharge operations. The standard vent shall be a scheduled 40 PVC u-vent assembly. Vents should be designed 2 times the largest inlet or outlet connection.

5.5 Name Plates

Self-adhesive, phenomenon, plastic engraved name plates shall include:

Type of vessel, total volume and working capacity, product being stored including percentage of concentration, date vessel manufactured, and name of facility owner.

5.6 Tank Description & nozzle requirements

Tank	Nozzle Description	Nozzle Size	Nozzle Type	Nozzle Location	Special Equipment
Assmann Model	Manway	16"	Std.	Dome	
Diameter & Height	Outlet	2"	Stainless Steel	Sidewall 6" elevation	Nameplate
Chemical stored	Inlet	2"	Bulkhead	Dome	
Temperature	Vent	3"	Bulkhead	Dome	
Outdoors	Level	2"	Self-Aligning	Dome	

Tank	Nozzle Description	Nozzle Size	Nozzle Type	Nozzle Location	Special Equipment
Assmann Model IMT6550	Manway	16"	Std.	Dome	
Diameter & Height	Outlet	3"	PVC	Sidewall 6" elevation	Nameplate
Chemical stored	Inlet	2"	Bulkhead	Dome	
Temperature	Vent	3"	Bulkhead	Dome	
Outdoors	Level	2"	Self-Aligning	Dome	

6.0 Inspection and Test Procedures

Full ASTM testing & documentation shall include:

Gel Test (Crosslink only), Impact testing, Hydrostatic Test, Light Test, Wall Thickness Report.


Hydrostatic testing shall be done on all Tank to ensure a leak proof seal on all installed fittings and a certificate of compliance shall be sent with the tank. Impact tests shall be performed in accordance with ASTM D 1998. The degree of crosslinking shall be performed in accordance with ASTM D 1998. The minimum acceptable cross-link percentage shall be 70%. Tank wall thickness must be measured in increments of one-foot elevations at 0°, 90°, 180° and 270°. Measurements will record the entire wall thickness from sidewall bottom to sidewall top and will include vessel dome and base.

7.0 Warranty

Assmann Corporation of America warrants that all Tank manufactured and sold shall be free of defects in material and workmanship for a period of five (5) years limited, with exception of sulfuric acid Tank which shall be free of defects in material and workmanship for a period of three (3) years limited. Full warranty terms can be supplied upon request.

8.0 Chemical storage Tank shall be NSF 61 certified without the use of liners. No exceptions.

10.0 Tank shall be ISO 9001-2008 certified.



DATE: 6/04/2025

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

BID NO.: 50-00147794

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

PURCHASING SPECIALIST: DNELSON@jeffparish.net

BIDS WILL BE RECEIVED ONLINE VIA WWW.JEFFPARISHBIDS.NET UNTIL 11:00 AM, 6/10/2025

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES FOR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN La. R.S. 9:2602(8) ARE ACCEPTABLE. IN ACCORDANCE WITH La. R.S. 9:2602(8), JEFFERSON PARISH REQUIRES A SECURED DIGITAL SIGNATURE AND BIDDERS MUST PROVIDE PROOF OF THE SECURED SIGNATURE WITH BID SUBMISSION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

- A. All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, and, in the terms and conditions of Resolution No. 136353, all of which are made part of this bid proposal and ensuing contract by reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances ("JPCO"), Louisiana Code of Ethics, and applicable Jefferson Parish ethical standards.
- B. The General Conditions for the purchase of materials, services and/or supplies are those adopted by the Jefferson Parish Council by Resolution No. 136353. The General Conditions adopted by these resolutions shall be considered as much a part of this document and the ensuing contract or P.O. as if they were written wholly herein. A copy of these resolutions may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://www.jeffparish.gov/464/Purchasing> and clicking on On-line forms.
- C. Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in La. R.S. 42:1101, et seq. Vendor/Proposer by this submission, warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.
- D. All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://www.jeffparish.gov/464/Purchasing> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.
- E. All quotations shall be based on F.O.B. Agency warehouse or job site (see Additional Requirements section), anywhere within the Parish as designated by the Purchasing Department.
- F. Jefferson Parish is exempt from paying sales tax under La. R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and local taxes.
- G. Jefferson Parish requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated on the bid form with bid submission. Supporting documentation may be required upon request.

Visit our website at [HTTP://JEFFPARISH.GOV/464/PURCHASING](http://JEFFPARISH.GOV/464/PURCHASING)

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

- H. Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.
- I. The price quoted for work shall be stated in figures no more than four (4) decimal points. In the event there is a difference in unit prices and totals, the unit price shall prevail.
- J. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications. Jefferson Parish will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection.
- K. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line-item pricing forms as indicated.
- L. All formal Addenda require written acknowledgment on the bid form by the bidder by placing the Addendum number in the appropriate section. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected; JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.
- M. Jefferson Parish reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of Jefferson Parish. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.
- N. Jefferson Parish reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in the quotation. The order must not be filled at a higher price than quoted.
- O. Jefferson Parish reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.
- P. PROTESTS: Only those vendors that submit bids in response to this solicitation may protest an element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)
- Q. Proof of Cyber Security Training may be required for the successful bidder. Pursuant to La. R.S. 42:1267, any contractor who has access to state or local government information technology assets is required to complete cybersecurity training during the term of the contract and during any renewal period. As a Parish contractor, you are responsible for taking the cyber training, whether from the State or another source. After completion of said training please forward proof to your contract monitor/Parish contact.
- R. Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).
- S. Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.
- T. It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to JPCO 2-155.10(19). By signing this document, every corporation, partnership, or person contracting with PARISH, whether by cooperative endeavor, intergovernmental agreement, bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program, attests that it understands and will abide by all provisions of JPCO 2-155.10.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online.

This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://www.jeffparish.gov/464/Purchasing>.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW. IF THE NUMBER IS NOT SPECIFIED IN THIS BOX, IT IS NOT APPLICABLE FOR THIS BID.

13

1. **MANDATORY PRE-BID** - All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LA.R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. **NON-MANDATORY PRE-BID** - Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. **JP LICENSE** - Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Building Permits. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Building Permits. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable municipality, Federal and/or State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. **LSCB LICENSE** - A LA State Contractor's License will be required in accordance with LA.R.S. 37:2150 et. seq. and such license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.
5. **SITE VISIT** - It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.

Visit our website at [HTTP://JEFFPARISH.GOV/464/PURCHASING](http://JEFFPARISH.GOV/464/PURCHASING)

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

6. **JOB SITE CLEANLINESS** - Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
7. **PUBLIC WORKS BIDS** - All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS** - A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS** - A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. **INSURANCE** - All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Any deviation from the Standard Insurance Requirements must be requested in writing prior to bid opening. Proof of coverage will be required prior to award. Failure to comply with this instruction will result in bid rejection.
11. **BID BOND** - A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. **AS-NEEDED WORK** - This is a requirements-based contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. **FREIGHT** - Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **AFFIDAVIT** - Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations in conformity with the provisions contained in LA.R.S. 38:2212.9, LA.R.S. 38:2212.10, LA.R.S. 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled GENERIC BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. **FEDERAL FUNDING** - The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents and ensuing contract. All applicable certifications must be duly completed, signed and submitted as per the appendix instructions. Failure to submit applicable certifications per the appendix instruction will result in bid rejection.
16. **TAX EXEMPT** - For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session – Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.
17. **TECH AFFIDAVIT** - The Technology Affidavit is required for this solicitation and shall be submitted with the bid submission. Failure to do so will result in your bid being rejected. Pursuant to La. R.S. 38:2237.1, prior to the procurement of telecommunications or video surveillance equipment or services, the vendor shall provide documentation by affidavit that the equipment or services to be procured are not prohibited telecommunications or video surveillance equipment or services as defined in R.S. 39:1753.1(A). This affidavit is supplied as a courtesy to Affiant. It is the responsibility of the affiant to insure the affidavit submitted to Jefferson Parish complies, in both form and content, with federal, state and parish laws. No procurement shall be made from a vendor or other entity who fails to provide the documentation; any procurement in contravention to this requirement shall be null and void by law.

DATE: 6/04/2025

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 5

BID NO.: 50-00147794

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

PURCHASING SPECIALIST:
DNELSON

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

8-10 Weeks ARO

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: N/A

NUMBER:

NUMBER:

NUMBER:

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable)

***** ALL BIDDERS MUST COMPLETE SECTION BELOW *****

FIRM NAME:

Lotus USA Inc

SIGNATURE:

(Must be signed here)



TITLE:

Vice President

PRINT OR TYPE NAME:

Prasad Yalamanchi

ADDRESS:

355 S GRAND AVE STE 2450

CITY, STATE:

Los Angeles, California

ZIP:

90071

TELEPHONE:

() (213)-298-7100

FAX:

()

EMAIL ADDRESS:

sivaprasad@lotususainc.com

TOTAL PRICE OF ALL BID ITEMS: \$ 60,900.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00147794

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	1.00	EA	<p>PURCHASE OF VERTICAL STORAGE TANK FOR JEFFERSON PARISH DEPARTMENT OF WATER</p> <p>0010 ITEM # IMT6550, ASSMANN, VERTICAL STORAGE TANK, 6650 GALLONS, 119" D X 186" H XLPE CROSS LINKED POLYETHYLENE TANK, DOUBLE WALLED SECONDARY CONTAINMENT, 2" PVC/SS/VITON FILL LINE, BULKHEAD PIPING DOWN THE SIDE, BLOCKED VALVE AND QUICK CONNECT, 2" 316SS/VITON DOUBLE WALLED DOUBLE MALE FLANGE FITTING ON THE BOTTOM OF DISCHARGE/DRAIN, 3" PVC/VITON U-VENT WITH SCREEN, 2 PVC/VITON BULKHEAD FITTING FOR ULTRASONIC (BY OTHERS), REVERSE FLOAT SIGHT WITH GALLONAGE STICKER, ASTM TESTING, 16" LEVER LOCKING MANWAY</p> <p>DELIVERY ADDRESS:</p> <p>JEFFERSON PARISH WB PLANT 4500 WESTBANK EXPRESSWAY MARRERO, LA 70072</p> <p>NOTE : Quote validity : 07/09/2025 Lead time : 8-10 Weeks ARO MFG : Assmann Tank COO : USA Quote includes Shipping cost. Quote does not include sample, installation, service, marking, packing, and training</p>	\$ 60,900.00	\$ 60,900.00