

DATE: 10/26/2016  
BID NO.: 50-00118143

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 4

**JEFFERSON PARISH**  
PURCHASING DEPARTMENT  
P.O. BOX 5  
GRETNA, LA. 70054-0005  
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: DMEVANS

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

<b>DELIVERY: FOB JEFFERSON PARISH</b>	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES.	
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	<u>2 WEEKS ARO</u>
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	<u>2 DAYS</u>

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: N/A  
NUMBER: N/A  
NUMBER: N/A  
NUMBER: N/A

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) 52972

<b>*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***</b>	
FIRM NAME: <u>AMKO FENCE CO.</u>	
SIGNATURE: <u>Randy Patisi</u> (Must be signed here)	TITLE: <u>OFFICE MGR / ESTIMATOR</u>
PRINT OR TYPE NAME: <u>RANDY PATISI</u>	
ADDRESS: <u>1224 VETERANS BLVD.</u>	
CITY, STATE: <u>Kenner, LA.</u>	ZIP: <u>70062</u>
TELEPHONE: <u>(504) 468-9559</u>	FAX: <u>(504) 468-9558</u>
EMAIL ADDRESS: <u>RANDY@AMKOFENCE.CO.COM</u>	


TOTAL PRICE OF ALL BID ITEMS: \$ 5908.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00118143

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	194.00	LF	FURNISH LABOR, MATERIALS AND EQUIPMENT TO INSTALL LUMINUM ORNAMENTAL FENCING AT RIVER RIDGE MEDITATION PARK IN RIVER RIDGE, LA  0010 FURNISH LABOR, MATERIALS AND EQUIPMENT TO INSTALL ALUMINUM ORNAMENTAL FENCING AT RIVER RIDGE MEDITATION PARK Please see attached specs		\$4,898 <sup>00</sup>
2	3.00	EA	LA STATE CONTRACTORS LICENSE - SPECIALTY IN FENCING LOCATION: SOUTH SIDE OF JEFFERSON HWY AT THE SUAVE ROAD INTERSECTION IN RIVER RIDGE, LA  0020 Gates for Jefferson Pocket Park		\$1,010 <sup>00</sup>



LINFIELD, HUNTER & JUNIUS, INC.  
 PROFESSIONAL ENGINEERS, ARCHITECTS  
 AND SURVEYORS  
 3608 18th Street, Suite 200  
 Metairie, Louisiana 70002

DATE	
NO.	
BY	
CHKD	
APP'D	
DATE	

1  
1

DECORATIVE FENCE PLAN  
 1-1-2002

River Ridge Meditation Park  
 River Ridge, Louisiana  
 FENCE PLAN

DATE: 10/26/2016  
BID NO.: 50-00118143

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 1

**JEFFERSON PARISH**  
PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: DMEVANS

Bids will be received until 11:00 AM, 11/04/2016 via online at [www.jeffparish.net](http://www.jeffparish.net) or by hand delivery, USPS mail or other courier service to Purchasing Department, 200 Derbigny Street (General Government Building), Suite 4400, Gretna, LA 70053

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law, as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647. A copy of these resolutions may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at [purchasing.jeffparish.net](http://purchasing.jeffparish.net) and clicking on On-line forms.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Further, a current W-9 form and respective Tax Identification number must be supplied upon contract execution, should you be awarded a contract and/or issued purchase order. Failure to do so may result in delay of payment.

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Delivered, anywhere within the Parish as designated by the Purchasing Department. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications. JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit prices shall prevail.

JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in the quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum.

All format Addenda require written acknowledgment on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected; JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A117.1-1981).

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

**IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS**

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are encouraged to submit electronically using this free service, while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

**ADDITIONAL REQUIREMENTS FOR THIS BID**

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW:

4,5,6,10,13

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(l), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
- ✓ 4. A LA State Contractor's License will be required in accordance with LSA R.S. 37:2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
- ✓ 5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
- ✓ 6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

DATE: 10/26/2016

BID NO.: 50-00118143

Page: 3

### INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. **PUBLIC WORKS BIDS:** All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise stated in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS:** A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS:** A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
- ✓ 10. Unless otherwise stated in the bid specifications, the successful bidder will be required to procure standard insurance policies evidencing Parish-mandated insurance requirements as indicated on the attached "insurance requirements" sheet. All bidders must comply with the instructions in this sheet. Failure to comply will cause bid to be rejected.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies). If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations or warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
- ✓ 13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required;** This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. **NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required** in conformity with the provisions contained in LSA - RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON-PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.



SECTION 02825

COMMERCIAL ALUMINUM FENCES AND GATES

PART 1 GENERAL

1.1 SECTION INCLUDES

- A. Ornamental Fencing.
- B. Ornamental Pool Fencing.
- C. Privacy Fencing.
- D. Post and Rail Fencing.
- E. Gates and Related Hardware.
- F. Excavation for Post bases.
- G. Concrete Foundations for Posts.

1.2 RELATED SECTIONS

- A. Section 02300 - Earthwork.
- B. Section 03300 - Cast-In Place Concrete.
- C. Section 02829 - Electric Gate Operators.
- D. Section 11150 - Parking Control Equipment.

1.3 REFERENCES

- A. ASTM A 276 - Standard Specification for Stainless Steel Bars and Shapes.
- B. ASTM B 221 - Specification for Aluminum Alloy Extruded Bars, Rods, Wire Shapes and Tubes.
- C. AAMA 2604 - Voluntary Specification, Performance Requirements and Test Procedures for Pigmented Organic Coatings on Aluminum Extrusions and Panels

1.4 SUBMITTALS

- A. Submit under provisions of Section 01300.
- B. [Product Data]: Manufacturer's data sheets on each product to be used, including:

1. Preparation instructions and recommendations.
  2. Storage and handling requirements and recommendations.
  3. Installation methods.
- C. Shop Drawings: Indicate plan layout, spacing of components, post foundation dimensions, hardware anchorage, gates, and schedule of components.
- D. Selection Samples: For each finish product specified, two complete sets of color chips representing manufacturer's full range of available colors and patterns.
- E. Verification Samples: For each finish product specified, two samples, minimum size 6 inches (150 mm) square, representing actual product, color, and patterns.
- 1.5 QUALITY ASSURANCE
- A. Manufacturer Qualifications: Company specializing in manufacturing Products specified in this section with minimum five years documented experience.
- 1.6 DELIVERY, STORAGE, AND HANDLING
- A. Transport, handle, store, and protect products so that they are in undamaged condition when installed.
- B. Store products in manufacturer's unopened packaging to protect prefinished aluminum surfaces until ready for installation.
- C. Store components off the ground in a dry covered area, protected from adverse weather conditions.
- 1.7 PROJECT CONDITIONS
- A. Maintain environmental conditions (temperature, humidity, and ventilation) within limits recommended by manufacturer for optimum results. Do not install products under environmental conditions outside manufacturer's absolute limits.
- 1.8 WARRANTY
- A. Manufacturer's Warranty:
1. Provide manufacturer's 30 year warranty against defects in workmanship. The manufacturer also warrants that the Super Armor-Guard powder coat finish will not chip crack or flake.

## PART 2 PRODUCTS

### 2.1 MANUFACTURERS

- A. Acceptable Manufacturer: Alumi-Guard, Inc.; 2401 Corporate Blvd, Brooksville, FL 34604. ASD. Toll Free: (877) 258-6448. Phone: (352) 754-8555. Fax: (354) 544-8442. Email: [info@alumi-guard.com](mailto:info@alumi-guard.com). Web: [www.alumi-guard.com](http://www.alumi-guard.com)
- B. Substitutions: Not permitted.
- C. Requests for substitutions will be considered in accordance with provisions of Section 01600.

### 2.2 MATERIALS

- A. Components:

1. Posts: Aluminum extrusions of 6005-T5 alloy in accordance with ASTM B 221.
  2. Pickets: Aluminum extrusions of 6063-T52 alloy in accordance with ASTM B 221.
  3. Channel: Aluminum extrusions of 6005-T5 alloy in accordance with ASTM B 221.
- B. Fasteners:
1. Screws of 410 and 18-8 stainless steel conforming to ASTM A276, with self-drilling head.
  2. Screws painted to match the finish of fence.
- C. Accessories:
1. Post caps, wall brackets, scrolls, finials, flanges and other miscellaneous hardware fabricated of aluminum or other non-ferrous metal castings.
- D. Concrete: Type specified in Section 03300.
- E. Concrete: ASTM C94/C94M, Option A; Portland Cement, minimum 2,500 psi (17 MPa) strength at 28 days.

### 2.3 ORNAMENTAL FENCING

- A. Fencing General:
1. Commercial Grade:
    - a. Aluminum Channel Sections: 1-1/4 inch deep and 1-1/4 inch wide with top 0.062 inch and sidewalls 0.078 inch wall thickness. With decorative top corner.
    - b. Pickets 3/4 inch by 3/4 inch with a 0.050 inch wall thickness.
  2. Post Length:
    - a. As required to allow setting of post into the ground with approximately 1-3/4 inches (305 mm) between bottom of panel and ground.
- B. Ornamental Fencing:
1. Style: Ascot – Belmont – Canterbury – Hamilton - Victoria:
    - a. Grade:
      - 1) Commercial.
    - b. Channels:
      - 1) 2 Channel.
      - 2) 3 Channel.
    - c. Commercial and Concealed Fastener Picket Spacing:
      - 1) Standard: 3.875 inches.
      - 2) Royale:
        - a) Upper 3.875 inches.
        - b) Lower 1.562 inches.
      - 3) Puppy Picket:
        - a) Upper: 3.875 inches.
        - b) Lower 18 inches: 1.562 inches.
    - d. Panel Length: Inside posts.
      - 1) Commercial Nominal 68.62 inches.
    - e. Posts:
      - 1) 2 inch by 2 inch.
        - a) .062 inch wall thickness.
        - b) .093 inch wall thickness.
        - c) .125 inch wall thickness.
      - 2) 2-1/2 inches by 2-1/2 inches:
        - a) .075 inch wall thickness.

- b) .125 inch wall thickness. *4' GATE POSTS*
- 3) 3 inches by 3 inches.
  - a) .125 inch wall thickness. *8' DID POSTS*
- 4) 4 inches by 4 inches.
  - a) .125 inch wall thickness.
- 5) 6 inches by 6 inches.
  - a) .125 inch wall thickness.
  - b) .250 inch wall thickness.
- f. Panel Height:
  - 1) 36 inches.
  - 2) 42 inches.
  - 3) 48 inches.
  - 4) 54 inches.
  - 5) 60 inches.
  - 6) 72 inches.
- g. Options:
  - 1) Rings.
  - 2) Butterfly Scroll.
  - 3) Estate Scroll.
  - 4) Convex Panel.
  - 5) Concave Panel.

C. Ornamental Gates: Provide to match ornamental style specified.

- 1. Height:
  - a. 36 inches.
  - b. 42 inches.
  - c. 48 inches.
  - d. 54 inches.
  - e. 60 inches.
  - f. 72 inches.
  - g. Custom: \_\_\_\_\_.
- 2. Opening Width: Inside posts.
  - a. Single 36 inches.
  - b. Single 48 inches.
  - c. Single 60 inches.
  - d. Single 72 inches.
  - e. Single Custom: \_\_\_\_\_.
  - f. Double 36 inches, 72 inch opening.
  - g. Double 48 inches, 96 inch opening.
  - h. Double 60 inches, 120 inch opening.
  - i. Double 72 inches, 144 inch opening.
  - j. Double Custom: \_\_\_\_\_.
  - k. Options:
    - 1) Welded U-Frame.
    - 2) Tri-Ad Finials.
    - 3) Quad Finials.
    - 4) Scrolls.
    - 5) Pressed Spear.
    - 6) Rings.
    - 7) 03 Series Arch.
- 3. Hardware:
  - a. Self Closing Hinges.
  - b. Gravity Latch.
  - c. Lock bolt for one leaf of double gates.
  - d. Single Hole Lock Box.

- e. Double Hole Lock Box.
- f. Magna-Latch.

## 2.4 FINISH

- A. Fence and Accessory Finish:
  - 1. TGIC Polyester Powder Coating: Polyester enamel, medium gloss, applied to over 2 mils thickness and complying with AAMA 2604.
  - 2. Super Armor-Guard: High performance polyester powder coating, medium gloss, applied to 3-4 mils thickness and complying with AAMA 2604.
- B. Color: **TBD**
  - 1. Black.
  - 2. White.
  - 3. Bronze.
  - 4. Hunter green.
  - 5. Beige.
  - 6. Custom color.
- C. Performance:
  - 1. Meet or exceed a 4000 hour salt spray test.
  - 2. TGIC Polyester Powder Coating meets or exceeds a H-2H pencil hardness in accordance to ASTM D 3363.
  - 3. Super Armor-Guard meets or exceeds a 4H pencil hardness in accordance to ASTM D 3363.
  - 4. Meets or exceeds ASTM D 3359 adhesion test.

## 2.5 FABRICATION

- A. Stringers, (Horizontal rails) shall be punched to allow pickets to pass through the top of the rail. The number of stringers shall vary with the style, height and strength as determined by manufacturer.
- B. Pickets, shall be fastened to stringers mechanically with stainless steel TEK screws on one side of the stringer only.
- C. Posts, shall be pre-punched to allow the stringers to slide in and be attached with stainless steel TEK. Cast aluminum post caps shall be affixed to all posts.
- D. Gates, shall be fabricated using the same components as for the complete fencing system. Walk gates shall have adjustable self-closing hinges and will be self-latching. (Specify style and dimensions.)

## PART 3 EXECUTION

### 3.1 EXAMINATION

- A. Do not begin installation until substrates have been properly prepared.
- B. If substrate preparation is the responsibility of another installer, notify Architect of unsatisfactory preparation before proceeding.

### 3.2 PREPARATION

- A. Clean surfaces thoroughly prior to installation.
- B. Prepare the grade and remove surface irregularities, if any, which may cause interference with the installation of aluminum fence.

- C. If preparation and condition is the responsibility of another installer, notify Architect of unsatisfactory preparation before proceeding.

### 3.3 INSTALLATION

- A. Install in accordance with manufacturer's instructions.
- B. Excavate holes for posts to diameter and spacing indicated on Drawings without disturbing underlying materials.
- C. Provide excavation for post length to suit local conditions for proper anchorage and stability.
- D. Center and align posts in excavated holes to required depth. Place concrete around posts, and vibrate or tamp for consolidation. Re-check vertical and top alignment of posts, verify they are plumb and level. Make necessary corrections if needed before concrete hardens.
- E. If fence is deck mounted on existing hard surfaces. Set posts plumb, to tolerances specified. Locate mounting locations prior to start of work. Avoid mounting over expansion or control joints. Use non-corrosive fasteners suitable for the material to which it is to be mounted.
- F. Insert notched stringers into pre-punched posts and fasten with stainless steel TEK screws.
- G. Support gates from gate posts. Do not attach hinged side of gate from building wall.
- H. Provide concrete center drop for drop rod retainers at center of double gate openings.
- I. Install gates plumb, level and secure for full opening without interference. For double gates, install drop rod. Adjust all hardware for smooth operation.

### 3.4 ERECTION TOLERANCES

- A. Maximum Variation From Plumb: 1/4 inch.
- B. ~~Maximum Offset From Indicated Position: 1 inch.~~
- C. Minimum distance from property line: 6 inches.

### 3.5 CLEANING

- A. Leave immediate work area neat at end of each work day.
- B. Clean jobsite of excess materials; scatter excess material from post hole excavations uniformly away from posts. Remove excess material if required.
- C. Clean aluminum fence with mild household detergent and clean water rinse well. Mortar should be removed from exposed posts and other fencing material using a 10% solution of muriatic acid followed immediately by several rinses with clean water.
- D. Touch up scratched surfaces using materials recommended by manufacturer. Match touchup paint color to fence finish.

### 3.6 PROTECTION

- A. Protect installed products until completion of project.
- B. Touch-up, repair or replace damaged products before Substantial Completion.


3.7 SCHEDULES

- A. Property Perimeter:
- B. Fencing at Pool:

END OF SECTION

**HINGE & LOCKBOX LOCATIONS**

IF YOUR GATE REQUIRES A LOCKBOX OR SPECIAL HINGES,  
PLEASE NOTE HINGE SIDE, SWING AND LOCATION OF LOCKBOX.



96" DBL GATE ASCOT  
3-CH 48" COMMERCIAL

ALUMI-GUARD, INC.

DATE: 1/10/13

PO/JOB NAME:

SWING: DOUBLE


QUOTE NO: Q1301100-1

HINGE TYPE: ---

COLOR: BLACK

DAYLIGHT OPENING: 96"


APPROVAL SIGNATURE (REQUIRED):



**SINGLE SWING GATE**

**48" SINGLE GATE ASCOT  
3-CH 48" COMMERCIAL**

PLEASE DRAW THE GATE IN OPEN POSITION BETWEEN THE POSTS.  
PLEASE FOLLOW THE EXAMPLE




EXAMPLE

GATE


ALUMI-GUARD, INC.  
PO/JOB NAME: PARKLAND PROPER  
QUOTE NO: Q12050202  
COLOR: BLACK  
APPROVAL SIGNATURE (REQUIRED):

DATE: 5/3/2012  
HINGE TYPE: ---  
SWING: SINGLE  
DAYLIGHT OPENING: 48"



68.625" PANEL ASCOT  
3-CH 48" COMMERCIAL

ALUMI-GUARD, INC.	DATE: 7/6/12
PO/JOB NAME:	SWING: PANEL
DWG NO: Q0115043	HINGE TYPE: --
COLOR: BLACK	DAYLIGHT OPENING: --
APPROVAL SIGNATURE (REQUIRED):	





# CERTIFICATE OF LIABILITY INSURANCE

AMKOF-1 OP ID: KAY

DATE (MM/DD/YYYY):

11/02/2016

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

**IMPORTANT:** If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

<b>PRODUCER</b> Financial Assurance LLC 6620 Riverside Dr Ste 210 Metairie, LA 70003 Jared Strecker	<b>CONTACT NAME:</b> PHONE (A/C, No, Ext): <b>504-846-3500</b>		<b>FAX (A/C, No):</b> <b>504-833-9010</b>
	<b>E-MAIL ADDRESS:</b>		
		<b>INSURER(S) AFFORDING COVERAGE</b>	<b>NAIC #</b>
<b>INSURED</b> AMKO Fence Kenner LLC 1224 Veterans Blvd Kenner, LA 70062	<b>INSURER A:</b> Hanover Insurance Co		<b>22292</b>
	<b>INSURER B:</b> LA Commerce & Trade Assoc		
	<b>INSURER C:</b>		
	<b>INSURER D:</b>		
	<b>INSURER E:</b>		

**COVERAGES**      **CERTIFICATE NUMBER:**      **REVISION NUMBER:**


THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL SUBR INSD WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR  GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input checked="" type="checkbox"/> PROJECT <input type="checkbox"/> LOC <input type="checkbox"/> OTHER:	X X	ZDOA940858	06/01/2016	06/01/2017	EACH OCCURRENCE \$ <b>1,000,000</b> DAMAGE TO RENTED PREMISES (Ea occurrence) \$ <b>100,000</b> MED EXP (Any one person) \$ <b>10,000</b> PERSONAL & ADV INJURY \$ <b>1,000,000</b> GENERAL AGGREGATE \$ <b>2,000,000</b> PRODUCTS - COMP/OP AGG \$ <b>2,000,000</b>
A	<b>AUTOMOBILE LIABILITY</b> <input checked="" type="checkbox"/> ANY AUTO <input checked="" type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> HIRED AUTOS <input checked="" type="checkbox"/> NON-OWNED AUTOS	X X	AWOA940871	06/01/2016	06/01/2017	COMBINED SINGLE LIMIT (Ea accident) \$ <b>1,000,000</b> BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$
A	<input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED    RETENTION \$		UHOA940859	06/01/2016	06/01/2017	EACH OCCURRENCE \$ <b>2,000,000</b> AGGREGATE \$ <b>2,000,000</b>
B	<b>WORKERS COMPENSATION AND EMPLOYERS' LIABILITY</b> ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N Y N/A	WC-1-019446-116 OFFICER'S ARE EXCLUDED	01/01/2016	01/01/2017	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTHER E.L. EACH ACCIDENT \$ <b>1,000,000</b> E.L. DISEASE - EA EMPLOYEE \$ <b>1,000,000</b> E.L. DISEASE - POLICY LIMIT \$ <b>1,000,000</b>

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

RE: Jefferson Parish - Recreation Department  
 Bid No. 50-00118143

SEE PAGE 2 & 3 ATTACHED.

<b>CERTIFICATE HOLDER</b>  JEFFERS  Jefferson Parish (See page 3 for full name) 200 Derbigny Street Gretna, LA 70053	<b>CANCELLATION</b>  SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.  AUTHORIZED REPRESENTATIVE 
---	--

**NOTEPAD**

INSURED'S NAME **AMKO Fence Kenner LLC**

**AMKOF-1  
OP ID: KAY**

PAGE 2  
Date **11/02/2016**

General Liability and Automobile Liability policies provide a Blanket Additional Insured as required by written contract, on a primary & non-contributory basis with regards to General Liability.

General Liability, Automobile Liability and Workers Compensation policies provide a Blanket Waiver of Subrogation as required by written contract.

Umbrella Liability policy follows form.

Policy forms available upon request.

**NOTEPAD:**

HOLDER CODE JEFFERS  
INSURED'S NAME AMKO Fence Kenner LLC

AMKOF-1  
OP ID: KAY

PAGE 3  
Date 11/02/2016

FULL NAME :

JEFFERSON PARISH, ITS DISTRICTS DEPARTMENTS AND AGENCIES UNDER THE  
DIRECTION OF THE PARISH PRESIDENT AND THE PARISH COUNCIL.