



Bid Number 50 - 00112678

ONE (1) YEAR CONTRACT FOR SUPPLY OF BRONZE FITTINGS FOR THE JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS, ALL WATER DISTRICTS, AND ALL JEFFERSON PARISH AGENCIES AND MUNICIPALITIES

BID DUE: TUESDAY, JUNE 2, 2015 AT 2:00 PM

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received in the Purchasing Department by the bid due date and time.

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053**

**Buyer Name: Misty A. Camardelle
Buyer Email: mcamardelle@jeffparish.net
Buyer Phone: 504-364-2683**

Bronze Fittings

Contract

Items Included In This Contract:

GROUP 1.	Adapters (¾" Through 2")
GROUP 2.	Bushing (Brass Alloy) (Inlet ¾" To 2" ; Outlet ½" To 2"):
GROUP 3.	Connecters (Yoke Box Expansion)
GROUP 4.	Corporation Stops
GROUP 5.	Meter Couplings,
GROUP 6.	Coupling Unions
GROUP 7.	Curb Stop Ball Valve
GROUP 8.	Ell Couplings
GROUP 9.	Nut Pack Joints
GROUP 10.	Brass Plugs
GROUP 11.	Tees (Pack Joint Compression Type)
GROUP 12.	Meter Ball Valves
GROUP 13.	Wyes (Y)
GROUP 14.	Blind Gaskets
GROUP 15.	Gasket Rings
GROUP 16.	Gasket Drop Ins for 2" Flanged (Oval) Water Meters
GROUP 17.	Bushings (Domestic Bronze)
GROUP 18.	Caps (Female Iron Pipe Thread)
GROUP 19.	Caps (Female Iron Pipe Threads) (¾" through 2")
GROUP 20.	Cross Of Female Iron Pipe Thread (1" And 2")
GROUP 21.	Elbows (Female Iron Pipe Thread)
GROUP 22.	Nipples (All Male Pipe Thread)
GROUP 23.	Reducers
GROUP 24.	Tees (All Female Pipe Threads)
GROUP 25.	Unions (All Female Pipe Threads)

Contract Terms:

A one (1) year contract for a supply of bronze fittings, for the Jefferson Parish Department of Public Works- all Water districts and all Jefferson Parish agencies and municipalities.

Warranty:

Products shall be warranted that they are manufactured in accordance with the applicable material specifications and are free from defects in workmanship and materials for one year after delivery. Any defective items sold under this contract shall be replaced at no cost to the purchaser.

General Specifications:

This specification is prepared for the acquisition of various types of bronze/brass fittings, which are used for waterline construction and maintenance by the Parish of Jefferson.

All pertinent technical specifications and literature must be included with the bid.

All items in this bid must be of domestic United States manufacture and meet all criteria set forth by AWWA, ASTM, ANSI and federal and as specified hereafter.

Bidder must state the manufacture and model/catalog numbers of all items specified in this proposal.

The quantities shown on the proposal guide are approximate quantities to be acquired by Jefferson parish over a one (1) year period. Actual usage will be on an "as needed" basis.

Bid delivery shall include all freight and delivery costs to Jefferson Parish warehouse locations on the East and West Banks of Jefferson Parish.

Technical Specifications:

All bronze fittings shall be **low lead** brass and shall be made of heavy brass alloy 89833 per ASTM B62-09 and ASTM B584-09 (or latest revision) and shall meet or exceed AWWA C800-05 specifications with a 250 psi working pressure.

GROUP 1. Adapter (3/4" To 2"):

Adapter shall be available in sizes of 3/4" to 2". Adapter shall have an inlet of "pack joint" compression with clamping set screw, and an outlet of either female or male iron pipe. Adapter shall be made of heavy brass alloy 89833 per ASTM B62-09 and ASTM B584-09 (or latest revision) and shall meet or exceed AWWA C800-05 specifications with a 250 psi working pressure.

GROUP 2. Bushing (Brass Alloy) (Inlet 3/4" To 2" ; Outlet 1/2" To 2"):

Bushings shall be of the reducing kind with an inlet of CC/AWWA male taper threads and outlets of female CC/AWWA taper threads. Bushings shall be made of heavy brass alloy 89833 per ASTM B62 and ASTM B584 and shall meet or exceed AWWA C800-05 specifications.

- **Bushing (Adapter):**

Bushing adapter shall be of the reducing kind with an inlet of CC/AWWA male taper threads and outlet of female national pipe threads.

GROUP 3. Connecters (Yoke Box Expansion):

Connector shall be made of heavy brass alloy 89833 per ASTM B62-09 and ASTM B584-05 and shall meet or exceed AWWA C800-05 specifications with a 250 psi working pressure. Connector yoke box expansion shall be standard/hand wheel and to have an inlet of female meter threads with an outlet of male yoke connection for a 5/8" x 3/4" meter.

GROUP 4. Corporation Stops:

Corporation stops shall be made of heavy brass alloy per 89833 ASTM B62 and ASTM B584 and shall meet or exceed AWWA C800-05 specifications with a 250 psi working pressure.

- **Joint Compression Fitting (CC/AWWA):**

Corporation stop shall have an inlet of CC/AWWA male taper threads and an outlet of pack joint compression fitting with clamping set screw to have large raised rectangular keyway. Corporation stops shall be available in sizes from ¾" to 2".

- **Female Iron Pipe Threads (CC/AWWA):**

Corporation stop shall be with inlet of CC/AWWA male taper threads and outlet of female iron pipe threads, have large raised rectangular keyway, and range in sizes ¾" to 2".

GROUP 5. Meter Couplings:

Meter coupling shall be made of heavy brass alloy per 89833 ASTM B62 and ASTM B584 and shall meet or exceed AWWA C800 specifications with a 250 psi working pressure.

- **Female Iron Pipe Threading:**

Coupling meters shall have an inlet of female threaded meter nut coupler with an outlet of female iron pipe threading. Coupling meter shall be available in meters sizes of ¾", 1", and 2".

- **Male Iron Pipe Threading:**

Coupling meters shall have an inlet of female threaded meter nut coupler with an outlet of male iron pipe threading. Coupling meter shall be available in meter sizes of ¾", 1", and 2".

- **Oval Meter Flange (Female):**

Coupling meters shall have an inlet of oval meter flange and outlet of female iron pipe. Coupling meter shall be 2".

- **Oval Meter Flange (Male):**

Coupling meter shall have an inlet of oval meter flange and outlet of male iron pipe. Coupling meter shall be 2".

- **Oval Meter Flange (Pack Joint Compression):**

Coupling meters shall be oval meter flange with an outlet of pack joint compression type fitting with clamping set screw and shall be available in 2".

- **Pack Joint Compression (Female):**

Coupling meters shall have an inlet of female threaded meter nut coupler with an outlet of pack joint compression type fitting with clamping set screw. Coupling meter shall be available in sizes of ¾" to 2".

- **Pack Joint Compression (Male):**

Coupling meters shall have an inlet of male threaded meter nut coupler with an outlet of pack joint compression type fitting with clamping set screw. Coupling meter shall be available in sizes of ¾" to 2".

GROUP 6. Coupling Union:

Coupling union shall be made of heavy brass alloy 89833 per ASTM B62 and ASTM B584 and shall meet or exceed AWWA C800-05 specifications with a 250 psi working pressure. Coupling union shall have an inlet and outlet of "pack joint" compression with clamping set screw. Coupling union shall be available in sizes ranging from ¾" to 2".

- **Coupling (Reducer):**

Coupling union (reducer) shall have an inlet and outlet "pack joint" compression with clamping set screw with ¾" PJ on one end and 1" PJ on the other.

- **Coupling/Adapter:**

Coupling/adapter shall be an inlet of "pack joint" compression fitting with clamp set screw for PE tubing, and an outlet of "pack joint" compression fitting with clamping set screw and gasket for IP pipe.

- **Union/Adapter:**

Coupling (union/adapter) shall be an inlet of "pack joint" compression fitting with clamping set screw and gasket for PE tubing, and an outlet of "pack joint" compression fitting with clamping set screw and gasket for IP pipe. Couplings (union/adapter) shall be available in sizes ¾", 1", and 2".

GROUP 7. Curb Stop Ball Valves:

Curb stop ball valve shall be made of heavy brass alloy 89833 per ASTM B62 and ASTM B584 and shall meet or exceed AWWA C800-05 specifications with a 250 psi working pressure.

- **Female Iron Pipe Threads (Inlet/Outlet):**

Curb stop ball valve shall have an inlet and outlet of female iron pipe threads and to have large raised rectangular key way with pad lock wings. Available sizes shall be ¾", 1", and 2".

- **Pack Joint Compression Type:**

Curb stop ball valve shall have an inlet and outlet of pack joint compression type fitting with clamping set screw and to have large raised

rectangular key way with padlock wings. Available sizes shall be $\frac{3}{4}$ ", 1", and 2".

- **Pack Joint Compression Type Inlet:**

Curb stop ball valve shall have an inlet of pack joint compression type fitting with clamping set screw and an outlet of female iron pipe. Curb stop ball shall have large raised rectangular key way with padlock wings.

GROUP 8. Ell Couplings:

Ell couplings shall be made of heavy brass alloy 89833 per ASTM B62 and ASTM B584 and shall meet or exceed AWWA C800-05 specifications with a 250 psi working pressure. Ells shall have an inlet and outlet of "pack joint" compression with clamping set screw with available sizes of $\frac{3}{4}$ ", 1", and 2".

- **Ell Coupling (Adapter):**

Ell coupling (adapter) shall have an inlet of "pack joint" compression with clamping set screw and an outlet of female iron pipe. Ell (adapter) shall also be available with an outlet of male iron pipe. Available sizes shall be $\frac{3}{4}$ ", 1", and 2".

- **Ell Meter:**

Ell meter shall have an inlet of threaded meter nut coupler with an outlet of female iron pipe. Ell meter shall also be available with an outlet of male iron pipe and "pack joint" compression with clamping set screw. Available sizes shall fit $\frac{3}{4}$ " and 1" meters.

GROUP 9. Nut Pack Joints:

Nut pack joints shall be made of heavy brass alloy 89833 per ASTM B62 and ASTM B584 and shall meet or exceed AWWA C800-05 specifications with a 250 psi working pressure. Nut shall be fit a pack joint with clamping set screw and gasket. Available sizes shall be $\frac{3}{4}$ ", 1", and 2".

GROUP 10. Brass Plugs:

Brass plug shall be made of heavy brass alloy 89833 per ASTM B62 and ASTM B584 and shall meet or exceed AWWA C800-05 specifications with a 250 psi working pressure. Brass plug shall have inlet of CC/AWWA male taper threads and shall have a raised square wrench head nut. Available sizes shall be $\frac{3}{4}$ ", 1", and 2" male CC.

GROUP 11. Tees (Pack Joint Compression Type):

Tee shall be made of heavy brass alloy 89833 per ASTM B62 and ASTM B584 and shall meet or exceed AWWA C800-05 specifications with a 250 psi working pressure. Tee inlet "run" and outlet "branch" shall be of "pack joint compression type fitting with clamping set screw. Available sizes for "run" and "branch" shall be $\frac{3}{4}$ ", 1", and 2" PJ.

- **Tee (Multi Service):**
Tee shall have an inlet of female iron pipe and outlet of six (6) female iron pipe, with 1-2" FIP (bottom) x 6-1" FIP (perimeter).

GROUP 12. Meter Ball Valves:

Valve meter ball valve shall be made of heavy brass alloy 89833 per ASTM B62 and ASTM B584 and shall meet or exceed AWWA C800-05 specifications with a 250 psi working pressure. Valve meter ball valve shall have an inlet of pack joint compression type fitting with clamping set screw and outlet of female meter nut coupler with a raised rectangular key way with padlock wings. Ball valve shall be available for meter sizes of ¾", 1", and 2".

- **Meter Ball Valve (90°):**
Valve meter ball valve (90°) shall have an inlet of pack joint compression type fitting with clamping set screw and outlet of female meter nut coupler with a raised rectangular key way with padlock wings. Ball valve shall be available for meter sizes of ¾", 1", and 2".

GROUP 13. Wyes:

All wyes shall be bronze and conform to AWWA standard C800-05 (ASTM B-62 and ASTM B-584)

- **Multi-Service Wyes (FIP X 4-FIP):**
Wyes shall have an inlet of female iron pipe and outlets of female iron pipe. Size of inlet shall be 2" and the size of the outlets shall be 1".
- **Wye (2-MIP x MIP):**
Wyes shall have two inlets of male iron pipe and an outlet of male iron pipe. Size of the inlets shall be ¾" and the outlet shall be 1".
- **Wye (PJ x 2-PJ):**
Wyes shall have an inlet and two outlets of pack joint compression type fitting with clamping set screw. Size of the inlet shall be 1" and the outlets shall be ¾".

GROUP 14. Blind Gaskets:

Blind gasket shall be made of vulcanized fiber material for use in potable water. Gaskets shall be available to fit ¾" and 1" meters.

- **Blind Gasket (¾" Meter):**
Blind gasket shall be made of vulcanized fiber material for use in potable water. Dimensions shall be 1-5/32" OD by 1/16" thick.
- **Blind Gaskets (1" Meter):**

Blind gasket shall be made of vulcanized fiber material for use in potable water. Dimensions shall be 1-1/2" OD by 1/16" thick.

GROUP 15. Gasket Rings:

- **Gasket Rings (Fiber-3/4" Meter):**
Gasket ring shall be made of vulcanized fiber material for use on potable water. Dimensions shall be 1-5/32" OD by 23/32" ID by 1/6" thick.
- **Gasket Rings (Fiber-1" Meter):**
Gasket ring shall be made of vulcanized fiber material for use on potable water. Dimensions shall be 1-1/2" OD by 1" ID by 1/16" thick.
- **Gasket Rings (3/4" Meter Coupling):**
Gasket ring shall be made of vulcanized fiber material for use on potable water. Dimensions shall be 1-5/32" OD by 25/32" by 1/8" thick.
- **Gasket Rings (1" Meter Coupling):**
Gasket ring shall be made of vulcanized fiber material for use on potable water. Dimensions shall be 1-1/2" by 1" ID by 1/8" thick.
- **Gasket Rings (3/4" Yoke Box):**
Gasket ring for a 3/4" yoke box expansion connector shall be made of neoprene material for use on potable water. Dimensions shall be 1-11/32" OD by 26/32" ID by 1/8" thick.

GROUP 16. Gasket Drop Ins For 2" Flanged (Oval) Water Meter:

Drop in gasket shall be made of two-ply neoprene material for use on potable water. Dimensions shall be 3-15/16" OD by 2-1/4" ID by 1/8" thick with ears to set on top of flange bolts.

GROUP 17. Bushings (Domestic Bronze):

Bushing shall be domestic bronze fittings to meet or exceed ANSI B16.15, ANSI B2.1, and fed. WW-P-460 for 125 pound threaded fittings to be air tested under water.

- **Bushings (1" x 3/4"):**
Bushing shall have an inlet of male iron pipe thread and an outlet of female iron pipe thread.
- **Bushings (2" x 1"):**
Bushing shall have an inlet of male iron pipe thread and an outlet of female iron pipe thread.

GROUP 18. Caps (Female Iron Pipe Thread):

Caps shall be domestic bronze fittings to meet or exceed ANSI B16.15, ANSI B2.1, and fed. Ww-p-460 for 125 pound threaded fittings to be air tested under water. Available sizes shall be ¾", 1", and 2".

GROUP 19. Couplings (Female Iron Pipe Thread):

Couplings shall be domestic bronze fittings to meet or exceed ANSI B16.15, ANSI B2.1, and fed. WW-P-460 for 125 pound threaded fittings to be air tested under water. Available sizes shall be ¾", 1", and 2".

GROUP 20. Crosses (Female Iron Pipe Thread):

Crosses shall be domestic bronze fittings to meet or exceed ANSI B16.15, ANSI B2.1, and fed. WW-P-460 for 125 pound threaded fittings to be air tested under water. Available sizes shall be ¾", 1", and 2".

GROUP 21. Elbows (Female Iron Pipe Thread):

Elbows shall be domestic bronze fittings to meet or exceed ANSI B16.15, ANSI B2.1, and fed. WW-P-460 for 125 pound threaded fittings to be air tested under water. Elbows shall be available in 45° and 90° bends. Available sizes shall be ¾", 1", and 2".

- **Street Elbows (Female Iron Pipe Thread):**

Street elbow shall have female iron pipe thread on one end and male iron pipe on the other. Elbows shall be available in 45° and 90° bends. Available sizes shall be ¾", 1", and 2".

GROUP 22. Nipples:

Nipples shall be domestic bronze fittings to meet or exceed ANSI B16.15, ANSI B2.1, and fed. WW-P-460 for 125 pound threaded fittings to be air tested under water. Nipples shall be available in all male iron pipe thread. Available in sizes close, ¾", 1", 2", 3", and 4".

GROUP 23. Reducers:

Reducers shall be domestic bronze fittings to meet or exceed ANSI B16.15, ANSI B2.1, and fed. WW-P-460 for 125 pound threaded fittings to be air tested under water. Reducers shall be available in all female iron pipe thread. Available sizes shall be ¾", 1", and 2".

GROUP 24. Tees (Female Iron Pipe Threads):

Tees shall be domestic bronze fittings to meet or exceed ANSI B16.15, ANSI B2.1, and fed. WW-P-460 for 125 pound threaded fittings to be air tested under water. Tees shall be available in all female iron pipe thread. Available sizes shall be ¾", 1", and 2".

GROUP 25. Unions:

Unions shall be domestic bronze fittings to meet or exceed ANSI B16.15, ANSI B2.1, and fed. WW-P-460 for 125 pound threaded fittings to be air tested under

water. Unions shall be available in all female iron pipe threads. Available sizes shall be $\frac{3}{4}$ ", 1", and 2".

DATE: 5/13/2015

INVITATION TO BID
THIS IS NOT AN ORDER

BID NO.: 50-00112678

JEFFERSON PARISH
PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

Page: 1

BUYER: MCamardelle@jeffparish.net

BIDS WILL BE RECEIVED IN THE PURCHASING DEPARTMENT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053 UNTIL 2:00 PM, 6/02/2015 AND PUBLICLY OPENED THEREAFTER.

LATE BIDS WILL NOT BE ACCEPTED

Unless submitting via online (see Page 3), each bid must be submitted in a sealed envelope bearing on the outside; the name of the Bidder, his address, and the name of the project for which the bid is submitted and the bid number.

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647.

All vendors submitting bids must register as a Jefferson Parish vendor if not already yet registered. Bidders may be required to furnish current W-9 Forms and respective Tax Identification Numbers within 10 days after bid opening if such information is not on file or not up to date. Forms to register may be downloaded from www.purchasing.jeffparish.net and clicking on Vendor Information.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing and fax them to the Purchasing Department at (504) 364-2693 no later than FIVE (5) working days prior to bid opening. Bid numbers should be mentioned in all requests. Questions may also be emailed to the buyer for this bid at the email address listed above. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated.

If the bid exceeds \$30,000.00 and the company is duly authorized to do business in the state of Louisiana, a corporate resolution must be submitted with the bid or the person signing the bid documents must be listed on the Louisiana Secretary of State's website as an officer of the corporation, unless bidder has otherwise complied with LSA-R.S. 38:2212(A)(1)(c) or LSA-R.S. 38:2212 (O). If the bid is in excess of \$30,000 and bidder is registered out of the state of Louisiana, a corporate resolution must be submitted with the bid, unless bidder has otherwise complied with LSA-R.S. 38:2212(A)(1)(c) or LSA-R.S. 38:2212 (O). Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. Bids submitted by Owner or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. Sole proprietors submitting bids for public works projects shall within 10 days after bid opening submit sole proprietorship certification.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. IN THE EVENT OF SPLIT AWARD, THE PURCHASING DEPARTMENT MAY CONTACT VENDORS TO REQUEST REQUIRED AFFIDAVITS. THOSE VENDORS WILL HAVE 10 DAYS FROM THE DATE OF NOTICE TO SUBMIT COMPLETE, SIGNED AND NOTARIZED AFFIDAVITS IN ORIGINAL FORMATS.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

Preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA-R.S.38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and Parish taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

E. RESPONSE TO INVITATION: If your company is unable to bid on this request, please state your reason on bid form, and return to this office before bid opening date. Failure to do so may result in the removal of your company from Jefferson Parish's vendors list.

F. POSTING OF BIDS: A listing of bids will be posted on bulletin board in Suite 4400, Jefferson Parish General Government Building, Gretna, LA and will remain posted until close of respective bids.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This Electronic Procurement System allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Please note requirements contained in this bid package for electronic bid submission.

Please visit the Purchasing Department webpage at <http://purchasing.jeffparish.net> to register and review Jefferson Parish solicitations.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 dated 12/09/09. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

**PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.
10, 12, 13, 15**

1. All bidders must attend the pre-bid conference in relation to this bid; attendance is mandatory. Failure to attend will prohibit a company from submitting a bid. Vendors arriving after the mandatory pre-bid conference begins will not be allowed to sign in as evidence of attendance.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. Unless otherwise stated in the bid specifications, the successful bidder will be required to procure standard insurance policies evidencing Parish-mandated insurance requirements as indicted on the attached sheet. The current certificate of insurance must be submitted by low bidder within 10 days after bid opening to the Purchasing Department. Failure to comply will cause bid to be rejected. JEFFERSON PARISH reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid Solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations or warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits (in Original Format) required; Non-Collusion Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit and E-Verify Affidavit must be completed, signed, notarized and submitted by low bidder within 10 days after bid opening to the Purchasing Department on all solicitations for construction, alteration or demolition of public building or project, including but not limited to requirements found in LSA-RS 38:2212.9; LSA-RS 38:2212.10; LSA-RS 38:2224; Code of Ordinances, Jefferson Parish, Louisiana, Sec 2-923.1. Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format for the bid to be considered responsive.
15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits (in Original Format) required; Non-Collusion Affidavit, and Campaign Contribution Affidavit must be completed, signed, notarized and submitted by low bidder with bid submission within 10 days after bid opening to the Purchasing Department. See LSA-RS 38:2212.10; LSA-RS 38:2224; Code of Ordinances, Jefferson Parish, Louisiana, Sec 2-923.1 Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. For the convenience of vendors, all affidavits have been combined into one form entitled NON-PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format for the bid to be considered responsive.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____%

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF _____.

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

7-9 DAYS

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: Cmsco

ADDRESS: 1840 L&A No.

CITY, STATE: METAIRIE, LA ZIP: 70001

TELEPHONE: (504) 835-7319 FAX: (504) 832-0820

EMAIL ADDRESS: JEFF@cmscoinc.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: #1 6/1/15
NUMBER: _____
NUMBER: _____
NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ 944,989.58

AUTHORIZED SIGNATURE: [Signature]

JEFF DEVILIERA

TITLE: SALES

Printed Name

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	35.00	ONLY	ONE (1) YEAR CONTRACT FOR SUPPLY OF BRONZE FITTINGS FOR THE JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS, ALL WATER DISTRICTS, AND ALL JEFFERSON PARISH AGENCIES AND MUNICIPALITIES	10.04	351.40
			0010-ADAPTER TO HAVE AN INLET OF PACK JOINT COMPRESSION WITH CLAMPING SET		
			SCREW, AND AN OUTLET OF FEMALE IRON PIPE 3/4 INCH PJ/FIP, FORD C14-33 GROUP 1 (0020-0060)(38016) MANUFACTURER PART NUMBER 74754-22		
2	1.00	ONLY	0020-ADAPTER TO HAVE AN INLET OF PACK JOINT COMPRESSION WITH CLAMPING SET	13.64	13.64
			SCREW, AND AN OUTLET OF FEMALE IRON PIPE, 1 INCH PJ/FIP, FORD C14-44(38026) 7454-22 1 INCH		
3	4.00	ONLY	0030-ADAPTER, TO HAVE AN INLET OF PACK JOINT COMPRESSION WITH CLAMPING SET	47.28	189.12
			SCREW, AND AN OUTLET OF FEMALE IRON PIPE, 2 INCH PJ/FIP, FORD C14-77(38028) 7454-22 2 INCH		
4	350.00	ONLY	0040-ADAPTER, TO HAVE AN INLET OF PACK JOINT COMPRESSION WITH CLAMPING SET	9.55	3342.50
			SCREW, AND AN OUTLET OF MALE IRON PIPE, 3/4 INCH PJ/MIP, FORD C84-33(38015) 7453-22 3/4 INCH		
5	100.00	ONLY	0050-ADAPTER, TO HAVE AN INLET OF PACK JOINT COMPRESSION WITH CLAMPING SET	11.32	1132.00
			SCREW, AND AN OUTLET OF MALE IRON PIPE, 1 INCH PJ/MIP, FORD C94-44 (38025) 74753-22 1 INCH		
6	260.00	ONLY	0060-ADAPTER, TO HAVE AN INLET OF PACK JOINT COMPRESSION WITH CLAMPING SET	45.23	11759.80
			SCREW, AND AN OUTLET OF MALE IRON PIPE, 2 INCH PJ/MIP, FORD C84-77 (38027) 7453-22 2 INCH		
7	100.00	ONLY	0070-BUSHING, REDUCING, INLET OF CC/AWWA MALE TAPER THREADS AND OUTLET OF FEMALE CC/AWWA TAPER THREADS. 1 INCH MALE CC BY 3.4 INCH FEMALE CC. FORD NUMBER BBAA-43 (37980)	8.51	851.00

REVISED PER ADDENDUM NO. 1

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
8	1.00	ONLY	0080-BUSHING,REDUCING,INLET OF CC/AWWA MALE TAPER THREADS AND OUTLET OF FEMALE CC/AWWA TAPER THREADS,2 INCH MALE CC BY 3/4 INCH FEMALE CC.FORD NO. BBAA-73. (37981)	36.83	36.83
9	1.00	ONLY	0090-BUSHING,REDUCING,INLET OF CC/AWWA MALE TAPER THREADS AND OUTLET OF FEMALE CC/AWWA TAPER THREADS,2 INCH MALE CC BY 1 INCH FEMALE CC,FORD NO BBAA-74 (37982)	37.66	37.66
10	1.00	ONLY	0100-BUSHING(ADAPTOR),REDUCING,INLET OF CC/AWWA MALE TAPER THREADS AND BUSHING (ADAPTOR) REDUCING OUTLET OF FEMALE NATIONAL PIPE THREADS,3/4 INCH MALE CC BY 1/2 INCH FEMALE NOT FORD BBA1-31 (377968)	6.51	6.51
11	1.00	ONLY	0120-BUSHING(ADAPTOR),REDUCING BRASS, INLET OF CC/AWWA MALE TAPER THREADS, 1 INCH MALE CC BY 3/4 INCH FEMALE NPT, FORD BBA1-43 (37969)	8.67	8.67
12	1.00	ONLY	0130-BUSHING(ADAPTOR),REDUCING,BRASS, INLET OF CC/AWWA MALE TAPER THREADS AND OUTLET OF FEMALE NATIONAL PIPE THREADS, 2 INCH MALE CC BY 1 INCH FEMALE NPT, FORD NUMBER BBA1-74 (37970)	30.70	30.70
13	1.00	ONLY	0140-BUSHING(ADAPTOR),REDUCING,BRASS, INLET OF CC/AWWA MALE TAPER THREADS AND OUTLET OF FEMALE NATIONAL PIPE THREADS, 2 INCH MALE CC BY 1-1/4 INCH FEMALE NPT, FORD NUMBER BBA1-75(37971)	36.47	36.47
14	925.00	ONLY	0150-CONNECTOR,YOKE BOX EXPANSION, STANDARD/HANDWHEEL,TO HAVE AN INLET OF FEMALE METER THREADS WITH AN OUT OF MALE YOKE CONNECTION,5/8 INCH BY 3/4 INCH, FORD EC-23(38175) 14-ZEHG	12.63	11682.75
15	1,250.00	ONLY	0160-CORPORATION STOP,TO HAVE INLET OF OF CC/AWWA MALE TAPER THREADS AND AN OUTLET OF PACK JOINT COMPRESSION FITTING	30.25	37812.50

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
16	600.00	ONLY	WITH CLAMPLING SET SCREW,TO HAVE LARGE RAISED RECTANGULAR KEYWAY,3/4 INCHCC/PJ, FORD FB1000-3(38035) 74701B-22 3/4 INCH 0170-CORPORATION STOP,TO HAVE AN INLET OF CC/AWWA MALE TAPER THREADS AND AN	40.02	24012.00
17	290.00	ONLY	OUTLET OF PACK JOINT COMPRESSION FITTING WITH CLAMPING SET SCREW,TO HAVE LARGE RAISED RECTANGULAR KEYWAY,1 INCH, CC/PJ, FORD FB1000-4 (38062) 74701B-22 1 INCH 0180-CORPORATION STOP,TO HAVE AN INLET CC/AWWA MALE TAPER THREADS AND AN OUTLET	148.75	43137.50
18	1.00	ONLY	OF PACK JOINT COMPRESSION FITTING WITH CLAMPING SET SCREW,TO HAVE LARGE RAISED RECTANGULAR KEYWAY,2 INCH CC/PJ,FORD NO. FB1000-7 (38095) 74701B-22 2 INCH 0190-CORPORATION STOP,TO HAVE AN INLET OF CC/AWWA MALE TAPER THREADS AND AN	25.35	25.35
19	1.00	ONLY	OUTLET OF FEMALE IRON PIPE THREADS,TO HAVE LARGE RAISED RECTANGULAR KEYWAY, 3/4 INCH CC/FIP FORD NO FB1600-3 (38034) 73148B 3/4 INCH 0200-CORPORATION STOP,TO HAVE AN INLET OF CC/AWWA MALE TAPER THREADS AND OUTLET	34.20	34.20
20	2.00	ONLY	OF FEMALE IRON PIPE THREADS,TO HAVE LARGE RAISED RECTANGULAR KEYWAY,1 INCH CC/FIPD NO.FB1600-4 (38064) 73148B 1 INCH 0210-CORPORATION STOP,TO HAVE AN INLET OF CC/AWWA MALE TAPER THREADS AND AN	142.47	284.94
21	36.00	ONLY	OUTLET OF FEMALE IRON PIPE THREADS,TO HAVE LARGE RAISED RECTANGULAR KEYWAY, 2 INCH CC/FIP FORD NO FB1600-7 (38094) 73148B 2 INCH 0220-CORPORATION STOP,TO HAVE AN INLET OF MALE PIPE THREADS AND AN OUTLET OF	30.87	1111.32
22	180.00	ONLY	PACK JOINT COMPRESSION FITTING WITH CLAMPING SET SCREW.TO HAVE LARGE RAISED RECTANGLAR KEY WAY,3/4 INCH MIP/PJ,FORD NO. FB1100-3(38033) 74704B-22 3/4 INCH 0230-CORPORATION STOP,TO HAVE AN INLET OF MALE IRON PIPE THREADS AND AN OUTLET	40.61	7309.80

REVISED PER ADDENDUM NO. 1

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
23	10.00	ONLY	OF PACK JOINT COMPRESSION FITTINGS WITH CLAMPING SET SCREW, TO HAVE LARGE RAISED RECTANGULAR KEYWAY, 1 INCH MIP/PJ, FORD NO FB1100-4 (38063) 74704B-22 1 INCH 0240-CORPORATION STOP, TO HAVE AN INLET OF MALE IRON PIPE THREADS AND AN OUTLET	150.57	1505.70
24	1.00	ONLY	OF PACK JOINT COMPRESSION FITTING WITH CLAMPING SET SCREW, TO HAVE LARGE RAISED RECTANGULAR KEY WAY, 2 INCH, MIP/PJ, FORD NO 1100-7(38093) 74704B-22 2 INCH 0250-COUPLING, METER, TO HAVE AN INLET OF FEMALE THREADED METER NUT COUPLER	9.08	9.08
25	1.00	ONLY	WITH AN OUTLET OF FEMALE IRON PIPE THREADING, 5/8 INCH BY 3/4 INCH MTR/FIP FORD NO. C31-23 (38135) 74637 3/4 INCH 0260-COUPLING, METER, TO HAVE AN INLET OF FEMALE THREADED METER NUT TO HAVE A	13.11	13.11
26	1.00	ONLY	COUPLER WITH AN OUTLET OF FEMALE IRON PIPE THREADING, 1 INCH MTR/FIP, FOR NO C31-44 (38136) 74637 1 INCH 0270-COUPLING, METER, TO HAVE AN INLET OF FEMALE THREADED METER NUT COUPLER WITH	36.11	36.11
27	510.00	ONLY	AN OUTLET OF FEMALE IRON PIPE THREADING, 2 INCH MTR/FIP, FORD C31-77 0280-COUPLING, METER, TO HAVE AN INLET OF FEMALE THREADED METER NUT COUPLER	6.20	3162.00
28	50.00	ONLY	WITH AN OUTLET OF MALE IRON PIPE THREADING, 5/8 INCH BY 3/4 INCH MTR/MIP, FORD NO C38-23-2.5(38110) 74620 3/4 INCH 0290-COUPLING, METER, TO HAVE AN INLET OF FEMALE THREADED METER NUT COUPLER WITH	9.55	477.50
29	1.00	ONLY	AN OUTLET OF MALE IRON PIPE THREADING, 1 INCH MTR/MIP FORD NO C38-44-2.625 (38120) 4620 1 INCH 0300-COUPLING, METER, TO HAVE AN INLET OF FEMALE THREADED METER NUT COUPLER	36.90	36.90
			WITH AN OUTLET OF MALE IRON PIPE THREADING, 2 INCH MTR/MIP, FORD NO C38-77		

REVISED PER ADDENDUM NO. 1

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
30	1.00	ONLY	(38130) 74620 2 INCH 0310-COUPLING,METER,TO HAVE AN INLET OF OVAL METER FLANGE AND AN OUTLET OF FEMALE IRON PIPE,2 INCH F:G/FIP,FORD CF31-77 FLANGE 7610F 2 INCH	36.11	36.11
31	340.00	ONLY	0320-COUPLING,METER,TO HAVE AN INLET OF OVAL METER FLANGE AND AN OUTLET OF MALE IRON PIPE,2 INCH FLG.MIP,FORD NO 610M 2X 2 1/8 INCH PART NUMBER 7610F	60.33	20512.20
32	3,800.00	EA	0330-COUPLING,METER,TO HAVE AN INLET OF FEMALE THREADED METERNUT COUPLER COUPLING METER TO HAVE AN INLET WITH AN OUTLET OF PACK JOINT COMPRESSION TYPE FITTING WITH CLAMPING SET SCREW,5/8 INCH BY 3/4 INCH MTR/PF,FORD C24-23 (38155) 74638-22 3/4 INCH	11.71	44498.00
33	1,200.00	EA	0340-COUPLING,METER,TO HAVE AN INLET OF FEMALE THREADED METER NUT COUPLER WITH AN OUTLET OF PACK JOINT COMPRESSION TYPE FITTING WITH CLAMPING SET SCREW, 1 INCH MTRIPJ,FORD NO C34-44(38165) 74638=22 1 INCH	15.75	18900.00
34	5,800.00	EA	0370-COUPLING,UNION,TO HAVE AN INLET AND OUTLET OF PACK JOINT COMPRESSION WITH CLAMPING SET SCREW,3/4 INCH PJ, FORD NO C44-33 (38102) 74758-22 3/4 INCH	11.50	66700.00
35	1,090.00	EA	0380-COUPLING,UNION,TO HAVE AN INLET AND OUTLET OF PACK JOINT COMPRESSION WITH CLAMPING SET SCEW,1 INCH PJ,FORD NO C44-44 (38104) 74758-22 1 INCH	13.29	14486.10
36	180.00	EA	0390-COUPLING,UNION,TO HAVE AN INLET AND OUTLET OF PACK JOINT COMPRESSION WITH CLAMPING SET SCREW,2 INCH,PJ,FORD NO.C44-77(38106) 7458-22 2 INCH	60.22	10839.60
37	750.00	EA	0400-COUPLING,UNION(REDCER), TO HAVE AN INLET AND OUTLET OF PACK JOINT	13.53	10147.50

REVISED PER ADDENDUM NO. 1

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
38	225.00	EA	COMPRESSION WITH CLAMPING SET SCREW, 3/4 INCH PJ ON ONE END AND 1 INCH PJ ON THE OTHER. FORD NO C44-34 (38103) 74758-22 3/4 INCH BY 1 INCH 0410-COUPLING, UNION/ADAPTER, TO HAVE AN INLET OF PACK JOINT COMPRESSION FITTING	12.88	2898.00
39	138.00	EA	WITH CLAMPING SET SCREW FOR PEC TUBING, AND AN OUTLET OF PACK JOINT COMPRESSION FITTING WITH CLAMPING SET SCREW AND GASKET FOR IP PIPE, 3/4 INCH PE-PJ/IP-PJ, FORD NO C45-33 (38021) 7458-22-55 3/4 INCH 0420-COUPLING, UNION/ADAPTER, TO HAVE AN INLET OF PACK JOINT COMPRESSION FITTING	17.29	2386.02
40	24.00	EA	WITH CLAMPING SET SCREW AND GASKET FOR PE TUBING, AND AN OUTLET OF PACK JOINT COMPRESSION FITTING WITH CLAMPING SET SCREW AND GASKET FOR IP PIPE 1 INCH PE-PJ/IP-PJ, FORD NO C45-44 (38022) 74758-22-55 1 INCH 0430-COUPLING, UNION/ADAPTER, TO HAVE AN INLET OF PACK JOINT COMPRESSION FITTING	60.22	1445.28
41	1.00	EA	WITH CLAMPING SET SCREW AND GASKET FOR PE TUBING, AND AN OUTLET OF PACK JOINT COMPRESSION FITTING WITH CLAMPING SET SCREW AND GASKET FOR 1P PIPE, 2 INCH PE-PJ/IP-PJ FORD NO C44-77(38023) 4758-22-55 2 INCH 0440-CURB STOP, BALL VALVE, TO HAVE AN INLET AND OUTLET OF FEMALE IRON PIPE	34.19	34.19
42	1.00	ONLY	THREADS AND TO HAVE LARGE RAISED RECTANGULAR KEY WAY WITH PADLOCK WINGS, 3/4 INCH FIP, FORD NO B-11-333W(38081) 76101W 3/4 INCH 0450-CURB-STOP, BALL VALVE, TO HAVE AN INLET AND AN OUTLET OF FEMALE IRON PIPE	52.40	52.40
43	1.00	EA	THREADS AND TO HAVE LARGE RAISED RECTANGULAR KEY WAY WITH PADLOCK WINGS, 1 INCH FIP, FORD NO B11-44W(38085) 7610W 1 INCH 0460-CURB STOP, BALL VALVE, TO HAVE AN INLET AND AN OUTLET OF FEMALE IRON PIPE	154.28	154.28
			THREADS AND TO HAVE LARGE RAISED RECTANGULAR KEY WAY WITH PADLOCK WINGS,		

REVISED PER ADDENDUM NO. 1

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
44	3,700.00	EA	2 INCH FIP,FORD NO B11-777W 2 INCH FIP, FORD NO B11-777W 76101W 2 INCH 0470-CURB STOP,BALL VALVE,TO HAVE AN INLET AND AN OUTLET OF PACK JOINT	43.27	160099. ⁰⁰
45	820.00	ONLY	COMPRESSION TYPE FITTING WITH CLAMPING SET SCREW AND TO HAVE LARGE RAISED RECTANGULAR KEY WAY WITH PADLOCK WINGS, 3/4 INCH PJ,FORD NO B44-333W (38086) 76100W-22 3/4 INCH 0480-CURB STOP,BALL VALVE,TO HAVE AN INLET AND AN OUTLET OF PACK JOINT	64.73	53078.60
46	1.00	EA	COMPRESSION TYPE FITTING WITH CLAMPING SET SCREW AND TO HAVE LARGE RAISED RECTANGULAR KEY WAY WITH PADLOCK WINGS, 1 INCH PJ,FORD NO B44-444W (38091) 76100W-22 1 INCH 0490-CURB STOP,BALL VALVE, TO HAVE AN INLET AND AN OUTLET OF PACK JOINT	215. ⁰⁰	215. ⁰⁰
47	1.00	EA	COMPRESSION TYPE FITTING WITH CLAMPING SET SCREW AND TO HAVE LARGE RAISED RECTANGULAR KEY WAY WITH PADLOCK WINGS, 2 INCH PJM,FORD NO.B44-777W 76100W-22 2 INCH 0500-CURB STOP,BALL VALVE,TO HAVE AN INLET OF PACK JOINT COMPRESSION	38.45	38.45
48	1.00	EA	CURB STOP,BALL VALVE,TO HAVE TYPE FITTINGS WITH CLAMPING SET SCREW AND AN OUTLET OF FEMALE IRON PIPE,TO HAVE LARGE RAISED RECTANGULAR KEY WAY WITH PADLOCK WINGS,3/4 INCH PJ/FIP FORD NO B41-333W 76102W-22 3/4 INCH 0510-CURB STOP,BALL VALVE,TO HAVE AN AN INLET OF PACK JOINT COMPRESSION TYPE	58.34	58.34
49	1.00	ONLY	FITTING WITH CLAMPING SET SCREW AND AN OUTLET OF FEMALE IRON PIPE,TO HAVE LARGE RAISED RECTANGULAR KEY WAY WITH PADLOCK WINGS,1 INCH PJ/FIP FORD NO B41-444W 76102W-22 1 INCH 0520-CURB STOP,BALL VALVE,TO HAVE AN INLET OF PACK JOINT COMPRESSION TYPE	173. ⁰⁰	173. ⁰⁰
			FITTING WITH CLAMPING SET SCREW AND AN OUTLET OF FEMALE IRON PIPE,TO HAVE LARGE RECTANGULAR KEY WAY WITH PADLOCK WINGS, 2 INCH PJ/FIP,FORD NO B41-777W		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
50	1,440.00	ONLY	76102W-22 2 INCH 0530-ELL, TO HAVE AN INLET AND OUTLET OF PACK JOINT COMPRESSION WITH CLAMPING	15.01	21614.40
51	314.00	ONLY	SET SCREW, 3/4 INCH, PJ, FORD NO. L44-33 (38180) 74761-22 3/4 INCH 0540-ELL, TO HAVE AN INLET AND OUTLET OF PACK JOINT COMPRESSION WITH CLAMPING	19.33	6069.62
52	145.00	ONLY	SET SCREW, 1 INCH, PJ, FORD NO L44-44(38181 74761-22 1 INCH 0550-ELL, TO HAVE AN INLET AND OUTLET OF PACK JOINT COMPRESSION WITH CLAMPING	125.00	18125.00
53	1.00	EA	SET SCREW, 2 INCH PJ, FORD NO L44-77 (38099) 74761-22 2 INCH 0560-ELL (ADAPTOR) TO HAVE AN INLET OF PACK JOINT COMPRESSION WITH CLAMPING	13.56	13.56
54	2.00	EA	SET SCREW AND AN OUTLET OF FEMALE IRON PIPE, 3/4 INCH PJ/FIP FORD NO L14-33 (38176) 74779-22 3/4 INCH 0570-ELL (ADAPTOR) TO HAVE AN INLET OF PACK JOINT COMPRESSION WITH CLAMPING	22.12	44.24
55	1.00	ONLY	SET SCREW AND AN OUTLET OF FEMALE IRON PIPE, 1 INCH PJ/FIP, FORD NO L14-44 (38177 74779-22-1 INCH 0580-ELL (ADAPTOR), TO HAVE AN INLET OF PACK JOINT COMPRESSION WITH CLAMPING	10.45	10.45
56	2.00	ONLY	SET SCREW AND AN OUTLET OF MALE IRON PIPE, 3/4 INCH PJ/MIP, FORD NO L84-33 74779M-22 3/4 INCH 0590-ELL (ADAPTOR), TO HAVE AN INLET OF PACK JOINT COMPRESSION WITH CLAMPING	17.41	34.82
57	2.00	ONLY	SET SCREW AND AN OUTLET OF MALE IRON PIPE, 1 INCH PJ/MIP FORD NO L84-44 74779M-22 1 INCH 0600-ELL, METER, TO HAVE AN INLET OF THREADED METER NUT COUPLER WITH AN	10.74	21.48
58	1.00	ONLY	OUTLET OF FEMALE IRON PIPE, 3/4 INCH MTR/FIP FORD NO L31-23 74632 3/4 INCH 0610-ELL, METER, TO HAVE AN INLET OF FEMALE THREADED METER NUT COUPLER WITH	15.80	15.80

REVISED PER ADDENDUM NO. 1

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
59	1.00	ONLY	AN OUTLET OF FEMALE IRON PIPE,1 INCH MTR/FIP,FORD NO L31-44 74632 1 INCH 0620-ELL,METER,TO HAVE AN INLET OF FEMALE THREADED METER NUT COUPLER WITH	9.11	9.11
60	1.00	ONLY	AN OUTLET OF MALE IRON PIPE,3/4 INCH MTR/MIP,FORD NO 138-23 (38171) 74621 3/4 INCH 0630-ELL,METER,TO HAVE AN INLET OF FEMALE THREADED METER NUT COUPLER WITH	13.03	13.03
61	1,000.00	ONLY	AN OUTLET OF MALE IRON PIPE,1 INCH M,TR/MIP,FORD NO L38-44 (38172) 74621 1 INCH 0640-ELL,METER,TO HAVE AN INLET OF FEMALE THREADED METER NUT COUPLER WITH	13.49	13490.00
62	182.00	ONLY	AN OUTLET OF PACK JOINT COMPRESSION WITH CLAMPING SET SCREW,3/4 INCH MTR/PJ, FORD NO L34-23 74783S-22 3/4 INCH 0650-ELL,METER,TO HAVE AN INLET OF FEMALE THREADED METER NUT COUPLER WITH	21.37	3889.34
63	1.00	EA	AN OUTLET OF PACK JOINT COMPRESSION WITH CLAMPING SET SCREW,1 INCH MTR/PJ FORD NO L34-44 74783S-22 1 INCH 0660-NUT,PACK JOINT WITH CLAMPING SET SCREW AND GASKET,3/4 INCH,FORD NO NG-D4 (38037) 4700-22 3/4 INCH	3.00	3.00
64	1.00	EA	0670-NUT,PACK JOINT WITH CLAMPING SET SCREW AND GASKET,1 INCH FORD NO NG-F4 (38038) 4700-22 1 INCH	3.41	3.41
65	1.00	EA	0680-NUT,PACK JOINT WITH CLAMPING SET SCREW AND GASKET,2 INCH,FORD NO NG-K4 (38039) 4700-22RW 2 INCH	13.71	13.71
66	1.00	EA	0690-PLUG,BRASS,TO HAVE AN INLET OF CC/AWWA MALE TAPER THREADS,TO HAVE RAISED SQUARE WRENCH HEAD NUT,3/4 INCH MALE CC,MUELLER NO.H-10033-33 (37998) 73206 3/4 INCH	5.07	5.07
67	80.00	EA	0700-PLUG,BRASS,TO HAVE INLET OF CC/AWWA AMLE TAPER THREADS,TO HAVE RAISED SQUARE	7.41	592.80

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
68	1.00	EA	WRENCH HEAD NUT, 1 INCH MALE, CC, MUELLER NO.H-10033-44 (38000) 73206 1 INCH 0710-PLUG, BRASS, TO HAVE INLET OF CC/AWWA MALE TAPER THREADS, TO HAVE RAISED SQUARE	34.30	34.30
69	30.00	EA	WRENCH HEAD NUT, 2 INCH MALE, CC, MUELLER NO.H-10033-77 (38003) 3206 2 INCH 0720-TEE, INLET RUN AND OUTLET BRANCH ARE TO BE OF PACK JOINT COMPRESSION	28.20	846. ⁰⁰
70	1.00	EA	TYPE FITTING WITH CLAMPING SET SCREW, 3/4 INCH PJ BY 3/4 INCH PJ BY 3/4 INCH P.J. FORD NO. T444-333 (38211) 74760-22 3/4 INCH 0730-TEE, INLET RUN AND OUTLET BRANCH ARE TO BE OF PACK JOINT COMPRESSION	30.01	30.01
71	105.00	EA	TYPE FITTING WITH CLAMPING SET SCREW, 3/4 INCH PJ BY 3/4 INCH PJ BY 1 INCH PJ. FORD NO. T444-344 (38212) 74760-22 3/4 INCH BY 1 INCH 0740-TEE, INLET RUN AND OUTLET BRANCH ARE TO BE OF PACK JOINT COMPRESSION TYPE	30.95	3249.75
72	78.00	EA	FITTING AND CLAMPING SET SCREW, 1 INCH PJ BY 1 INCH PJ BY 3/4 INCH PJ. FORD 7444- 443 (38213) 74760-22 1 INCH BY 3/4 INCH 0750-TEE, INLET RUN AND OUTLET BRANCH ARE TO BE OF PACK JOINT COMPRESSION	30.17	2353.26
73	1.00	EA	TYPE FITTING WITH CLAMPING SET SCREW, 1 INCH PJ BY 1 INCH PJ BY FORD NO T444-444(38214) 74760-22 1 INCH 0760-TEE, INLET RUN AND OUTLET BRANCH ARE TO BE OF PACK JOINT COMPRESSION TYPE	164. ⁰⁰	164. ⁰⁰
74	1.00	ONLY	FITTING WITH CLAMPING SET SCREW, 2 INCH PJ. FORD BI T444-777 (38215) 74760-22 2 INCH 0770-TEE, MULTI-SERVICE, TO HAVE AN INLET OF FEMALE IRON PIPE AND OUTLET OF SIX (6	40.95	40.95
75	415.00	EA	FEMALE IRON PIPE, 1-2 INCH FIP (BOTTOM) BY 6-1 INCH FIP (PERIMETER) FORD NO T11-674 0790-VALVE, METER, BALL VALVE, TO HAVE AN INLET OF PACK JOINT COMPRESSION TYPE	64.25	26663.75

REVISED PER ADDENDUM NO. 1

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
76	210.00	EA	FITTING WITH CLAMPING SET SCREW AND AN OUTLET OF FEMALE METER NUT COUPLER, TO HAVE LARGE RAISED RECTANGULAR KEY WAY WITH PADLOCK WINGS, 1 INCH PJ/MTR, FORD NO B43-444W(38092) 76100MW-22 1 INCH 0800-VALVE, METER, BALL VALVE, TO HAVE AN INLET OF PACK JOINT COMPRESSION TYPE	193 ⁰⁰	40530 ⁰⁰
77	365.00	EA	FITTING WITH CLAMPING SET SCREW AND AN OUTLET OF OVAL METER FLANGE WITH A LARGE RAISED RECTANGULAR KEY WAY WITH PADLOCK WINGS, 2 INCH MTR/PJ, FORD NO BF43-777W (38097) 76100MW-22 2 INCH 0810-VALVE, METER, BALL VALVE, 90 DEGREES, TO HAVE AN INLET OF PACK JOINT	43.25	15786.25
78	35.00	EA	COMPRESSION TYPE FITTING WITH CLAMPING SET SCREW AND AN OUTLET OF FEMALE METER NUT COUPLER, TO HAVE LARGE RAISED RECTANGULAR KEY WAY WITH PADLOCK WINGS, 3/4 INCH BY 5/8 INCH 3/4 INCH PJ/MTR FORD NO B43-332W 74602B-22 3/4 INCH 0820-Valve, meter, ball valve, 90 degrees, to have an inlet of pack joint	71.80	2513 ⁰⁰
79	12.00	EA	compression type fitting with clamping set screw and an outlet of female meter nut coupler, to have large raised rectangular key way with padlock wings, 1 inch PJ/MTR FORD NO BA43-444W 74602B-22 1 INCH 0830-Valve, METER, 90 DEGREES, TO HAVE AN INLET OF PACK JOINT COMPRESSION TYPE	154 ⁰⁰	1848 ⁰⁰
80	100.00	EA	FITTING WITH CLAMPING SET SCREW AND AN OUTLET OF OVAL METER FLANGE WITH A LARGE RAISED RECTANGULAR KEY WAY WITH PADLOCK WINGS, 2 INCH PJ/FLG FORD NO FV43-777W (38096) 4602B-22 2 INCH 0840-WYE(X), TO HAVE AN INLET OF FEMALE IRON PIPE AND OUTLETS OF FEMALE 1-2 INCH FIP BY 4-1 INCH FIP, FORD NO Y11-474 74765 2 BY 1 INCH	47.01	4701 ⁰⁰
81	1.00	EA	0850-WYE(Y), TO HAVE TWO INLETS OF MALE IRON PIPE AND AN OUTLET OF MALE IRON PIPE 2-3/4 INCH MIP BY 1-1 INCH MIP	24.10	24.10

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
82	2.00	EA	MUELLER NO H-10070 0860-WYE(Y) TO HAVE AN INLET AND TWO OUTLETS OF PACK JOINT COMPRESSION TYPE	24.10	48.20
83	1.00	EA	FITTING WITH CLAMPING SET SCREW, 1-1 INCH PJ BY 2-3/4 INCH PJ.FORD NO Y44-243 08YS22 1 BY 3/4 INCH 0870-GASKET,BLIND,FOR 3/4 INCH WATER METER,TO BE MADE OF VULCANIZED FIBER	.50	.50
84	1.00	EA	MATERIAL FOR USE IN POTABLE WATER,1-5/32 INCH O.D. BY 1/16 INCH THICK (22075) 0880-GASKET,BLIND,FOR 1 INCH WATER METER TO BE MADE OF VULCANIZED FIBER MATERIAL	.59	.59
85	5,000.00	EA	FOR USE ON POTABLE WATER,1-1/2 INCH O.D. BY 1/16 INCH THICK (22095) 0890-GASKET,RING(FIBER),FOR 3/4 INCH WATER METER,TO BE MADE OF VULCANIZED	.06	300 ⁰⁰
86	1,700.00	EA	FIBERT MATERIAL FOR USE ON POTABLE WATER 1-5/32 INCH O.D. BY 23/32 INCH I.D. BY 1/6 INCH THICK (22070) 0900-GASKET,RING (FIBER),FOR 1 INCH WATER METER,TO BE MADE OF VULCANIZED	.07	119 ⁰⁰
87	21,000.00	EA	FIBER MATERIAL FOR USE ON POTABLE WATER 1-1/2 INCH O.D. BY 1 INCH I.D. BY 1/16 INCH THICK (22090) 0910-GASKET,RING(METER COUPLING),FOR 3/4 INCH WATER METER, TO BE MADE OF	.07	1470 ⁰⁰
88	1,500.00	EA	NEOPRENE MATERIAL FOR USE ON POTABLE WATER,1-5/32 INCH O.D. BU 25/32 INCH BY 1/8 INCH THICK (22080) 0920-GASKET,RING (METER COUPLING),FOR 1 INCH WATER METER,TO BE MADE OF NEOPRENE	.08	120 ⁰⁰
89	1,200.00	EA	MATERIAL FOR USE ON POTABLE WATER, 1-1/2 INCH O.D. BY 1 INCH I.D. BY 1/8 INCH THICK (22100) 0930-GASKET,RING(YOKE BOX),FOR 3/4 INCH YOKE BOX EXPANSION CONNECTOR,TO BE MADE	.20	240 ⁰⁰
			OF NEOPRENE MATERIAL FOR USE ON POTABLE		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
90	400.00	EA	WATER,1-11/32 INCH O.D. BY 26/32 INCH 1.D.BY 1/8 INCH THICK FORD (GT-118) 0940-GASKET,DROP-IN FOR 2 INCH FLANGE (OVAL) WATER METER,TO BE MADE OF TWO-PLY	.69	276.00
91	56.00	EA	NEOPRENE MATERIAL FOR USE ON POTABLE WATER 3-15/16 INCH O.D. BY 2-1/4 INCH BY 1/8 INCH THICK WITH EARS TO SET ON TOP OF FLANGE BOLTS,TWO-PLY (38390) 0950-BUSHING,TO HAVE AN INLET OF MALE IRON PIPE THREAD AND AN OUTLET OF FEMALE IRON PIPE THREAD,1 INCH BY 3/4 INCH (37114)	2.76	154.56
92	2.00	EA	0960-BUSHING,TO HAVE AN INLET OF MALE IRON PIPE THREAD AND AN OUTLET OF FEMALE IRON PIPE THREAD,2 INCH BY 1 INCH (37125)	9.28	18.56
93	1.00	EA	0970-CAP, OF FEMALE IRON PIPE THREAD, 3/4 INCH (37154)	2.30	2.30
94	1.00	EA	0980-CAP.OF FEMALE IRON PIPE THREAD, 1 INCH (37155)	3.35	3.35
95	1.00	EA	0990-CAP.OF FEMALE IRON PIPE THREAD, 2 INCH (37158)	10.34	10.34
96	1.00	EA	1000-COUPLING,OF FEMALE IRON PIPE THREAD 3/4 INCH (37206)	2.76	2.76
97	1.00	EA	1010-COUPLING,OF FEMALE IRON PIPE THREAD 1 INCH (37209)	3.93	3.93
98	1.00	EA	1020-COUPLING,OF FEMALE IRON PIPE THREAD 2 INCH (37218)	12.75	12.75
99	1.00	EA	1030-CROSS,OF FEMALE IRON PIPE THREAD 3/4 INCH (37254)	6.06	6.06
100	1.00	EA	1040-CROSS,OF FEMALE IRON PIPE THREAD 1 INCH (37256)	9.50	9.50

REVISED PER ADDENDUM NO. 1

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
101	1.00	EA	1050-CROSS,OF FEMALE IRON PIPE THREAD 2 INCH (37267)	37.75	37.75
102	1.00	EA	1060-ELBOW,45 DEGREE,OF FEMALE IRON PIPE THREAD,3/4 INCH (37304)	3.35	3.35
103	1.00	EA	1070-ELBOW,45 DEGREE,OF FEMALE IRON PIPE THREAD, 1 INCH (37305)	5.30	5.30
104	1.00	EA	1080-ELBOW,45 DEGREE,OF FEMALE IRON PIPE THREAD,2 INCH (37308)	16.00	16.00
105	1.00	EA	1090-ELBOW,90 DEGREE,OF FEMALE IRON THREAD,3/4 INCH (37359)	3.41	3.41
106	1.00	ONLY	1100-ELBOW,90 DEGREE, OF FEMALE IRON PIPE THREAD, 1 INCH (37363)	4.99	4.99
107	18.00	EA	1110-ELBOW,90 DEGREE,OF FEMALE IRON THREAD,2 INCH (37376)	14.50	261.00
108	1.00	EA	1120-ELBOW,STREET,45 DEGREE,TO HAVE FEMALE IRON PIPE THREAD ON ONE END,AND MALE IRON PIPE THREAD ON THE OTHER, 3/4 INCH (37404)	4.21	4.21
109	1.00	EA	1130-ELBOW,STREET,45 DEGREE,TO HAVE FEMALE IRON PIPE THREAD ON ONE END, AND MALE IRON PIPE THREAD ON THE OTHER, 1 INCH (37405)	6.59	6.59
110	1.00	EA	1140-ELBOW,STREET,45 DEGREE,TO HAVE FEMALE IRON PIPE THREAD ON ONE END,AND MALE IRON PIPE THREAD ON THE OTHER, 2 INCH (37408)	21.75	21.75
111	1.00	EA	1150-ELBOW,STREET,90 DEGREE,TO HAVE FEMALE IRON PIPE THREAD ON ONE END,AND	4.19	4.19

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
112	1.00	EA	MALE IRON PIPE THREAD ON THE ELBOW, STREET, 90 DEGREE, TO OTHER, 3/4 INCH (37454) 1160-ELBOW, STREET, 90 DEGREE, TO HAVE FEMALE IRON PIPE THREAD ON ONE END, AND	6.75	6.75
113	1.00	EA	MALE IRON PIPE THREAD ON THE OTHER, 1 INCH (37456) 1170-ELBOW, STREET, 90 DEGREE, TO HAVE FEMALE IRON PIPE THREAD ON ONE END, AND	20.99	20.99
114	1.00	EA	MALE IRON PIPE THREAD ON THE OTHER, 2 INCH (37465) 1180-NIPPLE, ALL MALE IRON PIPE THREAD, 3/4 INCH BY CLOSE (37580)	1.99	1.99
115	1.00	EA	1190-NIPPLE, ALL MALE IRON PIPE THREAD, 3/4 INCH BY 2 INCH (37852)	2.09	2.09
116	1.00	EA	1200-NIPPLE, ALL MALE IRON PIPE THREAD, 3/4 INCH BY 3 INCH (37584)	2.75	2.75
117	1.00	EA	1210-NIPPLE, ALL MALE IRON PIPE THREAD, 1 INCH BY CLOSE (37600)	2.39	2.39
118	1.00	EA	1220-NIPPLE, ALL MALE IRON PIPE THREAD 1 INCH BY 2 INCH (37601)	2.99	2.99
119	1.00	EA	1230-NIPPLE, ALL MALE IRON PIPE THREAD, 1 INCH BY 4 INCH (37605)	4.63	4.63
120	1.00	EA	1240-NIPPLE, ALL MALE IRON PIPE THREAD, 2 INCH BY CLOSE (37660)	6.15	6.15
121	1.00	EA	1250-NIPPLE, ALL MALE IRON PIPE THREAD, 1 INCH BY 4 INCH (37664)	4.63	4.63
122	1.00	EA	1260-REDUCER, ALL FEMALE IRON PIPE THREAD 1 INCH BY 3/4 INCH	5.19	5.19

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
123	1.00	EA	1270-REDUCER,ALL FEMALE IRON PIPE THREAD 2 INCH BY 1 INCH	16.07	16.07
124	1.00	EA	1280-TEE,ALL FEMALE IRON PIPE THREAD, 3/4 INCH BY 3/4 INCH BY 3/4 INCH (37814)	4.19	4.19
125	1.00	EA	1290-TEE,ALL FEMALE IRON PIPE THREAD, 1 INCH BY 1 INCH BY 1 INCH (37823)	6.71	6.71
126	1.00	EA	1300-TEE,ALL FEMALE IRON PIPE THREAD, 1 INCH BY 1 INCH BY 3/4 INCH (37832)	8.01	8.01
127	1.00	EA	1310-TEE,ALL FEMALE IRON PIPE THREAD, 2 INCH BY 2 INCH BY 2 INCH (37860)	20.07	20.07
128	1.00	EA	1320-TEE,ALL FEMALE IRON PIPE THREAD, 2 INCH BY 2 INCH BY 3/4 INCH (37870)	24.75	24.75
129	1.00	EA	1330-TEE,ALL FEMALE IRON PIPE THREAD, 2 INCH BY 2 INCH BY 1.(37871)	24.75	24.75
130	1.00	EA	1340-UNION,ALL FEMALE IRON PIPE THREAD, 3/4 INCH(37904)	7.93	7.93
131	1.00	EA	1350-UNION,ALL FEMALE IRON PIPE THREAD 1 INCH (37905)	10.21	10.21
132	1.00	EA	1360-UNION,ALL FEMALE IRON PIPE THREAD, 2 INCH (37908)	26.75	26.75
133	1.00	EA	1370 - COUPLING, METER, TO HAVE AN INLET OF FEMALE THREADED MATER NUT COUPLER WITH AN OUTLET OF PACK JOINT COMPRESSION TYPE FITTING WITH CLAMPING SET SCREW, 2 INCH MTR/PJ, FORD NO. C34-77	60.31	60.31
134	5,200.00	EA	1380 - VALVE, METER, BALL VALVE, TO HAVE AN INLET OF PACK JOINT COMPRESSION TYPE	43.00	2236.00 ⁰⁰

REVISED PER ADDENDUM NO. 1

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			FITTING WITH CLAMPING SET SCREW AND AN OUTLET OF FEMALE METER NUT COUPLER, TO HAVE LARGE RAISED RECTANGULAR KEY WAY WITH PADLOCK WINGS, 3/4 INCH BY 5/8 INCH BY 3/4 INCH PJ/MTR, FORD NO. B43-332W (38082) 76100MW-22 3/4 INCH.		

Non-Public Works Bid Affidavit Instructions

- **Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and parish laws.**
- **Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.**
- **Affidavit must be notarized or the affidavit will not be accepted.**
- **Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.**
- **Affiant MUST select either A or B when required or the affidavit will not be accepted.**
- **Affiants who select choice A must include an attachment or the affidavit will not be accepted.**
- **If both choice A and B are selected, the affidavit will not be accepted.**
- **Affidavit marked N/A will not be accepted.**
- **It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.**

Instruction sheet may be omitted when submitting the affidavit

INSURANCE REQUIREMENTS - BIDS

All insurance requirements shall conform to Jefferson Parish Resolution No. 113646 or No. 113647. The contractor shall not commence work under this contract until he has obtained all insurance and complied with the requirements of the specifications and said Parish Resolutions. Except as otherwise provided by law, the Parish Attorney's Office with the concurrence of the Director of Risk Management is authorized to omit in whole or part the insurance requirements of this section in connection with contracts. Vendors inquiring about this shall submit his written request to the Purchasing Department prior to the due date of the bid. Contractor must deliver and maintain such insurances as provided; failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

Successful bidder will be required to procure standard insurance policies evidencing Parish mandated insurance requirements indicated below. The current certificate of insurance must be submitted by low bidder within 10 days after bid opening to the Purchasing Department. Failure to comply will cause bid to be rejected.

1. WORKER'S COMPENSATION INSURANCE

As required by Louisiana State Statute, exception; Employer's Liability, Section B shall be \$1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act, otherwise this limit shall be no less than \$500,000 per occurrence.

2. COMMERCIAL GENERAL LIABILITY

Shall provide limits not less than the following: \$1,000,000.00 Combined Single Limit per Occurrence for bodily injury and property damage.

3. COMPREHENSIVE AUTOMOBILE LIABILITY

Bodily injury liability \$1,000,000.00 each person; \$1,000,000.00 each occurrence.
Property Damage Liability \$1,000,000.00 each occurrence.

DEDUCTIBLES

No insurance required shall include a deductible not greater than \$10,000.00. The cost of the deductible shall be borne by the contractor.

NOTE: If the vendor requires a change in deductibles, the request must be submitted in writing to the Purchasing Department prior to the due date of the bid. Such request shall be reviewed by the Parish Attorney's Office.

UMBRELLA LIABILITY COVERAGE

An umbrella policy or excess may be used to meet minimum requirements.

CONSTRUCTION AND RENOVATION PROJECTS:

Unless otherwise specified in the bid, these additional insurance is required. Such insurance is due upon contract execution.

OWNER'S PROTECTIVE LIABILITY

To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.

BUILDER'S RISK INSURANCE

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.

NOTE for CERTIFICATE HOLDER:

All insurance certificates shall list the certificate holder as follows:

"The Parish of Jefferson, its Districts, Departments and Agencies under the direction of the Parish President and the Parish Council." Additionally, the address on the Certificates should reflect the department which is letting the bid and reference the respective bid number.

Revised 2.10.2014

Non-Public Works Bid

AFFIDAVIT

STATE OF LA

PARISH/COUNTY OF JEFFERSON

BEFORE ME, the undersigned authority, personally came and appeared: JEFF
DEVILLIER, (Affiant) who after being by me duly sworn, deposed and said that
he/she is the fully authorized AGENT of CISCO (Entity),
the party who submitted a bid in response to Bid Number 50-00112678, to the Parish of
Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B ✓ there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

Jeff Devillier
Signature of Affiant

Jeff Devillier
Printed Name of Affiant


SWORN AND SUBSCRIBED TO BEFORE ME
ON THE 9th DAY OF June, 2015.

Aren C. McCroskey
Notary Public

Aren C. McCroskey
Printed Name of Notary

128097
Notary/Bar Roll Number

My commission expires at death.



CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF
CLMSCO, INC.
INCORPORATED.

AT THE MEETING OF DIRECTORS OF CLMSCO, INC.
INCORPORATED, DULY NOTICED AND HELD ON March 11, 2015,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT Jeffrey DeVillier, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.

Ashley E. Riviere
SECRETARY-TREASURER

6/8/15
DATE

Accts Receivable 364-2815

24656

Form W-9
 (Rev. November 2005)
 Department of the Treasury
 Internal Revenue Service

Request for Taxpayer Identification Number and Certification

Give form to the requester. Do not send to the IRS.

Name (as shown on your income tax return)
 Business name, if different from above
CANSCO, INC.

Check appropriate box: Individual/Sole proprietor Corporation Partnership Other Exempt from backup withholding

Address (number, street, and apt. or suite no.)
 City, state, and ZIP code
**221 Canal St.
 METAIRIE, LA 70005**

Requester's name and address (optional)

List account number(s) here (optional)

Part III Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on Line 1 to avoid backup withholding. For individuals, this is your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN* on page 3.

Note: If the account is in more than one name, see the chart on page 4 for guidelines on whose number to enter.

Social security number

or
 Employer identification number
72 0509506

Part IV Certification

Under penalties of perjury, I certify that:

- The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me), and
- I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding, and
- I am a U.S. person (including a U.S. resident alien).

Sign Here Signature of U.S. person **Paul E. [Signature]** Date **9 30 10**

Purpose of Form
 A person who is required to file an information return with the IRS, must obtain your correct taxpayer identification number (TIN) to report, for example, income paid to you, real estate transactions, mortgage interest you paid, acquisition or abandonment of secured property, cancellation of debt, or contributions you made to an IRA.

U.S. person. Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN to the person requesting it (the requester) and, when applicable, to:

1. Certify that the TIN you are giving is correct (or you are waiting for a number to be issued),
2. Certify that you are not subject to backup withholding, or
3. Claim exemption from backup withholding if you are a U.S. exempt payee.

In 3 above, if applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income.

Note. If a requester gives you a form other than Form W-9 to request your TIN, you must use the requester's form if it is substantially similar to this Form W-9.

For federal tax purposes, you are considered a person if you are:

- An individual who is a citizen or resident of the United States,
- A partnership, corporation, company, or association created or organized in the United States or under the laws of the United States, or
- Any estate (other than a foreign estate) or trust. See Regulations sections 301.7701-8(e) and 7(f) for additional information.

Special rules for partnerships. Partnerships that conduct a trade or business in the United States are generally required to pay a withholding tax on any foreign partners' share of income from such business. Further, in certain cases where a Form W-9 has not been received, a partnership is required to presume that a partner is a foreign person, and pay the withholding tax. Therefore, if you are a U.S. person that is a partner in a partnership conducting a trade or business in the United States, provide Form W-9 to the partnership to establish your U.S. status and avoid withholding on your share of partnership income.

The person who gives Form W-9 to the partnership for purposes of establishing its U.S. status and avoiding withholding on its allocable share of net income from the partnership conducting a trade or business in the United States is in the following cases:

- The U.S. owner of a disregarded entity and not the entity,