



**CENTRALBIDDING**  
FROM CENTRAL AUCTION HOUSE

**5000144812 Purchase of a Full Cube Ice Machine for the Jefferson Parish  
Department of Transit Administration  
Jefferson Parish Government**

Project documents obtained from [www.CentralBidding.com](http://www.CentralBidding.com)

05-Apr-2024 11:15:53 AM



**Bid Number 50-00144812**

**Purchase of a Full Cube Ice Machine for the Jefferson Parish  
Department of Transit Administration**

**BID DUE: APRIL 08, 2024 AT 11:00 AM**

**ATTENTION VENDORS!!!**

**Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received on the Purchasing Department's eProcurement site, [www.jeffparishbids.net](http://www.jeffparishbids.net), by the bid due date and time. Late bids will not be accepted.**

**Jefferson Parish Purchasing Department  
200 Derbigny Street  
General Government Building, Suite 4400  
Gretna, LA 70053**

**Purchasing Specialist Name: DONNA M EVANS  
Purchasing Specialist Email: [DMEVANS@jeffparish.net](mailto:DMEVANS@jeffparish.net)  
Purchasing Specialist Phone: 504-364-2691**

DATE: 4/02/2024

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 1

BID NO.: 50-00144812

JEFFERSON PARISH

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETN, LA. 70054-0009  
504-364-2678

Holzberg Communications, Inc.  
PO Box 322

VENDOR: 27118 BLANKET VENDOR  
Phone: 504-754-1111  
1-800-654-9550

PURCHASING SPECIALIST:  
DMEVANS@jeffparish.net

Bids will be received until 11:00 AM, 4/08/2024 via online at [www.jeffparishbids.net](http://www.jeffparishbids.net).

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN LSA - R.S. 9:2602(6) ARE ACCEPTABLE. SIGNATURE MUST BE A SECURED DIGITAL SIGNATURE.

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law, as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 138353 and/or Resolution No. 141125 as amended. A copy of these resolutions may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at [purchasing.jeffparish.net](http://purchasing.jeffparish.net) and clicking on On-line forms.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and local taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail. Quotations shall be based on F.O.B. Delivered, anywhere within the Parish as designated by the Purchasing Department. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications. JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit prices shall prevail.

JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE.

PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in the quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum.

All formal Addenda require written acknowledgment on the bid form by the bidder by the bidder placing the Addendum number in the appropriate section. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected; JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

**INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS**

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A1 17.1-1961).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

**IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS**

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at [www.jeffparishbids.net](http://www.jeffparishbids.net) to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

**ADDITIONAL REQUIREMENTS FOR THIS BID**

**PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.**

13

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(l), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37:2150 et seq. and such license number will be shown on the outside of the bid electronic envelope. Failure to comply will cause the bid to be rejected. When submitting the bid electronically, the license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.

DATE: 4/02/2024

BID NO.: 50-00144812

Page: 3

### INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precaution must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
7. **PUBLIC WORKS BIDS:** All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS:** A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS:** A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Failure to comply with this instruction will result in bid rejection.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. All sureties must be in original format (no copies). When submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is an as needed basis contract. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required;** This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. **NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required** in conformity with the provisions contained in LSA - RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

DATE: 4/02/2024

BID NO.: 50-00144812

Page: 4

### INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted as per the appendix instructions. Failure to submit applicable certifications as per the appendix instructions will result in bid rejection.

17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

DATE: 4/02/2024

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 5

BID NO.: 50-00144812

**JEFFERSON PARISH**

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-364-2678

Holzberg Communications, Inc.  
PO Box 322  
Totowa, NJ 07511

VENDOR: 27118 BLANK BID VENDOR

PURCHASING SPECIALIST:  
DMEVANS

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

**DELIVERY: FOB JEFFERSON PARISH**

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

30 Days ARO

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: \_\_\_\_\_  
NUMBER: \_\_\_\_\_  
NUMBER: \_\_\_\_\_  
NUMBER: \_\_\_\_\_

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) \_\_\_\_\_

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME:	Holzberg Communications Inc.
SIGNATURE: (Must be signed here)	<i>[Signature]</i> TITLE: President
PRINT OR TYPE NAME	Andy Holzberg
ADDRESS:	PO Box 322
CITY, STATE:	Totowa NJ
TELEPHONE:	800 654-9550
ZIP:	07511
FAX:	N/A
EMAIL ADDRESS:	holzberg@juno.com

TOTAL PRICE OF ALL BID ITEMS: \$ 6,200.00

DATE: 4/02/2024

Page: 6

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00144812

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	1.00	EA	<p>PURCHASE OF A FULL CUBE ICE MACHINE W/BIN FOR JEFFERSON PARISH DEPARTMENT OF TRANSIT ADMINISTRATION</p> <p>0010 MANITOWOC ICE IDT0500A/D400 MACHINE: 3-YEAR WARRANTY,  5-YEAR COMPRESSOR PARTS; DISPENSER: 3-YEAR PARTS &amp; LABOR LIFT UP DOOR ACCESS 520LBS 24 HR. PRODUCTION 365LBS BIN CAPACITY AIR COOLED COMPRESSOR</p> <p>DELIVER TO: JP TRANSIT 118 DAVID DR METAIRIE, LA</p>	\$ 4970.00	\$ 4970.00
2	1.00	EA	<p>0020 MANITOWOC ICE AR-10000-P ARTIC PURE PLUS SINGLE PRIMARY WATER FILTER</p> <p>ASSEMBLY-15,000 GAL CAPACITY</p> <p>0.5-MICRON FILTRATION REDUCES DIRT AND PARTICLES 95 PERCENT AVERAGE CHLORINE REDUCTION FROM INCOMING WATER SUPPLY SLOW PHOS SCALE INHIBITOR RESISTS CORROSION AND SCALE FORMATION SILVER-IMPREGNATED CARBON BLOCK PROVIDES ANTIMICROBIAL PROTECTION 15,000-GAL. CAPACITY FILTERS WATER FOR 0-600LBS. OF ICE PER DAY HEAD, SHROUD, MOUNTING ASSEMBLY, AND HARDWARE INCLUDED OVERALL DIMENSIONS: 4.13 IN. W X 4.48 IN. D X 19.70 IN. H</p> <p>DELIVER TO: JP TRANSIT 118 DAVID DR. METAIRIE, LA</p>	\$ 234.00	\$ 234.00
3	1.00	EA	<p>0030 MANITOWOC ICE K00493 REPLACEMENT WATER FILTER CARTRIDGE FOR AR-10000-P</p> <p>COMPATIBLE WITH AR-10000-P WATER FILTER ASSEMBLY 0.5-MICRON FILTRATION REDUCES DIRT, PARTICLES, AND CONTAMINANTS 95 PERCENT AVERAGE CHLORINE REDUCTION FROM INCOMING WATER SUPPLY SLOW PHOS INHIBITS CORROSION AND SCALE FORMATION DESIGNED TO BE REPLACED EVERY 6 MONTHS</p>	\$ 70.00	\$ 70.00



DATE: 4/02/2024

Page: 7

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00144812

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			OR WHEN ASSEMBLY'S GAUGE INDICATED PRESS URE BELOW 35 PSI TWIST QUARTER-TURN TO LEFT TO REMOVE OLD CARTRIDGE TWITS QUARTER-TURN RIGHT TO INSTALL NEW CARTRIDGE  DELIVER TO: JP TRANSIT 118 DAVID DR METAIRIE, LA		
4	1.00	EA	0040 MANITOWOC ICE K00464 FIELD INSTALLED LUMINICE II GROWTH INHIBITOR  KIT FOR INDIGO NXT RECIRCULATES AIR IN ICE MACHINE FOOD ZONES OVER A UV LIGHT AIR PASSES OVER THE EXPOSED COMPONENTS TO INHIBIT BACTERIA AND YEAST GROWTH REDUCES SLIME BUILDUP TO SPEED UP CLEANING AND MAINTENANCE COMPATIBLE WITH IT420,IT450,IT500,IT620, AND IT1200 INDIGO NXT ICE MACHINES AND IF600C,IF900C,AND IT1200C QUITEQUE ICE MACHINES FIELD INSTALLATION CAN BE MOUNTED INSIDE THE ICE MACHINE WITHOUT TAKING UP EXTERIOR SPACE DRAWS ELECTRICITY FROM THE ICE MACHINE OVERALL DIMINSIONS:2.55 IN. W X3.27 IN. D X 4.32 IN. H  DELIVER TO: JP TRANSIT 118 DAVID DR METAIRIE, LA	\$ 350.00	\$ 350.00
5	1.00	EA	0050 MANITOWOC ICE IAUCS AUTO CLEANING SYSTEM ACCESSORY, 115V  DELIVER TO:JP TRANSIT 118 DAVID DR METAIRIE, LA	\$ 486.00	\$ 486.00
6	1.00	EA	0060 MANITOWOC ICE 000005164 16OZ AuCS-SI  COMPATIBLE WITH AN IAUCS AUTOMATIC CLEANING SYSTEM (AuCS) IN AN INDIGO SERIES ICE MACHINE DESIGNED FOR 300 THROUGH 1800 SERIES ICE MACHINES CONTROLS SLIME AND AIRBORNE BACTIERIA	\$ 40.00	\$ 40.00

Holzberg Communications, Inc.  
PO Box 322  
Totowa, NJ 07511  
1-800-654-9550

DATE: 4/02/2024

Page: 8

INVITATION TO BID FROM JEFFERSON PARISH - continued


BID NO.: 50-00144812

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
7	1.00	ONLY	<p>GROWTH IN THE ICE MACHINE CLEANING SYSTEM AUTOMATICALLY DISPENSES THE SANITIZER AT A SET TIME CAN BE USED WITH CLEANING SOLUTION</p> <p>DELIVER TO: JP TRANSIT 118 DAVID DR METAIRIE, LA</p> <p>0070 FREIGHT/DELIVERY FLATBED TRACTOR TRAILER FORKLIFT REQ'D TO OFFLOAD</p> <p>DELIVER TO: JP TRANSIT 118 DAVID DR METAIRIE, LA</p> <p>Holzberg Communications, Inc. PO Box 322 Totowa, NJ 07511 1-800-654-9550</p>	\$50.00	\$50.00

## PRODUCT SPECIFICATIONS

### **Manitowoc Ice IDT0500A/D400 520 lb Indigo NXT™ Full Cube Ice Machine w/ Bin - 365 lb Storage, Air Cooled, 115v**



The Manitowoc Ice IDT-0500A/D-400 Indigo NXT™ ice maker with bin produces slow-melting full-cube ice that measures 0.875 inch by 0.875 inch by 0.875 inch and fits perfectly in

glassware. An acoustical sensing probe measures ice thickness to check for consistency in each cycle. In 24 hours, this unit can make 520 pounds, but ambient conditions may reduce this amount. Daily ice production can be programmed based on a desired volume or duration of operation.

This Manitowoc Ice IDT-0500A/D-400 ice machine with bin has a 365-pound storage capacity. Made of polyurethane, the bin liner is durable and quick cleaning. With its foam insulation, the door keeps cold air inside the bin, slowing the melting process. When users are scooping ice, the bin door stays open with a self-latching design. A scoop is included with knuckle and thumb guards that prevent hands from contaminating the ice.

#### **Ice Maker Details**

- Part of the Indigo NXT series
- 520-lb. daily ice production capacity
- 400-lb. AHRI-certified daily ice production capacity
- Full-cube ice size: 0.875 in. x 0.875 in. x 0.875 in.
- Acoustical sensing probe measures ice thickness
- Programmable ice production according to time of day or volume
- User-friendly easyTouch® display
- Runs automatic 24-hr. preventive maintenance and diagnostics
- Hinged, swing-out food zone door provides convenient component access
- Removable curtain, distribution tube, sensing probes, and water trough
- Some parts are made with AlphaSan® antimicrobial agent to slow bacteria growth
- Stainless steel exterior's corrosion-resistant DuraTech™ clear coat hides fingerprints
- Air-cooled condensing unit
- R410A refrigerant
- 3,800 average BTU; 6,000 peak BTU
- Required ambient air temperature: 40-110 degrees F
- Required incoming water temperature: 40-90 degrees F
- Required incoming water pressure: 20-80 PSI

#### **Bin Details**

- 365-lb. application capacity
- 12.3-cu.-ft. AHRI-certified capacity
- Blue polyurethane bin liner
- Foam-insulated door slows melting by retaining cold air
- Door has side grips for convenient opening
- Self-latching design holds the door open when scooping
- 5.3-lb.-capacity ice scoop
- Scoop has a built-in knuckle and thumb guard that eliminates hand contact with ice
- DuraTech exterior

#### **Dimensions and Utilities**


- Ice Maker

- 30 in. W x 24 in. D x 21.5 in. H
- 11.5 A, 5.25 kW
- 115 V/60 Hz/1 ph
- **Bin**
  - 30 in. W x 34 in. D x 38 in. H

#### From The Manufacturer

Indigo NXT™ Series Ice Maker with Ice Bin, cube-style, air-cooled, self-contained condenser, 30"W x 24"D x 21-1/2"H, production capacity up to 520 lb/24 hours at 70°/50° (400 lb AHRI certified at 90°/70°), DuraTech™ exterior, regular dice size cubes, R410A refrigerant, NSF, cULus, CE, ENERGY STAR®; Ice Bin: 30"W x 34"D x 38"H, with side-hinged front-opening door, side grips, AHRI certified 365 lb ice storage capacity (12.3 cu. ft.), for top-mounted ice maker, Duratech exterior, NSF

## Manitowoc Ice AR-10000-P Description



With all the components needed to set up filtering water in an ice machine, the Manitowoc Ice AR-10000-P Arctic Pure® Plus water filter assembly comes with a head, shroud, mounting equipment, and one filter cartridge. It reduces chlorine to improve ice taste and smell while minimizing dirt, submicron particles, and contaminants. Its SLOW PHOS (slowly soluble phosphate) feature inhibits scale formation and corrosion, and the silver-impregnated carbon block protects against bacterial, algae, mold, and slime growth on the ice machine surfaces. The combination of the ultra-fine, 0.5-micron filtration with this carbon block provides triple protection against harmful contaminants that can affect the ice machine's performance.

By eliminating the scale, impurities, and contaminants, this Manitowoc Ice AR-10000-P filter assembly reduces overall ice machine cost and maintenance frequency. When the filter is changed regularly, it also optimizes daily ice machine performance and extends the life of the unit. The cartridges are easy to replace and can be snapped into place quickly without the operator shutting off the water supply.

#### **Product Details**

- 1 filter cartridge
- 0.5-micron filtration reduces dirt and particles
- 95 percent average chlorine reduction from incoming water supply
- SLOW PHOS scale inhibitor resists corrosion and scale formation
- Silver-impregnated carbon block provides antimicrobial protection
- 15,000-gal. capacity
- Filters water for 0-600 lbs. of ice per day
- Head, shroud, mounting assembly, and hardware included
- Overall dimensions: 4.13 in. W x 4.48 in. D x 19.70 in. H

#### **Installation & Operation Tips**

- Replace filter cartridge every 6 months or when pressure gauge indicates below 35 PSI
- Twist quarter-turn to left to remove old cartridge
- Twist quarter-turn to right to install new cartridge
- Install vertically with filter cartridge hanging down
- Leave 2.5-in. clearance below cartridge for replacement
- Protect housing from freezing to prevent cracking and water leakage

#### **Compatible Ice Machines**


- IT0300 to IT750 series cube ice makers
- IBF0620 Indigo NXT™ QuietCube cube ice maker and beverage dispenser
- RFP0320A (RFF0320) flake ice maker
- RNF320 nugget ice maker
- All cuber, flaker, and nugget undercounter models
- Countertop nugget models

#### **From The Manufacturer**

Arctic Pure® Plus Primary Water Filter Assembly, includes head, shroud, hardware, mounting

assembly, & (1) filter cartridge, 15,000 gallon capacity, 0-600 lbs./ice per day

## Manitowoc Ice Growth Inhibitor K00464



The Manitowoc Ice K00464 LuminIce® II Growth Inhibitor Kit inhibits bacteria and yeast growth in ice maker food zones by recirculating air over an ultraviolet light and passing the air over exposed components 24 hours a day. This process reduces slime buildup to facilitate cleaning and maintenance. Because it uses a light instead of a cleaner, there are no chemicals to replace. Installing this component in the field is simple and it fits directly into the ice maker to save exterior space. The unit does not need an electric connection because it draws power from the ice machine head.


### Product Details

- Recirculates air in ice machine food zones over a UV light
- Air passes over the exposed components to inhibit bacteria and yeast growth
- Reduces slime buildup to speed up cleaning and maintenance
- Compatible with IT420, IT450, IT500, IT620, and IT1200 Indigo NXT™ ice machines and IF600C, IF900C, and IT1200C QuietCube® ice machines
- Field Installation
- Can be mounted inside the ice machine without taking up exterior space
- Draws electricity from the ice machine
- Overall dimensions: 2.55 in. W x 3.27 in. D x 4.32 in. H

### From The Manufacturer

Field Installed LuminIce II Growth Inhibitor Kit for Indigo NXT models: IT420, IT620, IT450, IT500, IT1200 & QuietCube IT1200C (Indigo NXT small & QQ)

## Manitowoc Ice K00493 Filter Replacement



Designed to be used with an Arctic Pure® Plus filter assembly, the Manitowoc Ice K00493 replacement water filter cartridge uses its 0.5-micron filtration to reduce particulates, dirt, and contaminants in the water supply. Its chlorine reduction minimizes chemicals in the water, improving the taste and smell of ice. It also has SLOW PHOS (slowly soluble phosphate) scale inhibitor to resist corrosion and the formation of scale.

Without scale, impurities, and contaminants, the ice maker will operate without requiring as much additional maintenance, reducing labor and upkeep costs. This Manitowoc K00493 filter cartridge is designed to be replaced every 6 months or when the pressure gauge is below 35 PSI; when it's properly changed, it optimizes the ice machine's daily performance while extending its service life. Easy to replace as needed, the cartridge snaps into place while the water supply is running.

#### **Product Details**


- Compatible with AR-10000-P water filter assembly
- 0.5-micron filtration reduces dirt, particles, and contaminants
- 95 percent average chlorine reduction from incoming water supply
- SLOW PHOS inhibits corrosion and scale formation
- Designed to be replaced every 6 months or when assembly's gauge indicates pressure below 35 PSI
- Twist quarter-turn to left to remove old cartridge
- Twist quarter-turn to right to install new cartridge

## **Manitowoc Ice IAUCS Automatic Cleaning System**



The Manitowoc Ice IAUCS AuCS automatic cleaning system reduces routine cleaning and maintenance on ice machines, and the unit counts ice cycles, automatically initiating a cleaning or sanitizing cycle based on the frequency setting. It can dispense either cleaner or sanitizer, though chemicals are not included with the unit. Cleaner removes and controls limescale and other mineral deposits, while sanitizer controls slime and airborne bacteria growth. After chemicals are dispensed, the water pump runs a wash cycle, which is followed by several rinse cycles. A cleaning cycle takes about 30 minutes to run, and ice making resumes automatically after it concludes.

This Manitowoc Ice IAUCS auto cleaning system accessory can be used with certain NXT cube ice makers and QuietQube ice makers, and the 7.19-inch by 3.43-inch piece is made to be mounted on the wall beside the unit or in an attached bin. Finished with stainless steel, the exterior is resistant to rusting and scratching.



#### Product Details

- Eliminates the need for routine ice machine maintenance
- Counts ice-making cycles and automatically initiates a cleaning or sanitizing cycle at the user selected frequency
- Cleaning cycle can run at 2-, 4-, or 12-week frequency
- Cleaner or sanitizer dispenses from the unit and water pump performs a wash cycle with rinse cycles following
- Cleaning cycle runs for about 30 min.
- Ice making automatically resumes after the cleaning cycle
- Designed for IF0300 to IT1900 NXT cube ice machine heads and IF600C to IF2100C QuietQube ice machine heads
- Not compatible with IB models
- **Does not include cleaner or sanitizer**
- Mounts on a wall near the ice maker or in a bin
- Durable stainless steel exterior finish


#### Dimensions & Utilities

- 7.19 in. W x 3.43 in. D x 12.12 in. H
- 0.1 A
- 115 V/60 Hz/1 ph

### **From The Manufacturer**

iAuCS Automatic Cleaning System, accessory for Indigo NXT Cubers (iF0300 - iF1900) & QuietCube models (iF600C - iF2100C), external mounting, hardwire, automatically schedules and performs routine de-scaling, assembly does not include cleaner or sanitizer

## **Manitowoc Ice 16 oz AuCS-SI Sanitizer**



The Manitowoc Ice 000005164 AuCS sanitizer is designed to be used in an ice machine, controlling algae and airborne bacteria. The cleaning system automatically dispenses a mixture to reduce maintenance needs. The sanitizer is compatible with Indigo series 300 through 1800 ice machines. It can be used with or without cleaner and should not be used with IBAUCS models.

### **Product Details**

- Compatible with an iAuCS Automatic Cleaning System (AuCS) in an Indigo series ice machine
- Designed for 300 through 1800 series ice machines
- Controls slime and airborne bacteria growth in the ice machine
- Cleaning system automatically dispenses the sanitizer at a set time
- Can be used with cleaning solution
- Should not be used with IBAUCS models

**From The Manufacturer**

iAuCS Automatic Cleaning System Sanitizer, 16 oz, for Indigo series ice machine 300 through 1800.