

DATE: 9/18/2020

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00132184

JEFFERSON PARISH
PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: Daktronics, Inc.

BUYER: MBUTTERY

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	<u>4-6 weeks from order execution</u>
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	<u>N/A</u>
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	<u>N/A</u>

In the event that addenda are issued with this bid, bidders **MUST** acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: 1 50-132184 9/24/2020

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: <u>Daktronics, Inc.</u>	
SIGNATURE: (Must be signed here)	TITLE: <u>Regional Sales Coordinator</u>
PRINT OR TYPE NAME: <u>Lindsey L. Nordsiden</u>	
ADDRESS: <u>201 Daktronics Dr.</u>	
CITY, STATE: <u>Brookings, SD</u>	ZIP: <u>57006</u>
TELEPHONE: <u>(605) 692-0200</u>	FAX: <u>(605) 697-4746</u>
EMAIL ADDRESS: <u>sales@daktronics.com, brandon.liotta@daktronics.com</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 9,714.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00132184

SEALED BID


ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	2.00	EA	<p>PURCHASE OF SCOREBOARDS AT KENNEDY HEIGHTS PLAYGROUND FOR THE DEPARTMENT OF RECREATION</p> <p>0010 Provide TuffSport Pana View Basketball/Volleyball/Wresting Scoreboard. Black in color with captions in sunflower. Freight included Item #BB-2103-RA-PV or equal</p> <p>KENNEDY HEIGHTS PLAYGROUND</p> <p>DELIVER TO: 7437 LAPALCO BLVD. MARRERO, LA 70072</p>	\$4,857.00	\$9,714.00

Jefferson Parish Purchasing Dept
Bid #50-132184
Kennedy Heights Playground Basketball

Bid Clarifications

- Daktronics reserves the right to negotiate any resulting contract upon award. Further, if awarded, Daktronics requests that the following provision be included in the contract documents: Without limiting any other provision in this Agreement, the parties agree that any delays caused directly or indirectly as a result of the COVID-19 pandemic are excusable and will extend the time for performance under this Agreement. Delays may be caused by, without limitation, government mandates, unsafe site conditions, or resource constraints arising out of conformity with CDC guidelines or government mandates.
- Bid price includes freight.

DAKTRONICS BB-2103 PRODUCT SPECIFICATIONS



This indoor single-sided LED basketball scoreboard displays period time to 99:59, HOME and GUEST scores to 199, PERIOD to nine, PLAYER number to 99, player FOUL to nine, team FOULS to 19 and indicates possession and bonus. T.O.L. (time outs left) to nine are optional. Scoreboard can also score volleyball and wrestling. When period time is less than one minute, the scoreboard displays time to 1/10 of a second. Scoreboard shown with PanaView® digits and optional striping.

CAPTION OPTIONS	POWER (120 VAC)*	UNCRATED WEIGHT	DIMENSIONS
VINYL ONLY (STANDARD)	210 Watts, 1.8 Amps	180 lb (82 kg)	6'-0" H x 8'-0" W x 6" D (1.83 m, 2.44 m, 152 mm)
VINYL & TNMCS	270 Watts, 2.3 Amps	195 lb (88 kg)	

*Models with 240 VAC power at half the indicated amperage are also offered (International Use Only).

DIGITS & INDICATORS

- Clock and score digits are 13" (330 mm) high. Optional T.O.L. digits are 7" (178 mm) high. All other digits are 10" (254 mm) high. Bonus indicators are 4" (102 mm) high and possession arrows are 3" (76 mm) high.
- Select PanaView® or UniView® LED digit technology (see [SL-04729](#)).
- Scoreboard comes with choice of LED colors:
 - > **Red/Amber LEDs:** clock, PERIOD, PLAYER/FOUL, optional T.O.L. digits, Bonus indicators and optional TNMCS are amber. Scores and FOULS digits and possession indicators are red.
 - > **White LEDs:** all digits, indicators and optional TNMCS are white. **PanaView digits only.**

CAPTIONS

- HOME and GUEST captions are 6" (152 mm) high. Optional T.O.L. captions are 3" (76 mm) high. All other captions are 4" (102 mm) high. Optional TNMCS are 6" (152 mm) high.
- Standard captions are vinyl, applied directly to the display face.

DISPLAY COLOR

Choose from 150+ colors (from Martin Senour® paint book) at no additional cost.

CONSTRUCTION

Durable, lightweight aluminum Tuff Sport® cabinet withstands high-velocity impact from air-filled sports balls without the need for protective screens.

PRODUCT SAFETY APPROVAL

ETL-listed, tested to CSA standards, and CE-labeled **for indoor use only**

OPERATING TEMPERATURES

- Display: -22° to 122° Fahrenheit (-30° to 50° Celsius)
- Console: 32° to 130° Fahrenheit (0° to 54° Celsius)

WWW.DAKTRONICS.COM E-MAIL: SALES@DAKTRONICS.COM

201 Daktronics Drive, PO Box 5128, Brookings, SD 57006
Phone: 1-800-325-8766 or 605-692-0200 Fax: 605-697-4746
DD2481852 071519 Page 1 of 4



DAKTRONICS BB-2103 PRODUCT SPECIFICATIONS

CONTROL CONSOLE

All Sport® 5000
(see [SL-03991](#))

CONTROL OPTIONS

Wired (standard): One-pair shielded cable of 22 AWG minimum is required. A cover plate with mounted connector and standard 2" x 4" x 2" (51 mm x 102 mm x 51 mm) outlet box is provided. Connector mates with signal cable from control console.

Wireless (optional): 2.4 GHz spread spectrum radio features 64 non-interfering channels and 8 broadcast groups (see [SL-04370](#)).

HORN

A vibrating horn, mounted behind the scoreboard face, sounds automatically when period/timeout clock counts down to zero or manually as controlled by the operator.

SEGMENT TIMER MODE

The segment timer mode is ideal for keeping practices on schedule. The horn at the end of a segment allows coaches and athletes to focus on the practice and to listen for the horn when it is time to change drills (see [SL-04004](#)).

TIME OF DAY MODE

This scoreboard features a Time of Day (TOD) mode that allows it to act as a clock when the control console is unplugged or off. Refer to the scoreboard installation manual for instructions on how to enable the Time of Day mode.

GENERAL INFORMATION

Scoreboard provides scoring capabilities for two teams. 100% solid state electronics are housed in an all aluminum cabinet. Scoreboard arrives at the site fully assembled. Mounting hardware not included. Specifications and pricing are subject to change without notice.

OPTIONS & ACCESSORIES

- Scoreboard border striping
- Multiple caption and striping colors (see [DD2101644](#))
- Team name caption in place of HOME *
- Team names on changeable panels *
- Volleyball and wrestling captions on changeable panels
- Programmable Team Name Message Centers (see [SL-04342](#))
- Double bonus indicators
- T.O.L. digits with captions
- Two 17" (432 mm) tall x 21" (533 mm) wide logo/ sponsor panels in one or both upper corners
- Different sounding 12 VDC horn in place of buzzer
- Advantage time option for wrestling mode – PLAYER and FOUL digits reversed (see [SL-03679](#))
- Visual horn indicator (see [SL-02093](#) or [SL-05489](#))
- Protective screen (see [SL-02551](#))
- Suspension installation kit
- Corner mounting kit
- Advertising/identification panels
- Decorative accents
- Electronic message centers and video displays in multiple sizes

* Only for scoreboard without Team Name Message Centers

ADVERTISING/IDENTIFICATION PANELS

Backlit & Non-Backlit:

1'-6" H x 8'-0" W (457 mm, 2.44 m)

2'-0" H x 8'-0" W (610 mm, 2.44 m)

2'-6" H x 8'-0" W (762 mm, 2.44 m)


For additional backlit panel sizes, see [SL-03664](#).

For additional non-backlit panel sizes, see [SL-03917](#).


FOR ADDITIONAL INFORMATION

- Mechanical Specifications: DWG-1130405 (attached)
- Component Locations: DWG-1130164 (attached)
- Architectural Specifications: See [SL-04787](#)
- Installation Manual: See [DD2481645](#)
- Service Manual: See [DD2481648](#)

ALTERNATE SCORING MODES



Volleyball Mode –
Optional captions shown





Wrestling Mode

WWW.DAKTRONICS.COM E-MAIL: SALES@DAKTRONICS.COM

All Sport®, PanaView®, Tuff Sport®, and UniView® are trademarks of Daktronics, Inc. Martin Senour® is a registered trademark of its owner. DD2481852 071519 Page 2 of 4 Copyright © 2013-2019 Daktronics, Inc.




BB-2103 / 3103





0'-1 3/8" [36mm]
INVERTED CHANNEL DEPTH

SIDE VIEW



WALL MOUNTING DETAIL



DETAIL: A
(SCALE 1=10)




NOTES:

1. USE APPROPRIATE WALL ANCHORS FOR TYPE OF WALL. (NOT PROVIDED BY DAKTRONICS)
2. LIFT EYE IS FOR TEMPORARY USE WHILE LIFTING SCOREBOARD DURING INSTALLATION. DO NOT USE LIFT EYE FOR PERMANENT SUSPENSION. REFER TO DWG-1130959.

WEIGHTS	
SHIPPING WEIGHT	MOUNTING WEIGHT
290 LBS (132 KG)	180 LBS (82 KG)

<p>DAKTRONICS, INC. BROOKINGS, SD 57006</p>	<p>THE CONCEPTS EXPRESSED AND DETAILS SHOWN ON THIS DRAWING ARE CONFIDENTIAL AND PROPRIETARY. DO NOT REPRODUCE BY ANY MEANS WITHOUT THE EXPRESSED WRITTEN CONSENT OF DAKTRONICS, INC. COPYRIGHT 2013 DAKTRONICS, INC.</p>		
	<p>DO NOT SCALE DRAWING</p>		
<p>PROJ: INDOOR SCOREBOARDS</p>			
<p>TITLE: MECHANICAL SPEC, BB-2103 / 3103</p>			
<p>DESIGN: KDRAGT</p>		<p>DRAWN: AHOLTZ</p>	<p>DATE: 15 MAR 13</p>
<p>SCALE: 1=40</p>			
<p>SHEET</p>	<p>REV</p>	<p>JOB NO:</p>	<p>FUNC -TYPE-SIZE</p>
	<p>00</p>	<p>P 1749</p>	<p>E - 10 - A</p>
			<p>1130405</p>

BB-2103/3103 & BB-2104/3104 FACE



- NOTES:
- = DIGIT DESIGNATION IN RELATION TO DRIVER
 - = DIGIT SIZE
 - = SEGMENT DESIGNATION
 - = DRIVER NUMBER

REV 03	DATE: 28 MAY 19	PER CN-80248; REPLACED LL-2525 LABELS WITH LL-4172/151 LABELS.	BY: AGM
REV 02	DATE: 21 DEC 17	PER CN-47546; UPDATED LOCATIONS HOME/GUEST CAPTIONS	BY: KDD
REV 01	DATE: 02 MAR 15	PER EC-17119; REMOVED DRIVER DETAILS CHANGED MASTER TO PRIMARY	BY: KDB

DAKTRONICS

PROJECT: INDOOR SCOREBOARDS
 TITLE: COMPONENT LOCATION; BB-2103/2104/3103/3104
 DATE: 13 MAR 13 DIM UNITS: INCHES [MILLIMETERS]
 SCALE: 1=20 DO NOT SCALE DRAWING
 DESIGN: KDRAGT JOB NO. P1749
 DRAWN: KDRAGT

THE CONCEPTS EXPRESSED AND DETAILS SHOWN ON THIS DRAWING ARE CONFIDENTIAL AND PROPRIETARY. DO NOT REPRODUCE BY ANY MEANS WITHOUT THE EXPRESS WRITTEN CONSENT OF DAKTRONICS, INC. OR ITS WHOLLY OWNED SUBSIDIARIES. COPYRIGHT 2017 DAKTRONICS, INC. (USA)

THIRD ANGLE PROJECTION

BY: AGM
BY: KDD
BY: KDB

SHEET 03
 E - 10 - A
 1130164

KENNEDY HEIGHTS

Vikings


DAKTRONICS


HOME	PERIOD	GUEST	
10	4	9	
FOULS	PLAYER FOUL	FOULS	
6	29	10	
SCORE	MATCH	SCORE	

- Overall Dimensions
8'0" high x 8'0" wide
- Identification Panel (Non-Backlit)
2'0" high x 8'0" wide
(above Scoreboard)
- Basketball Scoreboard
BB-2103-RA
6'0" high x 8'0" wide

Do Not Use for Design, Engineering, or Ad Copy Approval Purposes
(Colors shown are not an exact match of what will be manufactured)

JEFFERSON PARISH RECREATION DEPT WESTWEGO, LA

ALL DIMENSIONS ARE APPROXIMATE