

DATE: 10/14/2019

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00128474

**JEFFERSON PARISH**

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: RSCOTT

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

**DELIVERY: FOB JEFFERSON PARISH**

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

5-7 DAYS

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: \_\_\_\_\_  
NUMBER: \_\_\_\_\_  
NUMBER: \_\_\_\_\_  
NUMBER: \_\_\_\_\_

Gas And Supply  
Jimmy Gibbs  
Phone 504-392-2400  
Fax 504-392-1500  
jimmy.gibbs@gasandsupply.com

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) \_\_\_\_\_

**\*\*\* ALL BIDDERS MUST COMPLETE SECTION BELOW \*\*\***

FIRM NAME: <u>I.W.S. GAS AND SUPPLY</u>	
SIGNATURE: (Must be signed here) <u>Jimmy Gibbs</u>	TITLE: <u>SALES</u>
PRINT OR TYPE NAME: <u>Jimmy Gibbs</u>	
ADDRESS: <u>111 BORAS DR.</u>	
CITY, STATE: <u>BELLE CHASSE, LA.</u>	ZIP: <u>70037</u>
TELEPHONE: <u>504 392-2400</u>	FAX: <u>504 392-1500</u>
EMAIL ADDRESS: <u>Jimmy.Gibbs@GAS AND SUPPLY.com</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 2143.87

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128474

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PURCHASE OF VARIOUS STOCK ITEMS FOR THE WESTBANK WAREHOUSE		
1	6.00	EA	0010 - BIT,DRILL,9/16 IN X 1/2 IN REDUCED SHANK,HIGH SPEED STEEL,DOMESTIC,  GRAINGER # 1P283 SK# 00-0195450	10.45	62.70
2	50.00	EA	0011 - BIT,DRILL,1/4 INCH, NORSEMAN #01150  SK# 00-0199840	1.05	52.50
3	6.00	EA	0020 - PLATE,WELDING,LENS PROTECTION, POLYCARBONATE,FOR RADNOR COBRA HELMET,  4-1/2 IN H X 5-1/4 IN W X 0.40 IN T, RADNOR #64005115 SK# 00-030677G	.55	3.30
4	24.00	EA	0021 - BIT,DRILL,5/16 IN, HIGH SPEED STEEL,PRECISION TWIST #10020  SK# 00-0199880	1.58	37.92
5	300.00	EA	0030 - SWEATBAND,REINFORCED SPONGE, 8-5/8 IN BY 1-3/4 IN, AMERICAN ALLSAFE  OR CONDOR BRAND,100 PER BAG,GRAINGER 2AF07 SK# 00-0485460	.22	66.00
6	36.00	EA	0031 - HOOK,SAFETY SNAP,9/16 IN, STAINLESS SPRING,BOLT/NUT, 1000# LOAD,  CROSBY G-3315 #1023074 SK# 00-0272460	N/B	—
7	96.00	EA	0040 - SQWINCHER DRINK MIX, LEMONADE FLAVOR,16 PACKS OF DRY POWDER PER CASE,  EACH PACK MAKES 2-1/2 GALLONS,2 YEAR EXPIRATION DATE FROM DATE OF MANUFACTURE GRAINGER #3UZR7,MSC #01590900 SK# 00-048599C	2.39	229.44
8	20.00	EA	0041 - TARPULIN,10 FT X 12 FT, POLYPROPYLENE, WITH GROMMETS,MSC  #00228064 SK# 00-0480040	5.11	102.20
9	3.00	EA	0050 - NIPPLE,SUCTION HOSE,KING COMBINATION,6 INCH,PLATED STEEL, HOSE X	24.43	73.29

Gas And Supply  
Jimmy Gibbs  
Phone 504-392-2400  
Fax 504-392-1500  
jimmy.gibbs@gasandsupply.com



## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128474

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MALE NPT THREADS,DIXON BRAND OR EQUAL SK# 00-0486840		
10	12.00	EA	0051 - WIRE,TIE,16 GAUGE,CARBON STEEL, 3-1/2 POUND ROLL,#AWT 16S  SK# 00-0481890	3.41	40.92
11	36.00	EA	0060 - FLASHLIGHT,PENLIGHT,3VDC,MUST BE POWERED BY TWO "AA" BATTERIES,FULTON <i>MAG-LITE M2A016</i> #20,MSC #54015151 SK# 00-0588210	8.55	307.80
12	100.00	LF	0061 - GASKET,SHEET,BLACK NEOPRENE,3/16 IN THICK X 36 IN WIDE,50 FEET PER ROLL  SK# 00-0620930	7.64	764.00
13	12.00	EA	0070 - GOGGLES,MONO VPC,CHEMICAL SPLASH PROTECTION,ANTISCATCH/ANTI-FOG CLEAR <i>RADIANS GGO111D</i> LENS,NEOPRENE STRAP,GRAINGER #1VT70 OR EQUAL SK# 00-0589400	1.94	23.28
14	3.00	EA	0080 - GRIP,WIRE,FOR PULLING PLASTIC PIPE,SIZE RANGE 1 IN MIN.TO 1-7/16 IN MAX.,33 IN LONG,1920# WORKING STRENGTH, USA STOCK #65200 SK#00-0590820 <i>KLEIN KP-100-36</i>	126.84	380.52
<p style="text-align: center;">Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com</p>					



## Mag-Lite®

### Features:

- High-intensity adjustable light beam (Spot to Flood)
- Recessed, pushbutton, self-cleaning, 3-position switch
- Rugged, machined aluminum construction with knurled design
- Anodized inside and out for improved corrosion resistance
- Spare lamp safely secured inside the tailcap

Batt. Size: D

Head Diam: 2 1/4 in

Bulb Type: Krypton

Body Material: Aluminum

Coating: Hard Anodize

Resistance: Water; Shock

Barrel Diam: 1 9/16 in

Run Time: 10 h

Catalog Number	No. of Batteries	Color	Voltage
<b>18,000 lm/ft2 Light Intensity</b>			
S2D016	2	Black	3 VDC
S2D036	2	Red	3 VDC
S2D116	2	Blue	3 VDC
<b>22,000 lm/ft2 Light Intensity</b>			
S3D016	3	Black	4.5 VDC
S3D036	3	Red	4.5 VDC
S3D116	3	Blue	4.5 VDC
<b>24,000 lm/ft2 Light Intensity</b>			
S4D016	4	Black	6 VDC
S4D036	4	Red	6 VDC
<b>28,000 lm/ft2 Light Intensity</b>			
S5D016	5	Black	7.5 VDC
S5D036	5	Red	7.5 VDC
<b>30,000 lm/ft2 Light Intensity</b>			
S6D016	6	Black	9 VDC
S6D036	6	Red	9 VDC

Prefix: 459

## Mini Maglite® AAA Flashlights

### Features:

- High-intensity light beam
- Twist focus, spot-to-flood
- Innovative extended key lead
- Spare lamp
- High-strength aluminum alloy case
- O-ring
- Vented tailcap

No. of Batteries: 2

Battery Type: Alkaline

Light Intensity: 1,200 lm/ft2

Voltage: 3 VDC

Bulb Type: Incandescent

Body Material: Aluminum

Coating: Hard Anodize

Resistance: Water Resistant

Includes: Flashlight; Batteries

Catalog Number	Color	Barrel Diam	Head Diam	Run Time	Includes
M3A012	Black	1/2 in	3/4 in	3 h	Presentation Box; Pocket Clip
M3A016	Black	1/2 in	3/4 in	3 h	Pocket Clip
M3A032	Red	1/2 in	3/4 in	3 h	Presentation Box; Pocket Clip
M3A036	Red	1/2 in	3/4 in	3 h	Pocket Clip
M3A112	Blue	1/2 in	3/4 in	3 h	Presentation Box; Pocket Clip
M3A116	Blue	1/2 in	3/4 in	3 h	Pocket Clip
M3A49L	Black	1/2 in	3/4 in	3 h	Presentation Box; Classic Swiss Army Knife

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

Jimmy.gibbs@gasandsupply.com

- 1/2 turn, twist focus
- Patented candle mode
- Spare lamp
- O-ring sealed for water resistance
- Vented tailcap

No. of Batteries: 2

Battery Type: Alkaline

Head Diam: 1 in

Light Intensity: 2,200 lm/ft2

Voltage: 3 VDC

Bulb Type: Incandescent

Body Material: Aluminum

Coating: Hard Anodize

Resistance: Water Resistant

Includes: Flashlight; Batteries

Run Time: 6 h

Catalog Number	Color	Barrel Diam	Includes
M2A016	Black	23/32 in	Pocket Clip; Lanyard Wrist Strap; Lens Holder; Red, Amber, & Clear Lenses
M2A01C	Black	23/32 in	
M2A01H	Black	23/32 in	Polypropylene Belt Holster
M2A01L	Black	23/32 in	Presentation Box; Pocket Clip
M2A026	Camo	23/32 in	Pocket Clip; Lanyard Wrist Strap; Lens Holder; Red, Amber, & Clear Lenses
M2A02C	Camo	23/32 in	
M2A02H	Camo	23/32 in	Polypropylene Belt Holster
M2A036	Red	23/32 in	Pocket Clip; Lanyard Wrist Strap; Lens Holder; Red, Amber, & Clear Lenses
M2A03C	Red	23/32 in	
M2A03H	Red	23/32 in	Polypropylene Belt Holster
M2A03L	Red	23/32 in	Presentation Box
M2A116	Blue	23/32 in	Pocket Clip; Lanyard Wrist Strap; Lens Holder; Red, Amber, & Clear Lenses
M2A11C	Blue	23/32 in	
M2A11H	Blue	23/32 in	Polypropylene Belt Holster
M2A11L	Blue	23/32 in	Presentation Box
M2A49L	Black	23/32 in	Presentation Box; Classic Swiss Army Knife

Prefix: 459

## Replacement Mag-Lite® Rechargeable Flashlights

### Features:

- High-intensity light beam
- 1/2 turn, twist focus, spot-to-flood
- Patented candle mode
- Spare lamp
- High-strength aluminum alloy case
- O-ring sealed for water resistance
- Vented tailcap

Catalog Number

ARXX014



**DEWALT****GEAR**

# GOGGLES

## CONCEALER™

- Dual Injected Rubber Comfort Seal
- Built-in Ventilation Channel

**AF  
ANTI  
FOG**

DPG82-11


DPG82-11

Clear Anti-Fog Lens


DPG82-21

Smoke Anti-Fog Lens

Close-fitting goggles can limit a worker's exposure to airborne toxins and contaminants, including gasoline, oil, and industrial chemicals. All of our styles have indirect or built-in ventilation systems for breathability; anti-fog coatings are available too. Several styles are designed to fit over most prescription glasses.



## CHEMICAL™

**ANTI  
AF  
FOG**

GG011UID

- Chemical Splash Indirect Vents with Neoprene Strap
- Fits Over Most Prescription Glasses

GG011UID Clear Uncoated Lens

GG011UID Clear Anti-Fog Lens

## PERFORATED™

**ANTI  
AF  
FOG**

Gas And Supply  
Jimmy Gibbs  
Phone 504-392-2400  
Fax 504-392-1500  
[jimmy.gibbs@gasandsupply.com](mailto:jimmy.gibbs@gasandsupply.com)



GGP11UID

- Perforated Side Shields with Adjustable Elastic Strap
- Fits Over Most Prescription Glasses

GGP11UID Clear Uncoated Lens

GGP11UID Clear Anti-Fog Lens

ALL GLASSES COMPLY WITH ANSI Z87.1 STANDARDS,  
PROTECT AGAINST 99.9% OF HARMFUL UV RAYS AND INCLUDE  
A HARD COAT POLYCARBONATE LENS TO PROTECT AGAINST SCRATCHES.

**WARNING:** Cancer and reproductive harm - [www.P65warnings.ca.gov](http://www.P65warnings.ca.gov)

**WORK HARD. STAY SAFE.**



# Wire-Mesh Grips

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

## Double-Weave, Flexible-Eye Pulling Grips



KPM-075

Cable Dia. *	KPM: Medium Duty				KPM: Heavy Duty							
	Cat. No.	Mesh Length	Maximum Safe Load	Wt.	Short Length				Medium Length			
					Cat. No.	Mesh Length	Maximum Safe Load	Wt.	Cat. No.	Mesh Length	Maximum Safe Load	Wt.
37"-49"	KPM-037	11"	380 lbs. (172 kg)	.10 lbs.	—	—	—	—	—	—	—	—
50"-61"	KPM-050	13"	480 lbs. (218 kg)	.10 lbs.	—	—	—	—	—	—	—	—
62"-74"	KPM-062	14"	670 lbs. (304 kg)	.21 lbs.	—	—	—	—	—	—	—	—
75"-99"	KPM-075	16"	1030 lbs. (467 kg)	.20 lbs.	KP-075-24	24"	1360 lbs. (617 kg)	.50 lbs.	KP-075-36	36"	1360 lbs. (617 kg)	.74 lbs.
100"-137"	KPM-100	18"	1420 lbs. (644 kg)	.40 lbs.	—	—	—	—	—	—	—	—
100"-149"	—	—	—	—	KP-100-24	24"	1920 lbs. (871 kg)	1.1 lbs.	KP-100-36	36"	1920 lbs. (871 kg)	1.0 lbs.
138"-199"	KPM-150	22"	1920 lbs. (871 kg)	.40 lbs.	—	—	—	—	—	—	—	—
150"-199"	—	—	—	—	KP-150-24	24"	3280 lbs. (1488 kg)	1.2 lbs.	KP-150-36	36"	3280 lbs. (1488 kg)	1.6 lbs.
200"-249"	—	—	—	—	KP-200-24	24"	3700 lbs. (1678 kg)	2.0 lbs.	KP-200-36	36"	3700 lbs. (1678 kg)	2.5 lbs.
250"-299"	—	—	—	—	KP-250-24	24"	4900 lbs. (2233 kg)	3.0 lbs.	KP-250-36	36"	4900 lbs. (2233 kg)	3.8 lbs.

\*For equivalent cable diameters in fractional inches and in metric dimensions (mm), see Dimensions Conversion Reference Table 3.

## Double-Weave, Rotating-Eye Pulling Grips



KPS-062-1

Cable Dia. *	KPS: Heavy Duty							
	Short Length				Medium Length			
	Cat. No.	Mesh Length	Maximum Safe Load	Wt.	Cat. No.	Mesh Length	Maximum Safe Load	Wt.
10"-61"	KPS-050-1	11"	1120 lbs. (508 kg)	.40 lbs.	KPS-050-2	16"	1120 (508 kg)	.45 lbs.
12"-74"	KPS-062-1	11"	1360 lbs. (617 kg)	.45 lbs.	KPS-062-2	16"	1360 (617 kg)	.50 lbs.
15"-99"	—	—	—	—	KPS-075-2	20"	1360 (617 kg)	.85 lbs.
100"-124"	—	—	—	—	KPS-100-2	20"	2560 (1161 kg)	1.9 lbs.
100"-149"	—	—	—	—	—	—	—	—
125"-149"	—	—	—	—	KPS-125-2	21"	2560 (1161 kg)	1.9 lbs.
150"-199"	—	—	—	—	KPS-150-2	25"	3280 (1488 kg)	2.2 lbs.
200"-249"	—	—	—	—	KPS-200-2	26"	5440 (2468 kg)	4.1 lbs.
250"-299"	—	—	—	—	KPS-250-2	28"	6600 (2994 kg)	5.3 lbs.
300"-349"	—	—	—	—	KPS-300-2	30"	8200 (3720 kg)	6.1 lbs.
350"-399"	—	—	—	—	KPS-350-2	32"	9600 (4355 kg)	6.8 lbs.

\*For equivalent cable diameters in fractional inches and in metric dimensions (mm), see Dimensions Conversion Reference Table 3.

**⚠ WARNING:** Do NOT exceed maximum safe load as listed on the label attached to the product.

**⚠ WARNING:** Do NOT use on live circuits.

**⚠ WARNING:** Always match proper size and type of grip to application.

**⚠ WARNING:** Always inspect equipment before use.

Wire Pulling Grips

