

DATE: 5/19/2021

Page: 6

BID NO.: 50-00134539

**BID FORM**  
Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES \_\_\_\_\_ NO X

MAXIMUM ESCALATION PERCENTAGE REQUESTED \_\_\_\_\_ %

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF \_\_\_\_\_.

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

**DELIVERY: FOB JEFFERSON PARISH**

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

AS NEEDED by DEPARTMENT

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable)

N/A**THIS SECTION MUST BE COMPLETED BY BIDDER:**FIRM NAME: CASCO INDUSTRIES, INC.ADDRESS: 607 W. 62ND STREETCITY, STATE: Shreveport, LA ZIP: 71106TELEPHONE: 504 1 439-3593 FAX: (318) 865-8157EMAIL ADDRESS: DD@DRICH@CASCOINDUSTRIES.COM

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: -0-

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

TOTAL PRICE OF ALL BID ITEMS: \$ 108,625.00AUTHORIZED SIGNATURE: [Signature]DARRIN DETDRICH

Printed Name

TITLE: SALES / SERVICE

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

DATE: 5/19/2021

Page 7

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134539

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	270.00	PR	TWO (2) YEAR CONTRACT FOR THE SUPPLY OF LEATHER STRUCTURAL FIRE FIGHTING BOOTS FOR THE JEFFERSON PARISH EAST BANK CONSOLIDATED FIRE DEPARTMENT		
			0010 MEN'S LEATHER SUPREME STRUCTURAL 14" PULL-ON FIRE FIGHTING BOOTS  MFR: GLOBE MFR PART NO. 1201400	395 <sup>00</sup>	106,650 <sup>00</sup>
2	5.00	PR	TWO (2) YEAR CONTRACT FOR LEATHER STRUCTURAL FIRE FIGHTING BOOTS FOR THE JEFFERSON PARISH EAST BANK CONSOLIDATED FIRE DEPARTMENT		
			0020 WOMEN'S LEATHER SUPREME STRUCTURAL 14" PULL-ON FIRE FIGHTING BOOTS MFR: GLOBE MFR PART NO. 120140W	395 <sup>00</sup>	1,975 <sup>00</sup>

**TWO (2) YEAR CONTRACT FOR THE SUPPLY OF  
Leather Structural Firefighting 14" Pull-On Boots  
FOR THE JEFFERSON PARISH EAST BANK CONSOLIDATED  
FIRE DEPARTMENT**

**Scope** – This specification will outline the requirements for leather structural firefighting 14" pull-on bunker boots.

These specifications completed by selecting whether the quoted items comply or provide exception to each of the below sections. Any and all exceptions for each section *must be clearly stated for each heading* and included in the bid submission. *Use additional pages for exceptions, if necessary.*

**NFPA 1971 and NFPA 1992 Certified**

Boots must meet or exceed the requirements of NFPA 1971, *Standard on Protective Ensembles for Structural Firefighting and Proximity Firefighting, Current Edition* for Structural Fire Fighting and NFPA 1992, *Standard on Liquid Splash-Protective Ensembles and Clothing for Hazardous Materials Emergencies, Current Edition*.

☒ Comply      ☐ Exception

**General Design**

14 inch Pull-On athletic footwear (cement construction) boot, black flame-resistant and water-resistant leather, double-stitched leather joining seams, hi-vis yellow and silver reflective trim, leather-trimmed webbing pull straps, padded leather collar, padded leather flex joints in the shaft above vamp and heel, liquid and chemical resistant breathable bootie liner, cut-resistant and thermal protective bootie-shield liner, composite safety toe cap, composite shank, composite penetration-resistant insole barrier, molded shin guard, flame-resistant synthetic rubber molded cup outsole and toe bumper, 3D lasting board, molded composite heel counter, internal heel fit system, and a removable molded footbed as well as an additional insert for use in conjunction with the footbed.

☒ Comply      ☐ Exception

**Slip Resistance**

Boots must exceed the minimum test values for slip resistance (average of left and right foot) as detailed below to provide superior performance in dry, wet, and frosted ice conditions. Boots that do not exceed these minimums in all conditions shall not be acceptable. Bidders must promptly supply a Technical Services Report from a recognized independent testing laboratory upon request showing the boots bid exceed this requirement.

Test Method: SATRA TM144:2011

Slip Resistance of Footwear and Floorings

Load = 500 N

Dry Clay Quarry Tile: Forepart > 1.00

Heel > 1.00  
Wet Clay Quarry Tile: Forepart > 0.60  
Heel > 0.60  
Frosted Ice -7°C Run 1: Forepart = 0.28  
Heel = 0.28  
Frosted Ice -7°C Run 4: Forepart > 0.12  
Heel > 0.12

For maximum slip resistance each outsole shall have Siping lines. Siping lines cut into flat areas open up when flexed to provide additional traction on water and ice. The boot shall also include self-cleaning lugs and an omni-direction tread pattern designed for superior performance in all terrains and when working on ladders.

☒ Comply ☐ Exception

### Flexibility

Boots must reach the Maximum Flex Angle of 48 degrees without exceeding the critical bending moment with a resulting stiffness index less than 10.0 as detailed below to provide maximum flexibility. Boots that do not meet this requirement shall not be acceptable. Bidders must promptly supply a Technical Services Report from a recognized independent testing laboratory upon request showing the boots bid meet this requirement.

Test Method: SATRA TM194:2004

Longitudinal stiffness of footwear

☒ Comply ☐ Exception

### FireStorm Leather

Boots shall be made from heavy-duty, flame-resistant and water-resistant full-grain cattle hide leather measuring 2.0 – 2.2 mm of thickness for durable tear and puncture resistance. Tumbled full-grain cattle hide leather shall be utilized in collar and flex areas for mobility. The leather shall be chrome tanned to withstand high temperature with minimal shrinkage, re-tanned to impart water resistance and low water absorption, and finished to retain maximum breathability. Leather shall meet or exceed the following physical tests:

Water Penetration	ASTM D2099	15,000 flex minimum
Dynamic Water Absorption	ASTM D2099	15% maximum
Static Water Absorption	ASTM D6015	30% maximum
Slit Tearing Strength	ASTM D2212	30 pound minimum
Moisture Vapor Transmission	ASTM D5052	350 g/meter <sup>2</sup> /24 hours minimum
Flame Resistance	NFPA 1971	afterflame no more than 2.0 sec, not melt or drip, no burn through

☒ Comply ☐ Exception

### CROSSTECH® Footwear Fabric

A full-height, full sock, bootie liner made from a package of Omaha lining fabric, 300g felt insulation, and CROSSTECH® moisture barrier shall be provided for a liquid resistant and breathable moisture barrier as well as thermal protection as defined by the specified NFPA standards.

☒ Comply ☐ Exception

**Athletic Footwear (Cement) Construction Outsole**

For optimum flexibility, comfort, and weight reduction, the boot shall include a VIBRAM® Synthetic Rubber Sculpted, Contoured Cup Outsole cemented to the bottom and sides of the upper using a 2-part cross-linking adhesive that forms a bond stronger than the materials it attaches. The outsole must be made from a flame, abrasion, oil, acid, and slip resistant compound engineered for high-traction, cold-weather resistance, and durability. Goodyear welt or direct attach construction methods shall not be acceptable.

☒ Comply ☐ Exception

**Bootie-Shield Liner**

A protective bootie-shield of KEVLAR® fiber blend stitchbonded non-woven batting weighing 4.0 oz/yd<sup>2</sup> shall be positioned between the leather shell and the CROSSTECH® moisture barrier bootie to provide abrasion and cut resistance and additional thermal protection. Boots that do not have an additional Flame Resistant (FR) protective bootie-shield between the leather shell and the CROSSTECH® moisture barrier bootie shall not be acceptable.

☒ Comply ☐ Exception

**Composite Safety Toe Cap**

The safety toe shall consist of a composite material that is lighter than steel, does not transmit heat or cold, and will spring back to shape after impact. Metal toe caps shall not be acceptable.

☒ Comply ☐ Exception

**Padded Leather Collar**

The padded collar shall have a rolled top edge formed by folding over the leather to help the boots slide against the pants liner and reduce the potential for the pants liner to hang up on the top of the boots as well as to reduce abrasion against the wearer's calf.

☒ Comply ☐ Exception

**Composite Penetration Resistant Insole Barrier**

Penetration resistance shall be provided by a composite insole to maximize flexibility and insulate from heat or cold transmission. Must exceed NFPA standards for safety. Metal plates shall not be acceptable.

☒ Comply ☐ Exception

**3D Composite Lasting Board**

Boot uppers shall be lasted to a molded and contoured dual-density lasting board with a built-in flex zone in the forefoot and a torsionally stable heel. Flat fiber board lasting boards shall not be acceptable.

☒ Comply ☐ Exception

**Composite Shank**

The shank shall consist of a composite material that is lighter than steel, does not transmit heat or cold, and springs back to shape better. Metal shank shall not be acceptable.

☒ Comply ☐ Exception

#### **Molded Heel Counter**

Boots shall have a molded heel counter of water-resistant composite material individually molded to fit each size perfectly. Leather or fiber board heel counters shall not be acceptable.

☒ Comply ☐ Exception

#### **Padded Shin Guard**

Boots shall include a padded composite shin guard to provide extra protection when working on a ladder. Moisture absorbing natural fiber padding shall not be acceptable.

☒ Comply ☐ Exception

#### **Synthetic Rubber Toe Bumper**

Boots shall have a molded Flame Resistant (FR) synthetic rubber toe bumper to provide abrasion resistance when crawling. The toe bumper shall be cemented and 2-needle stitched to the vamp.

☒ Comply ☐ Exception

#### **3M SCOTCHLITE™ Reflective Material**

Boots shall have flame-resistant fluorescent yellow and silver 3M SCOTCHLITE™ reflective material sewn to both sides of the shaft for added visibility.

☒ Comply ☐ Exception

#### **Webbing Pull-Straps**

Boots shall have NOMEX® webbing pull-straps with leather trim securely attached to the leather uppers by inserting into to collar seam to minimize stitching through the leather. Pull strength must be a minimum of 120 lbs when tested with a single handle.

☒ Comply ☐ Exception

#### **Internal Fit System**

Boots shall have an anatomical foam insert that wraps around the top and sides of the heel with an opening to fit and hold the back of the heel securely while cushioning the ankle.

☒ Comply ☐ Exception

#### **3D Molded Footbeds System**

Boots shall have a removable urethane foam footbed. The footbeds are contoured to cradle and cushion the bottom of the foot and to provide arch support. The footbeds shall have a moisture-wicking and anti-microbial fabric top layer. A second pair of 3D molded footbeds that are thicker in the forefoot is provided with every pair for a custom fit. This thicker footbed provides a snugger fit.

☒ Comply ☐ Exception

#### **Sizes**

Boots must be available in Men's full sizes 5 – 18 and half sizes 5½ – 15½ in Narrow, Medium, Wide, and X-Wide widths. Boots must also be available in a Wide Calf model in the same size

range that will provide an additional 3 inches in circumference at the calf to fit those with larger calves. Boots must be available in Women's full sizes 5 – 12 and half sizes 5½ – 11½ in Narrow, Medium, Wide, and X-Wide widths.

☒ Comply ☐ Exception

#### **Resoling Service**

The winning vendor shall have resoling services available at their factory as needed.

☒ Comply ☐ Exception

#### **Country of Origin**

Boots shall be manufactured in the United States.

☒ Comply ☐ Exception

#### **Third Party Testing and Listing Program**

The footwear shall be tested for compliance to NFPA Standard 1971 and 1992 by a recognized independent testing lab which shall certify and list compliance to that standard. Such certification shall be denoted by the independent testing labs mark on the certification label affixed to the boots.

☒ Comply ☐ Exception

#### **Labels**

Appropriate warning label(s) shall be permanently affixed to each boot. Additionally, the label(s) shall include the following information.

Compliance to applicable NFPA Standard(s); current edition(s).

Independent Testing Lab mark

Manufacturer's name

Manufacturer's address

Manufacturer's boot identification number

Date of manufacture

Size

☒ Comply ☐ Exception

#### **ISO Certification/Registration**

The manufacturer shall be certified and registered to ISO Standard 9001 to assure a satisfactory level of quality.

☒ Comply ☐ Exception

#### **Warranty**

The manufacturer shall warrant these boots to be free from defects in materials and workmanship for one year when properly used and cared for.

☒ Comply ☐ Exception

#### **Sizing by Vendor**

The vendor shall be available to perform all sizing requirements.

☒ Comply ☐ Exception

### **PPE Record Keeping**

The manufacturer shall make available at no-charge, a password protected data based backed website that allows all brands of PPE assets are being recorded. The website shall have the functionality to allow the manufacturer to import all of the pertinent data into the department's account so that the initial data entry by fire department personnel is eliminated.

The website shall allow for the department to use a barcode scanner, if desired, to scan the Interleaved 2 of 5 barcode found in the gear by going to the Search the Serial Number page in PPE record keeping program, and scanning the asset's barcoded serial number.

☒ Comply ☐ Exception

### **Exceptions to Specifications**

Any and all exceptions to the above specifications must be clearly stated for each heading. Use additional pages for exceptions, if necessary.



# CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)  
1/28/2021

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

**IMPORTANT:** If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

<b>PRODUCER</b> The Cashion Company Insurance and Bonding P.O. Box 550  Little Rock AR 72203  <b>INSURED</b> Casco Industries, Inc. P. O. Box 8007  Shreveport LA 71148-8007	<b>CONTACT NAME:</b> Julie Martin <b>PHONE (A/C, No, Ext):</b> (501) 376-0716 <b>FAX (A/C, No):</b> (501) 376-2118 <b>E-MAIL ADDRESS:</b> juliem@cashionco.com <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="text-align: center;">INSURER(S) AFFORDING COVERAGE</th> <th style="text-align: center;">NAIC #</th> </tr> <tr> <td>INSURER A: Twin City Fire Insurance Co</td> <td>29459</td> </tr> <tr> <td>INSURER B: Continental Casualty Co.</td> <td>20443</td> </tr> <tr> <td>INSURER C: Stonetrust Commercial Ins. Co.</td> <td>11042</td> </tr> <tr> <td>INSURER D: LM Insurance Corporation</td> <td>33600</td> </tr> <tr> <td>INSURER E:</td> <td></td> </tr> <tr> <td>INSURER F:</td> <td></td> </tr> </table>	INSURER(S) AFFORDING COVERAGE	NAIC #	INSURER A: Twin City Fire Insurance Co	29459	INSURER B: Continental Casualty Co.	20443	INSURER C: Stonetrust Commercial Ins. Co.	11042	INSURER D: LM Insurance Corporation	33600	INSURER E:		INSURER F:	
INSURER(S) AFFORDING COVERAGE	NAIC #														
INSURER A: Twin City Fire Insurance Co	29459														
INSURER B: Continental Casualty Co.	20443														
INSURER C: Stonetrust Commercial Ins. Co.	11042														
INSURER D: LM Insurance Corporation	33600														
INSURER E:															
INSURER F:															

## COVERAGES

**CERTIFICATE NUMBER:**

**REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY						EACH OCCURRENCE \$ 1,000,000
	<input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR						DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 300,000
	<input checked="" type="checkbox"/> Incl Contractual	X	Y	38 CES 0F8460	2/1/2021	2/1/2022	MED EXP (Any one person) \$ 10,000
	<input checked="" type="checkbox"/> XCU Included						PERSONAL & ADV INJURY \$ 1,000,000
	GEN'L AGGREGATE LIMIT APPLIES PER:						GENERAL AGGREGATE \$ 2,000,000
	<input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC						PRODUCTS - COMP/OP AGG \$ 2,000,000
	OTHER:						Employee Benefits \$ 1,000,000
B	<input checked="" type="checkbox"/> AUTOMOBILE LIABILITY						COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000
	<input checked="" type="checkbox"/> ANY AUTO						BODILY INJURY (Per person) \$
	<input type="checkbox"/> ALL OWNED AUTOS						BODILY INJURY (Per accident) \$
	<input checked="" type="checkbox"/> HIRED AUTOS	X		BUA6079946573	2/1/2021	2/1/2022	PROPERTY DAMAGE (Per accident) \$
	<input type="checkbox"/> SCHEDULED AUTOS NON-OWNED AUTOS						
	<input type="checkbox"/> UMBRELLA LIAB						EACH OCCURRENCE \$
	<input type="checkbox"/> EXCESS LIAB						AGGREGATE \$
	<input type="checkbox"/> OCCUR						
	<input type="checkbox"/> CLAIMS-MADE						
	DED <input type="checkbox"/> RETENTION \$						
C	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY	Y/N					<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER
	ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH)	N	N/A	WCV-0094017-01	2/1/2021	2/1/2022	E.L. EACH ACCIDENT \$ 1,000,000
	If yes, describe under DESCRIPTION OF OPERATIONS below						E.L. DISEASE - EA EMPLOYEE \$ 1,000,000
							E.L. DISEASE - POLICY LIMIT \$ 1,000,000
D	Workers' Compensation			WC5-39S-736030-011	2/1/2021	2/1/2022	E.L. Each Accident/Employee \$1,000,000
	STATE OF KANSAS ONLY						E.L. Disease - Policy Limit \$1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Project: Bid #50-126712

See Attached Comments/Remarks Section

## CERTIFICATE HOLDER

## CANCELLATION

Jefferson Parish  
its Districts Department and Agencies  
under the direction of the Parish  
President & the Parish Council  
200 Derbigny Street, Ste. 4400  
Gretna, LA 70053

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

M Dornblaser/JKM001

## COMMENTS/REMARKS

CASCO INDUSTRIES, INC.

ENDORSED ADDITIONAL INSURED:

If required by written contract, certificate holder is included as an additional insured on a primary and noncontributory basis.

("X" denotes coverage.)

ENDORSED WAIVER OF SUBROGATION:

If required by written contract, waiver of subrogation applies in favor of certificate holder.

("Y" denotes coverage.)



**Casco INDUSTRIES, INC.**  
**Fire Equipment Sales & Service**

*Providing Protection for those Who Protect Us  
since 1950*

Whereas, The officers of Casco Industries, Incorporated, Doug Schaumburg, President and Coleman Brown require authorization to independently sign contracts and other legal documents.

Whereas, this authorization should remain in force until such time as revoked by the officers of said corporation.

Now therefore, it is resolved:

That Doug Schaumburg and Coleman Brown, officers of said Corporation are authorized to independently sign contracts and other legal documents binding to Casco Industries, Incorporated.

That Darrin Deidrich is an authorized representative to sign contracts binding the company as well as bids.

Signed this 12th day of May, 2021

Doug Schaumburg – Owner/President

Non-Public Works Bid

AFFIDAVIT

STATE OF LOUISIANA

PARISH/COUNTY OF CADDO

BEFORE ME, the undersigned authority, personally came and appeared: DARRIN  
DEIDRICK, (Affiant) who after being by me duly sworn, deposed and said that  
he/she is the fully authorized SALES/SERVICE REP of CASCO IND, INC (Entity),  
the party who submitted a bid in response to Bid Number 50-00134539, to the Parish of  
Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required  
attachment):

Choice A \_\_\_\_\_ Attached hereto is a list of all campaign contributions, including  
the date and amount of each contribution, made to current or  
former elected officials of the Parish of Jefferson by Entity,  
Affiant, and/or officers, directors and owners, including  
employees, owning 25% or more of the Entity during the two-year  
period immediately preceding the date of this affidavit or the  
current term of the elected official, whichever is greater. Further,  
Entity, Affiant, and/or Entity Owners have not made any  
contributions to or in support of current or former members of the  
Jefferson Parish Council or the Jefferson Parish President through  
or in the name of another person or legal entity, either directly or  
indirectly.

Choice B ✓ there are NO campaign contributions made which would require  
disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A \_\_\_\_\_ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B ✓ \_\_\_\_\_ There are NO debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

*[The remainder of this page is intentionally left blank.]*

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

*Darin Reid*

Signature of Affiant

DARRIN REID

Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE 7th DAY OF June, 2021.

*Rose M. Caddenhead*

Notary Public

*Rose M. Caddenhead*

Printed Name of Notary

53449

Notary/Bar Roll Number

My commission expires

*for life*

