

DATE: 9/13/2019

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00128083

**JEFFERSON PARISH**

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-364-2678

VENDOR: BASIC SUPPLY, LLC

BUYER: BBELLOW

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

<b>DELIVERY: FOB JEFFERSON PARISH</b>	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	<u>2-3 WEEKS</u>
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	_____
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	_____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: \_\_\_\_\_  
NUMBER: \_\_\_\_\_  
NUMBER: \_\_\_\_\_  
NUMBER: \_\_\_\_\_

**LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable)**

<b>*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***</b>	
FIRM NAME: BASIC SUPPLY, LLC	
SIGNATURE: (Must be signed here)	TITLE: MANAGER
PRINT OR TYPE NAME: JOHN ATKINSON	
ADDRESS: PO BOX 63066	
CITY, STATE: LAFAYETTE, LA	ZIP: 70596
TELEPHONE: ( ) 337-769-0122	FAX: ( ) 337-247-7699
EMAIL ADDRESS: charlotte@basicsupply.com	

TOTAL PRICE OF ALL BID ITEMS: \$ 364.92

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128083

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	12.00	EA	<p>ONE TIME PURCHASE OF INDUSTRIAL PRODUCTS FOR THE EASTBANK WAREHOUSE</p> <p>0001 - Bushing hex, 2 inch x 1-1/2 inch, grade no. 316 stainless steel, 150 lb threaded fittings, Merit Brand or equal (029060A)</p>	17.91	214.92
2	10.00	EA	<p>0002 - Bolt, hex head, 5/8 inch - 11 x 5 inch long, domestic, grade 316 stainless steel (0412570)</p>		
3	120.00	EA	<p>0003 - Padlock, combination, commercial, Master Lock brand no. 175DLH, no substitution, Grainger no. 1U173 (0580030)</p>		
4	20.00	EA	<p>0004 - Hinge, butt, 3 inch x 3 inch, no. 316 stainless steel, with holes and screws, Hager no. 1191-US32D, Fastenal no. 11127700 (0581010) 830277</p> <p>Please have items shipped to:</p> <p>Eastbank Warehouse                      Attention: Curtis McFarland                      4901 Jefferson Hwy Suite C                      Jefferson, LA 70121</p>	7.50	150.00

National Hardware 830-277 Square Corner Door Hinge, 50 lb Weight Capacity, Stainless Steel, Zinc Heavy-gauge material for added strength. Nib on hinge for finished appearance. Non-rising pin. Five knuckle, full mortise design. Screw holes are countersunk. Removable pin for easier installation.

Description du français:

CHARNIERE PORTE 3 PO COIN CARRE INOX

STAINLESS STEEL

SQUARE CORNERS

Size In : 3

Product Details

Door Leaf Length:3 in

Pin Type:Non-Rising, Removable

Mounting Type:Full Mortise

Fasteners:(5) Knuckle and Screw

Load Capacity:50 lb

Material:Stainless Steel

Finish:Zinc Plated

Standards:BHMA A138.18 Certified

Special Features:Square Corners

Usage:For Interior Residential Doors

Features

Heavy-gauge cold-rolled steel for added strength

Nib on hinge for finished appearance

Screw holes are countersunk

Removable pin for easy installation and removal

Stainless steel for maximum corrosion resistance

WeatherGuard protection withstood these harsh conditions with very little deterioration

