

DATE: 11/07/2019

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00128785

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: RSCOTT

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

3-5 DAYS

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***

FIRM NAME: <u>I.W.S. GAS AND SUPPLY</u>	
SIGNATURE: (Must be signed here) <u>Jimmy Gibbs</u>	TITLE: <u>SALES</u>
PRINT OR TYPE NAME: <u>Jimmy Gibbs</u>	
ADDRESS: <u>111 BURAS DR</u>	
CITY, STATE: <u>BELLE CHASSE, LA.</u>	ZIP: <u>70037</u>
TELEPHONE: <u>504 392-2400</u>	FAX: <u>504 392-1500</u>
EMAIL ADDRESS: <u>Jimmy.Gibbs@GASANDSUPPLY.COM</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 1067.12

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00128785

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PURCHASE OF INDUSTRIAL SUPPLIES FOR THE JEFFERSON PARISH EASTBANK WAREHOUSE		
1	20.00	EA	0010 COOLER, WATER, 2 GALLON CAPACITY, ALL PLASTIC, FDA GRADE LINER, PUSH <i>RUBBERMAID FG153004</i> BUTTON SPIGOT, BAIL HANDLE, GRAINGER #6YGO4 STK. # 0482200	<i>12.90</i>	<i>258.00</i>
2	3.00	EA	0020 CUTTER, CABLE, COMPACT RATCHET TYPE MAX. CAPACITY IS 600 MCM COPPER, 10 IN GREENLEE #45206, KELIN #63060, SELECT #SDC045 STK. # 0588590	<i>189.85</i>	<i>569.55</i>
3	15.00	EA	0030 SAFETY FLAG FLUORESCENT ORANGE 24" X 24" 36" STAFF. LINE ITEM 0070 STK. # 0479000	<i>5.25</i>	<i>78.75</i>
4	2.00	EA	0040 TAP, BOTTOM, 7/16 IN - 14, HAND, NO UNC THREAD, DOMESTIC, HIGH SPEED <i>NORSEMAN 53580</i> STEEL, GREENFIELD BRAND, GRAINGER #4GR34 STK. # 0191200	<i>2.65</i>	<i>5.30</i>
5	24.00	EA	0050 SHACKLE, ANCHOR, 3/8 IN, WITH ALLOY SCREW PIN, HOT DIP GALVANIZED COATED, 2 TON LOAD LIMIT, CROSBY #G-209-A, FASTENAL #0507487 STK. # 0271060 <i>CAMPBELL 5410695</i>	<i>6.48</i>	<i>155.52</i>

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

[More Rubbermaid Websites](#)
[Change your Country](#)

[Home](#)
[Products](#)
[What's New](#)
[Organizing Tips](#)
[Water Bottles & Mugs](#)
[Car Organizers](#)

[Home Cleaning Tools](#)
[Closet & Shelving Systems, Organizers](#)
[Coolers](#)
[Food Storage Containers](#)
[Garage Organization & Storage Systems](#)
[Kitchen Accessories & Organizers](#)

[Home \ 2 Gal Victory™ Jug](#)
[Laundry](#)
[Organization & Storage](#)
[Outdoor Sheds & Storage](#)
[Storage Containers](#)
[Trash Cans & Recycling Bins](#)

Departments

[JOIN ORGANIZATION NATION](#)
 Sign up for exclusive offers and more

[Sign In](#)
[Order Status](#)
[Shopping Help](#)
[Help Support Center](#)
[Quick Links](#)
[Support Center](#)
[Shopping Help](#)
[Order Status](#)
[Sign In](#)
[Connect to Facebook](#)
[CHAT OFFLINE](#)

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com



2 Gal Victory™ Jug

★★★★★ [3.1](#) | [25 Reviews](#)

[WRITE A REVIEW](#)

Great for sporting events or outdoor activities, this jug has durable construction that resists scratching, denting and fading. It has a drip-resistant spigot and a leak resistant lid and spout. The urethane based foam has superior thermal retention to keep your drink cool. It is stain and odor resistant with an easy-to-clean liner.

- Durable construction resists scratching, denting and fading.
- Drip-resistant spigot, screw-tight lid
- Leak resistant lid and spout
- Urethane-based foam for superior thermal retention.
- Stain and odor resistant, easy-to-clean liner.
- Swing-top ball handle for easy carrying
- Great for sporting events or outdoor activities!
- Rubbermaid™ is the industry leader in water coolers
- Made in USA



Hi-Carbon Steel Taps

HI-CARBON STEEL TAPS - U.S. SIZES (BOTTOMING & 3 Piece SETS)

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

Type 760 -Bottoming -Fractional , Type 761 -Bottoming -Machine Screw
Type 722 -3 pcs. Sets -Fractional , Type 723 -3 pcs. Sets -Machine Screw



Bottoming - Type 761

TYPE 760 BOTTOMING FRACTIONAL

Part No.	Size	Tap Drill Size	No. of Flutes	Qty. per/pack
55500	3/16x24	26	3	3
55510	3/16x32	22	3	3
55520	1/4x20	7	3	3
55530	1/4x28	3	3	3
55540	5/16x18	17/64	4	3
55550	5/16x24	17/64	4	3
55560	3/8x16	5/16	4	3
55570	3/8x24	21/64	4	3
55580	7/16x14	3/8	4	3
55590	7/16x20	25/64	4	3
55600	1/2x13	27/64	4	3
55610	1/2x20	29/64	4	3
55620	9/16x12	31/64	4	1
55630	9/16x18	33/64	4	1
55640	5/8x11	17/32	4	1
56040	5/8x18	37/64	4	1
56050	11/16x11	19/32	4	1
56060	11/16x16	5/8	4	1
55650	3/4x10	21/32	4	1
56070	3/4x16	2/3	4	1
55660	7/8x9	11/16	4	1
55670	7/8x14	13/16	4	1
55680	1x8	7/8	4	1
55690	1x12	29/32	4	1
55700	1x14	15/16	4	1

These items are also available carded. See Price List Catalog for details.

TYPE 722 3 PCS. SETS FRACTIONAL

Part No.	Size	Tap Drill Size	No. of Flutes	Qty. per/pack
56300	3/16x24	26	3	1
56310	3/16x32	22	3	1
56320	1/4x20	7	3	1
56330	1/4x28	3	3	1
56340	5/16x18	17/64	4	1
56350	5/16x24	17/64	4	1
56360	3/8x16	5/16	4	1
56370	3/8x24	21/64	4	1
56380	7/16x14	3/8	4	1
56390	7/16x20	25/64	4	1
56400	1/2x13	27/64	4	1
56410	1/2x20	29/64	4	1
56420	9/16x12	31/64	4	1
56430	9/16x18	33/64	4	1
56440	5/8x11	17/32	4	1
56590	5/8x18	37/64	4	1
56740	11/16x11	19/32	4	1
56750	11/16x16	5/8	4	1
56450	3/4x10	21/32	4	1
56760	3/4x16	11/16	4	1
56460	7/8x9	49/64	4	1
56470	7/8x14	13/16	4	1
56480	1x8	7/8	4	1
56490	1x12	29/32	4	1
56500	1x14	15/16	4	1

Includes one of each same size Taper, Plug and Bottoming taps

TYPE 761 BOTTOMING MACHINE SCREW

Part No.	Size	Tap Drill Size	No. of Flutes	Qty. per/pack
54930	0x80	3/64	3	3
54940	1x64	53	3	3
54950	1x72	53	3	3
54960	2x56	50	3	3
54970	2x64	50	3	3
54980	3x48	47	3	3
54990	3x56	46	3	3
56100	4x36	43	3	3
56110	4x40	44	3	3
56120	5x40	38	3	3
56130	6x32	36	3	3
56140	6x40	34	3	3
56150	6x48	32	3	3
56160	8x32	29	3	3
56170	8x36	29	3	3

TYPE 723 3 PCS. SETS MACHINE SCREW

Part No.	Size	Tap Drill Size	No. of Flutes	Qty. per/pack
56600	4x36	43	3	1
56610	4x40	44	3	1
56620	5x40	38	3	1
56630	6x32	36	3	1
56640	6x40	34	3	1
56650	6x48	32	3	1
56660	8x32	29	3	1
56670	8x36	29	3	1
56680	8x40	28	3	1
56690	10x24	25	3	1
56700	10x32	21	3	1
56710	12x24	16	3	1
56720	12x28	16	3	1
56730	14x20	10	3	1

Includes one of each same size Taper, Plug and Bottoming taps.


Hi-Carbon Taps Bottoming & 3pcs. Sets

Campbell® Alloy Screw Pin Anchor Shackles, Galvanized, A-419-G

- Shackle Bodies Are Drop-Forged Alloy Steel
- Galvanized to Meet ASTM A-153 Specifications
- A-419-G Shackles Meet the Design Requirements of Federal Specification RR-C-271, Type IVA, Grade B, Class 2
- Working Load Limit, Size, Manufacture Name, Date Code and USA Permanently Marked on Each Shackle
- Statistically Tested for Impact Resistance, Tensile Strength, Hardness, Ductility and Fatigue
- 419 Series Shackles Meet or Exceed All Manufacturing Requirements of the ASME B30.26 "Rigging Hardware". These Include the Material Ductility Requirement (Section 26-1.1.2), the Design Factor Requirement (Section 26.1.2), the Identification Requirement (Section 26-1.5.1), and the Effective Temperature Range (Section 26-1.6.1). the Shackles Can Be Proof Tested in Accordance with Section 26-1.4
- Certification Available Upon Request
- 5 to 1 Design Factor
- Pins and Bolts Are Heat-Treated and Made of Alloy Steel
- DO NOT EXCEED THE WORKING LOAD LIMIT

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500



jimmy.gibbs@gasandsupply.com



Trade Size	Cat. No.	UPC No.	Working Load Limit (Metric Tons)	Length Tolerance (+/-)	Width Tolerance (+/-)	B Dim.	C Dim.	D Dim.	E Dim.	F Dim.	Weight Each (lbs.)
3/8 in	5410695	020418182136	2 t	1/8 in	1/16 in	7/16 in	1-7/16 in	21/32 in	31/32 in	15/16 in	0.31 lb
1/2 in	5410895	020418182143	3-1/3 t	1/8 in	1/16 in	5/8 in	1-15/16 in	13/16 in	1-1/4 in	1-1/4 in	0.70 lb
5/8 in	5411095	020418267420	5 t	1/8 in	1/16 in	3/4 in	2-3/8 in	1-1/16 in	1-11/16 in	1-1/2 in	1.40 lb
3/4 in	5411295	020418182150	7 t	1/4 in	1/16 in	7/8 in	2-13/16 in	1-1/4 in	1-13/16 in	1-3/4 in	2.00 lb
7/8 in	5411495	020418267437	9-1/2 t	1/4 in	1/16 in	1 in	3-5/16 in	1-7/16 in	2-9/32 in	2-3/32 in	3.60 lb
1 in	5411695	020418182167	12-1/2 t	1/4 in	1/16 in	1-1/8 in	3-3/4 in	1-11/16 in	2-1/2 in	2-3/8 in	5.70 lb
1-1/4 in	5412095	020418182174	18 t	1/4 in	1/16 in	1-3/8 in	4-1/2 in	2 in	3-1/4 in	3 in	10.50 lb
1-3/8 in	5412295	020418267444	21 t	1/4 in	1/8 in	1-1/2 in	5-1/4 in	2-1/4 in	3-5/8 in	3-5/16 in	13.30 lb
1-1/2 in	5412495	020418267451	30 t	1/4 in	1/8 in	1-5/8 in	5-3/4 in	2-3/8 in	3-7/8 in	3-5/8 in	18.90 lb
2 in	5413295	020418267468	55 t	1/4 in	1/8 in	2-1/4 in	7-3/4 in	3-1/4 in	5-3/4 in	4-7/8 in	50.00 lb

Campbell® Stainless Steel Screw Pin Anchor Shackles (Import)

- Forged Type 316 Stainless Steel
- Electro-Polish Finish
- Imported
- DO NOT EXCEED THE WORKING LOAD LIMIT



Trade Size	Cat. No.	UPC No.	Working Load Limit (Short Tons)	Length Tolerance (+/-)	Width Tolerance (+/-)	B Dim.	C Dim.	D Dim.	E Dim.	F Dim.	Weight Each (lbs.)
1/4 in	6402104	020418093654	1/2 T	1/16 in	1/16 in	5/16 in	1-1/8 in	1/2 in	3/4 in	11/16 in	0.12 lb
3/8 in	6402106	020418093678	3/4 T	1/8 in	1/16 in	7/16 in	1-7/16 in	21/32 in	31/32 in	15/16 in	0.31 lb
7/16 in	6402107	020418093685	1 T	1/8 in	1/16 in	1/2 in	1-3/4 in	23/32 in	1-5/32 in	1-1/8 in	0.50 lb
1/2 in	6402108	020418093692	1-1/2 T	1/8 in	1/16 in	5/8 in	1-15/16 in	13/16 in	1-1/4 in	1-1/4 in	0.72 lb
5/8 in	6402110	020418093708	2 T	1/8 in	1/16 in	3/4 in	2-7/16 in	1-1/16 in	1-9/16 in	1-7/16 in	1.38 lb
3/4 in	6402112	020418093715	3 T	1/4 in	1/16 in	7/8 in	2-13/16 in	1-1/4 in	1-13/16 in	1-3/4 in	2.22 lb