

DATE: 3/12/2018

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00122546

JEFFERSON PARISH
PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: _____

BUYER: SFOLSE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

7-9 Days

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
NUMBER: _____
NUMBER: _____
NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

***** ALL BIDDERS MUST COMPLETE SECTION BELOW *****

FIRM NAME: CINSCO

SIGNATURE: [Signature]

TITLE: SALES

PRINT OR TYPE NAME: JEFF DEVLINER

ADDRESS: 1840 L&A RD

CITY, STATE: METairie, LA

ZIP: 70001

TELEPHONE: (504) 835-7319

FAX: (504) 832-0820

EMAIL ADDRESS: JEFF@CINSCO.COM

TOTAL PRICE OF ALL BID ITEMS: \$ 8707.92

INVITATION TO BID FROM JEFFERSON PARISH - continued


BID NO.: 50-00122546

SEALED BID

| ITEM NUMBER | QUANTITY | U/M | DESCRIPTION OF ARTICLES | UNIT PRICE QUOTED | TOTALS |
|-------------|----------|-----|--|-------------------|-------------------|
| 1 | 20.00 | EA | STOCK SUPPLIES FOR THE JEFFERSON PARISH EB PUBLIC WORKS CENTRAL WAREHOUSE 0010 CLAMP, 2 INCH X 12 INCH LONG, ALL STAINLESS STEEL, 02.35 - 02.63 RANGE, FULL GASKET, DOMESTIC, ^{FORD} POWERSEAL #3121AS #FS1-263-125 STK. # 016460A | 50.81 | 1016.20 |
| 2 | 36.00 | EA | 0020 CLAMP, PIPE REPAIR, 6 INCH X 1 INCH CC TAP X 15 INCH LONG, ALL STAINLESS, 6.84 TO 7.24 RANGE, SINGLE BAND, FULL GASKET, DOMESTIC FORD #FS1-724-15-CC4 STK. # 0170100 | 117.77 | 4239.72 |
| 3 | 2.00 | EA | 0030 HYDRANT, 5-1/4 IN X 2 FT, WITH FLANGED SHOE, 3 WAY TYPE, NEW ORLEANS THREAD, OPEN RIGHT, COLD ROLLED STEEL STEM, DUCTILE BREAKAWAY COUPLING, STAINLESS BOLTS/NUTS, SILVER KENNEDY #K81D STK. # 033108C | 1369 ⁻ | 2738 ⁻ |
| 4 | 4.00 | EA | 0040 SPOOL, VALVE, 3 INCH X 24 INCH LONG FLANGED X PLAIN END, PRIME COATED, CLASS 52 OR 53 DUCTILE IRON PIPE STK. # 0500470 | 129 ⁻ | 516 ⁻ |
| 5 | 15.00 | LG | 0050 PIPE, PVC, SCHEDULE 80, 1 IN X 20 FT, PLAIN ENDS, (ELECTRICAL CONDUIT IS NOT ACCEPTABLE) STK. # 0691040 | 13.20 | 198 ⁻ |

SUBMITTAL INFORMATION

Repair Clamps - (FS1-xxx-Length style)



2" TO 4" ALL STAINLESS STEEL CIRCLE REPAIR CLAMPS



Optional Stainless Taps
ASTM A240 type 304 stainless steel tig welded to band. Available with AWWA or I.P. threads.


Band
ASTM A240 type 304 stainless steel

Lifter Bar
ASTM A240 type 304 heavy gauge stainless steel


Sidebar
ASTM A240 type 304 heavy gauge stainless steel

Lug
ASTM A240 type 304 heavy gauge stainless steel

Armor
ASTM A240 type 304 heavy gauge stainless steel, mold bonded to the gasket to ensure uniform compression against the pipe



Gasket
Gridded virgin SBR compounded for water service, per ASTM D2000. Buna-N Nitrile is optional.



Bolts & Nuts
ASTM A240 type 304 stainless steel nuts and washers. Nuts are coated to prevent galling.

OUTLET THREAD TAP CODE

| THREAD | CC (AWWA) Thread | | IP Thread | | |
|-----------|------------------|----------------|-----------|-------------|----------------|
| | CODE NUMBER | MIN. CLAMP SZ. | THREAD | CODE NUMBER | MIN. CLAMP SZ. |
| 3/4" CC | -CC3 | 2.63 | 3/4" IP | -IP3 | 2.63 |
| 1" CC | -CC4 | 2.63 | 1" IP | -IP4 | 2.63 |
| 1-1/4" CC | -CC5 | 3.70 | 1-1/4" IP | -IP5 | 3.70 |
| 1-1/2" CC | -CC6 | 4.25 | 1-1/2" IP | -IP6 | 3.70 |
| 2" CC | -CC7 | 4.73 | 2" IP | -IP7 | 4.25 |

Note: Tapped clamps are non-returnable

| NOM. PIPE SIZE | PIPE O.D. RANGE | LENGTH AND APPROXIMATE WEIGHT (LBS.) | | | | | | | | | BOLT SIZE | BAND THICKNESS | CATALOG NUMBER FS1-XXX-LENGTH | ✓ SUBMITTED ITEM(S) |
|-----------------|-----------------|--------------------------------------|----|------|-----|-------|-----|-----|-----|-----|-------------|----------------|-------------------------------|---------------------|
| | | 4" | 6" | 7.5" | 10" | 12.5" | 15" | 20" | 24" | 30" | | | | |
| 2" | 2.05 - 2.25 | 3 | 4 | 4 | 5 | 5 | 8 | n/a | n/a | n/a | 1/2" 13 UNC | 24 GA. | FS1-225- | |
| | 2.35 - 2.63 | N/A | 4 | 4 | 5 | 5 | 8 | n/a | n/a | n/a | | | FS1-263- | |
| 2-1/4" - 2-1/2" | 2.70 - 3.00 | N/A | 4 | 5 | 5 | 6 | 8 | n/a | n/a | n/a | 1/2" 13 UNC | 24 GA. | FS1-300- | |
| | 2.97 - 3.25 | | | | | | | | | | | | FS1-325- | |
| 3" | 3.42 - 3.66 | N/A | 4 | 5 | 5 | 6 | 9 | n/a | n/a | n/a | 1/2" 13 UNC | 24 GA. | FS1-366- | |
| | 3.46 - 3.70 | | | | | | | | | | | | FS1-370- | |
| | 3.73 - 4.00 | | | | | | | | | | | | FS1-400- | |
| | 3.96 - 4.25 | | | | | | | | | | | | FS1-425- | |
| 3" - 4" | 4.06 - 4.35 | N/A | 5 | 5 | 6 | 7 | 9 | n/a | n/a | n/a | 5/8" 11 UNC | 24 GA. | FS1-435- | |
| | 4.37 - 4.65 | | | | | | | | | | | | FS1-465- | |
| | 4.45 - 4.73 | | | | | | | | | | | | FS1-473- | |
| | 4.74 - 5.14 | | | | | | | | | | | | FS1-514- | |
| 4" | 4.95 - 5.35 | N/A | 5 | 6 | 7 | 8 | 10 | 14 | 16 | 21 | 5/8" 11 UNC | 24 GA. | FS1-535- | |
| | 5.22 - 5.62 | | | | | | | | | | | | FS1-562- | |
| | | | | | | | | | | | | | | |
| Number of Bolts | | 1 | 2 | 2 | 3 | 3 | 4 | 6 | 6 | 9 | | | | |

FEATURES

- Buna-N gasket and conductivity strips are available
- Also available in two-and three-section clamps for a wider range of pipe sizes and tolerances
- Optional outlet taps are available for repair of service line pull-outs. Add tapping code to catalog number
- All welds are fully passivated to restore corrosion resistant characteristics of stainless steel
- UL classified to ANSI/NSF Standard 61

The Ford Meter Box Company considers the information in this submittal form to be correct at the time of publication. Item and option availability, including specifications, are subject to change without notice. Please verify that your product information is current.



The Ford Meter Box Company, Inc.
P.O. Box 443, Wabash, Indiana U.S.A. 46992-0443
Phone: 260-563-3171 / Fax: 800-826-3487
Overseas Fax: 260-563-0167
www.fordmeterbox.com

05/12/14

Submitted By: