

DATE: 7/19/2017

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00120396

JEFFERSON PARISH
PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR:

BUYER: SFOLSE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

7-10 DAYS

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
NUMBER: _____
NUMBER: _____
NUMBER: _____

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

***** ALL BIDDERS MUST COMPLETE SECTION BELOW *****

FIRM NAME:

I.W.S. GAS AND SUPPLY

SIGNATURE:

(Must be signed here)

Jimmy Gibbs

TITLE:

SALES

PRINT OR TYPE NAME:

Jimmy Gibbs

ADDRESS:

111 BURAS DR.

CITY, STATE:

BELLE CHASSE, LA.

ZIP:

70037

TELEPHONE:

504 392-2400

FAX:

504 392-1500

EMAIL ADDRESS:

JIMMY.GIBBS@GASANDSUPPLY.COM

TOTAL PRICE OF ALL BID ITEMS: \$ 1381.05

DATE: 7/19/2017

Page: 5

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120396

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			STOCK SUPPLIES FOR THE JEFFERSON PARISH WB PUBLIC WORKS ADMINISTRATION DIVISION		
1	30.00	EA	0010 - WHEEL, ABRASIVE, 14 IN X 1/8 IN X 1 IN ARBOR, REINFORCED FOR DUCTILE NORTON 66252837843 IRON, HANDHELD ONLY, NOT FOR USE ON WALK BEHIND, NORTON #06611 SK# 00-0488530	5.03	150.90
2	30.00	EA	0020 - WHEEL, ABRASIVE, 12 IN X 5/32 IN X 1 IN ARBOR, REINFORCED FOR MASONRY, NORTON #66252837839 SK# 00-0488540	2.97	89.10
3	7.00	EA	0030 - LEVEL, LINE AND SURFACE, 3/8 IN X 3 IN ALUMINUM BODY, JOHNSON BRAND #555 SK# 00-0588310	1.56	10.92
4	3.00	EA	0040 - KEY, SHUT-OFF, HEAVY DUTY, 4 FT, FOR 3/4 IN AND 1 IN CURB STOPS, TUBULAR POLARD #P-535 SK# 00-0587910	54.05	162.15
5	10.00	EA	0050 - TAPE, MEASURING, FIBERGLASS, 100 FT X 1/2 IN W, 3:1 GEAR RATIO, 1/8 IN, 1 IN & 1 FT ON ONE SIDE AND 1/10 IN, 1 IN & 1 FT GRADUATIONS ON OTHER, OPEN REEL, TO MEET STANLEY #34-760 MSC#04067443 SK# 00-0590600	12.37	123.70
6	8.00	EA	0060 - EXTENSION, 3/8 IN DRIVE X 6 IN LONG, CHROME, DOMESTIC, MEETS FEDERAL PROTO J5260-06 SPEC. GGG-W-641E, PROTO #34987 SK# 00-0600080	7.38	59.04
7	1.00	EA	0070 - EXTENSION, CHROME, 3/4 IN SQUARE DRIVE, 16 IN LONG, PROTO # 5663 PROTO J5663 SK# 00-0602670	31.52	31.52
8	10.00	EA	0080 - WASHER, AIRHOSE, FOR ALL AIRKING #AWR-4 SK# 00-0301800	.26	2.60
9	48.00	EA	0090 - REPELLENT, DOG, 1-1/2 OUNCE SPRAY CAN, HALT	N/B	—

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120396

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
10	72.00	EA	SK# 00-0484880 0100 - LAMP, INCANDESCENT FLOOD, HALOGEN 150 WATTS, 1650 LUMENS, MEDIUM BASE, DAMAR 32813 B CLEAR COLOR, INDOOR/OUTDOOR, PHILLIPS #150PAR/1/5FL, HALCO HP38FL80/S/HX, OR EQUAL SK# 00-0481220	5.71	411.12
11	50.00	EA	0110 - CARTRIDGE, RESPIRATOR, ORGANIC ACID/AMMONIA, GMC TYPE, 10 PER BOX, MSA PART # 464046, MUST BE THIS BRAND TO FIT EXISTING MSA RESPIRATORS SK# 00-0484090	6.80	340.00
<p style="text-align: center;">Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com</p>					



CROSS REFERENCE GUIDE

SPECIALTY

NORTON

Abmast

Brilliant

Bullard Blaze & Road Warrior

Camel

Flexovit

Husqvarna

Pearl

Pferd

Sait

Tyrolit

Virginia Abrasives

Walter

GOOD

Gemini Metal

Gemini Metal Decking

Rail Steel

Gemini Ductile

Gemini Concrete

Gemini Asphalt

A 24 R, Kompetitor Metal

A 24 T

Rail-Kut A 24 Z

AC 24 R,
Kompetitor Ductile Iron

C 24 R,
Kompetitor Concrete

C 16 T,
Kompetitor Asphalt

Metal/Stainless

—

A24PB

—

Concrete/Masonry

—

A24R, ZA24Q,

TA24R

A30R

AC24R

C24R, The Competitor

CC20R

The Competitor

—

—

—

—

—

A24-R

A24-T

—

AC24-R

C24-R

C16-U

A24/30SB

A24TB

A30PB

AC24SB

C30UB

C16UB

Blue XHS, Blue QMS-

Grey QMS-CM

Yellow QMS-CM

Green QMS-CM,

Red XHS, Red QHS-CM,

Black QMS-AS

CM, Blue EHS

—

—

Green EHS

Red EHS

—

SRT, Premium A36S,

—

—

AC30S

Premium C36S,

—

Silver Line A30R

—

—

—

Silver Line C24R

—

A 24 R SG

A 24 Q SG-RAIL

A 24 Q SG-RAIL

AC 24 Q SG

C 24 R SG

—

A24R, A30S, XFC

Brute

Hobo

Ductile

C24R

Big M.A.C, XFC

A30P, A30BF

—

—

AC24, AC30BF

1C24, C30BF

—

Metal

—

—

Ductile

Concrete

Asphalt

A-24

—

—

—

—

—

AVAILABILITY

TIER:
BRAND:
TRADENAME:
SHAPE:
ABRASIVE:
REINFORCING:
MATERIAL:


GOOD

Norton

GEMINI METAL HD

Type 01

Aluminum Oxide

3 Layers



GOOD

Norton

GEMINI METAL

Type 01

Aluminum Oxide

2 Layers



GOOD

Norton

GEMINI METAL DECKING

Type 01

Aluminum Oxide

2 Layers



GOOD

Norton

RAIL STEEL

Type 01

Aluminum Oxide

2 Layers



GOOD

Norton

GEMINI RESCUE

Type 01

Aluminum Oxide

2 Layers



SIZE (D x T x H)	MAX. RPM	STD. PKG.	PART NO.	PART NO.	PART NO.	PART NO.	PART NO.
Type 01 Cut-off - for Gas & Electric-Powered Saws							
12 x 1/8 x 1" / 20mm	6,360	10	66252836708	66252837838			
14 x 1/8 x 1" / 20mm	5,400	10	66252835386	66252837841	66252832521		66243578262
14 x 1/8 x 1"	5,400	10				66253260462	
16 x 1/8 x 1" / 20mm	4,800	10		66252830886			
16 x 1/8 x 1"	4,800	10				66253259935	

AVAILABILITY

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

TIER:
BRAND:
TRADENAME:
SHAPE:
ABRASIVE:
REINFORCING:
MATERIAL:


GOOD

Norton

GEMINI DUCTILE HD

Type 01

Silicon Carbide

3 Layers



GOOD

Norton

GEMINI DUCTILE

Type 01

Silicon Carbide

2 Layers



GOOD

Norton

GEMINI CONCRETE HD

Type 01

Silicon Carbide

2 Layers



GOOD

Norton

GEMINI CONCRETE

Type 01

Silicon Carbide

2 Layers



GOOD

Norton

GEMINI ASPHALT

Type 01

Silicon Carbide

2 Layers



SIZE (D x T x H)	MAX. RPM	STD. PKG.	PART NO.	PART NO.	PART NO.	PART NO.	PART NO.
Type 01 Cut-off - for Gas & Electric-Powered Saws							
12 x 1/8 x 1" / 20mm	6,360	10		66252837840	66252836709	66252837839	70184670243
14 x 1/8 x 1" / 20mm	5,400	10	66252835388	66252837843	66252835387	66252837842	70184672877
16 x 1/8 x 1" / 20mm	4,800	10				70184623029	

(0010)

(0020)




STANDARD EXTENSIONS

- Extensions help provide access to fasteners in areas that might otherwise be difficult to reach.

Product #	Drive Size (in)	Finish	Overall Length (in)	Weight (lbs)
J4759	1/4	Full Polish	2	0.05
J4759B	1/4	Black Oxide	2	0.05
J4760	1/4	Full Polish	3	0.08
J4761	1/4	Full Polish	6	0.15
J4762	1/4	Full Polish	10	0.24
J4761B	1/4	Black Oxide	6	0.15
J4763	1/4	Full Polish	14-3/32	0.30
J5259	3/8	Full Polish	1-3/4	0.11
J5259B	3/8	Black Oxide	1-3/4	0.11
J5260	3/8	Full Polish	3	0.16
J5260B	3/8	Black Oxide	3	0.16
J5260-06	3/8	Full Polish	6	0.31
J5260-06B	3/8	Black Oxide	6	0.30
J5261	3/8	Full Polish	8	0.40
J5261B	3/8	Black Oxide	8	0.46
J5262	3/8	Full Polish	12	0.61
J5262B	3/8	Black Oxide	12	0.62
J5263	3/8	Full Polish	17-3/16	0.94
J5460	1/2	Full Polish	2-1/2	0.24
J5460B	1/2	Black Oxide	2-1/2	0.24
J5461	1/2	Full Polish	5	0.44
J5461B	1/2	Black Oxide	5	0.44
J5463	1/2	Full Polish	10	0.89
J5463B	1/2	Black Oxide	10	0.89
J5464	1/2	Full Polish	20	1.87
J5465	1/2	Full Polish	36	3.41
J5660	3/4	Full Polish	4	0.88
J5661	3/4	Full Polish	8	1.80
J5663	3/4	Full Polish	16	2.36
J5861	1	Full Polish	8	2.88
J5863	1	Full Polish	17	4.87

ASME B107.500



EXTENSIONS

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

LOCKING EXTENSIONS

- One piece extension design.
- Provides positive socket retention.
- Use where accidental socket disengagement may be a concern or safety hazard.

Product #	Drive Size (in)	Finish	Overall Length (in)	Weight (lbs)
J4759L	1/4	Full Polish	2	0.07
J4761L	1/4	Full Polish	6	0.15
J4762L	1/4	Full Polish	10	0.25
J4763L	1/4	Full Polish	14-3/32	0.33
J5260-03L	3/8	Full Polish	3	0.21
J5260-06L	3/8	Full Polish	6	0.37
J5261L	3/8	Full Polish	8	0.49
J5262L	3/8	Full Polish	12	0.71
J5460-03L	1/2	Full Polish	3	0.40
J5461L	1/2	Full Polish	5	0.55
J5463L	1/2	Full Polish	10	1.04

ASME B107.500



6 POINT 8 POINT 12 POINT SPL Spline HEX HEX FULL POLISH SATIN BLACK OXIDE INSULATED

WARNING: WORK SAFELY WITH TOOLS. WEAR SAFETY GOGGLES.

+1 800.800.TOOL Fax: +1 770.648.9108 www.protoindustrial.com

**Damar®
Worldwide****Internet Sales Office**

Toll Free: (800) 238-9080

Toll Free Fax: (877) 608-0597

<http://www.damarww.com>[-Click to Print-](#)You are here: [Home](#) > [Tungsten Halogen\(Quartz\)](#) > [Tungsten Halogen Bulbs Medium](#) > [Par30SN](#) > 32813B**ITEM#:** 32813B

Item#:	32813B
Industry Desc.:	38PAR30/H/FL/SN/ECO 120V
Friendly Desc.:	38 WATT PAR30 FLOOD SHORT NECK ECO DIMMABLE
Volts:	120
Watts:	38
Avg. Life Hours:	1,000
Initial Lumens:	530
Shape:	PAR30
Base Type:	E26 Medium Screw
BeamSpread:	Flood
MOL:	3.50 in. (88.90 mm.)
Diameter:	3.75 in. (95.25 mm.)
Package Qty:	1
Case Qty:	24

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

Copyright 1999-2012 Damar® Worldwide. All rights reserved.