

5000135353 PURCHASE OF RECTANGULAR RAPID FLASHING BEACON FOR THE TRAFFIC ENGINEERING DEPARTMENT

Jefferson Parish Government

Project documents obtained from www.CentralBidding.com 22-Jul-2021 01:46:11 PM



Bid Number 50-00135353

PURCHASE OF RECTANGULAR RAPID FLASHING BEACON FOR THE TRAFFIC ENGINEERING DEPARTMENT

BID DUE: July 26, 2021 AT 11:00 AM

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received on the Purchasing Department's eProcurement site, www.jeffparishbids.net, by the bid due date and time. Late bids will not be accepted.

Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Mark Buttery
MButtery@jeffparish.net
504-364-2810

CYNTHIA LEE SHENG PARISH PRESIDENT

RENNY SIMNO DIRECTOR

September 2020

Changes to Jefferson Parish Bidding Information

The Jefferson Parish Purchasing Department would like to make vendors aware of the following changes:

Total Bid Price Must Include the Cost of Naming Jefferson Parish as Additional Insured:

Bidder acknowledges that Bidder recovered the cost of any required insurance in the contract price as required by La.R.S. 9:2780.1 and that Bidder recovered any such cost for the purposes of insuring an obligation to indemnify Jefferson Parish, defend Jefferson Parish, or hold Jefferson Parish harmless and that Bidder's indemnity liability is limited to the amount of the proceeds that are payable under the insurance policy or policies that Bidder has obtained.

Electronic Procurement: Beginning November 1, 2020, Jefferson Parish will no longer accept manual bid submissions; and will only accept bid submissions electronically via our e-Procurement system, Central Bidding. Central Bidding can be accessed by visiting either www.centralbidding.com or www.ieffparishbids.net. All bidders will be required to register with Central Bidding. Jefferson Parish vendors are able to register for free by accessing the following link: https://www.centralauctionhouse.com/registration.php.

<u>Probable Construction Cost</u>: Per Jefferson Parish Administrative Policy, the probable construction cost is not revealed in the Jefferson Parish Bidding Documents. Jefferson Parish Administrative Policy has changed and a range of the probable construction cost will be stated in the Jefferson Parish bidding document, entitled Important Notice to All Bidders – Bid Requirements. Per Louisiana Public Bid Law, the probable construction cost will be read at the bid opening.

<u>Insurance Requirement</u>: All bidders must provide proof of valid insurance in the required amounts as stated in the Standard Insurance Requirements for bidding purposes. Failure to provide the proof of valid insurance in all of the required coverage amounts will result in bid rejection.

INVITATION TO BID THIS IS NOT AN ORDER

BID NO.: 50-00135353

JEFFERSON PARISH

PURCHASING DEPARTMENT **P.O. BOX 9** GRETNA, LA. 70054-0009 504-364-2678

VENDOR:

BUYER: MBUTTERY@ieffparish.net

Page: 1

Bids will be received until 11:00 AM, 7/26/2021 via online at www.jeffparishbids.net.

LATE BIDS WILL NOT BF ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED
REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION.
HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN LSA - R.S. 9:2602(8) ARE ACCEPTABLE. SIGNATURE MUST BE A SECURED DIGITAL
SIGNATURE

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law, as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647 as amended. A copy of these resolutions may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <u>purchasing jeffparish net</u> and clicking on On-line forms.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from http://purchasing.jeffparish.net and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and local taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail. Quotations shall be based on F.O.B. Delivered, anywhere within the Parish as designated by the Purchasing Department. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications. JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit prices shall prevail

JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE

PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in the quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum.

All formal Addenda require written acknowledgment on the bid form by the bidder by the bidder placing the Addendum number in the appropriate section. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected; JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

BID NO.: 50-00135353

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

 $^{\circ}$

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI AI 17.1-1961).

Jefferson Parish and its pariners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of revlewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish citations. For more information, please visit the Purchasing Department page at http://purchasing.jeffparish.net. Please visit our E-Pro-solicitations.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.			
PLEASE MATCH THE NU CORRESPON			

- All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conforonco. Any prospoctivo bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project
- materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner. to attend Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing κi
- Contractor shall be responsible for the payment of these permits Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project. က
- A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid electronic envelope. Failure to comply will cause the bid to be rejected. When submitting the bid electronically, the license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected. 4

BID NO.: 50-00135353

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Page: 3

5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.

- 6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precaution must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
- 7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
- 8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
- NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the
 contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the
 contract
- 10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Failure to comply with this instruction will result in bid rejection.
- 11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. All sureties must be in original format (no copies). When submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
- 12. This is an as needed basis contract. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
- 13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
- 14. PUBLIC WORKS BIDS Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
- 15. NON PUBLIC WORK BIDS Completed, Signed and Properly Notarized Affidavits Required in conformity with the provisions contained in LSA RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

BID NO.: 50-00135353

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Page: 4

16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.

17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

DATE:

7/21/2021

BID NO.: 50-00135353

INVITATION TO BID THIS IS NOT AN ORDER

JEFFERSON PARISH

Page: 5

PURCHASING DEPARTMENT P.O. BOX 9 GRETNA, LA. 70054-0009

504-364-2678	
VENDOR:	BUYER: MBUTTERY
As per LSA-RS 47:301 et seq., all governmental bodies are excluded from paymen body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywher Purchasing Department.	
JEFFERSON PARISH reserves the right to cancel all or any part of an order if not sallowed for parking or cartage unless specified in quotation. The order must not be JEFFERSON PARISH reserves the right to cancel at any time and for any reason be notice to the contractor.	oe filled at a higher price than quoted.
JEFFERSON PARISH is expecting all products to be new and all work to be done is standard practices. Any deviations or alteration from the specifications must be in and upon request, product data for same must be submitted by the time specified	ndicated on the bid form for each item
DELIVERY: FOB JEFFERSON PARISH	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	35 days_
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	/ in product of the last of th
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WO	RK
In the event that addenda are issued with this bid, bidders MUST acknowledge all acknowledge receipt of an addendum on the bid form by placing the addendum no acknowledge any addendum on the bid form will result in bid rejection.	addenda on the bid form. Bidder must umber as indicated. Failure to
Acknowledge Receipt of Addenda: NUMBER:	
NUMBER:	
NUMBER:	
NUMBER:	
LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicab	le)
*** ALL BIDDERS MUST COMPLETE SECT	TON BELOW ***
FIRM NAME: LOC	
SIGNATURE: (Must be signed here)	Sales Support
PRINT OR TYPE NAME:	and appoin
ADDRESS:	
CITY, STATE: ZIP:	- ^
TELEPHONE: FAX:	50
8001(133-322) 250 3	353-4578
email address:	C. C000
Citimor Monthe Cition 111	(1011)

TOTAL PRICE OF ALL BID ITEMS: \$ 4580.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page:

BID NO.: 50-00135353

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PURCHASE OF RECTANGULAR RAPID FLASHING BEACON FOR THE DEPARTMENT OF TRAFFIC ENGINEERING		
1	1.00	ONLY	0010 CARMANAH R920F RRFB RECTANGULAR RAPID FLASHING BFACON IN BLACK	4,580,00	4,580.00
			INCLUDES: MOUNTING LIGHT BAR WITH CONFIRMATION LIGHTS BOTH ENDS BULL DOG PUSHBUTTON WITH MOUNT		
			** THIS IS FOR REPLACEMENT OF EXISTING EQUIPMENT. **		
			SEE ATTACHED SPECS		
			DELIVER TO: JP TRAFFIC ENGINEERING 2100 DICKORY HARAHAN, LA 70123		
-					

R920-F

Solar-Powered Rectangular Rapid Flashing Beacon

🕝 carmanah°

Rectangular rapid flashing beacons (RRFBs) improve pedestrian safety by increasing yield rates to 72-96% at crosswalks.*

The benchmark for RRFBs, the R920-F meets MUTCD requirements, including IA-21, and is Buy America compliant

Compact and lightweight solar engine

Audible pushbutton or passive pedestrian activation

Energy Balance Report™ (EBR) prepared for every location to ensure battery longevity

Superior Design and Technology

The R920-F utilizes a self-contained solar engine integrating the Energy Management System (EMS) with an on-board user interface, housed in a compact enclosure together with the batteries and solar panel. A larger solar engine enables the R920-F to work with audible pushbutton stations, passive activation sensors, and remote monitoring, as well as operate at higher intensities and increased activations in challenging environments.

Easy Installation

With its highly efficient and compact design, installation is quick and uncomplicated, dramatically reducing installation costs. Retrofitting can be done where existing sign bases are used to enhance existing marked crosswalks in minutes, and new installations can be completed without the cost of larger poles, new bases, and trenching.

Advanced User Interface


The R920-F comes with an on-board user interface for quick configuration and status monitoring. It allows for simple in-the-field adjustment of flash pattern, duration, intensity, ambient auto adjust, night dimming, and many more. Settings are automatically sent wirelessly to all units in the system.


Reliable

Designed with Carmanah's industry-leading solar modeling tools to provide dependable year-after-year operation. We prepare an Energy Balance Report (EBR) for every location.

Trusted for 20+ Years

With thousands of installations, Carmanah's systems are the benchmark in traffic applications and other transportation applications worldwide.






R920-F

Soler-Powered Rectangular Rapid Flashing Basson

1.844.412.8395 | traffic@carmanah.com | carmanah.com




SOLAL ENGINE MOLECUME

Square Pole Mount Round Pole Mount

2.0"-2.5" Parforabed 2.38" - 2.88" Diameter

4.0" - 4.5" Diameter Round Pole Mount

Side Fote Mount



DEFE SERVICE FOR BOTTON

Uni-directional Configuration

Bi-directional Configuration





Rotate the light bar towards the incoming vehicle lane, independent of the wire hale location.

MUTCO interim approvel IA-21 and MUTCOC compliant

Purpose-built light bar aptics = maximum efficiency and no stray light Exceeds SAE J555 class 1 intensity by 2.5 to 3x when used as recommended Mosta SAE J578 chromaticity

Optical


3 in (76 mm) x 7 in (176 mm) class, UV-rated polycartoriess liens with yellow LEDs

High-power LEOs: +90% lumen maintanance (L90) based on ES LM-80

Side-emitting padestrian confirmation LEOs

independent, stainless steel mounting brackets make back-to-back installation simple and enable in-field aiming for maximum effectiveness

Yellow, black, or green powder costed light less covers



CONTRACTOR OF THE PARTY OF THE	PCIFICATIONS
	Adjustable system settings with auto-scralling LED display on our lettest BMS
	System test, status, and fault denaction: battary, solar, button, beccon, radio, day/ night
ľ	Resh parterner RFB (WWIS), IRB1 (WWIS logary), RFB2 (WSDOT), CLE sec.
Į	alternating (MUTCD), 0.5 sec. unleon (MUTCD), 0.5 sec. x3 alternating (MUTCD),
	8.1 sec. unison, 0.25 sec. unison, 0.1 sec. x3 quick fleshes unison, 0.1 sec. x3 quick fleshes alternating, steady on
	input: momentary for pushbutton activation, normally open awitch, normally cheed awitch
On-Scard	Flesh duration: 5 sec. to 1 in.
Liser Interface	Intensity secting: 20 to 1400 mA for multiple RRFBs, circular beacons, or LED entenced signs
10600	Nighttime diarming: 10 to 100% of deytime intensity
}	Amblent Auto Adjust increases intensity during bright daytime
ļ	Automatic Light Control; reduces intensity if the bettery is extremely low
	Temperature correction; yellow beacces
	Céléridar: Internal time clock function
	Radio settings: enable/dissole, selectable channel from 1 to 14
	Output enebled when beacons fleshing daytime and nighttime, or nighttime only
}	E.g., for relay control of overhead lighting
	Activation cours and data reporting via 06UI or optional USS connection
-	Encrypted, wiresers redio with 2.4 GHz mesh technology
- (Wireless update of settings from any unit to all systems on the same radio channel
Beacon	Liter-selectable multiple channels to group different beecoss and ensure a robust wireless signal
Dommunication	Communicates with all other Gen Bi radio-enabled systems including our REZO-E, -F, and -G circular beacons
	Instantaneous wireless activation: <150 ms
	Wineless range: 1000 ft (305 m)
	Integrated, vandel-resistant enterne
	30 W high-efficiency photovoltaic soler penel
Enlargy	45 deg tilt for optimal energy collection
Collection	Maximum Power Point Tracking with Temperature Consensation (MPPT-TC) bettery
	changer for optimal energy collection in all soler and battery conditions
i	12 V 34 Ahr, bettery system
Energy	Replaceable, recyclatile, seeled, maintenence-free, best-in-cleas AGM besteries offer the widest temperature range and longest life
Storage	Bettary design life: +5 yrs.
	Youl-less battery change with quick connect terminals and strapping for easy installation
	Weatherproof, pastward enclosure with verse for embient air transfer (NEMA 3R)
ĺ	Lockable, hinged lid for access to on-board user interface and betraries
[Corrosion-resisteral alteraneum with stainages state hardware
Solar Engine Construction	Raw aluminum Enish or yellow, black, or green powder coated
Continuous	Prowind to minimize installation time
	High-efficiency optics and EMS = the most compact, lightweight system
	39 (5 (17.7 kg) including betteries, excluding between and purishation
Environmental	-35 to 185* F(-37 to 74* C) system operating temperature.
	-40 to 140° F(-40 to 50° C) battery operating temperature
	150 mph (241 kph) wind speed as per AASHTO LTS-6
Activation	Pushbutton: ADA-compliant, plazo-driven with viscel LED and two-tone auxibite confirmation
	Audible pushbutton station; ADA-compilers, please-driven with visual LED and outsom/rable voice message confirmation.
	Passive activation; microvisve-based sansor detects padestrian
	Laterack political (Littrick) and the present resister responsible to the control of the control

Chart Variable Association











Specifications subject to local servicemental conditions, and may be subject to change. All Cormansh products are manufactured in facilities that are cardified to ISO quality standards. "Cammanah" and Cammarah logo are trudemasts of Cammarah Technologias Corp. © 2020, Cammanah Technologias Corp. Document: SPEC_TRA_R\$20-F_RavB