

DATE: 2/25/2021

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 5

BID NO.: 50-00133757

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: RSCOTT

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

w/in 15 days of NTP

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

w/in 15 days of NTP

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

w/in 30 days of NTP

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: N/A

NUMBER: N/A

NUMBER: N/A

NUMBER: N/A

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) 58704

***** ALL BIDDERS MUST COMPLETE SECTION BELOW *****

FIRM NAME:

GalCan Electric and General Contracting

SIGNATURE:

(Must be signed here)

[Signature]

TITLE:

CEO

PRINT OR TYPE NAME:

Allan Jones

ADDRESS:

7520 Chef Menteur Hwy

CITY, STATE:

New Orleans, La.

ZIP:

70120

TELEPHONE:

504 9421912

FAX:

504 273-2604

EMAIL ADDRESS:

estimator@galcanelectric.com

TOTAL PRICE OF ALL BID ITEMS: \$ 32,784.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00133757

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	1.00	JOB	<p>Labor, materials, equipment, delivery and all other incidentals necessary to supply and in stall four (4) crosswalk signs for the Jefferson Parish General Services Department</p> <p>0010 - CROSSWALK SIGNS JEFFERSON PERFORMING ARTS CENTER</p> <p>PROVIDE LABOR, MATERIALS, EQUIPMENT, DELIVERY AND ALL OTHER INCIDENTALS NECESSARY TO SUPPLY AND INSTALL FOUR (4) NEW SOLAR POWERED PEDESTRIAN CROSS WALK SIGNS FOR THE DEPARTMENT OF GENERAL SERVICES PER THE ATTACHED SPECIFICATIONS AT THE FOLLOWING LOCATION:</p> <p>JEFFERSON PERFORMING ARTS CENTER 6400 AIRLINE DRIVE METAIRIE, LA 70003</p>	<p>32,784.00</p>	<p>32,784.00</p>



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
03/08/2021

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Gervy Papion 8611 Hwy 23 Ste 1E Belle Chasse La 70037	CONTACT NAME: Gervy Papion PHONE (A/C, No, Ext): 504-392-2886 E-MAIL ADDRESS: gervy.papion.mnn@statefarm.com FAX (A/C, No): 504-392-2887																				
	<table border="1"> <tr> <th colspan="2">INSURER(S) AFFORDING COVERAGE</th> <th>NAIC #</th> </tr> <tr> <td>INSURER A:</td> <td>State Farm Mutual Automobile Insurance Company</td> <td>25178</td> </tr> <tr> <td>INSURER B:</td> <td></td> <td></td> </tr> <tr> <td>INSURER C:</td> <td></td> <td></td> </tr> <tr> <td>INSURER D:</td> <td></td> <td></td> </tr> <tr> <td>INSURER E:</td> <td></td> <td></td> </tr> <tr> <td>INSURER F:</td> <td></td> <td></td> </tr> </table>	INSURER(S) AFFORDING COVERAGE		NAIC #	INSURER A:	State Farm Mutual Automobile Insurance Company	25178	INSURER B:			INSURER C:			INSURER D:			INSURER E:			INSURER F:	
INSURER(S) AFFORDING COVERAGE		NAIC #																			
INSURER A:	State Farm Mutual Automobile Insurance Company	25178																			
INSURER B:																					
INSURER C:																					
INSURER D:																					
INSURER E:																					
INSURER F:																					
INSURED GALCAN ELECTRIC & GENERAL CONTRACTING LLC 7520 Chef Menteur Hwy New Orleans La 70187																					

COVERAGES **CERTIFICATE NUMBER:** **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL SUBR INSD WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
	COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:					EACH OCCURRENCE \$ DAMAGE TO RENTED PREMISES (Ea occurrence) \$ MED EXP (Any one person) \$ PERSONAL & ADV INJURY \$ GENERAL AGGREGATE \$ PRODUCTS - COM/OP AGG \$
	AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input checked="" type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> NON-OWNED AUTOS ONLY <input type="checkbox"/> AUTOS ONLY		327 2753-E09-18C 321 3183-A19-18D 321 3184-A19-18D 321 3182-A19-18D	11/09/2020 01/16/2021 01/19/2021 01/19/2021	05/09/2021 07/19/2021 07/19/2021 07/19/2021	COMBINED SINGLE LIMIT (Ea accident) \$ BODILY INJURY (Per person) \$ 1,000,000 BODILY INJURY (Per accident) \$ 1,000,000 PROPERTY DAMAGE (Per accident) \$ 1,000,000
	UMBRELLA LIAB <input type="checkbox"/> OCCUR EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED RETENTION \$					EACH OCCURRENCE \$ AGGREGATE \$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N	N/A			<input type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)


CERTIFICATE HOLDER _____	CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
	AUTHORIZED REPRESENTATIVE

SOLAR-POWERED RECTANGULAR RAPID FLASHING BEACON

Side-of-pole control cabinet

SIDE-OF-POLE CONTROL CABINET


HOUSING	NEMA 3R type aluminum
SOLAR PANEL	55 watt
BATTERY	12v, up to 48Ah
BATTERY LIFESPAN	3 to 5 years, field replaceable
MOUNTING OPTIONS	Various sizes of round, square and wood posts
MOUNTING HARDWARE	Stainless steel hardware
WARRANTY	3-year limited battery warranty 5-year limited system warranty 10-year limited solar panel warranty



RECTANGULAR RAPID FLASHING BEACON: RRFB-XL2™

LIGHT BAR HOUSING	Black powder coated aluminum
VEHICLE LED MODULES	7" x 3", 2 arrays of 8 amber LEDs spaced 7" apart, SAE J595 class 1 certified
PEDESTRIAN LED MODULES	1 3/4" x 1/2", side-viewable, flash simultaneously with vehicle LED (optional, one or both sides)
FLASH PATTERN	WW + S (combination wig-wag and simultaneous flash)
DIMMABLE	Automatically controlled via included photocell sensor
MOUNTING HARDWARE	Various options available
WIND LOAD RATING	Up to 120mph*
OPERATING TEMPERATURE RANGE	-40°F to 122°F

* Dependent upon pole size and system arrangement



RRFB-XL2™



BLINKERBEAM® WIRELESS RADIO



XAV2-LED PUSH BUTTON



BULLDOG PUSH BUTTON

BLINKERBEAM® WIRELESS COMMUNICATION

FREQUENCY	900 MHz FHSS (Frequency Hopping Spread Spectrum)
RANGE	900 feet (radio site survey recommended)
CONNECTIVITY	Crosswalk and optional advanced warning LEDs activate concurrently

ACTIVATIONS

PUSH BUTTON ACTIVATION	ADA push button, typical (<120 millisecond)
USER-ACTUATED PUSH BUTTON	XAV2-LED or Bulldog
PASSIVE DETECTION	Wireless bollards

OPTIONAL PROGRAMMING

BlinkLink®	Optional cloud software with cellular modem**
-------------------	---


** Dependent upon system configuration



(800) 236-0112

TAPCO.net.com

REVISIONS				
REV.	DESCRIPTION	DATE	ECN #	AUTHOR/APPROVED
A	INITIAL RELEASE	5/7/2018	N/A	C.G./J.P.
B	UPDATED NOTATION	1/8/2019		JWP/JRP



- NOTES:**
1. ORIENT SOLAR PANEL TOWARDS SOUTHERN SKY FOR MAXIMUM SOLAR EXPOSURE
 2. CONTROL CABINET HEIGHT MAY VARY.
 3. SNAP LOCKS ARE PROVIDED, STANDARD 3/4" S/S BANDING IS RECOMMENDED
 4. J-BOLTS NOT SHOWN
 5. ALL DIMENSIONS ARE FOR REFERENCE ONLY
 6. STATIC SIGNS NOT INCLUDED IN SYSTEM



ENGINEERING SPECIFICATIONS 600147		INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14.5-2009	
MATERIAL		REFERENCE:	
FINISH			

TOLERANCE UNLESS OTHERWISE SPECIFIED		TITLE: RRFB, SOLAR 55/48, RADIO, SOP, DS, AMBER, PH, H POLE X2 (30" W11-2 ARRANGEMENT)			
HOLE ϕ	$\pm .003$	DESIGNED BY:	TAPCO	SIZE	DWG. NO.
DEC.	INCH	DRAWN BY:	C. GRAVES	B	600147
X	$\pm .030$	CHECKED BY:			
XX	$\pm .015$	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TAPCO. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF TAPCO IS PROHIBITED.			SHEET 1 OF 6
XXX	$\pm .005$				
ANGULAR	$\pm 0.5^\circ$				



8 7 6 5 4 3 2 1

D

C

B

A



D

C

B

A

- NOTES:**
1. ORIENT SOLAR PANEL TOWARDS SOUTHERN SKY FOR MAXIMUM SOLAR EXPOSURE
 2. CONTROL CABINET HEIGHT MAY VARY.
 3. SNAP LOCKS ARE PROVIDED, STANDARD 3/4" S/S BANDING IS RECOMMENDED
 4. J-BOLTS NOT SHOWN
 5. ALL DIMENSIONS ARE FOR REFERENCE ONLY
 6. STATIC SIGNS NOT INCLUDED IN SYSTEM 

TAPCO
TRAFFIC & PARKING CONTROL CO., INC.

MATERIAL		INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14.5-2009	
FINISH		REFERENCE:	

TOLERANCE UNLESS OTHERWISE SPECIFIED		TITLE: RRFB, SOLAR 55/48, RADIO, SOP, DS, AMBER, PH, H POLE X2 (30" S1-1 ARRANGEMENT)			
HOLE ϕ	± 0.03	DESIGNED BY:	TAPCO	SIZE	DWG. NO.
DEC. INCH		DRAWN BY:	C. GRAVES	B	600147
X	± 0.030	CHECKED BY:			
XX	± 0.015			B	SCALE: 1:28
XXX	± 0.005				SHEET 2 OF 6
ANGULAR	$\pm 0.5^\circ$	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TAPCO. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF TAPCO IS PROHIBITED.			




8 7 6 5 4 3 2 1

D

C

B

A



D

C

B


A

- NOTES:**
1. ORIENT SOLAR PANEL TOWARDS SOUTHERN SKY FOR MAXIMUM SOLAR EXPOSURE
 2. CONTROL CABINET HEIGHT MAY VARY.
 3. SNAP LOCKS ARE PROVIDED, STANDARD 3/4" S/S BANDING IS RECOMMENDED
 4. J-BOLTS NOT SHOWN
 5. ALL DIMENSIONS ARE FOR REFERENCE ONLY
 6. STATIC SIGNS NOT INCLUDED IN SYSTEM 



ENGINEERING SPECIFICATIONS 600147		INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14.5-2009	
MATERIAL		REFERENCE:	
FINISH			

TOLERANCE UNLESS OTHERWISE SPECIFIED		TITLE: RRFB, SOLAR 55/48, RADIO, SOP, DS, AMBER, PH, H POLE X2 (30" W11-15 ARRANGEMENT)			
HOLE ϕ	± 0.03	DESIGNED BY:	TAPCO	SIZE	DWG. NO.
DEC.	INCH	DRAWN BY:	C. GRAVES	B	600147
X	± 0.030	CHECKED BY:	5/7/2018		
XX	± 0.015			B	SCALE: 1:28
XXX	± 0.005				SHEET 3 OF 6
ANGULAR	$\pm 0.5^\circ$	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TAPCO. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF TAPCO IS PROHIBITED.			



- NOTES:**
1. ORIENT SOLAR PANEL TOWARDS SOUTHERN SKY FOR MAXIMUM SOLAR EXPOSURE
 2. CONTROL CABINET HEIGHT MAY VARY.
 3. SNAP LOCKS ARE PROVIDED, STANDARD 3/4" S/S BANDING IS RECOMMENDED
 4. J-BOLTS NOT SHOWN
 5. ALL DIMENSIONS ARE FOR REFERENCE ONLY
 6. STATIC SIGNS NOT INCLUDED IN SYSTEM 

TAPCO
TRAFFIC & PARKING CONTROL CO., INC.

MATERIAL		INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14.5-2009	
FINISH		REFERENCE:	





TOLERANCE UNLESS OTHERWISE SPECIFIED		TITLE: RRFB, SOLAR 55/48, RADIO, SOP, DS, AMBER, PH, H POLE X2 (36" W11-2 ARRANGEMENT)			
HOLE ϕ	± 0.03	DESIGNED BY:	TAPCO	SIZE	DWG. NO.
DEC.	INCH	DRAWN BY:	C. GRAVES	B	600147
X	± 0.030	CHECKED BY:			
XX	± 0.015			B	SCALE: 1:28
XXX	± 0.005				SHEET 4 OF 6
ANGULAR	$\pm 0.5^\circ$	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TAPCO. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF TAPCO IS PROHIBITED.			

D

C

B

A



D

C

B

A

- NOTES:**
1. ORIENT SOLAR PANEL TOWARDS SOUTHERN SKY FOR MAXIMUM SOLAR EXPOSURE
 2. CONTROL CABINET HEIGHT MAY VARY.
 3. SNAP LOCKS ARE PROVIDED, STANDARD 3/4" S/S BANDING IS RECOMMENDED
 4. J-BOLTS NOT SHOWN
 5. ALL DIMENSIONS ARE FOR REFERENCE ONLY
 6. STATIC SIGNS NOT INCLUDED IN SYSTEM 

TAPCO
TRAFFIC & PARKING CONTROL CO., INC.

MATERIAL		INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14.5-2009	
FINISH		REFERENCE:	

TOLERANCE UNLESS OTHERWISE SPECIFIED		TITLE: RRFB, SOLAR 55/48, RADIO, SOP, DS, AMBER, PH, H POLE X2 (36" S1-1 ARRANGEMENT)			
HOLE ϕ	± 0.03	DESIGNED BY:	TAPCO	SIZE	DWG. NO.
DEC.	INCH	DRAWN BY:	C. GRAVES	B	600147
X	± 0.030	CHECKED BY:			
XX	± 0.015	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TAPCO. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF TAPCO IS PROHIBITED.			SHEET 5 OF 6
XXX	± 0.005				
ANGULAR	$\pm 0.5^\circ$				




8 7 6 5 4 3 2 1

D

C

B

A



D

C

B

A

- NOTES:**
1. ORIENT SOLAR PANEL TOWARDS SOUTHERN SKY FOR MAXIMUM SOLAR EXPOSURE
 2. CONTROL CABINET HEIGHT MAY VARY.
 3. SNAP LOCKS ARE PROVIDED, STANDARD 3/4" S/S BANDING IS RECOMMENDED
 4. J-BOLTS NOT SHOWN
 5. ALL DIMENSIONS ARE FOR REFERENCE ONLY
 6. STATIC SIGNS NOT INCLUDED IN SYSTEM 



ENGINEERING SPECIFICATIONS 600147		INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14.5-2009	
MATERIAL		REFERENCE:	
FINISH			

TOLERANCE UNLESS OTHERWISE SPECIFIED		TITLE: RRFB, SOLAR 55/48, RADIO, SOP, DS, AMBER, PH, H POLE X2 (36" W11-15 ARRANGEMENT)			
HOLE ϕ	± 0.03	DESIGNED BY:	TAPCO	SIZE	DWG. NO.
DEC.	INCH	DRAWN BY:	C. GRAVES	B	600147
X	± 0.030	CHECKED BY:			
XX	± 0.015	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TAPCO. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF TAPCO IS PROHIBITED.			SHEET 6 OF 6
XXX	± 0.005				
ANGULAR	$\pm 0.5^\circ$				

8 7 6 5 4 3 2 1