

# CYCLONE **KB6**

DEBRIS BLOWER



## CYCLONE **KB6**

- POWERFUL 26.5 EFI GASOLINE ENGINE
- AUTO NOZZLE POSITIONING
- WIRELESS START/STOP - NO CHOKE REQUIRED



TALK WITH OUR EXPERTS  
8AM-4:30PM (Mon-Fri) EST  
(716) 592-2700  
BuffaloTurbine.com

# CYCLONE

## DEBRIS BLOWER

- Powerful and versatile
- 10 year manufacturer warranty
- Easy to operate and maintain
- Fuel Savings
- Quick and easy adjustable hitch
- Bolt on trailer package with 2 position tongue
- Wireless remote for start/stop function (no choke required)
- Wireless throttle and 360° nozzle control
- Auto Nozzle Positioning
- Heavy duty air cleaner


- 3 year engine warranty
- 26.5 HP Fuel Injected Engine
- Fully adjustable wireless throttle control



- Overall Length: 112"
- Frame Length (skid mount): 48"
- Overall Height: 39"
- Overall Width: 48"
- Frame Width (skid mount): 29"
- Weight: 470 lbs.
- Tire size: 18.5 x 8.50-8 turf tires
- Fuel capacity: 6 gallons

- Powder coated
- Comes with polymer nozzle standard
- Optional aluminum nozzles available:  
Rectangular nozzles (10" or 19" long)  
Round nozzles (10" or 12" outlet)


### Applications

Golf Courses • Rental Companies • Sports Facilities  
Paving Contractors • Highway Construction Companies  
Municipalities • Parks • Cemeteries • Racetracks  
Sealing • Test Tracks • Landscapers • Snow Removal

 **WARNING:** Cancer & Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



**Quick & Easy Adjustable Hitch**



**Nozzles**



Official Track Blower



Official Track Blower



Made in the USA



**TALK WITH OUR EXPERTS**  
8AM-4:30PM (Mon-Fri) EST  
(716) 592-2700  
www.BuffaloTurbine.com


## OPTIONS TOW BEHIND

180 Zoar Valley Road  
Springville, NY 14141

### NOZZLES




Aerospace Polymer Nozzle - Part# 2851  
Standard Clamp Band - Part# 1173



Flexible Nozzle Assembly - Part# 3345  
Various lengths available.  
Ideal for rough terrain.

Gyratory Atomizing Nozzle - Part# 2547  
(Safety guard removed for clarity)



### ALUMINUM NOZZLES

Optional aluminum nozzles **will not** connect to the standard Aerospace Polymer Nozzle (Part# 2851). Requires: Two 45° elbow segments (Part# 1171) and two additional clamp bands (Part# 1173).

12" Nozzle Extension - Part# 1468  
15" Nozzle Extension - Part# 1842  
20" Nozzle Extension - Part# 1845

10" Round Nozzle - Part# 1417  
12" Round Nozzle - Part# 1172  
Improves air velocity with lower horsepower and hydraulic blower units



10" Rectangular Nozzle - Part# 1469  
19" Rectangular Nozzle - Part# 1425  
5.5"x15" opening - extra length/more concentrated air flow. Uses - heavy wet debris, plugs, top dressing. No ground clearance in the vertical down position.




Fishtail Nozzle - Part# 1743  
5"x30" (wide angle) opening. Distributes a large volume of air at a lower velocity over a wide area. Easily converts blower into a "Greens Fan". Adaptable to all models. Not as effective at moving debris.




### D.O.T. TRAILER

Part# 1613-D f or 8000, KB4, EFI  
Part# 3410 for Mega



### 2" BALL RECEIVER HITCH

Part# 2981




### FORK POCKET

Part# 3894  
Great for moving blowers around jobsites and bed mount / skid mount applications.




### LINE DRIVER ATTACHMENT

Part# 2419



### CORDED CONTROL

Part# 2788 for KB4 Model  
Part# 2787 for Mega, Diesel Models




### ROTATION BEARING KIT

Part# 3838  
Increases rotation speed and reduces load on rotation motor.



### EXHAUST GUARD KIT


Part# 2988  
Available for Model: KB



**WARNING:**  
Cancer & Reproductive Harm - www.P65Warnings.ca.gov



180 Zoar Valley Road • Springville, NY 14141 • Tel: (716) 592-2700 • Fax: (716) 592-2460 • BuffaloTurbine.com



## CYCLONE KB6 DEBRIS BLOWER MODEL # BT-CKB6

<b>Control</b>	12V Wireless system w/ remote engine start /stop (no choke required), Throttle Control, 360° Nozzle Control and Auto Nozzle Position System
<b>Transmitter</b>	Hand held wireless transmitter with push button control (water resistant)
<b>Battery</b>	12V 300 CCA
<b>Machine Warranty</b>	10 Year Manufacturer Warranty
<b>Kohler Engine Warranty</b>	3 Year Warranty
<b>Frame Length (Skid Mount)</b>	48"
<b>Overall Length with Nozzle (Skid Mount)</b>	75"
<b>Overall Length with Nozzle</b>	112"
<b>Frame Width (Skid Mount)</b>	28"
<b>Overall Width w/ Wheels</b>	48"
<b>Height</b>	39"
<b>Fuel Capacity</b>	6 gallons
<b>Weight</b>	470 lbs.
<b>Input Power</b>	ECH749 Kohler Gasoline Engine (EFI engine does not have a choke)
<b>Input RPM</b>	Adjustable Throttle up to 3900 RPM (more fuel economy when ran below 3600 RPM)
<b>Nozzle</b>	Aerospace Polymer Nozzle (optional aluminum nozzles are available)
<b>Outlet Size</b>	Approx. 12"
<b>Tires</b>	18 x 8.50-8
<b>Trailer</b>	Bolt on trailer package with adjustable hitch
<b>Shipping Weight</b>	565 lbs. (256.28kg)
<b>Shipping Box Size</b>	52"(132.08cm) x 36"(91.44cm) x 48"(121.92cm)



**WARNING:** Cancer and Reproductive Harm – [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)