

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO X

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____%

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF _____.

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

1 week A.E.O.

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: Allan J Harris Company, Inc.
ADDRESS: 616 Papworth Ave.
CITY, STATE: Metairie, LA ZIP: 70005
TELEPHONE: (504) 834-4994 FAX: (504) 834-5354
EMAIL ADDRESS: ryan@allanjharris.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
NUMBER: _____
NUMBER: _____
NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ \$67,500

AUTHORIZED SIGNATURE: M. M. Stackpole
TITLE: PRESIDENT

MICHAEL M. STACKPOLE
Printed Name

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00130298

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	2.00	EA	<p>ONE TIME PURCHASE:</p> <p>0001 - Trash Pump, 6 inch self priming, trailer mount with DOT trailer lights package, driven by an Isuzu model 4LE2T, tier 4 diesel engine, passes 3 inch solids</p> <p>Part no. 6HT-DIST-4LE2T</p> <p>Please Note: One pump is for Eastbank Sewerage Lines Division. One pump is for Westbank Sewerage Lines Division. As per attached specifications</p> <p><i>FOB Delivered</i></p>	<p><i>\$33,750</i></p>	<p><i>\$67,500.</i></p>

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF

ALLAN J. HARRIS Co INC

INCORPORATED.

AT THE MEETING OF DIRECTORS OF ALLAN J. HARRIS Co INC
INCORPORATED, DULY NOTICED AND HELD ON 1/1/2020,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT MICHAEL M. STACKPOLE, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.

M. M. Stackpole

SECRETARY-TREASURER

5/14/2020

DATE

Non-Public Works Bid

AFFIDAVIT

STATE OF Louisiana

PARISH/COUNTY OF Jefferson

BEFORE ME, the undersigned authority, personally came and appeared: MICHAEL
M. STACKPOLE, (Affiant) who after being by me duly sworn, deposed and said that
he/she is the fully authorized AGENT of ALLAN J. HARRIS (Entity),
the party who submitted a bid in response to Bid Number 50130298, to the Parish of
Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required
attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including
the date and amount of each contribution, made to current or
former elected officials of the Parish of Jefferson by Entity,
Affiant, and/or officers, directors and owners, including
employees, owning 25% or more of the Entity during the two-year
period immediately preceding the date of this affidavit or the
current term of the elected official, whichever is greater. Further,
Entity, Affiant, and/or Entity Owners have not made any
contributions to or in support of current or former members of the
Jefferson Parish Council or the Jefferson Parish President through
or in the name of another person or legal entity, either directly or
indirectly.

Choice B there are NO campaign contributions made which would require
disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B ✓ There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

M. M. Stackpole
Signature of Affiant

MICHAEL M. STACKPOLE
Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME
ON THE 14 DAY OF MAY, 2020.

William J. Luscy Jr
Notary Public

WILLIAM J. LUSCY JR
Printed Name of Notary

LNID# 37612
Notary/Bar Roll Number

My commission expires AT DEATH.





JEFFERSON PARISH

DEPARTMENT OF PURCHASING

CYNTHIA LEE SHENG
PARISH PRESIDENT

RENNY SIMNO
DIRECTOR

January 2020

Changes to Jefferson Parish Bidding Information

The Jefferson Parish Purchasing Department would like to make vendors aware of the following changes:

Probable Construction Cost: Per Jefferson Parish Administrative Policy, the probable construction cost is not revealed in the Jefferson Parish Bidding Documents. Jefferson Parish Administrative Policy has changed and a range of the probable construction cost will be stated in the Jefferson Parish bidding document, entitled Important Notice to All Bidders – Bid Requirements. Per Louisiana Public Bid Law, the probable construction cost will be read at the bid opening.

Insurance Requirement: **All bidders** must provide proof of valid insurance in the required amounts as stated in the Standard Insurance Requirements for bidding purposes. Failure to provide the proof of valid insurance in all of the required coverage amounts will result in bid rejection.

GENERAL GOVERNMENT BLDG. – 200 DERBIGNY ST., SUITE 4400, GRETNA, LA 70053
OFFICE 504.364.2678

JOSEPH S. YENNI BLDG. – 1221 ELMWOOD PARK BLVD., SUITE 404, JEFFERSON, LA 70123
OFFICE 504.364.2678

EMAIL: PURCHASING@JEFFPARISH.NET WEBSITE: WWW.JEFFPARISH.NET



Pump specifications:

Type.....	BA150E D285
Max. flow	2091 US GPM (475 m ³ /hour)
Max. pressure.....	115 ft. / 50 PSI (35 mwc)
Connections.....	6" (DN 150)
Solids handling	3, 15" (80 mm)
Impeller type	Open impeller
Priming system	BBA MP50
Engine	Perkins 404D-22T
Emission standard ..	Tier 4 Interim
Trailer.....	Galvanized single axle trailer
Dry weight.....	3685 lbs (1675 kg.)

FEATURES

BA auto prime pump

The BA range of pumps has been designed with a clear focus on reliability, efficiency and durability. Featuring a fully automatic priming system, the BA series pumps quickly prime and re-prime, even from dry conditions. The heavy build style of both pump and canopy make the BA range perfect for use in the demanding construction market.

World-class performance

The BA range is built to be deployed on the most demanding applications. Using high efficiency pumps and state-of-the-art diesel engines, the pumps offer maximum performance at minimal cost, fully in-sync with the company philosophy of "Lowest cost of ownership".

Sustainability

- High efficiency pumps minimising fuel consumption
- Emissions in accordance with EU stage & US EPA Tier regulations
- Corrosion free hot dip galvanized frames
- 100% Oil-spill free priming system

Portable pumping solutions

All of our pump trailers are specifically designed for BBA Pumps, which can be towed by most full-size pickup trucks. The BBA trailer allows contractors and rental companies the ability to safely transport our pumps from jobsite-to-jobsite.




Trailer package

- Sits lower to the ground for pumping purposes
- Single torsion axle
- Corrosion resistant (galvanized)
- LED lights on the rear
- Adjustable pintle hitch
- Maintenance free design



PERFORMANCE CURVES (1750 RPM)

Continuous duty according ISO 9906



Engine speed rpm		Capacity Q in US GPM				Fuel consumption (BEP) (GPH)
		660	1100	1540	1980	
1700	H	97	84	67	47	2,1
1600	ft.	84	70	54	34	1,8
1500		74	60	44	20	1,6



STANDARD TECHNICAL SPECIFICATIONS


BBA auto prime pump

Pump type.....	BA150E D285
Max. flow.....	2090 US GPM (475 m ³ /hour)
Max. head.....	115 feet / 50 PSI (35 mwc)
Impeller type.....	Open impeller
Solids handling.....	3.15 inch (80 mm)
Pump casing.....	Cast iron GG20
Impeller.....	Chrome Moly 42CrM04
Wear plate (cutter slots).....	Chrome Moly 42CrM04
Pump shaft.....	C45
Shaft seal.....	Mechanical seal
Seal faces.....	Tung/Sic
Seal rubbers.....	Viton



BBA priming system

Pump type.....	BBA MP50 Diaphragm pump
Air handling capacity.....	30 CFM (50 m ³ /h)
Max. vacuum.....	29 inHg (8.5 m)
Drive.....	Toothed belt (continuous drive)
Float box.....	Aluminium
Non return valve.....	Cast iron GG25
Check valve disc.....	Buna-N



Engine

Engine brand.....	Perkins
Engine type.....	404D-22T
Flywheel power.....	50 Hp (37 kW)
Engine speed.....	1500 – 1750 RPM
Fuel consumption.....	237 g/kWh
Displacement.....	135 in ³
Number of cylinders.....	4
Cooling system.....	Water cooled
Designed to meet US EPA Tier 4 Interim emission standards	

LOFA control panel

- Auto start/stop system
- Two float switches included (10m cable)
- Switch Manual-0-Auto
- Warning lights
- Safety features to protect the engine
- High resolution 4.3" LCD monitor



Fuel system

- PE fuel tank 80 US Gallon (300 L.) net
- Fuel gauge on tank
- Mechanical fuel injection system
- Fitted with water separator & extra in-line fuel filter



Electrical system & safety features

- Nominal voltage 12 Volt
- Premium quality battery
- Low oil pressure shut down
- High temperature shut down

PACKAGE

BBA trailer package

- Dimensions L x W x H 136.9 x 61.5 x 79.5 inch
- Dimensions L x W x H 3476 x 1564 x 2019 mm
- Steel frame Hot dip galvanized
- Pintle hitch Height adjustable 18 – 24 inch
- Fuel tank PE net 80 US Gallon (300 ltr)
- Fuel tank autonomy 30 hours (at 1750 rpm BEP)
- Fuel tank cap Lockable
- Lifting point Fitted with single lifting point
- Jacks Front & rear jacks
- Lighting DOT approved LED lights
- Axle Single torsion axle (2 inch suspension)
- Nose load 275 lbs with filled fuel tank
- Connections Please consult "auxiliary items" in overleaf



Actual dimensions (in inches) may vary depending on selected quick couplings.



Open impeller
Corrosion and abrasion resistant Chrome Moly (42CrM04) alloy.



Fuel tank
80 US Gallon Corrosion-free high-density polyethylene (HDPE) fuel tank.




Easy inspection
Oil glasses, drain valves and fill plugs are all easily accessible.



Large inspection covers
Easy access to float box, impeller and non-return valve.



Priming system
Diaphragm pump, air-cooled, water-resistant and oil-spillage free. Air capacity of 30 CFM per hour.



User Manual BA series
Extensive user manual with important information concerning the pump unit, pump installation and safety warnings. Available in several languages.

Pictures used are for illustration purposes only.