

DATE: 9/13/2017

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00120978

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: **BASIC SUPPLY, LLC**

BUYER: SFOLSE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

2 WEEKS

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
NUMBER: _____
NUMBER: _____
NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: BASIC SUPPLY, LLC	
SIGNATURE: <i>John Atkinson</i> (Must be signed here)	TITLE: MANAGER
PRINT OR TYPE NAME: JOHN ATKINSON	
ADDRESS: PO BOX 63066	
CITY, STATE: LAFAYETTE, LA	ZIP: 70596
TELEPHONE: () 337-769-0122	FAX: () 337-247-7699
EMAIL ADDRESS: charlotte@basicsupply.com	


TOTAL PRICE OF ALL BID ITEMS: \$ 5339.20

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	160.00	FT	<p style="text-align: center;">WIRING NEEDED FOR THE JEFFERSON PARISH EB PARKS & RECREATION DEPARTMENT</p> <p>0010 PRRT 350-04 Type W 350 MCM S.O. Cord Copper conductors 4 wire or equal</p> <p>Cut 2 pieces 1 piece 100 foot long 1 piece 60 foot long</p> <p>Contact: Roy Blum (504) 736-6999 ext. 126</p> <p style="text-align: center;">350-04 TYPE W SEE SPEC SHEET ATTACHED</p>	33.37	5339.20



Type W 4 & 5 Conductors 90°C 600/2000V

Part Number	AWG Size	No. of Conductors	Conductor Strand	Nominal Insulation Thickness		Nominal Overall Diameter		Net. Weight lbs./M	Current Amps*
				inches	mm	inches	mm		
8-04 TYPEW	8	4	133	0.060	2.41	0.97	24.6	656	52
6-04 TYPEW	6	4	259	0.060	1.52	1.11	28.3	908	69
4-04 TYPEW	4	4	259	0.060	1.52	1.26	32.1	1262	91
2-04 TYPEW	2	4	259	0.060	1.52	1.47	36.3	1759	121
1-04 TYPEW	1	4	259	0.080	2.03	1.71	43.4	2322	141
1/0-04 TYPEW	1/0	4	266	0.080	2.03	1.78	45.2	2721	164
2/0-04 TYPEW	2/0	4	342	0.080	2.03	1.89	48.0	3293	189
3/0-04 TYPEW	3/0	4	418	0.080	2.03	2.02	51.4	3849	219
4/0-04 TYPEW	4/0	4	532	0.080	2.03	2.22	56.3	4765	252
250-04 TYPEW	250	4	627	0.095	2.41	2.61	66.2	5579	281
350-04 TYPEW	350	4	888	0.095	2.41	2.92	74.2	7329	346
500-04 TYPEW	500	4	1221	0.095	2.41	3.34	84.8	9896	428
8-05 TYPEW	8	5	133	0.060	1.52	1.07	27.2	776	52
6-05 TYPEW	6	5	259	0.060	1.52	1.24	31.5	1024	69
4-05 TYPEW	4	5	259	0.060	1.52	1.36	35.2	1432	91
2-05 TYPEW	2	5	259	0.060	1.52	1.56	39.8	2051	121
1-05 TYPEW	1	5	259	0.060	1.52	1.85	47.1	2665	141
1/0-05 TYPEW	1/0	5	266	0.080	2.03	1.98	50.4	3406	164
2/0-05 TYPEW	2/0	5	342	0.080	2.03	2.13	54.1	3596	189
3/0-05 TYPEW	3/0	5	418	0.080	2.03	2.27	57.6	4728	219
4/0-05 TYPEW	4/0	5	532	0.080	2.03	2.46	62.6	5512	252

All values are nominal and subject to correction

* Ampacity - Free air measured. Based on continuous duty at 90°C conductor temperature per 2011 NEC Table 400.5(A)(2)

Application: Type W is for use in heavy duty power systems as power supply cable such as: AC systems (grounded and ungrounded); mobile and portable electrical equipment; motor and battery leads. 4 conductor constructions are for three phase systems with one conductor being used as a ground. 5 conductor constructions are for three phase systems where one conductor is used as a neutral and one conductor being used as a ground. Type W is for applications up to 2000 volts and temperatures from -40°C to +90°C.

Conductors: Flexible strand soft drawn tin coated copper conductor per B-172 and ICEA S-75-381/NEMA WC58

Separator: Tape separator between conductor and insulation.

Insulation: Ethylene-propylene rubber (EPR) per ICEA S-75-381

Reinforcement: Single faced rubber filled binder tape over insulation.

Jacket: Black heavy duty CPE thermoset compound per ICEA S-75-381.

Standards:
 MSHA Approved
 UL 44
 NEMA WC-58
 NEMA WC-70
 ICEA S-75-381
 ICEA S-95-658
 ASTM B 172
 ASTM B 33
 Sunlight Resistant
 C(UL) FT1 & FT4