

DATE: 11/17/2020

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00132888

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: MBUTTERY

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

7 - 10 Days

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

N/A

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

N/A

In the event that addenda are issued with this bid, bidders **MUST** acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: **N/A**
NUMBER: **N/A**
NUMBER: **N/A**
NUMBER: **N/A**

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) **N/A**


***** ALL BIDDERS MUST COMPLETE SECTION BELOW *****

FIRM NAME:

Rocky Mountain Recreation LLC

SIGNATURE:

(Must be signed here)



TITLE:

President

PRINT OR TYPE NAME:

Janeil Norman

ADDRESS:

PO Box 68

CITY, STATE:

Albion ID

ZIP:

83311

TELEPHONE:

(208) 670-5079

FAX:

() **N/A**

EMAIL ADDRESS:

rockymtnrecllc@gmail.com

TOTAL PRICE OF ALL BID ITEMS: \$ **6,976.80**

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00132888

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	40.00	BG	PURCHASE OF SEED AND FERTILIZER FOR THE PUBLIC WORKS DEPARTMENT OF PARKWAYS 0010 LESCO 18-24-12 25% NOS PLUS BIO 50# FERTILIZER FOR: PARKWAYS DEPT. DELIVERY/INVOICE TO: JEFFERSON PARISH PARKWAYS/ADM DEPT. ATTN: RON JOHNSON 1901 AMES BLVD. MARRERO, LA 70072	19.62	784.80
				77.40	6,192.00
2	80.00	BG	0020 LESCO DOUBLE EAGLE SEED BLEND 50 LB 3 WAY PERENNIAL RYEGRASS		



DOUBLE EAGLE BLEND

TURF-TYPE PERENNIAL RYEGRASS

Highest Germination Rate | Advanced Testing | Unparalleled Standards

FEATURES

- Quick establishment
- Dense growth habit
- Dark green color
- Fine texture
- Varieties thrive in cool season climate
- Gray Leaf Spot resistance
- Excellent traffic tolerance

RECOMMENDED MAINTENANCE PRACTICES

Highest quality and durability are reached using moderate maintenance levels. Allow turf to establish prior to heavy use. Mowing height at 1 ½ to 2 ½" is recommended (lower mowing heights require higher maintenance).

TURF ESTABLISHMENT GUIDELINES

Adequate seed bed preparation is important in new turf grass establishment as well as in overseeding. Check soil pH and apply LESCO Starter Fertilizer prior to seeding. Cool-season grasses germinate best in the 60° to 85°F (16° to 30°C) soil temperature range. Frequent light irrigation and/or seed starter mulch is required for optimum germination. Germination should be visible within 14 days; complete turf establishment will take two to six months to exhibit mature growth characteristics.

AGRONOMIC CHARACTERISTICS

Double Eagle Blend contains three advanced generation cultivars of turf-type perennial ryegrass. The varieties used in Double Eagle Blend have all undergone university trials and have shown high turf quality, dark green color, traffic tolerance and resistance to Gray Leaf Spot. The endophyte levels in these varieties make Double Eagle Blend resistant to surface feeding insects.

SUGGESTED USAGE

Golf course tees, fairways and roughs, home lawns, athletic fields, commercial turf areas, parks and playgrounds.

ENVIRONMENTAL TOLERANCE

Double Eagle is best suited in cool humid and cool arid zones of the United States.

INGREDIENTS

100% Turf-Type Perennial Ryegrass
3 of the following varieties:

Align/2 | Evolve

Peridot | Virte

Named Perennial Ryegrass

SEEDING RATES

New Establishment:

4-6 lbs./1,000 sq. ft.

Renovation:

2-3 lbs./1,000 sq. ft.

Overseeding:

10-15 lbs./1,000 sq. ft.


PACKAGING INFORMATION

50 lb. bag | #30-62-950

25 lb. bag | #30-72-970

10 lb. bag | #018826

Treated with Apron® Fungicide | #23-05-015
Woven Polypropylene Bags



LESCO.com | 800.555.5555

2018.1280



— Exclusively at —

SiteOne
LANDSCAPE SUPPLY



PRODUCT OVERVIEW

LESCO® NOS Plus is an advanced, slow-release stabilized nitrogen fertilizer with industry-first dual mode of action technologies that releases nitrogen up to 3 months. Building on the benefits of LESCO NOS (Nitrogen Optimization System) with the added benefit of an exclusive polymer coating, this product maximizes nutrient efficiency, reduces environmental loss, and provides metered release of exclusive DCD (dicyandiamide)-infused stabilized nitrogen technology. LESCO NOS Plus may be used to assist with nutrient restrictions and blackout management.

FEATURES

- Exclusive DCD-infused stabilized nitrogen technology reduces leaching and denitrification
- Stabilized nitrogen means less nitrogen loss to the environment for a sustainable greening solution
- Polymer coating and stabilized urea enhance efficacy and longevity per application

SUGGESTED USAGE

Granular fertilizer can be applied to golf courses, residential and commercial turf, athletic fields and nurseries through a standard LESCO broadcast spreader.

ENVIRONMENTAL TOLERANCE

Regardless of geography, this product may be used to enhance turf nitrogen uptake efficiency and greening with minimal environmental nitrogen loss and reduced labor requirements.

BENEFITS

Increased Nutrient Uptake and Efficiency

Improved Greening Longevity

Reduced Labor Needs

High-Value Performance

ANALYSIS

- 45-0-0 | Standard SGN
- 45-0-0 | Mini SGN

FORMULATION

Granular Fertilizer

MODE OF ACTION

Root Absorbed

RESTRICTED USE

No

PACKAGING INFORMATION

50 lb. bag
Larger Package Sizes Available

“Science From the Inside Out.”

LESCO.com | 800.321.5325




— Exclusively at —
SiteOne
LANDSCAPE SUPPLY

PRODUCT LAB RESULTS




CONSISTENT NITROGEN DELIVERY

Unlike standard urea or simple poly-coated fertilizer blends that deliver unprotected nitrogen, NOS Plus maximizes your fertility investment throughout the duration of the application.



IMPROVED NITROGEN UPTAKE

By preventing nitrogen loss to the environment, NOS Plus allows more nitrogen to be utilized by the turf.



NOTES



18-24-12



LESCO PROFESSIONAL TURF
FERTILIZER

For use in Rotary Spreaders Only
Contains LESCO® NOS Plus™ (Nitrogen Optimizing System) for increased nitrogen use efficiency and extended greening.

50 lb COVERS 12,000 sq ft

SGN 230

DIRECTIONS FOR USE: This LESCO product is a professional quality turf fertilizer for use on all lawn areas. The best results with this product are obtained when it is applied to actively growing grass, and watered into the turf soon after application. Avoid mowing immediately following application to prevent pick-up.

For best results, sweep or blow the fertilizer off walks and painted surfaces following application to avoid discoloration.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street back onto your lawn/garden.

Recommended applications are at the rate of one pound of phosphate per 1,000 sq ft. Actual rates and timing of applications will vary with weather, soil and turf conditions.

According to state law in Maryland, this product may not be applied at an application rate of more than .7 lbs. Nitrogen per 1,000 sq. ft.

According to state law in Virginia, do not apply more than 0.9 pounds of total nitrogen per 1,000 square feet within a 30-day period.

For additional LESCO, Inc. product assistance call 1-800 347-4272.

COVERAGE: 50 pounds of LESCO 18-24-12 Fertilizer covers approximately 12,000 sq ft at the application rate of one pound of phosphate (4.20 pounds of fertilizer) per 1,000 sq ft.

GUARANTEED ANALYSIS

TOTAL NITROGEN (N).....	18.00%
8.06% Urea Nitrogen*	
9.31% Ammoniacal Nitrogen	
0.50% Water Insoluble Nitrogen	
0.13% Other Water Soluble Nitrogen	
AVAILABLE PHOSPHATE (P ₂ O ₅).....	24.00%
SOLUBLE POTASH (K ₂ O).....	12.00%
IRON (Fe).....	0.10%
0.001% Water Soluble Iron (Fe)	
DERIVED FROM: Ammonium Phosphate, Biosolids, Urea, Muriate of Potash, Polymer Coated Stabilized Urea.	

CHLORINE (Cl).....9.60%

*4.50% Urea nitrogen stabilized with Dicyandiamide.

*4.05% Slow Release Urea Nitrogen from Polymer Coated Urea.

ROTARY SPREADER SETTINGS: Apply LESCO Fertilizers and Combination Products only with a rotary spreader. The following rotary spreader settings are approximate for the application rates of one pound of phosphate per 1,000 square feet. You may need to adjust the setting depending on walking speed, spreader condition and product. An extended Spreader Setting listing can be found at www.lesco.com.

ROTARY SPREADER	SETTINGS
LESCO – All Rotary Models	#15
PermaGreen	15
Cyclone®/Spyker®/Z-Spray	4½
Vicon (LESCO Pendulum)	28
Lely®	4½ II



WARNING

Harmful if inhaled. Eye and skin irritant. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully and completely. It is impossible to eliminate all risks inherently associated with the use of this product. Buyer and/or User assume all risks of ineffectiveness or other unintended consequences or damages that may result from conditions outside or beyond the control of LESCO, Inc. including but not limited to such factors as manner of use or application, weather or weather conditions outside the range considered normal at the application site or for the time period in which the product is applied, the presence of other materials, incompatible products, or other influencing factors which are beyond the control of LESCO, Inc. All such risks shall be assumed by Buyer and/or User, and Buyer and/or User agrees to hold LESCO, Inc. harmless for any claims relating to such factors. LESCO, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with the Directions for Use under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of LESCO, Inc. and Buyer and/or User assume the risk of any such use.

LESCO, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

THE EXCLUSIVE REMEDY OF THE BUYER AND/OR USER AND THE EXCLUSIVE LIABILITY OF LESCO, INC. FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT,

STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF LESCO, INC., REPLACEMENT OF THE PRODUCT, OR IF NOT

ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL LESCO, Inc. BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES. LESCO, Inc. offers this product, and Buyer and/or User accepts it, subject to the foregoing

Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of LESCO, Inc.

Information concerning the raw materials composing this product can be obtained by writing to: LESCO, Inc., Attn: RA Dept., 1385 East 36th Street, Cleveland, Ohio 44114-4714, referring to the

item number found on this bag. Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfo.org/metals.htm>.

LESCO, NOS and NOS Plus are registered trademarks and the sweeping design is a trademark of LESCO, Inc.

Cyclone and Spyker are registered trademarks of Spyker Spreaders, LLC. Lely is a registered trademark of C. Van Der Lely N.V. N:Regu/WP/Regul Private/Mstr/LMER/IEW ADDR/Landscape Style Mstr Lbts/Fert Lbts Rev.10/19/2020 KT

F1560

Net Weight 50 lb (22.7 kg)

511146

Manufactured for: LESCO, Inc.
1385 East 36th Street
Cleveland, OH 44114-4714