

DATE: 9/13/2018

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00124216

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: **BASIC SUPPLY, LLC**

BUYER: CGASPER

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.


JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	<u>2-3 weeks</u>
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	_____
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	_____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
NUMBER: _____
NUMBER: _____
NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: BASIC SUPPLY, LLC	
SIGNATURE:  (Must be signed here)	TITLE: MANAGER
PRINT OR TYPE NAME: JOHN ATKINSON	
ADDRESS: PO BOX 63066	
CITY, STATE: LAFAYETTE, LA	ZIP: 70596
TELEPHONE: () 337-769-0122	FAX: (337)2417-7699
EMAIL ADDRESS: charlotte@basicsupply.com	

TOTAL PRICE OF ALL BID ITEMS: \$ 1160.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124216

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	20.00	EA	<p>MORTARTEC HYDRXX 1 AND 3 BRAND LEAK STOP FOR JEFFERSON PARISH WESTBANK WAREHOUSE BRIDGE CITY</p> <p>0010 - MORTARTEC HYDRXX 1 BRAND LEAK STOP, 1 MINUTE CURE TIME LEAK STOP IN A</p>	NO BID	NO BID
2	20.00	EA	<p>50 LB PAIL TO REPAIR MANHOLES AND CATCH BASINS, PART #RCHY1-50P OR "STRONG-SEAL PLUG" SK#00-0482270</p> <p>0020 - MORTARTEC HYDRXX 3 BRAND LEAK STOP, 3 MINUTE CURE TIME LEAK STOP IN A</p>	58.00	11.60
			<p>50 LB PAIL TO REPAIR MANHOLES AND CATCH BASINS, PART #RCHY3-50P OR "STONG SEAL QSR" SK#00-0482280</p> <p>Damtite 07502 Waterproof Hydraulic Cement, 50 lb, Pail, Gray, Powder</p> <p>DELIVER TO: JEFFERSON PARISH WESTBANK WAREHOUSE 1500 RIVER PARK ROAD BRIDGE CITY LA 70094</p> <p>CONTACT: MARK MCDONALD 504-349-5155</p>		

Damtite 07502 Waterproof Hydraulic Cement, 50 lb, Pail, Gray, Powder Sets in 3-5 minutes. Stops flowing water or seepage under pressure through holes and cracks, and can even be applied under water. Expands as it sets to provide a permanent, high strength patch on cracks in concrete, masonry walls, wall-floor joints, swimming pools, water storage tanks, fountains, ponds, and drains. Also used for sealing around pipe/conduit or to anchor hooks, bolts, and metal to concrete. Just mix with water to putty consistency. Each pound fills a crack 3/4" wide x 3/4" deep x 2.5" length, or 16.8 cubic inches.

Descripción español:

CEMENTO HIDRAULICO RESISTENTE AL AGUA DE 22,679 KG

WATERPROOFING FAST-SET MORTAR

STEP 2 – REPAIR THE SURFACE

Size Lb : 50

Information and Guides

To view these documents, you need Adobe Acrobat Reader. You can download a free copy from the Adobe web site.

Data Sheet

MSDS Sheet

Product Details

Type:Waterproof

Size:50 lb

Packing Type:Pail

Form:Powder

Coverage:340 cu-in

Setting Time:3 - 5 min

Functional Cure:48 hr

Composition:Silica, Crystalline Quartz, Calcium Hydroxide

Specific Gravity:3.05

Application Method:Putty Knife or Trowel

Standards:NIOSH/MSHA Approved

Usage:For Concrete/Cinder Block, Poured, Concrete, Masonry, Stone,

Brick and Stucco, Wall Floor Joints, Mortar Cracks, Holes, Chimneys,

Pipe, Anchoring Railings, Hooks, Bolts and Machinery

Features

Seals deep cracks and holes

Works underwater

Also anchors railings and posts

