

Bids

 Print**25 or more Rifles**

Open Date: July 18, 2018
Close Date: August 3, 2018
Category: Miscellaneous

Description:

LAFAYETTE PARISH SHERIFF'S OFFICE
P.O. DRAWER 3508
LAFAYETTE, LA. 70502

SPECIFICATIONS AND BID FORM FOR (25) or More RIFLES

Sealed bids will be received until 10:00 a.m. Friday August 3, 2018, at the Lafayette Parish Sheriff's Office, 416 West Main Street, Lafayette, Louisiana for rifles. All bids shall be submitted in a sealed envelope clearly marked "Sealed Bid for Rifles". Bids may also be submitted electronically at:

<http://www.centralauctionhouse.com/parishes/lafayette.html>

Vendor agrees to maintain adequate inventory of items bid with the ability to fill orders on a walk-in basis.

In accordance with RS38:2212, whenever a brand name is used, it is used only to denote the quality standard of product desired and the Lafayette Parish Sheriff's Office does not restrict vendors to the specific brand, make, manufacturer or specification named. It is used only to set forth and convey to prospective vendors, the general style, type, character and quality of the product desired; equivalent products will be acceptable.

The quantities indicated below are estimates. The actual quantities purchased may vary.

This bid will be awarded based on the total bid price of all items specified.

The bid prices shall be valid for all quantities required for a period beginning August 3, 2018, and ending August 2, 2019.

Bids are being requested on the following:

EST. UNIT TOTAL
QTY. PRICE PRICE

Patriot Ordnance Factory 25

10 *PRIMARY WEAPONS, SPEC SHEET INCLUDED*

The Constable

* DEMO UNIT AVAILABLE UPON REQUEST* (PER UNIT)

\$1,033.87

- Caliber: 5.56 x 45mm NATO (.223 REM)
- Action: Semi-Auto, direct impingement
- Upper: MIL-SPEC upper receiver
- Weight: 6.14lbs / 2.78kg (empty)
- Barrel: 10.5" / 26.67cm
- Rifling: 1:7, 1 / 2x28 barrel threads
- Length: 26.5" / 67.31cm (Collapsed)
- Finish: Black anodized
- Gas Block: Dictator Adjustable Gas Block .223 Carbine
- Handguard: 9.5" M-LOK Renegade free-floating rail w/ integrated QD sling mounts
- Muzzle Device: A2 flash hider
- Trigger: MIL-SPEC trigger
- Furniture: MIL-SPEC furniture
- Fire Control: MIL-SPEC Puritan lower receiver POF USA Ambi Selector Switch
- Maintenance: Standard receiver / carrier group field strip procedures.
- To include: Nitride heat-treated bolt carrier group, 6-position anti tilt buffer tube, Mission First Tactical 30-round magazine

Sights

- AimPoint Pro

20 EOTECH XPS2-0, SPEC SHEET INCLUDED (PER UNIT)

\$379.00

Sling

- Proctor 2 point sling

30 BATTLE STEEL QUICK ADJUST 2-POINT SLING (PER UNIT)

\$19.95

Light

- Streamlight Protac Railmount 1L

40 STREAMLIGHT PRO RAILMOUNT HL-X 1,000 LUMEN (PER UNIT)

\$95.00

Light Mount

- Arisaka 45 degree offset mount

50 M-LOCK OFFSET LIGHT/OPTIC MOUNT (PER UNIT)

\$25.00

Total Bid Price: \$38,820.50

* SPEC SHEETS INCLUDED FOR ALL ALTERNATIVE OFFERS *

In accordance with the provisions of Title 38.2251 et.seq., preference is hereby given to materials, supplies or equipment which are manufactured, processed, produced or assembled in Louisiana, quality being equal to other materials, supplies or equipment offered by companies outside of the state of Louisiana.

Do you claim this preference? Yes ___ No X

Specify location within Louisiana where this product is manufactured.
Processed, produced or assembled.

Have you attached the qualifying letter according to the requirements of

the
INSTRUCTION TO BIDDER: YES _____ NO X

Specify each item that you are claiming a preference on N/A

Bidders are hereby advised that the accompanying document entitled 'INSTRUCTIONS TO BIDDER' is an integral part of this request for bids. Bidders should be aware of all provisions in this document.

Legal Company
Name:

BOTACH INC Date: 07/30/2018

Individual:

CHUSHIM BOTACH Signature: 

Title:

VP Phone: (323)633-6009

Mailing Address:

4775 W HARMON

City/State/Zip Code: LAS VEGAS, NV, 89103

For more information, contact:

Sarah Roper
Sarah.Roper@LafayetteSheriff.com

[Close Window](#)

PRIMARY WEAPONS SYSTEMS

EVOLVE

MK111 MOD 1-M, .223, Rifle

Operating System: PWS Long Stroke Piston System, 3 setting Adjustable Gas Regulator

Muzzle Device: PWS Triad 556 Compensator for flash suppression and muzzle stabilization without overpressure

Caliber: .223 Wylde

Barrel Length: 11.85"

Barrel: 416 Stainless Steel, Button Rifled

Twist: 1:8

Grooves: 5R

Handguard: PWS M-Lok™ 11.1" Handguard (1.8" width, 2.1" height)

Upper Receiver: PWS Proprietary Piston Upper, T6 7075 Forged, Anodized

Charging Handle: Radian Raptor™ Ambidextrous Charging Handle

Lower Receiver: PWS MK1 MOD 1-M Multi-Caliber Lower, T6 7075 Forged, Anodized, AR-15 Compatible

Trigger: Mil-Spec Enhanced, PTFE Coated.

Trigger Pull Weight: 5.5 – 6.5 lbs.

Buffer Tube: PWS patented Enhanced Buffer Tube with 6-position settings, ratchet lock castle nut and end plate set with built-in QD mount

Buffer: PWS Enhanced H2 Steel Body Buffer

Furniture: Bravo Company USA® Buttstock, Pistol Grip


Included Accessories: PWS Rifle Service Tool, Manual, Magazine (caliber dependent), Cable Lock, Hat, Bottle opener, and Die-cut sticker

Overall Length (Collapsed): 28.5" (Extended): 32.0"

Height: 7.5"

Width: 2.25"

Weight: 6 lbs. 5 oz.




Primary Weapons Systems | 255 N. Steelhead Way, Boise ID 83704 | PH: 208-344-5217
Primaryweapons.com | customerservice@primaryweapons.com

SKU: 18-M11RA13

MK1 MOD 1-M RIFLES

EOTech Holographic Weapon Sights



Operation

- Optics: Holography
- Magnification: 1x
- **Eye Relief:** Unlimited
- Sealing: Internally fog-resistant optics
- Adjustment (per click): Approx 0.5 MOA (1/2" at 100 yds) when zeroing
 - Adjustment Range: +/-40 MOA travel
 - **Submersible:** 33 Feet
 - 10 Year Limited Warranty
 - Battery Life: 1000 Hours

Heads-Up-Display Window

- Optical Surfaces: Anti-reflective coating on external surfaces
- Window Dimensions: 1.20" x 0.85" (30 x 23 mm)
- Front Window Material: 1/8" solid glass

- Rear Window Material: 3/16" thick laminate
- Field of View (100 yds): 30 yds (28 m) at a 3" eye relief

Electrical

- Brightness Settings:
 - 20 daylight settings
 - 10 additional settings on night vision-compatible models
 - Scrolling feature
 - Adjustable for visibility in the brightest sunlight
 - Compatible with Gen I through III night vision devices
- Auto Battery Check Indicator: Reticle flashes on startup when battery is low
- Auto Shutdown: User-controlled; shuts down at 4 or 8 hours
- **Battery:** One 123 Lithium
- **Battery Life:** 1000 continuous hours at nominal

THE EOTECH PRESTIGE WARRANTY

Thank you for choosing EOTech for your new purchase. We understand your passion for shooting and your reliance on products that will provide years of dependable use. That is why we offer a 10 year limited EOTech Prestige Warranty*, as described below. Should you experience a problem with your EOTech product, we will do the following to make it right for you.

With the EOTech Prestige Warranty, we warrant that your Holographic Weapon Sight or Magnifier product will be free from manufacturing defects in material and workmanship (including electronics) under normal use for a period of ten (10) years from the later of (i) customer's proof of the first purchase of the new product from an authorized commercial seller of EOTech products or from EOTech directly, or (ii) manufacturer's date/serial number (as specified on the product).

EOTech will, free of charge and as determined by EOTech, either repair or replace your product with a comparable product for the first five (5) years. From five (5) to ten (10) years, EOTech will, at the customer's request, evaluate and repair any and all defects in material and workmanship for a seventy-nine dollar (\$79.00 USD) bench fee. This warranty extends to subsequent owners to the remaining extent of the original owner's warranty. We do this because we want you to be as confident in your purchase as we are in the quality of our product.




Battle Steel Quick Adjust 2-Point Slings

Specifications:

- Custom Mil-Spec Nylon 1.25" Wide Webbing
- Abrasion & Wear Tested
- Standard or with 18" Long
- Propriety 3.5" Angled Quick Adjust Tri-Glid
- 5" Pull Tab w/Tail Bump (Removable)
- 100% MADE IN USA

Streamlight ProTac Rail Mount HL-X Programmable Weaponlight 1000 Lumens



The ProTac Rail Mount HL-X is a 1,000 lumen weapon-mounted light featuring a dedicated fixed-mount for Picatinny rails. It uses either a remote switch with momentary/constant on operation or a standard push-button tail switch, and run on either two CR123A lithium batteries or one Streamlight rechargeable 18650 battery.

TEN-TAP® Programming - choice of three operating modes:

- 1.) High/strobe; 1000 lumens; 22,000 candela; 297m beam; runs 1.25 hours
- 2.) STROBE: Strobe for signaling or disorienting; 3.25 hours
- 3.) Low/highLow: 65 lumens; 2,000 candela; 89m beam; runs 23 hours

- Remote pressure switch features momentary and “constant on” operation
- Fixed rail grabber with thumbscrew easily attaches to Picatinny rails (no tools required)
- Includes remote pressure switch, push-button tail switch, remote retaining clips, double-sided tape and zip ties
- Uses two CR123A lithium batteries (included) OR or one Streamlight 18650 lithium ion rechargeable battery
- Durable, anodized aluminum construction with impact-resistant tempered glass lens

** DEMO UNITS AVAILABLE UPON REQUEST **

- IPX7 rated with the Standard button switch installed; waterproof to 1 meter for 30 minutes.
- IPX4 rated with the Remote Pressure Switch installed
- Operating temperature: -40°F to +120°F
- Limited lifetime warranty
- RoHS compliant



M-LOK® Offset Light/Optic Mount, Aluminum



Product Details

The M-LOK Offset Light/Optic Mount, Aluminum provides the user with an ambidextrous platform to mount weapons lights or optics at both the 11 and 1 o'clock positions on M-LOK compatible hand guards and forends. Machined from milspec-anodized aluminum,

this mounting solution features beveled ends and corners to reduce snagging and sharp edges. The Offset Light/Optic Mount allows for the direct attachment of the Surefire® M300/600 series of Scout Lights® or other MIL-STD-1913 Picatinny light and optic mounts. The optional Magpul Light Mount V-BLock and Rings can also be used to attach hand held lights with a diameter from 0.75 to 1.03 in. All hardware necessary for attachment directly to M-LOK Slots on either aluminum or polymer hand guards and forends is included.

Made in U.S.A.

Specs:

- For use with M-LOK compatible hand guards and forends
- Positions light or optics at either the 11 or 1 o'clock positions
- Machined from mil-spec anodized aluminum
- Four slots allows for attachment of MIL-STD-1913 Picatinny light and optic mounts
- Surefire® M300/600 series of Scout Lights® may be directly attached

Specifications

M-LOK Offset Light/Optic Mount, Aluminum

Weight, w/ hardware: 0.7 oz.

Length, max: 1.6"