



doc09516620161019092830

10/19/2016 9:30 AM

Adobe Acrobat D...

300 KB

DATE: 10/13/2016

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00118066

## JEFFERSON PARISH

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETN, LA. 70054-0009  
504-364-2878

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: MCAMARD

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

## DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

5-7 DAYS

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) \_\_\_\_\_

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: <u>I.W.S. GAS AND SUPPLY</u>	
SIGNATURE: <u>Jimmy Gibbs</u> (Must be signed here)	TITLE: <u>SALES</u>
PRINT OR TYPE NAME: <u>JIMMY GIBBS</u>	
ADDRESS: <u>111 BURAS DR.</u>	
CITY, STATE: <u>BELLE CHASSE, LA.</u>	ZIP: <u>70037</u>
TELEPHONE: <u>504 392-2400</u>	FAX: <u>504 392-1500</u>
EMAIL ADDRESS: <u>Jimmy.Gibbs@GasAndSupply.Com</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 8,639.52

DATE: 10/13/2016

Page: 5


## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00118066

SEALED BID


ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			QUANTITY OF VARIOUS HARDWARE AND SUPPLIES		
1	30.00	EA	0010 CLAMP HOSE, STAINLESS STEEL, 1/2 INCH BY 1-1/8 INCH RANGE, HEX SCREW, <i>DIXON HSS12</i> SK NUMBER 00-0301900	<i>.80</i>	<i>24.00</i>
2	180.00	EA	0020 PAINT MARKING, INVERTED, FLOURESCENT CAUTION BLUE, 17 OUNCE,  KRYLON NUMBER 03620  SK NUMBER 00-0329550	<i>2.16</i>	<i>388.80</i>
3	24.00	EA	0030 ADAPTER, HYDRANT NOSE NOZZLE 2-1/2 INCH NST BY 2 INCH MIP, ROCKER <i>DIXON RHA2520T</i> LUG, DOMESTIC HEAVY RED BRASS, DIXON NUMBER RHA2520T-D  SK NUMBER 00-038009F	<i>18.39</i>	<i>441.36</i>
4	30.00	EA	0040 LAMP, METAL -X-VAPER, 320 WATTS, PULSE START, CLEAR, DAMAR NUMBER <i>NEW PIN 26564C</i> M320W/U/BT28/P514K, ITEM NUMBER 26564A  SK NUMBER 00-038009F	<i>20.00</i>	<i>600.00</i>
5	36.00	EA	0050 COOLER, WATER, 2 GALLON CAPACITY, ALL PLASTIC, FDA GRADE LINER, PUSH <i>RUBBERMAID FG153004</i> BUTTON SPIGOT, BAIL HANDLE, ATTACHED CUP HOLDER BRACKET, IGLOO NUMBER 421  SK NUMBER 00-0482200	<i>11.94</i>	<i>429.84</i>
6	72.00	EA	0060 LAMP, FLUORSCENT, TWIST, MEDIUM SCREW BASE, 120 VOLT 15 WATT, <i>PIN 31000A</i> SYLVANIA NUMBER CF15EL/TWIST  SK NUMBER 00-048221B	<i>10.56</i>	<i>760.32</i>
7	36.00	EA	0070 COOLER, WATER, 3 GALLON CAPACITY ALL PLASTIC, FDA GRADE LINER, PUSH <i>RUBBERMAID FG16831S</i> BUTTON SPIGOT, BAIL HANDLE, ATTACHED CUP HOLDER BRACKET, IGLOO NUMBER 431	<i>24.42</i>	<i>879.12</i>
8	360.00	EA	0080 OIL, PENETRATING, SIXTEEN OUNCE CAN, KRYLON NUMBER 103 LET GO. MSC NUMBER <i>CRC 03060</i> <i>SCREW LOOSE</i>	<i>4.31</i>	<i>1551.60</i>

Gas And Supply  
Jimmy Gibbs  
Phone 504-392-2400  
Fax 504-392-1500  
jimmy.gibbs@gasandsupply.com

Home [Electronics](#)[Shop Appliances](#)[Blog: Adventures In](#)[What I See](#)[Organizing Tips](#)[Promotions & Deals](#)[Car Organizers](#)

Search

Search

Home [Cleaning Tools](#) [Advanced Search](#)[Closet & Shelving](#)[Systems, Organizers](#)[Coolers](#)[Food Storage](#)[Containers](#)[Garage Organization](#) [& Storage Systems](#)[Kitchen Accessories](#)Home [Office Products](#) [Coolers](#) [2 Gal Victory™ Jug](#)[Laundry](#)[Organization &](#)[Storage](#)[Outdoor Sheds &](#)[Storage](#)[Storage Containers](#)[Trash Cans &](#)[Recycling Bins](#)

(0050)



BPA Free

## 2 Gal Victory™ Jug

★★★★★ 2.9 | [18 Reviews](#)[WRITE A REVIEW](#)

Great for sporting events or outdoor activities, this jug has durable construction that resists scratching, denting and fading. It has a drip-resistant spigot and a leak resistant lid and spout. The urethane-based foam has superior thermal retention to keep your drink cool. It is stain and odor resistant with an easy-to-clean liner.

- Durable construction resists scratching, denting and fading.
- Drip-resistant spigot; screw-tight lid.
- Leak resistant lid and spout.
- Urethane-based foam for superior thermal retention.
- Stain and odor resistant, easy-to-clean liner.
- Swing-top ball handle for easy carrying.
- Great for sporting events or outdoor activities.
- Rubbermaid™ is the industry leader in water coolers.
- Made in USA.



SHOP NOW

JOIN ORGANIZATION NATION

Sign up for exclusive offers and more \$0.00

[Sign](#)[In](#)[Order](#)[Status](#)[Shopping](#)[Help](#)[Support](#)[Center](#)[Quick](#)[Links](#)[Quick Links](#)[Support Center](#)[Shopping Help](#)[Order Status](#)[Sign In](#)[Create Account](#)


**Damar®**  
**Worldwide**

Internet Sales Office  
Toll Free: (800) 238-9080  
Toll Free Fax: (877) 608-0597  
<http://www.damarww.com>

[-Click to Print-](#)

You are here: [Home](#) > [Fluorescent](#) > [Compact Fluorescent](#) > [Mini Spiral Medium Screw](#) > 31000A

**ITEM#: 31000A**



1.98 in. (50.29 mm)

4.69 in. (119.13 mm)

Additional Images

[Package Photo](#) [Spec Image](#)

Item#:	31000A
Industry Desc.:	HM15SL/41K/4PK MINISPIRAL
Volts:	120
Watts:	15
Mean Lumens:	900
Shape:	Mini Spiral
Base Type:	E26 Medium Screw
Kelvin:	4100
CRI:	82
Package Qty:	10
Case Qty:	30

(0060)

Copyright 1999-2012 Damar® Worldwide. All rights reserved.

**Gas And Supply**  
**Jimmy Gibbs**  
**Phone 804-392-2400**  
**Fax 504-392-1500**  
[jimmy.gibbs@gasandsupply.com](mailto:jimmy.gibbs@gasandsupply.com)

More Rubbermaid Websites | Change your Country

Departments

Home [Bottle.com](#)  
[Shop Accessories](#)  
[Blog Adventures in](#)  
[With a New](#)  
[Organizing Tips](#)  
[Promotions & Deals](#)  
[Car Organizers](#)

Search Home Cleaning Tools [Advanced Search](#)

Closet & Shelving  
 Systems, Organizers

Coolers

Food Storage  
 Containers

Garage Organization  
 & Storage Systems

Kitchen Accessories


Home [5 Gal Water Cooler](#)

Laundry  
 Organization &  
 Storage

Outdoor Sheds &  
 Storage

Storage Containers

Trash Cans &  
 Recycling Bins



(0070)

JOIN ORGANIZATION NATION

Sign up for exclusive offers and more \$0.00

[Sign](#)  
[In](#)  
[Order](#)  
[Status](#)  
[Shopping](#)  
[Help](#)  
[Support](#)  
[Center](#)  
[Quick](#)  
[Links](#)  
[Quick Links](#)  
[Support Center](#)  
[Shopping Help](#)  
[Order Status](#)  
[Sign In](#)



EPA Rec

## 5 Gal Water Cooler

★★★★★ 5.0 | 4 Reviews

[WRITE A REVIEW](#)

The 5 Gal Water Cooler has a durable, crack-resistant polyethylene jacket to keep it from scratching, denting or fading. Its extra-thick insulation ensures superior thermal retention keeping the contents cool for hours. The screw top lid and recessed, drip-resistant spigot help keep spills from occurring.

- The durable, crack-resistant polyethylene jacket resists scratching, denting and fading
- Recessed, drip-resistant spigot
- Extra-thick insulation ensures superior thermal retention keeping your beverages cold for hours
- Stain and odor resistant, easy-to-clean liner
- Comfortable carry handles
- Has a screw top lid for a tight seal
- Made in USA



SHOP NOW

Twitter Pinterest 0 Share 0 [G+](#) 0

## Screwloose®

### Super Penetrant

New and improved formula SCREWLOOSE quickly penetrates through rust and corrosion to rapidly free corroded bolts, screws, fasteners, pins and bound mechanisms. Its clear, no mess formula eases disassembly of mechanical equipment, fittings and fixtures. SCREWLOOSE has been proven to outperform the competition as verified by independent tests.

- Facilitates fast and easy disassembly of mechanical components, fittings, assemblies and other fasteners
- Clear formula contains no dyes and leaves no mess
- NSF H2 registered for use in meat and poultry plants

Part Number	Container Size	Units Per Case
03059	6 oz aerosol	12
03060	16 oz aerosol	12
03062	1 gallon bottle	4
03063	5 gallon pail	1
03064	55 gallon drum	1

## Power Lube®

### High-Performance Lubricant With Teflon®

High performance, multi-purpose lubricant with the benefits of TEFLON to provide long lasting lubrication and protection against friction, wear and corrosion. POWER LUBE will increase the life and operating efficiency of parts and equipment, as well as withstand extreme load carrying situations.

- Contains TEFLON for long-lasting protection
- Withstands extreme load carrying situations
- Displaces moisture and seals out corrosion
- Surpasses 3,150 lbs. on Falex Load Test (ASTM D-3233)

Part Number	Container Size	Units Per Case
03045*	16 oz aerosol	12

## Cutting Oil

Superior thread cutting lubricant for use on all types of ferrous and non-ferrous metals, including brass, copper, and aluminum.

- Reduces heat and friction to ease cutting and increase cutting tool life
- Sulfur-free, low odor formula
- Excellent anti-weld properties
- Foaming aerosol formulation clings to vertical surfaces
- Compatible with all manual and motor-driven threading equipment

Part Number	Container Size	Units Per Case
14050*	16 oz aerosol	12
14051	1 gallon bottle	4
14052	5 gallon pail	1

## Extreme Duty Silicone

Premium grade silicone fluid that exhibits superior lubrication and temperature viscosity characteristics. Use Extreme Duty Silicone on all metallic and non-metallic surfaces.

- Reduces friction and galling even on metal-to-metal contact areas
- High temperature (-100°F to 450°F), high pressure (withstands 1200 psi Falex test)
- High grade release and parting agent
- Clear, non-staining, odorless film resists moisture

Part Number	Container Size	Units Per Case
03030*	16 oz aerosol	12

## Food Grade Silicone

Multi-purpose silicone spray for food processing and handling applications. It forms a colorless, odorless, non-staining film that lubricates and protects in most metal to non-metal applications. Silicone film eliminates binding and sticking, while protecting most surfaces. In addition, it may be used as a release agent.

- Harmless to most rubbers and plastics
- Wide effective temperature range (-40°F to 400°F)
- Excellent release agent and lubricant for all surfaces
- Meets FDA Regulation CFR 21-178.3570 for incidental food contact

Part Number	Container Size	Units Per Case
03039	16 oz trigger bottle	12
03040*	16 oz aerosol	12
03041	5 gallon pail	1
03042	55 gallon drum	1

## Dry Moly Lube

Specially formulated dry film lubricant incorporating a concentrated dispersion of molybdenum disulfide (MoS<sub>2</sub>). Moly Lube lowers friction, prevents galling and helps to reduce torque and energy consumption.

- High anti-friction and anti-seizure properties
- Lubricant resists high temperatures, high pressure, water and chemical attack
- Fast drying film resists dirt and dust build-up

Part Number	Container Size	Units Per Case
03084*	16 oz aerosol	12

## Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

[jimmy.gibbs@gasandsupply.com](mailto:jimmy.gibbs@gasandsupply.com)

\*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

## Chain & Wire Rope Lubricant

Specifically formulated blend of synthetic lubricants and an organic molybdenum anti-wear additive that penetrates deep, and leaves a tough film that lubricates and protects. Chain and Wire Rope Lube extends the working life of chains and wire rope and reduces wear caused by friction and corrosion.

- Resists water wash-off and high-temperature sling-off
- Absorbs pin/bushing shock and cushions rollers, pins and bushings
- Can be applied with guards in place to eliminate costly downtime

Part Number	Container Size	Units Per Case
03050*	16 oz aerosol	12
03053	55 gallon drum	1

## White Lithium Grease

High-purity, high-quality NLGI Grade 2 white lithium-based aerosol grease that provides superior lubrication and durability in any weather or temperature. Excellent as a break-in lubricant for bearings, and for general purpose lubrication and corrosion protection of machinery, tools, and equipment.

- Excellent heat and water resistance
- Rust and oxidation inhibitors for superior metal protection
- Smooth, buttery consistency provides optimum surface coverage
- Produces a tough, high viscosity film
- White color allows for easy visual inspection of film coverage

Part Number	Container Size	Units Per Case
03080*	16 oz aerosol	12



Teflon® is a registered trademark of Dupont Corporation

Customer Service: (800) 272-4620  
Online MSDS Faxback: (215) 442-6260  
Technical Assistance: (800) 521-3168

[www.crcindustries.com](http://www.crcindustries.com)  
ISO-9001 Certified

DATE: 10/13/2016

Page: 6

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00118066

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
9	36.00	EA	KNOCKER LOOSE 0090 LUBRICANT, ANTI-SEIZE, SPRAY, REGULAR GRADE BOSTIK (NEVERSEIZE) NUMBER NSA-16 12.5 OUNCE CAN	13.16	473.76
10	180.00	EA	0100 LINE, WEED EATER, ONE POUND DONUT, .105 SQUARE SHAPE, OREGON NUMBER 21-405  SK NUMBER 00-04900090	No Bid	—
11	12.00	EA	0110 SEALANT, PIPE THREAD, WITH PTFE BRUSHABLE PASTE, SLOW SETTING, 4 OUNCE NEW P/N 1527514 16oz BRUSH TOP JAR, LOCTITE NUMBER 30534  SK NUMBER 00-0501810	11.08	132.96
12	108.00	EA	0120 PADLOCK, MASTER LOCK NUMBER 5, MIXED KEYS 36 PER CASE  SK NUMBER 00-580100	7.49	808.92
13	16.00	EA	0130 SUPPORTBACK, XX-LARGE WITH LUMBAR PAD, POWER BRIGHT ORANGE, DECADE CADET  NUMBER 46585 OR ERGODYNE NUMBER 11886.  SK NUMBER 00-0477150	13.44	215.04
14	144.00	EA	0140 PADLOCK, COMMERCIAL, NUMBER 5KA, KEYED ALIKE TO NUMBER A573, MASTER BRAD  NO SUBSTITUTIONS (DRAINAGE DEPT)	8.01	1,153.44
15	216.00	EA	0150 BATTERY, ALKALINE, INDUSTRIAL, SIZE D, 1.5 VOLTS, DURACELL PROCELL NUMBER RAYOVAC AL-D PC1300  SK 00-0588140	.61	131.76
16	120.00	EA	0160 PAIL, 5 GALLON WHITE HIGH DENSITY POLYETHYLENE, .90 MIL THICKNESS, WITH  LID, WITH WIRE HANDLE, CENTURY BRAND OR EQUAL	5.27	632.40
17	12.00	EA	0170 Marker-PAINT, MEDIUM POINT, 4.5MM UNI PX-20 WHITE  MARKAL 96820	1.35	16.20

Gas And Supply  
Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500


jimmy.gibbs@gasandsupply.com



# UltraPro™ Alkaline Batteries

## Engineered for Professional Use!

Rayovac® UltraPro™ batteries are the #1 selling industrial batteries among top industrial distributors. These long-lasting alkaline batteries are mercury free and guaranteed fresh for 7 years (5 years for 9V). Whether you need shrink packaging (great for contract or bid business) or contractor packaging to help organize and protect batteries from damage and short circuiting, Rayovac® has a program to fit your needs.



**Gas And Supply**  
**Jimmy Gibbs**  
**Phone 504-392-2400**  
**Fax 504-392-1500**  
[jimmy.gibbs@gasandsupply.com](mailto:jimmy.gibbs@gasandsupply.com)

### ULTRA PRO™ ALKALINE CONTRACTOR PACKS

SKU	DESCRIPTION	CASE QTY.
ALAA-24F	Alkaline UltraPro Recloseable AA 24-Pack	12 pkgs
ALAA-48F	Alkaline UltraPro Recloseable AA 48-Pack	8 pkgs
ALAAA-18F	Alkaline UltraPro Recloseable AAA 18-Pack	12 pkgs
ALAAA-24F	Alkaline UltraPro Recloseable AAA 24-Pack	12 pkgs
ALC-12F	Alkaline UltraPro Recloseable C 12-Pack	8 pkgs
ALD-12F	Alkaline UltraPro Recloseable D 12-Pack	8 pkgs
AL9V-8F	Alkaline UltraPro Recloseable 9V Quad A Construction 8-Pack	12 pkgs
AL9V-12F	Alkaline UltraPro Recloseable 9V 12-Pack	12 pkgs

### 9150) ULTRA PRO™ ALKALINE SHRINK-WRAPPED BATTERIES

AL-AA	Alkaline UltraPro Shrink-Wrapped AA 8-Pack	12 pkgs
AL-AAA	Alkaline UltraPro Shrink-Wrapped AAA 8-Pack	12 pkgs
AL-C	Alkaline UltraPro Shrink-Wrapped C 6-Pack	12 pkgs
AL-D	Alkaline UltraPro Shrink-Wrapped D 6-Pack	12 pkgs
AL-9V	Alkaline UltraPro Shrink-Wrapped 9V 6-Pack	12 pkgs
AL-9VA	Alkaline UltraPro Shrink-Wrapped 9V Quad A Construction 6-Pack	12 pkgs

## FIBER TIP MARKERS

### DURA-INK® #100 JUMBO MARKER



- 5/8" chisel tip for broad marks.
- Jumbo ink supply for greater mileage.
- Tough cap and barrel for heavy-duty use.
- Use on cardboard, wood, metal, paper, ceramics, glass and leather.
- For identification of equipment, signs, and marking shipping cartons.
- Unit packaging: 12 of one color to box.

PART NO.	COLOR	CASE QTY.
96913	Black	24

## FINELINE METAL MARKERS

### RED-RITER® METAL MARKER



- Fine line marker for all types of metal surfaces.
- Marks won't rub off like soapstone.
- High visibility on aluminum and stainless steel.
- No sharpening necessary.

PART NO.	SHAPE	CASE QTY.
96005	Flat <sup>1</sup>	24
<b>Refills</b>		
96019	25 Pack	24
<b>Holders</b>		
96017	10 Pack	12

### SILVER-STREAK® METAL MARKER




- Available in original flat and NEW Round sizes.
- Ideal for doing metal layout and fabrication work.
- Marks on all types of metal surfaces.
- Marks won't rub off like soapstone.
- Durable metal and plastic holders prevent breakage.
- Holders include pocket clip.

PART NO.	SHAPE	CASE QTY.	PART NO.	SHAPE	CASE QTY.
96004	Flat <sup>1</sup>	24	<b>Holders</b>		
96006	Round <sup>2</sup>	24	96017	Flat, 10 Pack	12
<b>Refills</b>					
96018	Flat, 25 pack	24			
96002	Flat, 100 Pack	24			
96007	Round, 6 Pack	24			

## LIQUID PAINT MARKERS

### VALVE ACTION® PAINT MARKER



- Marks with real paint, dries in 3 minutes.
- Nib releases paint as needed for continuous marking.
- Marks on all surfaces including: metal, wood, glass, plastic, rubber, cardboard, and paper.
- Lead-free, low halogens.
- The fiber nib is replaceable to assure complete use of each marker.
- Durable metal barrel.
- Meets California VOC Regulations.
- Unit packaging: 12 of one color to a box.
- Assorted includes 8 white, 8 yellow, 4 red and 4 black.

(P170)

PART NO.	COLOR	CASE QTY.	PART NO.	COLOR	CASE QTY.
<b>Bulk<sup>4</sup></b>			<b>Carded - 1/Card (Cont.)</b>		
96809	Brown	48	96804	Aluminum	24
96817	Purple	48	96805	Blue	24
96820	White	48	96806	Green	24
96821	Yellow	48	96807	Orange	24
96822	Red	48	<b>Display Packs</b>		
96823	Black	48	96810	White	24
96824	Orange	48	96811	Yellow	24
96825	Blue	48	96812	Red	24
96826	Green	48	96813	Black	24
96827	Gold	48	96814	Orange	24
96832	Aluminum	48	96815	Blue	24
96835	Lt. Blue	48	96816	Green	24
<b>Carded - 1/Card</b>			96818	Aluminum	24
96800	White	24	96819	Assorted	24
96801	Yellow	24	<b>Tips</b>		
96802	Red	24	96867	Replacement	144
96803	Black	24		Tips	

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

Marking range:  
-50°F to 150°F  
(-46°C to 66°C).

### BALL PAINT MARKER®



Marking range:  
-50°F to 150°F  
(-46°C to 66°C).

- Marks with real paint, dries in 5 minutes
- Durable metal ball tip marks on smooth or rough surfaces.
- Marks on metal, wood, plastic, glass, any hard surface.
- Lead-free, non-toxic.
- Marks are weather- and fade-resistant.
- Unbreakable plastic bottle with 1/8" steel ball tip.
- Stores in pocket for easy access.
- Plastic cap keeps tip clean between jobs.
- Unit packaging: 12 of one color to a box.

PART NO.	COLOR	CASE QTY.	PART NO.	COLOR	CASE QTY.
84600	White <sup>3</sup>	24	84623	Black <sup>4</sup>	48
84601	Yellow <sup>3</sup>	24	84624	Orange <sup>4</sup>	48
84620	White <sup>4</sup>	48	84625	Blue <sup>4</sup>	48
84621	Yellow <sup>4</sup>	48	84626	Green <sup>4</sup>	48
84622	Red <sup>4</sup>	48			

<sup>1</sup>Contains 1 holder and 4 refills <sup>2</sup>Contains 1 holder with 1 refill <sup>3</sup>Carded - 1 per card <sup>4</sup>Packed 12 of one color per box

28321

<b>W-9</b> Form (Rev. November 2005) Department of the Treasury Internal Revenue Service	<b>Request for Taxpayer Identification Number and Certification</b>	Give form to the requester. Do not send to the IRS.																																				
Name (as shown on your income tax return) <b>Industrial Welding Supply Co Inc</b>																																						
Business name, if different from above																																						
Check appropriate box: <input type="checkbox"/> Individual/Sole proprietor <input checked="" type="checkbox"/> Corporation <input type="checkbox"/> Partnership <input type="checkbox"/> Other																																						
<input type="checkbox"/> Exempt from backup withholding																																						
Address (number, street, and apt. or suite no.) <b>111 Buras Drive</b>		Requester's name and address (optional):																																				
City, state, and ZIP code <b>Belle Chasse La 70037</b>																																						
List account number(s) here (optional)																																						
<b>Part I Taxpayer Identification Number (TIN)</b>																																						
Enter your TIN in the appropriate box. The TIN provided must match the name given on Line 1 to avoid backup withholding. For individuals, this is your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see <i>How to get a TIN</i> on page 3.																																						
Note: If the account is in more than one name, see the chart on page 4 for guidelines on whose number to enter.																																						
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="9" style="text-align: center;">Social security number</td> </tr> <tr> <td style="width: 20%;">7</td> <td style="width: 20%;">2</td> <td style="width: 20%;">0</td> <td style="width: 20%;">9</td> <td style="width: 20%;">1</td> <td style="width: 20%;">3</td> <td style="width: 20%;">6</td> <td style="width: 20%;">7</td> <td style="width: 20%;">7</td> </tr> <tr> <td colspan="9" style="text-align: center;">or</td> </tr> <tr> <td colspan="9" style="text-align: center;">Employer identification number</td> </tr> </table>			Social security number									7	2	0	9	1	3	6	7	7	or									Employer identification number								
Social security number																																						
7	2	0	9	1	3	6	7	7																														
or																																						
Employer identification number																																						
<b>Part II Certification</b>																																						
Under penalties of perjury, I certify that:																																						
1. The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me), and																																						
2. I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding, and																																						
3. I am a U.S. person (including a U.S. resident alien).																																						
<b>Certification instructions.</b> You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the Certification, but you must provide your correct TIN. (See the instructions on page 4.)																																						
Sign Here	Signature of U.S. person	Date <b>12/11/07</b>																																				
<b>Purpose of Form</b> A person who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) to report, for example, income paid to you, real estate transactions, mortgage interest you paid, acquisition or abandonment of secured property, cancellation of debt, or contributions you made to an IRA.																																						
<b>U.S. person.</b> Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN to the person requesting it (the requester) and, when applicable, to:																																						
1. Certify that the TIN you are giving is correct (or you are waiting for a number to be issued), 2. Certify that you are not subject to backup withholding, or 3. Claim exemption from backup withholding if you are a U.S. exempt payee.																																						
In 3 above, if applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income.																																						
<b>Note.</b> If a requester gives you a form other than Form W-9 to request your TIN, you must use the requester's form if it is substantially similar to this Form W-9.																																						
For federal tax purposes, you are considered a person if you are:																																						
<ul style="list-style-type: none"> <li>• An individual who is a citizen or resident of the United States,</li> <li>• A partnership, corporation, company, or association created or organized in the United States or under the laws of the United States, or</li> <li>• Any estate (other than a foreign estate) or trust. See Regulations sections 301.7701-6(a) and 7(a) for additional information.</li> </ul>																																						
<b>Special rules for partnerships.</b> Partnerships that conduct a trade or business in the United States are generally required to pay a withholding tax on any foreign partners' share of income from such business. Further, in certain cases where a Form W-9 has not been received, a partnership is required to presume that a partner is a foreign person, and pay the withholding tax. Therefore, if you are a U.S. person that is a partner in a partnership conducting a trade or business in the United States, provide Form W-9 to the partnership to establish your U.S. status and avoid withholding on your share of partnership income.																																						
The person who gives Form W-9 to the partnership for purposes of establishing its U.S. status and avoiding withholding on its allocable share of net income from the partnership conducting a trade or business in the United States is in the following cases:																																						
<ul style="list-style-type: none"> <li>• The U.S. owner of a disregarded entity and not the entity,</li> </ul>																																						