

Univar Solutions USA Inc.
8201 S. 212th
Kent, WA 98032-1994
USA

T 253-872-5000
F 253-872-5041
www.univarsolutions.com



August 24, 2022

Jefferson Parish General Government Bldg
Purchasing Department – Donna Evans
200 Derbigny Street, Suite 4400
Gretna, LA 70053

RE: Invitation to Bid – Two Year Contract for a Supply of Liquid Caustic Soda, # 50-00139137

To Donna Evans:

Univar Solutions USA Inc. is pleased to offer a price quote on your ITB due Tuesday, August 30, 2022 and has done so on the attached required paperwork.

Our contact information for all things bid and contract related, as well as the information for your local branch, is also attached.

If any bid tabulations/ results are sent out – please use this information for us, and whichever method you prefer. We have also included a self-addressed stamped envelope if you prefer to mail a copy.

Thank you,

Stacy Ziegler

Municipal Specialists
Univar Solutions USA Inc.
muniteam-west@univarsolutions.com
www.univarsolutions.com

Please Note: Seller shall indemnify Buyer for losses to the extent caused by Seller's negligence or breach of contract. Neither party is liable for incidental or consequential damages. Seller's liability is limited to the purchase price of the goods. SELLER MAKES NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Please Note: Where applicable, any State, Federal or other appropriate taxes and/or the California Mill Assessment will appear as separate line items on any invoices from Univar. If Univar's offer (pricing) was inclusive of these charges – they will be backed out of the "product" line item and shown as their own line item(s) at the time of billing.

Univar Solutions USA Inc.
34200 Distribution Lane
Geismar, LA 70734



www.univarsolutions.com

GENERAL INFORMATION

Regular Office Hours during which orders may be placed:

Monday – Friday 7:30 am – 4:30 pm (CST)

In case of an emergency during non-business hours:

For Chemical Related Emergencies:

ChemTrec: (800) 424-9300

Names, telephone/FAX numbers of those responsible for taking orders and initiating delivery:

Office Phone: 1-800-392-1757 Customer Service

Customer Service custsolgulf@univarsolutions.com

For anything pertaining to bids:

Please send all bid packets/documents to:
(Unless otherwise specified)

Univar Solutions USA Inc.
Attn: WER Muni Team
8201 S. 212th
Kent, WA 98032-1994

Contacts: muniteam-west@univarsolutions.com

Jennifer Perras
Municipal Specialist
Phone: (253) 872-5000
Fax: (253) 872-5041
Jennifer.perras@univarsolutions.com

Roise Holiday
Municipal Specialist
(253) 872-5000
(253) 872-5041
Roise.Holiday@univarsolutions.com

Stacy Ziegler
Municipal Specialist
(253) 872-5000
(253) 872-5041
Stacy.ziegler@univarsolutions.com

Shawnasey McCarthy
Municipal Business Manager
(253)872-5000
(253) 872-5041
Shawnasey.mccarthy@univarsolutions.com

Remittance Address:

Univar Solutions USA Inc.
62190 Collections Center Drive
Chicago, IL 60693-0621
Please include remit information

Standard Payment Terms:

Net 30 days



CERTIFICATE OF CORPORATE SECRETARY

I, Julie Halperin, hereby certify that:

1. I am the duly elected, qualified and acting Corporate Assistant Secretary of Univar Solutions USA Inc., a Washington corporation (the "Company"), and am a custodian of the corporate records of the Company and am familiar with the matters herein certified.
2. The below list of persons are authorized to execute, for and on behalf of the Company, written municipal bids or municipal proposals for the sale of other disposition of products upto\$2.5 million handled by the Company.

- Shawnasey McCarthy - Municipal Commercial Manager
- Victoria Meakim - Municipal Specialist
- Roise Holiday- Municipal Specialist
- Jennifer Perras - Municipal Specialist
- Shelley Riggle - Municipal Specialist
- Stacy Ziegler- Municipal Specialist
- Raven Claudio - Municipal Specialist
- Ileana Caballero - Municipal Specialist

IN WITNESS WHEREOF, I have executed this Certificate of Corporate Secretary of the Company this 25th day of February 2022.

DocuSigned by:

 5349535BDABA4E4.....
 Julie Halperin, Corporate Assistant Secretary

State of Illinois)
)
 County of DuPage)

This Certificate of Secretary was signed and sworn to before me on this 25th day of February 2022 by Julie Halperin, Corporate Assistant Secretary of Univar Solutions USA Inc.

Seal




 Mary F. Matthews
 Notary Public
 My commission expires June 27, 2025

Mission Statement

Univar sets out to be the preferred quality partner for the distribution of chemicals and services. We combine economic success with social and environmental responsibility.

Vision Statement

Be the benchmark of excellence.

Quality Policy

Univar Solutions USA Inc. is committed to the success of our customers and supplier/partners by providing value-added products and services that consistently meet requirements. In the spirit of innovation, management encourages full employee participation in the continuous review and improvement of Univar's business process and its total quality process.

Statement of Core Values

- *Safety: Safety is the first priority, the most important aspect of our work.*
- *Continuous Improvement: We will improve results for all our stakeholders by doing the right things better every time.*
- *Employees: We respect and value every employee and are committed to support and develop each other personally and professionally.*
- *Environment: We are committed to protecting the health and well being of our employees, our customers, the community and the environment.*
- *Ethics: We treat every individual in our business and personal practices ethically with integrity and honesty.*
- *Leadership: Each of us strives to lead and motivate by example and consistently live up to these core values. We coach, train, develop and empower employees to reach their full potential.*



CERTIFICATE OF LIABILITY INSURANCE

DATE(MM/DD/YYYY)
05/31/2022

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Aon Risk Services Central, Inc. Philadelphia PA Office 100 North 18th Street 15th Floor Philadelphia PA 19103 USA	CONTACT NAME: PHONE (A/C. No. Ext): (866) 283-7122 FAX (A/C. No.): 800-363-0105		
	E-MAIL ADDRESS:		
INSURED Univar Solutions USA Inc. 3075 Highland Parkway Suite 200 Downers Grove IL 60515 USA	INSURER(S) AFFORDING COVERAGE		NAIC #
	INSURER A: ACE American Insurance Company		22667
	INSURER B: ACE Fire Underwriters Insurance Co.		20702
	INSURER C: Indemnity Insurance Co of North America		43575
	INSURER D: Illinois Union Insurance Company		27960
	INSURER E:		
INSURER F:			

Holder Identifier :

COVERAGES **CERTIFICATE NUMBER: 570093377465** **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS. **Limits shown are as requested**

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS	
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GENL AGGREGATE LIMIT APPLIES PER: <input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:			XSLG47304775 SIR applies per policy terms & conditions	06/01/2022	06/01/2023	EACH OCCURRENCE	\$3,000,000
							DAMAGE TO RENTED PREMISES (Ea occurrence)	\$3,000,000
							MED EXP (Any one person)	Excluded
							PERSONAL & ADV INJURY	\$3,000,000
							GENERAL AGGREGATE	\$3,000,000
							PRODUCTS - COMP/OP AGG	\$3,000,000
A	<input checked="" type="checkbox"/> AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> NON-OWNED AUTOS ONLY			ISA H10699058 Commercial Auto	06/01/2022	06/01/2023	COMBINED SINGLE LIMIT (Ea accident)	\$5,000,000
							BODILY INJURY (Per person)	
							BODILY INJURY (Per accident)	
							PROPERTY DAMAGE (Per accident)	
D	<input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE <input type="checkbox"/> DED <input checked="" type="checkbox"/> RETENTION			XCEG27380566009 SIR applies per policy terms & conditions	06/01/2022	06/01/2023	EACH OCCURRENCE	\$4,000,000
							AGGREGATE	\$4,000,000
C	<input checked="" type="checkbox"/> WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR / PARTNER / EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below			WLR70303085 AOS WLR70303048 MA	06/01/2022	06/01/2023	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTHER	
A					06/01/2022	06/01/2023	E.L. EACH ACCIDENT	\$1,000,000
							E.L. DISEASE-EA EMPLOYEE	\$1,000,000
							E.L. DISEASE-POLICY LIMIT	\$1,000,000

Certificate No : 570093377465

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)
Evidence of Insurance.

CERTIFICATE HOLDER**CANCELLATION**

Univar Solutions, USA, Inc. 3075 Highland Parkway Suite 200 Downers Grove IL 60515 USA	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
	AUTHORIZED REPRESENTATIVE <i>Aon Risk Services Central, Inc.</i>





ADDITIONAL REMARKS SCHEDULE

AGENCY Aon Risk Services Central, Inc.		NAMED INSURED Univar Solutions USA Inc.	
POLICY NUMBER See Certificate Number: 570093377465			
CARRIER See Certificate Number: 570093377465	NAIC CODE	EFFECTIVE DATE:	

ADDITIONAL REMARKS

**THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,
FORM NUMBER: ACORD 25 FORM TITLE: Certificate of Liability Insurance**

INSURER(S) AFFORDING COVERAGE	NAIC #
INSURER	
INSURER	
INSURER	
INSURER	

ADDITIONAL POLICIES If a policy below does not include limit information, refer to the corresponding policy on the ACORD certificate form for policy limits.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YYYY)	POLICY EXPIRATION DATE (MM/DD/YYYY)	LIMITS	
	AUTOMOBILE LIABILITY							
A				MMT H10699125 Truckers Liability	06/01/2022	06/01/2023	Combined Single Limi	\$5,000,000
	WORKERS COMPENSATION							
B		N/A		SCFC70302962 WI	06/01/2022	06/01/2023		
A		N/A		WCUC70303000 Excess WC--CA OH OR,WA SIR applies per policy terms & conditions	06/01/2022	06/01/2023		



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

**5000139167 Two Year Contract for a Supply of Liquid Caustic Soda in Bulk Deliveries for the Jefferson Parish Department of Sewerage
Jefferson Parish Government**

Project documents obtained from www.CentralBidding.com
10-Aug-2022 01:43:33 PM



Bid Number 50-00139167

Two (2) Year Contract for a Supply of Liquid Caustic Soda in Bulk Deliveries for the Jefferson Parish Department of Sewerage.

BID DUE: AUGUST 30, 2022 AT 2:00 PM

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received on the Purchasing Department's eProcurement site, www.jeffparishbids.net, by the bid due date and time. Late bids will not be accepted.

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Buyer Name: DONNA M EVANS
Buyer Email: DMEVANS@jeffparish.net
Buyer Phone: 504-364-2691**

DATE: 8/10/2022
BID NO.: 50-00139167

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

BUYER: DMEVANS@jeffparish.net

BIDS WILL BE RECEIVED ONLINE VIA WWW.JEFFPARISHBIDS.NET UNTIL 2:00 PM, 8/30/2022 AND PUBLICLY OPENED THEREAFTER IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053. At no charge, bidders are to submit via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN LSA - R.S. 9:2620(8) ARE ACCEPTABLE. SIGNATURE MUST BE A SECURED DIGITAL SIGNATURE.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647 as amended.

Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in Louisiana Revised Statutes Annotated, R.S. 42:1101, et seq. Vendor/Proposer by this submission, warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing via email to the buyer's email address as indicated above, no later than Five (5) working days prior to the bid opening. Bid numbers should be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA – R.S. 38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and local taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 as amended. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

13,15

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(l), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid electronic envelope. Failure to comply will cause the bid to be rejected. When submitting the bid electronically, the license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precaution must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Failure to comply with this instruction will result in bid rejection.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. All sureties must be in original format (no copies) When submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.

17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment."). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to JPCO 2-155.10(19). By signing this document, every corporation, partnership, or person contracting with PARISH, whether by cooperative endeavor, intergovernmental agreement, bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program, attests that it understands and will abide by all provisions of JPCO 2-155.10.

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES X NO _____

MAXIMUM ESCALATION PERCENTAGE REQUESTED 10 %

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF September 30, 2024

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES 3-5 days

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) 00334931

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: Univar Solutions USA, Inc.

ADDRESS: 8201 S. 212th St.

CITY, STATE: Kent, WA ZIP: 98032

TELEPHONE: (253) 872-5023 FAX: (253) 872-5041

EMAIL ADDRESS: muniteam-west@univarsolutions.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
NUMBER: _____
NUMBER: _____
NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ 210,700.00 *total for 2 year term

AUTHORIZED SIGNATURE: 

Stacy Ziegler

Printed Name

TITLE: Municipal Specialist

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00139167

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	125,000.00	GL	<p>TWO YEAR CONTRACT FOR A SUPPLY OF LIQUID CAUSTIC SODA FOR THE JEFFERSON PARISH DEPARTMENT OF SEWERAGE</p> <p>0001 - Liquid Caustic Soda, 25 Percent - clear solution containing 25 Percent of sodium hydroxide by weight</p> <p>TWO (2) YEAR CONTRACT FOR THE SUPPLY OF LIQUID CAUSTIC SODA FOR THE JEFFERSON PARISH DEPARTMENT OF SEWERAGE</p>	\$ 1.6856	\$ 210,700.00

**JEFFERSON PARISH
DEPARTMENT OF SEWERAGE
SPECIFICATIONS FOR LIQUID CAUSTIC SODA
(25 PERCENT OF SODIUM HYDROXIDE BY WEIGHT)
IN BULK DELIVERIES**

GENERAL

Specifications for a two-year contract for a supply of Liquid Caustic Soda (25 percent by weight) in bulk deliveries for the Jefferson Parish Department of Sewerage. The quantity shown on this bid represents an approximate quantity to be purchased over the two-year period. Actual usage will be on an as needed basis.

There will be no pre-bid conference. Vendors wishing to schedule site visits should contact: Superintendent Kurt LeGlue, Eastbank Wastewater Treatment Plant, #2 Humane Way, Harahan, LA 70123; phone number (504)736-6299.

The contract will be awarded to the lowest responsible bidder complying with all provisions of this invitation, providing the bid is reasonable and that it is in the best interest of Jefferson Parish to accept. Jefferson Parish reserves the right to accept or reject the bid in whole or part.

PRODUCT SPECIFICATIONS

The liquid caustic soda furnished under these specifications will be used as a chemical additive for the chemical scrubbers at the Eastbank Wastewater Treatment Plant.

Liquid Caustic Soda 25 Percent – Clear solution containing 25 percent of sodium hydroxide by weight.

COMPONENT	BASIS	SPECIFICATIONS
Total Alkalinity	wt.%	38.7 minimum
Hydroxide Alkalinity	wt.%	25.0 minimum
Na ₂ CO ₃	wt.%	0.09 maximum
NaCl	wt.%	0.0005 maximum
NaClO ₃	wt.%	.25 maximum
Na ₂ SO ₄	PPM by wt.	25 maximum
Iron (Fe)	PPM by wt.	3 maximum
Copper (Cu)	PPM by wt.	0.3 maximum
Nickel (Ni)	PPM by wt.	0.3 maximum
Mercury (Hg)	PPM by wt.	0.4 maximum
Arsenic (As)	PPM by wt.	1.5 maximum
Heavy Metal	PPM by wt.	15.0 maximum

DELIVERIES

Deliveries shall be made by suitable motor carrier, in D.O.T. approved containers. Vendor shall be responsible for the safe delivery of the liquid caustic solution into bulk storage tanks owned by Jefferson Parish. The delivery truck and equipment shall be a self-contained system. Jefferson Parish will not provide the vendor with any utilities (electricity, compressed air, etc.) at the delivery site. Vendor must provide all required pipe fittings and sufficient lengths of hoses. Vendor shall visit the delivery site and familiarize him/herself with the area. Typical truck loads average between 4200-4400 gallons. Orders shall be shipped within 48 hours after receipt of purchase order.

Shipments shall be made, according to users need, to the following location:

Eastbank Wastewater Treatment Plant

#2 Humane Way

Harahan, LA 70123

SPILLS & SAFETY PRECAUTIONS

The vendor shall adhere to all safety precautions in the handling of this hazardous chemical. Specifically, vendor's personnel must wear safety eye protection and chemical resistant gloves. Delivery personnel must be in complete control of the material while unloading into the tanks. In the event of a spill, the delivery personnel must be capable of determining the proper remedial actions and proceed immediately to remediate the site properly. In the event of a substantial spill, the Jefferson Parish Department of Environmental Affairs shall be notified. The vendor may be required to provide a plan of action and Jefferson Parish must approve its resolution.

INVOICING

The vendor shall not deliver any material without a proper purchase order number from the Department of Sewerage, except in the case of a Director Declared Emergency.

Invoices shall include amount of material delivered, purchase order number, and date of delivery; and must be sent to:

Jefferson Parish Department of Sewerage

1221 Elmwood Park Blvd., Suite 803

Harahan, LA 70123

TECHNICAL INFORMATION

The bidder shall submit material safety data sheets and product data sheets with their bid.

CORPORATE RESOLUTION

*see attached Authorized Bid Signers

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF

INCORPORATED.

AT THE MEETING OF DIRECTORS OF _____
INCORPORATED, DULY NOTICED AND HELD ON _____,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT _____, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.

SECRETARY-TREASURER

DATE

STANDARD INSURANCE REQUIREMENTS FOR BIDDING PURPOSES

All required insurance under this bid shall conform to Jefferson Parish Resolution No. 113646 or No. 113647, as applicable. Contractors may not commence any work under any ensuing contract unless and until all required insurance and associated evidentiary requirements thereto have been met, along with any additional specifications contained in the **Invitation to Bid**. Except as where otherwise precluded by law, the Parish Attorney or his designee, with the concurrence of the Director of Risk Management or his designee, may agree on a case-by-case basis, to deviate from Jefferson Parish's standard insurance requirements, as provided in this Section. Vendors requesting deviation therefrom shall submit such requests in writing, along with compelling substantiation, to the Purchasing Department prior to the bid's due date. Any changes to the insurance requirements will be reflected in the bid specifications and addenda. Prior to contract execution and at all times thereafter during the term of such contract, contractors must provide and continuously maintain all coverages as required by the foregoing Resolutions, and the contract documents. Failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

For bidding purposes, bidders must submit with bid submission a current (valid) insurance certificate evidencing the required coverages. Failure to comply will cause bid to be rejected. The current insurance certificate will be used for proof of insurance at time of evaluation. Thereafter, and prior to contract execution, the low bidder will be required to provide final insurance certificates to the Parish which shall name **the Jefferson Parish, its Districts Departments and Agencies under the direction of the Parish President and the Parish Council** as additional insureds regarding negligence by the contractor for the Commercial General Liability and the Comprehensive Automobile Liability policies. Additionally, said certificates should reflect the name of the Parish Department receiving goods and services and reference the respective Jefferson Parish bid number.

JEFFERSON PARISH REQUIRED STANDARD INSURANCE

WORKER'S COMPENSATION INSURANCE

As required by Louisiana State Statute, exception; Employer's Liability, Section B shall be \$1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act, otherwise this limit shall be no less than \$500,000 per occurrence.

Note: If your company is not required by law to carry workmen's compensation insurance, i.e. not a Louisiana company, sole employee of the company, then bidders must request a workmen's compensation insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being

rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

COMMERCIAL GENERAL LIABILITY

Shall provide limits not less than the following: \$1,000,000.00 Combined Single Limit per Occurrence for bodily injury and property damage.

COMPREHENSIVE AUTOMOBILE LIABILITY

Bodily injury liability \$1,000,000.00 each person; \$1,000,000.00 each occurrence.
Property Damage Liability \$1,000,000.00 each occurrence.

Note: This category may be omitted if bidders do not/will not utilize company vehicles for the project or do not possess company vehicles. Bidder must request an automobile insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

DEDUCTIBLES - The Parish Attorney with concurrence of the Director of Risk Management have waived the deductible section of the Terms and Conditions for all Invitations to Bid, until further notice.

UMBRELLA LIABILITY COVERAGE

An umbrella policy or excess may be used to meet minimum requirements.

FOR CONSTRUCTION AND RENOVATION PROJECTS:

The following are required if selected below. Such insurance is due upon contract execution.

OWNER'S PROTECTIVE LIABILITY

To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.

BUILDER'S RISK INSURANCE

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.

Non-Public Works Bid Affidavit Instructions

- **Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and parish laws.**
- **Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.**
- **Affidavit must be notarized or the affidavit will not be accepted.**
- **Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.**
- **Affiant MUST select either A or B when required or the affidavit will not be accepted.**
- **Affiants who select choice A must include an attachment or the affidavit will not be accepted.**
- **If both choice A and B are selected, the affidavit will not be accepted.**
- **Affidavit marked N/A will not be accepted.**
- **It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.**

Instruction sheet may be omitted when submitting the affidavit

Non-Public Works Bid

AFFIDAVIT

STATE OF Washington

PARISH/COUNTY OF King

BEFORE ME, the undersigned authority, personally came and appeared: _____
Stacy Ziegler, (Affiant) who after being by me duly sworn, deposed and said that
he/she is the fully authorized Municipal Specialist of Univar Solutions USA, Inc.(Entity),
the party who submitted a bid in response to Bid Number 50-00139137, to the Parish of
Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B X there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.


Choice B X There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.



Signature of Affiant

Stacy Ziegler

Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE 24th DAY OF August, 2022.



Notary Public

Jennifer M Perras

Printed Name of Notary

178340

Notary/Bar Roll Number

My commission expires 4/24/2023.



CERTIFICATE OF ANALYSIS



Univar Solutions
8201 S. 212th Street
Kent WA 98032
PH. 253-872-5000
FAX 253-872-5041
www.univarsolutions.com

DATE: August 19,2022

PRODUCT: 25% SODIUM HYDROXIDE, LOW CHLORIDE

PRODUCT GRADE: Technical

UNIVAR PRODUCT CODE: 16142009

UNIVAR LOT NUMBER: 0002897030

APPEARANCE Pass

ASSAY, % NaOH 24.6%

Univar USA Inc.

Nicole Barker (Signature)

Nicole Barker (Print Name)

Chemist (Job Title)

Note:

Consult the SDS for additional information.

All information is based on data obtained from the manufacturer or other recognized technical sources. The information is believed to be accurate. Univar Solutions makes no representation or warranty, express, or implied, concerning the accuracy or sufficiency of the information. Univar Solutions is not liable for any damages resulting from the use or non-use of the information. All transactions involving this Product are subject to Univar Solutions' standard Terms and Conditions, available at www.univarsolutions.com or upon request. Univar Solutions makes no additional representations or warranties, express or implied, as to the Product. **QA 6.20 x 4: 03/05/2019** Page 1

Safety Data Sheet
CAUSTIC SODA 25%

Version 1.5

Revision Date: 12/30/2021

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**Product name** : CAUSTIC SODA 25%**Recommended use of the chemical and restrictions on use**

Recommended use : Industrial chemical

Manufacturer or supplier's details**Company** : Univar Solutions USA, Inc.
Address : 3075 Highland Pkwy Suite 200
Downers Grove, IL 60515
United States of America (USA)**Emergency telephone number:**Transport North America: CHEMTREC (1-800-424-9300)
CHEMTREC INTERNATIONAL Tel # 703-527-3887**Additional Information:** : Responsible Party: Product Compliance Department
E-mail: SDSNA@univarsolutions.com
SDS Requests: 1-855-429-2661
Website: www.univarsolutions.com**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Corrosive to metals : Category 1

Skin corrosion : Category 1A

Serious eye damage : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.Precautionary statements : **Prevention:**
P234 Keep only in original container.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/
face protection.
Response:
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT
induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately
all contaminated clothing. Rinse skin with water/shower.

Safety Data Sheet

CAUSTIC SODA 25%

Version 1.5

Revision Date: 12/30/2021

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

Storage:

P405 Store locked up.

P406 Store in corrosive resistant container with a resistant inner liner.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

CAS-No.	Chemical name	Weight percent
1310-73-2	Sodium hydroxide	20 - 30

Actual concentration is withheld as a trade secret

Any Concentration shown as a range is due to batch variation.

Synonyms : Sodium Hydroxide,

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
If on skin, rinse well with water.
If on clothes, remove clothes.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.

Safety Data Sheet
CAUSTIC SODA 25%

Version 1.5

Revision Date: 12/30/2021

- In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
Take victim immediately to hospital.
- If swallowed : Keep respiratory tract clear.
Do not induce vomiting without medical advice.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Neutralise with acid.
Soak up with inert absorbent material (e.g. sand, silica gel,

Safety Data Sheet

CAUSTIC SODA 25%

Version 1.5

Revision Date: 12/30/2021

acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1310-73-2	Sodium hydroxide	C	2 mg/m ³	ACGIH
		C	2 mg/m ³	NIOSH REL
		TWA	2 mg/m ³	OSHA Z-1
		C	2 mg/m ³	OSHA P0
		C	2 mg/m ³	CAL PEL

Personal protective equipment

- Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Safety Data Sheet
CAUSTIC SODA 25%

Version 1.5

Revision Date: 12/30/2021

Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: colorless
Odour	: odorless
Odour Threshold	: No data available
pH	: 14 @ 20 - 25 °C (68 - 77 °F)
Freezing Point	: No data available
Boiling Point	: No data available
Flash point	: > 93 °C (> 199 °F) No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: 1.27 - 1.28 @ 20 - 25 °C (68 - 77 °F) Reference substance: (water = 1)

Safety Data Sheet
CAUSTIC SODA 25%

Version 1.5

Revision Date: 12/30/2021

Density	:	No data available
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Thermal decomposition	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	No data available
Incompatible materials	:	Acids Halogenated compounds Metals organic nitro compounds Zinc

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity****Components:****1310-73-2:**

Acute oral toxicity : LD50 (Rabbit): 325 mg/kg

Skin corrosion/irritation**Components:****1310-73-2:**

Species: Rabbit

Result: Causes severe burns.

Safety Data Sheet
CAUSTIC SODA 25%

Version 1.5

Revision Date: 12/30/2021

Serious eye damage/eye irritation**Components:****1310-73-2:**

Species: Rabbit

Result: Risk of serious damage to eyes.

Carcinogenicity**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Further information**Product:**

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity**

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects**Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor- : No data available

Safety Data Sheet
CAUSTIC SODA 25%

Version 1.5

Revision Date: 12/30/2021

mation

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : Do not dispose of waste into sewer.
 Do not contaminate ponds, waterways or ditches with chemical or used container.
 Send to a licensed waste management company.
- Dispose of in accordance with all applicable local, state and federal regulations.
 For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Univar Solutions ChemCare: 1-800-637-7922
- Contaminated packaging : Empty remaining contents.
 Dispose of as unused product.
 Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

DOT (Department of Transportation):

UN1824, Sodium hydroxide solution, 8, II

IATA (International Air Transport Association):

UN1824, Sodium hydroxide solution, 8, II

IMDG (International Maritime Dangerous Goods):

UN1824, SODIUM HYDROXIDE SOLUTION, 8, II, Flash Point:> 93 °C(> 199 °F)

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium hydroxide	1310-73-2	1000	3921

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

- : Corrosive to metals
 Skin corrosion or irritation
 Serious eye damage or eye irritation

Safety Data Sheet

CAUSTIC SODA 25%

Version 1.5

Revision Date: 12/30/2021

- SARA 302** : This material does not contain any components with a section 302 EHS TPQ.
- SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

1310-73-2 Sodium hydroxide

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

1310-73-2 Sodium hydroxide

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

Massachusetts Right To Know

1310-73-2 Sodium hydroxide

Pennsylvania Right To Know

7732-18-5 Water

1310-73-2 Sodium hydroxide

- California Prop 65** : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

- TSCA : On the inventory, or in compliance with the inventory
- DSL : On the inventory, or in compliance with the inventory
- AICS : On the inventory, or in compliance with the inventory
- NZIoC : On the inventory, or in compliance with the inventory
- ENCS : Not in compliance with the inventory
- KECI : On the inventory, or in compliance with the inventory
- PICCS : On the inventory, or in compliance with the inventory
- IECSC : On the inventory, or in compliance with the inventory

Safety Data Sheet


CAUSTIC SODA 25%

Version 1.5

Revision Date: 12/30/2021

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
 2 = Moderate, 3 = High
 4 = Extreme, * = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions Product Compliance Department (1-855-429-2661) SDSNA@univarsolutions.com.

Revision Date : 12/30/2021

Material number:

16163721, 16162553, 16147855, 16151729, 16147016, 16002081, 16002153, 16163814, 16181444, 16185708, 16185366, 16178437, 16176600, 16176259, 16175654, 16175444, 16175415, 16174721, 16176744, 16170086, 16169860, 16169683, 16168188, 16168798, 16146335, 16146334, 16143884, 16145401, 16145323, 16145278, 16145243, 16145242, 16125921, 16116103, 16113730, 755848, 650799, 546389, 70561, 53072, 574261, 53570, 16150734, 16149350, 16149457, 16144981, 16145777, 16147137, 16163653, 102698, 16160832, 16137556, 16137474, 16137324, 16152197, 16158393, 16152426, 16144481, 16147885, 16159715, 16143521, 16160487, 16160771, 16160572, 16160486, 16147888, 16147884, 16147854, 16147799, 16148872, 16144724, 16144461, 16148802, 16152705, 16145049, 16136108, 16135793, 16135298, 16143511, 16143409, 16143472, 16143461, 16143389, 16142429, 16140693, 16140424, 16142307, 16142009, 16141867, 16140353, 16141665, 16140968, 16142282, 16140375, 16140289, 16140979, 16141187, 16145400, 16145399, 16140956

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency

Safety Data Sheet

CAUSTIC SODA 25%

Version 1.5

Revision Date: 12/30/2021

NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		



The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Thursday, August 25, 2022** at 12:15 a.m. Eastern Time.

Please contact NSF to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information:

[http://info.nsf.org/Certified/PwsChemicals/Listings.asp?](http://info.nsf.org/Certified/PwsChemicals/Listings.asp?CompanyName=Univar+Solutions+USA%2C+Inc%2E&ChemicalName=Sodium+Hydroxide&PlantCountry=UNITED+STATES&)

[CompanyName=Univar+Solutions+USA%2C+Inc%2E&ChemicalName=Sodium+Hydroxide&PlantCountry=UNITED+STATES&](http://info.nsf.org/Certified/PwsChemicals/Listings.asp?CompanyName=Univar+Solutions+USA%2C+Inc%2E&ChemicalName=Sodium+Hydroxide&PlantCountry=UNITED+STATES&)

NSF/ANSI/CAN 60 Drinking Water Treatment Chemicals - Health Effects

Univar Solutions USA Inc. DBA

Univar USA Inc.

3075 Highland Parkway

Suite 200

Downers Grove, IL 60515

United States

425-889-3400

Facility : # 1 Distribution Center - Richmond, CA

Sodium Hydroxide

Trade Designation

Caustic Soda 10%

Caustic Soda 13%

Caustic Soda 15%

Caustic Soda 20%

Caustic Soda 25%

Caustic Soda 30%

Caustic Soda 50%

Sodium Hydroxide 10%

Product Function

pH Adjustment

Max Use

500mg/L

384mg/L

333mg/L

250mg/L

200mg/L

165mg/L

100mg/L

500mg/L

Sodium Hydroxide 13%	pH Adjustment	384mg/L
Sodium Hydroxide 15%	pH Adjustment	333mg/L
Sodium Hydroxide 20%	pH Adjustment	250mg/L
Sodium Hydroxide 25%	pH Adjustment	200mg/L
Sodium Hydroxide 30%	pH Adjustment	165mg/L
Sodium Hydroxide 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : # 1 St. Louis, MO

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 50%	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide 50%	Corrosion & Scale Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : # 1 Chattanooga, TN

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 20%	Corrosion Control pH Adjustment	250mg/L
Caustic Soda 25%	pH Adjustment Corrosion & Scale Control	200mg/L
Caustic Soda 50%	Corrosion Control pH Adjustment	100mg/L
Sodium Hydroxide 20%	Corrosion Control pH Adjustment	250mg/L
Sodium Hydroxide 25%	pH Adjustment Corrosion & Scale Control	200mg/L
Sodium Hydroxide 50%	Corrosion Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : # 2 St. Louis, MO

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 20%	Corrosion & Scale Control pH Adjustment	250mg/L
Caustic Soda 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Caustic Soda 30% Solution	Corrosion & Scale Control pH Adjustment	165mg/L
Caustic Soda 50% Solution	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide - 50%	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide 20%	Corrosion & Scale Control pH Adjustment	250mg/L
Sodium Hydroxide 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Sodium Hydroxide 30%	Corrosion & Scale Control pH Adjustment	165mg/L

Facility : # 2 Distribution Center - Toledo, OH

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 50%	Corrosion Control pH Adjustment	100mg/L
Sodium Hydroxide 50%	Corrosion Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Glendale, AZ

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 50%	pH Adjustment Corrosion & Scale Control	100mg/L
Sodium Hydroxide 50%	pH Adjustment Corrosion & Scale Control	100mg/L

Facility : Distribution Center - Phoenix 27th Ave., AZ

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	pH Adjustment	333mg/L
Caustic Soda 20%	pH Adjustment	250mg/L
Caustic Soda 25%	pH Adjustment	200mg/L
Caustic Soda 30%	pH Adjustment	165mg/L
Caustic Soda 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : North Little Rock, AR

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 25%	Corrosion & Scale Control	200mg/L
	Sequestering	
Caustic Soda 50%	Corrosion & Scale Control	100mg/L
	Sequestering	
Sodium Hydroxide 25%	Corrosion & Scale Control	200mg/L
	Sequestering	
Sodium Hydroxide 50%	Corrosion & Scale Control	100mg/L
	Sequestering	

Facility : Distribution Center - Santa Fe Springs, CA

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	pH Adjustment	333mg/L
Caustic Soda 20%	pH Adjustment	250mg/L
Caustic Soda 25%	pH Adjustment	200mg/L
Caustic Soda 30%	pH Adjustment	165mg/L
Caustic Soda 32%	pH Adjustment	156mg/L
Caustic Soda 50%	pH Adjustment	100mg/L
Sodium Hydroxide 32%	pH Adjustment	156mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Wilmington, CA**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	pH Adjustment	333mg/L
Caustic Soda 20%	pH Adjustment	250mg/L
Caustic Soda 25%	pH Adjustment	200mg/L
Caustic Soda 3%	pH Adjustment	1667mg/L
Caustic Soda 30%	pH Adjustment	165mg/L
Caustic Soda 50%	pH Adjustment	100mg/L
Sodium Hydroxide 15%	pH Adjustment	333mg/L
Sodium Hydroxide 20%	pH Adjustment	250mg/L
Sodium Hydroxide 25%	pH Adjustment	200mg/L
Sodium Hydroxide 3%	pH Adjustment	1667mg/L
Sodium Hydroxide 30%	pH Adjustment	165mg/L
Sodium Hydroxide 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Fresno, CA**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 50%	Corrosion & Scale Control pH Adjustment	100mg/L

Sodium Hydroxide	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide 50%	Corrosion & Scale Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Redwood City, CA

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Sodium Hydroxide 15%	pH Adjustment	333mg/L
Sodium Hydroxide 20%	pH Adjustment	250mg/L
Sodium Hydroxide 25%	pH Adjustment	200mg/L
Sodium Hydroxide 30%	pH Adjustment	165mg/L
Sodium Hydroxide 33%	pH Adjustment	152mg/L
Sodium Hydroxide 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Visalia, CA

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	pH Adjustment	333mg/L
Caustic Soda 20%	pH Adjustment	250mg/L
Caustic Soda 25%	pH Adjustment	200mg/L
Caustic Soda 30%	pH Adjustment	165mg/L
Caustic Soda 50%	pH Adjustment	100mg/L
Sodium Hydroxide 15%	pH Adjustment	333mg/L
Sodium Hydroxide 20%	pH Adjustment	250mg/L
Sodium Hydroxide 25%	pH Adjustment	200mg/L
Sodium Hydroxide 30%	pH Adjustment	165mg/L
Sodium Hydroxide 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Denver, CO

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	pH Adjustment	333mg/L
Caustic Soda 20%	pH Adjustment	250mg/L
Caustic Soda 25%	pH Adjustment	200mg/L
Caustic Soda 30%	pH Adjustment	165mg/L
Caustic Soda 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Jacksonville Contanda Terminal, FL

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	Corrosion & Scale Control pH Adjustment	333mg/L
Caustic Soda 20%	Corrosion & Scale Control pH Adjustment	250mg/L
Caustic Soda 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Caustic Soda 30%	Corrosion & Scale Control pH Adjustment	165mg/L
Caustic Soda 50%	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide 15%	Corrosion & Scale Control pH Adjustment	333mg/L
Sodium Hydroxide 20%	Corrosion & Scale Control pH Adjustment	250mg/L
Sodium Hydroxide 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Sodium Hydroxide 30%	Corrosion & Scale Control pH Adjustment	165mg/L
Sodium Hydroxide 50%	Corrosion & Scale Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Tampa, FL

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Caustic Soda 50%	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Sodium Hydroxide 50%	Corrosion & Scale Control pH Adjustment	100mg/L

Facility : Tampa, FL

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 20%	Corrosion & Scale Control	250mg/L
Caustic Soda 25%	Corrosion & Scale Control	200mg/L
Caustic Soda 50%	Corrosion & Scale Control	100mg/L
Sodium Hydroxide 20%	Corrosion & Scale Control	250mg/L
Sodium Hydroxide 25%	Corrosion & Scale Control	200mg/L
Sodium Hydroxide 50%	Corrosion & Scale Control	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Brunswick, GA

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	pH Adjustment Corrosion & Scale Control	333mg/L
Caustic Soda 20%	Corrosion & Scale Control pH Adjustment	250mg/L
Caustic Soda 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Caustic Soda 30%	Corrosion & Scale Control	165mg/L

Caustic Soda 50%	pH Adjustment Corrosion & Scale Control	100mg/L
Sodium Hydroxide 15%	pH Adjustment Corrosion & Scale Control	333mg/L
Sodium Hydroxide 20%	pH Adjustment Corrosion & Scale Control	250mg/L
Sodium Hydroxide 25%	pH Adjustment Corrosion & Scale Control	200mg/L
Sodium Hydroxide 30%	pH Adjustment Corrosion & Scale Control	165mg/L
Sodium Hydroxide 50%	pH Adjustment Corrosion & Scale Control	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Dallas, GA

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Sodium Hydroxide 15%	pH Adjustment	333mg/L
Sodium Hydroxide 20%	pH Adjustment	250mg/L
Sodium Hydroxide 25%	pH Adjustment	200mg/L
Sodium Hydroxide 30%	pH Adjustment	165mg/L
Sodium Hydroxide 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Savannah, GA

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	Corrosion & Scale Control pH Adjustment	333mg/L
Caustic Soda 20%	Corrosion & Scale Control pH Adjustment	250mg/L
Caustic Soda 25%	Corrosion & Scale Control pH Adjustment	200mg/L

Caustic Soda 30%	Corrosion & Scale Control pH Adjustment	165mg/L
Caustic Soda 50%	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide 15%	Corrosion & Scale Control pH Adjustment	333mg/L
Sodium Hydroxide 20%	Corrosion & Scale Control pH Adjustment	250mg/L
Sodium Hydroxide 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Sodium Hydroxide 30%	Corrosion & Scale Control pH Adjustment	165mg/L
Sodium Hydroxide 50%	Corrosion & Scale Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are NSF Certified.

Facility : Norcross, GA

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 20%	Corrosion & Scale Control pH Adjustment	250mg/L
Caustic Soda 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Caustic Soda 32%	Corrosion Control pH Adjustment	156mg/L
Caustic Soda 50%	Corrosion Control pH Adjustment	100mg/L
Sodium Hydroxide 20%	Corrosion & Scale Control pH Adjustment	250mg/L
Sodium Hydroxide 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Sodium Hydroxide 30-49%	Corrosion Control pH Adjustment	100mg/L
Sodium Hydroxide 32%	Corrosion Control pH Adjustment	156mg/L
Sodium Hydroxide 50%	Corrosion Control pH Adjustment	100mg/L
Weak Caustic	Corrosion Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Nampa, ID

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 25%	pH Adjustment Corrosion & Scale Control	200mg/L
Caustic Soda 50%	pH Adjustment Corrosion & Scale Control	100mg/L
Sodium Hydroxide 25%	pH Adjustment Corrosion & Scale Control	200mg/L
Sodium Hydroxide 50%	pH Adjustment Corrosion & Scale Control	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Bedford Park, IL

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 50%	pH Adjustment	100mg/L
Caustic Soda 30%	pH Adjustment	165mg/L
Caustic Soda 25%	pH Adjustment	200mg/L
Caustic Soda 20%	pH Adjustment	250mg/L
Caustic Soda 15%	pH Adjustment	333mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Lemont, IL

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	pH Adjustment	333mg/L
Caustic Soda 20%	pH Adjustment	250mg/L

Caustic Soda 25%	pH Adjustment	200mg/L
Caustic Soda 30%	pH Adjustment	165mg/L
Caustic Soda 50%	pH Adjustment	100mg/L
Sodium Hydroxide 15%	pH Adjustment	333mg/L
Sodium Hydroxide 17%	pH Adjustment	294mg/L
Sodium Hydroxide 20%	pH Adjustment	250mg/L
Sodium Hydroxide 25%	pH Adjustment	200mg/L
Sodium Hydroxide 30%	pH Adjustment	165mg/L
Sodium Hydroxide 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Sauget, IL

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 20%	Corrosion & Scale Control pH Adjustment	250mg/L
Caustic Soda 30%	Corrosion & Scale Control pH Adjustment	165mg/L
Caustic Soda 50%	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide 20%	Corrosion & Scale Control pH Adjustment	250mg/L
Sodium Hydroxide 30%	Corrosion & Scale Control pH Adjustment	165mg/L
Sodium Hydroxide 50%	Corrosion & Scale Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Sergeant Bluff, IA

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 50%	Corrosion & Scale Control	100mg/L

Sodium Hydroxide 50%	Corrosion & Scale Control	100mg/L
----------------------	---------------------------	---------

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Kansas City, KS

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Caustic Soda 30%	Corrosion & Scale Control pH Adjustment	165mg/L
Caustic Soda 50%	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Sodium Hydroxide 30%	Corrosion & Scale Control pH Adjustment	165mg/L
Sodium Hydroxide 50%	Corrosion & Scale Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Geismar Highway 75, LA

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 50%	Corrosion & Scale Control	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Baltimore, MD

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 10%	Corrosion & Scale Control	500mg/L

	pH Adjustment	
Caustic Soda 15%	Corrosion & Scale Control	333mg/L
	pH Adjustment	
Caustic Soda 20%	Corrosion & Scale Control	250mg/L
	pH Adjustment	
Caustic Soda 25%	Corrosion & Scale Control	200mg/L
	pH Adjustment	
Caustic Soda 30%	Corrosion & Scale Control	165mg/L
	pH Adjustment	
Caustic Soda 35%	Corrosion & Scale Control	143mg/L
	pH Adjustment	
Caustic Soda 50%	Corrosion & Scale Control	100mg/L
	pH Adjustment	
Sodium Hydroxide 10%	Corrosion & Scale Control	500mg/L
	pH Adjustment	
Sodium Hydroxide 15%	Corrosion & Scale Control	333mg/L
	pH Adjustment	
Sodium Hydroxide 20%	Scale Control	250mg/L
	pH Adjustment	
Sodium Hydroxide 25%	Corrosion & Scale Control	200mg/L
	pH Adjustment	
Sodium Hydroxide 30%	Corrosion & Scale Control	165mg/L
	pH Adjustment	
Sodium Hydroxide 35%	Corrosion & Scale Control	143mg/L
	pH Adjustment	
Sodium Hydroxide 50%	Corrosion & Scale Control	100mg/L
	pH Adjustment	

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : St. Paul Westway Terminal, MN

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 25%	Corrosion & Scale Control	200mg/L
Caustic Soda 30%	Corrosion & Scale Control	165mg/L
Caustic Soda 50%	Corrosion & Scale Control	100mg/L
Sodium Hydroxide 25%	Corrosion & Scale Control	200mg/L
Sodium Hydroxide 30%	Corrosion & Scale Control	165mg/L
Sodium Hydroxide 50%	Corrosion & Scale Control	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : St. Paul Terrace Court, MN

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Caustic Soda 30%	Corrosion & Scale Control pH Adjustment	165mg/L
Caustic Soda 50%	Corrosion & Scale Control pH Adjustment	100mg/L
NaOH 25%	Corrosion & Scale Control pH Adjustment	200mg/L
NaOH 30%	Corrosion & Scale Control pH Adjustment	165mg/L
NaOH 50%	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Sodium Hydroxide 30%	Corrosion & Scale Control pH Adjustment	165mg/L
Sodium Hydroxide 50%	Corrosion & Scale Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Omaha, NE

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 50%	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide 50%	pH Adjustment Corrosion & Scale Control	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Carteret, NJ

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	pH Adjustment	333mg/L
Caustic Soda 20%	pH Adjustment	250mg/L
Caustic Soda 25%	pH Adjustment	200mg/L
Caustic Soda 30%	pH Adjustment	165mg/L
Caustic Soda 50%	pH Adjustment	100mg/L
Sodium Hydroxide 15%	pH Adjustment	333mg/L
Sodium Hydroxide 20%	pH Adjustment	250mg/L
Sodium Hydroxide 25%	pH Adjustment	200mg/L
Sodium Hydroxide 30%	pH Adjustment	165mg/L
Sodium Hydroxide 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Terminal - Albuquerque, NM

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 50%	Corrosion & Scale Control	100mg/L
Sodium Hydroxide 50%	Corrosion & Scale Control	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Geneva, NY

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 50%	Corrosion & Scale Control	100mg/L
	pH Adjustment	
Sodium Hydroxide	Corrosion & Scale Control	100mg/L
	pH Adjustment	
Sodium Hydroxide 50%	Corrosion & Scale Control	100mg/L
	pH Adjustment	

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Charlotte, NC

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 25%	Corrosion Control pH Adjustment	200mg/L
Caustic Soda 32%	Corrosion Control pH Adjustment	156mg/L
Caustic Soda 50%	Corrosion Control pH Adjustment	100 mg/L
Sodium Hydroxide 25%	Corrosion Control pH Adjustment	200mg/L
Sodium Hydroxide 32%	Corrosion Control pH Adjustment	156mg/L
Sodium Hydroxide 50%	Corrosion Control pH Adjustment	100 mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Wilmington, NC

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	pH Adjustment	333mg/L
Caustic Soda 20%	pH Adjustment	250mg/L
Caustic Soda 25%	pH Adjustment	200mg/L
Caustic Soda 30%	pH Adjustment	165mg/L
Caustic Soda 50%	pH Adjustment	100mg/L
Sodium Hydroxide 15%	pH Adjustment	333mg/L
Sodium Hydroxide 20%	pH Adjustment	250mg/L
Sodium Hydroxide 25%	pH Adjustment	200mg/L
Sodium Hydroxide 30%	pH Adjustment	165mg/L
Sodium Hydroxide 50%	pH Adjustment	100mg/L

Facility : Distribution Center - Grand Forks, ND

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 50%	Corrosion & Scale Control	100mg/L
Sodium Hydroxide 50%	Corrosion & Scale Control	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Cincinnati, OH

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 50%	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide 50%	Corrosion & Scale Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Walbridge, OH

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Caustic Soda 50%	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Sodium Hydroxide 50%	Corrosion & Scale Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Portland, OR

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	Corrosion & Scale Control	333mg/L
Caustic Soda 20%	Corrosion & Scale Control	250mg/L
Caustic Soda 25%	Corrosion & Scale Control	200mg/L
Caustic Soda 30%	Corrosion & Scale Control	165mg/L
Caustic Soda 33%	Corrosion & Scale Control	152mg/L
Caustic Soda 35%	Corrosion & Scale Control	143mg/L
Caustic Soda 50%	Corrosion & Scale Control	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Altoona, PA**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 10%	Corrosion & Scale Control pH Adjustment	500mg/L
Caustic Soda 20%	Corrosion & Scale Control pH Adjustment	250mg/L
Caustic Soda 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Caustic Soda 35%	Corrosion & Scale Control pH Adjustment	143mg/L
Caustic Soda 50%	Corrosion & Scale Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Bunola, PA**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 10%	Corrosion & Scale Control pH Adjustment	500mg/L
Caustic Soda 20%	Corrosion & Scale Control	250mg/L

Caustic Soda 25%	pH Adjustment Corrosion & Scale Control	200mg/L
Caustic Soda 30%	pH Adjustment Corrosion & Scale Control	165mg/L
Caustic Soda 35%	pH Adjustment Corrosion & Scale Control	143mg/L
Caustic Soda 40%	pH Adjustment Corrosion & Scale Control	125mg/L
Caustic Soda 50%	pH Adjustment Corrosion & Scale Control	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Morrisville Steel Road, PA

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	pH Adjustment	333mg/L
Caustic Soda 19%	pH Adjustment	263mg/L
Caustic Soda 20%	pH Adjustment	250mg/L
Caustic Soda 25%	pH Adjustment	200mg/L
Caustic Soda 30%	pH Adjustment	165mg/L
Caustic Soda 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Philadelphia, PA

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	pH Adjustment	333mg/L
Caustic Soda 18%	pH Adjustment	277mg/L
Caustic Soda 20%	pH Adjustment	250mg/L
Caustic Soda 25%	pH Adjustment	200mg/L
Caustic Soda 30%	pH Adjustment	165mg/L
Caustic Soda 32%	pH Adjustment	156mg/L
Caustic Soda 50%	pH Adjustment	100mg/L

Sodium Hydroxide 15%	pH Adjustment	333mg/L
Sodium Hydroxide 18%	pH Adjustment	277mg/L
Sodium Hydroxide 20%	pH Adjustment	250mg/L
Sodium Hydroxide 25%	pH Adjustment	200mg/L
Sodium Hydroxide 30%	pH Adjustment	165mg/L
Sodium Hydroxide 32%	pH Adjustment	156mg/L
Sodium Hydroxide 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Middletown, PA

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 10%	Corrosion & Scale Control pH Adjustment	500mg/L
Caustic Soda 20%	Corrosion & Scale Control pH Adjustment	250mg/L
Caustic Soda 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Caustic Soda 35%	Corrosion & Scale Control pH Adjustment	143mg/L
Caustic Soda 50%	Corrosion & Scale Control pH Adjustment	100mg/L
Caustic Soda 7%	Corrosion & Scale Control	700mg/L
Sodium Hydroxide 10%	Corrosion & Scale Control pH Adjustment	500mg/L
Sodium Hydroxide 20%	Corrosion & Scale Control pH Adjustment	250mg/L
Sodium Hydroxide 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Sodium Hydroxide 35%	Corrosion & Scale Control pH Adjustment	143mg/L
Sodium Hydroxide 50%	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide 7%	Corrosion & Scale Control pH Adjustment	700mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Providence, RI

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 10% Solution	Corrosion & Scale Control pH Adjustment	500mg/L
Caustic Soda 25% Solution	Corrosion & Scale Control pH Adjustment	200mg/L
Caustic Soda 35% Solution	Corrosion & Scale Control pH Adjustment	143mg/L
Caustic Soda 50% Solution	Corrosion & Scale Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Spartanburg, SC

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 20%	Corrosion Control pH Adjustment	250 mg/L
Caustic Soda 25%	Corrosion Control pH Adjustment	200 mg/L
Caustic Soda 32%	Corrosion Control pH Adjustment	156mg/L
Caustic Soda 50%	Corrosion Control pH Adjustment	100 mg/L
Sodium Hydroxide 20%	Corrosion Control pH Adjustment	250 mg/L
Sodium Hydroxide 25%	Corrosion Control pH Adjustment	200 mg/L
Sodium Hydroxide 30-49%	Corrosion Control pH Adjustment	100mg/L
Sodium Hydroxide 32%	Corrosion Control pH Adjustment	156mg/L
Sodium Hydroxide 50%	Corrosion Control pH Adjustment	100 mg/L
Weak Caustic	Corrosion Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Chattanooga, TN

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 20%	pH Adjustment	250mg/L
	Corrosion & Scale Control	
Caustic Soda 25%	pH Adjustment	200mg/L
	Corrosion & Scale Control	
Caustic Soda 50%	pH Adjustment	100mg/L
	Corrosion & Scale Control	
Sodium Hydroxide 20%	pH Adjustment	250mg/L
	Corrosion & Scale Control	
Sodium Hydroxide 25%	pH Adjustment	200mg/L
	Corrosion & Scale Control	
Sodium Hydroxide 50%	pH Adjustment	100mg/L
	Corrosion & Scale Control	

Facility : Murfreesboro, TN

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 20%	Corrosion Control	250mg/L
	pH Adjustment	
Caustic Soda 25%	Corrosion Control	200mg/L
	pH Adjustment	
Caustic Soda 50%	Corrosion Control	100mg/L
	pH Adjustment	
Sodium Hydroxide 20%	Corrosion Control	250mg/L
	pH Adjustment	
Sodium Hydroxide 25%	Corrosion Control	200mg/L
	pH Adjustment	
Sodium Hydroxide 50%	Corrosion Control	100mg/L
	pH Adjustment	

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Borger, TX

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Caustic Soda 50%	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Sodium Hydroxide 50%	Corrosion & Scale Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Houston, TX

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda - 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Caustic Soda - 50%	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide - 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Sodium Hydroxide - 50%	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide Solution	pH Adjustment Corrosion & Scale Control	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Salt Lake City, UT

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 25%	pH Adjustment	200mg/L
Caustic Soda 30%	pH Adjustment	165mg/L
Caustic Soda 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Chester, VA**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 25%	Corrosion Control pH Adjustment	200mg/L
Caustic Soda 32%	Corrosion Control pH Adjustment	156mg/L
Caustic Soda 50%	Corrosion Control pH Adjustment	100mg/L
Sodium Hydroxide 25%	Corrosion Control pH Adjustment	200mg/L
Sodium Hydroxide 32%	Corrosion Control pH Adjustment	156mg/L
Sodium Hydroxide 50%	Corrosion Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Vancouver, WA**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	Corrosion & Scale Control	333mg/L
Caustic Soda 20%	Corrosion & Scale Control	250mg/L
Caustic Soda 25%	Corrosion & Scale Control	200mg/L
Caustic Soda 30%	Corrosion & Scale Control	165mg/L
Caustic Soda 50%	Corrosion & Scale Control	100mg/L
Sodium Hydroxide 15%	Corrosion & Scale Control	333mg/L

Sodium Hydroxide 20%	Corrosion & Scale Control	250mg/L
Sodium Hydroxide 25%	Corrosion & Scale Control	200mg/L
Sodium Hydroxide 30%	Corrosion & Scale Control	165mg/L
Sodium Hydroxide 50%	Corrosion & Scale Control	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center – Spokane, WA

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda - 25%	pH Adjustment	200mg/L
	Corrosion & Scale Control	
Caustic Soda - 50%	pH Adjustment	100mg/L
	Corrosion & Scale Control	
Sodium Hydroxide - 25%	pH Adjustment	200mg/L
	Corrosion & Scale Control	
Sodium Hydroxide - 50%	pH Adjustment	100mg/L
	Corrosion & Scale Control	

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Kent, WA

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	Corrosion & Scale Control	333mg/L
Caustic Soda 20%	Corrosion & Scale Control	250mg/L
Caustic Soda 25%	Corrosion & Scale Control	200mg/L
Caustic Soda 30%	Corrosion & Scale Control	165mg/L
Caustic Soda 33%	Corrosion & Scale Control	152mg/L
Caustic Soda 35%	Corrosion & Scale Control	143mg/L
Caustic Soda 50%	Corrosion & Scale Control	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Cincinnati Dues Drive, OH

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 10%	Corrosion & Scale Control pH Adjustment	500mg/L
Caustic Soda 12.5%	Corrosion & Scale Control pH Adjustment	400mg/L
Caustic Soda 20%	Corrosion & Scale Control pH Adjustment	250mg/L
Caustic Soda 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Caustic Soda 30%	Corrosion & Scale Control pH Adjustment	165mg/L
Caustic Soda 35%	Corrosion & Scale Control pH Adjustment	143mg/L
Caustic Soda 50%	Corrosion & Scale Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Dallas Bekay Street, TX

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 20%	Corrosion Control pH Adjustment	250mg/L
Caustic Soda 25%	Corrosion Control pH Adjustment	200mg/L
Caustic Soda 50%	Corrosion Control pH Adjustment	100mg/L
Sodium Hydroxide 20%	Corrosion Control pH Adjustment	250mg/L
Sodium Hydroxide 25%	Corrosion Control pH Adjustment	200mg/L
Sodium Hydroxide 50%	Corrosion Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Houston, TX

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 20%	Corrosion & Scale Control pH Adjustment	250 mg/L
Caustic Soda 25%	Corrosion & Scale Control pH Adjustment	200 mg/L
Caustic Soda 50%	Corrosion & Scale Control pH Adjustment	100 mg/L
Sodium Hydroxide 20%	Corrosion & Scale Control pH Adjustment	250 mg/L
Sodium Hydroxide 25%	Corrosion & Scale Control pH Adjustment	200 mg/L
Sodium Hydroxide 50%	Corrosion & Scale Control pH Adjustment	100 mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Phoenix 45th Avenue, AZ

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 25%	pH Adjustment	200mg/L
Caustic Soda 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Univar Solutions USA Inc. DBA

Univar USA Inc.

17425 Northeast Union Hill Road

Redmond, WA 98052

United States

425-889-3400

Facility : # 18 USA

Sodium Hydroxide

Trade Designation

Product Function

Max Use

Caustic Soda 32%

Corrosion & Scale Control
pH Adjustment

156mg/L

Caustic Soda 50%

Corrosion & Scale Control
pH Adjustment

100mg/L

Sodium Hydroxide 32%

Corrosion & Scale Control
pH Adjustment

156mg/L

Sodium Hydroxide 50%

Corrosion & Scale Control
pH Adjustment

100mg/L

Number of matching Manufacturers is 2

Number of matching Products is 391

Processing time was 0 seconds

POST IN A CONSPICUOUS PLACE

ACCOUNT NO.
01963791

CITY OF SHREVEPORT
REVENUE DIVISION
P.O.BOX 30168
SHREVEPORT, LA 71130-0168

LICENSE NO.
00334931

THIS DOCUMENT IS ISSUED ONLY AS A RECEIPT OF PAYMENT OF THE REQUIRED OCCUPATIONAL LICENSE TAX. IT IS NOT AN AUTHORIZATION TO CONDUCT BUSINESS. IT IS UNLAWFUL TO CONDUCT BUSINESS WITHOUT AN ACCOMPANYING CERTIFICATE OF OCCUPANCY.

LICENSE TYPE: OCCUPATIONAL LICENSE TAX ISSUED FOR THE PERIOD 01/01/2022 THROUGH 12/31/2022



PAID

UNIVAR SOLUTIONS USA INC
HIGHLAND PKY STE 200
DOWNERS GROVE, IL 60515

PAYMENT DATE: 01/24/2022

CLASS OF BUSINESS AND CODE: 35520001 WHOLESALE/SALES/SERV

LOCATION: 2675 VALLEY VIEW DR

PLEASE REMIT ANY BALANCE DUE TO THE ADDRESS AS SHOWN ABOVE.

KEEP FOR FUTURE REFERENCE

01963791

00334931

IF YOUR BUSINESS CLOSSES DURING THE YEAR, PLEASE COMPLETE THE FOLLOWING:

CLOSING DATE

SIGNATURE OF OWNER

RETURN THIS COMPLETED FORM ALONG WITH YOUR LICENSE TO:

CITY OF SHREVEPORT
REVENUE DIVISION
P.O.BOX 30002
SHREVEPORT, LA 71130

IN ADDITION, A NEW CERTIFICATE OF OCCUPANCY MUST BE OBTAINED FROM THE ZONING OFFICE IF YOU:

- (1) CHANGE THE NAME OF THE BUSINESS
- (2) CHANGE OWNERSHIP
- (3) MOVE OR OPEN A NEW LOCATION
- (4) EXPAND SERVICES OR FACILITIES AT THE PRESENT LOCATION

.....

TELEPHONE: (318) 673-5500