

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO _____

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____%

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF End of Year 2017

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

approx. 120 days

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: All Truck Parts & Equipment Co., LLC
 ADDRESS: 15959 Florida Blvd
 CITY, STATE: BATON ROUGE, LA. ZIP: 70819
 TELEPHONE: (225) 275-0222 FAX: (225) 275-0275
 EMAIL ADDRESS: dwayne@AllTruckSalesLLC.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ 443,648.⁰⁰AUTHORIZED SIGNATURE: [Signature]TITLE: Gen M

[Signature]
 Printed Name

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00119280

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	3.00	EA	<p>ONE (1) YEAR CONTRACT FOR MODEL YEAR 2017 HEAVY DUTY VEHICLES FOR THE JEFFERSON PARISH DEPARTMENT OF FLEET MANAGEMENT</p> <p>0001 - 2017 52,000 GVWR CAB & CHASSIS</p> <p>GVW: 52,000 LBS. ✓ CA 108 IN. ENGINE: MINIMUM STANARD ENGINE ✓ C.I.D. - 9 LITERS OR EQUAL H.P. - 300 MIN. TORQUE - 860 LBS. FT. TORQUE ✓ AIR FILTER - DRY TYPE PAPER ELEMENT ✓ SINGLE EXHAUST - HORIZONTAL MUFFLER VERTICAL STACK ✓ 12 VOLT STARTER ✓ OIL FLOW - FULL FLOW FUEL/WATER SEPARATOR ✓ ENGINE OIL COOLER FILTER/CONDITIONER ✓ TRANSMISSION-AUTOMATIC ALLISON WITH PTO ✓ NEW WORLD CURRENT YEAR MODEL MD3560 6 SPEED ✓ REAR AXLE - ROCKWELL RT 40-145 STEEL 40,000 LBS. ✓ TOP SPEED: 60 MPH ✓ FRONT AXLE - 12,000 LB. CAPACITY ✓ REAR SUSPENTION - 40,000 LB. ✓ HENDRICKSON SUSPENSION ✓ BRAKES - FULL AIR ✓ FRONT CAM - 16.5 IN X 5.0 IN ✓ REAR CAM - 16.5 IN X 7 IN. ✓ AIR PARKING BRAKES, SPRINT SET TYPE WITH DASH MOUNTED CONTROL ✓ AIR COMPRESSOR - MIN. 13.2 CFM WATER COOLED ✓ AIR DRYER - BENDIX - WESTINGHOUSE AD-9 HEATED. ✓ AUTOMATIC SLACK ADJUSTERS ✓ AUTOMATIC MOISTURE EJECTOR ON WET TANK ✓ DRIVESHAFT - SPICER - U-JOINTS 1710 H.D. ✓ FRAME - 13.72 SM 110,000 PSI DOUBLE ✓ CHANNEL BOLTED ✓ DUAL AIR HORN ✓ HOOD AND FENDER ASSEMBLY - TILT TYPE ✓ INTEGRAL POWER STEERING ✓ PINTLE HITCH - HOLLAND PHT 760 ✓ PINTLE HITCH PROVIDED WITH FULL REINFORCE ELEMENTS TO TRUCK FRAME AND MOUNTED AT PROPER HEIGHTS TO MATCH TRAILER. TOW HOOKS - HEAVY DUTY REAR TOW HOOKS MOUNTED ON THE OUTSIDE OF FRAME WITH CASE HARDENED BOLTS. ✓ ELECTRICAL - ALTERNATOR - 90 AMPS ✓ BATTERIES - MIN. NO. 2 TOTAL CCA 1850 ✓ EMERGENCY FLASHERS ✓ (5) CAB LIGHTS ✓ HALOGEN HEADLIGHTS ✓ TURN SIGNAL - STANDARD ✓ TAILLIGHTS - TWO WITH INTEGRAL STOP/TURN</p>	<p>\$ 8,448 - \$ 244,344.00</p>	

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00119280

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
2	2.00	EA	<ul style="list-style-type: none"> ✓(2) REVERSE LIGHTS ✓BACK-UP ALARM - CAMERA TYPE ✓CIRCUIT PROTECTORS REAR CLEARANCE LIGHT TRIO BAR ✓FUEL TANK - LH STEP TYPE - 45 GAL. CAP 60 ✓TIRES - 11R22.5 HIGHWAY TREAD FRONT ✓MUD AND SNOW REAR SPARE - WHEEL ✓CAB - STANDARD TRIM ✓CAB INTERIOR - HEATER ✓SUN VISORS - LEFT AND RIGHT ✓VINYL FLOOR COVERINGS - NO CARPET ✓SEAT IN VINYL - MID-BACK DRIVERS WITH TWO PASSENGERS ✓SEAT BELTS orange ✓RADIO - AM/FM ✓INSTRUMENTATION - AIR CLEANER ✓RESTRICTION INDICATOR ✓PARKING BRAKE CONTROL DASH MOUNTED ✓SPEEDOMETER MPH/KMH WITH ODOMETER WARNING LIGHT: ✓AMPS ✓FUEL WARNING LIGHT ✓WATER IN FUEL WARNING LIGHT ✓LOW OIL PRESSURE ✓LOW COOLANT LEVEL ✓HIGH COOLANT LEVEL BUZZER: ✓AIR PRESSURE ✓GAUGES - VOLTMETER OR AMPMETER ✓OIL PRESSURE ✓TEMPREATURE ✓FUEL ✓AIR PRESSURE ✓TACHOMETER ✓CAB EXTERIOR - WEST COAST MIRRORS ✓7 IN X 16 IN WITH 5 IN ROUND COMPLEX ✓MIRRORS MOUNTED BELOW. ✓WINDSHIELD - TINTED ✓WINDSHIELD WIPERS - 2 SPEED INTERMITTENT ✓WITH WASHER. ✓WHEELS - 22.5 X 8.25 10 HOLE STEEL DISC. ISO HUB PILOT MOUNTED. ✓TRAILER PACKAGE WITH AIR AND ELECTRIC ✓CONNECTION (7 PIN TRAILER PLUG) TO REAR OF FRAME. ✓SERVICEABILITY - VEHICLE TO BE IN READY TO WORK CONDITION. ✓AC - FACTORY INSTALLED 2 SERVICE MANUALS 2 PARTS MANUALS 2 WIRING DIAGRAM IF MFG. STILL PROVIDES. IF NO MANUAL OR DIAGRAM - CD'S WILL BE ACCEPTABLE 2 UNIT OVERHAUL MANUALS 4 SETS OF KEYS ALL STANDARD FACTORY EQUIPMENT 	\$99,652	\$199,304. ⁰⁰
			0002 - 2017 52,000 GVWR HEAVY DUTY CAB & CHASSIS		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00119280

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<ul style="list-style-type: none"> ✓ GVW: 52,000 LBS. ✓ CA 108 IN. ✓ ENGINE - DIESEL - 12.8 380 HD OR EQUAL HP 380 MIN TORQUE 1350 LB. FT. C.I.D. 12.8L ✓ AIR FILTER - DRY TYPE PAPER ELEMENT ✓ SINGLE EXHAUST - HORIZONTAL MUFFLER WITH VERTICAL STACK. ✓ 12 VOLT STARTER ✓ OIL FILTER FULL FLOW FUEL/WATER SEPARATOR ✓ **AUTOMATIC TRANSMISSION** ✓ REAR AXLE ROCKWELL RT40-145 40,000 LB. TOP SPEED: 60 MPH ✓ FRONT AXLE 12,000 LB. ✓ FRONT SUSPENSION 12,000 LB ✓ REAR SUSPENSION 40,000 LB. HENDRICKSON ✓ BRAKES - FULL AIR ✓ FRONT CAM - 16.5 IN X 7.0 IN ✓ AIR COMPRESSOR - MIN 13.2 CFM ✓ AIR DRYER BENDIX AD-9 HEATED ✓ AUTOMATIC SLACK ADJUSTERS AUTOMATIC MOISTURE ADJUSTER ON WET TANK ✓ FRAME 30.0SM 110,000 PSI DOUBLE CHANNEL ✓ BOLTED ✓ DUAL AIR HORNS ✓ HOOD AND FENDER ASSEMBLY TILT TYPE ✓ INTEGRAL POWER STEERING ✓ PINTLE HITCH - HOLLAND PHT 760 PINTLE HITCH PROVIDED WITH FULL REINFORCEMENT TO TRUCK MOUNTED AT PROPER HEIGHT TO MATCH TRAILER. TOW HOOKS HEAVY DUTY REAR TWO HOOKS MOUNTED ON THE OUTSIDE OF FRAME WITH CASE HARDENED BOLTS. ✓ ELECTRICAL - ALTERNATOR 90 AMPS ✓ BATTERIES MIN. NO. 2 TOTAL CCA 1850 ✓ EMERGENCY FLASHERS ✓ 5 CAB LIGHTS HALOGEN HEADLIGHTS ✓ TURN SIGNAL - STANDARD ✓ TAILLIGHTS - TWO WITH INTEGRAL STOP/TURN (2) REVERSE LIGHTS ✓ BACK-UP ALARM - ELECTRIC CIRCUIT PROTECTORS REAR CLEARANCE LIGHTS TRIO BAR ✓ FUEL TANK - IN STEP TYPE 45 GAL CAPACITY <i>60 gal</i> ✓ TIRES - 11R22.5 HIGHWAY TREAD FRONT MUD REAR W/SPARE ✓ CAB STANARD TRIM ✓ SUN VISOR - LEFT AND RIGHT ✓ VINYL FLOOR COVERINGS - NO CARPET ✓ SEAT IN VINYL - MID BACK DRIVERS WITH ✓ TWO MAN PASSENGER SEAT ✓ SAFETY BELTS ✓ RADIO AM/FM INSTRUMENTATION - AIR CLEANER ✓ ✓ RESTRICTION INDICATOR ✓ PARKING BRAKE CONTROL DASH MOUNTED ✓ SPEEDOMETER MPH/KHM WITH ODOMETER WARNING LIGHTS: AMPS, FUEL WARNING LIGHT 		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00119280

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
3	50.00	EA	<ul style="list-style-type: none"> ✓ WATER IN FUEL LIGHT, LOW OIL PRESSURE, ✓ LOW COOLANT LEVEL, HIGH COOLANT TEMP BUZZER: AIR PRESSURE GAUGES: VOLTMETER OR AMMETER, OIL PRESSURE, WATER TEMPERATURE, FUEL, AIR PRESSURE. ✓ TACHOMETER ✓ CAB EXTERIOR: WEST COAST MIRRORS 7 IN X 16 IN WITH 5 IN ROUND CONVEX MIRROR MOUNTED BELOW ✓ WINDSHIELD - TINTED ✓ WINDSHIELD WIPERS - 2 SPEED INTERMITTENT ✓ WITH WASHER ✓ WHEELS 22.5 X 8.25 10 HOLE STEEL DISC. ISO HUB PILOT MOUNTED ✓ TRAILER PACKAGE WITH AIR AND ELECTRIC CONNECTION (7 PIN TRAILER PLUG) TO REAR OF FRAME SERVICE ABILITY - VEHICLE TO BE DELIVERED COMPLETELY SERVICED AND IN READY TO WORK CONDITION. ✓ AC FACTORY INSTALLED 2 SERVICE MANUALS 2 PARTS MANUALS 2 WIRING DIAGRAMS IF MFG. STILL PROVIDES. IF NO MANUAL OR DIAGRAM - CD'S WILL BE ACCEPTED. 2 UNIT OVERHAUL MANUALS ✓ 4 SETS OF KEYS ALL STANDARD FACTORY EQUIPMENT. 		
			0003 - OPTIONS SEE PRICING SECTION IN SPECIFICATIONS *DO NOT BID THIS LINE ITEM; THIS WILL BE USED FOR INVOICING AND PAYMENT PURPOSES FOR OPTIONS TO VEHICLES. ALL OPTIONS SHALL BE INVOICED PER THE MANUFACTURER'S COST LIST WHICH MUST BE INCLUDED IN THE BID SUBMISSION.*		

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF
ALL TRUCK PARTS & EQUIPMENT COMPANY
INCORPORATED.

AT THE MEETING OF DIRECTORS OF ALL TRUCK PARTS Equip. Co. LLC
INCORPORATED, DULY NOTICED AND HELD ON MARCH 30, 2017,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT Dwayne M. Pitre, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.


SECRETARY-TREASURER

03-30-2017
DATE

Non-Public Works Bid

AFFIDAVIT

STATE OF LouisianaPARISH/COUNTY OF East Baton Rouge

BEFORE ME, the undersigned authority, personally came and appeared: Milton Colotta Jr., (Affiant) who after being by me duly sworn, deposed and said that he/she is the fully authorized Secretary of All Truck Parts Equip (Entity), the party who submitted a bid in response to Bid Number 50-00119280, to the Parish of Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):


Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B ✓ there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B  _____ There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

Milton Colotta Jr.

Signature of Affiant

Milton Colotta Jr.


Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE 4 DAY OF April, 20 17

ME

Notary Public



Printed Name of Notary

#69211

Notary/Bar Roll Number

My commission expires at my death

[Print](#)

Notary Search - Detail

Name: MS. MARSHA EVANS
Address: 7479 SAGE MEADOW DR.
DENHAM SPRINGS, LA 70726

Phone: (225) 788-5013
Phone 2: (225) 788-5013

Notary ID Number: 69211

Parish: LIVINGSTON with authority in the following parishes:
ASCENSION, EAST BATON ROUGE, EAST FELICIANA, IBERVILLE, POINTE COUPEE, WEST BATON ROUGE, WEST FELICIANA, ST. HELENA,
TANGIPAHOA

Agency: N/A

Notary Type: Non Attorney

Status: Suspended

Commission Date: 03/28/2016

Oath Date: 03/02/2016

Surety Expiration Date: 02/18/2017

Annual Report Current: Yes

Notary Events

Suspension From: 02/20/2017 To:

Parish Change Previous Parish: Previous Commission Date:
EAST FELICIANA 03/28/2016

Name Change Previous Name: Previous Commission Date:
MARSHA ANN EVANS 01/23/2004

Suspension From: 03/22/2016 To: 03/28/2016

Deceased, Inactivated, Leave of Absence, Pre-Assessment Registration, Pre-Assessment Taken, Resigned, Retirement, and Revoked events are not available prior to February 11, 2012.

[Back to Search Results](#)[New Search](#)



CERTIFICATE OF LIABILITY INSURANCE

OP ID: J

DATE (MM/DD/YYYY)

10/18/2016

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Morrison Insurance Agency, Inc 4444 York Street, Suite 201 Metairie, LA 70001 Ashley M. Kennedy		CONTACT NAME: Ashley M. Kennedy PHONE (A/C, No, Ext): 504-888-9393 FAX (A/C, No): 504-888-9996 E-MAIL ADDRESS: akennedy@morrison-ins.com PRODUCER CUSTOMER ID #: ALLBR-3		
INSURED	ALL TRUCK PARTS & EQUIPMENT CO INC.; MC LEASING CORP: ALL TRUCK EQUIPMENT SALES LLC 15959 FLORIDA BLVD BATON ROUGE, LA 70819	INSURER(S) AFFORDING COVERAGE		NAIC #
		INSURER A: Milwaukee Casualty Insurance C		26662
		INSURER B: Houston Specialty Ins Co		12936
		INSURER C: Summit Consulting, Inc.		
		INSURER D: Technology Insurance Company		42376
		INSURER E:		
INSURER F:				

COVERAGES**CERTIFICATE NUMBER:****REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL SUBR INSR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
B	GENERAL LIABILITY		HSLR180147105	10/06/2016	10/06/2017	EACH OCCURRENCE \$ 1,000,000
	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY					DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 50,000
	<input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR					MED EXP (Any one person) \$ 5,000
						PERSONAL & ADV INJURY \$ 1,000,000
	GEN'L AGGREGATE LIMIT APPLIES PER:					GENERAL AGGREGATE \$ 2,000,000
	<input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC					PRODUCTS - COMP/OP AGG \$ 2,000,000
A	AUTOMOBILE LIABILITY		MPP101580201	10/06/2016	10/16/2017	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000
	<input checked="" type="checkbox"/> ANY AUTO					BODILY INJURY (Per person) \$
	<input type="checkbox"/> ALL OWNED AUTOS					BODILY INJURY (Per accident) \$
	<input type="checkbox"/> SCHEDULED AUTOS					PROPERTY DAMAGE (PER ACCIDENT) \$
A	<input checked="" type="checkbox"/> HIRED AUTOS					\$
A	<input checked="" type="checkbox"/> NON-OWNED AUTOS					\$
D	UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR		TUM106379502	10/06/2016	10/06/2017	EACH OCCURRENCE \$ 2,000,000
	<input checked="" type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE					AGGREGATE \$ 2,000,000
	<input type="checkbox"/> DEDUCTIBLE					\$
	<input type="checkbox"/> RETENTION \$					\$
C	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY		999-10118	10/06/2016	10/06/2017	<input checked="" type="checkbox"/> WC STATU-TORY LIMITS <input type="checkbox"/> OTH-ER
	ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH)	Y/N				E.L. EACH ACCIDENT \$ 1,000,000
	If yes, describe under DESCRIPTION OF OPERATIONS below	Y				E.L. DISEASE - EA EMPLOYEE \$ 1,000,000
						E.L. DISEASE - POLICY LIMIT \$ 1,000,000
A	GKLL		MPP101580201	10/06/2016	10/06/2017	GKLL 1,000,000
A	DEALER OPEN LOT		INCLUDED IN GKLL	10/06/2016	10/06/2017	

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (Attach ACORD 101, Additional Remarks Schedule, if more space is required)

CERTIFICATE HOLDER**CANCELLATION**

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

License No. N - 2016-00139
DPS Code: NBAM

2016-2018

Not Transferable
Valid Only at Address Below

Louisiana Motor Vehicle Commission

This Certifies that

All Truck Parts & Equipment Co., LLC
15959 Florida Boulevard
Baton Rouge, LA 70819
Scott Leon Culotta, Dealer-Operator

is duly licensed as a
New Motor Vehicle Dealer
of the following make or makes
Western Star Trucks

For the period ending May 31, 2018,

unless license is sooner revoked.

In Witness whereof, LOUISIANA MOTOR VEHICLE COMMISSION, under and by virtue of the authority vested in it by the laws of the State of Louisiana, has caused this license to be issued with its seal imprinted hereon.

Dated June 1, 2016
Signed, Sealed and Attested

LOUISIANA MOTOR VEHICLE COMMISSION



[Signature]
Executive Director

[Signature]
Chairman

(To be prominently displayed in place of business)

FRAME RBM

VEHICLE SPECIFICATIONS SUMMARY - FRAME RBM

Wheelbase (545) 4375MM (172 INCH) WHEELBASE
Frame Rails (546) 11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI(546)
Yield Strength (psi) 120000
Section Modulus (per rail) (cu in)..... 16.979
RBM (per rail) (lbf-in).....2037600
Inner Frame Reinforcement (547)NO INNER FRAME REINFORCEMENT
Outer Frame Reinforcement (548) NO OUTER FRAME REINFORCEMENT

TABLE SUMMARY - FRAME RBM

Item	Description / Value
Wheelbase	4375MM (172 INCH) WHEELBASE
Frame	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI
Inner Frame Reinforcement	NO INNER FRAME REINFORCEMENT
Outer Frame Reinforcement	NO OUTER FRAME REINFORCEMENT
Yield Strength (psi)	120000
Section Modulus - per rail (cu. in.)	16.98
Frame RBM - per rail (lbf-in)	2037600

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.

Prepared for:
 MISTY CAMARDELLE
 JEFFERSON PARISH 2
 200 DERBIGNY ST
 GRETN, LA 70053
 Phone: 504-364-2683

Prepared by:
 Dwayne Pitre
 ALL TRUCK PARTS & EQUIPMENT
 CO. LLC
 15959 FLORIDA BLVD.
 BATON ROUGE, LA 70819
 Phone: 2252748188

Q U O T A T I O N

4700 SET-BACK FRONT AXLE CHASSIS

SET BACK AXLE - TRUCK	12,000# DUAL TAPERLEAF FRONT SUSPENSION
DETROIT DD13 12.8L 380 HP @ 1625 RPM, 1900 GOV RPM, 1450 LB/FT @ 975 RPM	110 INCH BBC STEEL CONVENTIONAL CAB
ALLISON 4000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	4450MM (175 INCH) WHEELBASE
MT-40-14X 40,000# R-SERIES TANDEM REAR AXLE	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI
HENDRICKSON RT403 @40,000# REAR SUSPENSION	1600MM (63 INCH) REAR FRAME OVERHANG
MFS-12-143A 12,000# FF1 71.5 INCH KPI/3.74 INCH DROP SINGLE FRONT AXLE	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT

		PER UNIT	TOTAL
VEHICLE PRICE	TOTAL # OF UNITS (2)	\$ 99,652	\$ 199,304
EXTENDED WARRANTY		\$ 0	\$ 0
DEALER INSTALLED OPTIONS		\$ 0	\$ 0
CUSTOMER PRICE BEFORE TAX		\$ 99,652	\$ 199,304

TAXES AND FEES

FEDERAL EXCISE TAX (FET)	\$ (252)	\$ (505)
TAXES AND FEES	\$ 0	\$ 0
OTHER CHARGES	\$ 0	\$ 0

TRADE-IN

TRADE-IN ALLOWANCE	\$ (0)	\$ (0)
--------------------	--------	--------

BALANCE DUE	(LOCAL CURRENCY)	\$ 99,400	\$ 198,799
-------------	------------------	-----------	------------

COMMENTS: Projected delivery on ___ / ___ / ___ provided the order is received before ___ / ___ / ___.

APPROVAL: Please indicate your acceptance of this quotation by signing below: Customer:

X_____ Date: ___ / ___ / ___.

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com.

Prepared for:
MISTY CAMARDELLE
JEFFERSON PARISH 2
200 DERBIGNY ST
GRETN, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

S P E C I F I C A T I O N P R O P O S A L

Data Code	Description	Weight Front	Weight Rear	Retail Price
Price Level				
PRL-15T	WESTERN STAR 4700 PRL-15T (EFF:10/25/16)			STD
Data Version				
DRL-018	SPECPRO21 DATA RELEASE VER 018			N/C
Vehicle Configuration				
001-451	4700 SET-BACK FRONT AXLE CHASSIS	9,215	6,630	\$162,060.00
004-218	2018 MODEL YEAR SPECIFIED			N/C
002-004	SET BACK AXLE - TRUCK			STD
019-001	TRAILER TOWING PROVISION AT END OF FRAME FOR TRUCK	10	10	\$633.00
003-001	LH PRIMARY STEERING LOCATION			STD
General Service				
AA1-003	TRUCK/TRAILER CONFIGURATION			N/C
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)			STD
A85-011	CONSTRUCTION SERVICE			STD
A84-1CO	CONSTRUCTION BUSINESS SEGMENT			STD
AA4-003	DRY BULK COMMODITY			STD
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			STD
AB1-008	MAXIMUM 8% EXPECTED GRADE			STD
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			STD
995-1A5	WESTERN STAR VOCATIONAL WARRANTY			STD
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 12000.0 lbs			
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 40000.0 lbs			



Prepared for:
MISTY CAMARDELLE
JEFFERSON PARISH 2
200 DERBIGNY ST
GRETN, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

Data Code	Description	Weight Front	Weight Rear	Retail Price
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 52000.0 lbs			
A70-99D	EXPECTED GROSS COMBINATION WEIGHT : 80000.0 lbs			
Truck Service				
AA3-004	END DUMP BODY			STD
Engine				
101-2X3	DETROIT DD13 12.8L 380 HP @ 1625 RPM, 1900 GOV RPM, 1450 LB/FT @ 975 RPM			(\$100.00)
Electronic Parameters				
79A-065	65 MPH ROAD SPEED LIMIT			N/C
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			N/C
79G-006	5 MINUTES IDLE SHUTDOWN WITH CLUTCH AND SERVICE BRAKE OVERRIDE			N/C
79M-002	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED OR PARK BRAKE NOT APPLIED			N/C
79S-002	PTO MODE CANCEL VEHICLE SPEED - 6 MPH			N/C
79U-001	PTO GOVERNOR RAMP RATE - 25 RPM PER SECOND			N/C
79W-001	ONE REMOTE PTO SPEED			N/C
79X-005	REMOTE PTO SPEED 1 SETTING - 900 RPM			N/C
80D-001	SOFT CRUISE CONTROL ENABLED			N/C
Engine Equipment				
99C-017	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION			STD
99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)			\$106.00
13E-001	STANDARD OIL PAN			STD
105-001	ENGINE MOUNTED OIL CHECK AND FILL			STD
133-004	ONE PIECE VALVE COVER			STD
014-1B5	SIDE OF HOOD AIR INTAKE WITH DONALDSON HIGH CAPACITY AIR CLEANER WITH SAFETY ELEMENT, FIREWALL MOUNTED			STD
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			STD
292-148	(3) ALLIANCE ABSORBED GLASS MAT MODEL 7A31, GROUP 31, 12 VOLT MAINTENANCE FREE 2190 CCA THREADED STUD BATTERIES			STD

Prepared for:
MISTY CAMARDELLE
JEFFERSON PARISH 2
200 DERBIGNY ST
GRETNA, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

Data Code	Description	Weight Front	Weight Rear	Retail Price
290-1AC	PASSENGER SEAT BATTERY BOX VENTED TO OUTSIDE OF CAB			STD
282-013	BATTERY BOX MOUNTED UNDER PASSENGER SEAT			STD
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			STD
289-006	PLASTIC BATTERY BOX COVER			STD
107-044	BW MODEL BA-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE			STD
131-013	AIR COMPRESSOR DISCHARGE LINE			STD
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			STD
128-002	JACOBS COMPRESSION BRAKE			STD
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE			STD
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH			STD
239-038	11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT			STD
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP			STD
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK			STD
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			STD
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			STD
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			STD
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILOPIPE SHIELD			STD
273-036	BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH			STD
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			STD
110-068	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR			STD
118-001	FULL FLOW OIL FILTER			STD
266-057	1500 SQUARE INCH ALUMINUM RADIATOR			STD
267-006	MOUNTING FOR FIREWALL MOUNTED SURGE TANK			STD

Prepared for:
MISTY CAMARDELLE
JEFFERSON PARISH 2
200 DERBIGNY ST
GRETNA, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

Data Code	Description	Weight Front	Weight Rear	Retail Price
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			STD
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			STD
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			STD
270-023	HDEP FIXED RATIO COOLANT PUMP AND RADIATOR DRAIN VALVE			STD
168-002	LOWER RADIATOR GUARD			STD
138-005	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER			STD
166-005	PHILLIPS-TEMRO 300 WATT/115 VOLT OIL PREHEATER			STD
140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			STD
134-001	ALUMINUM FLYWHEEL HOUSING			STD
155-074	DELCO 12V MOD 3.175-39MT+ OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH			STD

Transmission

342-1M1	ALLISON 4000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	170	50	\$20,399.00
---------	--	-----	----	-------------

Transmission Equipment

343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV			N/C
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			N/C
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			N/C
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			N/C
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			N/C

Prepared for:
MISTY CAMARDELLE
JEFFERSON PARISH 2
200 DERBIGNY ST
GRETNA, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

Data Code	Description	Weight Front	Weight Rear	Retail Price
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			N/C
84L-000	LOAD BASED SHIFT SCHEDULE AND VEHICLE ACCELERATION CONTROL RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED VOCATIONAL USAGE			N/C
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			N/C
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED			N/C
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013			N/C
370-011	WATER TO OIL TRANSMISSION COOLER, FRAME MOUNTED	15		N/C
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK			N/C
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)			N/C

Front Axle and Equipment

400-095	MFS-12-143A 12,000# FF1 71.5 INCH KPI/3.74 INCH DROP SINGLE FRONT AXLE	-150		(\$1,220.00)
402-020	MERITOR 15X4 Q+ CAM FRONT BRAKES	-10		N/C
403-002	NON-ASBESTOS FRONT BRAKE LINING			STD
419-023	CONMET CAST IRON FRONT BRAKE DRUMS			STD
409-021	SKF SCOTSEAL PLUS XL FRONT OIL SEALS			STD
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			STD
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			STD
405-003	HALDEX AUTOMATIC FRONT SLACK ADJUSTERS			STD
406-001	STANDARD KING PIN BUSHINGS			STD
536-050	TRW THP-60 POWER STEERING	-40		N/C
539-003	POWER STEERING PUMP			STD
534-003	4 QUART POWER STEERING RESERVOIR	5		\$51.00
40T-003	SYNTHETIC 50W FRONT AXLE LUBE			STD

Front Suspension

620-1F0	12,000# DUAL TAPERLEAF FRONT SUSPENSION	-188		(\$165.00)
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			N/C
410-001	FRONT SHOCK ABSORBERS			N/C

Rear Axle and Equipment

Prepared for:
MISTY CAMARDELLE
JEFFERSON PARISH 2
200 DERBIGNY ST
GRETN, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

Data Code	Description	Weight Front	Weight Rear	Retail Price
420-1K3	MT-40-14X 40,000# R-SERIES TANDEM REAR AXLE		-40	\$280.00
421-463	4.63 REAR AXLE RATIO			N/C
424-003	IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY AXLE HOUSING			STD
386-075	MXL 18T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES			STD
388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES			STD
878-019	(1) INTERAXLE LOCK VALVE FOR TANDEM OR TRIDEM DRIVE AXLES			STD
87A-005	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH			STD
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			STD
433-002	NON-ASBESTOS REAR BRAKE LINING			STD
434-019	ASPHALT SPREADER CLEARANCE REAR BRAKE GEOMETRY			N/C
451-023	CONMET CAST IRON REAR BRAKE DRUMS			STD
440-021	SKF SCOTSEAL PLUS XL REAR OIL SEALS			STD
426-075	HALDEX GOLDSEAL LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS			STD
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS			STD
41T-002	SYNTHETIC 75W-90 REAR AXLE LUBE			STD
Rear Suspension				
622-1CH	HENDRICKSON RT403 @40,000# REAR SUSPENSION		640	\$2,383.00
621-016	HENDRICKSON RT/RTE - 7.19" SADDLE			N/C
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			N/C
624-011	52 INCH AXLE SPACING			N/C
628-004	STEEL BEAMS AND RUBBER CENTER BUSHINGS WITH BAR PIN ADJUSTABLE END CONNECTIONS			N/C
623-005	FORE/AFT CONTROL RODS			N/C
Brake System				
490-100	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL			STD
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			STD
904-001	FIBER BRAID PARKING BRAKE HOSE			STD

Prepared for:
MISTY CAMARDELLE
JEFFERSON PARISH 2
200 DERBIGNY ST
GRETN, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

Data Code	Description	Weight Front	Weight Rear	Retail Price
412-001	STANDARD BRAKE SYSTEM VALVES			STD
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			STD
480-009	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	20		N/C
483-998	NO AIR SYSTEM OIL FILTER			STD
479-015	AIR DRYER FRAME MOUNTED			STD
460-001	STEEL AIR BRAKE RESERVOIRS			STD
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS			STD
Trailer Connections				
914-001	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS			N/C
296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION			N/C
297-001	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME			N/C
Wheelbase & Frame				
545-445	4450MM (175 INCH) WHEELBASE			N/C
546-101	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI			STD
547-001	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT	118	345	\$1,037.00
552-030	1600MM (63 INCH) REAR FRAME OVERHANG			STD
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH			N/C
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 111.69 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 108.69 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 268.12			
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 111.69 in			
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 50.92 in			N/C
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 67.49 in			N/C
553-001	SQUARE END OF FRAME			STD
587-038	PREMIER #2200 AIR PINTLE HITCH		30	\$724.00
588-008	TOW HITCH VERTICAL REF: PLUS 5.25 INCH, MEASURED UP FROM THE TOP OF THE LOWER FRAME FLANGE			N/C
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			STD



Prepared for:
MISTY CAMARDELLE
JEFFERSON PARISH 2
200 DERBIGNY ST
GRETN, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

Data Code	Description	Weight Front	Weight Rear	Retail Price
561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION			STD
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			STD
572-009	5/16 INCH STEEL TOWING CROSSMEMBER AND A-FRAME WITH CLEVIS AND PIN ATTACHMENT - 40,000# CAPACITY	-40	220	\$2,172.00
565-001	STANDARD SUSPENSION CROSSMEMBER			N/C
568-001	STANDARD WEIGHT REAR SUSPENSION CROSSMEMBER			STD
Chassis Equipment				
556-1E5	14 INCH PAINTED STEEL BUMPER			STD
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			STD
586-015	FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS			STD
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			STD
44Z-998	NO SPECIFIED HARNESS COVERING			STD
Fuel Tanks				
204-151	60 GALLON/227 LITER ALUMINUM FUEL TANK - LH			STD
218-006	25 INCH DIAMETER FUEL TANK(S)			STD
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			STD
212-007	FUEL TANK(S) FORWARD			STD
664-001	PLAIN STEP FINISH			STD
205-001	FUEL TANK CAP(S)			STD
216-020	EQUIFLO INBOARD FUEL SYSTEM			STD
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			STD
221-001	FUEL COOLER			STD
Tires				
093-1NV	BRIDGESTONE R283A 11R22.5 14 PLY RADIAL FRONT TIRES	6		(\$228.00)
094-1RW	BRIDGESTONE M726ELA 11R22.5 14 PLY RADIAL REAR TIRES		152	(\$840.00)
Hubs				
418-056	CONMET PRESET PLUS IRON FRONT HUBS			STD
450-056	CONMET PRESET PLUS IRON REAR HUBS			STD
Wheels				

Prepared for:
MISTY CAMARDELLE
JEFFERSON PARISH 2
200 DERBIGNY ST
GRETNA, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

Data Code	Description	Weight Front	Weight Rear	Retail Price
502-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 6.18 INSET 2-HAND HD STEEL DISC FRONT WHEELS	26		(\$182.00)
505-523	MAXION WHEELS 90262 22.5X8.25 10-HUB PILOT 5-HAND STEEL DISC REAR WHEELS		72	(\$256.00)
496-011	FRONT WHEEL MOUNTING NUTS			STD
497-011	REAR WHEEL MOUNTING NUTS			STD
Cab Exterior				
829-1A8	110 INCH BBC STEEL CONVENTIONAL CAB			STD
82A-023	WESTERN STAR PAINTED ALUMINUM CAB SKIRT			STD
650-044	AIR CAB MOUNTS WITH CHECK VALVE			STD
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			STD
667-001	FRONT FENDERS			STD
678-034	LH AND RH EXTERIOR GRAB HANDLES WITH RUBBER INSERTS AND RH INTERIOR GRAB HANDLE MOUNTED TO A POST			STD
646-008	STATIONARY BRIGHT FINISH GRILLE			STD
65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE			STD
640-008	GALVANEALD STEEL SEVERE SERVICE CAB			STD
644-004	FIBERGLASS HOOD			STD
727-096	DUAL ROUND AIR HORNS, SINGLE BASE, MOUNTED UNDER CAB			(\$114.00)
726-001	SINGLE ELECTRIC HORN			STD
657-1AG	DOORS AND IGNITION KEYED THE SAME			STD
575-001	REAR LICENSE PLATE MOUNT END OF FRAME			STD
312-072	SINGLE RECTANGULAR SEALED BEAM HEADLIGHTS WITH BRIGHT BEZELS			STD
302-001	(5) AMBER MARKER LIGHTS			STD
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS			STD
300-015	STANDARD FRONT TURN SIGNAL LAMPS			STD
744-007	DUAL WEST COAST STAINLESS STEEL MIRRORS			STD
797-001	DOOR MOUNTED MIRRORS			STD
796-001	102 INCH EQUIPMENT WIDTH			STD
743-1AC	LH AND RH 8 INCH STAINLESS STEEL CONVEX MIRRORS MOUNTED BELOW PRIMARY MIRRORS			STD
74A-001	RH DOWN VIEW MIRROR			STD
729-001	STANDARD SIDE/REAR REFLECTORS			STD
768-046	17.5X35 INCH TINTED REAR WINDOW			STD

Prepared for:
MISTY CAMARDELLE
JEFFERSON PARISH 2
200 DERBIGNY ST
GRETNA, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

Data Code	Description	Weight Front	Weight Rear	Retail Price
661-006	TINTED DOOR GLASS			STD
654-003	MANUAL DOOR WINDOW REGULATORS			STD
663-002	2-PIECE TINTED CURVED GASKET MOUNTED WINDSHIELD			STD
659-025	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, MOUNTED UNDER CAB, WITH REMOTE FILL			STD
Cab Interior				
707-1D0	GRAY VINYL BASE INTERIOR			STD
70K-005	BLACK HARD TRIM			STD
706-049	BASE LEFT HAND DOOR TRIM			STD
708-049	BASE RIGHT HAND DOOR TRIM			STD
772-006	BLACK MATS WITH SINGLE INSULATION			STD
785-007	DASH MOUNTED ASH TRAY AND LIGHTER, DRIVER SIDE			STD
691-001	FORWARD ROOF MOUNTED CONSOLE			STD
694-009	PASSENGER SIDE WING DASH MOUNTED GLOVE BOX WITH LOCKING DOOR			STD
693-025	LH AND RH DOOR MAP POCKETS			STD
741-029	COAT HOOK ON RH BACKWALL OF CAB			STD
680-034	TWO-TONE CHARCOAL UPPER/COOL GRAY LOWER SOFT TOUCH WING DASH WITH BLACK DRIVER SIDE COSMETIC UNDER DASH COVER			STD
320-004	STANDARD WIRING			STD
700-023	HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT TEMPERATURE CONTROL AND COSMETIC COVER			STD
701-010	HVAC DUCTING WITH FOAM MAIN FRESH AIR FILTER AND OUTSIDE PRE-FILTER			STD
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			STD
170-015	STANDARD HEATER PLUMBING			STD
130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR			STD
698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENSER			STD
702-002	BINARY CONTROL, R-134A			STD
739-001	CAB INSULATION			STD
285-019	AUTOMATIC SELF-RESET CIRCUIT BREAKER IN MAIN DASH POWER DISTRIBUTION BOX AND CIRCUIT BREAKER/FUSE IN AUXILIARY POWER DISTRIBUTION BOXES			\$21.00

Prepared for:
MISTY CAMARDELLE
JEFFERSON PARISH 2
200 DERBIGNY ST
GRETNA, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

Data Code	Description	Weight Front	Weight Rear	Retail Price
324-075	DOOR ACTIVATED DOME LIGHT, UNDER DASH LIGHT AND LH AND RH DOOR MOUNTED COURTESY LIGHTS			STD
655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS			STD
756-1DD	BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND REAR CUSHION TILT			STD
760-038	NATIONAL 2 MAN TOOL/BATTERY BOX MID BACK NON SUSPENSION PASSENGER SEAT			\$177.00
758-022	BLACK MORDURA CLOTH DRIVER SEAT COVER			STD
761-023	BLACK MORDURA CLOTH PASSENGER SEAT COVER			STD
763-006	3 POINT DRIVER AND PASSENGER AND 2 POINT CENTER FRONT SEAT BELT RETRACTORS			N/C
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN			STD
540-005	2-SPOKE 20 INCH (500MM) BLACK STEERING WHEEL			STD
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			STD

Instruments & Controls

185-002	NON-ADJUSTABLE SUSPENDED PEDALS			STD
870-004	STAR GAUGES WITH BLACK BEZELS			STD
732-001	BLACK DRIVER INSTRUMENT PANEL			STD
734-001	BLACK CENTER INSTRUMENT PANEL			STD
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM			STD
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES			STD
198-002	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS			STD
721-001	97 DB BACKUP ALARM		3	\$82.00
149-012	CRUISE CONTROL SWITCHES IN THE CENTER PANEL			STD
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			STD
811-001	WARNING LAMP/LIGHT BAR DISPLAY, NON- DATA LINKED			STD
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			STD

Prepared for:
MISTY CAMARDELLE
JEFFERSON PARISH 2
200 DERBIGNY ST
GRETNA, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

Data Code	Description	Weight Front	Weight Rear	Retail Price
844-001	2 INCH ELECTRIC FUEL GAUGE			STD
845-011	FUEL FILTER RESTRICTION INDICATOR			STD
148-085	EMISSIONS LIMITED IDLE ADJUST			STD
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			STD
864-998	NO TRANSMISSION TEMPERATURE GAUGE			(\$59.00)
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
746-114	AM/FM/WB WORLD TUNER RADIO WITH AUXILIARY INPUT, J1939	10		\$236.00
747-002	ROOF/OVERHEAD CONSOLE MOUNTED RADIO			N/C
750-004	(4) RADIO SPEAKERS IN CAB			N/C
753-019	AM/FM ANTENNA MOUNTED ON RH FRONT A- PILLAR	2		\$30.00
748-026	POWER AND GROUND WIRING FOR CB RADIO IN OVERHEAD CONSOLE			STD
752-017	MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED ANTENNA SYSTEM			STD
810-042	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITH ODOMETER			STD
817-001	STANDARD VEHICLE SPEED SENSOR			STD
812-001	ELECTRONIC 3000 RPM TACHOMETER			STD
813-998	NO VEHICLE PERFORMANCE MONITOR			(\$998.00)
8Z1-998	NO ZONAR SERVICES SELECTED			STD
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			STD
482-001	BW TRACTOR PROTECTION VALVE			N/C
883-001	TRAILER HAND CONTROL BRAKE VALVE			N/C
836-001	2 INCH VOLTMETER			STD
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			STD
304-015	CAB/TRAILER MARKER LIGHT SWITCH WITH SEPARATE HEADLIGHT SWITCH			STD
882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			N/C
299-032	VSM NON CANCELING TURN SIGNAL SWITCH WITH INTEGRAL HEADLAMP DIMMER WITHOUT BRAKE OVERRIDE			STD
298-036	PACIFIC INSIGHT ELECTRONIC FLASHER			STD
Design				
065-000	PAINT: ONE SOLID COLOR			STD
Color				
980-5F6	CAB COLOR A: L0006EB WHITE ELITE BC			STD

Prepared for:
MISTY CAMARDELLE
JEFFERSON PARISH 2
200 DERBIGNY ST
GRETNA, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

Data Code	Description	Weight Front	Weight Rear	Retail Price
96J-001	CAB INTERIOR PAINTED SAME AS CAB COLOR			STD
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			STD
962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD
966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD
964-993	BUMPER PAINTED SAME AS CHASSIS			STD
Certification / Compliance				
996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			STD
Secondary Factory Options				
82D-998	NO PDI INSTALLED GRILLE/HOOD TRIM			STD
Sales Programs				
RZ1-998	NO TELEMATICS SERVICE CONTRACT			N/C

TOTAL VEHICLE SUMMARY

Adjusted List Price

Adjusted List Price ** \$186,229.00

Weight Summary

	Weight Front	Weight Rear	Total Weight
Factory Weight ⁺	9169 lbs	8112 lbs	17281 lbs
Total Weight ⁺	9169 lbs	8112 lbs	17281 lbs

ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE

Other Factory Charges

Prepared for:
MISTY CAMARDELLE
JEFFERSON PARISH 2
200 DERBIGNY ST
GRETNA, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

PMU-017	2016 OBD/2010 EPA/CARB/GHG17 ESCALATOR	\$350.00
RAM-18A	MODEL YEAR 2018 WST 4700 ESCALATOR - \$800	\$800.00
P73-2WS	STANDARD DESTINATION CHARGE	\$2,025.00

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(**) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.

Prepared for:
Misty Camardelle
Jeff Parish
200 Derbigny St
Gretna, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

Q U O T A T I O N

4700 SET-BACK FRONT AXLE CHASSIS

SET BACK AXLE - TRUCK	12,000# MONO TAPERLEAF FRONT SUSPENSION
CUM L9 300 HP @ 2000 RPM, 2200 GOV RPM, 860 LB/FT @ 1300 RPM	110 INCH BBC STEEL CONVENTIONAL CAB
ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	4450MM (175 INCH) WHEELBASE
MT-40-14X 40,000# R-SERIES TANDEM REAR AXLE	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI
HENDRICKSON RT403 @40,000# REAR SUSPENSION	1600MM (63 INCH) REAR FRAME OVERHANG
MFS-12-143A 12,000# FF1 71.5 INCH KPI/3.74 INCH DROP SINGLE FRONT AXLE	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT

		PER UNIT	TOTAL
VEHICLE PRICE	TOTAL # OF UNITS (3)	\$ 81,448	\$ 244,344
EXTENDED WARRANTY		\$ 0	\$ 0
DEALER INSTALLED OPTIONS		\$ 0	\$ 0
CUSTOMER PRICE BEFORE TAX		\$ 81,448	\$ 244,344

TAXES AND FEES

FEDERAL EXCISE TAX (FET)	\$ (253)	\$ (758)
TAXES AND FEES	\$ 0	\$ 0
OTHER CHARGES	\$ 0	\$ 0

TRADE-IN

TRADE-IN ALLOWANCE	\$ (0)	\$ (0)
--------------------	--------	--------

BALANCE DUE	(LOCAL CURRENCY)	\$ 81,195	\$ 243,586
-------------	------------------	-----------	------------

COMMENTS: Projected delivery on ___ / ___ / ___ provided the order is received before ___ / ___ / ___.

APPROVAL: Please indicate your acceptance of this quotation by signing below: Customer:

X_____ Date: ___ / ___ / ___.

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com.

Prepared for:
Misty Camardelle
Jeff Parish
200 Derbigny St
Gretna, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

S P E C I F I C A T I O N P R O P O S A L

Data Code	Description	Weight Front	Weight Rear	Retail Price
Price Level				
PRL-15T	WESTERN STAR 4700 PRL-15T (EFF:10/25/16)			STD
Data Version				
DRL-018	SPECPRO21 DATA RELEASE VER 018			N/C
Vehicle Configuration				
001-451	4700 SET-BACK FRONT AXLE CHASSIS	9,215	6,630	\$162,060.00
004-218	2018 MODEL YEAR SPECIFIED			N/C
002-004	SET BACK AXLE - TRUCK			STD
019-001	TRAILER TOWING PROVISION AT END OF FRAME FOR TRUCK	10	10	\$633.00
003-001	LH PRIMARY STEERING LOCATION			STD
General Service				
AA1-003	TRUCK/TRAILER CONFIGURATION			N/C
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)			STD
A85-011	CONSTRUCTION SERVICE			STD
A84-1GM	GOVERNMENT BUSINESS SEGMENT			N/C
AA4-003	DRY BULK COMMODITY			STD
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			STD
AB1-008	MAXIMUM 8% EXPECTED GRADE			STD
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			STD
995-1A5	WESTERN STAR VOCATIONAL WARRANTY			STD
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 12000.0 lbs			
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 40000.0 lbs			

Prepared for:
Misty Camardelle
Jeff Parish
200 Derbigny St
Gretna, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

Data Code	Description	Weight Front	Weight Rear	Retail Price
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 52000.0 lbs			
A70-99D	EXPECTED GROSS COMBINATION WEIGHT : 80000.0 lbs			
Truck Service				
AA3-005	FLATBED/PLATFORM/STAKE BODY			N/C
Engine				
101-22P	CUM L9 300 HP @ 2000 RPM, 2200 GOV RPM, 860 LB/FT @ 1300 RPM	-850	-70	(\$12,411.00)
Electronic Parameters				
79A-060	60 MPH ROAD SPEED LIMIT			N/C
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			N/C
79K-006	PTO MODE ENGINE RPM LIMIT - 1000 RPM			N/C
79P-004	PTO RPM WITH CRUISE SET SWITCH - 900 RPM			N/C
79Q-004	PTO RPM WITH CRUISE RESUME SWITCH - 900 RPM			N/C
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			N/C
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			N/C
80G-004	PTO MINIMUM RPM - 900			N/C
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH			N/C
Engine Equipment				
99C-017	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION			STD
99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)			\$106.00
13E-001	STANDARD OIL PAN			STD
105-001	ENGINE MOUNTED OIL CHECK AND FILL			STD
133-004	ONE PIECE VALVE COVER			STD
014-1B5	SIDE OF HOOD AIR INTAKE WITH DONALDSON HIGH CAPACITY AIR CLEANER WITH SAFETY ELEMENT, FIREWALL MOUNTED			STD
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			STD
292-148	(3) ALLIANCE ABSORBED GLASS MAT MODEL 7A31, GROUP 31, 12 VOLT MAINTENANCE FREE 2190 CCA THREADED STUD BATTERIES			STD
290-1AC	PASSENGER SEAT BATTERY BOX VENTED TO OUTSIDE OF CAB			STD

Prepared for:
Misty Camardelle
Jeff Parish
200 Derbigny St
Gretna, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

Data Code	Description	Weight Front	Weight Rear	Retail Price
282-013	BATTERY BOX MOUNTED UNDER PASSENGER SEAT			STD
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			STD
289-006	PLASTIC BATTERY BOX COVER			STD
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			N/C
131-013	AIR COMPRESSOR DISCHARGE LINE			STD
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			STD
128-076	CUMMINS EXHAUST BRAKE INTEGRAL WITH VARIABLE GEOMETRY TURBO WITH ON/OFF DASH SWITCH	20		N/C
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE			STD
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH			STD
239-038	11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT			STD
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP			STD
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK			STD
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			STD
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			STD
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			STD
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILOPIPE SHIELD			STD
273-018	HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN DRIVE			N/C
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			STD
110-003	CUMMINS SPIN ON FUEL FILTER			N/C
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER			N/C
266-017	1300 SQUARE INCH ALUMINUM RADIATOR	-20		N/C
267-006	MOUNTING FOR FIREWALL MOUNTED SURGE TANK			STD
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			STD

Prepared for:
Misty Camardelle
Jeff Parish
200 Derbigny St
Gretna, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

Data Code	Description	Weight Front	Weight Rear	Retail Price
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			STD
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			STD
270-016	RADIATOR DRAIN VALVE			N/C
168-998	NO RADIATOR/OIL PAN GUARD	-5		(\$94.00)
138-998	NO BLOCK HEATER			(\$58.00)
166-998	NO OIL PREHEATER			(\$69.00)
134-001	ALUMINUM FLYWHEEL HOUSING			STD
132-004	ELECTRIC GRID AIR INTAKE WARMER			N/C
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH	-10		N/C

Transmission

342-584	ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	-110	-35	\$6,967.00
---------	--	------	-----	------------

Transmission Equipment

343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV			N/C
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			N/C
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			N/C
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			N/C
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			N/C
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			N/C
84L-000	LOAD BASED SHIFT SCHEDULE AND VEHICLE ACCELERATION CONTROL RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED VOCATIONAL USAGE			N/C

Prepared for:
Misty Camardelle
Jeff Parish
200 Derbigny St
Gretna, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

Data Code	Description	Weight Front	Weight Rear	Retail Price
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			N/C
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED			N/C
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013			N/C
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK			STD
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK			N/C
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)			N/C
Front Axle and Equipment				
400-095	MFS-12-143A 12,000# FF1 71.5 INCH KPI/3.74 INCH DROP SINGLE FRONT AXLE	-150		(\$1,220.00)
402-049	MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	-10		\$214.00
403-002	NON-ASBESTOS FRONT BRAKE LINING			STD
419-023	CONMET CAST IRON FRONT BRAKE DRUMS			STD
409-021	SKF SCOTSEAL PLUS XL FRONT OIL SEALS			STD
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			STD
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			STD
405-003	HALDEX AUTOMATIC FRONT SLACK ADJUSTERS			STD
406-001	STANDARD KING PIN BUSHINGS			STD
536-050	TRW THP-60 POWER STEERING	-40		N/C
539-003	POWER STEERING PUMP			STD
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			STD
40T-003	SYNTHETIC 50W FRONT AXLE LUBE			STD
Front Suspension				
620-1E9	12,000# MONO TAPERLEAF FRONT SUSPENSION	-230		(\$192.00)
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			N/C
410-001	FRONT SHOCK ABSORBERS			N/C
Rear Axle and Equipment				
420-1K3	MT-40-14X 40,000# R-SERIES TANDEM REAR AXLE		-40	\$280.00
421-488	4.88 REAR AXLE RATIO			N/C

Prepared for:
Misty Camardelle
Jeff Parish
200 Derbigny St
Gretna, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

Data Code	Description	Weight Front	Weight Rear	Retail Price
424-003	IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY AXLE HOUSING			STD
386-076	MXL 17N MERITOR EXTENDED LUBE MAIN DRIVELINE WITH FULL ROUND YOKES	-30	-30	(\$91.00)
388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES			STD
878-019	(1) INTERAXLE LOCK VALVE FOR TANDEM OR TRIDEM DRIVE AXLES			STD
87A-005	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH			STD
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			STD
433-002	NON-ASBESTOS REAR BRAKE LINING			STD
434-003	STANDARD BRAKE CHAMBER LOCATION			N/C
451-023	CONMET CAST IRON REAR BRAKE DRUMS			STD
440-021	SKF SCOTSEAL PLUS XL REAR OIL SEALS			STD
426-075	HALDEX GOLDSEAL LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS			STD
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS			STD
41T-002	SYNTHETIC 75W-90 REAR AXLE LUBE			STD
Rear Suspension				
622-1CH	HENDRICKSON RT403 @40,000# REAR SUSPENSION		640	\$2,383.00
621-016	HENDRICKSON RT/RTE - 7.19" SADDLE			N/C
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			N/C
624-011	52 INCH AXLE SPACING			N/C
628-004	STEEL BEAMS AND RUBBER CENTER BUSHINGS WITH BAR PIN ADJUSTABLE END CONNECTIONS			N/C
623-005	FORE/AFT CONTROL RODS			N/C
Brake System				
490-100	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL			STD
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			STD
904-001	FIBER BRAID PARKING BRAKE HOSE			STD
412-001	STANDARD BRAKE SYSTEM VALVES			STD
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			STD
480-009	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	20		N/C

Prepared for:
Misty Camardelle
Jeff Parish
200 Derbigny St
Gretna, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

Data Code	Description	Weight Front	Weight Rear	Retail Price
483-003	BENDIX OIL COALESCING FILTER FOR AIR DRYER			\$19.00
479-015	AIR DRYER FRAME MOUNTED			STD
460-001	STEEL AIR BRAKE RESERVOIRS			STD
477-011	PETCOCK DRAIN VALVES ON ALL AIR TANK(S)			(\$6.00)
Trailer Connections				
914-001	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS			N/C
296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION			N/C
297-001	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME			N/C
Wheelbase & Frame				
545-445	4450MM (175 INCH) WHEELBASE			N/C
546-101	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI			STD
547-001	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT	118	345	\$1,037.00
552-030	1600MM (63 INCH) REAR FRAME OVERHANG			STD
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH			N/C
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 111.69 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 108.69 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 268.12			
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 111.69 in			
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 38.91 in			N/C
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 104.7 in			N/C
553-001	SQUARE END OF FRAME			STD
587-038	PREMIER #2200 AIR PINTLE HITCH		30	\$724.00
588-008	TOW HITCH VERTICAL REF: PLUS 5.25 INCH, MEASURED UP FROM THE TOP OF THE LOWER FRAME FLANGE			N/C
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			STD
561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION			STD
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			STD

Prepared for:
Misty Camardelle
Jeff Parish
200 Derbigny St
Gretna, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

Data Code	Description	Weight Front	Weight Rear	Retail Price
572-009	5/16 INCH STEEL TOWING CROSSMEMBER AND A-FRAME WITH CLEVIS AND PIN ATTACHMENT - 40,000# CAPACITY	-40	220	\$2,172.00
565-001	STANDARD SUSPENSION CROSSMEMBER			N/C
568-001	STANDARD WEIGHT REAR SUSPENSION CROSSMEMBER			STD
Chassis Equipment				
556-1E5	14 INCH PAINTED STEEL BUMPER			STD
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			STD
586-015	FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS			STD
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			STD
44Z-998	NO SPECIFIED HARNESS COVERING			STD
Fuel Tanks				
204-151	60 GALLON/227 LITER ALUMINUM FUEL TANK - LH			STD
218-006	25 INCH DIAMETER FUEL TANK(S)			STD
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			STD
212-007	FUEL TANK(S) FORWARD			STD
664-001	PLAIN STEP FINISH			STD
205-001	FUEL TANK CAP(S)			STD
122-1H7	DAVCO 245 FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR	20		N/C
216-020	EQUIFLO INBOARD FUEL SYSTEM			STD
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			STD
221-001	FUEL COOLER			STD
Tires				
093-1V4	CONTINENTAL HSR2 11R22.5 14 PLY RADIAL FRONT TIRE	16		(\$302.00)
094-2F6	CONTINENTAL HDR2 11R22.5 14 PLY RADIAL REAR TIRES		184	(\$696.00)
Hubs				
418-056	CONMET PRESET PLUS IRON FRONT HUBS			STD
450-056	CONMET PRESET PLUS IRON REAR HUBS			STD
Wheels				
502-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 6.18 INSET 2-HAND HD STEEL DISC FRONT WHEELS	26		(\$182.00)

Prepared for:
Misty Camardelle
Jeff Parish
200 Derbigny St
Gretna, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

Data Code	Description	Weight Front	Weight Rear	Retail Price
505-523	MAXION WHEELS 90262 22.5X8.25 10-HUB PILOT 5-HAND STEEL DISC REAR WHEELS		72	(\$256.00)
496-011	FRONT WHEEL MOUNTING NUTS			STD
497-011	REAR WHEEL MOUNTING NUTS			STD
Cab Exterior				
829-1A8	110 INCH BBC STEEL CONVENTIONAL CAB			STD
82A-023	WESTERN STAR PAINTED ALUMINUM CAB SKIRT			STD
650-044	AIR CAB MOUNTS WITH CHECK VALVE			STD
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			STD
667-001	FRONT FENDERS			STD
678-034	LH AND RH EXTERIOR GRAB HANDLES WITH RUBBER INSERTS AND RH INTERIOR GRAB HANDLE MOUNTED TO A POST			STD
646-008	STATIONARY BRIGHT FINISH GRILLE			STD
65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE			STD
640-008	GALVANEALD STEEL SEVERE SERVICE CAB			STD
644-004	FIBERGLASS HOOD			STD
727-012	DUAL HADLEY SD-978 26 INCH RECTANGULAR AIR HORNS			STD
726-001	SINGLE ELECTRIC HORN			STD
728-002	DUAL HORN SHIELDS			STD
657-1AF	DOORS AND IGNITION KEYED THE SAME (3 KEYS)			\$9.00
575-001	REAR LICENSE PLATE MOUNT END OF FRAME			STD
312-072	SINGLE RECTANGULAR SEALED BEAM HEADLIGHTS WITH BRIGHT BEZELS			STD
302-001	(5) AMBER MARKER LIGHTS			STD
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS			STD
300-015	STANDARD FRONT TURN SIGNAL LAMPS			STD
744-007	DUAL WEST COAST STAINLESS STEEL MIRRORS			STD
797-001	DOOR MOUNTED MIRRORS			STD
796-001	102 INCH EQUIPMENT WIDTH			STD
743-1AC	LH AND RH 8 INCH STAINLESS STEEL CONVEX MIRRORS MOUNTED BELOW PRIMARY MIRRORS			STD
74A-001	RH DOWN VIEW MIRROR			STD
729-001	STANDARD SIDE/REAR REFLECTORS			STD
768-046	17.5X35 INCH TINTED REAR WINDOW			STD

Prepared for:
Misty Camardelle
Jeff Parish
200 Derbigny St
Gretna, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

Data Code	Description	Weight Front	Weight Rear	Retail Price
661-006	TINTED DOOR GLASS			STD
654-003	MANUAL DOOR WINDOW REGULATORS			STD
663-014	2-PIECE TINTED CURVED BONDED WINDSHIELD			(\$139.00)
659-025	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, MOUNTED UNDER CAB, WITH REMOTE FILL			STD
Cab Interior				
707-1D0	GRAY VINYL BASE INTERIOR			STD
70K-005	BLACK HARD TRIM			STD
706-049	BASE LEFT HAND DOOR TRIM			STD
708-049	BASE RIGHT HAND DOOR TRIM			STD
772-006	BLACK MATS WITH SINGLE INSULATION			STD
785-007	DASH MOUNTED ASH TRAY AND LIGHTER, DRIVER SIDE			STD
691-001	FORWARD ROOF MOUNTED CONSOLE			STD
694-009	PASSENGER SIDE WING DASH MOUNTED GLOVE BOX WITH LOCKING DOOR			STD
693-025	LH AND RH DOOR MAP POCKETS			STD
741-029	COAT HOOK ON RH BACKWALL OF CAB			STD
680-034	TWO-TONE CHARCOAL UPPER/COOL GRAY LOWER SOFT TOUCH WING DASH WITH BLACK DRIVER SIDE COSMETIC UNDER DASH COVER			STD
320-004	STANDARD WIRING			STD
700-014	HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT OUTLET TEMPERATURE CONTROL			(\$54.00)
701-010	HVAC DUCTING WITH FOAM MAIN FRESH AIR FILTER AND OUTSIDE PRE-FILTER			STD
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			STD
170-015	STANDARD HEATER PLUMBING			STD
130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR			STD
698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENSER			STD
702-002	BINARY CONTROL, R-134A			STD
739-001	CAB INSULATION			STD
285-019	AUTOMATIC SELF-RESET CIRCUIT BREAKER IN MAIN DASH POWER DISTRIBUTION BOX AND CIRCUIT BREAKER/FUSE IN AUXILIARY POWER DISTRIBUTION BOXES			\$21.00

Prepared for:
Misty Camardelle
Jeff Parish
200 Derbigny St
Gretna, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

Data Code	Description	Weight Front	Weight Rear	Retail Price
324-075	DOOR ACTIVATED DOME LIGHT, UNDER DASH LIGHT AND LH AND RH DOOR MOUNTED COURTESY LIGHTS			STD
655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS			STD
756-1DD	BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND REAR CUSHION TILT			STD
760-038	NATIONAL 2 MAN TOOL/BATTERY BOX MID BACK NON SUSPENSION PASSENGER SEAT			\$177.00
758-1AA	GRAY VINYL DRIVER SEAT COVER			(\$22.00)
761-1AA	GRAY VINYL PASSENGER SEAT COVER			(\$22.00)
763-028	3 POINT HIGH VISIBILITY ORANGE RETRACTOR DRIVER AND PASSENGER AND 2 POINT HIGH VISIBILITY ORANGE RETRACTOR CENTER FRONT SEAT BELTS			\$19.00
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN			STD
540-020	2-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL(S)			(\$7.00)
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			STD

Instruments & Controls

185-002	NON-ADJUSTABLE SUSPENDED PEDALS			STD
870-004	STAR GAUGES WITH BLACK BEZELS			STD
732-001	BLACK DRIVER INSTRUMENT PANEL			STD
734-001	BLACK CENTER INSTRUMENT PANEL			STD
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM			STD
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES			STD
198-003	DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS			\$41.00
721-001	97 DB BACKUP ALARM		3	\$82.00
149-012	CRUISE CONTROL SWITCHES IN THE CENTER PANEL			STD
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			STD
811-001	WARNING LAMP/LIGHT BAR DISPLAY, NON- DATA LINKED			STD
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			STD

Prepared for:
Misty Camardelle
Jeff Parish
200 Derbigny St
Gretna, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

Data Code	Description	Weight Front	Weight Rear	Retail Price
844-001	2 INCH ELECTRIC FUEL GAUGE			STD
148-003	PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE			N/C
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			STD
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			STD
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
746-114	AM/FM/WB WORLD TUNER RADIO WITH AUXILIARY INPUT, J1939	10		\$236.00
747-002	ROOF/OVERHEAD CONSOLE MOUNTED RADIO			N/C
750-004	(4) RADIO SPEAKERS IN CAB			N/C
753-019	AM/FM ANTENNA MOUNTED ON RH FRONT A- PILLAR	2		\$30.00
748-026	POWER AND GROUND WIRING FOR CB RADIO IN OVERHEAD CONSOLE			STD
752-017	MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED ANTENNA SYSTEM			STD
810-042	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITH ODOMETER			STD
817-001	STANDARD VEHICLE SPEED SENSOR			STD
812-001	ELECTRONIC 3000 RPM TACHOMETER			STD
813-998	NO VEHICLE PERFORMANCE MONITOR			(\$998.00)
8D1-998	NO DETROIT CONNECT SERVICES SELECTED			N/C
8Z1-998	NO ZONAR SERVICES SELECTED			STD
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			STD
482-001	BW TRACTOR PROTECTION VALVE			N/C
883-001	TRAILER HAND CONTROL BRAKE VALVE			N/C
836-001	2 INCH VOLTMETER			STD
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			STD
304-015	CAB/TRAILER MARKER LIGHT SWITCH WITH SEPARATE HEADLIGHT SWITCH			STD
882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			N/C
299-032	VSM NON CANCELING TURN SIGNAL SWITCH WITH INTEGRAL HEADLAMP DIMMER WITHOUT BRAKE OVERRIDE			STD
298-036	PACIFIC INSIGHT ELECTRONIC FLASHER			STD
Design				
065-000	PAINT: ONE SOLID COLOR			STD
Color				

Prepared for:
Misty Camardelle
Jeff Parish
200 Derbigny St
Gretna, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

Data Code	Description	Weight Front	Weight Rear	Retail Price
980-5F6	CAB COLOR A: L0006EB WHITE ELITE BC			STD
96J-001	CAB INTERIOR PAINTED SAME AS CAB COLOR			STD
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			STD
962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD
966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD
964-993	BUMPER PAINTED SAME AS CHASSIS			STD

Certification / Compliance

996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			STD
---------	--	--	--	-----

Secondary Factory Options

82D-998	NO PDI INSTALLED GRILLE/HOOD TRIM			STD
---------	-----------------------------------	--	--	-----

Sales Programs

RZ1-998	NO TELEMATICS SERVICE CONTRACT			N/C
---------	--------------------------------	--	--	-----

TOTAL VEHICLE SUMMARY

Adjusted List Price

Adjusted List Price ** \$160,391.00

Weight Summary

	Weight Front	Weight Rear	Total Weight
Factory Weight ⁺	7962 lbs	7959 lbs	15921 lbs
Total Weight ⁺	7962 lbs	7959 lbs	15921 lbs

ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE

Other Factory Charges

Prepared for:
Misty Camardelle
Jeff Parish
200 Derbigny St
Gretna, LA 70053
Phone: 504-364-2683

Prepared by:
Dwayne Pitre
ALL TRUCK PARTS & EQUIPMENT
CO. LLC
15959 FLORIDA BLVD.
BATON ROUGE, LA 70819
Phone: 2252748188

PMU-017	2016 OBD/2010 EPA/CARB/GHG17 ESCALATOR	\$300.00
RD1-998	NO DETROIT CONNECT	N/C
RAM-18A	MODEL YEAR 2018 WST 4700 ESCALATOR - \$800	\$800.00
P73-2WS	STANDARD DESTINATION CHARGE	\$2,025.00

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(**) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.

SERIOUS TRUCKS



MUNICIPAL

4700	4800	4900
SF SB	SF SB TS	SF SB XD TS




Serious trucks.™

THE END OF COMPROMISE HAS BEEN ACHIEVED.

You don't want the almost right truck. You want the right truck. Which is just another way to say a Western Star®. It's designed to flat out work, every single day. No excuses. No complaints. That's because this is the work truck that was built to be a work truck. And we have a whole family of them that can be customized to do whatever you need.

In fact, a Star is so well-built, it's going to keep running long after the others stop. And the low cost of operation you get over the life of your Western Star truck makes it a true long-term investment. That's how we've been doing it since we built our first one over 40 years ago. With this kind of value, no wonder Stars are the trucks real pros turn to.





Body builder friendly.

We make trucks with the body builder-specific options that are designed to reduce installation time and ensure years of trouble-free operation. Plus, since we build each truck to your specifications, anything is possible. Pre-punched frame rails, front frame extensions, point-to-point power distribution, ample room between the seats to install controls – the list goes on. Just ask your dealer.




A NICE PLACE TO CALL WORK.

The cab of the Western Star is built to make the job easier and more comfortable. Large, waterproof switches that let you work with gloves on. A quiet, insulated cab that's easy to get in and out of. Greater visibility. More leg room. More storage. More space between seats. Your drivers might feel spoiled. Almost.

WIRING MADE EASY.

Our 4700 features a number of body builder-friendly features that make connections easier. Like in-cab wiring and interface connectors. A bolt-in pass-through plate in the cab floor to eliminate unnecessary drilling. And a dedicated floor channel with an easy-to-remove top that provides plenty of room to run your own wiring. Like we said, easy.



SET FORWARD OR SET BACK. YOUR CHOICE.

Whichever model you need, with Western Star, you decide on front axle placement. Specify set back (SB) front axles for maximum maneuverability or choose set forward (SF) to maximize bridge law formulas.




LET IT SNOW.

When you're operating a plow, you don't want snow getting into your engine. In-cab controlled snow doors with optional underhood air cleaners keep snow out in the harshest conditions, so you can stay working.



All hail the steel cab.

No aluminum or rivets here. Our galvanized steel cabs are built to keep you safe. Extra gussets and reinforcements, bonded instead of riveted, precision welded for strength, then dipped and protected with a 17-stage e-coat process for long-lasting corrosion resistance and a superior paint finish. And for extreme-duty applications, Western Star also offers a severe service cab option with additional reinforcements to withstand anything you can throw at it.



READY, WILLING AND MORE THAN ABLE.

Western Star® trucks are built to perform, with the high-quality components that stand up to the challenge of hard work. Sure, you can buy a less expensive truck. But that only costs you in the long run.

The answer is yes.

The question, well, you'll have to supply that. With thousands of options and a work force dedicated to hand building the truck you need, Western Star delivers true factory customization all backed by a single factory warranty. If there's something you need, just ask.



Close enough just isn't good enough.


When it comes to choosing an engine, close enough should never enter the conversation. So for municipal applications, we offer a variety of engines with horsepower and torque ratings to match your job. Getting what you want has never been easier.

ENGINE	HORSEPOWER	TORQUE
DETROIT™ DD13*	350-470	1250-1650lb.-ft.
DETROIT™ DD15* TC	455-505	1550-1750lb.-ft.
DETROIT™ DD16*	475-600	1850-2050lb.-ft.
CUMMINS ISL	260-380	720-1250lb.-ft.
CUMMINS ISX15	400-600	1450-2050lb.-ft.

DETROIT DD13

DEMAND POWER AND EFFICIENCY.

Detroit™ engines are engineered to deliver the excellent power and fuel economy you depend on while still meeting today's efficiency requirements. That's why each engine we build is 2013 OBD (OBD13) Certified and compliant with 2014 Greenhouse Gas (GHG14) regulations. So you can count on a powerplant that will run clean and strong for many miles to come.



EASY MAINTENANCE. GREATER UPTIME.

We engineer our trucks to be simple to work on. From changing air filters or replacing fuses to accessing major components, a Star is made to keep you on the road and running.




ALL CONDITIONS ARE WORKING CONDITIONS.

A Western Star truck is built to perform no matter how hot or how cold. So you'll find options like heated windshields, arctic wiper blades and access hatches in the hood to keep you running even when the conditions are less than ideal.




4700

SF SET FORWARD AXLE



A	BBC: 110"
B	WB: Up to 448"
C	BA: 29"


SB SET BACK AXLE



A	BBC: 110"
B	WB: Up to 448"
C	BA: 47"


4800

SF SET FORWARD AXLE




A	BBC: 109"
B	WB: Up to 448"
C	BA: 33"

SB SET BACK AXLE



A	BBC: 109"
B	WB: Up to 448"
C	BA: 50"


TS TWIN STEER, SF SB



A	BBC: 109"
B	WB: Up to 448"
C	BA: 33"(SF) / 50"(SB)


4900

SF SET FORWARD AXLE




A	BBC: 123"
B	WB: Up to 448"
C	BA: 33"

SB SET BACK AXLE




A	BBC: 123"
B	WB: Up to 448"
C	BA: 50"

XD EXTREME DUTY



A	BBC: 123"
B	WB: Up to 448"
C	BA: 50"

TS TWIN STEER



A	BBC: 123"
B	WB: Up to 448"
C	BA: 50"



For the Western Star Dealer nearest you, call 1-866-850-STAR | WESTERNSTAR.COM

WS/MC-B-399. Specifications are subject to change without notice. Western Star Truck Sales, Inc. is registered to ISO 9001:2008 and ISO 14001:2004. Copyright © 2013 Daimler Trucks North America LLC. All rights reserved. Western Star Truck Sales, Inc. is a subsidiary of Daimler Trucks North America LLC, a Daimler company.



4700 TRACTOR SF SB

Dry Bulk | Liquid Bulk
Chip Trailer | Construction Trailer
Van Body Trailer | Ag Trailer



Serious trucks.™




DESCENDED FROM A LONG LINE OF WORKAHOLICS.

If you're looking for a truck that delivers quality and performance – even with today's tightening budgets – you've found it. The Western Star® 4700 tractor is the ideal solution for bulk haul, local delivery and construction operations. That's because it was built with input from you – the people who know what your company needs in a truck.

Of course, just like our other models, this truck is still every bit a Western Star. Hand built with an unmatched attention to detail, just like we've done for nearly 50 years. Durable, reliable and rugged, designed to be lighter weight to save you money today and for years to come. So meet the new Star. Everything you need. Nothing you don't.

The all-steel, corrosion-resistant office.

Our galvanized steel cabs are built to keep you safe. Bonded instead of riveted, precision welded for strength, then dipped and protected with a multi-stage e-coat process for long-lasting corrosion resistance and a superior paint finish. Strength and longevity are the goals. We'd say they've been exceeded.



AN INTERIOR DESIGNED TO KEEP DRIVERS HAPPY.


The interior of the Western Star 4700 isn't built just to look pretty. It's built to make a day on the job more enjoyable. With features like a 72-inch-wide cab with plenty of shoulder room, and barium foam insulation paired with an extra-thick floor pad for incredible comfort and reduced noise. Just the kind of environment to boost driver retention.



FRAME RAILS BUILT FOR THE LONG HAUL.

Like all of our tractors, the 4700 features tapered frame ends and bolt-in crossmembers with recessed fasteners to minimize trailer damage, as well as make replacement easy.





Heavyweight performance. Without the heavy.

Yes, you can get strong and light. The 4700 is available with a number of options to reduce weight without sacrificing performance. Lightweight bumpers, aluminum fifth wheels, underhood air cleaners, plus a host of other choices to build your truck how you want it. Just see your dealer for the full story.



Excellent maneuverability, meet big power.

When it comes to choosing an engine, close enough should never enter the conversation. We offer engines from both Detroit and Cummins, with the specifications to give you the power you need for your application. And matching that power to the 110-inch BBC of the 4700 gives you a tractor that's perfect for regional hauling, no matter what your business.

CUMMINS ISL
260-380HP, 720-1250lb.-ft.



DETROIT™ DD13®
350-505HP, 1250-1850lb.-ft.




DETROIT

DEMAND POWER AND EFFICIENCY.

Detroit™ engines are engineered to deliver the excellent power and fuel economy you depend on while still meeting today's efficiency requirements. That's why each engine we build is 2016 OBD (OBD16) Certified and compliant with 2017 Greenhouse Gas (GHG17) regulations. So you can count on a powerplant that will run clean and strong for many miles to come.


THE RIGHT SIZE TO GO JUST ABOUT ANYWHERE.

With a newly designed sloped hood and a 110-inch BBC, the 4700 offers unobstructed sitelines with incredible visibility. Plus, its 50-degree wheel cut gives you the maneuverability to get into – and out of – some pretty tight spots.




4700

SF SET FORWARD AXLE



A	BBC: 110"
B	WB: Up to 300"
C	BA: 29"

SB SET BACK AXLE



A	BBC: 110"
B	WB: Up to 300"
C	BA: 47"

PARTS AND SERVICE, WHEN YOU NEED THEM.

Our goal is to keep you working. That's why your dealer has an experienced service center team and carries a wide selection of parts, with access to an even greater variety through our expanding global network of parts distribution centers. You get the support you need to grow – no matter where you do business.

YOUR KIND OF FINANCING PROGRAMS.

Being part of the Daimler Truck Financial family means we can get you into the right truck at the right price with rates that are competitive with anyone, including banks. Plus, because we know the transportation and vocational business, it's simple to get the financing you need – and into the Western Star you want.

Daimler Truck Financial

Financing that works for you.

Follow us on:



WESTERN STAR

For the Western Star dealer nearest you, call 1-866-850-STAR | **WESTERNSTAR.COM**



WS/MC-B-483. Specifications are subject to change without notice. Western Star Truck Sales, Inc. is registered to ISO 9001:2008 and ISO 14001:2004. Copyright © 2016 Daimler Trucks North America LLC. All rights reserved. Western Star Truck Sales, Inc. is a subsidiary of Daimler Trucks North America LLC, a Daimler company.

DAIMLER | Western Star - A Daimler Group Brand

**Request for Taxpayer
Identification Number and Certification**

Give Form to the
requester. Do not
send to the IRS.

Print or type See Specific Instructions on page 2.	1 Name (as shown on your income tax return). Name is required on this line; do not leave this line blank. ALL TRUCK PARTS & EQUIPMENT Co. LLC.	
	2 Business name/disregarded entity name, if different from above	
	3 Check appropriate box for federal tax classification; check only one of the following seven boxes: <input type="checkbox"/> Individual/sole proprietor or single-member LLC <input type="checkbox"/> C Corporation <input type="checkbox"/> S Corporation <input type="checkbox"/> Partnership <input type="checkbox"/> Trust/estate <input checked="" type="checkbox"/> Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=partnership) ▶ S Note. For a single-member LLC that is disregarded, do not check LLC; check the appropriate box in the line above for the tax classification of the single-member owner. <input type="checkbox"/> Other (see instructions) ▶	
	4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3): Exempt payee code (if any) Exemption from FATCA reporting code (if any) (Applies to accounts maintained outside the U.S.)	
	5 Address (number, street, and apt. or suite no.) 15959 Florida Blvd.	Requester's name and address (optional)
	6 City, state, and ZIP code Baton Rouge, LA 70819	
	7 List account number(s) here (optional)	

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN* on page 3.

Note. If the account is in more than one name, see the instructions for line 1 and the chart on page 4 for guidelines on whose number to enter.

Social security number								
			-				-	
or								
Employer identification number								
7	2	-	0	6	2	6	3	0

Part II Certification

Under penalties of perjury, I certify that:

- The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
- I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
- I am a U.S. citizen or other U.S. person (defined below); and
- The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions on page 3.

Sign Here	Signature of U.S. person ▶ [Signature]	Date ▶ 12-30-15
-----------	---	------------------------

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.
Future developments. Information about developments affecting Form W-9 (such as legislation enacted after we release it) is at www.irs.gov/fw9.

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (ITIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following:

- Form 1099-INT (interest earned or paid)
- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)

- Form 1098 (home mortgage interest), 1098-E (student loan interest), 1098-T (tuition)
 - Form 1099-C (canceled debt)
 - Form 1099-A (acquisition or abandonment of secured property)
- Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN.

If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See *What is backup withholding?* on page 2.

By signing the filled-out form, you:

- Certify that the TIN you are giving is correct (or you are waiting for a number to be issued),
- Certify that you are not subject to backup withholding, or
- Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income, and
- Certify that FATCA code(s) entered on this form (if any) indicating that you are exempt from the FATCA reporting, is correct. See *What is FATCA reporting?* on page 2 for further information.



#293533

[e-services](#)[Online Tutorials](#)[Mailbox](#)[Sign Out](#)[Contact Us](#)

Interactive TIN Session:Interactive Results

This screen provides you with the results of your TIN Match request. The 'Match Indicator' displays a code next to the TIN and name combination. Use the codes below to interpret your results:

- 0 = TIN and Name combination matches IRS records.
- 1 = TIN was missing or TIN not 9-digit numeric.
- 2 = TIN entered is not currently issued.
- 3 = TIN and Name combination does not match IRS records.
- 4 = Invalid TIN Matching request.
- 5 = Duplicate TIN Matching request.
- 6 = TIN and Name combination matches IRS SSN records.
- 7 = TIN and Name combination matches IRS EIN records.
- 8 = TIN and Name combination matches IRS SSN and EIN records.

Important: Before leaving this screen, you may want to do a Print Screen of the results. Once you exit this screen, the interactive results will no longer be available for viewing.

Using the TIN Matching system allows you to verify the accuracy of taxpayer TIN and name information prior to submitting information to IRS. Internal Revenue Code 6724 provides any penalties under Section 6721 may be waived if the filer shows the failure to file a correct TIN on an information return was due to reasonable cause and not willful neglect. Filers may prove due diligence and receive a waiver from proposed penalties if they prove the TIN and name combination they submitted matched IRS records. Providing a copy of the Print Screen of your Interactive Results will be considered proof of due diligence.

ID	TIN Type	TIN	Name	Result Code
1	Unknown	720626308	all truck parts & equipment co llc	7

You may do either of the following:

- Select *Another Tin Matching Request* to check more TIN and Name combinations.
- Select *Done* to return to the TIN Matching home page.

[ANOTHER TIN MATCHING REQUEST](#)[DONE](#)