



AquaANVIL™

Water-Based Adulticide

ACTIVE INGREDIENTS:

Sumithrin®: 3-Phenoxybenzyl-(1RS, 3RS, 1RS, 3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl) cyclopropanecarboxylate.....	10.00%
*Piperonyl Butoxide	10.00%
OTHER INGREDIENTS	80.00%
	100.00%

Contains 0.847 pounds of Technical SUMITHRIN®/Gallon and 0.847 pounds of Piperonyl Butoxide (PBO)/Gallon
 *(butylcarbityl)(6-propylpiperonyl) ether and related compounds

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente

FIRST AID

IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
--------------------	---

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Mixers, loaders, applicators, and other handlers must wear the following: -long-sleeved shirt, -long pants, -shoes and socks. See engineering controls for additional requirements.

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of the gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENGINEERING CONTROLS

Pilots must use an enclosed cockpit that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(6)]. Human flagging is prohibited. Flagging to support aerial application is limited to use of the Global Positioning System (GPS) or mechanical flaggers.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms, including fish and aquatic invertebrates. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish and aquatic invertebrates. Before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirements exist. Do not apply over bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present, and weather conditions will facilitate movement of applied material away from the water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinsate or wash waters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area, except when applications are made to prevent or control a threat to

public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: For use by federal, state, tribal, or local government officials responsible for public health or vector control, or by persons certified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform adult mosquito control applications, or by persons under their direct supervision.

IN CALIFORNIA: This product is to be applied by County Health Department, State Department of Health Services, Mosquito and Vector Control or Mosquito Abatement District personnel only.

IN FLORIDA: Aerial applications of this product require trained personnel to perform industry accepted assays to monitor resistance formation in targeted mosquitoes.

Do not treat a site with more than 0.0036 lbs of Sumithrin® and Piperonyl Butoxide (PBO) per acre in a twenty-four hour period. Do not exceed 0.1 lb of Sumithrin® or PBO per acre in any site in one year. More frequent treatments may be made to prevent or control a threat to public and/or animal health determined by a state, tribal, or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

NOTE: When rotating products with other insecticides containing PBO, do not exceed 2 lbs PBO per acre per year.

Not for use in outdoor residential misting systems. AquaANVIL™ cannot be mixed with oil. Use only clean water. SHAKE OR AGITATE THOROUGHLY BEFORE DILUTING. Diluted product must be thoroughly agitated before use. Avoid storing excess formulation in equipment.

USE INFORMATION: For use in mosquito adulticiding programs involving outdoor residential and recreational areas where adult mosquitoes are present in annoying numbers, and in vegetation surrounding parks, woodlands, swamps, marshes, overgrown areas and golf courses. AquaANVIL™ may be applied over agricultural areas for the control of adult mosquitoes within or adjacent to these areas.

For best results, apply when mosquitoes are most active and meteorological conditions are conducive to keeping the spray cloud close to the ground. Application in calm air conditions is to be avoided. Apply only when wind speed is greater than or equal to 1 mph. Air temperature should be greater than 50 °F when conducting all types of applications.

SPRAY DROPLET SIZE DETERMINATION

Ground-Based, wide area mosquito abatement application: Spray equipment must be adjusted so that the volume median diameter (VMD) is less than 30 microns (Dv 0.5 < 30 um) and that 90% of the spray is contained in droplets smaller than 50 microns (Dv 0.9 < 50 um). Directions from the equipment manufacturer or vendor, pesticide registrant, or a test facility using a laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

Aerial wide area mosquito abatement application: Spray equipment must be adjusted so that the volume median diameter produced is less than 60 microns (Dv 0.5 < 60 um) and that 90% of the spray is contained in droplets smaller than 80 microns (Dv 0.9 < 80 um). The effects of flight speed and, for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor, pesticide registrant, or a test facility using a wind tunnel and laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

GROUND U.L.V. APPLICATION

Apply AquaANVIL undiluted at a flow rate of 1.1 to 3.3 fluid ounces per minute at an average vehicle speed of 10 mph using a swath width of 300 feet for acreage calculations (see chart below). Under normal residential conditions a flow rate of 2.2 fluid ounces per minute is recommended. If a different vehicle speed is used, adjust rate accordingly. These rates are equivalent to 0.0012 to 0.0036 pounds of Sumithrin® and Piperonyl butoxide per acre. Vary flow rate according to vegetation density and mosquito population. Use high flow rate in heavy vegetation or when populations are high.

AquaANVIL™ may also be diluted with water and applied so as not to exceed the 0.0036 lbs of each a.i., Sumithrin® and PBO per acre as shown in the dilutions tables on this label. If an alternative dilution rate is used, adjust the flow rate accordingly, provided the droplet size and spectrum remains within label specifications.

Rates to use AquaANVIL™ Undiluted for Mosquito Control:

Pounds a.i./Acre		AquaANVIL™ Fl.oz./Acre	Flow Rates in fluid oz./minute at truck speeds of:			
Sumithrin®	PBO		5 MPH	10 MPH	15 MPH	20 MPH
0.0036	0.0036	0.54	1.6	3.3	4.9	6.6
0.0024	0.0024	0.36	1.1	2.2	3.3	4.4
0.0012	0.0012	0.18	0.5	1.1	1.6	2.2

AquaANVIL may also be applied with non-thermal, portable, motorized backpack equipment adjusted to deliver ULV particles of less than 100 microns VMD. Use 0.18 to 0.54 fl.oz. of the undiluted spray per acre (equal to 0.0012 to 0.0036 lb a.i./acre) as a 50 ft (15.2 m) swath while walking at a speed of 2 mph (3.2 kph). Dilute only with water if dilution is preferred. Do not exceed 0.54 fl.oz. of the undiluted spray per acre. Do NOT use portable backpack equipment for application in enclosed spaces.

AERIAL APPLICATION

AquaANVIL™ may be applied at rates of 0.18 to 0.54 fluid ounces of AquaANVIL™ per acre by fixed wing or rotary aircraft equipped with suitable ULV application equipment. AquaANVIL™ may also be diluted with water and applied by aerial ULV equipment so long as 0.54 fluid ounces per acre of AquaANVIL™ is not exceeded.

RELEASE HEIGHT FOR AERIAL: Fixed Wing: Apply using a nozzle height of no less than 100 feet above the ground or canopy. Rotary Wing: Apply using a nozzle height of no less than 75 feet above the ground or canopy.

Reference the dilution charts on this label. If an alternative dilution is used, adjust the flow rate accordingly, provided the droplet size and spectrum remains within label specifications.

Rates to use diluted (1 to 1 dilution ratio) AquaANVIL™ (Finished spray is a 5% by weight

Sumithrin, and contains 0.424 lbs of each a.i., Sumithrin and PBO per gallon)

Pounds a.i./Acre		Finished Spray Fluid oz./Acre	Flow Rates in fluid oz./minute at truck speeds of:			
Sumithrin®	PBO		5 MPH	10 MPH	15 MPH	20 MPH
0.0036	0.0036	1.09	3.3	6.6	9.9	13.2
0.0024	0.0024	0.73	2.2	4.4	6.6	8.8
0.0012	0.0012	0.36	1.1	2.2	3.3	4.4

Rates to use diluted (1 to 2 dilution ratio) AquaANVIL™ (Finished spray is a 3.3% by weight Sumithrin, and contains 0.282 lbs of each a.i., Sumithrin and PBO per gallon)

Pounds a.i./Acre		Finished Spray Fluid oz./Acre	Flow Rates in fluid oz./minute at truck speeds of:			
Sumithrin®	PBO		5 MPH	10 MPH	15 MPH	20 MPH
0.0036	0.0036	1.63	4.9	9.9	14.8	19.8
0.0024	0.0024	1.09	3.3	6.6	9.9	13.2
0.0012	0.0012	0.54	1.6	3.3	4.9	6.6

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store in a cool, dry place. Keep container closed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

[For 2.5-gallon Jugs]: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a rinse tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

[For refillable drums & totes]: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into rinsate collection system. Repeat this rinsing procedure two more times. Offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

FOR MORE INFORMATION CALL 1-800-323-5727

NOTICE: To the extent provided by law, Seller makes no warranty, expressed or implied, concerning the use of this product other than as indicated on the label. Buyer assumes all risk of use and/or handling of this material when use and/or handling is contrary to label instructions.

AquaANVIL™ - Trademark of Clarke Mosquito Control Products, Inc.

Sumithrin® - Trademark of Sumitomo Chemical Co., Ltd.

Manufactured For:
CLARKE MOSQUITO CONTROL PRODUCTS, INC.
159 N. GARDEN AVENUE
ROSELLE, ILLINOIS 60172

AVAILABLE PACKAGING: 2.5 GAL, 30 GAL, 55 GAL, 275 GAL, TOTE

Lot No.: Marked on Container Label

EPA Reg. No.: 1021-1807-8329

EPA Est. No.: _____

AL0399