



CENTRALBIDDING

FROM CENTRAL AUCTION HOUSE

**5000112678 - ONE (1) YEAR CONTRACT FOR THE SUPPLY OF BRONZE
FITTINGS FOR THE JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, ALL WATER DISTRICTS, AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES**

Jefferson Parish Government

Project documents obtained from www.CentralBidding.com

14-May-2015 09:24:41 AM



Bid Number 50 - 00112678

**ONE (1) YEAR CONTRACT FOR SUPPLY OF BRONZE FITTINGS FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS, ALL WATER
DISTRICTS, AND ALL JEFFERSON PARISH AGENCIES AND MUNICIPALITIES**

BID DUE: TUESDAY, JUNE 2, 2015 AT 2:00 PM

ATTENTION VENDORS!!!

**Please review all pages and respond accordingly, complying with all provisions
in the technical specifications and Jefferson Parish Instructions for Bidders and
General Terms and Conditions. All bids must be received in the Purchasing
Department by the bid due date and time.**

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Buyer Name: Misty A. Camardelle
Buyer Email: mcamardelle@jeffparish.net
Buyer Phone: 504-364-2683**

Bronze Fittings

Contract

Items Included In This Contract:

GROUP 1.	Adapters (¾" Through 2")
GROUP 2.	Bushing (Brass Alloy) (Inlet ¾" To 2" ; Outlet ½" To 2"):
GROUP 3.	Connectors (Yoke Box Expansion)
GROUP 4.	Corporation Stops
GROUP 5.	Meter Couplings,
GROUP 6.	Coupling Unions
GROUP 7.	Curb Stop Ball Valve
GROUP 8.	Ell Couplings
GROUP 9.	Nut Pack Joints
GROUP 10.	Brass Plugs
GROUP 11.	Tees (Pack Joint Compression Type)
GROUP 12.	Meter Ball Valves
GROUP 13.	Wyes (Y)
GROUP 14.	Blind Gaskets
GROUP 15.	Gasket Rings
GROUP 16.	Gasket Drop Ins for 2" Flanged (Oval) Water Meters
GROUP 17.	Bushings (Domestic Bronze)
GROUP 18.	Caps (Female Iron Pipe Thread)
GROUP 19.	Caps (Female Iron Pipe Threads) (¾" through 2")
GROUP 20.	Cross Of Female Iron Pipe Thread (1" And 2")
GROUP 21.	Elbows (Female Iron Pipe Thread)
GROUP 22.	Nipples (All Male Pipe Thread)
GROUP 23.	Reducers
GROUP 24.	Tees (All Female Pipe Threads)
GROUP 25.	Unions (All Female Pipe Threads)

Contract Terms:

A one (1) year contract for a supply of bronze fittings, for the Jefferson Parish Department of Public Works- all Water districts and all Jefferson Parish agencies and municipalities.

Warranty:

Products shall be warranted that they are manufactured in accordance with the applicable material specifications and are free from defects in workmanship and materials for one year after delivery. Any defective items sold under this contract shall be replaced at no cost to the purchaser.

General Specifications:

This specification is prepared for the acquisition of various types of bronze/brass fittings, which are used for waterline construction and maintenance by the Parish of Jefferson.

All pertinent technical specifications and literature must be included with the bid.

All items in this bid must be of domestic United States manufacture and meet all criteria set forth by AWWA, ASTM, ANSI and federal and as specified hereafter.

Bidder must state the manufacture and model/catalog numbers of all items specified in this proposal.

The quantities shown on the proposal guide are approximate quantities to be acquired by Jefferson parish over a one (1) year period. Actual usage will be on an "as needed" basis.

Bid delivery shall include all freight and delivery costs to Jefferson Parish warehouse locations on the East and West Banks of Jefferson Parish.

Technical Specifications:

All bronze fittings shall be **low lead** brass and shall be made of heavy brass alloy 89833 per ASTM B62-09 and ASTM B584-09 (or latest revision) and shall meet or exceed AWWA C800-05 specifications with a 250 psi working pressure.

GROUP 1. Adapter (3/4" To 2"):

Adapter shall be available in sizes of ¾" to 2". Adapter shall have an inlet of "pack joint" compression with clamping set screw, and an outlet of either female or male iron pipe. Adapter shall be made of heavy brass alloy 89833 per ASTM B62-09 and ASTM B584-09 (or latest revision) and shall meet or exceed AWWA C800-05 specifications with a 250 psi working pressure.

GROUP 2. Bushing (Brass Alloy) (Inlet ¾" To 2" ; Outlet ½" To 2"):

Bushings shall be of the reducing kind with an inlet of CC/AWWA male taper threads and outlets of female CC/AWWA taper threads. Bushings shall be made of heavy brass alloy 89833 per ASTM B62 and ASTM B584 and shall meet or exceed AWWA C800-05 specifications.

- **Bushing (Adapter):**

Bushing adapter shall be of the reducing kind with an inlet of CC/AWWA male taper threads and outlet of female national pipe threads.

GROUP 3. Connecters (Yoke Box Expansion):

Connector shall be made of heavy brass alloy 89833 per ASTM B62-09 and ASTM B584-05 and shall meet or exceed AWWA C800-05 specifications with a 250 psi working pressure. Connector yoke box expansion shall be standard/hand wheel and to have an inlet of female meter threads with an outlet of male yoke connection for a ¾"x ¾" meter.

GROUP 4. Corporation Stops:

Corporation stops shall be made of heavy brass alloy per 89833 ASTM B62 and ASTM B584 and shall meet or exceed AWWA C800-05 specifications with a 250 psi working pressure.

- **Joint Compression Fitting (CC/AWWA):**

Corporation stop shall have an inlet of CC/AWWA male taper threads and an outlet of pack joint compression fitting with clamping set screw to have large raised rectangular keyway. Corporation stops shall be available in sizes from $\frac{3}{4}$ " to 2".

- **Female Iron Pipe Threads (CC/AWWA):**

Corporation stop shall be with inlet of CC/AWWA male taper threads and outlet of female iron pipe threads, have large raised rectangular keyway, and range in sizes $\frac{3}{4}$ " to 2".

GROUP 5. Meter Couplings:

Meter coupling shall be made of heavy brass alloy per 89833 ASTM B62 and ASTM B584 and shall meet or exceed AWWA C800 specifications with a 250 psi working pressure.

- **Female Iron Pipe Threading:**

Coupling meters shall have an inlet of female threaded meter nut coupler with an outlet of female iron pipe threading. Coupling meter shall be available in meters sizes of $\frac{3}{4}$ ", 1", and 2".

- **Male Iron Pipe Threading:**

Coupling meters shall have an inlet of female threaded meter nut coupler with an outlet of male iron pipe threading. Coupling meter shall be available in meter sizes of $\frac{3}{4}$ ", 1", and 2".

- **Oval Meter Flange (Female):**

Coupling meters shall have an inlet of oval meter flange and outlet of female iron pipe. Coupling meter shall be 2".

- **Oval Meter Flange (Male):**

Coupling meter shall have an inlet of oval meter flange and outlet of male iron pipe. Coupling meter shall be 2".

- **Oval Meter Flange (Pack Joint Compression):**

Coupling meters shall be oval meter flange with an outlet of pack joint compression type fitting with clamping set screw and shall be available in 2".

- **Pack Joint Compression (Female):**

Coupling meters shall have an inlet of female threaded meter nut coupler with an outlet of pack joint compression type fitting with clamping set screw. Coupling meter shall be available in sizes of $\frac{3}{4}$ " to 2".

- **Pack Joint Compression (Male):**

Coupling meters shall have an inlet of male threaded meter nut coupler with an outlet of pack joint compression type fitting with clamping set screw. Coupling meter shall be available in sizes of $\frac{3}{4}$ " to 2".

GROUP 6. Coupling Union:

Coupling union shall be made of heavy brass alloy 89833 per ASTM B62 and ASTM B584 and shall meet or exceed AWWA C800-05 specifications with a 250 psi working pressure. Coupling union shall have an inlet and outlet of "pack joint" compression with clamping set screw. Coupling union shall be available in sizes ranging from $\frac{3}{4}$ " to 2".

- **Coupling (Reducer):**

Coupling union (reducer) shall have an inlet and outlet "pack joint" compression with clamping set screw with $\frac{3}{4}$ " PJ on one end and 1" PJ on the other.

- **Coupling/Adapter:**

Coupling/adapter shall be an inlet of "pack joint" compression fitting with clamp set screw for PE tubing, and an outlet of "pack joint" compression fitting with clamping set screw and gasket for IP pipe.

- **Union/Adapter:**

Coupling (union/adapter) shall be an inlet of "pack joint" compression fitting with clamping set screw and gasket for PE tubing, and an outlet of "pack joint" compression fitting with clamping set screw and gasket for IP pipe. Couplings (union/adapter) shall be available in sizes $\frac{3}{4}$ ", 1", and 2".

GROUP 7. Curb Stop Ball Valves:

Curb stop ball valve shall be made of heavy brass alloy 89833 per ASTM B62 and ASTM B584 and shall meet or exceed AWWA C800-05 specifications with a 250 psi working pressure.

- **Female Iron Pipe Threads (Inlet/Outlet):**

Curb stop ball valve shall have an inlet and outlet of female iron pipe threads and to have large raised rectangular key way with pad lock wings. Available sizes shall be $\frac{3}{4}$ ", 1", and 2".

- **Pack Joint Compression Type:**

Curb stop ball valve shall have an inlet and outlet of pack joint compression type fitting with clamping set screw and to have large raised

rectangular key way with padlock wings. Available sizes shall be $\frac{3}{4}$ ", 1", and 2".

- **Pack Joint Compression Type Inlet:**

Curb stop ball valve shall have an inlet of pack joint compression type fitting with clamping set screw and an outlet of female iron pipe. Curb stop ball shall have large raised rectangular key way with padlock wings.

GROUP 8. Ell Couplings:

Ell couplings shall be made of heavy brass alloy 89833 per ASTM B62 and ASTM B584 and shall meet or exceed AWWA C800-05 specifications with a 250 psi working pressure. Ells shall have an inlet and outlet of "pack joint" compression with clamping set screw with available sizes of $\frac{3}{4}$ ", 1", and 2".

- **Ell Coupling (Adapter):**

Ell coupling (adapter) shall have an inlet of "pack joint" compression with clamping set screw and an outlet of female iron pipe. Ell (adapter) shall also be available with an outlet of male iron pipe. Available sizes shall be $\frac{3}{4}$ ", 1", and 2".

- **Ell Meter:**

Ell meter shall have an inlet of threaded meter nut coupler with an outlet of female iron pipe. Ell meter shall also be available with an outlet of male iron pipe and "pack joint" compression with clamping set screw. Available sizes shall fit $\frac{3}{4}$ " and 1" meters.

GROUP 9. Nut Pack Joints:

Nut pack joints shall be made of heavy brass alloy 89833 per ASTM B62 and ASTM B584 and shall meet or exceed AWWA C800-05 specifications with a 250 psi working pressure. Nut shall be fit a pack joint with clamping set screw and gasket. Available sizes shall be $\frac{3}{4}$ ", 1", and 2".

GROUP 10. Brass Plugs:

Brass plug shall be made of heavy brass alloy 89833 per ASTM B62 and ASTM B584 and shall meet or exceed AWWA C800-05 specifications with a 250 psi working pressure. Brass plug shall have inlet of CC/AWWA male taper threads and shall have a raised square wrench head nut. Available sizes shall be $\frac{3}{4}$ ", 1", and 2" male CC.

GROUP 11. Tees (Pack Joint Compression Type):

Tee shall be made of heavy brass alloy 89833 per ASTM B62 and ASTM B584 and shall meet or exceed AWWA C800-05 specifications with a 250 psi working pressure. Tee inlet "run" and outlet "branch" shall be of "pack joint" compression type fitting with clamping set screw. Available sizes for "run" and "branch" shall be $\frac{3}{4}$ ", 1", and 2" PJ.

- **Tee (Multi Service):**

Tee shall have an inlet of female iron pipe and outlet of six (6) female iron pipe, with 1-2" FIP (bottom) x 6-1" FIP (perimeter).

GROUP 12. Meter Ball Valves:

Valve meter ball valve shall be made of heavy brass alloy 89833 per ASTM B62 and ASTM B584 and shall meet or exceed AWWA C800-05 specifications with a 250 psi working pressure. Valve meter ball valve shall have an inlet of pack joint compression type fitting with clamping set screw and outlet of female meter nut coupler with a raised rectangular key way with padlock wings. Ball valve shall be available for meter sizes of ¾", 1", and 2".

- **Meter Ball Valve (90°):**

Valve meter ball valve (90°) shall have an inlet of pack joint compression type fitting with clamping set screw and outlet of female meter nut coupler with a raised rectangular key way with padlock wings. Ball valve shall be available for meter sizes of ¾", 1", and 2".

GROUP 13. Wyes:

All wyes shall be bronze and conform to AWWA standard C800-05 (ASTM B-62 and ASTM B-584)

- **Multi-Service Wyes (FIP X 4-FIP):**

Wyes shall have an inlet of female iron pipe and outlets of female iron pipe. Size of inlet shall be 2" and the size of the outlets shall be 1".

- **Wye (2-MIP x MIP):**

Wyes shall have two inlets of male iron pipe and an outlet of male iron pipe. Size of the inlets shall be ¾" and the outlet shall be 1".

- **Wye (PJ x 2-PJ):**

Wyes shall have an inlet and two outlets of pack joint compression type fitting with clamping set screw. Size of the inlet shall be 1" and the outlets shall be ¾".

GROUP 14. Blind Gaskets:

Blind gasket shall be made of vulcanized fiber material for use in potable water. Gaskets shall be available to fit ¾" and 1" meters.

- **Blind Gasket (¾" Meter):**

Blind gasket shall be made of vulcanized fiber material for use in potable water. Dimensions shall be 1-5/32" OD by 1/16" thick.

- **Blind Gaskets (1" Meter):**

Blind gasket shall be made of vulcanized fiber material for use in potable water. Dimensions shall be 1-1/2" OD by 1/16" thick.

GROUP 15. Gasket Rings:

- **Gasket Rings (Fiber-3/4" Meter):**
Gasket ring shall be made of vulcanized fiber material for use on potable water. Dimensions shall be 1-5/32" OD by 23/32" ID by 1/6" thick.
- **Gasket Rings (Fiber-1" Meter):**
Gasket ring shall be made of vulcanized fiber material for use on potable water. Dimensions shall be 1-1/2" OD by 1" ID by 1/16" thick.
- **Gasket Rings (3/4" Meter Coupling):**
Gasket ring shall be made of vulcanized fiber material for use on potable water. Dimensions shall be 1-5/32" OD by 25/32" by 1/8" thick.
- **Gasket Rings (1" Meter Coupling):**
Gasket ring shall be made of vulcanized fiber material for use on potable water. Dimensions shall be 1-1/2" by 1" ID by 1/8" thick.
- **Gasket Rings (3/4" Yoke Box):**
Gasket ring for a 3/4" yoke box expansion connector shall be made of neoprene material for use on potable water. Dimensions shall be 1-11/32" OD by 26/32" ID by 1/8" thick.

GROUP 16. Gasket Drop Ins For 2" Flanged (Oval) Water Meter:

Drop in gasket shall be made of two-ply neoprene material for use on potable water. Dimensions shall be 3-15/16" OD by 2-1/4" ID by 1/8" thick with ears to set on top of flange bolts.

GROUP 17. Bushings (Domestic Bronze):

Bushing shall be domestic bronze fittings to meet or exceed ANSI B16.15, ANSI B2.1, and fed. WW-P-460 for 125 pound threaded fittings to be air tested under water.

- **Bushings (1" x 3/4"):**
Bushing shall have an inlet of male iron pipe thread and an outlet of female iron pipe thread.
- **Bushings (2" x 1"):**
Bushing shall have an inlet of male iron pipe thread and an outlet of female iron pipe thread.

GROUP 18. Caps (Female Iron Pipe Thread):

Caps shall be domestic bronze fittings to meet or exceed ANSI B16.15, ANSI B2.1, and fed. Ww-p-460 for 125 pound threaded fittings to be air tested under water. Available sizes shall be $\frac{3}{4}$ ", 1", and 2".

GROUP 19. Couplings (Female Iron Pipe Thread):

Couplings shall be domestic bronze fittings to meet or exceed ANSI B16.15, ANSI B2.1, and fed. WW-P-460 for 125 pound threaded fittings to be air tested under water. Available sizes shall be $\frac{3}{4}$ ", 1", and 2".

GROUP 20. Crosses (Female Iron Pipe Thread):

Crosses shall be domestic bronze fittings to meet or exceed ANSI B16.15, ANSI B2.1, and fed. WW-P-460 for 125 pound threaded fittings to be air tested under water. Available sizes shall be $\frac{3}{4}$ ", 1", and 2".

GROUP 21. Elbows (Female Iron Pipe Thread):

Elbows shall be domestic bronze fittings to meet or exceed ANSI B16.15, ANSI B2.1, and fed. WW-P-460 for 125 pound threaded fittings to be air tested under water. Elbows shall be available in 45° and 90° bends. Available sizes shall be $\frac{3}{4}$ ", 1", and 2".

- **Street Elbows (Female Iron Pipe Thread):**

Street elbow shall have female iron pipe thread on one end and male iron pipe on the other. Elbows shall be available in 45° and 90° bends. Available sizes shall be $\frac{3}{4}$ ", 1", and 2".

GROUP 22. Nipples:

Nipples shall be domestic bronze fittings to meet or exceed ANSI B16.15, ANSI B2.1, and fed. WW-P-460 for 125 pound threaded fittings to be air tested under water. Nipples shall be available in all male iron pipe thread. Available in sizes close, $\frac{3}{4}$ ", 1", 2", 3", and 4".

GROUP 23. Reducers:

Reducers shall be domestic bronze fittings to meet or exceed ANSI B16.15, ANSI B2.1, and fed. WW-P-460 for 125 pound threaded fittings to be air tested under water. Reducers shall be available in all female iron pipe thread. Available sizes shall be $\frac{3}{4}$ ", 1", and 2".

GROUP 24. Tees (Female Iron Pipe Threads):

Tees shall be domestic bronze fittings to meet or exceed ANSI B16.15, ANSI B2.1, and fed. WW-P-460 for 125 pound threaded fittings to be air tested under water. Tees shall be available in all female iron pipe thread. Available sizes shall be $\frac{3}{4}$ ", 1", and 2".

GROUP 25. Unions:

Unions shall be domestic bronze fittings to meet or exceed ANSI B16.15, ANSI B2.1, and fed. WW-P-460 for 125 pound threaded fittings to be air tested under

water. Unions shall be available in all female iron pipe threads. Available sizes shall be $\frac{3}{4}$ ", 1", and 2".

DATE: 5/13/2015

BID NO.: 50-00112678

INVITATION TO BID
THIS IS NOT AN ORDER

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

Page: 1

BUYER: MCamardelle@jeffparish.net

BIDS WILL BE RECEIVED IN THE PURCHASING DEPARTMENT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETN, LA 70053 UNTIL 2:00 PM, 6/02/2015 AND PUBLICLY OPENED THEREAFTER.

LATE BIDS WILL NOT BE ACCEPTED

Unless submitting via online (see Page 3), each bid must be submitted in a sealed envelope bearing on the outside; the name of the Bidder, his address, and the name of the project for which the bid is submitted and the bid number.

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647.

All vendors submitting bids must register as a Jefferson Parish vendor if not already yet registered. Bidders may be required to furnish current W-9 Forms and respective Tax Identification Numbers within 10 days after bid opening if such information is not on file or not up to date. Forms to register may be downloaded from www.purchasing.jeffparish.net and clicking on Vendor Information.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing and fax them to the Purchasing Department at (504) 364-2693 no later than FIVE (5) working days prior to bid opening. Bid numbers should be mentioned in all requests. Questions may also be emailed to the buyer for this bid at the email address listed above. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

DATE: 5/13/2015

BID NO.: 50-00112678

Page: 2

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated.

If the bid exceeds \$30,000.00 and the company is duly authorized to do business in the state of Louisiana, a corporate resolution must be submitted with the bid or the person signing the bid documents must be listed on the Louisiana Secretary of State's website as an officer of the corporation, unless bidder has otherwise complied with LSA-R.S. 38:2212(A)(1)(c) or LSA-R.S. 38:2212 (O). If the bid is in excess of \$30,000 and bidder is registered out of the state of Louisiana, a corporate resolution must be submitted with the bid, unless bidder has otherwise complied with LSA-R.S. 38:2212(A)(1)(c) or LSA-R.S. 38:2212 (O). Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. Bids submitted by Owner or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. Sole proprietors submitting bids for public works projects shall within 10 days after bid opening submit sole proprietorship certification.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. IN THE EVENT OF SPLIT AWARD, THE PURCHASING DEPARTMENT MAY CONTACT VENDORS TO REQUEST REQUIRED AFFIDAVITS. THOSE VENDORS WILL HAVE 10 DAYS FROM THE DATE OF NOTICE TO SUBMIT COMPLETE, SIGNED AND NOTARIZED AFFIDAVITS IN ORIGINAL FORMATS.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

Preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA-R.S.38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and Parish taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

DATE: 5/13/2015

BID NO.: 50-00112678

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Page: 3

E. RESPONSE TO INVITATION: If your company is unable to bid on this request, please state your reason on bid form, and return to this office before bid opening date. Failure to do so may result in the removal of your company from Jefferson Parish's vendors list.

F. POSTING OF BIDS: A listing of bids will be posted on bulletin board in Suite 4400, Jefferson Parish General Government Building, Gretna, LA and will remain posted until close of respective bids.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This Electronic Procurement System allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Please note requirements contained in this bid package for electronic bid submission.

Please visit the Purchasing Department webpage at <http://purchasing.jeffparish.net> to register and review Jefferson Parish solicitations.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 dated 12/09/09. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE
CORRESPONDING INSTRUCTIONS BELOW.
10, 12, 13, 15

1. All bidders must attend the pre-bid conference in relation to this bid; attendance is mandatory. Failure to attend will prohibit a company from submitting a bid. Vendors arriving after the mandatory pre-bid conference begins will not be allowed to sign in as evidence of attendance.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.

DATE: 5/13/2015

BID NO.: 50-00112678

Page: 4

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. Unless otherwise stated in the bid specifications, the successful bidder will be required to procure standard insurance policies evidencing Parish-mandated insurance requirements as indicted on the attached sheet. The current certificate of insurance must be submitted by low bidder within 10 days after bid opening to the Purchasing Department. Failure to comply will cause bid to be rejected. JEFFERSON PARISH reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid Solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations or warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits (in Original Format) required; Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit and E-Verify Affidavit must be completed, signed, notarized and submitted by low bidder within 10 days after bid opening to the Purchasing Department on all solicitations for construction, alteration or demolition of public building or project, including but not limited to requirements found in LSA-RS 38:2212.9; LSA-RS 38:2212.10; LSA-RS 38:2224; Code of Ordinances, Jefferson Parish, Louisiana, Sec 2-923.1. Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format for the bid to be considered responsive.
15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits (in Original Format) required; Non-Collusion Affidavit, and Campaign Contribution Affidavit must be completed, signed, notarized and submitted by low bidder with bid submission within 10 days after bid opening to the Purchasing Department. See LSA-RS 38:2212.10; LSA-RS 38:2224; Code of Ordinances, Jefferson Parish, Louisiana, Sec 2-923.1 Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. For the convenience of vendors, all affidavits have been combined into one form entitled NON-PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format for the bid to be considered responsive.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

DATE: 6/01/2015

BID NO.: 50-00112678

Page: 5

BID FORM
Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO X

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____ %

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF _____

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

Stock-28 Days

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) N/A

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: Mueller Co. LLC.

ADDRESS: 500 W. Eldorado St.

CITY, STATE: Decatur, IL. ZIP: 62522-2165

TELEPHONE: (800) 423-1323 FAX: (800) 871-2195

EMAIL ADDRESS: KLillpop@muellercompany.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: #1 attached

NUMBER: _____

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ 924,259.02

AUTHORIZED SIGNATURE: Kim Lillpop

Kim Lillpop

Printed Name

TITLE: Customer Relations Manager

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.
REVISED PER ADDENDUM NO. 1



JEFFERSON PARISH

DEPARTMENT OF PURCHASING

WWW.JEFFPARISH.NET

JOHN F. YOUNG, JR.
PARISH PRESIDENT

BRENDA J. CAMPOS
DIRECTOR

June 1, 2015

ADDENDUM # 1

Bid No.: 50-00112678

Bid Opening Date: June 2, 2015
Bid Extension Date: June 11, 2015

For: One (1) Year Contract for the Supply of Bronze Fittings for the Jefferson Parish Department of Public Works, All Water Districts, and All Jefferson Parish Agencies and Municipalities

REVISIONS.

Please replace the previous Bid Form with the attached is the revised Bid Form, which is changing quantities and adding line items.

The bid opening is being extended until 2:00 pm on Thursday, June 11, 2015.

Sincerely,

A handwritten signature in cursive script, reading "Misty A. Camardelle".

Misty A. Camardelle, Buyer II
Jefferson Parish Purchasing Department

A handwritten signature in cursive script, appearing to read "Kim" followed by a stylized last name.

Bidders must acknowledge all addenda on the bid form. Bidder acknowledges receipt of this addendum on the bid form as indicated. Failure to do so will result in bid rejection.

This addendum is a part of the contract documents and modifies the original bidding documents and specifications. The contents of this addendum shall be included in the contract documents. Changes made by this addendum shall take precedence over the documents of earlier date.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	35.00	ONLY	ONE (1) YEAR CONTRACT FOR SUPPLY OF BRONZE FITTINGS FOR THE JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS, ALL WATER DISTRICTS, AND ALL JEFFERSON PARISH AGENCIES AND MUNICIPALITIES 0010-ADAPTER TO HAVE AN INLET OF PACK JOINT COMPRESSION WITH CLAMPING SET SCREW, AND AN OUTLET OF FEMALE IRON PIPE 3/4 INCH PJ/FIP, FORD C14-33 GROUP 1 (0020-0060)(38016) MANUFACTURER PART NUMBER 74754-22 P15451	\$10.72	\$375.20
2	1.00	ONLY	0020-ADAPTER TO HAVE AN INLET OF PACK JOINT COMPRESSION WITH CLAMPING SET SCREW, AND AN OUTLET OF FEMALE IRON PIPE, 1 INCH PJ/FIP, FORD C14-44(38026) 7454-22 1 INCH P15451	\$15.33	\$15.33
3	4.00	ONLY	0030-ADAPTER, TO HAVE AN INLET OF PACK JOINT COMPRESSION WITH CLAMPING SET SCREW, AND AN OUTLET OF FEMALE IRON PIPE, 2 INCH PJ/FIP, FORD C14-77(38028) 7454-22 2 INCH P15451	\$49.80	\$199.20
4	350.00	ONLY	0040-ADAPTER, TO HAVE AN INLET OF PACK JOINT COMPRESSION WITH CLAMPING SET SCREW, AND AN OUTLET OF MALE IRON PIPE, 3/4 INCH PJ/MIP, FORD C84-33(38015) 7453-22 3/4 INCH P15428	\$10.00	\$3,500.00
5	100.00	ONLY	0050-ADAPTER, TO HAVE AN INLET OF PACK JOINT COMPRESSION WITH CLAMPING SET SCREW, AND AN OUTLET OF MALE IRON PIPE, 1 INCH PJ/MIP, FORD C94-44 (38025) 74753-22 1 INCH P15428	\$11.83	\$1,183.00
6	260.00	ONLY	0060-ADAPTER, TO HAVE AN INLET OF PACK JOINT COMPRESSION WITH CLAMPING SET SCREW, AND AN OUTLET OF MALE IRON PIPE, 2 INCH PJ/MIP, FORD C84-77 (38027) 7453-22 2 INCH P15428	\$47.61	\$12,378.60
7	100.00	ONLY	0070-BUSHING, REDUCING, INLET OF CC/AWWA MALE TAPER THREADS AND OUTLET OF FEMALE CC/AWWA TAPER THREADS, 1 INCH MALE CC BY 3.4 INCH FEMALE CC, FORD NUMBER BBAA-43 (37980)	NO BID	NO BID

REVISED PER ADDENDUM NO. 1

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
8	1.00	ONLY	0080-BUSHING,REDUCING,INLET OF CC/AWWA MALE TAPER THREADS AND OUTLET OF FEMALE CC/AWWA TAPER THREADS,2 INCH MALE CC BY 3/4 INCH FEMALE CC.FORD NO. BBAA-73. (37981)	NO BID	NO BID
9	1.00	ONLY	0090-BUSHING,REDUCING,INLET OF CC/AWWA MALE TAPER THREADS AND OUTLET OF FEMALE CC/AWWA TAPER THREADS,2 INCH MALE CC BY 1 INCH FEMALE CC,FORD NO BBAA-74 (37982)	NO BID	NO BID
10	1.00	ONLY	0100-BUSHING(ADAPTOR),REDUCING,INLET OF CC/AWWA MALE TAPER THREADS AND BUSHING (ADAPTOR) REDUCING OUTLET OF FEMALE NATIONAL PIPE THREADS,3/4 INCH MALE CC BY 1/2 INCH FEMALE NOT FORD BBA1-31 (377968)	NO BID	NO BID
11	1.00	ONLY	0120-BUSHING(ADAPTOR),REDUCING BRASS, INLET OF CC/AWWA MALE TAPER THREADS, 1 INCH MALE CC BY 3/4 INCH FEMALE NPT, FORD BBA1-43 (37969)	NO BID	NO BID
12	1.00	ONLY	0130-BUSHING(ADAPTOR),REDUCING,BRASS, INLET OF CC/AWWA MALE TAPER THREADS AND OUTLET OF FEMALE NATIONAL PIPE THREADS, 2 INCH MALE CC BY 1 INCH FEMALE NPT, FORD NUMBER BBA1-74 (37970)	NO BID	NO BID
13	1.00	ONLY	0140-BUSHING(ADAPTOR),REDUCING,BRASS, INLET OF CC/AWWA MALE TAPER THREADS AND OUTLET OF FEMALE NATIONAL PIPE THREADS, 2 INCH MALE CC BY 1-1/4 INCH FEMALE NPT, FORD NUMBER BBA1-75(37971)	NO BID	NO BID
14	925.00	ONLY	0150-CONNECTOR,YOKE BOX EXPANSION, STANDARD/HANDWHEEL,TO HAVE AN INLET OF FEMALE METER THREADS WITH AN OUT OF MALE YOKE CONNECTION,5/8 INCH BY 3/4 INCH, FORD EC-23(38175) 14-ZEHG H14234	\$12.93	\$11,960.25
15	1,250.00	ONLY	0160-CORPORATION STOP,TO HAVE INLET OF OF CC/AWWA MALE TAPER THREADS AND AN OUTLET OF PACK JOINT COMPRESSION FITTING P25008	\$31.58	\$39,475.00

REVISED PER ADDENDUM NO. 1

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
16	600.00	ONLY	WITH CLAMPLING SET SCREW,TO HAVE LARGE RAISED RECTANGULAR KEYWAY,3/4 INCHCC/PJ, FORD FB1000-3(38035) 74701B-22 3/4 INCH	LISTED ABOVE	LISTED ABOVE
17	290.00	ONLY	0170-CORPORATION STOP,TO HAVE AN INLET OF CC/AWWA MALE TAPER THREADS AND AN OUTLET OF PACK JOINT COMPRESSION FITTING WITH CLAMPING SET SCREW,TO HAVE LARGE RAISED RECTANGULAR KEYWAY,1 INCH, CC/PJ, FORD FB1000-4 (38062) 74701B-22 1 INCH P25008	\$41.55	\$24,930.00
18	1.00	ONLY	0180-CORPORATION STOP,TO HAVE AN INLET CC/AWWA MALE TAPER THREADS AND AN OUTLET OF PACK JOINT COMPRESSION FITTING WITH CLAMPING SET SCREW,TO HAVE LARGE RAISED RECTANGULAR KEYWAY,2 INCH CC/PJ,FORD NO. FB1000-7 (38095) 74701B-22 2 INCH P25008	\$155.07	\$44,970.30
19	1.00	ONLY	0190-CORPORATION STOP,TO HAVE AN INLET OF CC/AWWA MALE TAPER THREADS AND AN OUTLET OF FEMALE IRON PIPE THREADS,TO HAVE LARGE RAISED RECTANGULAR KEYWAY, 3/4 INCH CC/FIP FORD NO FB1600-3 (38034) 73148B 3/4 INCH B20045	\$25.94	\$25.94
20	2.00	ONLY	0200-CORPORATION STOP,TO HAVE AN INLET OF CC/AWWA MALE TAPER THREADS AND OUTLET OF FEMALE IRON PIPE THREADS,TO HAVE LARGE RAISED RECTANGULAR KEYWAY,1 INCH CC/FIPD NO.FB1600-4 (38064) 73148B 1 INCH B20045	\$37.78	\$37.78
21	36.00	ONLY	0210-CORPORATION STOP,TO HAVE AN INLET OF CC/AWWA MALE TAPER THREADS AND AN OUTLET OF FEMALE IRON PIPE THREADS,TO HAVE LARGE RAISED RECTANGULAR KEYWAY, 2 INCH CC/FIP FORD NO FB1600-7 (38094) 73148B 2 INCH B20045	\$146.69	\$293.38
22	180.00	ONLY	0220-CORPORATION STOP,TO HAVE AN INLET OF MALE PIPE THREADS AND AN OUTLET OF PACK JOINT COMPRESSION FITTING WITH CLAMPING SET SCREW,TO HAVE LARGE RAISED RECTANGULAR KEY WAY,3/4 INCH MIP/PJ,FORD NO. FB1100-3(38033) 74704B-22 3/4 INCH P25028	\$31.58	\$1,136.88
			0230-CORPORATION STOP,TO HAVE AN INLET OF MALE IRON PIPE THREADS AND AN OUTLET	SEE BELOW	SEE BELOW

REVISED PER ADDENDUM NO. 1

DATE: 6/01/2015

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 9

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
23	10.00	ONLY	OF PACK JOINT COMPRESSION FITTINGS WITH CLAMPING SET SCREW, TO HAVE LARGE RAISED RECTANGULAR KEYWAY, 1 INCH MIP/PJ, FORD NO FB1100-4 (38063) 74704B-22 1 INCH P25028 0240-CORPORATION STOP, TO HAVE AN INLET OF MALE IRON PIPE THREADS AND AN OUTLET	\$41.55	\$7,479.00
24	1.00	ONLY	OF PACK JOINT COMPRESSION FITTING WITH CLAMPING SET SCREW, TO HAVE LARGE RAISED RECTANGULAR KEYWAY, 2 INCH, MIP/PJ, FORD NO 1100-7(38093) 74704B-22 2 INCH P25028 0250-COUPLING, METER, TO HAVE AN INLET OF OF FEMALE THREADED METER NUT COUPLER	\$155.07	\$1,550.70
25	1.00	ONLY	WITH AN OUTLET OF FEMALE IRON PIPE THREADING, 5/8 INCH BY 3/4 INCH MTR/FIP FORD NO. C31-23 (38135) 74637 3/4 INCH H14215 0260-COUPLING, METER, TO HAVE AN INLET OF FEMALE THREADED METER NUT TO HAVE A	\$13.84	\$13.84
26	1.00	ONLY	COUPLER WITH AN OUTLET OF FEMALE IRON PIPE THREADING, 1 INCH MTR/FIP, FOR NO C31-44 (38136) 74637 1 INCH H14215 0270-COUPLING, METER, TO HAVE AN INLET OF FEMALE THREADED METER NUT COUPLER WITH	\$32.65	\$32.65
27	510.00	ONLY	AN OUTLET OF FEMALE IRON PIPE THREADING, 2 INCH MTR/FIP, FORD C31-77 H14215 0280-COUPLING, METER, TO HAVE AN INLET OF FEMALE THREADED METER NUT COUPLER	NO BID	NO BID
28	50.00	ONLY	WITH AN OUTLET OF MALE IRON PIPE THREADING, 5/8 INCH BY 3/4 INCH MTR/MIP, FORD NO C38-23-2.5(38110) 74620 3/4 INCH H10890 0290-COUPLING, METER, TO HAVE AN INLET OF FEMALE THREADED METER NUT COUPLER WITH	\$6.07	\$3,095.70
29	1.00	ONLY	AN OUTLET OF MALE IRON PIPE THREADING, 1 INCH MTR/MIP FORD NO C38-44-2.625 (38120) 4620 1 INCH H10890 0300-COUPLING, METER, TO HAVE AN INLET OF OF FEMALE THREADED METER NUT COUPLER	\$9.34	\$467.00
			WITH AN OUTLET OF MALE IRON PIPE THREADING, 2 INCH MTR/MIP, FORD NO C38-77 H10891	\$39.95	\$39.95

REVISED PER ADDENDUM NO. 1

DATE: 6/01/2015

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 10

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
30	1.00	ONLY	(38130) 74620 2 INCH 0310-COUPLING,METER,TO HAVE AN INLET OF OVAL METER FLANGE AND AN OUTLET OF FEMALE IRON PIPE,2 INCH F:G/FIP,FORD CF31-77 FLANGE 7610F 2 INCH H14337	SEE ABOVE	SEE ABOVE
31	340.00	ONLY	0320-COUPLING,METER,TO HAVE AN INLET OF OVAL METER FLANGE AND AN OUTLET OF MALE IRON PIPE,2 INCH FLG.MIP,FORD NO 610M 2X 2 1/8 INCH PART NUMBER 7610F	\$186.61	\$186.61
32	3,800.00	EA	0330-COUPLING,METER,TO HAVE AN INLET OF FEMALE THREADED METERNUT COUPLER COUPLING METER TO HAVE AN INLET WITH AN OUTLET OF PACK JOINT COMPRESSION TYPE FITTING WITH CLAMPING SET SCREW,5/8 INCH BY 3/4 INCH MTR/PP,FORD C24-23 (38155) 74638-22 3/4 INCH P14201	NO BID	NO BID
33	1,200.00	EA	0340-COUPLING,METER,TO HAVE AN INLET OF FEMALE THREADED METER NUT COUPLER WITH AN OUTLET OF PACK JOINT COMPRESSION TYPE FITTING WITH CLAMPING SET SCREW, 1 INCH MTRIPJ,FORD NO C34-44(38165) 74638=22 1 INCH P14201	\$22.71	\$86,298.00
34	5,800.00	EA	0370-COUPLING,UNION,TO HAVE AN INLET AND OUTLET OF PACK JOINT COMPRESSION WITH CLAMPING SET SCREW,3/4 INCH PJ, FORD NO C44-33 (38102) 74758-22 3/4 INCH P15403	\$19.87	\$23,844.00
35	1,090.00	EA	0380-COUPLING,UNION,TO HAVE AN INLET AND OUTLET OF PACK JOINT COMPRESSION WITH CLAMPING SET SCEW,1 INCH PJ,FORD NO C44-44 (38104) 74758-22 1 INCH P15403	\$12.20	\$70,760.00
36	180.00	EA	0390-COUPLING,UNION,TO HAVE AN INLET AND OUTLET OF PACK JOINT COMPRESSION WITH CLAMPING SET SCREW,2 INCH,PJ,FORD NO.C44-77(38106) 7458-22 2 INCH P15403	\$15.14	\$16,502.60
37	750.00	EA	0400-COUPLING,UNION(REDUCER), TO HAVE AN INLET AND OUTLET OF PACK JOINT	\$63.40	\$11,412.00
				SEE BELOW	SEE BELOW

REVISED PER ADDENDUM NO. 1

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
38	225.00	EA	COMPRESSION WITH CLAMPING SET SCREW, 3/4 INCH PJ ON ONE END AND 1 INCH PJ ON THE OTHER. FORD NO C44-34 (38103) 74758-22 3/4 INCH BY 1 INCH P15403	\$13.46	\$10,095.00
39	138.00	EA	0410-COUPLING, UNION/ADAPTER, TO HAVE AN INLET OF PACK JOINT COMPRESSION FITTING WITH CLAMPING SET SCREW FOR PEC TUBING, AND AN OUTLET OF PACK JOINT COMPRESSION FITTING WITH CLAMPING SET SCREW AND GASKET FOR IP PIPE, 3/4 INCH PE-PJ/IP-PJ, FORD NO C45-33 (38021) 7458-22-55 3/4 INCH	NO BID	NO BID
40	24.00	EA	0420-COUPLING, UNION/ADAPTOR, TO HAVE AN INLET OF PACK JOINT COMPRESSION FITTING WITH CLAMPING SET SCREW AND GASKET FOR PE TUBING, AND AN OUTLET OF PACK JOINT COMPRESSION FITTING WITH CLAMPING SET SCREW AND GASKET FOR IP PIPE 1 INCH PE-PJ/IP-PJ, FORD NO C45-44 (38022) 74758-22-55 1 INCH	NO BID	NO BID
41	1.00	EA	0430-COUPLING, UNION/ADAPTER, TO HAVE AN INLET OF PACK JOINT COMPRESSION FITTING WITH CLAMPING SET SCREW AND GASKET FOR PE TUBING, AND AN OUTLET OF PACK JOINT COMPRESSION FITTING WITH CLAMPING SET SCREW AND GASKET FOR 1P PIPE, 2 INCH PE-PJ/IP-PJ FORD NO C44-77(38023) 4758-22-55 2 INCH P15403	\$63.40	\$1,521.60
42	1.00	ONLY	0440-CURB STOP, BALL VALVE, TO HAVE AN INLET AND OUTLET OF FEMALE IRON PIPE THREADS AND TO HAVE LARGE RAISED RECTANGULAR KEY WAY WITH PADLOCK WINGS, 3/4 INCH FIP, FORD NO B-11-333W(38081) 76101W 3/4 INCH B20200	\$36.19	\$36.19
43	1.00	EA	0450-CURB-STOP, BALL VALVE, TO HAVE AN INLET AND AN OUTLET OF FEMALE IRON PIPE THREADS AND TO HAVE LARGE RAISED RECTANGULAR KEY WAY WITH PADLOCK WINGS, 1 INCH FIP, FORD NO B11-44W(38085) 7610W 1 INCH B20200	\$55.43	\$55.43
			0460-CURB STOP, BALL VALVE, TO HAVE AN INLET AND AN OUTLET OF FEMALE IRON PIPE THREADS AND TO HAVE LARGE RAISED RECTANGULAR KEY WAY WITH PADLOCK WINGS, B20200	\$164.47	\$164.47

REVISED PER ADDENDUM NO. 1

DATE: 6/01/2015

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 12

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
44	3,700.00	EA	2 INCH FIP,FORD NO B11-777W 2 INCH FIP, FORD NO B11-777W 76101W 2 INCH 0470-CURB STOP,BALL VALVE,TO HAVE AN INLET AND AN OUTLET OF PACK JOINT COMPRESSION TYPE FITTING WITH CLAMPING SET SCREW AND TO HAVE LARGE RAISED RECTANGULAR KEY WAY WITH PADLOCK WINGS, 3/4 INCH PJ,FORD NO B44-333W (38086) 76100W-22 3/4 INCH P25146	SEE ABOVE	SEE ABOVE
45	820.00	ONLY	0480-CURB STOP,BALL VALVE,TO HAVE AN INLET AND AN OUTLET OF PACK JOINT COMPRESSION TYPE FITTING WITH CLAMPING SET SCREW AND TO HAVE LARGE RAISED RECTANGULAR KEY WAY WITH PADLOCK WINGS, 1 INCH PJ,FORD NO B44-444W (38091) 76100W-22 1 INCH P25146	\$46.16	\$170,792.00
46	1.00	EA	0490-CURB STOP,BALL VALVE, TO HAVE AN INLET AND AN OUTLET OF PACK JOINT COMPRESSION TYPE FITTING WITH CLAMPING SET SCREW AND TO HAVE LARGE RAISED RECTANGULAR KEY WAY WITH PADLOCK WINGS, 2 INCH PJM,FORD NO.B44-777W 76100W-22 2 INCH P25146	\$68.65	\$56,293.00
47	1.00	EA	0500-CURB STOP,BALL VALVE,TO HAVE AN INLET OF PACK JOINT COMPRESSION CURB STOP,BALL VALVE,TO HAVE TYPE FITTINGS WITH CLAMPING SET SCREW AND AN OUTLET OF FEMALE IRON PIPE,TO HAVE LARGE RAISED RECTANGULAR KEY WAY WITH PADLOCK WINGS,3/4 INCH PJ/FIP FORD NO B41-333W 76102W-22 3/4 INCH P25170	\$229.33	\$229.33
48	1.00	EA	0510-CURB STOP,BALL VALVE,TO HAVE AN AN INLET OF PACK JOINT COMPRESSION TYPE FITTING WITH CLAMPING SET SCREW AND AN OUTLET OF FEMALE IRON PIPE,TO HAVE LARGE RAISED RECTANGULAR KEY WAY WITH PADLOCK WINGS,1 INCH PJ/FIP FORD NO B41-444W 76102W-22 1 INCH P25170 R	\$40.72	\$40.72
49	1.00	ONLY	0520-CURB STOP,BALL VALVE,TO HAVE AN INLET OF PACK JOINT COMPRESSION TYPE FITTING WITH CLAMPING SET SCREW AND AN OUTLET OF FEMALE IRON PIPE,TO HAVE LARGE RECTANGULAR KEY WAY WITH PADLOCK WINGS, 2 INCH PJ/FIP,FORD NO B41-777W P25170	\$48.06	\$48.06
				\$185.47	\$185.47

REVISED PER ADDENDUM NO. 1

DATE: 6/01/2015

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 13

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
50	1,440.00	ONLY	76102W-22 2 INCH 0530-ELL, TO HAVE AN INLET AND OUTLET OF PACK JOINT COMPRESSION WITH CLAMPING SET SCREW, 3/4 INCH, PJ, FORD NO. L44-33 (38180) 74761-22 3/4 INCH P15526	SEE ABOVE	SEE ABOVE
51	314.00	ONLY	0540-ELL, TO HAVE AN INLET AND OUTLET OF PACK JOINT COMPRESSION WITH CLAMPING SET SCREW, 1 INCH, PJ, FORD NO L44-44(38181 74761-22 1 INCH P15526	\$15.64	\$22,521.60
52	145.00	ONLY	0550-ELL, TO HAVE AN INLET AND OUTLET OF PACK JOINT COMPRESSION WITH CLAMPING SET SCREW, 2 INCH PJ, FORD NO L44-77 (38099) 74761-22 2 INCH P15526	\$20.08	\$6,305.12
53	1.00	EA	0560-ELL (ADAPTOR) TO HAVE AN INLET OF PACK JOINT COMPRESSION WITH CLAMPING SET SCREW AND AN OUTLET OF FEMALE IRON PIPE, 3/4 INCH PJ/FIP FORD NO L14-33 (38176) 74779-22 3/4 INCH P15533	\$132.32	\$19,186.40
54	2.00	EA	0570-ELL (ADAPTOR) TO HAVE AN INLET OF PACK JOINT COMPRESSION WITH CLAMPING SET SCREW AND AN OUTLET OF FEMALE IRON PIPE, 1 INCH PJ/FIP, FORD NO L14-44 (38177 74779-22-1 INCH P15533	\$15.46	\$15.46
55	1.00	ONLY	0580-ELL (ADAPTOR), TO HAVE AN INLET OF PACK JOINT COMPRESSION WITH CLAMPING SET SCREW AND AN OUTLET OF MALE IRON PIPE, 3/4 INCH PJ/MIP, FORD NO L84-33 74779M-22 3/4 INCH	\$23.21	\$46.42
56	2.00	ONLY	P15531 0590-ELL (ADAPTOR), TO HAVE AN INLET OF PACK JOINT COMPRESSION WITH CLAMPING SET SCREW AND AN OUTLET OF MALE IRON PIPE, 1 INCH PJ/MIP FORD NO L84-44 74779M-22 1 INCH P15531	\$10.67	\$10.67
57	2.00	ONLY	0600-ELL, METER, TO HAVE AN INLET OF THREADED METER NUT COUPLER WITH AN OUTLET OF FEMALE IRON PIPE, 3/4 INCH MTR/FIP FORD NO L31-23 74632 3/4 INCH H14210	\$17.97	\$35.94
58	1.00	ONLY	0610-ELL, METER, TO HAVE AN INLET OF FEMALE THREADED METER NUT COUPLER WITH H14210	\$22.30	\$44.60
				\$23.44	\$23.44

REVISED PER ADDENDUM NO. 1

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
59	1.00	ONLY	AN OUTLET OF FEMALE IRON PIPE, 1 INCH MTR/FIP, FORD NO L31-44 74632 1 INCH 0620-ELL, METER, TO HAVE AN INLET OF FEMALE THREADED METER NUT COUPLER WITH AN OUTLET OF MALE IRON PIPE, 3/4 INCH MTR/MIP, FORD NO 138-23 (38171) 74621 3/4 INCH H10892	SEE ABOVE	SEE ABOVE
60	1.00	ONLY	0630-ELL, METER, TO HAVE AN INLET OF FEMALE THREADED METER NUT COUPLER WITH AN OUTLET OF MALE IRON PIPE, 1 INCH M, TR/MIP, FORD NO L38-44 (38172) 74621 1 INCH H10892	\$9.33	\$9.33
61	1,000.00	ONLY	0640-ELL, METER, TO HAVE AN INLET OF FEMALE THREADED METER NUT COUPLER WITH AN OUTLET OF MALE IRON PIPE, 1 INCH M, TR/MIP, FORD NO L38-44 (38172) 74621 1 INCH H10892	\$14.82	\$14.82
62	182.00	ONLY	0640-ELL, METER, TO HAVE AN INLET OF FEMALE THREADED METER NUT COUPLER WITH AN OUTLET OF PACK JOINT COMPRESSION WITH CLAMPING SET SCREW, 3/4 INCH MTR/PJ, FORD NO L34-23 74783S-22 3/4 INCH P14206	\$23.05	\$23,050.00
63	1.00	EA	0650-ELL, METER, TO HAVE AN INLET OF FEMALE THREADED METER NUT COUPLER WITH AN OUTLET OF PACK JOINT COMPRESSION WITH CLAMPING SET SCREW, 1 INCH MTR/PJ FORD NO L34-44 74783S-22 1 INCH P14206	\$32.66	\$5,944.12
64	1.00	EA	0660-NUT, PACK JOINT WITH CLAMPING SET SCREW AND GASKET, 3/4 INCH, FORD NO NG-D4 (38037) 4700-22 3/4 INCH 682377	\$6.92	\$6.92
65	1.00	EA	0670-NUT, PACK JOINT WITH CLAMPING SET SCREW AND GASKET, 1 INCH FORD NO NG-F4 (38038) 4700-22 1 INCH 682553	\$8.31	\$8.31
66	1.00	EA	0680-NUT, PACK JOINT WITH CLAMPING SET SCREW AND GASKET, 2 INCH, FORD NO NG-K4 (38039) 4700-22RW 2 INCH 682555	\$18.49	\$18.49
67	80.00	EA	0690-PLUG, BRASS, TO HAVE AN INLET OF CC/AWWA MALE TAPER THREADS, TO HAVE RAISED SQUARE WRENCH HEAD NUT, 3/4 INCH MALE CC, MUELLER NO. H-10033-33 (37998) 73206 3/4 INCH	\$8.49	\$8.49
			0700-PLUG, BRASS, TO HAVE INLET OF CC/AWWA AMLE TAPER THREADS, TO HAVE RAISED SQUARE	SEE BELOW	SEE BELOW

REVISED PER ADDENDUM NO. 1

DATE: 6/01/2015

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 15

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
68	1.00	EA	WRENCH HEAD NUT,1 INCH MALE,CC,MUELLER NO.H-10033-44 (38000) 73206 1 INCH	\$8.97	\$717.60
			0710-PLUG,BRASS,TO HAVE INLET OF CC/AWWA MALE TAPER THREADS,TO HAVE RAISED SQUARE		
69	30.00	EA	WRENCH HEAD NUT,2 INCH MALE,CC,MUELLER NO.H-10033-77 (38003)3206 2 INCH	\$20.68	\$20.68
			0720-TEE,INLET RUN AND OUTLET BRANCH ARE TO BE OF PACK JOINT COMPRESSION		
70	1.00	EA	TYPE FITTING WITH CLAMPING SET SCREW, 3/4 INCH PJ BY 3/4 INCH PJ BY 3/4 INCH PJ. FORD NO.T444-333 (38211) 74760-22 3/4 INCH	\$28.06	\$841.80
			P15381		
			0730-TEE,INLET RUN AND OUTLET BRANCH ARE TO BE OF PACK JOINT COMPRESSION		
71	105.00	EA	TYPE FITTING WITH CLAMPING SET SCREW, 3/4 INCH PJ BY 3/4 INCH PJ BY 1 INCH PJ. FORD NO.T444-344 (38212) 74760-22 3/4 INCH BY 1 INCH	\$29.92	\$29.92
			P15381		
			0740-TEE,INLET RUN AND OUTLET BRANCH ARE TO BE OF PACK JOINT COMPRESSION TYPE		
72	78.00	EA	FITTING AND CLAMPING SET SCREW,1 INCH PJ BY 1 INCH PJ BY 3/4 INCH PJ. FORD 7444- 443 (38213) 74760-22 1 INCH BY 3/4 INCH	\$34.51	\$3,623.55
			P15381		
			0750-TEE,INLETE RUN AND OUTLET BRANCH ARE TO BE OF PACK JOINT COMPRESSION		
73	1.00	EA	TYPE FITTING WITH CLAMPING SET SCREW, 1 INCH PJ BY 1 INCH PJ BY FORD NO T444-444(38214) 74760-22 1 INCH	\$38.90	\$3,034.20
			P15381		
			0760-TEE,INLET RUN AND OUTLET BRANCH ARE TO BE OF PACK JOINT COMPRESSION TYPE		
74	1.00	ONLY	FITTING WITH CLAMPING SET SCREW,2 INCH PJ.FORD BI T444-777 (38215) 74760-22 2 INCH	\$178.12	\$178.12
			P15381		
			0770-TEE,MULTI-SERVICE,TO HAVE AN INLET OF FEMALE IRON PIPE AND OUTLET OF SIX (6		
75	415.00	EA	FEMALE IRON PIPE,1-2 INCH FIP(BOTTOM) BY 6-1 INCH FIP(PERIMETER) FORD NO T11-674	NO BID	NO BID
			0790-VALVE,METER,BALL VALVE,TO HAVE AN INLET OF PACK JOINT COMPRESSION TYPE		
				SEE BELOW	SEE BELOW

REVISED PER ADDENDUM NO. 1

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
76	210.00	EA	FITTING WITH CLAMPING SET SCREW AND AN OUTLET OF FEMALE METER NUT COUPLER,TO HAVE LARGE RAISED RECTANGULAR KEY WAY WITH PADLOCK WINGS,1 INCH PJ/MTR,FORD NO B43-444W(38092) 76100MW-22 1 INCH P24350	\$68.83	\$28,564.45
77	365.00	EA	0800-VALVE,METER,BALL VALVE,TO HAVE AN INLET OF PACK JOINT COMPRESSION TYPE FITTING WITH CLAMPING SET SCREW AND AN OUTLET OF OVAL METER FLANGE WITH A LARGE RAISED RECTANGULAR KEY WAY WITH PADLOCK WINGS,2 INCH MTR/PJ,FORD NO BF43-777W (38097)76100MW-22 2 INCH P24335	\$209.99	\$44,097.90
78	35.00	EA	0810-VALVE,METER,BALL VALVE,90 DEGREES, TO HAVE AN INLET OF PACK JOINT COMPRESSION TYPE FITTING WITH CLAMPING SET SCREW AND AN OUTLET OF FEMALE METER NUT COUPLER, TO HAVE LARGE RAISED RECTANGULAR KEY WAY WITH PADLOCK WINGS, 3/4 INCH BY 5/8 INCH 3/4 INCH PJ/MTR FORD NO B43-332W 74602B-22 3/4 INCH	NO BID	NO BID
79	12.00	EA	0820-Valve,meter,ball valve,90 degrees, to have an inlet of pack joint compression type fitting with clamping set screw and an outlet of female meter nut coupler,to have large raised rectangular key way with padlock wings, 1 inch PJ/MTR FORD NO BA43-444W 74602B-22 1 INCH P24258	\$76.92	\$2,692.20
80	100.00	EA	0830-Valve,METER,90 DEGREES,TO HAVE AN INLET OF PACK JOINT COMPRESSION TYPE FITTING WITH CLAMPING SET SCREW AND AN OUTLET OF OVAL METER FLANGE WITH A LARGE RAISED RECTANGULAR KEY WAY WITH PADLOCK WINGS,2 INCH PJ/FLG FORD NO FV43-777W (38096) 4602B-22 2 INCH P14277	\$159.12	\$1,909.44
81	1.00	EA	0840-WYE(X),TO HAVE AN INLET OF FEMALE IRON PIPE AND OUTLETS OF FEMALE 1-2 INCH FIP BY 4-1 INCH FIP,FORD NO Y11-474 74765 2 BY 1 INCH 0850-WYE(Y),TO HAVE TWO INLETS OF MALE IRON PIPE AND AN OUTLET OF MALE IRON PIPE 2-3/4 INCH MIP BY 1-1 INCH MIP	NO BID	NO BID
				SEE BELOW	SEE BELOW

REVISED PER ADDENDUM NO. 1

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
82	2.00	EA	MUELLER NO H-10070 0860-WYE(Y) TO HAVE AN INLET AND TWO OUTLETS OF PACK JOINT COMPRESSION TYPE FITTING WITH CLAMPING SET SCREW, 1-1 INCH PJ BY 2-3/4 INCH PJ.FORD NO Y44-243 08YS22 1 BY 3/4 INCH P15343	\$35.46	\$35.46
83	1.00	EA	0870-GASKET,BLIND,FOR 3/4 INCH WATER METER,TO BE MADE OF VULCANIZED FIBER MATERIAL FOR USE IN POTABLE WATER,1-5/32 INCH O.D. BY 1/16 INCH THICK (22075)	\$25.45	\$50.90
84	1.00	EA	0880-GASKET,BLIND,FOR 1 INCH WATER METER TO BE MADE OF VULCANIZED FIBER MATERIAL FOR USE ON POTABLE WATER,1-1/2 INCH O.D. BY 1/16 INCH THICK (22095)	NO BID	NO BID
85	5,000.00	EA	0890-GASKET,RING(FIBER),FOR 3/4 INCH WATER METER,TO BE MADE OF VULCANIZED FIBERT MATERIAL FOR USE ON POTABLE WATER 1-5/32 INCH O.D. BY 23/32 INCH I.D. BY 1/6 INCH THICK (22070)	NO BID	NO BID
86	1,700.00	EA	0900-GASKET,RING (FIBER),FOR 1 INCH WATER METER,TO BE MADE OF VULCANIZED FIBER MATERIAL FOR USE ON POTABLE WATER 1-1/2 INCH O.D. BY 1 INCH I.D. BY 1/16 INCH THICK (22090)	NO BID	NO BID
87	21,000.00	EA	0910-GASKET,RING(METER COUPLING),FOR 3/4 INCH WATER METER, TO BE MADE OF NEOPRENE MATERIAL FOR USE ON POTABLE WATER,1-5/32 INCH O.D. BU 25/32 INCH BY 1/8 INCH THICK (22080)	NO BID	NO BID
88	1,500.00	EA	0920-GASKET,RING (METER COUPLING),FOR 1 INCH WATER METER,TO BE MADE OF NEOPRENE MATERIAL FOR USE ON POTABLE WATER, 1-1/2 INCH O.D. BY 1 INCH I.D. BY 1/8 INCH THICK (22100)	NO BID	NO BID
89	1,200.00	EA	0930-GASKET,RING(YOKE BOX),FOR 3/4 INCH YOKE BOX EXPANSION CONNECTOR,TO BE MADE OF NEOPRENE MATERIAL FOR USE ON POTABLE	NO BID	NO BID

REVISED PER ADDENDUM NO. 1

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
90	400.00	EA	WATER,1-11/32 INCH O.D. BY 26/32 INCH 1.D.BY 1/8 INCH THICK FORD (GT-118)	SEE ABOVE	SEE ABOVE
			0940-GASKET,DROP-IN FOR 2 INCH FLANGE (OVAL) WATER METER,TO BE MADE OF TWO-PLY NEOPRENE MATERIAL FOR USE ON POTABLE WATER 3-15/16 INCH O.D. BY 2-1/4 INCH BY 1/8 INCH THICK WITH EARS TO SET ON TOP OF FLANGE BOLTS,TWO-PLY (38390)	NO BID	NO BID
91	56.00	EA	0950-BUSHING,TO HAVE AN INLET OF MALE IRON PIPE THREAD AND AN OUTLET OF FEMALE IRON PIPE THREAD,1 INCH BY 3/4 INCH (37114) 47165	\$19.53	\$1,093.68
92	2.00	EA	0960-BUSHING,TO HAVE AN INLET OF MALE IRON PIPE THREAD AND AN OUTLET OF FEMALE IRON PIPE THREAD,2 INCH BY 1 INCH (37125) 47164	\$15.87	\$31.74
93	1.00	EA	0970-CAP, OF FEMALE IRON PIPE THREAD, 3/4 INCH (37154) H15540	\$15.95	\$15.95
94	1.00	EA	0980-CAP,OF FEMALE IRON PIPE THREAD, 1 INCH (37155) H15540	\$26.95	\$26.95
95	1.00	EA	0990-CAP,OF FEMALE IRON PIPE THREAD, 2 INCH (37158) H15540	\$52.44	\$52.44
96	1.00	EA	1000-COUPLING,OF FEMALE IRON PIPE THREAD 3/4 INCH (37206)	NO BID	NO BID
97	1.00	EA	1010-COUPLING,OF FEMALE IRON PIPE THREAD 1 INCH (37209)	NO BID	NO BID
98	1.00	EA	1020-COUPLING,OF FEMALE IRON PIPE THREAD 2 INCH (37218)	NO BID	NO BID
99	1.00	EA	1030-CROSS,OF FEMALE IRON PIPE THREAD 3/4 INCH (37254)	NO BID	NO BID
100	1.00	EA	1040-CROSS,OF FEMALE IRON PIPE THREAD 1 INCH (37256)	NO BID	NO BID

REVISED PER ADDENDUM NO. 1

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
101	1.00	EA	1050-CROSS,OF FEMALE IRON PIPE THREAD 2 INCH (37267)	NO BID	NO BID
102	1.00	EA	1060-ELBOW,45 DEGREE,OF FEMALE IRON PIPE THREAD,3/4 INCH (37304)	\$29.30	\$29.30
103	1.00	EA	H10076 1070-ELBOW,45 DEGREE,OF FEMALE IRON PIPE THREAD, 1 INCH (37305)	NO BID	NO BID
104	1.00	EA	1080-ELBOW,45 DEGREE,OF FEMALE IRON PIPE THREAD,2 INCH (37308)	NO BID	NO BID
105	1.00	EA	1090-ELBOW,90 DEGREE,OF FEMALE IRON THREAD,3/4 INCH (37359)	NO BID	NO BID
106	1.00	ONLY	1100-ELBOW,90 DEGREE, OF FEMALE IRON PIPE THREAD, 1 INCH (37363)	NO BID	NO BID
107	18.00	EA	1110-ELBOW,90 DEGREE,OF FEMALE IRON THREAD,2 INCH (37376)	NO BID	NO BID
108	1.00	EA	1120-ELBOW,STREET,45 DEGREE,TO HAVE FEMALE IRON PIPE THREAD ON ONE END,AND MALE IRON PIPE THREAD ON THE OTHER, 3/4 INCH (37404)	NO BID	NO BID
109	1.00	EA	1130-ELBOW,STREET,45 DEGREE,TO HAVE FEMALE IRON PIPE THREAD ON ONE END, AND MALE IRON PIPE THREAD ON THE OTHER, 1 INCH (37405)	NO BID	NO BID
110	1.00	EA	1140-ELBOW,STREET,45 DEGREE,TO HAVE FEMALE IRON PIPE THREAD ON ONE END,AND MALE IRON PIPE THREAD ON THE OTHER, 2 INCH (37408)	NO BID	NO BID
111	1.00	EA	1150-ELBOW,STREET,90 DEGREE,TO HAVE FEMALE IRON PIPE THREAD ON ONE END,AND		

REVISED PER ADDENDUM NO. 1

DATE: 6/01/2015

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 20

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
112	1.00	EA	MALE IRON PIPE THREAD ON THE ELBOW, STREET, 90 DEGREE, TO OTHER, 3/4 INCH (37454)	NO BID	NO BID
113	1.00	EA	1160-ELBOW, STREET, 90 DEGREE, TO HAVE FEMALE IRON PIPE THREAD ON ONE END, AND MALE IRON PIPE THREAD ON THE OTHER, 1 INCH (37456)	NO BID	NO BID
114	1.00	EA	1170-ELBOW, STREET, 90 DEGREE, TO HAVE FEMALE IRON PIPE THREAD ON ONE END, AND MALE IRON PIPE THREAD ON THE OTHER, 2 INCH (37465)	NO BID	NO BID
115	1.00	EA	1180-NIPPLE, ALL MALE IRON PIPE THREAD, 3/4 INCH BY CLOSE (37580)	NO BID	NO BID
116	1.00	EA	1190-NIPPLE, ALL MALE IRON PIPE THREAD, 3/4 INCH BY 2 INCH (37852)	NO BID	NO BID
117	1.00	EA	1200-NIPPLE, ALL MALE IRON PIPE THREAD, 3/4 INCH BY 3 INCH (37584)	NO BID	NO BID
118	1.00	EA	1210-NIPPLE, ALL MALE IRON PIPE THREAD, 1 INCH BY CLOSE (37600)	NO BID	NO BID
119	1.00	EA	1220-NIPPLE, ALL MALE IRON PIPE THREAD 1 INCH BY 2 INCH (37601)	NO BID	NO BID
120	1.00	EA	1230-NIPPLE, ALL MALE IRON PIPE THREAD, 1 INCH BY 4 INCH (37605)	NO BID	NO BID
121	1.00	EA	1240-NIPPLE, ALL MALE IRON PIPE THREAD, 2 INCH BY CLOSE (37660)	NO BID	NO BID
122	1.00	EA	1250-NIPPLE, ALL MALE IRON PIPE THREAD, 1 INCH BY 4 INCH (37664)	NO BID	NO BID
			1260-REDUCER, ALL FEMALE IRON PIPE THREAD 1 INCH BY 3/4 INCH		

REVISED PER ADDENDUM NO. 1

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
123	1.00	EA	1270-REDUCER,ALL FEMALE IRON PIPE THREAD 2 INCH BY 1 INCH	NO BID	NO BID
124	1.00	EA	1280-TEE,ALL FEMALE IRON PIPE THREAD, 3/4 INCH BY 3/4 INCH BY 3/4 INCH (37814)	NO BID	NO BID
125	1.00	EA	1290-TEE,ALL FEMALE IRON PIPE THREAD, 1 INCH BY 1 INCH BY 1 INCH (37823)	NO BID	NO BID
126	1.00	EA	1300-TEE,ALL FEMALE IRON PIPE THREAD, 1 INCH BY 1 INCH BY 3/4 INCH (37832)	NO BID	NO BID
127	1.00	EA	1310-TEE,ALL FEMALE IRON PIPE THREAD, 2 INCH BY 2 INCH BY 2 INCH (37860)	NO BID	NO BID
128	1.00	EA	1320-TEE,ALL FEMALE IRON PIPE THREAD, 2 INCH BY 2 INCH BY 3/4 INCH (37870)	NO BID	NO BID
129	1.00	EA	1330-TEE,ALL FEMALE IRON PIPE THREAD, 2 INCH BY 2 INCH BY 1,(37871)	\$101.37	\$101.37
130	1.00	EA	790048 1340-UNION,ALL FEMALE IRON PIPE THREAD, 3/4 INCH(37904)	NO BID	NO BID
131	1.00	EA	1350-UNION,ALL FEMALE IRON PIPE THREAD 1 INCH (37905)	NO BID	NO BID
132	1.00	EA	1360-UNION,ALL FEMALE IRON PIPE THREAD, 2 INCH (37908)	NO BID	NO BID
133	1.00	EA	1370 - COUPLING, METER, TO HAVE AN INLET OF FEMALE THREADED MATER NUT COUPLER WITH AN OUTLET OF PACK JOINT COMPRESSION TYPE FITTING WITH CLAMPING SET SCREW, 2 INCH MTR/PJ, FORD NO. C34-77	NO BID	NO BID
134	5,200.00	EA	1380 - VALVE, METER, BALL VALVE, TO HAVE AN INLET OF PACK JOINT COMPRESSION TYPE P24350 R	\$30.43	\$158,236.00

REVISED PER ADDENDUM NO. 1

DATE: 6/01/2015

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 22

BID NO.: 50-00112678

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			FITTING WITH CLAMPING SET SCREW AND AN OUTLET OF FEMALE METER NUT COUPLER, TO HAVE LARGE RAISED RECTANGULAR KEY WAY WITH PADLOCK WINGS, 3/4 INCH BY 5/8 INCH BY 3/4 INCH PJ/MTR, FORD NO. B43-332W (38082) 76100MW-22 3/4 INCH.		

REVISED PER ADDENDUM NO. 1

CORPORATE RESOLUTION

See Limited Power of Attorney provided with this bid.

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF

INCORPORATED.

AT THE MEETING OF DIRECTORS OF _____
INCORPORATED, DULY NOTICED AND HELD ON _____,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT _____, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.

SECRETARY-TREASURER

DATE

LIMITED POWER OF ATTORNEY

The undersigned, Vice President of MCO 1, LLC, a General Partner of Mueller Co., LLC., a limited partnership established and existing under the laws of the State of Alabama (the "Company"), and having offices located at 500 West Eldorado Street, Decatur, IL, on behalf of the Company gives Limited Power of Attorney to:

KIM LILLPOP
(The "Attorney-in-Fact")

To act and perform on behalf of the Company solely in respect to the following:

To attest to, sign and submit, on behalf of the Company, bids, quotations and related documents in connection with the sale or offer for sale of products of the Company's Water and Gas Products Division up to a maximum of \$3,000,000 per bid or quote.


Subject to the right of the undersigned to terminate this Limited Power of Attorney given on behalf of the Company at an earlier time, the foregoing Limited Power of Attorney shall lapse and expire on January 31, 2016, but such expiration shall not impair any action taken or documents signed by said Attorney-in-Fact prior to that date, or the date of termination if earlier.

This Limited Power of Attorney does not include the power to delegate.

IN WITNESS WHEREOF, the undersigned has caused this Limited Power of Attorney to be duly executed, pursuant to authority granted by the sole member of the Company, effective as of January 30, 2015.

MUELLER CO. LLC.

By: MCO 1, LLC, Its General Partner




Chad Mize
Vice President, Finance


STATE OF TENNESSEE)
)
COUNTY OF HAMILTON) SS:

BE IT KNOWN, that on the 26th day of January, 2015 before me a Notary Public in and for the State of Tennessee, personally came and appeared Chad Mize, to me personally known and known to me to be the same person described in and who executed the Limited Power of Attorney, and acknowledged the within Limited Power of Attorney to be his act and deed.

IN TESTAMENT WHEREOF, I have hereunto subscribed my name and affixed my seal of office; the day and year last above written.



Notary Public



Paula M. Wilson

My Commission Expires
December 8, 2018

Non-Public Works Bid Affidavit Instructions

- Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and parish laws.
- Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.
- Affidavit must be notarized or the affidavit will not be accepted.
- Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.
- Affiant **MUST** select either A or B when required or the affidavit will not be accepted.
- Affiants who select choice A must include an attachment or the affidavit will not be accepted.
- If both choice A and B are selected, the affidavit will not be accepted.
- Affidavit marked N/A will not be accepted.
- It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.

Instruction sheet may be omitted when submitting the affidavit

Non-Public Works Bid

AFFIDAVIT

STATE OF Illinois

PARISH/COUNTY OF Macon

BEFORE ME, the undersigned authority, personally came and appeared: _____
Kim Lillpop, (Affiant) who after being by me duly sworn, deposed and said that
he/she is the fully authorized "Attorney-in-Fact" of Mueller Co. LLC. (Entity),
the party who submitted a bid in response to Bid Number 50-00112678 to the Parish of
Jefferson.

Affiant further said:

Campaign Contribution Disclosures

**(Choose A or B, if option A is indicated please include the required
attachment):**

Choice A _____ Attached hereto is a list of all campaign contributions, including
the date and amount of each contribution, made to current or
former elected officials of the Parish of Jefferson by Entity,
Affiant, and/or officers, directors and owners, including
employees, owning 25% or more of the Entity during the two-year
period immediately preceding the date of this affidavit or the
current term of the elected official, whichever is greater. Further,
Entity, Affiant, and/or Entity Owners have not made any
contributions to or in support of current or former members of the
Jefferson Parish Council or the Jefferson Parish President through
or in the name of another person or legal entity, either directly or
indirectly.

Choice B X there are **NO** campaign contributions made which would require
disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B X There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

Kim Lillpop

Signature of Affiant

Kim Lillpop

Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE 29th DAY OF May, 2015.

Mary E. Martin

Notary Public


Mary E. Martin

Printed Name of Notary

N/A

Notary/Bar Roll Number

My commission expires 1/15/2019.



INSURANCE REQUIREMENTS - BIDS

All insurance requirements shall conform to Jefferson Parish Resolution No. 113646 or No. 113647. The contractor shall not commence work under this contract until he has obtained all insurance and complied with the requirements of the specifications and said Parish Resolutions. Except as otherwise provided by law, the Parish Attorney's Office with the concurrence of the Director of Risk Management is authorized to omit in whole or part the insurance requirements of this section in connection with contracts. Vendors inquiring about this shall submit his written request to the Purchasing Department prior to the due date of the bid. Contractor must deliver and maintain such insurances as provided; failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

Successful bidder will be required to procure standard insurance policies evidencing Parish mandated insurance requirements indicated below. The current certificate of insurance must be submitted by low bidder within 10 days after bid opening to the Purchasing Department. Failure to comply will cause bid to be rejected.

1. WORKER'S COMPENSATION INSURANCE

As required by Louisiana State Statute, exception; Employer's Liability, Section B shall be \$1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act, otherwise this limit shall be no less than \$500,000 per occurrence.

2. COMMERCIAL GENERAL LIABILITY

Shall provide limits not less than the following: \$1,000,000.00 Combined Single Limit per Occurrence for bodily injury and property damage.

3. COMPREHENSIVE AUTOMOBILE LIABILITY

Bodily injury liability \$1,000,000.00 each person; \$1,000,000.00 each occurrence.
Property Damage Liability \$1,000,000.00 each occurrence.

DEDUCTIBLES

No insurance required shall include a deductible not greater than \$10,000.00. The cost of the deductible shall be borne by the contractor.

NOTE: If the vendor requires a change in deductibles, the request must be submitted in writing to the Purchasing Department prior to the due date of the bid. Such request shall be reviewed by the Parish Attorney's Office.

UMBRELLA LIABILITY COVERAGE

An umbrella policy or excess may be used to meet minimum requirements.

CONSTRUCTION AND RENOVATION PROJECTS:

Unless otherwise specified in the bid, these additional insurance is required. Such insurance is due upon contract execution.

OWNER'S PROTECTIVE LIABILITY

To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.

BUILDER'S RISK INSURANCE

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.

NOTE for CERTIFICATE HOLDER:

All insurance certificates shall list the certificate holder as follows:

"The Parish of Jefferson, its Districts, Departments and Agencies under the direction of the Parish President and the Parish Council." Additionally, the address on the Certificates should reflect the department which is letting the bid and reference the respective bid number.

Revised 2.10.2014



321060

CERTIFICATE OF LIABILITY INSURANCEDATE (MM/DD/YYYY)
5/27/2015

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER
Commercial Lines - (404) 923-3700
Wells Fargo Insurance Services USA, Inc.
3475 Piedmont Road NE, Suite 800
Atlanta, GA 30305-2886

CONTACT NAME: Kristin Dempsey
PHONE (A/C, No, Ext): 404-923-3526 **FAX (A/C, No):** 877-362-9069
E-MAIL ADDRESS: kristin.dempsey@wellsfargo.com

INSURER(S) AFFORDING COVERAGE		NAIC #
INSURER A:	ACE American Insurance Company	22667
INSURER B:	National Union Fire Ins. Co. of Pittsburgh, PA	19445
INSURER C:	ACE Fire Underwriters Ins. Co.	20702
INSURER D:		
INSURER E:		
INSURER F:		

INSURED
Mueller Water Products, Inc.;
Mueller Group, LLC & Mueller Systems, LLC
1200 Abernathy Road, NE Suite 1200
Atlanta, GA 30328

COVERAGES**CERTIFICATE NUMBER:** 9154975**REVISION NUMBER:** See below

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL SUBR INSD WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR <input checked="" type="checkbox"/> Contractual Liability GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input checked="" type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:		XSLG27338380 SIR applies per policy terms & conditions	10/01/2014	10/01/2015	EACH OCCURRENCE \$ 1,500,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 1,000,000 MED EXP (Any one person) \$ 10,000 PERSONAL & ADV INJURY \$ 1,500,000 GENERAL AGGREGATE \$ 10,000,000 PRODUCTS - COMP/OP AGG \$ 5,000,000 SIR/Deductible \$ 500,000
A	<input checked="" type="checkbox"/> AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input checked="" type="checkbox"/> ALL OWNED AUTOS <input checked="" type="checkbox"/> HIRED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> NON-OWNED AUTOS		ISAH08829202	10/01/2014	10/01/2015	COMBINED SINGLE LIMIT (Ea accident) \$ 2,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
B	<input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED RETENTION \$		19961645	10/01/2014	10/01/2015	EACH OCCURRENCE \$ 10,000,000 AGGREGATE \$ 10,000,000 \$
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N N	WLRC48019675 SCFC48019687 (Employer's Liability)	10/01/2014 10/01/2014	10/01/2015 10/01/2015	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER E.I. EACH ACCIDENT \$ 1,000,000 E.I. DISEASE - EA EMPLOYEE \$ 1,000,000 E.I. DISEASE - POLICY LIMIT \$ 1,000,000
C		N/A				

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

RE: Bid No. 50-00112678, Contract to supply bronze fittings for the Jefferson Parish department of public works, all water districts, and all Jefferson Parish agencies and municipalities.

The Parish of Jefferson, its Districts, Departments and Agencies under the direction of the Parish President and the Parish Council are additional insured on General Liability as respects liability arising out of Named Insured's operations performed for them if required by written contract subject to the policy's terms, exclusions, and conditions.

CERTIFICATE HOLDER**CANCELLATION**

Jefferson Parish
General Government Building
200 Derbigny St., Suite 4400
Gretna LA 70053

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

The ACORD name and logo are registered marks of ACORD

© 1988-2014 ACORD CORPORATION. All rights reserved.

ACORD 25 (2014/01)

(This certificate replaces certificate# 8834064 issued on 3/6/2015)

CO= CT65702
U= EU43023

EQUAL EMPLOYMENT OPPORTUNITY
2014 EMPLOYER INFORMATION REPORT
REPORT - TYPE 8

SECTION B - COMPANY IDENTIFICATION

1. MUELLER WATER PRODUCTS
1200 ABERNATHY ROAD
SUITE 1200
ATLANTA, GA 30328

SECTION C - TEST FOR FILING REQUIREMENT

1-Y 2-Y 3-Y DUNS NO:003501079

2.a. ECHOLOGICS LLC
1200 ABERNATHY ROAD
SUITE 1200
ATLANTA, GA 30328
FULTON COUNTY

SECTION E - ESTABLISHMENT INFORMATION

NAICS: 541330 Engineering Services

SECTION D - EMPLOYMENT DATA

JOB CATEGORIES	HISPANIC OR LATINO		NOT-HISPANIC OR LATINO												OVERALL TOTALS
	MALE	FEMALE	WHITE	BLACK OR AFRICAN AMERICAN	NATIVE HAWAIIAN OR PACIFIC ISLANDER	ASIAN	AMERICAN INDIAN OR ALASKAN NATIVE	TWO OR MORE RACES	WHITE	BLACK OR AFRICAN AMERICAN	NATIVE HAWAIIAN OR PACIFIC ISLANDER	ASIAN	AMERICAN INDIAN OR ALASKAN NATIVE	TWO OR MORE RACES	
EXECUTIVE/SR OFFICIALS & MGRS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FIRST /MID OFFICIALS & MGRS	0	0	2	0	0	0	0	0	6	0	0	0	0	0	8
PROFESSIONALS	0	0	0	0	0	0	0	0	1	1	0	0	0	0	2
TECHNICIANS	0	0	2	0	0	0	0	0	7	1	0	2	0	1	13
SALES WORKERS	0	0	1	0	0	0	0	0	8	0	0	0	0	0	9
ADMINISTRATIVE SUPPORT	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRAFT WORKERS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OPERATIVES	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LABORERS & HELPERS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SERVICE WORKERS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	0	0	5	0	0	0	0	0	22	2	0	2	0	1	32
PREVIOUS REPORT TOTAL	0	0	10	2	0	0	0	1	0	0	0	0	0	0	13

SECTION F - REMARKS

CO= CT65702
U= L371032

EQUAL EMPLOYMENT OPPORTUNITY
2014 EMPLOYER INFORMATION REPORT
INDIVIDUAL ESTABLISHMENT REPORT - TYPE 4

SECTION B - COMPANY IDENTIFICATION

1. MUELLER WATER PRODUCTS
1200 ABERNATHY ROAD
SUITE 1200
ATLANTA, GA 30328

SECTION C - TEST FOR FILING REQUIREMENT

2.a. MUELLER CO GAS PRODUCTS DIVISION
3351 FM802
BROWNSVILLE, TX 78526

1-Y 2-Y 3-Y DUNS NO.:003501079

CAMERON COUNTY
C. Y

SECTION E - ESTABLISHMENT INFORMATION

NAICS: 332111 Iron and Steel Forging

SECTION D - EMPLOYMENT DATA

JOB CATEGORIES	HISPANIC OR LATINO		NOT-HISPANIC OR LATINO										OVERALL TOTALS		
			***** MALE *****					***** FEMALE *****							
	MALE	FEMALE	WHITE	BLACK OR AFRICAN AMERICAN	NATIVE HAWAIIAN OR PACIFIC ISLANDER	ASIAN	AMERICAN INDIAN OR ALASKAN NATIVE	TWO OR MORE RACES	WHITE	BLACK OR AFRICAN AMERICAN	NATIVE HAWAIIAN OR PACIFIC ISLANDER	ASIAN		AMERICAN INDIAN OR ALASKAN NATIVE	TWO OR MORE RACES
EXECUTIVE/SR OFFICIALS & MGRS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FIRST/MID OFFICIALS & MGRS	0	4	0	0	0	0	0	0	0	0	0	0	0	0	4
PROFESSIONALS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TECHNICIANS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SALES WORKERS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ADMINISTRATIVE SUPPORT	2	6	0	0	0	0	0	0	0	0	0	0	0	0	8
CRAFT WORKERS	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
OPERATIVES	25	44	0	0	0	0	0	0	0	1	0	0	0	0	70
LABORERS & HELPERS	2	3	0	0	0	0	0	0	0	0	0	0	0	0	5
SERVICE WORKERS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	31	57	0	0	0	0	0	0	0	1	0	0	0	0	89
PREVIOUS REPORT TOTAL	75	23	0	1	0	0	0	0	0	0	0	0	0	1	100

SECTION F - REMARKS

CO= CT65702
U= CI41883

EQUAL EMPLOYMENT OPPORTUNITY
2014 EMPLOYER INFORMATION REPORT
INDIVIDUAL ESTABLISHMENT REPORT - TYPE 4

SECTION B - COMPANY IDENTIFICATION

1. MUELLER WATER PRODUCTS
1200 ABERNATHY ROAD
SUITE 1200
ATLANTA, GA 30328

SECTION C - TEST FOR FILING REQUIREMENT

2.a. MUELLER COMPANY
500 W. ELDORADO ST.
DECATUR, IL 62522

1-Y 2-Y 3-Y DUNS NO.:003501079

MACON COUNTY
c. Y

SECTION E - ESTABLISHMENT INFORMATION

NAICS: 334513 Instruments and Related
Products Manufacturing for Measuring,
Displaying, and Controlling Industrial

SECTION D - EMPLOYMENT DATA

JOB CATEGORIES	HISPANIC OR LATINO		NOT-HISPANIC OR LATINO										Process Variables					OVERALL TOTALS
	MALE	FEMALE	***** MALE *****										***** FEMALE *****					
			WHITE	BLACK OR AFRICAN AMERICAN	NATIVE HAWAIIAN OR PACIFIC ISLANDER	ASIAN	AMERICAN INDIAN OR ALASKAN NATIVE	TWO OR MORE RACES	WHITE	BLACK OR AFRICAN AMERICAN	NATIVE HAWAIIAN OR PACIFIC ISLANDER	ASIAN	AMERICAN INDIAN OR ALASKAN NATIVE	TWO OR MORE RACES				
EXECUTIVE/SR OFFICIALS & MGRS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
FIRST/MID OFFICIALS & MGRS	0	1	18	0	0	1	0	0	20	0	0	0	0	0	0	0	40	
PROFESSIONALS	0	0	13	0	0	0	0	0	16	0	0	0	0	0	0	0	29	
TECHNICIANS	0	0	5	0	0	0	0	0	11	1	0	1	0	0	0	0	18	
SALES WORKERS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ADMINISTRATIVE SUPPORT	0	0	3	0	0	0	0	0	11	0	0	0	0	0	0	0	14	
CRAFT WORKERS	0	0	25	0	0	0	0	0	23	0	0	0	0	0	0	0	48	
OPERATIVES	0	0	95	27	0	2	0	0	160	29	0	0	0	0	0	0	313	
LABORERS & HELPERS	0	0	18	5	0	0	0	0	21	8	1	0	0	0	0	0	53	
SERVICE WORKERS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTAL	0	1	177	32	0	3	0	0	262	38	1	1	0	0	0	0	515	
PREVIOUS REPORT TOTAL	0	0	376	62	0	3	0	0	29	4	0	0	0	0	0	0	474	

SECTION F - REMARKS

CO= CT65702
u= X868017

EQUAL EMPLOYMENT OPPORTUNITY
2014 EMPLOYER INFORMATION REPORT
INDIVIDUAL ESTABLISHMENT REPORT - TYPE 4

SECTION B - COMPANY IDENTIFICATION

1. MUELLER WATER PRODUCTS
1200 ABERNATHY ROAD
SUITE 1200
ATLANTA, GA 30328

SECTION C - TEST FOR FILING REQUIREMENT

2.a. MUELLER CO. LLC SHARED SERVICES
500 W. ELDORADO ST.
DECATUR, IL 62522
1-Y 2-Y 3-Y DUNS NO.:003501079

MACON COUNTY
c. Y

SECTION E - ESTABLISHMENT INFORMATION

NAICS: 332919 Other Metal Valve and Pipe
Fitting Manufacturing

SECTION D - EMPLOYMENT DATA

JOB CATEGORIES	HISPANIC OR LATINO		NOT-HISPANIC OR LATINO												OVERALL TOTALS	
	MALE	FEMALE	*****MALE*****						*****FEMALE*****							
			WHITE	BLACK OR AFRICAN AMERICAN	NATIVE HAWAIIAN OR PACIFIC ISLANDER	ASIAN	AMERICAN INDIAN OR ALASKAN NATIVE	TWO OR MORE RACES	WHITE	BLACK OR AFRICAN AMERICAN	NATIVE HAWAIIAN OR PACIFIC ISLANDER	ASIAN	AMERICAN INDIAN OR ALASKAN NATIVE	TWO OR MORE RACES		
EXECUTIVE/SR OFFICIALS & MGRS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FIRST/MID OFFICIALS & MGRS	0	1	5	0	0	0	0	0	0	6	0	0	0	0	0	12
PROFESSIONALS	0	0	1	0	0	0	0	0	0	3	0	0	0	0	0	4
TECHNICIANS	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	2
SALES WORKERS	0	0	1	0	0	0	0	0	0	18	0	0	0	0	0	19
ADMINISTRATIVE SUPPORT	0	0	0	0	0	0	0	0	0	13	1	0	0	0	0	14
CRAFT WORKERS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OPERATIVES	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
LABORERS & HELPERS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SERVICE WORKERS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	0	1	8	0	0	0	0	0	0	42	1	0	0	0	0	52
PREVIOUS REPORT TOTAL	6	2	109	0	0	1	0	1	0	48	1	0	0	0	2	170

SECTION F - REMARKS

30510

Form W-9 (Rev. November 2003) Department of the Treasury Internal Revenue Service	Request for Taxpayer Identification Number and Certification	Give form to the requester. Do not send to the IRS.								
Name (as shown on your income tax return) Mueller Co. LTD										
Business name, if different from above										
Print or type See Specific Instructions on page 2	Check appropriate box: <input type="checkbox"/> Individual <input checked="" type="checkbox"/> Sole proprietor <input checked="" type="checkbox"/> Corporation <input type="checkbox"/> Partnership <input type="checkbox"/> Other									
	Address (number, street, and apt. or suite no.) 500 West Chicago Street									
	City, state, and ZIP code Decatur IL 62522									
	List account number(s) here (optional)									
Part I Taxpayer Identification Number (TIN)										
Enter your TIN in the appropriate box. The TIN provided must match the name given on Line 1 to avoid backup withholding. For individuals, this is your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see <i>How to get a TIN</i> on page 3. Note: If the account is in more than one name, see the chart on page 4 for guidelines on whose number to enter.										
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Social security number</td> <td style="width: 50%;">Employer identification number</td> </tr> <tr> <td style="text-align: center;"> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> </td> <td style="text-align: center;"> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> </td> </tr> <tr> <td colspan="2" style="text-align: center;">or</td> </tr> <tr> <td colspan="2" style="text-align: center;"> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> </td></tr></table>			Social security number	Employer identification number	<div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div>	<div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div>	or		<div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div>	
Social security number	Employer identification number									
<div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div>	<div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div>									
or										
<div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div> <div style="border-bottom: 1px solid black; width: 100%; height: 1.2em; margin-bottom: 2px;"></div>										

Cat. No. 10221X

Form W-9 (Rev. 11-2003)