



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

**5000124573 - PURCHASE A QUANTITY OF FORK LIFT FOR THE PUMP
STATION MAINTENANCE FOR THE JEFFERSON PARISH DEPARTMENT
OF DRAINAGE**
Jefferson Parish Government

Project documents obtained from www.CentralBidding.com
06-Nov-2018 11:38:07 AM



Bid Number 50-00124573

**PURCHASE A QUANTITY OF FORK LIFT FOR THE PUMP STATION
MAINTENANCE FOR THE JEFFERSON PARISH DEPARTMENT OF
DRAINAGE**

BID DUE: NOVEMBER 8, 2018 AT 11:00 AM

ATTENTION VENDORS!!!

**Please review all pages and respond accordingly, complying with all provisions
in the technical specifications and Jefferson Parish Instructions for Bidders and
General Terms and Conditions. All bids must be received in the Purchasing
Department by the bid due date and time.**

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Buyer Name: Misty A. Camardelle
Buyer Email: mcamardelle@jeffparish.net
Buyer Phone: 504-364-2683**



JEFFERSON PARISH

Department of Purchasing

Michael S. Yenni
Parish President

Renny Simno
Director

July 2018

CHANGES TO JEFFERSON PARISH BIDDING PROCEDURES

The East bank Office of Purchasing is now open! We are located in the Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Suite 404, Jefferson, LA 70123. Bidders may submit bid responses at this location, pending authorization in each bid package. **Bidders should carefully read and must respond accordingly per the requirements of the bid packages. NOTE: Bidders submitting bids on the day of bid opening, bidders must submit at the West Bank location only.**

Other Changes Continued:

- For all advertised sealed bids, written evidence of signature authority must be included with bid submission.
- Current W9 Forms and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, a current W-9 form must be supplied upon contract execution, should you be awarded a contract and/or issued a purchase order.
- **Proof of insurance in the form of a current certificate evidencing coverages is required with bid submission.** Bidders must read the insurance requirements attachment included in each bid package for specific instructions. Upon contract execution, successful bidder must produce final insurance certificates in accordance with Jefferson Parish insurance requirements.

Bidders should reference the "Additional Requirements" section of the bid instructions and/or the "Important Notice to Bidders" included in the bid package for specific requirements to respond accordingly.

For more information, please call Jefferson Parish Purchasing at 504-364-2678.

Joseph S. Yenni Building – 1221 Elmwood Park Blvd., Ste. 404, Jefferson, LA 70123

Office 504.364.2678

General Government Bldg. – 200 Derbigny St – Suite 4400 - Gretna, LA 70053

Office 504.364.2678

Email: Purchasing@jeffparish.net Website: www.jeffparish.net

Jefferson Parish

Department of Fleet Management

VEHICLE – EQUIPMENT SPECIFICATIONS

SPECIFICATION NO.: 008-2018

In order to avoid any uncertainty, bidder shall complete the bidder section with a description of item bid listing brand name and pertinent details of item.

NOTE:

The use of checks and failure to provide description on any specification listed in this bid document shall result in bid being found non-responsive and, therefore, rejected.

LIFT TRUC-5000 LB NOMINAL CAPACITY, CLASS V

DESCRIPTION

Lift Truck – 5,000 lb. Nominal Capacity, Class V

Brakes – Self Energizing drum

Powertrain -

Engine – PSI 2.4L LPG

Power shift 1 Speed Transmission

High Air Intake

Counterweight Rear Exhaust

Fixed LPG Bracket with Steel Strap

Pressure Sensing Low LPG Fuel Indicator

Powertrain Options -

Single Pedal Inch/Brake Arrangement

Anti-Clog Radiator

Key Switch Start

UL Label – Classification Type LP

33.5 lb. Steel LPG Fuel Tank with Auxiliary Fill Valve

3 Stage Full Free Lift Mast – Class II-189" (480mm)

MAST-

Maximum Lift Height – 84" (2120mm) Overall

Lowered Height

Mast Tilt – 6" Forward/6" Back

48" (1220mm) High Load Backrest Extension

Carriages & Attachments -

42" (1067mm) Wide-Class II-Hook Type Integral Side shift Carriage

Forks -

42" Long x 1.6" Wide (1067mm x40mm x100mm)

Class II Hook Type – Standard Taper Forks

Hydraulics -

3 Function (1 Auxiliary Hydraulic Control Valve

Mechanic Lever Hydraulic Controls – Cowl Mounted

Hoses -

1 Auxiliary Function Hose Group – 2 Hoses Internally Mounted

Wheels & Tires -

Drive Tires – 7.00 – 12 Pneumatic Shaped Solid (PSS)-2 Layer

Construction – Standard Tread Width Tires

Steer Tires – 6.00 x 9 Pneumatic Shaped Solid (PSS)-2 Layer Construction

Operator Compartment -

Document Clip

Included Items -

Rear Drive Handle with Horn Button

88" Overhead Guard (Gride Style)

Directional Control -

Directional Control Pedal

Steering Wheel with Integral Spinner Know

Seat -

Seat Belt – Black - No-Clinch with ELR (Emergency Locking Retractor)

Lights & Alarms -

Audible Alarm – Reverse Directorion Activated

Self-Adjusting 82-102 Db (A)

Visible Alarm – Amber LED Strobe

Key switch Activated – Does Not Increase Truck Height

Work Lights – LED Plastic Lens – 2 Front and 1 Rear

Warranty -

12 Months/2,000 Hours Manufacturer's Warranty

36 Months/6,000 Hours Powertrain Warranty

Please See Full Warranty Statement for Additional Details

Literature & Nameplate -
English Literature Pack and Labels

Fees & Surcharges -
Freight, Fees & Surcharges

Additional Items or Accessories Included

YSP Make Ready -
YSP Package - Class I, II, IV, V Make ready, Hardware Kit, Local Delivery, Mktg Charge

WARRANTY SERVICE REPAIRS MUST BE INITIATED WITHIN TWO (2) HOURS OF NOTIFICATION.

WARRANTY: *3 years / 4,000 hours full warranty

MANUALS: (2) PARTS, (2) SERVICE MANUALS, (2) WIRING DIAGRAMS IF MANUFACTURER STILL PROVIDES. IF NO MANUALS, CD'S WILL BE ACCEPTED.

SAFETY: MUST MEET OR EXCEED ALL FEDERAL AND STATE SAFETY STANDARDS

*see included warranty certificate for full details

DATE: 10/29/2018

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

BID NO.: 50-00124573

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: MCamardelle@jeffparish.net

Bids will be received until 11:00 AM, 11/08/2018 via online at www.jeffparishbids.net or by hand delivery, USPS mail or other courier service to Purchasing Department, 200 Derbigny Street (General Government Building), Suite 4400, Gretna, LA 70053. For convenience, bidders may also submit bids in the East Bank Purchasing Department, Suite 404, Jefferson Parish Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Jefferson LA 70123. However, if submitting bids on the day of bid opening, bidders must submit at the West Bank location only.

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law, as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647. A copy of these resolutions may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at purchasing.jeffparish.net and clicking on On-line forms.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Further, a current W-9 form and respective Tax Identification number must be supplied upon contract execution, should you be awarded a contract and/or issued purchase order. Failure to do so may result in delay of payment.

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Delivered, anywhere within the Parish as designated by the Purchasing Department. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications. JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit prices shall prevail.

JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE

PROTESTS: Only those vendors that submitted a bid in response to this solicitation may submit a protest in writing to the Director of the Purchasing within 48 hours of bid opening. The Purchasing Director will review it in connection with the Parish Attorney's Office as appropriate and a written response will be provided as soon as possible.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in the quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum.

All formal Addenda require written acknowledgment on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected; JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A1 17.1-1961).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are encouraged to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

13

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(l), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Prior to contract executions/purchase order issuance, the successful bidder will be required to provide final insurance certificates which shall name Jefferson Parish as an additional insured in accordance with the instructions in the aforementioned "Standard Insurance Requirements" sheet.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies). If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required in conformity with the provisions contained in LSA - RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

DATE: 10/29/2018

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00124573

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: MCamardelle

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

18-24 weeks ARD

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: <u>M & L Industries, LLC</u>	
SIGNATURE: (Must be signed here) <u>Don Hannan</u>	TITLE: <u>Sales Manager</u>
PRINT OR TYPE NAME: <u>Don Hannan</u>	
ADDRESS: <u>5301 Airline Dr.</u>	
CITY, STATE: <u>Metairie, LA</u>	ZIP: <u>70001</u>
TELEPHONE: <u>504 885-8932</u>	FAX: <u>504 889-1318</u>
EMAIL ADDRESS: <u>dhannan@mlind.net</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 23,352.57

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00124573

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	1.00	EA	PURCHASE A QUANTITY OF FORK LIFT FOR THE PUMP STATION MAINTENANCE FOR THE JEFFERSON PARISH DEPARTMENT OF DRAINAGE 0010 - Hyster H50XT Fork Lift with YSP Make Ready Package For Drainage Pump Station Maintenance		
1			Hyundai forklift, Model 25L-7A	\$23,352.57	\$23,352.57

Louisiana's #1 Forklift Dealer for over 10 Consecutive years. Verifiable by Industry ITA numbers



*Hyundai Top Performer Group
2011, 2012, 2013 & 2016*



Domiciled in Jefferson Parish since 1975

Serving Louisiana Since 1953, Locally-Owned-Sold-Serviced

11/7/2018
11618JPWW

Misty A. Camardele
Jefferson Parish
P.O. Box 9
Gretna, LA 70054-0009
Model: 25L-7A
Class: Class - V
Quantity: 2 -[Priced each]
Base Capacity: 5,000#



Dear Misty,

Thank you for considering M & L Industries for your material handling equipment needs. We are pleased to offer the following for your review.

M&L Industries, LLC was founded in 1953 in Houma, Louisiana and is still owned by its founder Marvin Marmande, Sr. We are the oldest full-line forklift dealer in South Louisiana and have been recognized as Nissan Forklift Corporations "Number 1" dealer in North America in four of the past eight years, and are the only North American dealer to ever win the prestigious "Nissan Platinum Performance Award". M&L has received Nissan's "Gold Service Excellence" award for outstanding customer support for 14 years in a row. Only two to six dealers receive this award in any one year. We are one of only two dealers in North America to have received this prestigious award for this many years in a row.

In 2011 and 2013 Hyundai honored M&L with their "Summit" award as a top five North American Hyundai dealer and in 2012 we received the Hyundai "Peak Performance" award as the 3rd largest Hyundai dealer in North America.

Options Included In This Proposal:

<u>Factory ID</u>	<u>Category</u>	<u>Description</u>
MTF552025P7	Masts	3 Stage Full Free Mast - 185" MFH 51" free lift - 97" OALH 6° Forward / 6° Backward includes 6 rollers & 41.7" carriage with back rest; less forks

Quote Price:

Model Cost (Pre Tax)	\$41,380.00
Dealer & Factory Discounts	[-\$18,027.43]
Trade Value	\$0.00
Total Per Unit, Plus Tax:	\$23,352.57

TERMS FOR ACCEPTANCE OF PROPOSAL AND ATTACHMENTS

The proposal in this quote is property of M & L Industries and is confidential and proprietary. Unauthorized disclosure could be harmful to M & L Industries and by acceptance, prospective buyer agrees not to publish, copy or reproduce the contents without the express written consent of M & L Industries. Jefferson Parish will not use such information for any other purpose than for the consideration of a M & L Industries supplied system and will return any or all information contained herein to M & L Industries upon request.

ACCEPTANCE AS CONTRACT OF SALE

Acceptance:

Company: Jefferson Parish

Name: Misty A. Camardele

Date: _____

PO No.: _____

Terms: Cash on delivery or pre approved Financing

Delivery: TBD

FOB: Delivered

Expires: 11/30/2018 1:18:52 PM

Authorized Dealer:

M&L Industries, LLC


Don Hannan

1210 St. Charles Street
Houma, Louisiana 70360
Phone 985-876-2280
Fax 985-872-9596
Toll Free Phone 1-800-969-0068

5810 Airline Highway
Baton Rouge, Louisiana 70805
Phone 225-355-7716
Fax 225-355-7497
Toll Free Phone 1-800-960-0069

5201 Airline Highway
Metairie, Louisiana 70001
Phone 504-885-8932
Fax 504-889-1318
Toll Free Phone 1-800-229-8932

3811 Highway 90 East
Broussard, Louisiana 7051
Phone 337-837-2763
Fax 337-837-2760
Toll Free Phone 1-800-960-0

WEBSITE: www.mlind.net



Certificate of Warranty

Hyundai Standard Warranty

All Forklift Models

Warranty – Disclaimers – Limitations – Limited Warranty

Hyundai Construction Equipment Americas, Inc. ("HCEA") hereby extends each end-user customer ("Customer"), who purchases a new Hyundai construction equipment machine ("Product") from an authorized Hyundai dealer ("Dealer") the following limited Warranty:

Subject to the exceptions and limitations set forth below, HCEA, through the selling Dealer or other authorized HCEA dealer, will repair or replace any part of a new Product, or new part which proves to be defective in material or workmanship during the following periods (the "Warranty Period"):

Hyundai forklifts: 3 years/4000 hours, whichever occurs first
Hyundai genuine parts: 1 year/1500 hours whichever occurs first

The Warranty Period commences immediately upon delivery of said Product to the Customer; or 12 months after the Product is received by the Dealer, **whichever comes first**, as shown by the delivery information on this Certificate. The foregoing limited Warranty shall include the standard (recognized shop manual) labor cost to accomplish the repair or replacement of the defective part provided that the repair or replacement is performed by an authorized HCEA Dealer. Up to 1 hour of labor may be reimbursed when appropriate.

The foregoing Warranty does not cover: (i) any Product found to have been damaged by failure to equip, maintain or use the warranted Product in accordance with the applicable manuals or instructions provided; (ii) the labor costs to repair or replace defective parts after the expiration of the Warranty Period of the Product in which such part is located; (iii) shop supply charges, environmental charges, freight charges, or overtime labor premiums; (iv) travel time, additional expenses such as but not limited to meals, lodging, tolls, and machine transportation costs and expenses associated with the transportation of Dealer's service personnel to and from the location of the warranted Product (other than up to 1 hour of labor per repair, which may be reimbursed when appropriate); (v) any parts, components, attachments, or accessories for which Customer receives a separate Warranty by the manufacturer or product thereof, such as engines (in specified cases said Warranty may be administered by HCEA); (vi) premature wear or failure of items including, as but not limited to, belts, brakes, wiper blades, pins, bushings, undercarriage components, tires and other items deemed, at the sole and absolute discretion of HCEA, to be wear or maintenance items; (vii) fluids and lubricants, including, but not limited to, coolant, refrigerant, oil, and grease; (viii) damage caused by any casualty loss for which insurance coverage is available (whether or not an insurance claim is filed), or any accidents, misuse, negligence, or uninsured casualty type loss, environmental conditions, war or civil unrest, negligence or abuse, "Acts of God", theft, or vandalism, work environment, *force majeure* or extreme environmental conditions, or

similar items deemed, at the sole and absolute discretion of HCEA, to be outside of its control, or (ix) unauthorized modifications, or attachment of non-HCEA parts or devices, attachment of parts or devices (even if manufactured by HCEA) resulting in exceeding the rated capacity of the Product.

The following conditions apply:

1. **All Products delivered to the first Customer** are eligible for this Warranty. Only Products purchased by an authorized HCEA Dealer from Hyundai Construction Equipment Americas are covered by this Warranty. This Warranty is not assignable or transferable.
2. This Warranty is only applicable to Product configurations that are available from or authorized by HCEA for U.S. or Canadian use, as applicable.
3. All required inspection and registration documents must be submitted to HCEA.
4. Scheduled maintenance must be performed as described in the operator's manual. Service records may be required to validate Warranty coverage. Customer agrees to use only genuine parts of the applicable manufacturer in the normal maintenance and repair of the machine or components for the term of this Warranty.
5. All repairs must be performed by an **Authorized Hyundai Dealer** using genuine Hyundai parts. Customer agrees to make the Product available for repair during normal working hours. Premium rates are not covered under Warranty.

Certain restrictions and exceptions apply as follows:

Engines

Cummins Engine Warranty requires ONLY Cummins Authorized Service Centers perform ALL warranty repairs required up to 2 years OR 2000 hours, whichever occur first. HCEA accepts responsibility for Cummins Warranty beyond the initial 2 year/2000 hours whichever occurs first, for the additional time or hours to 3 years or 4000 hours whichever occurs first. HCEA requires that the additional work ALSO be performed at an Authorized Cummins Service Center and will reimburse the HCEA dealer for said repair based on dealer cost of repair.

Tires

Tires included with the Product carry a manufacturer's warranty that is provided and administered by the tire manufacturer.

Batteries

Original equipment batteries are warranted for 2 months after receipt of the Product at Dealer.

DISCLAIMER OF IMPLIED WARRANTIES AND LIMITATION OF REMEDIES

THE FOREGOING WARRANTY TO CUSTOMER IS EXCLUSIVE AND IS IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, AND THERE IS NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT ANY SUCH DISCLAIMER IS PROHIBITED BY LAW, ANY IMPLIED WARRANTIES ARE LIMITED IN DURATION TO THE PERIOD OF THE EXPRESS WARRANTY.

THE SOLE AND EXCLUSIVE REMEDIES AVAILABLE TO CUSTOMER UNDER THIS WARRANTY

ARE LIMITED TO MAKING A CLAIM UNDER THE FOREGOING WARRANTY AND ARE EXPRESSLY LIMITED TO REPAIR OR REPLACEMENT OF THE DEFECTIVE PRODUCT OR PART, AND TO OBTAINING THE PARTS AND LABOR IN ACCORDANCE WITH THE TERMS OF SAID WARRANTY. ALL OTHER REMEDIES ARE EXPRESSLY DISCLAIMED AND WAIVED BY CUSTOMER BY CUSTOMER'S PURCHASE OF THE PRODUCT.

Additional Limitations of Liability

Warranty – Disclaimers - Limitations

Limitations of Liability and Damages

Regardless of whether a claim is based on the foregoing Warranty or is an action in contract, tort (negligence or strict liability) or otherwise, the liability of HCEA for losses, damages or expenses of any kind arising from the design, manufacture, repair or sale of the Products is limited, unless otherwise prohibited by law, to an amount not exceeding the cost of performing the repair or replacements obligations contained in the foregoing Warranty, and in no event shall their respective or joint liability exceed the value of the Product or part thereof giving rise to such liability.

Consequential and Similar Damages or NOT Recoverable

Except for performing the obligations of the foregoing Warranty in accordance with its terms, neither HCEA nor Dealer shall have any liability for loss, damage, or expense, directly or indirectly, attributable to a loss of use of a Product, loss or damage to property other than the Product, loss or damage to the Product or any part thereof or any other economic or commercial loss, including, without limitation, lost profits or special or consequential damages (except liability for any type of consequential damages which by law may not be disclaimed). The parties intend that this prohibition against consequential and similar damages will survive and be effective even if the limitations or remedies in the foregoing sections are found to fail of their essential purpose under section 2-719 of the Uniform Commercial Code.

Statute of Limitations

Any action by a Customer for breach of contract, for breach of Warranty arising under, or for a cause of action arising out of the sale of a Product, whether based on contract, tort (negligence or strict liability) or otherwise, shall be commenced within one (1) year after the cause of action has accrued. Any such cause of action shall be deemed to have accrued at the earlier of (i) the discovery of the defect or breach, or (ii) the expiration of the applicable Warranty Period.

The undersigned acknowledges receipt of a copy of the foregoing warranty, and by signing acknowledges having had a chance to review the warranty and have any questions answered.

Signature of Dealer _____ Company _____ Date _____

Signature of Customer _____ Company _____ Date _____

Machine Model _____ Serial No: _____ Hours _____

CERTIFICATE
OF WARRANTY

We build a better future



■ Some of the photos may include optional equipment.

FORKLIFT TRUCKS *Environmentally - Friendly*

25L/30L/33L-7A

 **HYUNDAI**
CONSTRUCTION EQUIPMENT AMERICAS, INC.

NEW criteria of Forklift Trucks

Hyundai introduces a new line of 7A series
LPG forklift trucks.
Excellent power and performance make your
business more profitable.



OPSS (Operator Presence Sensing System)

Control of mast tilting, lifting and lowering is not possible through operation of the appropriate control when the operator is not in the seated position. (Option)

■ Some of the photos may include optional equipment.



The new master on the job-site!

Smooth running, efficient and ergonomically designed, 25L/30L/33L-7A are made to meet your needs.

59hp/ 2,300rpm



Powerful Engine HMC L4KB(2.4L) Engine

Market approved quality of HMC L4KB engine ensures incomparable performance, durability and additional value to the machine. Powerful and efficient engine provides excellent fuel consumption and excellent torque improved operator's comfort.


(EPA/CARB Tier-IV Certified)

Fast and Stable Performance

Being able to quickly raise and lower the mast, as well as tilt it forward and backward, provides the best operational conditions during unloading.

When the truck is fully loaded, mast lowering speed is carefully controlled to ensure safety by the down control valve.

Mast(Lift and Tilt) Look System. (Option)



State-of-the-art Hydraulic System

The latest large-capacity hydraulic system reacts quickly during operation, and a low-noise control valve increases both efficiency and durability.




Fully Hydrostatic Power Steering

A hydraulic steering system always guarantees smooth and flexible steering, preventing overrun and kick-back.

Ergonomic operator friendly compartment design!

A design based on human engineering relieves fatigue and increases operator's efficiency.

Operator Friendly Gauges and Water-resistant Monitor Panel



- | | | |
|---|------------------------------------|---------------------|
| ① Parking brake lamp | ⑥ Battery charging warning lamp | ⑫ Fuel gauge |
| ② Directional indicators | ⑦ Air cleaner filter warning light | ⑬ Hour meter |
| ③ Fuel warning lamp | ⑧ Working light indicator | ⑭ Engine check lamp |
| ④ Engine oil warning lamp | ⑨ Water separator lamp | ⑮ Seat belt warning |
| ⑤ Transmission oil temperature warning lamp | ⑩ Pre-heater indicator | ⑯ OPS warning |
| | ⑪ Water temperature gauge | |



Full Suspension Seat

An attractive and adjustable seat, based on a human engineering design, provides great comfort, safety and durability.



New High Visibility for Safe Operation

The operator is able to work with increased safety and accuracy due to a wider view mast.



Ergonomically Positioned Pedals

Based on human engineering, the accelerator, brake and inching pedals are optimally positioned for convenience while operating the equipment.



Cup Holder & Console Box

Additional storage spaces are located inside the operating space for operator's convenience.



Quick Response of Operating Control Levers

Only minimal operator's effort is required for precise, safe and productive control.

High Power Low Noise



* Some of the photos may include optional equipment.



Increased Mast Tilting Angle

Utilizing the mast tilting angle of 6 degrees forward and 10 degrees backward, the operator can safely and rapidly perform loading and unloading jobs.

Faster Travel Speed & Better Gradability

The powerful high-output engine provides dynamic, acceleration, untiring gradability and optimal travel speed on any tough terrains or slopes.



Gradability(Loaded)

- 25L-7A: 20.4°
- 30L-7A: 16.6°
- 33L-7A: 15.4°

Travel Speed(Unloaded)

- 25L-7A: 11.0 mph
- 30L-7A: 11.6 mph
- 33L-7A: 11.6 mph

Danger-free through high durability!

Safety and durability are priorities in design of the equipment.



Strong Overhead Guard

The safety overhead guard meets ISO 6055 regulation and protects the operator during hazardous jobs.




Parking Brake

Ratchet type parking brake requires less effort from the operator to set.

Highly Durable Split Type Drive Axle

The bevel gear set and hub reduction axle smoothly delivers desired torque to the drive wheels.



Large Footboard & Hand Grip

Wide "open" step offers convenience and safety when entering and exiting truck.



Expansion Bellows

The expansion bellows absorbs vibration and reduces noise generated from the exhaust gas system and also extends the life cycle of exhaust gas system.



Electrically Monitored Air Filter


Air cleaner sensor alerts the operator of a restricted air filter and allows replacement before damage occurs.



Travel Speed Control System (Option)



← In-Door : Max. Travel Speed 3~10 mph
← Out Door : Max Vehicle Travel Speed

■ Some of the photos may include optional equipment.



Adjustable Steering Wheel

Steering wheel with horn button can be adjusted by a lever on the right-hand side for the most comfortable operator position.



Easy and Safe Shift Lever

A single lever on the left side of the steering column gives the operator fast, easy control of direction. The lever must be in the neutral position before the engine can be started.



Secondary Horn

Secondary Horn gives access to lights and horn



■ Some of the photos may include optional equipment.




Heavy Duty Single Unit Frame

Heavy duty single unit type frame, designed on the basis of accurate structural analysis, guarantees durability and safety.



Bright, Protected Headlights

Bright, Protected head lights are positioned for exceptional visibility.



Ground Clearance

The engine and transmission are assembled horizontally and positioned high in the frame to protect major components during operation on rugged surface.

Designed for quick and easy service!

An ideal arrangement of component parts ensures easy access and convenience for maintenance.



Easy Change Air Cleaner

The air filter is readily accessible for cleaning or replacement. (6inch Cyclone Type)



Fast Service Access for Daily Fluids Check



Rotational Battery Installation



One Touch, No Tool Floor Plate



Removable Side Panels for Ease of Service




Improvement in Maintenance of Electric Parts

Various electric parts are centralized in dash board resulting in effortless troubleshooting.



Easy Maintenance Oil Check

The T/M oil level can be checked easily without any disassembly.



Brake Fluid Reservoir

Highly visible, easily accessible reservoir makes for quicker daily inspections.







An Accessible, Compact Fuse Box for Easy Inspection

Mast Specification

Mast Type	Maximum Fork Height (in)	Overall Height Lowered (in)					Free Lift (in)						Tilt Angle (deg)		Load Capacity w/o Integral Side Shift 24in LC (lb)						Load Capacity w/ Integral Side Shift 24in LC (lb)						Truck Weight Unload (lb)											
		25L-7A		30L-7A		33L-7A	With Backrest			With / o Backrest			Fwd	Bwd	Single Tire			Double Tire			Single Tire			Double Tire			Single Tire			Double Tire								
		25L-7A	30L-7A	25L-7A	30L-7A	33L-7A	25L-7A	30L-7A	33L-7A	25L-7A	30L-7A	33L-7A	25L-7A	30L-7A	33L-7A	25L-7A	30L-7A	33L-7A	25L-7A	30L-7A	33L-7A	25L-7A	30L-7A	33L-7A	25L-7A	30L-7A	33L-7A	25L-7A	30L-7A	33L-7A	25L-7A	30L-7A	33L-7A					
2-Stage Limited Free Lift	V300	118.1	2900	79.7	2040	2040	6.1	155	155	6.1	155	155	6	10	5000	6000	6500	5000	6000	6500	5000	6000	6500	5000	6000	6500	5000	6000	6500	5000	6000	6500	8260	9364	9733	8560	9555	9947
	*V330	129.9	3200	85.6	2190	2190	6.1	155	155	6.1	155	155	6	10	5000	6000	6500	5000	6000	6500	5000	6000	6500	5000	6000	6500	5000	6000	6500	5000	6000	6500	8303	9408	9785	8603	9599	9999
	V350	137.8	3400	89.6	2290	2290	6.1	155	155	6.1	155	155	6	10	5000	6000	6500	5000	6000	6500	5000	6000	6500	5000	6000	6500	5000	6000	6500	5000	6000	6500	8340	9448	9820	8641	9638	10034
	V370	145.7	3600	95.5	2440	2440	6.1	155	155	6.1	155	155	6	10	5000	6000	6500	5000	6000	6500	5000	6000	6500	5000	6000	6500	5000	6000	6500	5000	6000	6500	8389	9498	9872	8689	9689	10086
	V400	157.4	3900	101.4	2590	2590	6.1	155	155	6.1	155	155	6	10	4930	6000	6500	5000	6000	6500	5000	6000	6500	4750	5920	6500	4820	6000	6500	5000	6000	6500	8455	9566	9943	8755	9757	10157
	V430	169.3	4200	107.3	2740	2740	6.1	155	155	6.1	155	155	6	6	4850	5840	6500	5000	6000	6500	5000	6000	6500	4670	5660	6500	4820	5950	6500	5000	6000	6500	8569	9682	10061	8869	9873	10275
	V450	177.2	4400	113.2	2890	2890	6.1	155	155	6.1	155	155	6	6	4740	5730	6500	4938	1900	6500	4560	5550	6500	4758	1720	6500	4618	5732	10113	8918	9923	10327	10275					
	V470	185.0	4600	117.1	2990	2990	6.1	155	155	6.1	155	155	6	6	4630	5510	6500	4850	5790	6500	4450	5330	6500	4670	5780	6500	4649	5765	10148	8950	9956	10362	10327					
V500	196.9	4900	123.0	3140	3140	6.1	155	155	6.1	155	155	6	6	4400	4740	6500	4630	5680	6500	4220	4560	6460	4450	5620	6500	4698	5816	10200	8998	10007	10414	10414						
2-Stage Full Free Lift	VF290	115.4	2900	79.7	2040	2090	33.3	860	910	54.2	1314	1269	6	6	5000	6000	6500	5000	6000	6500	5000	6000	6500	5000	6000	6500	5000	6000	6500	5000	6000	6500	8361	9453	9830	8663	9643	10031
	VF320	127.2	3200	85.6	2190	2240	39.2	1010	1060	60.1	1464	1419	6	6	5000	6000	6500	5000	6000	6500	5000	6000	6500	5000	6000	6500	5000	6000	6500	5000	6000	6500	8435	9530	9908	8737	9720	10109
3-Stage Full Free Lift	TF370/TS370	145.7	3700	71.9	1840	1890	25.4	660	710	46.3	1114	1069	6	6	4930	6000	6500	5000	6000	6500	4750	5950	6500	4820	6060	6500	8560	9694	10144	8862	9884	10345	10345					
	TF400/TS400	157.4	4000	75.8	1940	1990	29.3	760	810	50.3	1214	1169	6	6	4820	5840	6500	4930	6000	6500	4640	5780	6500	4750	5890	6500	8613	9748	10193	8915	9937	10394	10394					
	TF430/TS430	169.3	4300	79.7	2040	2090	33.3	860	910	54.2	1314	1269	6	6	4710	5730	6500	4850	5880	6500	4530	5670	6500	4670	5780	6500	8653	9796	10239	8955	9986	10440	10440					
	TF450/TS450	177.2	4500	83.7	2140	2190	37.2	960	1010	58.1	1414	1369	6	6	4540	5660	6500	5000	4760	5760	6500	4360	5560	6430	4580	5670	6500	8701	9852	10287	9004	10042	10488	10488				
	TF470/TS470	185.0	4700	85.6	2190	2240	39.2	1010	1060	60.1	1464	1419	6	6	4400	5400	6500	4670	5660	6500	4220	5220	6390	4490	5480	6500	8731	9884	10317	9033	10073	10517	10517					
	TF500/TS500	196.5	5000	89.6	2290	2340	43.1	1110	1160	64.1	1564	1519	6	6	3520	4630	6480	4580	5510	6500	3340	4450	6260	4400	5330	6500	8780	9933	10366	9082	10123	10567	10567					
	TF550/TS550	216.5	5500	97.4	2490	2540	51.0	1310	1360	71.9	1764	1719	6	6	2640	3040	4400	4400	5290	6500	2460	2860	4190	4220	5110	6390	8866	10030	10463	9168	10220	10664	10664					
	TF600/TS600	236.2	6000	105.3	2690	2740	58.9	1510	1560	79.8	1964	1919	6	6	1760	2020	2420	3520	4630	6390	1580	1840	2200	3340	4450	6170	9009	10184	10623	9311	10374	10823	10823					
4-Stage Full Free Lift	QF610	240.7	6115	85.0	2175	2225	39.3	995	1045	59.5	1449	1449	3	3	3310	3730	4300	3810	4850	6240	3170	3550	4080	3520	4590	6060	9473	10509	10786	9773	10701	10955	10955					
	QF660	260.4	6615	92.9	2375	2425	47.1	1195	1245	67.4	1649	1649	3	3	3110	3530	4080	3590	4520	5950	2950	3350	3860	3420	4280	5730	9603	10642	10918	9903	10899	11153	11153					
	QF700	276.2	7015	96.8	2475	2525	51.1	1295	1345	71.3	1749	1749	3	3	2910	3110	3300	3510	4430	5690	2780	2950	3080	3310	4190	5420	9672	10708	10985	9971	10899	11153	11153					
	QF745	293.9	7465	102.8	2625	2675	57.0	1445	1495	77.2	1899	1899	3	3	2290	2510	2200	3310	4230	5380	2160	2360	1980	3150	3990	5160	9773	10809	11086	10073	11001	11255	11255					
	QF790	311.6	7915	108.7	2775	2825	62.9	1595	1645	83.1	2049	2049	3	3	1480	1570	1210	2090	2290	2860	1370	1430	1100	1920	2070	2640	9993	11032	11308	10293	11224	11476	11476					

* TS-Mast : Wide Visible 3 Stage Full Free Lift Mast with 2 Free Lift Cylinders.

Load Capacity




Optional Items

- CABIN & HEATER
- SIDE SHIFT / INTEGRAL SIDE SHIFT
- OVER SHOE(mm) : 51.2 / 59.1 / 66.9 / 70.9
- FORK (L x W x T) (in)
- 25L-7A
 - 35.4 x 3.9 x 1.8 39.4 x 3.9 x 1.8 41.3 x 3.9 x 1.8
 - 47.2 x 3.9 x 1.8 53.1 x 3.9 x 1.8 59.1 x 3.9 x 1.8
 - 65.0 x 3.9 x 1.8 70.9 x 3.9 x 1.8

- 30/33L-7A
 - 35.4 x 4.8 x 1.8 41.3 x 4.8 x 1.8 45.3 x 4.8 x 1.8
 - 47.2 x 4.8 x 1.8 53.1 x 4.8 x 1.8 59.1 x 4.8 x 1.8
 - 65.0 x 4.8 x 1.8 70.9 x 4.8 x 1.8 77.6 x 4.8 x 1.8
 - 83.5 x 4.8 x 1.8 90.6 x 4.8 x 1.8 94.5 x 4.8 x 1.8
- TILTING : 6/6°, 3/3°
- TIRE : No-marking, Double
- SEAT : Pocket, Belt, Arm Rest, Hip Rest

- LPG TANK CLAMP : Swing Out, Swing Down
- M.C.V : 4-Spool
- ATTACH PIPING : 3 Spool-piping, 4 Spool-piping
- MASTER SWITCH / HAZARD SWITCH
- BEACON LAMP / WORK LAMP
- TRAVEL SPEED CONTROL SENSOR
- TS-MAST
- PRECLANER • OPSS : Travel + Mast

Dimension



Specification

Identification		Hyundai	Hyundai	Hyundai
1.1	Manufacturer	Hyundai	Hyundai	Hyundai
1.2	Manufacturer's type designation	25L-7A	30L-7A	33L-7A
1.3	Drive: electric (battery or mains), diesel, petrol, fuel gas, manual	LP	LP	LP
1.4	Type of operation: hand, pedestrian, standing, seated, order-picker	seated	seated	seated
1.5	Load capacity / rated load	Q (lb) 5,000	6,000	6,500
1.6	Load center distance	c (in) 24	24	24
1.8	Load distance, center of drive axle to fork	x (in) 18.4	18.4	18.4
1.9	Wheelbase	y (in) 65	66.9	66.9
Weights				
2.1	Service weight	lb 8,152	9,231	9,765
2.2	Axle loading, loaded front/rear	lb 11,995 / 1,657	13,830 / 2,001	14,839 / 2,186
2.3	Axle loading, unloaded front/rear	lb 3,268 / 4,884	3,472 / 5,759	3,446 / 6,320
Wheels, Chassis				
3.1	Tires: solid rubber, superplastic, pneumatic, polyurethane	Pneumatic	Pneumatic	Pneumatic
3.2	Tires size, front	7.00 - 12	8.15 x 15	8.15 x 15
3.3	Tires size, rear	6.00 - 9	6.50 - 10	6.50 - 10
3.5	Wheels, number front x rear (x = driven wheels)	2 x 2	2 x 2	2 x 2
3.6	Track width, front	b10 (in) 38	39.6	39.6
3.7	Track width, rear	b11 (in) 38.6	38.6	38.6
Basic Dimensions				
4.1	Mast / fork carriage tilt forward / backward (α / β)	degrees 6 / 10	6 / 10	6 / 10
4.2	Lowered mast height	h1 (in) 85.6	86.2	86.2
4.3	Free lift	h2 (in) 6.1	6.1	6.1
4.4	Lift height	h3 (in) 130	130	126
4.5	Extended mast height	h4 (in) 176.6	176.6	172.6
4.7	Overhead load guard (cab) height	h5 (in) 85(86.5)	85.8(87.3)	85.8(87.3)
4.8	Seat height / standing height	h7 (in) 43.7	44.5	44.5
4.12	Coupling height	h10 (in) 11.1	11.8	11.8
4.20	Length to face of forks	l2 (in) 102.1	106	107.6
4.21	Overall width	b1 (in) 45.7	48.4	48.4
4.22	Fork dimensions	s / e / l (in) 41.3 x 3.9 x 1.8	41.3 x 4.8 x 1.8	41.3 x 4.8 x 1.8
4.23	Fork carriage ISO 2328, class / type A, B	II A	III A	III A
4.24	Fork-carriage width	b12 (in) 43.4	43.4	43.4
4.31	Ground clearance, loaded, under mast	m1 (in) 5.1	5.7	5.7
4.32	Ground clearance, centre of wheelbase	m2 (in) 6.7	7.4	7.4
4.33	Aisle width for pallets 1000 x 1200 crossways	Ast (in) 3,966	4,066	4,102
4.34	Aisle width for pallets 800 x 1200 lengthways	Ast (in) 4,166	4,266	4,302
4.35	Turning radius	Wa (in) 90.5	94.4	95.8
4.36	Smallest pivot point distance	b13 (in) 28.1	28.8	28.8
Performance Data				
5.1	Travel speed, Unloaded	mph 11.0	11.6	11.6
5.2	Lift speed, Loaded/Unloaded	ft/min 23.6 / 24.0	22.8 / 24.0	18.9 / 20.1
5.3	Lowering speed, Loaded/Unloaded	ft/min 19.7 / 17.7	19.7 / 17.7	19.7 / 17.7
5.5	Drawbar pull, Loaded	lb 5,318	5,064	5,075
5.7	Gradient performance, Loaded	% 37.1	29.8	27.6
5.9	Acceleration time, loaded/unloaded (10m)	sec -	-	-
5.10	Service brake	WET DISC	WET DISC	WET DISC
Engine				
6.1	Engine manufacturer / type	HMC L4KB	HMC L4KB	HMC L4KB
6.2	Engine power acc. to ISO 1585	hp 59	59	59
6.3	Rated speed	1/min 2,300	2,300	2,300
6.4	No. of cylinder / cubic capacity	fm³ 4 / 144	4 / 144	4 / 144
Other Details				
8.2	Type of drive control	Power Shift	Power Shift	Power Shift
8.3	Operating pressure	bar 220 / 165	220 / 165	220 / 165
8.4	Oil volume	ℓ 30	30	30



6100 Atlantic Blvd Norcross, GA 30071
TEL (678) 823 7777 FAX (678) 823 7778

PLEASE CONTACT

www.hceamericas.com

2015. 03 Rev. 0

**Request for Taxpayer
Identification Number and Certification**

Give Form to the requester. Do not send to the IRS.

29724

Name (as shown on your income tax return)
M & L Industries, LLC

Business name/disregarded entity name, if different from above

Check appropriate box for federal tax classification (required):
 Individual/sole proprietor
 C Corporation
 S Corporation
 Partnership
 Trust/estate
 Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=partnership) ▶
 Other (see instructions) ▶

Address (number, street, and apt. or suite no.)
1210 St. Charles St.

City, state, and ZIP code
HOUMA, LA 70360

Requester's name and address (optional)

List account number(s) here (optional)

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on the "Name" line to avoid backup withholding. For individuals, this is your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN* on page 3.

Note. If the account is in more than one name, see the chart on page 4 for guidelines on whose number to enter.

Social security number
[]-[]-[]-[]-[]-[]

Employer identification number
12-0503170

Part II Certification

Under penalties of perjury, I certify that:

- The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me), and
- I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding, and
- I am a U.S. citizen or other U.S. person (defined below).

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions on page 4.

Sign Here Signature of U.S. person ▶ **Pat Manner** Date ▶ **3/28/11**

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Purpose of Form

A person who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) to report, for example, income paid to you, real estate transactions, mortgage interest you paid, acquisition or abandonment of secured property, cancellation of debt, or contributions you made to an IRA.

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN to the person requesting it (the requester) and, when applicable, to:

- Certify that the TIN you are giving is correct (or you are waiting for a number to be issued),
- Certify that you are not subject to backup withholding, or
- Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income.

Note. If a requester gives you a form other than Form W-9 to request your TIN, you must use the requester's form if it is substantially similar to this Form W-9.

Definition of a U.S. person. For federal tax purposes, you are considered a U.S. person if you are:

- An individual who is a U.S. citizen or U.S. resident alien,
- A partnership, corporation, company, or association created or organized in the United States or under the laws of the United States,
- An estate (other than a foreign estate), or
- A domestic trust (as defined in Regulations section 301.7701-7).

Special rules for partnerships. Partnerships that conduct a trade or business in the United States are generally required to pay a withholding tax on any foreign partners' share of income from such business. Further, in certain cases where a Form W-9 has not been received, a partnership is required to presume that a partner is a foreign person, and pay the withholding tax. Therefore, if you are a U.S. person that is a partner in a partnership conducting a trade or business in the United States, provide Form W-9 to the partnership to establish your U.S. status and avoid withholding on your share of partnership income.