



Orkin General Information on Methods of Control

Non-Chemical Techniques

Orkin will install sticky traps to trap crawling insects and rodents for the dual purpose of monitoring as well as for limited control. Glue traps will be placed in areas most likely to be frequented by pests, yet will be placed in locations that will not interfere with operations.

Mechanical traps may be installed as the need dictates to monitor for and to control mice in exterior and interior locations. Traps will be installed in areas most likely to be frequented by mice such as near exterior doors, in food service locations or along walls in storage areas that might serve as rodent runways.

Ultra-Violet (UV) light traps are recommended to be installed at building entrances, food service areas, or in other locations where flying insects might be a constant nuisance. Units are available from Orkin on a purchase/service program or on a lease/service program.

Caulk, cement mortar, or foam sealants are recommended to be used to close openings that can be used by pests either as entry points or as harborage.

Chemical Techniques

Insect bait formulations will be the primary formulation used indoors where the odor of pesticides is not acceptable, yet the threat of insects is prevalent. Insect baits offer long-term control alternative to residual insecticide sprays

Residual insecticides will be restricted in their use within those areas to control and to prevent insect infestations. Examples include treating outside foundation walls with liquid insecticides; the use of dry powder insecticides inside wall voids in food service areas; or the use of granular insecticides on soil adjacent to the building exterior.

Rodent bait formulations may be used in outdoor locations to control active infestations of rodents, or may be installed as a preventative measure targeting migrating rodents from neighboring properties. When used, rodent baits will be placed within tamper resistant enclosed bait stations that are clearly labeled. The stations will be anchored to the substrate or chained to an upright support such as a fence or utility pole.

Materials

The materials used by Orkin for pest control treatment work shall conform to Federal, State and Local ordinances and laws. Rodenticides shall be used with all due precaution to obviate the possibility of accident or injury to humans, domestic animals and pets. Special care shall be exercised in the use of liquid insecticides in areas having asphalt, mastic, or linoleum floor surfaces. All pest control work shall be performed in a safe, professional manner, in accordance with the most modern and effective pest control techniques and procedures. The Orkin provided chemical preparations, which are considered hazardous or potentially hazardous to the health of humans and domestic animals, groundwater contamination, etc., will provide to the site all appropriate and current SDS (safety data sheets). Copies of labels and Material Safety Data Sheets will be located in the Logbook.



Orkin General Information on Methods of Control

Prior to beginning service for your facility under this service contract, the Orkin Service Branch will submit for review, specimen labels and the most current manufacturer's MSDS sheet(s) for all chemicals that are planned for use at Uchee Creek facilities. All pesticides will be used in accordance with the manufacturer's label directions and shall be in compliance with Federal, State and Local regulations.

Target Areas & General Covered Pests:

Target Areas are defined as those areas in or around a building where pests are most prevalent and are known to frequent in large numbers. Target areas shall receive primary, concentrated emphasis and treatment from the Orkin Service Technician. Each location will have several target areas, both inside and outside the buildings. For example the kitchens, garbage collection areas, dining areas, food storage areas, bath areas, etc. During the site visits, Orkin and the Facility Manager or designate will identify, designate and agree on specific target areas.

Service Reports

Your Orkin Service Technician will provide a written report after each service, which will describe deficiencies in housekeeping, maintenance, or sanitation, which could induce pest problems and will include:

- A checklist indicating the areas treated;
- A list of chemicals used in each area treated;
- A delivery receipt (ticket)* signed by the Orkin service technician and the Facility Manager or designate; and
- Obtain the signature of the Facility Manager or designate verifying that service has been rendered;

The delivery receipt (ticket) will reflect the address, telephone number, and name of the Orkin Service Branch. However, if problems arise, the facility manager or designate should contact the Orkin Service Branch.

The facility will be responsible for prompt correction of the deficiencies noted on the written report provided by your Orkin Service Technician. This is critical to insure the integrity of your IPM program. Orkin would request the Facility Manager to contact for approval of Ancillary Services and any other services requiring special treatments.



PEST CONTROL DOWN TO A SCIENCE.™

██████████ CENTER
██████████ ENTERPRISE Ave
██████████ 19153
(610) ██████████

Orkin, 691-PENN JERSEY COMMERCIAL,
PA
100 HENDERSON Dr
BAY 103
Sharon Hill, PA 19079
(610) 237-3360
License # ██████████

Invoice / Service Ticket # ██████████
Account # ██████████

██████████ JDE Program ID

Date of Service 08/08/20██

Time In 08/08/20██ 4:47 PM Time Out 08/08/20██ 6:10 PM

PC Standard - Semi-Monthly, PC Standard

Previous Services

07/31/20██ PC Standard

07/13/20██ PC Standard

06/29/20██ PC Standard

Customer Since: 2007

**Pesticide Product Labels Are
Available Upon Request**

██████████ Rt# 691-10
License#

Services Provided

Inspected All Area, THANK YOU FOR YOUR BUSINESS

General Comments

Replace eaten bait in warehouse area. Some traps blocked behind skirts in warehouse area

Observation Information

		<u>Status</u>	<u>Responsibility</u>	<u>Date Entered</u>	<u>Zone Name</u>	<u>Number</u>	<u>Category</u>
Observation:	Hole In The Wall	Pending	Customer	09/25/2014	front half (Main Building)	6	Inspection
Recommendation:	Seal Hole in Wall, need to seal up holes & gaps along outer walls	Pest Type:		QTY:	Location:		
Observation:	Door Gap	Pending	Customer	08/22/2014	back half (Main Building)	9	Rodent Traps
Recommendation:	Add/Repair Door Sweep , some of the exit door need door sweeps replace	Pest Type:		QTY:	Location:		
Observation:	Hole In The Wall	Pending	Customer	08/22/2014	front half (Main Building)	6	Inspection
Recommendation:	Seal Hole in Wall, need to patch up voids & gaps along outters walls	Pest Type:		QTY:	Location:		
Observation:	Gap in Floor	Pending	Customer	08/07/2014	front half (Main Building)	6	Inspection
Recommendation:	Seal Gap, around metal beams in warehouse area	Pest Type:		QTY:	Location:		
Observation:	Hole In The Wall	Pending	Customer	07/29/2014	front half (Main Building)	6	Inspection
Recommendation:	Seal Hole in Wall, need to patch up holes & gaps along walls	Pest Type:		QTY:	Location:		
Observation:	Door Gap	Pending	Customer	07/29/2014	front half (Main Building)	6	Inspection
Recommendation:	Add/Repair Door Sweep , some exit doors need doors sweeps on bottom of doors	Pest Type:		QTY:	Location:		
Observation:	Door Gap	Pending	Customer	06/25/2014	front half (Main Building)	6	Inspection

Printed: 08/08/20██ 6:10 PM

National Poison Control Center: 1-800-222-1222

Page: 1

CO – Commercial applicators are licensed by the Colorado Department of Agriculture

AZ – Warning – Pesticides can be harmful. Keep children and pets away from pesticide applications until dry, dissipated, or aerated. For more information, contact Orkin Pest Control – C4029BCD at 1-800-346-7546

For additional information, a copy of the Label and/or SDS may be requested from your local branch or from www.orkin.com.
Item # SVPC1026iOS rev. 05.13



PEST CONTROL DOWN TO A SCIENCE.™

██████████ CENTER
██████████ ENTERPRISE Ave
██████████ 19153
(610) ██████████

Orkin, 691-PENN JERSEY COMMERCIAL,
PA
100 HENDERSON Dr
BAY 103
Sharon Hill, PA 19079
(610) 237-3360
License # ██████████

Invoice / Service Ticket # ██████████
Account # ██████████
Date of Service 08/08/20██
Time In 08/08/20██ 4:47 PM
Time Out 08/08/20██ 6:10 PM

██████████ JDE Program ID

Observation Information

		<u>Status</u>	<u>Responsibility</u>	<u>Date Entered</u>	<u>Zone Name</u>	<u>Number</u>	<u>Category</u>
Recommendation:	Add/Repair Door Sweep , some exit doors need door sweeps on bottom of exit soor	Pest Type:		QTY:	Location:		
Observation:	Hole In The Wall	Pending	Customer	06/25/2014	front half (Main Building)	6	Inspection
Recommendation:	Seal Hole in Wall, need to patch up holes & gaps along walls	Pest Type:		QTY:	Location:		
Observation:	Door Gap	Pending	Customer	06/12/2014	front half (Main Building)	6	Inspection
Recommendation:	Add/Repair Door Sweep , some exit door need door sweeps on bottom of doors	Pest Type:		QTY:	Location:		
Observation:	Door Gap	Pending	Customer	05/07/2014	front half (Main Building)	6	Inspection
Recommendation:	Add/Repair Door Sweep , Some exit doors in warehouse need door sweep replace on doors	Pest Type:		QTY:	Location:		
Observation:	Door Not Closing Properly	Pending	Customer	03/24/2014	front half (Main Building)	6	Inspection
Recommendation:	Repair Door, some exit doors need to flush to ground better	Pest Type:		QTY:	Location:		
Observation:	Door Gap	Pending	Customer	03/24/2014	front half (Main Building)	6	Inspection
Recommendation:	Add/Repair Door Sweep , some exits door need door sweep on bottom of exit doors	Pest Type:		QTY:	Location:		
Observation:	Hole In The Wall	Pending	Customer	03/12/2014	front half (Main Building)	6	Inspection
Recommendation:	Seal Hole in Wall, need to seal up holes along putter wall	Pest Type:		QTY:	Location:		

Product Application Details (Consumer post application precautionary statements on back)

			<u>Active Ingredient</u>	<u>App Method</u>	<u>App Equip</u>	<u>Target Pest(s)</u>	<u>Location</u>
Product:	FINAL ALL-WEATHER BLOX	QTY: 12 BLOCK(S)	BRODIFACOUM 0.005%	Bait	Bait Station	House Mouse,	Warehouse
Formulation:	Block	EPA #: 12455-89		Placement		Norway Rat	
App Rate:	Mice - 1 - 2 blox at 8 - 12 ft intervals	LOT #:					

Printed: 08/08/20██ 6:10 PM

National Poison Control Center: 1-800-222-1222

Page: 2

CO – Commercial applicators are licensed by the Colorado Department of Agriculture

AZ – Warning – Pesticides can be harmful. Keep children and pets away from pesticide applications until dry, dissipated, or aerated. For more information, contact Orkin Pest Control – C4029BCD at 1-800-346-7546

For additional information, a copy of the Label and/or SDS may be requested from your local branch or from www.orkin.com.
Item # SVPC1026iOS rev. 05.13



PEST CONTROL DOWN TO A SCIENCE.™

██████████ CENTER
██████████ ENTERPRISE Ave
██████████ 19153
(610) ██████████

Orkin, 691-PENN JERSEY COMMERCIAL,
PA
100 HENDERSON Dr
BAY 103
Sharon Hill, PA 19079
(610) 237-3360
License # ██████████

Invoice / Service Ticket # ██████████
Account # ██████████
Date of Service 08/08/20██
Time In 08/08/20██ 4:47 PM
Time Out 08/08/20██ 6:10 PM

██████████ JDE Program ID

Product Used

<u>Zone Name</u>	<u>Number</u>	<u>Description</u>	<u>Category</u>	<u>Product Name</u>	<u>Applied</u>
front half (Main Building)	8		E. Rodent Bait Station	FINAL ALL-WEATHER BLOX	1 BLOCK(S)
front half (Main Building)	9		E. Rodent Bait Station	FINAL ALL-WEATHER BLOX	1 BLOCK(S)
front half (Main Building)	10		E. Rodent Bait Station	FINAL ALL-WEATHER BLOX	1 BLOCK(S)
front half (Main Building)	11		E. Rodent Bait Station	FINAL ALL-WEATHER BLOX	1 BLOCK(S)
front half (Main Building)	12		E. Rodent Bait Station	FINAL ALL-WEATHER BLOX	1 BLOCK(S)
front half (Main Building)	15		E. Rodent Bait Station	FINAL ALL-WEATHER BLOX	1 BLOCK(S)
front half (Main Building)	16		E. Rodent Bait Station	FINAL ALL-WEATHER BLOX	1 BLOCK(S)
front half (Main Building)	18		E. Rodent Bait Station	FINAL ALL-WEATHER BLOX	1 BLOCK(S)
front half (Main Building)	19		E. Rodent Bait Station	FINAL ALL-WEATHER BLOX	1 BLOCK(S)
front half (Main Building)	22		E. Rodent Bait Station	FINAL ALL-WEATHER BLOX	1 BLOCK(S)
front half (Main Building)	29		E. Rodent Bait Station	FINAL ALL-WEATHER BLOX	1 BLOCK(S)
front half (Main Building)	31		E. Rodent Bait Station	FINAL ALL-WEATHER BLOX	1 BLOCK(S)

Station / Room Summary

<u>Name</u>	<u>Scheduled</u>	<u>Inspected</u>	<u>With Activity</u>	<u>Added</u>	<u>Replaced</u>	<u>Skipped</u>	<u>Removed</u>	<u>End Total</u>
E. Rodent Bait Station	53	22	0	0	0	31	0	53
Tin Cat Trap	1	0	0	0	0	1	0	1
Area	1	0	0	0	0	1	0	1

Station / Room - Add, Replace, Skip, and Remove Detail

<u>Zone Name</u>	<u>Number</u>	<u>Description</u>	<u>Category</u>	<u>Status</u>	<u>Reason</u>
back half (Main Building)	12		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	13		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	14		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	15		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	16		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	17		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	18		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	19		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	20		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	21		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	23		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	24		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	25		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	26		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	27		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	28		E. Rodent Bait Station	Skipped	Not due this visit

Printed: 08/08/20██ 6:10 PM

National Poison Control Center: 1-800-222-1222

Page: 3

CO – Commercial applicators are licensed by the Colorado Department of Agriculture

AZ – Warning – Pesticides can be harmful. Keep children and pets away from pesticide applications until dry, dissipated, or aerated. For more information, contact Orkin Pest Control – C4029BCD at 1-800-346-7546

For additional information, a copy of the Label and/or SDS may be requested from your local branch or from www.orkin.com.
Item # SVPC1026iOS rev. 05.13



PEST CONTROL DOWN TO A SCIENCE.™

██████████ CENTER
██████████ ENTERPRISE Ave
██████████ 19153
(610) ██████████

Orkin, 691-PENN JERSEY COMMERCIAL,
PA
100 HENDERSON Dr
BAY 103
Sharon Hill, PA 19079
(610) 237-3360
License # ██████████

Invoice / Service Ticket # ██████████
Account # ██████████
Date of Service 08/08/20██
Time In 08/08/20██ 4:47 PM
Time Out 08/08/20██ 6:10 PM

██████████ JDE Program ID

Station / Room - Add, Replace, Skip, and Remove Detail

<u>Zone Name</u>	<u>Number</u>	<u>Description</u>	<u>Category</u>	<u>Status</u>	<u>Reason</u>
back half (Main Building)	29		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	30		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	31		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	32		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	33		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	34		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	35		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	36		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	37		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	38		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	39		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	40		E. Rodent Bait Station	Skipped	Not due this visit
back half (Main Building)	9	0009 LIGHT BREAK ROOM IN FRONT OFFICE	Rodent Traps	Skipped	Not due this visit
front half (Main Building)	6	0006 LUNCHROOM UNDER SHELVES ON WALL	Inspection	Skipped	Not due this visit
front half (Main Building)	20		E. Rodent Bait Station	Skipped	Not due this visit
front half (Main Building)	28		E. Rodent Bait Station	Skipped	Not due this visit
front half (Main Building)	30		E. Rodent Bait Station	Skipped	Not due this visit

Zone Summary

<u>Zone Name</u>	<u>Comments</u>	<u>New</u>	<u>Scheduled</u>	<u>Inspected</u>	<u>With Activity</u>	<u>No Activity</u>
back half (Main Building)			30	1	0	1
front half (Main Building)			25	21	0	21

CUSTOMER SIGNATURE: _____

CUSTOMER NAME: ██████████ CENTER

CUSTOMER EMAIL: ██████████

* This work has been performed to my satisfaction.

If you experience pest issues between scheduled visits, we will come back and address the problem at no additional charge.

CONSUMER NOTIFICATION(S) / POST APPLICATION STATEMENTS

Treated Area(s) - Do not allow unprotected person(s), children, or pets to touch, enter or replace items or bedding, to contact or enter treated area(s) until dry.

Ventilation/Reoccupying – Vacate and keep area(s) closed up to 30 minutes after treatment, then ventilate area(s) well for up to 2 hours before reoccupying.

Equipment/Processing/Food – Thoroughly wash dishes, utensils, food preparation/processing equipment and surfaces with an effective cleaning compound and rinse with clean water if not removed or covered during treatment. This area should be odor free before food products are placed in the area.

Exterior Applications (baits) – Do not allow grazing of feed, lawn or sod clippings to livestock after bait applications.

Granular Application(s) – Do not water to the point of run off.

Do not burn treated fire wood for one month after treatment.

National Poison Control Center 1-800-222-1222

Orkin Service Vehicles have always been very identifiable.

Orkin circa 1908



Orkin Today



Orkin keeps products in a locked compartment on all service vehicles.



Orkin Service Technicians Uniform -- the traditional white shirt with red epaulettes and Orkin logo.

WORKING safely

Tips, Techniques and News on Maintaining Safety in Orkin Branches

Personal Protective Equipment

Safety remains the number one priority at Orkin. Pesticides are hazardous so it's important to protect yourself when mixing or applying them. Wearing your personal protective equipment is one of the best protective defenses against on-the-job hazards.

It's important to make sure you have all of the required safety equipment. Do you have?

Dust Mask
Bump Cap
Respirator
Knee pads

Goggles
Gloves
Anti-slip shoes
Crawl suit

If you do not have these items, or if they are in poor condition, talk to your manager to get what you need. Your safety is up to you! Let's review these important pieces of equipment and what they are used for.



DUST MASK

Be sure to wear a dust mask to protect your lungs in dusty areas like attics or crawl spaces. A dust mask will block fumes and particles from the air you breathe.



GOGGLES

Do you use a drill or another tool that causes material to go airborne? Are you putting yourself in danger of becoming a statistic?

The Occupational Safety and Health Administration (OSHA) reports that thousands of people are blinded every year because they do not use eye protection... not because they didn't have it, but because they chose not to use it. These injuries can be easily prevented by just putting on your goggles.

BUMP CAP



Have you crawled around an attic or crawl space this week? How about worked outside around windows or overhangs? Were you inspecting a basement with unstable storage items or low ceilings/clearance?

If you answered yes to any of these questions, did you wear a bump cap to protect your head?

Make sure that your bump cap is in mint condition. Check it for signs of damage or wear. Make sure the cap has no dents or cracks.

Store your bump cap away from excessive heat and sunlight, and avoid getting chemicals on it because they can actually weaken the cap.



GLOVES

Using our hands is so common that we don't even think about it. Not properly caring for your hands when working with chemicals or in unsanitary areas can have damaging effects. We must take extra care and pay close attention to hand safety.

Orkin provides both lined and unlined gloves to protect your hands, fingers, wrists and forearms. When mixing or applying chemicals, be sure to wear unlined gloves, because they are chemical-resistant.



RESPIRATOR

Respirators protect against harmful dusts, gases, and sprays. When the mask is worn, the attached cartridges remove contaminants from the air you breathe. It is up to you to make sure that your respirator fits properly. Your air-purifying respirator should fit tightly on your face.

You are also expected to maintain your respirator by cleaning, inspecting, and sanitizing it before and after each use. This will keep your respirator in good working condition. Respirators should be stored in a sealed plastic bag.

According to OSHA, almost 5 million workers are required to wear a respirator throughout the United States. Respirators are required by both OSHA and Orkin for your protection. Compliance with wearing a respirator could save you from illness and possibly even death.



ANTI-SLIP SHOES

According to OSHA, slips, trips, and falls cause 15 percent of all accidental deaths. Fall accidental deaths are second only to motor vehicles. It's important to wear anti-slip shoes in situations where you may encounter wet or slippery conditions, or when you might have to climb a ladder. These shoes have soles with enhanced grip for situations where slipping hazards may be present.



KNEE & ELBOW PADS

Do your knees ache? When working in a crawl space, your knees typically begin to ache first. Knee pads are supplied for comfort and to prevent you from injuring your knees on broken glass, rocks, nails, or any other debris found in crawl spaces.



CRAWL SUIT

Clothing is considered to be a type of PPE because it keeps pesticides from coming into contact with your skin.

Wearing a crawl suit over your clothing provides additional protection by separating you from any hazardous materials. Don't forget, it can be easily removed if contaminated.

As always, read the label and MSDS for guidelines on using PPE... and follow them!