

DATE: 6/29/2018

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00123484

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR: LED LIGHTING WHOLESALE INC

BUYER: DABRAHAM

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

30 days or less

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: 1

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: LED LIGHTING WHOLESALE INC	
SIGNATURE: (Must be signed here) ERICH ADALBERT	TITLE: PRESIDENT
PRINT OR TYPE NAME: ERICH ADALBERT	
ADDRESS: 400 E. GORK ST.	
CITY, STATE: KALAMAZOO, MI	ZIP: 49001
TELEPHONE: 269 532-1313	FAX: N/A
EMAIL ADDRESS: CODY@LEDLIGHTINGWHOLESALEINC.COM	

TOTAL PRICE OF ALL BID ITEMS: \$ 3,915.00

DATE: 6/29/2018

Page: 5

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123484

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	27.00	EA	<p>A purchase of (27) 240W UFO High Bay Lights for the Department of Recreation</p> <p>0010 HUAGUAN 240W UFO High Bay 5000K 31,200 LM 0-10V Dimmable AC 100-277V 130LPW Meanwell Driver 120 Beam Spread DLC4.2</p> <p>To be used for Pontiff gym lights</p> <p><i>*FREE SHIPPING*</i></p>	<p><i>\$145.00</i></p>	<p><i>\$3915.00</i></p>



JEFFERSON PARISH

Department of Purchasing

Michael S. Yenni
Parish President

Renny Simno
Director

July 3, 2018

ADDENDUM # 1

Bid No.: 50-123484

Bid Opening Date: 7-9-2018

For: Additional Product Information

Q1. What kind of mounting bracket is required?

A1. Hook mounting bracket.

Sincerely,

Doris Abraham

Buyer Name, Buyer I
Jefferson Parish Purchasing Department

Bidders must acknowledge all addenda on the bid form. Bidder acknowledges receipt of this addendum on the bid form as indicated. Failure to do so will result in bid rejection.

This addendum is a part of the contract documents and modifies the original bidding documents and specifications. The contents of this addendum shall be included in the contract documents. Changes made by this addendum shall take precedence over the documents of earlier date.

Estimate


Date	Estimate #
7/5/2018	3593

Name / Address
Jefferson Parish Department of Purchasing 504-364-2678

[illegible]

JAMES[®]

James Industry Group Co., Ltd



IP 65 Water Proof

UFO LED High Bay



Suitable Locations

- Warehouse
- Supermarkets
- Exhibition Hall
- Shipyard
- Cinema
- Gyms
- Logistics Center

Advantage

Lumen Output more than 130 lumens per watt

CRI more than 80

Dimming driver

Input voltage is AC100-277/200-480V

50/60Hz frequency

Reduces energy consumption up to 60%.

5 years warranty

Surface mounting installation

Suitable for wet location

UL and cUL

IP 65 water-proof

Product Discription

High Efficacy

This high bay light delivers 14,400 lumens at only 120 watts of consumption and is backed up by a 5 year manufacturers warranty allowing you to rest assured that quality has not been compromised to achieve output. Easily replaces HID 250-400W on ceilings under 25 feet.

Versatility

Multiple voltage input ranging from 100-277V with no special wiring requirements and comes equipped with 0-10V dimming compatibility which allows for use with 0-10V lighting controls such as motion, occupancy sensors, and daylight sensors. If dimming is not needed simply do not use the additional dimming wires and leave them capped off.

Certified Quality

This product has been independently certified to meet the specifications it claims by an organization called Design Lights Consortium. The DLC (as it is commonly referred to) maintains a list of products that are held to their high standards of quality and efficiency called the QPL or Quality Products List. Items listed within the DLC QPL have met the requirements set forth by Design Lights Consortium in order to remain on the QPL List. UL and cUL product certification is available as well.

Excellent Heat Management

The entire body of this fixture is designed to act as a heat sink allowing for excellent air flow over maximum surface area dissipating heat quickly and effectively which maximizes the life span and lumen output.

Savings Beyond The Power Bill

UFO rated 50,000 hour maintenance free life. With this light you will achieve 70% of the initial lumen output up to 50,000 hours. This not only saves you money in utility costs but this also eliminates costly maintenance expenses.


Multiple mounting options

The included mounting bracket is fully adjustable and has a ½ inch hole which could allow this fixture to be mounted to a threaded rod. If you don't want to use the mounting bracket then you may also use the included eye hook and simply hang the fixture from a chain.

Product Number	Power Consumption (W)	Dimensions (Inch)	Fixture Luminous Flux(lm)	Fixture Efficacy (Lm/W)	Color Temperature (K)
EV-U80W BDZ	80	12"/15"X8"	10,400	130	3000K-5700K
EV-U100W BDZ	100	12"/15"X8"	13,000	130	3000K-5700K
EV-U120W BDZ	120	15"X8"	15,600	130	3000K-5700K
EV-U150W BDZ	150	15"X8"	195,00	130	3000K-5700K
EV-U200W BDZ	200	15"X8"	26,000	130	3000K-5700K
EV-U240W BDZ	240	15"X8"	31,200	130	3000K-5700K


Photometric Data

Rated Power	80/100/120/150/200/240W
Input Voltage	100-277/200-480VAC
Frequency	50 / 60 Hz
Power Factor	> 0.9
Beam Angle	110°
CRI	≥ 80
Dimming Function	0 - 10 V
Operating Temperature	-30°C to 45°C






Mean Beam Angle: 113.7D

100W illuminance plots





Dimension





Mounting Options

Hook ring type



Angle changeable holder type



Hook clamp type

