

DATE: 7/22/2019

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00127439

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: BBELLOW

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	<u>5-7 DAYS</u>
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	_____
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	_____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
 NUMBER: _____
 NUMBER: _____
 NUMBER: _____

Gas And Supply
Jimmy Gibbs
 Phone 504-392-2400
 Fax 504-392-1500
 jimmy.gibbs@gasandsupply.com

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: <u>T.W.S. GAS AND SUPPLY</u>	
SIGNATURE: (Must be signed here) <u>Jimmy Gibbs</u>	TITLE: <u>SALES</u>
PRINT OR TYPE NAME: <u>JIMMY GIBBS</u>	
ADDRESS: <u>111 BURAS DR.</u>	
CITY STATE: <u>BELLE CHASSE, LA.</u>	ZIP: <u>70037</u>
TELEPHONE: <u>504 392-2400</u>	FAX: <u>504 392-1500</u>
EMAIL ADDRESS: <u>JIMMY.GIBBS@GASANDSUPPLY.COM</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 1129.64

INVITATION TO BID FROM JEFFERSON PARISH - continued


BID NO.: 50-00127439

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			ONE TIME PURCHASE OF INDUSTRIAL SUPPLIES FOR THE WESTBANK WAREHOUSE.		
1	6.00	EA	0010 SHACKLE, ANCHOR, 1 INCH, WITH FORGED SCREW PIN, HOT DIP GALVANIZED, 8-1/2 TON LOAD LIMIT, CROSBY #G-209, MSC #07845647, GRAINGER #2G802 STK. # 0271160	N/B	—
2	6.00	EA	0020 GOGGLE, WELDING, JACKSON #WS-80 STK. # 0306810	8.68	52.08
3	240.00	EA	0030 PAIL, 5 GALLON, WHITE HIGH DENSITY POLYETHYLENE, .090 MIL THICKNESS, NO LID, WITH WIRE HANDLE, CENTURY BRAND OR EQUAL STK. # 0480980	3.16	758.40
4	24.00	EA	0040 GASKET, BLACK NEOPRENE, 4 IN X 4-7/8 IN X 1/4 IN, FOR QUICK DISCONNECT HOSE FITTING DIXON 400-GNE STK. # 0487120	1.99	47.76
5	40.00	EA	0050 WHEEL, ABRASIVE, 12 IN X 5/32 IN X 1 IN ARBOR, REINFORCED FOR MASONRY, NORTON #66252837839 STK. # 0488540	3.63	145.20
6	10.00	EA	0060 GOGGLES, MONO VPC, CHEMICAL SPLASH PROTECTION, ANTISCRATCH/ANTI-FOG CLEAR LENS, NEOPRENE STRAP, GRAINGER #1VT70 OR EQUAL STK. # 0589400 RADIANS GOGGLES	1.82	18.20
7	20.00	EA	0070 SCRAPER, DOUBLE END, 15 IN LONG, X 1-3/4 IN WIDE, LEETONIA #393 STK. # 0592610 (STOCK ITEMS FOR WESTBANK WAREHOUSE- MR. BRIAN BOUDREAUX)	5.40	108.00

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

Cam & Groove Gasket Dimensions



Cam & Groove

- nominal dimensions for elastomeric cam & groove gaskets are listed
- ID's of the PTFE envelope gaskets and the PTFE accordion gaskets are 1/16" smaller than the ID's for the elastomeric gaskets shown below
- thickness of PTFE accordion gaskets may vary from chart below

Size	Part #	Dimensions		
		A	B	C
1/2"	50-G ¹	1-1/32"	11/16"	.156"
3/4"	75-G	1-3/8"	7/8"	.218"
1"	100-G	1-9/16"	1-1/16"	.250"
1 1/4"	125-G	1-15/16"	1-23/64"	.250"
1 1/2"	150-G	2-3/16"	1-5/8"	.250"
2"	200-G	2-5/8"	2"	.250"
2 1/2"	250-G	3-1/8"	2-3/8"	.250"
3"	300-G	3-23/32"	3"	.250"
4"	400-GNE	4-7/8"	4"	.250"
5"	500-G	5-15/16"	4-7/8"	.250"
6"	600-G	7-1/16"	6"	.250"
8"	800-G ¹	9-5/16"	8-1/8"	.343"

C

¹ No interchange standard exists for the 1/2" and 8" fittings. Generally, these sizes do not interchange with other manufacturer's products. As such, the gaskets in these sizes are not suitable for use in other manufacturers' couplings.

Cam & Groove Gasket Color Codes

Gasket Code ¹	Material	Color	Color code stripes (appear on the OD of the gasket or filler)
-BU	Buna-N (standard in all metal fittings)	black	1 blue
-BF	Buna (formulated for fuel service)	black	1 green
-VI	FKM	black	1 yellow
-THK	Extra Thick Buna	black	2 blue
-EPR	Ethylene Propylene	black	1 white
-NE	Neoprene	black	1 red
-WNE	White Neoprene, FDA approved material	white	none
-WB	White Buna-N, FDA approved material	white	blue
-SIL	Silicone	red	none
-TF	PTFE (TFE) envelope with Buna-N filler	white / black	1 blue
TFVI	PTFE (TFE) envelope with FKM filler	white / black	1 yellow
TFWB	PTFE (TFE) envelope with White Buna-N filler, FDA approved materials	white / white	blue
TFEP	PTFE (TFE) envelope with Ethylene Propylene filler	white / black	1 white stripe
-TES	PTFE (FEP) encapsulated Silicone core, FDA approved materials	translucent / red	none
-TEV	PTFE (FEP) encapsulated FKM core	translucent / black	none
TFACC	PTFE (TFE) accordion, FDA approved materials	white	none

¹ part number suffix

Since other manufacturer's coding systems vary, this chart should not be used as a reference in identifying gaskets of unknown origin.

DEWALT**GEAR**

GOGGLES

CONCEALER™

**AF
ANTI
FOG**


- Dual Injected Rubber Comfort Seal
- Built-in Ventilation Channel




DPG82-11

DPG82-11 Clear Anti-Fog Lens
 DPG82-21 Smoke Anti-Fog Lens

Close-fitting goggles can limit a worker's exposure to airborne toxins and contaminants, including gasoline, oil, and industrial chemicals. All of our styles have indirect or built-in ventilation systems for breathability; anti-fog coatings are available too. Several styles are designed to fit over most prescription glasses.



CHEMICAL™

**ANTI
AF
FOG**

GG011UID
 Gas And Supply
 Jimmy Gibbs
 Phone 504-392-2400
 Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

- Chemical Splash Indirect Vents with Neoprene Strap
- Fits Over Most Prescription Glasses

GG011UID Clear Uncoated Lens

GG0111ID Clear Anti-Fog Lens

PERFORATED™

**ANTI
AF
FOG**

GGP11UID

- Perforated Side Shields with Adjustable Elastic Strap
- Fits Over Most Prescription Glasses

GGP11UID Clear Uncoated Lens

GGP111ID Clear Anti-Fog Lens

ALL GLASSES COMPLY WITH ANSI Z87.1 STANDARDS,
 PROTECT AGAINST 99.9% OF HARMFUL UV RAYS AND INCLUDE
 A HARD COAT POLYCARBONATE LENS TO PROTECT AGAINST SCRATCHES.