



doc06322220150729160207

7/29/2015 3:59 PM

Adobe Acrobat D...

58 KB

DATE: 7/21/2015

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00113965

JEFFERSON PARISHPURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: MOVALLE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

5-7 DAYS

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: <u>IWS Gas and Supply</u>	
SIGNATURE: <u>[Signature]</u> (Must be signed here)	TITLE: <u>Sales</u>
PRINT OR TYPE NAME: <u>Lloyd Scholl</u>	
ADDRESS: <u>111 Buras Rd.</u>	
CITY, STATE: <u>Belle Chasse LA</u>	ZIP: <u>70037</u>
TELEPHONE: <u>(504) 392-2400</u>	FAX: <u>(504) 392-1500</u>
EMAIL ADDRESS: <u>lloyd.scholl@gasandsupply.com</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 1315.40

DATE: 7/21/2016

Page: 6

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113965

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			A ONE TIME PURCHASE OF VARIOUS ITEMS FOR JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS WAREHOUSE.		
1	2.00	EA	0010-TAPER TAP 8/16-12 31/64 HI-SPEED STEEL <i>NOS 55370</i>	3.77	7.54
2	2.00	EA	0020- TAP,PIPE. 1/8 INCH-27, NPT/ANPT THREAD, GENERAL PURPOSE, HIGH SPEED STEEL, GRAINGER NUMBER 4AKL1 <i>NOS 56910</i>	2.84	5.68
3	3.00	EA	0030- TAP, PIPE, 3/8 INCH-18 NPT/ANPT THREAD, GENERAL PURPOSE, GRAINGER NUMBER 4AKL4 <i>NOS 56930</i>	4.50	13.50
4	5.00	EA	0040-TAP, PIPE, 1/2 INCH-14, NPT/ANPT THREAD, GENERAL PURPOSE, HIGH SPEED STEEL, GRAINGER NUMBER 4AKL6, GREENFIELD TAP AND DIE NUMBER 16222	9.46	47.30
5	6.00	EA	0050- DRILL BIT, MASONRY, A-TAPER SHANK 1/2 INCH DIAMETER, 7 INCH USABLE LENGTH, 8 INCH OVERALL LENGTH, B AND A MFG. NUMBER SA49-66 OR MUST BE "FUNCTIONING EQUAL" <i>SA4965</i>	30.95	185.70
6	12.00	EA	0060- BLADE, BANDSAW, 44-7/8 INCH LONG BY 1/2 INCH WIDE BY 14 TEETH PER INCH, BI-METAL TYPE, PACKAGE OF 3 BLADES, STARRETT NUMBER BM14 GRAINGER NUMBER 4L225 <i>2x38424</i>	8.28 PK	99.36
7	6.00	EA	0070-TIP, WELDING, VICTOR NUMBER 00-1-101 <i>VICCS110100</i>	4.88	29.28
8	6.00	EA	0080- TIP, WELDER, VICTOR NUMBER 2-1-101 <i>VICCS11012</i>	4.88	29.28
9	6.00	EA	0090-TIP, WELDER, VICTOR NUMBER 3-1-101 <i>VICCS11013</i>	4.88	29.28
10	2.00	EA	0100-CLEANER, WELDING TIP, WYPRO BRAND MASTER SET <i>WYP master</i>	3.89	7.78
11	4.00	EA	0110-LEVEL, CARPENTERS, 48 INCH ALUMINUM, 3 VIALS, I-BEAM CONSTRUCTION,	10.26	41.04

DATE: 7/21/2015

Page: 6

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113965

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
12	500.00	EA	YELLOW IN COLOR, STANLEY NUMBER 42-480 0120- WHEEL, ABRASIVE, CUTS METAL, 4-1/2 INCH DIA BY .04 INCH THICK BY 7/8 INCH ARBOR, 13580 MAX RPM, NORTON NUMBER 076807-01617-1(FOR USE ON ANGLE GRINDER)	.90	450.00
13	10.00	EA	0130-SCREWDRIVER, 3/8 INCH STANDARD TIP INDUSTRIAL, 10 INCH LONG ALLOY STEEL ROUND SHANK, NON-SLIP HANDLE, DOMESTIC, PROTO NUMBER 88010 <i>ARM 66-108</i>	10.78	107.80
14	12.00	EA	0140-BRUSH, WHEEL, STAINLESS STEEL TWIST WIRE, 4 INCH DIA, 7/8 INCH TRIM, .020 WIRE SIZE, 5/8 INCH-11 UNC ARBOR, 20,000 RPM, WEILER NUMBER 13138 <i>WE 13138</i>	18.98	227.76
15	10.00	EA	0150- WRENCH, SPANNER, HYDRANT, WITH M/2 FIVE SIDED OPENING, MUELLER NUMBER A-311		
16	4.00	EA	0160- HAMMER-BALL PEIN 20 OUNCE <i>PL 11499</i>	8.65	34.60



doc06307620150729084137

7/29/2015 8:40 AM

Adobe Acrobat D...

338 KB

DATE: 7/21/2015

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

BID NO.: 50-00113965

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2878

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: MOVALLE

Bids will be received until 11:00 AM, 7/30/2015 via fax: 504-364-2893 or via online at www.jeffparish.net

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law, as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647. A copy of these resolutions may be obtained from the Office of the Parish Clerk, Suite 8700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at www.purchasing.jeffparish.net and clicking on On-line forms.

All vendors submitting bids must register as a Jefferson Parish vendor if not already yet registered. Bidders may be required to furnish current W-9 Forms and respective Tax Identification Numbers within 10 days after bid opening if such information is not on file or not up to date. Registration forms may be downloaded from www.purchasing.jeffparish.net and clicking on Vendor Information.

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Delivered, anywhere within the Parish as designated by the Purchasing Department. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications. JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit prices shall prevail.

JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in the quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum.

All formal Addenda require written acknowledgment on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected; JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1984, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.65 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A117.1-1991).

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This Electronic Procurement System allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only.

Please visit the Purchasing Department webpage at <http://purchasing.jeffparish.net> to register and review Jefferson Parish solicitations.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

13

1. All bidders must attend the pre-bid conference in relation to this bid; attendance is mandatory. Failure to attend will prohibit a company from submitting a bid. Vendors are hereby noticed that any vendor arriving after the mandatory pre-bid conference begins will not be allowed to sign in as evidence of attendance.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37:2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. **PUBLIC WORKS BIDS:** All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS:** A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS:** A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. Unless otherwise stated in the bid specifications, the successful bidder will be required to procure standard insurance policies evidencing Parish-mandated insurance requirements as indicted on the attached sheet. The current certificate of insurance must be submitted by low bidder within 10 days after bid opening to the Purchasing Department. Failure to comply will cause bid to be rejected. JEFFERSON PARISH reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies). If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits (in Original Format) required; Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit and E-Verify Affidavit must be completed, signed, notarized and submitted by low bidder within 10 days after bid opening to the Purchasing Department on all solicitations for construction, alteration or demolition of public building or project, including but not limited to requirements found in LSA-RS 38:2212.9; LSA-RS 38:2212.10; LSA-RS 38:2224; Code of Ordinances, Jefferson Parish, Louisiana, Sec 2-923.1. Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format for the bid to be considered responsive.**
15. **NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits (in Original Format) required; Non-Collusion Affidavit, and Campaign Contribution Affidavit must be completed, signed, notarized and submitted by low bidder with bid submission or within 10 days after bid opening to the Purchasing Department. See LSA-RS 38:2212.10; LSA-RS 38:2224; Code of Ordinances, Jefferson Parish, Louisiana, Sec 2-923.1 Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format for the bid to be considered responsive.**
16. Since a bid surety is required, bid response may not be faxed. Bid submission will only be accepted online or as delivered to the Purchasing Department, 200 Derbigny Street, Suite 4400, Gretna, LA 70053 by 11am on the bid due date. All sureties must be in original format (no copies).

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

DATE: 7/21/2015

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00113966

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA, 70054-0009
604-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: MOVALLE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

10 days and

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

N/A

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

N/A

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER:

N/A

NUMBER:

NUMBER:

NUMBER:

LA state MRO
Contract #408830

LOUISIANA CONTRACTOR'S LICENSE NO.: (If applicable)

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***

FIRM NAME:	MSC Industrial		
SIGNATURE:	Michael Rawle		TITLE: Branch Sales Mgr.
(Must be signed here)			
PRINT OR TYPE NAME:	Michael Rawle		
ADDRESS:	1532 Kugel street		
CITY, STATE:	Harahan, LA	ZIP:	70123
TELEPHONE:	() 504-733-4744	FAX:	() 504-733-2075
EMAIL ADDRESS:	branchhar@mscdirect.com		

TOTAL PRICE OF ALL BID ITEMS: \$ 1,882.59

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113985

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			A ONE TIME PURCHASE OF VARIOUS ITEMS FOR JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS WAREHOUSE.		
1	2.00	EA	MFG. 0010-TAPER TAP, 9/16-12, 31/64 HI-SPEED STEEL Hertel 02385094	7.76	15.52
2	2.00	EA	0020-TAP, PIPE, 1/8 INCH-27, NPT/ANPT THREAD, GENERAL PURPOSE, HIGH SPEED STEEL, GRAINGER NUMBER 4AKL1 Hertel 88244264	6.74	13.48
3	3.00	EA	0030-TAP, PIPE, 3/8 INCH-18 NPT/ANPT THREAD, GENERAL PURPOSE, GRAINGER NUMBER 4AKL1 88244314	9.66	28.98
4	5.00	EA	Hertel 0040-TAP, PIPE, 1/2 INCH-14, NPT/ANPT THREAD, GENERAL PURPOSE, HIGH SPEED STEEL, GRAINGER NUMBER 4AKL5, GREENFIELD TAP AND DIE NUMBER 10222	14.55	72.75
5	6.00	EA	Interstate 04662052 0060-DRILL BIT, MASONRY, A-TAPER SHANK 1/2 INCH DIAMETER, 7 INCH USABLE	9.58	57.48
6	12.00	EA	LENGTH, 9 INCH OVERALL LENGTH, B AND A MFG. NUMBER 8A48-85 OR MUST BE "FUNCTIONING EQUAL" Vermont # 14129 71219323	11.86	142.32
			0080-BLADE, BANDSAW, 44-7/8 INCH LONG BY 1/2 INCH WIDE BY 14 TEETH PER INCH, BI-METAL TYPE, PACKAGE OF 3 BLADES, STARRETT NUMBER BM14, GRAINGER NUMBER 4L225 03280625		
7	6.00	EA	✓ 0070-TIP, WELDING, VICTOR NUMBER 00-1-101 62023049	11.91	71.46
8	6.00	EA	✓ 0080-TIP, WELDER, VICTOR NUMBER 2-1-101 62023064	11.91	71.46
9	6.00	EA	✓ 0090-TIP, WELDER, VICTOR NUMBER 3-1-101 62023080	12.99	77.94
10	2.00	EA	0100-CLEANER, WELDING TIP, WYPRO BRAND MASTER SET USA 02729853	3.03	6.06
11	4.00	EA	0110-LEVEL, CARPENTERS, 48 INCH ALUMINUM, 3 VIALS, I-BEAM CONSTRUCTION, 06530687	11.85	47.40

DATE: 7/21/2016

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page: 6

BID NO.: 50-00113985

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
12	600.00	EA	✓ YELLOW IN COLOR, STANLEY NUMBER 42-480	1.29	645.00
13	10.00	EA	0120- WHEEL, ABRASIVE, CUTS METAL, 4-1/2 INCH DIA BY .04 INCH THICK BY 7/8 INCH ARBOR, 13680 MAX RPM, NORTON NUMBER 079807-01517-1(FOR USE ON ANGLE GRINDER) 06049613	9.65	96.50
14	12.00	EA	0130-SCREWDRIVER, 3/8 INCH STANDARD TIP INDUSTRIAL, 10 INCH LONG ALLOY STEEL ROUND SHANK, NON-SLIP HANDLE, DOMESTIC, PROTO NUMBER 88010 53421194 Proto SK3810K	14.35	172.20
15	10.00	EA	0140-BRUSH, WHEEL, STAINLESS STEEL TWIST WIRE, 4 INCH DIA, 7/8 INCH TRIM, ✓ .020 WIRE SIZE, 5/8 INCH-11 UNC ARBOR, 30,000 RPM, WEILER NUMBER 13138 03597341	31.56	315.60
16	4.00	EA	0150- WRENCH, SPANNER, HYDRANT, WITH M/2 FIVE SIDED OPENING, MUELLER NUMBER A-311 MSC Import # 6237789 0160- HAMMER-BALL PEIN 20 OUNCE Vaughan # 01058965 15630	12.06	48.24
					\$1,882.59

Karen Blasio (HAR)

From: BRANCHHAR@MSCDIRECT.COM on behalf of MSC Industrial Direct
<BRANCHHAR@MSCDIRECT.COM>
Sent: Tuesday, July 28, 2015 4:37 PM
To: Karen Blasio (HAR)
Subject: Your MSC Quote - Cust Ref #50-0013965



Order Online ►

Notes

Specifications Included for all alternate
brands quoted.

Quote # 16418667

Customer Reference # 50-0013965

Quoted by: 89K KAREN
BLASIO
X9209

Phone: 800-845-7270

Expiration Date: 08/26/2015

Number of lines: 16

Quote total: \$1,882.59

Line	Item#	Big Book#	Qty	Unit Price	Ext Price
		Page #			

1 02385094 279 2 \$7.76 \$15.52

Description: 9/16-12 4FL H3 HERTEL HSS
HAND TAPER TAP

2 88244264 362 2 \$6.74 \$13.48

Description: 1/8-27 NPT 4FL SM SH
HERTEL HSS PIPE PLUG TAP

3 88244314 362 3 \$9.66 \$28.98

Description: 3/8-18 NPT 4FL HERTEL
HSS PIPE PLUG TAP

4 04662052 362 5 \$14.59 \$72.95

Description: 1/2-14 NPT HSS PIPE TAP

5 71219323 257 6 \$9.58 \$57.48

Description: 1/2X13 HMR DRL BTS
V.AMER C.TPD MASONRY DRLS

6 03280626 2563 12 \$11.86 \$142.32

Description: 3/8-7/8 X 1/2 14S 3PK
POWERBAND PORTA-BANDS

7 62023049 1152 6 \$11.91 \$71.46

Customer Info

Contact: DONNA
EVANS
Phone: 504-384-2891

Bill To:
JEFFERSON PARISH

GRETN, LA 70054

Ship To: 00000000
JEFFERSON PARISH

GRETN, LA 70054

Description: 00-1-101 VICTOR CUTTING
TIP

8 62023064 1152 6 \$11.91 \$71.46

Description: 2-1-101 VICTOR CUTTING
TIP

9 62023080 1152 6 \$12.99 \$77.94

Description: 3-1-101 VICTOR CUTTING
TIP

10 02729853 1153 2 \$3.03 \$6.06

Description: STANDARD SET TIP
CLEANER

11 06530687 1880 4 \$11.85 \$47.40

Description:
48"STANLEYPROFESSIONAL TOP READ
WORKMASTER LEVEL

12 06048613 none 500 \$1.29 \$645.00

Description: 4-1/2X.040X7/8 METAL
NORTON REINFGD CUTOFF WHL

*IN STOCK.1-2 DAY LEAD TIME.SHIP
DIRECT.*

13 53421194 2318 10 \$9.65 \$96.50

Description: 3/8X10" RND CHR/BLK
PROTO KEYSTONE SCRWDVR

14 03597341 1103 12 \$14.35 \$172.20

Description: STBA-432 .020SS 5/8-11 WEI
STR BEAD TW WHL BRUSH

15 62379789 4159 10 \$31.56 \$315.60

Description: 18"OAL 7/8 PLTD HND HD
ADJ HYDRANT WRENCH

*2-3 DAY LEAD TIME.ITEM IN
STOCK.SHIPS DIRECT*

16 01058965 2409 4 \$12.06 \$48.24

Description: 20OZ HICKORY HNDL
BALLPEIN HAMMER

Total Quote Value: \$1,052.50

Thank you for allowing us the opportunity to quote your
requirements.

Quoted price will only be reflected on web in the shopping options section under
quotes.

If you have any questions or concerns, please contact our Customer Service

Representatives toll-free at 1-800-845-7270.
Customer service is available Monday through Friday 7am-11pm ET and Saturday
8am-5pm ET.

You can also visit Customer Support on the web, or email us at Customer Service.
To search, order or learn more about MSC, log on to www.mscdirect.com.

MSC TERMS AND CONDITIONS

1. Unless otherwise stated in comments or in your account profile, prices quoted are FOB SHIPPING POINT. Freight charges will be prepaid and added to your invoice.
2. Unless otherwise stated in comments, standard payment terms are NET 30 DAYS from the date of the invoice.
3. All items will be manufactured to our vendors standard dimensions and tolerances unless otherwise specified.
4. Our vendors reserve the right to overship or undership by 10% or one piece. An additional charge may be imposed for quotes requesting exact quantities (no over or under) shipments.
5. Unless otherwise stated, this quote is valid for 30 days from the date of the quote.
6. Unless otherwise stated, Special Order Items are deemed non-returnable, unless there is a manufacturing fault.
7. This purchase is governed exclusively by MSC's Terms and Conditions that can be found in MSC's current catalog and at www.mscdirect.com. You can view the current terms at www.mscdirect.com/customer-service/terms. MSC's acceptance of your order is predicated on your assent to MSC's Terms and Conditions, unless you have entered into a separate product purchase agreement with MSC that continues to be in effect on the date of your order. Such agreement, depending upon its terms, may supersede MSC's Terms and Conditions.

FREE Ground Shipping on orders over \$199. ENTER CODE: FREESHIP1H CLICK TO APPLY ▶✓ PROMO APPLIED

0020

Hertel - Standard Pipe Taps | Thread Size (Inch): 1/8-27 | Thread Standard: NPT

MSC Part #: 88244284

[Write the first review](#)



Your Price:

Qty:

Add to Cart

555 in stock

86 available to ship from Harrisburg, PA

[See more Standard Pipe Taps >](#)

Get it tomorrow!

Place order by 8pm EST,
get it next day!*

Hassle Free Guarantee

We'll exchange or refund any product
that doesn't meet your expectations.

Features and Benefits

- High Speed Steel (HSS) provides good wear-resistance and can be used in general purpose applications for both ferrous and nonferrous materials.
- Bright provides a smooth, polished finish on the tool. It increases chip flow in softer materials such as aluminum, wood and plastic.
- Regular hook, also known as medium hook, produce smaller chips in general purpose applications. They are used on a variety of ferrous and nonferrous metals.



Brand: Hertel

MSC Part #: 88244284

Big Book Page #:

Specs

Standard Pipe Taps | Thread Size (Inch): 1/8-27 | Thread Standard: NPT | Material: High Speed Steel | Finish/Coating: Bright | Number of Flutes: 4 | Hook: Regular

Thread Size (Inch)	1/8-27
Thread Standard	NPT
Material	High Speed Steel
Finish/Coating	Bright
Number of Flutes	4
Hook	Regular
Overall Length (Inch)	2-1/8

Customers Also Viewed

FREE Ground Shipping on orders over \$199. ENTER CODE: FREESHIP CLICK TO APPLY ▶✓ PROMO APPLIED

Hertel - Standard Pipe Taps | Thread Size (Inch): 3/8-18 | Thread Standard: NPT

MSC Part #: 88244314 ★★ ★ 3.0 [Read 1 review](#) | [Write a review](#)

0030



Your Price:

Qty:

Add to Cart

724 In stock

205 available to ship from Harrisburg, PA

[See more Standard Pipe Taps ▶](#)

Get it tomorrow!

Place order by 8pm EST,
get it next day!*

Hassle Free Guarantee

We'll exchange or refund any product
that doesn't meet your expectations.

Features and Benefits

- High Speed Steel (HSS) provides good wear-resistance and can be used in general purpose applications for both ferrous and nonferrous materials.
- Bright provides a smooth, polished finish on the tool. It increases chip flow in softer materials such as aluminum, wood and plastic.
- Regular hook, also known as medium hook, produce smaller chips in general purpose applications. They are used on a variety of ferrous and nonferrous metals.



Brand: Hertel
MSC Part #: 88244314
Big Book Page #:

Specs

Standard Pipe Taps | Thread Size (Inch): 3/8-18 | Thread Standard: NPT | Material: High Speed Steel | Finish/Coating: Bright | Number of Flutes: 4 | Hook: Regular

Thread Size (Inch)	3/8-18
Thread Standard	NPT
Material	High Speed Steel
Finish/Coating	Bright
Number of Flutes	4
Hook	Regular
Overall Length (Inch)	2-9/16

Customers Also Viewed

0040

FREE Ground Shipping on orders over \$199. ENTER CODE: FREESHIP4 CLICK TO APPLY ▶✓ PROMO APPLIED

Interstate - Standard Pipe Taps | Thread Size (Inch): 1/2-14 | Thread Standard: NPT

MSC Part #: 04862052

[Write the first review](#)



Your Price:

Qty:

1

Add to Cart

418 In stock

52 available to ship from Harrisburg, PA

[See more Standard Pipe Taps ▶](#)

Get it tomorrow!

Place order by 8pm EST,
get it next day!*

Hassle Free Guarantee

We'll exchange or refund any product
that doesn't meet your expectations.

Features and Benefits

- High Speed Steel (HSS) provides good wear-resistance and can be used in general purpose applications for both ferrous and nonferrous materials.
- Bright provides a smooth, polished finish on the tool. It increases chip flow in softer materials such as aluminum, wood and plastic.
- Regular hook, also known as medium hook, produce smaller chips in general purpose applications. They are used on a variety of ferrous and nonferrous metals.



Brand: Interstate
MSC Part #: 04862052
Big Book Page #:

Specs

Standard Pipe Taps | Thread Size (Inch): 1/2-14 | Thread Standard: NPT | Material: High Speed Steel | Finish/Coating: Bright | Number of Flutes: 4 | Hook: Regular

Thread Size (Inch)	1/2-14
Thread Standard	NPT
Material	High Speed Steel
Finish/Coating	Bright
Number of Flutes	4
Hook	Regular
Overall Length (Inch)	3-1/8
Thread Length (Inch)	1-3/8
Shank Diameter (Decimal Inch)	0.6875
Square Size (Decimal Inch)	0.5150


FREE Ground Shipping on orders over \$199. ENTER CODE: FREESHIP CLICK TO APPLY ▶✓ PROMO APPLIED

0130

Proto - JK3810R - Slotted Screwdrivers | Tool Type: Keystone | Handle Style: Quad-lobular Four-sided

Mfr Part #: JK3810R MSC Part #: 53421194

[Write the first review](#)



Your Price:

Qty:

1

Add to Cart

125 in stock

5 available to ship from Harrisburg, PA

[See more Slotted Screwdrivers](#)

Get it tomorrow!

Place order by 8pm EST,
get it next day!*

Hassle Free Guarantee

We'll exchange or refund any product
that doesn't meet your expectations.

Specs

Slotted Screwdrivers | Tool Type: Keystone | Handle Style: Quad-lobular Four-sided | Shank Type: Round | Blade Width (Decimal Inch): 0.3750 | Blade Width (Inch): 3/8 | Overall Length (mm): 375

Tool Type	Keystone
Handle Style	Quad-lobular Four-sided
Shank Type	Round
Blade Width (Decimal Inch)	0.3750
Blade Width (Inch)	3/8
Overall Length (mm)	375
Overall Length (Decimal Inch)	14.7500
Overall Length (Inch)	14-3/4
Blade Length (Inch)	10
Blade Length (mm)	254
Blade Thickness (Decimal Inch)	0.0500
Blade Thickness (mm)	1.2700
Handle Length (Inch)	4-3/4
Handle Length (mm)	121
Handle Length (Decimal Inch)	4.75

PROTO

Brand: Proto
MSC Part #: 53421194
Mfr Part #: JK3810R
UPC #: 662679082338
Big Book Page #:


0160

FREE Ground Shipping on orders over \$199. ENTER CODE: FREESHIP1000 TO APPLY ▶✓ PROMO APPLIED

Vaughan Bushnell - 15630 - Ball Pein & Cross Pein Hammers | Hammer Type: Ball Pein | Handle Material: Wood

Mfr Part #: 15630 MSC Part #: 01058985

[Write the first review](#)



Your Price:

Qty:

1

Add to Cart

109 In stock

48 available to ship from Harrisburg, PA

[See more Ball Pein & Cross Pein Hammers ▶](#)

Get it tomorrow!
Place order by 8pm EST,
get it next day!*

Hassle Free Guarantee
We'll exchange or refund any product
that doesn't meet your expectations.

Specs


Ball Pein & Cross Pein Hammers | Hammer Type: Ball Pein | Handle Material: Wood | Head Weight (Lbs.): 1-1/4 | Head Weight (oz.): 20 | Overall Length (Inch): 15 | Additional Information: Hickory

Hammer Type	Ball Pein
Handle Material	Wood
Head Weight (Lbs.)	1-1/4
Head Weight (oz.)	20
Overall Length (Inch)	15
Additional Information	Hickory


VAUGHAN

Brand:	Vaughan Bushnell
MSC Part #:	01058985
Mfr Part #:	15630
	TC120
Big Book Page #:	

Customers Also Viewed



Vaughan Bushnell
MSC #: 95183454



Vaughan Bushnell
MSC #: 01058989



Cook Hammer
MSC #: 33010218



NUPLA
MSC #: 92843230

ASPC

WELDING ACCESSORIES & REGULATORS

Tank Wrenches

IMPORT



10-Way Welder's Tank Wrench



T-Handle Wrench



B & MC Tank Wrench

10 Way Welder's Tank Wrench	02729788	\$8.47
1/2" T-Handle Tank Wrench	02729798	4.99
B & MC Tank Wrench	02729804	1.48

- 10-Way welder's tank wrench
- 1/2" T-handle for standard tanks
- Double-ended wrench for B & MC tanks

Oxy-Fuel Tip Cleaners

USA

- Precision manufactured with controlled accurate pressure (± 0.001) to form the high quality stainless steel
- Uniform ridges wipe and polish the critical orifice wall
- The absence of any cutting edges (as found with drills) ensures a clean, pure orifice
- Smooth, undersized leader pilot guides the cleaner into the tip, preventing damage to the tip or

Standard Tip Cleaner Kit

- Set of 13 cleaners
- Sizes 8 thru 26 and file

Master Tip Cleaner Kit

- Set of 22 cleaners
- Combines both the standard and jumbo sizes 8 thru 45 plus file

Jumbo Tip Cleaner Kit

- Set of 8 cleaners for larger ports
- Sizes 28 thru 45 plus file

King Tip Cleaner Kit

- Set of 18 extra long cleaners
- Sizes 8 thru 26 and file

Standard Kit	02729853	\$8.81
Master Kit	02729846	12.88
Jumbo Kit	02729820	\$8.81
King Kit	02729838	8.81

Oxy-Fuel Sinters

USA


Quality Torch Lighters & Replacement Flints



Pistol Type Striker



Single Flint Replacement



Triple Flint Striker

Item	Part No.	Price
Single Flint Striker	00821185	\$4.82
Single Flint Replacement (5 Pk.)	00821183	2.93
Triple Flint Striker	02729721	7.99
Triple Flint Replacement (4 Pk.)	02729730	9.47
Pistol Type Striker	02729747	18.88
Pistol Type Flint Replacement (10 Pk.)	02729754	8.88

- Single flint replacements are supplied 5 per package
- Triple flint replacements supplied 4 per package
- Triple flints can be rotated when worn (3 flints per unit)
- Pistol type replacements are supplied 10 per package

Spark-Key Torch Igniter

IMPORT

- Safe, easy and reliable way to ignite a torch
- Ergonomically designed nonslip grip
- Flame is always directed away from the user
- Works on all gases
- Lights first time, every time
- Water resistant
- 100 000 strikes and more
- No batteries or flints needed

Part No.	Price
85430385	\$20.83



Tip Resurfacing Tool

USA

- Longer for better alignment
- Wider, larger cleaning range
- Correct angle fits the tip for aligned cutting angle
- No plastic parts for better heat resistance

Part No.	Price
02729879	\$18.88



Series 30™ Medium-Duty Regulators

MMBor

SMITH

Single & Two Stage

- Grade regulators are extremely durable and contain exclusive Sure Seal™ filtered seat technology for extended seat and regulator life
- Filtered seat prevents contamination from entering the seating area reducing repair cost and downtime
- These highly accurate regulators are manufactured with a rugged forged body and corrosion resistant bright nickel-plated bonnet
- Made in USA and backed by Smith's 3-year limited warranty
- Single stage use H185 hard hat™ Two stage use H187 hard hat™
- Two stage regulators - Drop cylinder pressure to working pressure in two stages for consistent and accurate outlet pressure and flow regardless of inlet pressure
- Recommended where outlet pressure and flow must be maintained without variation



Gas	Pressure (PSI)	Flow (SCFH)	Outlet Pressure (PSI)	Outlet Flow (SCFH)	Part No.	Price
Single Stage						
Acetylene	15	300	1/4-18 L/H	30-15-300	08182181	\$167.81
Argon, Nitrogen	150	580	1/4-18 RH Internal	30-150-580	85583218	172.21
Carbon Dioxide	100	320	1/4-18 RH Internal	30-100-320	71030821	172.21
Hydrogen/Methane	100	350	1/4-18 L/H	30-100-350	82472154	187.21
Oxygen	100	540	1/4-18 L/H	30-100-540	08182082	187.21
Propane, Propylene, MAPP & Natural Gas	50	610	1/4-18 L/H	30-50-610	05822214	187.21
Two Stage						
Acetylene	15	300	1/4-18 L/H	35-15-300	82473410	381.88
Acetylene	15	300	1/4-18 L/H	35-15-310	82473428	381.88
Hydrogen/Helium/Inert	50	580	1/4-18 RH Internal	35-50-580	53645485	381.88
Oxygen	125	540	1/4-18 RH	35-125-540	82472402	381.88

Regulators

MMBor

SMITH

Smith industrial strength single stage regulators are designed for accurate output especially for small torches. They provide 1 psi outlet increments for precise flame adjustments. Smith regulators also provide extra safety with reverse flow check valves and color-coded pages as standard equipment. Easy to read 2" gages.

Gas	Pressure (PSI)	Flow (SCFH)	Outlet Pressure (PSI)	Outlet Flow (SCFH)	Part No.	Price
Oxygen	All Industrial	0	20	3000	82435201	\$247.27
Acetylene	MC Tank	0	15	400	88435227	247.27
Acetylene	B Tank	0	15	400	82435243	247.27
Acetylene/LP	Industrial	0	15	400	82435268	247.27



Gas Leak Detector

DYNAFLUX

Safe for All Gases & Oxygen

- Forms a readily visible and stable foam for easy and efficient leak detection
- Noncorrosive and nonflammable
- Functional at temperatures above 15°F

Size	Part No.	Price
4 oz 800-12X4	82488242	\$8.44
1 Gal 800-4X1	82488259	48.38



Cylinder Caps

Gas	Size	Part No.	Price
Acetylene	3/4-8	87896249	\$8.88
Acetylene	3/4-11	87895256	8.88
Oxygen	3/4-7	87895284	8.88
Oxygen	3/4-11	87895272	8.88

- For high pressure oxygen and acetylene cylinders
- All cylinder caps primed to prevent rusting
- Ready for final paint color



"Y" Valves

TO QUALITY IMPORT

Designed to attach two hoses to one regulator or one gas line.

Gas	Pressure (PSI)	Flow (SCFH)	Outlet Pressure (PSI)	Outlet Flow (SCFH)	Part No.	Price
Oxygen	1/4-18 RHF	1/4-18 RHF	3/4 3/4	00621189	\$84.41	
Gas	1/4-18 LHF	1/4-18 LHF	3/4 3/4	00621177	88.41	



FOR COMPLETE LINE OF WELDING SAFETY PRODUCTS REFER TO SAFETY

1153

FREE Ground Shipping on orders over \$199. ENTER CODE: FREESHIPV CLICK TO APPLY ▶✓ PROMO APPLIED

Vermont American - 14129 - Rotary Drill/Hammer Drill Bits | Shank Type: Straight | Shank Diameter (Inch): 3/8


Mfr Part #: 14129 MSC Part #: 71219323

[Write the first review](#)



Your Price:

Qty:



Add to Cart

48 in stock

26 available to ship from Harrisburg, PA

[See more Rotary Drill/Hammer Drill Bits ▶](#)

Get it tomorrow!

Place order by 8pm EST,
get it next day!*

Hassle Free Guarantee

We'll exchange or refund any product
that doesn't meet your expectations.

Features and Benefits

- Straight shanks are used for general purpose applications. The shank is smaller than the drill bit diameter. They are used with portable drills and drill presses on ferrous and non-ferrous materials.



Brand: Vermont American
MSC Part #: 71219323
Mfr Part #: 14129
UPC #: 045325141298
Big Book Page #:

Specs

Rotary Drill/Hammer Drill Bits | Shank Type: Straight | Shank Diameter (Inch): 3/8 | Flute Length (Inch): 11-1/2

Shank Type	Straight
Shank Diameter (Inch)	3/8
Flute Length (Inch)	11-1/2

Customers Also Viewed



Vermont American
MSC #: [71219240](#)



Vermont American
MSC #: [71219405](#)



Vermont American
MSC #: [71219166](#)



Vermont American
MSC #: [71219208](#)


Vendor: MSC

Item: 70150

FREE Ground Shipping on orders over \$199. ENTER CODE: FREESHIPH CLICK TO APPLY ▶✓ PROMO APPLIED

Import - Spanner Wrenches & Sets | Tool Type: Adjustable Wrench | Minimum Capacity (Fract. Inch): 1-1/4 (Inch)

MSC Part #: 62379789 [Write the first review](#)



Your Price:

Qty: 1

Add to Cart

2 In stock
2 available to ship from Harrisburg, PA

[See more Spanner Wrenches & Sets](#)

Get it tomorrow!
Place order by 8pm EST,
get it next day!*

Hassle Free Guarantee
We'll exchange or refund any product
that doesn't meet your expectations.

Specs

Spanner Wrenches & Sets | Tool Type: Adjustable Wrench | Minimum Capacity (Fract. Inch): 1-1/4 (Inch) | Maximum Capacity (Inch): 1-3/4 | Overall Length (Inch): 18 | Hook or Pin Height (Inch): 1-1/2

Tool Type	Adjustable Wrench
Minimum Capacity (Fract. Inch)	1-1/4
Maximum Capacity (Inch)	1-3/4
Overall Length (Inch)	18
Hook or Pin Height (Inch)	1-1/2

Import

Brand:	Import
MSC Part #:	62379789
Big Book Page #:	

Customers Also Viewed

Facom
MSC #: 04569984
[Spanner Wrenches & Sets | Tool Type: Pin Spanner Wrench](#)

Import
MSC #: 62379947
[Hydrant Couplers & Adapters | Type: Hydrant Adapter](#)

Made in USA
MSC #: 62379763
[Fire Hose Accessories | Type: Wall Bracket | For Use With:](#)

Made in USA
MSC #: 62379765
[Fire Hose Accessories | Type: Industrial Pin Rack | For Use](#)