

Non-Public Works Bid

AFFIDAVIT

STATE OF LOUISIANA

PARISH/COUNTY OF IBERIA

BEFORE ME, the undersigned authority, personally came and appeared: Branon  
Bernis, (Affiant) who after being by me duly sworn, deposed and said that  
he/she is the fully authorized agent of Miguez Fuel, LLC (Entity),  
the party who submitted a bid in response to Bid Number 5000126129, to the Parish of  
Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required  
attachment):

Choice A \_\_\_\_\_ Attached hereto is a list of all campaign contributions, including  
the date and amount of each contribution, made to current or  
former elected officials of the Parish of Jefferson by Entity,  
Affiant, and/or officers, directors and owners, including  
employees, owning 25% or more of the Entity during the two-year  
period immediately preceding the date of this affidavit or the  
current term of the elected official, whichever is greater. Further,  
Entity, Affiant, and/or Entity Owners have not made any  
contributions to or in support of current or former members of the  
Jefferson Parish Council or the Jefferson Parish President through  
or in the name of another person or legal entity, either directly or  
indirectly.

Choice B X there are NO campaign contributions made which would require  
disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A \_\_\_\_\_ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.


Choice B X \_\_\_\_\_ There are NO debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and


*[The remainder of this page is intentionally left blank.]*

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

  
Signature of Affiant

BRIAN BERNIS  
Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME  
ON THE 18 DAY OF April, 2019.



Ridge J. Miguez  
Printed Name of Notary

38348  
Notary/Bar Roll Number

My commission expires @ death.



MIGUFUE-02

EMH

## CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)  
04/18/2019

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

**IMPORTANT:** If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

<b>PRODUCER</b> Dwight W. Andrus Insurance, Inc. 500 Dover Blvd. Ste. 110 Lafayette, LA 70503	<b>CONTACT NAME:</b>	<b>FAX (A/C, No):</b> (337) 984-2166	
	<b>PHONE (A/C, No, Ext):</b> (337) 981-7300	<b>E-MAIL ADDRESS:</b> customerservice@andrus.com	
<b>INSURED</b>  Miguez Fuel, LLC 109 Hwy 90 West New Iberia, LA 70560	<b>INSURER(S) AFFORDING COVERAGE</b>		<b>NAIC #</b>
	<b>INSURER A : Plaza Insurance Company</b>		30945
	<b>INSURER B : Underwriters at Lloyds</b>		
	<b>INSURER C : Louisiana Workers' Comp. Corp.</b>		22350
	<b>INSURER D :</b>		
	<b>INSURER E :</b>		
<b>INSURER F :</b>			

## COVERAGES

## CERTIFICATE NUMBER:

## REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR  GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PROJECT <input type="checkbox"/> LOC OTHER:			PFHRU010799-00	02/28/2019	02/28/2020	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 100,000 MED EXP (Any one person) \$ PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000
A	<b>AUTOMOBILE LIABILITY</b> <input checked="" type="checkbox"/> ANY AUTO OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> HIRED AUTOS ONLY <input checked="" type="checkbox"/> NON-OWNED AUTOS ONLY			PFHRU010799-00	02/28/2019	02/28/2020	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$
B	<input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input checked="" type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED <input checked="" type="checkbox"/> RETENTION \$ 0			19*RENMA1800055-101214*01	02/28/2019	02/28/2020	EACH OCCURRENCE \$ 5,000,000 AGGREGATE \$
C	<b>WORKERS COMPENSATION AND EMPLOYERS' LIABILITY</b> ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) <input type="checkbox"/> Y/N If yes, describe under DESCRIPTION OF OPERATIONS below		N/A	169321	03/05/2019	03/05/2020	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER E.L. EACH ACCIDENT \$ 1,000,000 E.L. DISEASE - EA EMPLOYEE \$ 1,000,000 E.L. DISEASE - POLICY LIMIT \$ 1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)  
ACTUAL POLICY FORMS & ENDORSEMENTS ARE AVAILABLE UPON REQUEST FOR REVIEW

SEE ATTACHED ACORD 101

## CERTIFICATE HOLDER

## CANCELLATION

Jefferson Parish, It Districts Departments and Agencies  
under the discretion of the Parish President and the  
Parish Council  
910 3rd Street  
Gretna, LA 70053

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE



AGENCY CUSTOMER ID: MIGUFUE-02

EMH

LOC #: 1

**ADDITIONAL REMARKS SCHEDULE**

Page 1 of 1

AGENCY <b>Dwight W. Andrus Insurance, Inc.</b>		NAMED INSURED <b>Miguez Fuel, LLC</b> 109 Hwy 90 West New Iberia, LA 70560	
POLICY NUMBER <b>SEE PAGE 1</b>			
CARRIER <b>SEE PAGE 1</b>	NAIC CODE <b>SEE P 1</b>	EFFECTIVE DATE: <b>SEE PAGE 1</b>	

**ADDITIONAL REMARKS**

THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,  
FORM NUMBER: ACORD 25 FORM TITLE: Certificate of Liability Insurance

**Description of Operations/Locations/Vehicles:**

**ADDENDUM TO CERTIFICATE OF INSURANCE:** Any information contained in this Addendum is general and descriptive only. The Certificate of insurance and this Addendum may not contain descriptions of any or all operations, locations, vehicles or exclusions. Please see policy forms and endorsements for specific coverages and exclusions.

**General Liability Policy**

- Additional Insured - Designated Person or Organization CG 2026 0413
- Misdelivery of Liquid Products Coverage CG 2266 1185
- Primary and Non-Contributing Insurance CG 2001 0413
- Waiver of Transfer of Rights of Recovery Against Others to Us CG 2404 0509
- Total Pollution Exclusion with a Building Heating, Cooling and Dehumidifying Equipment Exception and a Hostile Fire Exception CG 2165 1204

**Automobile Policy**

- Waiver of Transfer of Rights of Recovery Against Others to Us (Waiver of Subrogation) CA 0444 1013
- Designated Insured for Covered Autos Liability Coverage CA 2048 1013
- Primary and Noncontributory - Other Insurance Condition CA 0449 1116
- Pollution Liability - Broadened Coverage for Covered Autos - Business Auto and Motor Carrier Coverage Forms CA 9948 1013
- Endorsement for Motor Carrier Policies of Insurance for Public Liability MCS-90 0117
- Wrong Delivery of Liquid Products CA 2305 1013

**Workers Compensation Policy**

- Waiver of Our Right to Recover From Others WC 00 03 13
- Alternate Employer Endorsement WC 00 03 01
- Longshore and Harbor Workers Compensation Act Coverage Endorsement WC 00 01 06A
- Gulf of Mexico Extension LWCC 6
- Outer Continental Shelf Lands Act Coverage Endorsement WC000109C

**Excess Policy**

- Commercial Excess is Follow Form of Underlying policies which include: General Liability, Automobile and Workers Compensation policies

DATE: 4/10/2019

Page: 5

BID NO.: 50-00126129

**BID FORM**  
Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES \_\_\_\_\_ NO X

MAXIMUM ESCALATION PERCENTAGE REQUESTED \_\_\_\_\_%

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF \_\_\_\_\_

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

**DELIVERY: FOB JEFFERSON PARISH**

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES \_\_\_\_\_

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) \_\_\_\_\_

**THIS SECTION MUST BE COMPLETED BY BIDDER:**

FIRM NAME: MIGUEZ FUEL LLC

ADDRESS: 109 Hwy 90W

CITY, STATE: NEW ORLEANS, LA ZIP: 70560

TELEPHONE: 337 365 3784 FAX: 337 359 8880

EMAIL ADDRESS: BBERNIS@MIGUEZFUEL.COM

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: 02

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

TOTAL PRICE OF ALL BID ITEMS: \$ 40475<sup>00</sup>

AUTHORIZED SIGNATURE: \_\_\_\_\_

TITLE: VP BUSINESS DEV

BRANDAN BERNIS  
Printed Name

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00126129

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	5.00	DRUM	<p>TWO YEAR CONTRACT FOR A SUPPLY OF PETROLEUM PRODUCTS, KEROSENE, VARSOL FOR THE JEFFERSON PARISH DEPARTMENT OF FLEET MANAGEMENT.</p> <p>0001 - CROWN 85W140 GL5- 55 GALLON DRUM PETROLEUM PRODUCTS</p> <p>(MORE OR LESS)(AS PER SPECS BELOW) GRAVITY, API-25.5 FLASH, COC.F-375 POUR, PT., F-0 VISCOSITY CST AT 40 C-310 CST AT 100C-24.7 SSU AT 100 F-1668 STRAIGHT MINERAL GEAR LUBRICANT MEETING API GL5 SPECIFICATIONS.</p> <p>CAM 2</p>	515 <sup>00</sup>	2575 <sup>00</sup>
2	2.00	DRUM	<p>0002 - CROWN ATF DERON/MERON 55 GAL. DRUM, PETROLEUM PRODUCTS</p> <p>SYNTHETIC (MORE OR LESS)(AS PER SPECS BELOW) FLASH F-360 POUR F-(30) VISCOSITY CST AT 40 C-39.7 SCT AT 100C-6.2 SSU AT 100F-204 SSU AT 210F-47.1 VISCOSITY INDEX-102 USED IN ALLISON POWERSHIFT AND MODEL CL(8)T700 AUTOMATIC TRANSMISSIONS AND OTHER EQUIPMENT REQUIRING EITHER TYPE C-1, TYPE C-2, OR TYPE C-3 HYDRAULIC TRANSMISSION FLUID.</p> <p>CAM 2</p>	390 <sup>00</sup>	780 <sup>00</sup>
3	5.00	DRUM	<p>0003 - CROWN HYDRAULIC A.W.46 55 GALLON DRUM</p> <p>PETROLEUM PRODUCTS CROWN HYDRAULIC A.W.46 (MORE OR LESS)(AS PER SPECS BELOW) FLASH, F-441 POUR, F-0 VISCOSITY CST AT 40 C-43.3 SSU AT 100F-155 VISCOSITY INDEX-95 ISO VG-46 FOAM ASTM D-892 SEW. I,II,III OXIDATION STABILITY ASTM D-942 HRS-1000+ HYDROLYTIC STABILITY ASTM D-2619 RUST PROTECTIONS ASTM D-655 A &amp; B VANE PUMP TEST ASTM D-2882 35V Q 25 VANE PUMPM TEST.</p> <p>CAM 2</p>	295 <sup>00</sup>	1475 <sup>00</sup>
4	2.00	DRUM	<p>0004 - CROWN HYDRAULIC A.W.32 LLDR, 55 GALLON DRUM</p> <p>CAM 2</p>	295 <sup>00</sup>	590 <sup>00</sup>
REVISED AS PER ADDENDUM # 1					

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00126129

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
5	10.00	DRUM	<p>PETROLEUM PRODUCTS</p> <p>HYDRAULIC OIL (MORE OR LESS)(AS PER BELOW SPECS) FLASH, F-432 POUR, F-0 VISCOSITY CST AT 40 C-30.1 SSU AT 100F-155 VISCOSITY INDEX-95 ISO VG-32 FOAM ASTM D-892 SEQ I,II,III OXIDATION STABILITY ASTM D-943-1000+ HYDROLYTIC STABILITY ASTM D-2619 POINT PETROLEUM ASTM D-665A &amp; B VANE PUMP TEST ASTM D-2882 35V Q 25 VAN PUMP TEST</p> <p><i>CAM 2</i></p> <p>0005 - CROWN UTF 55 GALLON DRUM PETROLEUM PRODUCTS FLD.</p>	<i>380<sup>00</sup></i>	<i>3800<sup>00</sup></i>
6	3.00	DRUM	<p>LLDR (MORE OR LESS)(AS PER SPECS BELOW) FLASH, COC F-392 PORE, PT., F-(-25) VISCOSITY CST AT 40 C-57.8 CST AT 100C-9.1 SSU AT 100F-272 SSU AT 210F-55.7 VISCOCITY INDEX-135 PREMIUM UNIVERSAL LUBRICANT FOR ALL TRACTORS THAT REQUIRE A SINGLE OIL FOR LUBRICATION OF TRANSMISSION. DIFFERENTIAL AND DRIVE GEARS. IT CAN BE USED AS POWER BRAKE, POWER TAKE-OFF AND POWER STEERING FLUID WHERE MINERAL OILS ARE RECOMMENDED. MEETS SPECS FOR AC POWER FLUID 821. ALLISON C1, C2, C3, C4 CATERPILLARE T02, FORD/NEW HOLLAND ESNM2C41B, ESNMC248-B, ESNB2C53C, ESNM2C77A, ESNM2C868, ESNM2C124A,B,C,D CASE INTERNATIONS JIC 185, JIC 145, JIC 144, JIC 143, MS 1205, MS 1204, MS 1210 (TCH), MS 1206 )POWER GRATE PTE) JOHN DEERE J20A (JY GARD), J1145 (303 FLUID), J146, J21A.</p> <p><i>CAM 2</i></p> <p>0006 - CROWN ATF DEXRON/MERCON LLDR 55 GAL. DRUM, PETROLEUM PRODUCTS</p>	<i>390<sup>00</sup></i>	<i>1170<sup>00</sup></i>
			<p>SYNTHETIC (MORE OR LESS)(AS PER BELOW SPECS) COLOR-RED GRAVITY, API-29.5 FLASH, POINT F-360 POUR, PTX, F-(-40) VISCOSITY C-P, AT(-40) C-40,000 CST AT 40C-37 CST AT 100C-7.4 SSU AT 100F-190 SSU AT 210F-51</p>		
REVISED AS PER ADDENDUM # 1					



## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00126129

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
7	20.00	DRUM	<p>VISCOSITY INDEX-160 PHOSPHORUS % MASS-050 CALCUIM % MASS-013 MEETS TRANSMISSION FLUID REQUIREMENTS FOR ALL ALLISON AUTOMATIC TRANS. ALLISON C3 &amp; C4 AND CATERPILLARE T02 GM DEXROMM II, AMERICAN MORTORS, CHRYSLER AND MERCON, ESP-M2C 166H AS ESP-M2C133C.</p> <p><b>CAM 2</b></p> <p>0007 - CROWN HD 15 W40 MOTOR OIL, 55 GAL. DRUM, PETROLEUM PRODUCTS</p> <p>FULL SYNTHETIC-DELIVERED IN TOTES (MORE OR LESS)(AS PER BELOW SPECS) GRAVITY, API-28.4 FLASH, COC, F-399 POUR, PT., F-(-17) VISCOSITY CST AT 40C-120.5 CST AT 100C-15.4 VISCOSITY INDEX-136 ASH(SULFATE),% MAX-8 TBS (ASTM D-2896)-9 D-664-7.5 ZINC % MASS-13 CALCUIM % MASS-02 MEETS API CC, CD, CD-11, CE, SG &amp; API SAE OIL REQUIREMENTS FOR GASOLINE ENGINES. MEETS SHEAR STABILITY REQUIRE- MENTS OF CCMC (CED-L-14-T74) AS MEASURED IN ASTM D-3945 SHEAR STABILITY TESTS. ALSO MEETS VISCOSITY GRADE FOR CUMMINGS, DDC SERIES 60, NAVISTAR, INTERNATIONAL, AND MACK TRUCK ENGINES.</p> <p><b>SA SUPER SYN</b></p>	679 <sup>00</sup>	13580 <sup>00</sup>
8	2.00	DRUM	<p>0008 - CROWN 5W,30, LLDR 55 GAL. DRUM, PETROLEUM PRODUCTS</p> <p>SYNTHETIC (AS PER BELOW SPECS) GRAVITY, API-30.0 FLASH, COC, F-410 POUR, F(-22) VISCOSITY CST AT 40 C-70 CST AT 100C-10.2 VISCOSITY INDEX-146 ASH (SULFATED)-81 ZINC % MASS-09 MAGNESIUM % MASS-13 COPPER PPM-100 API LEVEL-SG UNILUSE API DIESEL ENGINE CATEGORY CC.</p> <p><b>CAM 2</b></p>	375 <sup>00</sup>	750 <sup>00</sup>
9	14.00	DRUM	<p>0009 - CROWN K-1 KEROSENE, 55 GALLON CONTAINER</p>	318 <sup>00</sup>	4452 <sup>00</sup>
10	2.00	EA	<p>0010 - CROWN 55 GALLON CONTAINER MINERAL SPIRITS</p>	318 <sup>00</sup>	636 <sup>00</sup>
REVISED AS PER ADDENDUM # 1					

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00126129

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
11	2.00	DRUM	0011 - CROWN ISO 46 HYDRAULIC OIL 55 GALLON DRUM  PETROLEUM PRODUCTS PRODUCT CODE: 65209 VISCOSITY @ 40 DEGREE C, CST 46.00 @ 100 DEGREE C, CST 6.8 @ 100 DEFREE F, SUS 237 2 210 DEFREE F, SS 449 VISCOSITY INDEX 102 GRAVITY DEGREE API @ 60 DEGREE 29.5 FLASH POINT, COC, DEGREE F 420 POUR POINT, DEGREE F-20 COPPER CORROSION 1A EMULSION TEST @ 130 DEGREE F 30 MINUTES MAX PASS RUST TEST PASS- TURBINE OIL STABILITY TEST, HOURS 3000 PLUS  CAM 2	295 <sup>00</sup>	590 <sup>00</sup>
12	2.00	DRUM	0012 - CROWN ISO 68 55 GALLON DRUM PETROLEUM PRODUCTS  PRODUCT CODE: 65211 VISCOSITY: @ 40 DEGREE C, CST 68. @ 100 DEGREE C, CST 8.3 @ 100 DEGREE F, SUS 353 @ 210 DEGREE F, SUS 554.2 VISCOSITY INDEX 97 GRAVITY DEGREE API @ 60 DEGREE 28.5 FLASH POINT, COC, DEGREE F 440 POUR POINT, DEGREE F-20 COPPER CORROSION 1A EMULSION TEST @ 1130 DEGREE F 30 MINUTES PASS REST TEST PASS TURBINE OIL STABILITY TEST, HOURS 3000 PLUS.  CAM 2	295 <sup>00</sup>	590 <sup>00</sup>
13	5.00	DRUM	0013 - CROWN HI-TEMP 2 55 GAL DRUM CONTAINER  PRODUCT CODE 70311 COLOR: BLUE SOAP TYPE: LITHIUM COMPLEX BASE OIL VISCOSITY @ 40 DEGREE C, CST 150 @ 100 DEGREE C, CST 14.5 NLGI CLASSIFICATION CG/LB DROPPING POINT DEGREE F 536 WATER WASHOUT WT % LOSS @ 175 DEGREE F 6.8 TIMKEN OK LOAD, LBS 45 RUST TEST PASS  CAM 2  REVISED AS PER ADDENDUM # 1	708 <sup>00</sup>	3540 <sup>00</sup>

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00126129

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
14	20.00	GL	<p>WORKED PENETRATION, DMM @ 77 DEGREE F 60 STROKES 280 BOMB OXIDATION 100 HOURS @ 210 DEGREE F, PSI DROP 5 MAX</p> <p>0014 - ILC MULTIGRADE, 5W20 MOTOR OIL IS A HIGH QUALITY MORTOR OIL THAT</p>	5.75	115 <sup>00</sup>
15	2.00	DRUM	<p>PROVIDES ANTI-WEAR PROTECTION AND PROTECTION AGAINST SLUDGE AND DEPOSIT FORMATION. SYNTHETIC ILC MULTIGRAD 5W20 MOTOR OIL IS THE HIGHEST API QUALITY OIL RECOMMENDATION FOR GASOLINE POWERED VEHICLES. TYPICAL TEST DATA: SAE GRADE 5W20 API GRAVITY @ 60 DEGREE 33.6 VISCOSITY: CST @ 40 DEG. C 47.0 CST @ 100 DEG. C 8.3</p> <p>CAM 2</p> <p>0015 - TORQUE DRIVE SYNTHETIC TRANSMISSION FLUID-55 GALLON DRUM</p>	540 <sup>00</sup>	1080 <sup>00</sup>
16	2.00	DRUM	<p>PHYSICAL DATA: KINEMATIC VISCOSITY @ 100 C, CST (ASTM-D-445) TORQUE DRIVE: 7.4 BROOKFIELD VISCOSITY @ -40 C (CP) TORQUE DRIVE: 8411 VISCOSITY INDEX (ASTM D 2270) TORQUE DRIVE: 170 DENSITY @ 60 F (LB/GAL) TORQUE DRIVE: 7.038 FLASH POINT C (F) (ASTM D 92) TORQUE DRIVE: 230 (446) POUR POINT C (F) (ASTM D 97) TORQUE DRIVE: -55 (-67) FOUR BALL WEAR TEST (ASTM D-4172B: 40 KG 75C, 1200 RPM 1 HR) MM TORQUE DRIVE: 0.45 COPPER CORROSION (150 C, 3HR) TORQUE DRIVE: 1B</p> <p>SPECTROGRAPHIC ANALYSIS: BORON (PPM) TORQUE DRIVE: 133 CALCIUM (PPM) TORQUE DRIVE: 28 PHOSPHOROUS (PPM) TORQUE DRIVE: 230</p> <p>RECOMMENDED FOR USE IN APPLICATIONS SPECIFYING ALLISON TES-295, TES-389 OR C-4, DEXRON III, MERCON, VOITH 55.6336.X X(G-1363)ZF-TE-ML14C TORQUE DRIVE: SYNTHETIC</p> <p>CAM 2</p> <p>0016 - 75-140 SYNTHETIC GEAR OIL-55 GALLON DRUM</p>	951 <sup>00</sup>	1902 <sup>00</sup>
REVISED AS PER ADDENDUM # 1					

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00126129

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
17	5.00	DRUM	0017 - CAM 2 BLUE BLOOD 0W40 ELITE FUL	565 <sup>00</sup>	2825 <sup>00</sup>
18	1.00	EA	0018 - DELIVERY CHARGE PRODUCTS MUST BE DELIVERED WITHIN SEVENTY-TWO (72) HOURS OF ORDER PLACEMENT.	25 <sup>00</sup>	25 <sup>00</sup>
REVISED AS PER ADDENDUM # 1					